THE

REGISTRAR-GENERAL'S

WA 36381

STATISTICAL REVIEW

OF

ENGLAND AND WALES

FOR THE YEAR

1933

(New Annual Series, No. 13)

TABLES. PART I. MEDICAL

Crown Copyright Reserved

LONDON
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2
York Street, Manchester 1; 1, St. Andrew's Crescent, Cardiff
80, Chichester Street, Belfast
or through any Bookseller

1934

Price 6*s.* 0*d.* Net.

70–141–I–33

LIBRARY COPY (ROOM 323)

TABLE OF CONTENTS.

PART I.—Medical.

	Page
Table 1. Estimated Population by Sex and Age, Mid Year 1933. England and Wales	1
Table 2. Estimated Resident Populations by Sex and Age, Mid Year, 1933. Geographical Regions and Certain Aggregates	2
Table 3. Deaths, Death-rates, Ratio of Male to Female Mortality and Infant Mortality, 1838–1933. England and Wales	3
Table 4. Deaths Registered and Death-rates in each Quarter, 1838–1933. England and Wales	5
Table 5. Death-rates at All Ages (Standardized) and at Age Groups. Infant Mortality, 1838–1933. England and Wales	6
Table 6. Deaths from Various Causes, Males and Females, 1923–1933. England and Wales	9
Table 7. Crude Death-rates from Certain Causes, Males, Females and Persons, 1923–1933. England and Wales ..	25
Table 8. Standardized Death-rates from Certain Causes, 1923–1933. England and Wales	39
Table 9. Death-rates from principal Epidemic or General Diseases, 1851–1933. England and Wales	43
Table 10. Crude Death-rates from the principal Epidemic Diseases and from certain other causes, Infant Mortality, 1932 and 1933. Administrative Counties and County Boroughs	44
Table 11. Deaths of Infants from Certain Causes, 1923–1933. England and Wales	50
Table 12. Infant Mortality from Certain Causes, 1923–1933. England and Wales	51
Table 13. Deaths at Various Periods in the First Year of Life, 1933 and the Four Quarters thereof. England and Wales and Geographical Regions	52
Table 14. Infant Mortality by Sex, Age, Cause and Legitimacy, 1933. England and Wales, and Aggregates of County Boroughs, Urban Districts and Rural Districts	53
Table 15. Infant Mortality from Certain Causes, 1933. England and Wales and Geographical Regions	64
Table 16. Infant Mortality by Legitimacy and Age, 1933. England and Wales, Geographical Regions, County Boroughs and Aggregates of Urban and Rural Districts in each Administrative County	66

Page

Table 17. Population, Births, Deaths, Infant Mortality, Natural Increase, 1933. Geographical Regions and all Administrative Areas 70

Table 18. Stillbirths by Sex and Legitimacy, 1933. Geographical Regions, County Boroughs and Aggregates of Urban and Rural Districts in each Administrative County.. 121

Table 19. Deaths at each year of Age, 1933. England and Wales.. 124

Table 20. Deaths at Different Ages, 1933. Geographical Regions, County Boroughs and Aggregates of Urban and Rural Districts in each Administrative County .. 125

Table 21. Deaths by Cause at different Age periods, 1933. England and Wales 142

Table 22. Deaths by Cause at Ages under five, 1933. England and Wales 169

Table 23. Deaths by Month of Occurrence and by Cause, Oct.–Dec., 1932, and Jan.–Sept., 1933. England and Wales 173

Table 24. Deaths by Abridged List of Causes, Sex and Age, 1933. Geographical Regions, County Boroughs and Aggregates of Urban and Rural Districts in each Administrative County 189

Table 25. Violent Deaths by Sex and Age and form of Violence, 1933. England and Wales 331

Table 26. Case-rates (Notifications) of Certain Infectious Diseases, 1923–1933. England and Wales and certain Aggregates 343

Table 27. Seasonal Incidence of Certain Infectious Diseases, 1933. England and Wales 346

Table 28. Cases of Certain Infectious Diseases Notified, 1923–1933. England and Wales 347

Table 29. Cases of Infectious Diseases Notified and certain Attack-rates, 1933. Geographical Regions and all Administrative Areas 350

Table 30. Air Temperature, Rainfall and Sunshine, 1933. England and Wales 401

Table 31. Meteorological Elements, Greenwich, 1884–1933 .. 402

Table 32. Quarterly Meteorological Elements, Greenwich, 1933.. 404

Appendix A. Estimated Mid Year Populations of Areas in which changes of boundary occurred during the Year 1933 405

General Register Office,
Somerset House,
London, W.C.2.

TABLE 1. ESTIMATED POPULATION BY SEX AND AGE. MID-YEAR, 1933. } { England and Wales.

Age.	Persons.	Males.	Females.
All ages ..	40,350,000	19,357,000	20,993,000
0— ..	569,900	289,800	280,100
1— ..	581,800	295,400	286,400
2— ..	594,200	300,700	293,500
3— ..	594,000	300,100	293,900
4— ..	594,700	300,600	294,100
0—5 ..	2,934,600	1,486,600	1,448,000
5— ..	3,111,400	1,570,000	1,541,400
10— ..	3,486,900	1,763,000	1,723,900
15— ..	3,146,100	1,575,800	1,570,300
20— ..	3,454,000	1,692,900	1,761,100
25— ..	3,433,300	1,670,800	1,762,500
30— ..	3,225,500	1,564,500	1,661,000
35— ..	2,856,300	1,306,200	1,550,100
40— ..	2,707,300	1,245,900	1,461,400
45— ..	2,560,700	1,178,800	1,381,900
50— ..	2,414,300	1,122,800	1,291,500
55— ..	2,141,600	1,008,900	1,132,700
60— ..	1,757,800	826,000	931,800
65— ..	1,331,300	607,500	723,800
70— ..	916,000	398,700	517,300
75— ..	532,300	216,600	315,700
80— ..	240,500	90,000	150,500
85 and up	100,100	32,000	68,100

TABLE 2. ESTIMATED RESIDENT POPULATIONS BY SEX AND AGE, MID-YEAR, 1933. — England and Wales; Geographical Regions*; Aggregates of County Boroughs, Other Urban Districts and Rural Districts.

Adjusted to allow for changes in boundary during the year. (*See note at head of Table* 17.)

Figures given to the nearest hundred.

		All Ages.	0–	5–	15–	25–	35–	45–	55–	65–	75 and upwards.
England and Wales	M	19,357,0	1,486,6	3,333,0	3,268,7	3,235,3	2,552,1	2,301,6	1,834,9	1,006,2	338,6
	F	20,993,0	1,448,0	3,265,3	3,331,4	3,423,5	3,011,5	2,673,4	2,064,5	1,241,1	534,3
Regional Summary.											
South East	M	6,481,0	477,7	1,062,0	1,120,0	1,107,0	859,0	776,2	612,5	343,6	123,0
	F	7,281,7	464,1	1,035,8	1,173,3	1,208,8	1,058,5	944,3	731,7	453,8	211,4
Greater London	M	3,914,3	289,5	641,1	689,6	691,8	528,9	468,8	358,7	184,8	61,1
	F	4,446,2	281,9	628,8	755,9	773,9	652,4	566,8	423,6	250,3	112,6
Remainder of South East	M	2,566,7	188,2	420,9	430,4	415,2	330,1	307,4	253,8	158,8	61,9
	F	2,835,5	182,2	407,0	417,4	434,9	406,1	377,5	308,1	203,5	98,8
North	M	6,323,0	499,2	1,115,3	1,061,0	1,053,1	843,8	759,4	600,5	303,6	87,1
	F	6,804,2	488,7	1,099,4	1,084,2	1,117,1	984,5	872,2	658,7	366,6	132,8
North I	M	1,119,4	99,2	225,0	188,9	177,6	141,8	124,1	97,7	49,9	15,2
	F	1,130,7	96,8	219,9	178,5	181,0	155,1	131,2	96,9	52,6	18,7
North II	M	632,3	53,0	113,6	107,4	101,7	79,6	72,9	58,1	33,7	12,3
	F	660,5	51,6	112,1	103,2	102,2	91,1	82,2	62,9	38,6	16,6
North III	M	1,662,7	125,4	283,6	275,4	283,4	224,6	204,5	162,6	80,6	22,6
	F	1,782,3	123,2	279,2	283,7	297,9	259,8	229,9	176,1	97,3	35,2
North IV	M	2,908,6	221,6	493,1	489,3	490,4	397,8	357,9	282,1	139,4	37,0
	F	3,230,7	217,1	488,2	518,8	536,0	478,5	428,9	322,8	178,1	62,3
Midland	M	3,389,5	271,2	600,3	570,9	574,4	440,1	392,7	311,7	170,6	57,6
	F	3,606,3	263,3	588,6	583,6	592,2	508,3	442,8	338,3	202,2	87,0
Midland I	M	2,217,8	179,9	397,3	375,2	373,3	286,6	255,7	203,2	109,8	36,8
	F	2,371,8	174,8	390,4	384,2	386,5	331,8	289,8	222,9	133,1	58,3
Midland II	M	1,171,7	91,3	203,0	195,7	201,1	153,5	137,0	108,5	60,8	20,8
	F	1,234,5	88,5	198,2	199,4	205,7	176,5	153,0	115,4	69,1	28,7
East	M	899,6	69,1	155,1	148,6	139,7	110,5	105,9	88,5	58,2	24,0
	F	932,6	66,9	150,1	138,8	137,9	126,7	117,7	96,0	65,3	33,2
South West	M	980,1	69,9	156,9	156,6	157,7	128,4	117,7	100,9	65,8	26,2
	F	1,083,9	67,5	153,2	153,9	163,2	153,8	142,8	121,9	85,1	42,5
Wales	M	1,283,8	99,5	243,4	211,6	203,4	170,3	149,7	120,8	64,4	20,7
	F	1,284,3	97,5	238,2	197,6	204,3	179,7	153,6	117,9	68,1	27,4
Wales I	M	950,8	74,4	185,5	158,1	151,6	128,6	110,6	86,3	43,1	12,6
	F	929,2	73,2	181,8	146,2	150,7	131,3	107,8	79,2	42,8	16,2
Wales II	M	333,0	25,1	57,9	53,5	51,8	41,7	39,1	34,5	21,3	8,1
	F	355,1	24,3	56,4	51,4	53,6	48,4	45,8	38,7	25,3	11,2
Density Summary of all areas outside Greater London.											
County Boroughs	M	6,048,8	481,8	1,059,2	1,018,6	1,012,6	806,3	724,9	568,7	289,7	87,0
	F	6,671,8	471,1	1,047,5	1,093,2	1,094,4	956,1	850,5	642,6	370,5	145,9
Other Urban Districts	M	5,564,4	419,2	965,4	929,0	922,8	733,6	664,9	535,4	294,7	99,4
	F	5,998,6	409,0	947,0	926,2	964,5	859,2	768,7	603,0	364,9	156,1
Rural Districts	M	3,829,5	296,1	667,3	631,5	608,1	483,3	443,0	372,1	237,0	91,1
	F	3,876,4	286,0	642,0	556,1	590,7	543,8	487,4	395,3	255,4	119,7

* The counties included in the several Geographical Regions are shown on the first page of Table 17.

TABLE 3. DEATHS, DEATH-RATES, RATIO OF MALE TO FEMALE MORTALITY AND INFANT MORTALITY, 1838–1933. } { England and Wales.

Period.	Deaths.			Crude rates per 1,000 living.			Standardized rates per 1,000 living.*			Ratio of Standardized Male to Female Mortality, the latter taken as 1,000.*	Deaths of Infants under 1 year per 1,000 Live births.		
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.		Total.	Legitimate.	Illegitimate.
1838–1933	46,446,537	23,824,854	22,621,683	17·5	18·6	16·5	16·9	18·2	15·7	1,164	132	—	—
1841–1850	3,769,396	1,909,125	1,860,271	22·4	23·1	21·6	21·6	22·5	20·7	1,085	153	—	—
1851–1860	4,210,715	2,138,536	2,072,179	22·2	23·1	21·4	21·2	22·1	20·3	1,092	154	—	—
1861–1870	4,794,498	2,459,489	2,335,009	22·5	23·7	21·4	21·3	22·6	20·2	1,119	154	—	—
1871–1880	5,178,311	2,679,416	2,498,895	21·4	22·7	20·1	20·3	21·8	19·0	1,150	149	—	—
1881–1890	5,244,770	2,698,316	2,546,454	19·1	20·3	18·1	18·6	20·0	17·3	1,154	142	—	—
1891–1900	5,575,375	2,865,226	2,710,149	18·2	19·3	17·1	18·1	19·5	16·7	1,167	153	—	—
1901–1910	5,248,774	2,706,356	2,542,418	15·4	16·4	14·4	15·2	16·6	13·9	1,190	128	—	—
1911–1920 †	5,188,052	2,684,511	2,503,541	14·4	15·9	13·0	13·5	15·0	12·2	1,230	100	96	194
1921–1930	4,722,991	2,407,475	2,315,516	12·1	12·9	11·4	10·6	11·8	9·6	1,232	72	70	130
1841–1845	1,746,110	885,168	860,942	21·4	22·1	20·6	20·6	21·6	19·8	1,089	148	—	—
1846–1850	2,023,286	1,023,957	999,329	23·3	24·1	22·6	22·4	23·4	21·6	1,084	157	—	—
1851–1855	2,087,236	1,061,271	1,025,965	22·7	23·5	21·8	21·7	22·7	20·7	1,097	156	—	—
1856–1860	2,123,479	1,077,265	1,046,214	21·8	22·6	21·0	20·7	21·6	19·9	1,090	152	—	—
1861–1865	2,331,957	1,192,943	1,139,014	22·6	23·7	21·5	21·4	22·6	20·3	1,113	151	—	—
1866–1870	2,462,541	1,266,546	1,195,995	22·4	23·7	21·2	21·2	22·6	20·0	1,130	157	—	—
1871–1875	2,572,749	1,330,063	1,242,686	22·0	23·3	20·7	20·9	22·4	19·5	1,149	153	—	—
1876–1880	2,605,562	1,349,353	1,256,209	20·8	22·1	19·5	19·8	21·3	18·4	1,158	145	—	—
1881–1885	2,585,164	1,330,461	1,254,703	19·4	20·5	18·3	18·7	20·1	17·5	1,151	139	—	—
1886–1890	2,659,606	1,367,855	1,291,751	18·9	20·0	17·8	18·5	20·0	17·2	1,163	145	—	—
1891–1895	2,785,391	1,427,164	1,358,227	18·7	19·8	17·7	18·5	20·0	17·2	1,161	151	—	—
1896–1900	2,789,984	1,438,062	1,351,922	17·7	18·8	16·6	17·6	19·1	16·2	1,178	156	—	—
1901–1905	2,671,566	1,379,931	1,291,635	16·0	17·1	15·0	16·0	17·4	14·6	1,192	138	—	—
1906–1910	2,577,208	1,326,425	1,250,783	14·7	15·6	13·8	14·4	15·8	13·2	1,196	117	113	224
1911–1915 †	2,598,719	1,344,171	1,254,548	14·3	15·4	13·3	13·7	15·1	12·4	1,218	110	105	210
1916–1920 †	2,589,333	1,340,340	1,248,993	14·4	16·5	12·8	13·4	15·1	11·9	1,269	90	85	179
1921–1925	2,336,270	1,189,865	1,146,405	12·2	13·0	11·4	10·9	12·1	9·9	1,223	76	73	140
1926–1930	2,386,721	1,217,610	1,169,111	12·1	12·9	11·4	10·3	11·5	9·3	1,240	68	65	119
1884	530,828	273,522	257,306	19·7	20·8	18·5	19·0	20·4	17·7	1,152	147	—	—
1885	522,750	268,305	254,445	19·2	20·3	18·2	18·7	20·0	17·4	1,151	138	—	—
1886	537,276	275,874	261,402	19·5	20·6	18·5	19·0	20·4	17·7	1,155	149	—	—
1887	530,758	272,137	258,621	19·1	20·2	18·1	18·6	20·0	17·3	1,152	145	—	—
1888	510,971	263,294	247,677	18·1	19·2	17·0	17·7	19·2	16·4	1,168	136	—	—
1889	518,353	266,102	252,251	18·2	19·3	17·2	17·9	19·2	16·6	1,159	144	—	—
1890	562,248	290,448	271,800	19·5	20·8	18·3	19·3	21·0	17·8	1,181	151	—	—
1891	587,925	302,494	285,431	20·2	21·5	19·0	20·0	21·7	18·5	1,174	149	—	—
1892	559,684	286,062	273,622	19·0	20·0	18·0	18·8	20·2	17·5	1,158	148	—	—
1893	569,958	291,889	278,069	19·2	20·3	18·1	18·9	20·4	17·6	1,157	159	—	—
1894	498,827	256,015	242,812	16·6	17·6	15·6	16·4	17·7	15·2	1,165	137	—	—
1895	568,997	290,704	278,293	18·7	19·7	17·7	18·5	19·9	17·3	1,155	161	—	—

* The standardized death-rates are those which would have been recorded if the sex and age constitution of the population had been the same as in 1901. The rates for males and females are standardized for differences of age constitution in each sex, and also between the two sexes. *See* the Registrar-General's Decennial Supplement, 1921, Part III. (pages xxxiii-xlii).

† For the years 1915–20 the mortality-rates are based upon civilians only, but, as in other years, the numbers of deaths include those of non-civilians registered in England and Wales.

TABLE 3—(*continued*).

Year.	Deaths.			Crude rates per 1,000 living.			Standardized rates per 1,000 living.*			Ratio of Standardized Male to Female Mortality, the latter taken as 1,000.*	Deaths of Infants under 1 year per 1,000 Live births.		
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.		Total.	Legitimate.	Illegitimate.
1896	526,727	270,575	256,152	17·1	18·1	16·1	16·9	18·3	15·7	1,163	148	—	—
1897	541,487	280,211	261,276	17·4	18·6	16·2	17·3	18·8	15·9	1,187	156	—	—
1898	552,141	283,981	268,160	17·5	18·6	16·5	17·4	18·9	16·1	1,172	160	—	—
1899	581,799	299,472	282,327	18·2	19·4	17·2	18·2	19·8	16·8	1,176	163	—	—
1900	587,830	303,823	284,007	18·2	19·5	17·1	18·2	19·9	16·7	1,189	154	—	—
1901	551,585	285,618	265,967	16·9	18·1	15·8	16·9	18·5	15·5	1,192	151	—	—
1902	535,538	277,216	258,322	16·3	17·4	15·2	16·2	17·7	14·8	1,195	133	—	—
1903	514,628	266,290	248,338	15·5	16·5	14·4	15·4	16·8	14·1	1,196	132	—	—
1904	549,784	283,206	266,578	16·3	17·4	15·3	16·2	17·6	14·9	1,185	145	—	—
1905	520,031	267,601	252,430	15·3	16·3	14·4	15·2	16·5	13·9	1,188	128	—	—
1906	531,281	274,233	257,048	15·5	16·5	14·5	15·3	16·8	14·0	1,195	132	127	261
1907	524,221	269,259	254,962	15·1	16·0	14·2	14·9	16·2	13·6	1,190	118	113	220
1908	520,456	268,714	251,742	14·8	15·8	13·9	14·5	16·0	13·3	1,204	120	116	233
1909	518,003	265,203	252,800	14·6	15·5	13·8	14·3	15·6	13·1	1,192	109	104	211
1910	483,247	249,016	234,231	13·5	14·4	12·7	13·2	14·5	12·0	1,205	105	102	195
1911	527,810	272,512	255,298	14·6	15·6	13·7	14·2	15·6	13·0	1,202	130	125	245
1912	486,939	250,232	236,707	13·4	14·2	12·6	12·9	14·2	11·8	1,203	95	91	181
1913	504,975	261,687	243,288	13·8	14·8	12·9	13·3	14·7	12·1	1,221	108	104	213
1914	516,742	267,359	249,383	14·0	14·9	13·1	13·5	14·9	12·2	1,216	105	100	207
1915†	562,253	292,381	269,872	15·7	17·7	14·0	14·6	16·3	13·0	1,254	110	105	203
1916†	508,217	265,030	243,187	14·3	16·7	12·5	13·1	14·9	11·5	1,296	91	87	183
1917†	498,922	262,215	236,707	14·2	17·1	12·1	13·0	15·1	11·2	1,348	96	90	201
1918†	611,861	314,704	297,157	17·3	20·1	15·2	16·6	19·0	14·5	1,310	97	91	186
1919†	504,203	258,089	246,114	14·0	15·7	12·6	13·0	14·6	11·6	1,259	89	84	173
1920†	466,130	240,302	225,828	12·4	13·5	11·5	11·9	13·2	10·7	1,234	80	76	156
1921	458,629	234,291	224,338	12·1	13·0	11·3	11·3	12·5	10·2	1,223	83	79	158
1922	486,780	247,221	239,559	12·8	13·6	12·0	11·6	12·9	10·6	1,215	77	74	139
1923	444,785	226,858	217,927	11·6	12·4	10·9	10·3	11·4	9·3	1,229	69	67	132
1924	473,235	240,620	232,615	12·2	13·0	11·5	10·7	11·8	9·7	1,222	75	73	133
1925	472,841	240,875	231,966	12·2	12·9	11·4	10·7	11·9	9·7	1,227	75	72	136
1926	453,804	231,549	222,255	11·6	12·4	10·9	10·1	11·2	9·1	1,235	70	68	130
1927	484,609	246,606	238,003	12·3	13·1	11·6	10·6	11·8	9·6	1,236	70	67	120
1928	460,389	235,542	224,847	11·7	12·5	10·9	9·9	11·1	8·9	1,248	65	63	115
1929	532,492	269,903	262,589	13·4	14·2	12·7	11·5	12·7	10·4	1,226	74	72	126
1930	455,427	234,010	221,417	11·4	12·3	10·7	9·6	10·8	8·5	1,260	60	58	105
1931	491,630	249,717	241,913	12·3	13·0	11·6	10·1	11·3	9·0	1,249	66	64	111
1932	484,129	245,715	238,414	12·0	12·7	11·4	9·7	10·9	8·7	1,246	65	63	112
1933	496,465	250,625	245,840	12·3	12·9	11·7	9·8	10·9	8·8	1,240	64	62	107

* *See* footnote * on first page of this Table.

† For the years 1915–20 the mortality-rates are based upon civilians only, but, as in other years, the numbers of deaths include those of non-civilians registered in England and Wales.

TABLE 4. DEATHS REGISTERED AND DEATH-RATES IN EACH QUARTER, 1838–1933. } { England and Wales.

Period.	Quarter ended.							
	March.	June.	Sept.	Dec.	March.	June.	Sept.	Dec.
	Deaths: Males.				Deaths: Females.			
1838–1933*	6,732,256	5,802,142	5,383,093	5,907,363	6,508,217	5,402,478	5,019,882	5,691,106
1841–50	522,415	471,969	452,208	462,533	507,070	454,122	440,756	458,323
1851–60	587,846	532,002	491,400	527,288	570,070	508,594	474,524	518,991
1861–70	677,517	597,458	578,694	605,820	645,889	559,376	547,594	582,150
1871–80	731,877	658,545	621,924	667,070	690,899	600,519	573,079	634,398
1881–90	744,679	661,355	618,271	674,011	714,871	610,420	575,831	645,332
1891–1900	790,553	697,093	682,542	695,038	771,792	640,661	629,133	668,563
1901–10	756,871	648,442	621,683	679,360	733,364	598,293	563,732	647,029
1911–20*	785,560	638,473	565,071	695,407	746,774	582,169	509,764	664,834
1921–30	746,920	585,095	484,852	590,608	743,076	551,336	451,409	569,695
1924	79,690	58,954	46,692	55,284	80,584	55,234	43,446	53,351
1925	69,409	58,545	49,285	63,636	68,890	54,673	45,769	62,634
1926	65,742	58,414	46,917	60,476	64,869	55,395	43,788	58,203
1927	83,802	55,711	47,904	59,189	84,958	51,884	44,334	56,827
1928	69,050	59,160	48,120	59,212	67,249	55,582	45,595	56,421
1929	99,944	61,439	50,201	58,319	104,365	57,289	46,548	54,387
1930	67,653	57,414	49,766	59,177	64,314	53,922	46,623	56,558
1931	81,036	58,755	49,896	60,030	81,172	55,939	46,839	57,963
1932	76,393	59,749	50,360	59,213	77,058	56,479	47,624	57,253
1933	84,280	55,459	48,977	61,909	85,703	53,132	46,833	60,172
	Deaths: Persons.				Annual Death-rates per 1,000 persons living.			
1838–1933*	13,240,473	11,204,620	10,402,975	11,598,469	20·2	16·9	15·6	17·3
1841–50	1,029,485	926,091	892,964	920,856	24·7	22·0	21·0	21·7
1851–60	1,157,916	1,040,596	965,924	1,046,279	24·7	22·1	20·3	21·9
1861–70	1,323,406	1,156,834	1,126,288	1,187,970	25·2	21·8	21·0	22·1
1871–80	1,422,776	1,259,064	1,195,003	1,301,468	23·7	20·9	19·6	21·3
1881–90	1,459,550	1,271,775	1,194,102	1,319,343	21·6	18·7	17·3	19·1
1891–1900	1,562,345	1,337,754	1,311,675	1,363,601	20·7	17·6	17·0	17·7
1901–10	1,490,235	1,246,735	1,185,415	1,326,389	17·7	14·6	13·8	15·4
1911–20*	1,532,334	1,220,642	1,074,835	1,360,241	17·2	13·6	11·8	14·9
1921–30	1,489,996	1,136,431	936,261	1,160,303	15·5	11·7	9·5	11·8
1924	160,274	114,188	90,138	108,635	16·6	11·8	9·2	11·1
1925	138,299	113,218	95,054	126,270	14·4	11·7	9·7	12·9
1926	130,611	113,809	90,705	118,679	13·6	11·7	9·2	12·1
1927	168,760	107,595	92,238	116,016	17·4	11·0	9·3	11·7
1928	136,299	114,742	93,715	115,633	13·9	11·7	9·4	11·7
1929	204,309	118,728	96,749	112,706	20·9	12·0	9·7	11·3
1930	131,967	111,336	96,389	115,735	13·4	11·2	9·6	11·5
1931	162,208	114,694	96,735	117,993	16·5	11·5	9·6	11·7
1932	153,451	116,228	97,984	116,466	15·4	11·6	9·7	11·5
1933	169,983	108,591	95,810	122,081	17·1	10·8	9·4	12·0

*See Note † to Table 3.

TABLE 5. DEATH-RATES PER 1,000 LIVING AT ALL AGES (STANDARDIZED) AND AGE GROUPS. INFANT MORTALITY, 1838–1933.* } England and Wales.

PERSONS.

Period.	All Ages (Standardized.)†	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards	Deaths under 1 year per 1,000 Live Births.
1838–1933‡	16·9	51·7	5·2	3·0	4·4	5·5	6·7	9·4	14·3	27·1	59·0	132·0	277·0	132
1841–50	21·6	66·0	9·0	5·3	7·5	9·3	10·3	12·9	17·0	29·9	63·6	141·5	301·0	153
1851–60	21·2	67·6	8·5	5·0	7·0	8·7	9·8	12·3	16·5	28·9	61·7	139·9	296·5	154
1861–70	21·3	68·6	8·0	4·5	6·4	8·2	9·8	12·7	17·4	30·4	62·8	140·4	296·6	154
1871–80	20·3	63·4	6·5	3·7	5·4	7·1	9·0	12·7	17·8	31·6	65·0	142·2	308·3	149
1881–90	18·6	56·8	5·3	3·0	4·4	5·6	7·6	11·5	17·1	31·4	65·0	137·6	284·0	142
1891–1900	18·1	57·7	4·3	2·5	3·7	4·7	6·4	10·5	16·8	31·5	65·0	137·2	270·8	153
1901–10	15·2	46·0	3·6	2·1	3·0	3·8	5·1	8·3	14·3	28·1	58·8	127·2	260·8	128
1911–20‡	13·5	34·6	3·6	2·3	3·3	4·3	5·5	7·4	12·6	25·0	55·8	125·5	254·2	100
1921–30	10·6	22·9	2·4	1·6	2·5	3·2	3·7	5·5	10·0	21·1	51·9	123·1	268·7	72
1841–45	20·6	63·6	8·7	5·0	7·2	8·8	9·7	12·2	16·1	28·7	62·0	137·2	295·3	148
1846–50	22·4	68·7	9·4	5·6	7·7	9·8	10·9	13·6	18·1	31·4	65·9	145·7	306·5	157
1851–55	21·7	68·9	8·6	5·2	7·4	9·1	10·2	12·7	17·2	29·6	62·9	143·2	299·6	156
1856–60	20·7	66·9	8·3	4·7	6·7	8·3	9·4	12·0	16·1	28·4	61·0	136·7	293·4	152
1861–65	21·4	69·1	8·4	4·7	6·6	8·4	9·8	12·6	17·2	30·3	62·5	139·1	299·0	151
1866–70	21·2	68·1	7·6	4·3	6·2	8·0	9·9	12·9	17·6	30·6	63·2	141·7	294·3	157
1871–75	20·9	64·9	6·9	4·0	5·8	7·7	9·6	13·1	18·0	31·6	65·3	141·7	305·2	153
1876–80	19·8	61·9	6·1	3·5	4·9	6·5	8·3	12·3	17·5	31·6	64·7	142·9	311·5	145
1881–85	18·7	56·6	5·8	3·2	4·6	6·0	8·0	11·8	17·2	31·0	63·5	136·2	277·9	139
1886–90	18·5	56·9	4·9	2·8	4·1	5·3	7·2	11·1	17·1	31·8	66·4	139·0	290·1	145
1891–95	18·5	57·8	4·6	2·7	4·0	5·0	6·8	11·0	17·3	32·5	67·3	140·7	273·9	151
1896–1900	17·6	57·6	4·1	2·4	3·5	4·5	6·0	10·1	16·2	30·5	62·9	133·8	267·7	156
1901–05	16·0	50·2	3·7	2·2	3·1	4·0	5·4	8·9	14·9	28·7	59·4	127·3	258·6	138
1906–10	14·4	41·7	3·4	2·0	2·9	3·6	4·8	7·8	13·7	27·5	58·1	127·0	262·4	117
1911–15‡	13·7	37·5	3·4	2·1	2·9	3·6	4·6	7·3	13·1	26·2	57·3	126·2	257·9	110
1916–20‡	13·4	31·4	3·8	2·5	3·8	5·2	6·5	7·5	12·1	24·0	54·5	124·8	250·7	90
1921–25	10·9	24·7	2·5	1·7	2·6	3·3	3·8	5·7	10·1	21·5	51·6	122·7	255·0	76
1926–30	10·3	20·9	2·4	1·6	2·5	3·1	3·5	5·4	9·9	20·7	52·2	123·4	281·4	68
1891	20·0	59·1	4·7	2·7	4·2	5·4	7·4	12·2	19·6	36·9	75·4	156·6	310·5	149
1892	18·8	57·4	4·6	2·6	4·0	4·9	6·9	11·2	17·5	33·3	70·4	146·8	285·9	148
1893	18·9	60·4	5·1	2·9	4·3	5·3	7·2	11·5	17·5	32·2	66·5	134·6	258·5	159
1894	16·4	51·7	4·3	2·5	3·7	4·7	6·3	9·9	15·4	28·0	57·8	119·6	228·5	137
1895	18·5	60·6	4·1	2·5	3·7	4·7	6·3	10·2	16·6	32·1	66·5	146·5	287·3	161
1896	16·9	56·7	4·5	2·4	3·5	4·4	5·9	9·7	15·4	28·5	57·7	120·1	240·3	148
1897	17·3	57·4	4·0	2·4	3·5	4·5	6·0	9·8	15·6	29·3	60·2	129·9	259·8	156
1898	17·4	58·5	3·8	2·2	3·4	4·4	5·9	9·8	15·7	29·7	61·5	132·1	268·1	160
1899	18·2	58·5	4·1	2·4	3·5	4·5	6·1	10·5	17·0	31·9	66·6	142·2	283·9	163
1900	18·2	56·7	4·2	2·4	3·5	4·6	6·2	10·5	17·5	33·1	68·1	143·9	285·2	154
1901	16·9	54·2	4·1	2·3	3·3	4·2	5·8	9·6	15·9	29·8	61·5	129·8	258·0	151
1902	16·2	49·6	4·1	2·3	3·2	4·2	5·7	9·3	15·5	29·4	60·6	129·0	258·8	133
1903	15·4	48·1	3·5	2·1	3·0	3·8	5·4	8·6	14·6	27·7	57·5	122·2	243·6	132
1904	16·2	53·0	3·6	2·1	3·1	3·9	5·3	8·5	14·6	28·7	59·7	130·1	267·6	145
1905	15·2	46·2	3·5	2·1	3·0	3·9	5·2	8·3	14·2	28·0	58·0	125·5	264·5	128
1906	15·3	47·2	3·6	2·1	3·0	3·8	5·1	8·2	14·2	28·2	57·7	126·9	273·1	132
1907	14·9	42·9	3·5	2·1	2·9	3·7	5·0	8·2	14·2	28·6	59·6	129·3	271·0	118
1908	14·5	43·0	3·4	2·0	2·8	3·7	4·9	7·8	13·7	27·6	57·8	127·2	259·0	120
1909	14·3	39·2	3·4	2·1	2·9	3·6	4·8	7·7	13·8	27·8	60·4	131·7	268·3	109
1910	13·2	36·4	3·0	1·9	2·7	3·4	4·4	7·2	12·7	25·7	55·2	120·1	242·4	105
1911	14·2	43·1	3·4	2·1	2·9	3·5	4·6	7·3	13·1	26·0	55·8	123·7	243·0	130
1912	12·9	32·9	3·1	1·9	2·8	3·4	4·4	7·1	12·9	25·8	56·4	123·6	248·9	95
1913	13·3	36·8	3·2	2·0	2·7	3·4	4·3	7·1	12·9	25·9	55·8	121·7	247·7	108
1914	13·5	36·2	3·4	2·1	2·9	3·5	4·6	7·3	13·2	26·0	56·5	121·8	256·8	105
1915‡	14·6	38·2	3·8	2·3	3·2	4·3	5·1	7·6	13·5	27·5	61·7	139·5	291·8	110
1916‡	13·1	29·5	3·3	2·2	3·2	4·3	5·1	7·2	12·5	25·4	58·5	133·3	282·2	91
1917‡	13·0	29·1	3·3	2·2	3·4	4·5	5·3	7·2	12·0	24·7	56·5	130·5	263·9	96
1918‡	16·6	36·5	5·7	3·7	6·1	9·3	12·4	10·1	14·2	25·1	55·1	117·5	225·8	97
1919‡	13·0	29·6	3·5	2·3	3·5	4·7	6·4	7·2	11·6	23·7	54·6	130·6	264·0	89
1920‡	11·9	32·6	3·3	2·0	2·8	3·6	4·4	6·1	10·4	21·2	48·2	113·1	220·8	80
1921	11·3	29·1	2·8	1·8	2·8	3·4	3·9	5·8	10·0	21·1	49·0	116·7	242·3	83
1922	11·6	27·4	2·6	1·8	2·6	3·5	4·1	6·1	10·6	22·7	54·2	129·9	257·7	77
1923	10·3	22·0	2·3	1·6	2·5	3·2	3·7	5·5	9·8	21·0	49·4	117·0	241·8	69
1924	10·7	22·6	2·3	1·7	2·5	3·3	3·7	5·7	10·0	21·7	53·0	124·5	256·8	75
1925	10·7	23·0	2·5	1·7	2·6	3·2	3·6	5·5	10·0	21·1	52·2	125·4	276·0	75
1926	10·1	21·1	2·4	1·5	2·4	3·0	3·5	5·3	9·5	20·2	49·7	117·7	263·4	70
1927	10·6	21·3	2·3	1·5	2·5	3·1	3·6	5·6	10·2	21·3	53·6	127·7	293·6	70
1928	9·9	19·7	2·3	1·6	2·5	3·1	3·5	5·2	9·6	20·0	50·4	115·6	270·9	65
1929	11·5	24·0	2·5	1·7	2·6	3·2	3·7	5·7	10·8	22·4	58·2	140·5	330·1	74
1930	9·6	18·3	2·3	1·5	2·4	2·9	3·4	5·0	9·4	19·6	48·9	115·4	252·1	60
1931	10·1	19·9	2·1	1·5	2·5	3·1	3·4	5·1	9·8	20·6	50·8	123·9	267·9	66
1932	9·7	19·0	2·1	1·4	2·4	3·0	3·2	4·8	9·3	20·0	49·9	122·2	265·6	65
1933	9·8	17·9	2·2	1·4	2·4	3·1	3·4	5·1	9·9	20·3	49·7	124·4	268·1	64

* The age rates for intercensal years are based upon estimated populations.
† *See* Note * to Table 3.
‡ Including civilian mortality only in 1915–20.

TABLE 5—(*continued*).

MALES.

Period.	All ages (Standardized.)†	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards	Deaths under 1 year per 1,000 Live Births.
1838–1933‡	18·2	55·9	5·3	3·0	4·3	5·8	7·0	10·3	16·2	30·3	65·0	142·9	295·3	145
1841–50	22·5	71·2	9·2	5·1	7·1	9·5	9·9	12·9	18·2	31·8	67·5	148·3	312 3	167
1851–60	22·1	72·4	8·5	4·9	6·7	8·8	9·6	12·5	18·0	30·9	65·3	146·7	308·2	168
1861–70	22·6	73·5	8·2	4·5	6·2	8·5	9·9	13·5	19·3	33·1	67·1	147·2	315·0	168
1871–80	21·8	68·4	6·7	3·7	5·3	7·4	9·3	13·8	20·1	34·9	69·7	150·8	327·4	163
1881–90	20·0	61·6	5·3	3·0	4·3	5·7	7·8	12·4	19·4	34·7	70·5	146·6	305·8	155
1891–1900	19·5	62·7	4·3	2·4	3·8	5·1	6·8	11·5	18·9	34·9	70·4	146·1	286·8	168
1901–10	16·6	50·0	3·5	2·1	3·1	4·2	5·6	9·2	16·2	31·8	64·8	137·7	279·2	140
1911–20‡	15·0	37·8	3·6	2·2	3·4	4·9	6·5	8·6	14·5	29·0	63·5	139·3	274·5	112
1921–30	11·8	25·3	2·5	1·7	2·6	3·3	3·9	6·4	11·6	24·4	59·2	136·9	283·1	81
1841–45	21·6	68·7	8·8	4·8	6·8	9·0	9·4	12·2	17·2	30·3	65·5	143·7	305·1	162
1846–50	23·4	73·7	9·5	5·4	7·4	10·0	10·5	13·6	19·2	33·2	69·5	152·9	319·5	172
1851–55	22·7	73·9	8·8	5·2	7·0	9·2	10·0	12·9	18·6	31·6	66·7	150·9	310·9	172
1856–60	21·6	71·5	8·3	4·6	6·4	8·4	9·2	12·2	17·5	30·4	64·3	142·7	305·3	166
1861–65	22·6	74·1	8·5	4·7	6·4	8·6	9·8	13·2	18·9	32·8	66·4	145·9	316·6	166
1866–70	22·6	72·9	7·9	4·3	6·0	8·3	10·1	13·7	19·6	33·5	67·8	148·7	313·5	170
1871–75	22·4	69·9	7·1	4·0	5·7	8·1	10·0	14·3	20·3	34·8	70·1	149·6	323·3	167
1876–80	21·3	67·1	6·3	3·4	4·8	6·7	8·7	13·4	19·8	34·9	69·4	152·2	331·5	159
1881–85	20·1	61·3	5·8	3·2	4·5	6·0	8·2	12·8	19·3	34·2	68·8	145·4	297·9	152
1886–90	20·0	61·9	4·9	2·8	4·1	5·5	7·4	12·1	19·4	35·2	72·1	147·9	313·7	159
1891–95	20·0	62·9	4·5	2·6	4·0	5·2	7·1	11·9	19·5	35·8	72·5	149·2	290·8	165
1896–1900	19·1	62·4	4·1	2·3	3·6	4·9	6·5	11·1	18·4	34·1	68·3	143·1	282·8	170
1901–05	17·4	54·7	3·7	2·1	3·2	4·4	5·9	9·7	17·0	32·4	65·3	137·6	274·6	151
1906–10	15·8	45·4	3·3	2·0	3·0	4·0	5·3	8·6	15·5	31·2	64·4	137·7	283·0	129
1911–15‡	15·1	40·9	3·4	2·0	3·0	4·0	5·1	8·2	14·9	30·2	64·1	139·2	281·6	121
1916–20‡	15·1	34·4	3·8	2·4	3·9	6·6	8·6	9·1	14·0	27·9	63·0	139·4	267·8	101
1921–25	12·1	27·3	2·5	1·7	2·6	3·5	4·1	6·5	11·6	24·8	58·6	136·2	271·6	86
1926–30	11·5	23·2	2·5	1·6	2·6	3·2	3·7	6·2	11·7	24·0	59·7	137·6	293·6	77
1891	21·7	64·6	4·7	2·6	4·2	5·6	7·9	13·4	22·4	41·0	81·3	167·9	327·1	164
1892	20·2	62·4	4·7	2·6	4·0	5·2	7·1	12·1	19·8	36·6	75·7	154·6	305·4	162
1893	20·4	65·6	5·0	2·8	4·3	5·4	7·3	12·5	19·9	35·6	71·4	142·5	272·8	173
1894	17·7	56·1	4·2	2·3	3·8	5·0	6·5	10·8	17·3	31·4	62·8	127·6	243·6	150
1895	19·9	66·0	4·1	2·5	3·8	5·0	6·6	11·0	18·5	34·9	71·3	154·1	306·1	176
1896	18·3	61·2	4·5	2·3	3·5	4·8	6·2	10·6	17·3	31·6	63·0	128·6	251·9	161
1897	18·8	62·5	3·9	2·4	3·6	4·8	6·4	10·8	17·7	32·9	65·8	141·7	272·1	170
1898	18·9	63·4	3·8	2·2	3·5	4·8	6·3	10·7	17·6	33·2	66·4	140·3	282·6	175
1899	19·8	63·4	4·1	2·3	3·6	5·0	6·7	11·6	19·2	35·5	72·0	150·3	302·1	177
1900	19·9	61·6	4·2	2·3	3·7	5·1	6·7	11·7	19·9	37·1	74·2	153·7	304·3	169
1901	18·5	59·0	4·0	2·3	3·5	4·7	6·2	10·6	18·0	33·5	67·8	139·8	276·5	166
1902	17·7	54·1	3·9	2·2	3·3	4·6	6·2	10·4	17·8	33·3	66·7	138·5	270·0	147
1903	16·8	52·5	3·5	2·0	3·0	4·2	5·8	9·4	16·6	31·6	63·3	132·8	260·3	145
1904	17·6	57·4	3·6	2·1	3·1	4·3	5·7	9·4	16·5	32·3	65·5	139·7	287·6	159
1905	16·5	50·3	3·4	2·1	3·1	4·2	5·6	9·0	16·1	31·5	63·3	137·2	278·2	141
1906	16·8	51·2	3·5	2·0	3·2	4·1	5·5	9·1	16·1	32·4	64·3	137·3	298·5	145
1907	16·2	46·8	3·4	2·0	3·0	4·0	5·5	9·0	16·1	32·3	65·2	138·8	291·7	130
1908	16·0	46·9	3·3	2·0	2·9	4·0	5·3	8·6	15·4	31·4	64·3	138·4	277·2	133
1909	15·6	42·8	3·4	2·0	3·0	3·9	5·2	8·5	15·6	31·1	66·4	142·5	289·9	120
1910	14·5	39·7	3·0	1·9	2·7	3·7	4·7	7·9	14·5	29·4	61·8	131·6	259·7	116
1911	15·6	46·7	3·5	2·1	3·1	3·8	5·0	8·1	14·9	29·6	62·4	136·7	268·0	142
1912	14·2	35·9	3·1	1·8	2·9	3·6	4·8	7·9	14·7	29·6	62·7	135·6	266·7	106
1913	14·7	40·3	3·2	1·9	2·8	3·6	4·8	7·9	14·7	29·9	62·9	136·6	269·3	120
1914	14·9	39·4	3·4	2·1	3·1	3·9	5·1	8·3	14·9	30·0	63·4	133·2	281·2	116
1915‡	16·3	42·0	3·9	2·3	3·3	5·8	6·5	8·9	15·4	31·9	69·0	153·6	322·7	123
1916‡	14·9	32·5	3·3	2·2	3·4	6·9	7·2	8·6	14·4	29·6	66·8	148·1	309·2	102
1917‡	15·1	31·8	3·3	2·2	3·6	7·9	8·5	9·1	14·1	29·2	66·2	147·2	286·5	108
1918‡	19·0	38·9	5·5	3·5	6·2	13·8	19·6	12·6	16·4	29·3	64·4	132·1	234·4	108
1919‡	14·6	32·8	3·5	2·3	3·6	5·5	8·1	8·6	13·3	27·2	62·6	145·5	277·6	100
1920‡	13·2	36·2	3·3	1·9	2·9	3·9	4·7	7·0	12·1	24·5	55·6	125·1	235·2	90
1921	12·5	32·3	2·8	1·8	2·8	3·6	4·2	6·5	11·4	24·4	55·8	128·7	262·8	93
1922	12·9	30·2	2·6	1·7	2·7	3·7	4·4	6·9	12·0	26·0	61·2	143·9	271·3	87
1923	11·4	24·3	2·3	1·6	2·6	3·4	4·0	6·3	11·2	24·1	56·0	130·2	262·0	78
1924	11·8	25·1	2·4	1·6	2·5	3·4	3·9	6·5	11·5	24·9	60·0	137·5	271·4	85
1925	11·9	25·3	2·5	1·7	2·6	3·3	3·9	6·3	11·6	24·5	59·6	140·2	290·0	84
1926	11·2	23·3	2·5	1·5	2·5	3·1	3·7	6·1	11·1	23·3	56·8	132·7	282·0	79
1927	11·8	23·7	2·4	1·6	2·5	3·3	3·8	6·6	11·9	24·5	61·1	141·7	309·0	79
1928	11·1	21·9	2·4	1·7	2·6	3·1	3·7	6·0	11·2	23·3	57·8	130·1	287·7	74
1929	12·7	26·3	2·6	1·7	2·7	3·4	3·9	6·8	12·9	25·9	65·7	154·2	335·7	83
1930	10·8	20·5	2·4	1·6	2·5	3·1	3·6	5·7	11·2	23·0	56·7	129·1	257·3	68
1931	11·3	22·4	2·3	1·5	2·6	3·3	3·5	5·8	11·6	23·9	58·7	138·4	295·4	75
1932	10·9	21·0	2·2	1·4	2·5	3·2	3·3	5·3	10·8	23·4	57·9	138·0	289·2	73
1933	10·9	19·9	2·3	1·5	2·6	3·3	3·5	5·7	11·7	23·7	56·7	139·4	286·5	72

† *See* Note * to Table 3.
‡ Including civilian mortality only in 1915–20.

TABLE 5—(*continued*).

FEMALES.

Period.	All ages (Standardized.)†	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards	Deaths under 1 year per 1,000 Live Births.
1838–1933	15·7	47·5	5·2	3·1	4·4	5·3	6·4	8·6	12·6	24·2	54·1	124·1	266·6	119
1841–50	20·7	61·1	8·9	5·4	7·9	9·1	10·6	12·9	16·0	28·4	61·0	135·9	293·3	137
1851–60	20·3	62·7	8·4	5·1	7·4	8·5	9·9	12·1	15·2	27·0	58·7	134·5	288·9	139
1861–70	20·2	63·7	7·8	4·5	6·6	8·0	9·7	12·1	15·6	27·9	59·1	134·9	285·1	139
1871–80	19·0	58·3	6·2	3·7	5·5	6·8	8·6	11·6	15·6	28·7	61·0	135·4	296·4	134
1881–90	17·3	51·9	5·3	3·1	4·4	5·5	7·4	10·6	15·1	28·5	60·4	130·6	270·8	128
1891–1900	16·7	52·8	4·4	2·6	3·7	4·5	6·1	9·6	14·7	28·4	60·7	130·6	261·4	138
1901–10	13·9	41·9	3·6	2·2	2·9	3·5	4·7	7·5	12·5	24·8	53·9	119·8	250·3	114
1911–20	12·2	31·4	3·6	2·3	3·2	3·9	4·8	6·4	10·9	21·5	49·6	116·3	243·6	89
1921–30	9·6	20·4	2·3	1·6	2·5	3·0	3·5	4·8	8·6	18·1	46·0	114·0	261·5	63
1841–45	19·8	58·6	8·6	5·2	7·7	8·6	9·9	12·1	15·1	27·2	59·1	131·8	288·6	133
1846–50	21·6	63·6	9·2	5·7	8·1	9·6	11·2	13·7	17·0	29·7	62·7	140·0	297·7	142
1851–55	20·7	63·8	8·5	5·3	7·8	8·9	10·3	12·6	15·8	27·8	59·7	137·2	292·1	141
1856–60	19·9	62·3	8·4	4·8	7·1	8·2	9·6	11·8	14·8	26·5	58·1	131·9	285·8	137
1861–65	20·3	64·2	8·3	4·8	6·9	8·2	9·8	12·1	15·5	27·9	59·1	133·8	287·9	136
1866–70	20·0	63·3	7·4	4·3	6·4	7·8	9·6	12·1	15·8	27·9	59·1	136·1	282·3	142
1871–75	19·5	60·0	6·6	4·0	5·9	7·4	9·2	12·0	15·9	28·7	61·3	135·3	293·9	138
1876–80	18·4	56·8	5·9	3·5	5·0	6·2	8·0	11·3	15·3	28·6	60·8	135·5	299·0	130
1881–85	17·5	51·9	5·7	3·3	4·7	5·9	7·9	10·9	15·2	28·1	59·1	129·0	265·5	125
1886–90	17·2	52·0	4·9	2·9	4·2	5·2	6·9	10·3	15·0	28·8	61·7	132·3	276·1	131
1891–95	17·2	52·8	4·6	2·7	4·0	4·8	6·6	10·1	15·2	29·5	63·0	134·3	264·0	135
1896–1900	16·2	52·7	4·2	2·4	3·4	4·1	5·6	9·1	14·3	27·4	58·5	127·0	258·7	141
1901–05	14·6	45·8	3·8	2·2	3·0	3·7	5·0	8·0	13·1	25·4	54·8	119·9	249·4	124
1906–10	13·2	38·0	3·4	2·1	2·8	3·3	4·5	7·1	12·0	24·3	53·1	119·6	250·9	105
1911–15	12·4	34·0	3·4	2·1	2·8	3·2	4·1	6·5	11·4	22·7	51·7	117·5	245·4	97
1916–20	11·9	28·4	3·8	2·6	3·7	4·5	5·5	6·4	10·4	20·4	47·7	115·1	241·9	79
1921–25	9·9	22·1	2·4	1·7	2·6	3·1	3·6	5·0	8·8	18·6	46·0	114·0	246·9	66
1926–30	9·3	18·5	2·3	1·5	2·4	3·0	3·3	4·7	8·4	17·7	46·0	114·0	275·3	59
1891	18·5	53·7	4·7	2·9	4·3	5·2	7·1	11·1	17·1	33·4	70·6	148·1	300·7	133
1892	17·5	52·5	4·6	2·7	4·0	4·7	6·7	10·3	15·5	30·4	66·0	140·9	274·4	132
1893	17·6	55·2	5·1	3·0	4·3	5·1	7·0	10·7	15·2	29·2	62·4	128·7	250·0	143
1894	15·2	47·4	4·3	2·6	3·7	4·5	6·0	9·2	13·5	25·1	53·7	113·6	219·6	124
1895	17·3	55·2	4·2	2·6	3·7	4·5	6·1	9·5	14·8	29·6	62·6	140·9	276·2	144
1896	15·7	52·3	4·5	2·4	3·4	4·2	5·7	8·9	13·6	25·8	53·4	113·9	233·4	134
1897	15·9	52·4	4·0	2·4	3·4	4·1	5·6	8·9	13·7	26·2	55·7	121·2	252·6	141
1898	16·1	53·5	3·9	2·3	3·3	4·1	5·5	8·9	13·9	26·7	57·5	126·0	259·6	145
1899	16·8	53·6	4·2	2·4	3·3	4·1	5·7	9·4	15·0	28·7	62·3	136·3	273·2	148
1900	16·7	51·8	4·2	2·5	3·3	4·2	5·7	9·3	15·3	29·6	63·2	136·8	273·9	139
1901	15·5	49·5	4·1	2·4	3·2	3·8	5·3	8·7	13·8	26·5	56·5	122·6	247·1	136
1902	14·8	45·0	4·2	2·3	3·1	3·9	5·3	8·4	13·4	25·9	55·7	122·1	252·3	118
1903	14·1	43·7	3·6	2·1	2·9	3·5	4·9	7·9	12·8	24·4	52·9	114·7	233·9	118
1904	14·9	48·5	3·6	2·2	3·0	3·5	4·9	7·7	12·8	25·6	55·1	123·2	256·1	131
1905	13·9	42·1	3·5	2·2	2·9	3·6	4·8	7·5	12·5	24·8	53·8	117·2	256·7	115
1906	14·0	43·1	3·7	2·3	2·9	3·5	4·7	7·5	12·4	24·8	52·5	119·6	258·7	120
1907	13·6	39·1	3·5	2·1	2·9	3·4	4·6	7·4	12·4	25·3	55·1	122·6	259·4	104
1908	13·3	39·0	3·4	2·0	2·7	3·4	4·4	6·9	12·1	24·2	52·7	119·4	248·8	107
1909	13·1	35·7	3·5	2·1	2·8	3·3	4·4	6·9	12·1	24·8	55·5	124·2	256·2	97
1910	12·0	33·1	3·1	2·0	2·6	3·1	4·1	6·5	11·1	22·4	49·8	112·3	232·8	94
1911	13·0	39·5	3·4	2·1	2·7	3·3	4·2	6·6	11·4	22·8	50·5	115·1	229·4	117
1912	11·8	29·9	3·1	2·0	2·7	3·2	4·0	6·4	11·2	22·4	51·2	115·5	239·3	84
1913	12·1	33·3	3·2	2·0	2·6	3·2	4·0	6·4	11·3	22·3	50·2	111·8	236·2	96
1914	12·2	32·9	3·4	2·2	2·7	3·2	4·1	6·5	11·5	22·4	51·0	114·2	244·2	93
1915	13·0	34·4	3·8	2·3	3·0	3·4	4·2	6·5	11·7	23·6	55·7	130·2	275·9	96
1916	11·5	26·5	3·2	2·2	3·0	3·4	4·1	6·1	10·7	21·6	51·8	123·4	268·4	80
1917	11·2	26·3	3·2	2·2	3·2	3·4	3·9	5·8	10·1	20·7	48·8	119·3	252·2	85
1918	14·5	34·1	5·9	4·0	6·0	7·9	9·8	8·5	12·3	21·4	47·8	107·8	221·3	86
1919	11·6	26·4	3·6	2·3	3·4	4·3	5·4	6·1	10·1	20·5	48·3	120·8	257·0	78
1920	10·7	28·9	3·2	2·0	2·7	3·3	4·2	5·4	9·0	18·2	42·3	105·2	213·6	69
1921	10·2	25·8	2·7	1·8	2·7	3·2	3·7	5·2	8·8	18·2	43·6	108·9	232·3	72
1922	10·6	24·5	2·5	1·8	2·6	3·2	3·9	5·3	9·3	19·7	48·6	120·9	251·0	66
1923	9·3	19·6	2·2	1·6	2·5	3·0	3·4	4·8	8·5	18·2	44·1	108·5	231·9	60
1924	9·7	20·2	2·2	1·7	2·5	3·1	3·5	5·0	8·6	18·9	47·3	116·0	249·5	65
1925	9·7	20·7	2·4	1·7	2·5	3·1	3·4	4·8	8·6	18·1	46·2	115·8	269·1	66
1926	9·1	18·8	2·3	1·5	2·4	2·9	3·3	4·6	8·2	17·4	43·9	108·0	254·2	61
1927	9·6	18·9	2·2	1·5	2·4	3·0	3·4	4·9	8·7	18·3	47·4	118·5	285·8	60
1928	8·9	17·4	2·2	1·5	2·4	3·0	3·3	4·6	8·1	17·1	44·3	106·0	262·5	56
1929	10·4	21·6	2·3	1·7	2·5	3·1	3·5	4·9	9·0	19·3	52·0	131·4	327·2	65
1930	8·5	16·0	2·2	1·5	2·3	2·8	3·2	4·3	7·8	16·6	42·6	106·3	249·5	51
1931	9·0	17·4	2·0	1·5	2·4	2·9	3·3	4·5	8·3	17·6	44·4	114·4	255·1	57
1932	8·7	16·8	1·9	1·3	2·2	2·8	3·1	4·3	8·0	17·0	43·3	111·8	254·7	56
1933	8·8	15·8	2·1	1·4	2·3	2·9	3·2	4·6	8·3	17·3	44·0	114·4	259·4	55

† *See* Note * to Table 3.

TABLE 6.—DEATHS OF MALES AND FEMALES FROM VARIOUS CAUSES AT ALL AGES, 1923—1933. } { England and Wales.

As from the year 1931 *the causes of death for England and Wales are tabulated according to the Detailed International List (Fourth Revision,* 1929).† *The lettered divisions of the main titles are international, while the numbered divisions have been adopted for use in England and Wales by the Registrar-General. The deaths for the earlier years have been reconstructed as far as possible in the terms of the revised List, and where such reconstruction is incomplete an * is marked against the heading. Details of the changes made at the Fourth Revision will be found in Appendix C to Part I of the Statistical Review for* 1931.

International List No.	Causes of Death.		1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.	1931.	1932.	1933.
	ALL CAUSES	M	226853	240620	240875	231549	246606	235542	269903	234010	249717	245715	250625
		F	217927	232615	231966	222255	238003	224847	262589	221417	241913	238414	245840
1–44	**I.—Infectious and Parasitic Diseases***	M	35685	40688	39174	33989	40213	33163	45270	31296	35226	32889	36826
		F	31399	37141	34771	29533	36579	28270	41861	25953	30624	29241	32909
1 & 2	Typhoid and paratyphoid fevers	M	227	244	188	192	188	215	187	163	134	136	124
		F	223	252	200	175	179	223	195	150	117	122	98
1	Typhoid fever	M	211	232	174	171	166	161	163	140	102	117	105
		F	208	229	173	155	147	177	164	117	83	102	78
2	Paratyphoid fevers ..	M	16	12	14	21	22	54	24	23	32	19	19
		F	15	23	27	20	32	46	31	33	34	20	20
3	Typhus fever	M	1	1	—	—	—	1	—	—	—	—	—
		F	—	4	—	1	—	—	—	1	—	—	—
4	Relapsing fever ("Spirillum obermeieri")	M	—	—	—	—	—	—	—	—	1	—	—
		F	—	—	—	—	—	—	—	—	—	—	—
5	Undulant fever	M	—	2	—	—	—	—	—	2	—	2	4
		F	1	—	—	1	—	—	—	1	1	4	1
6	Small-pox	M	5	5	3	9	23	38	19	15	5	1	2
		F	2	8	6	9	24	15	20	13	4	2	—
7	Measles	M	2881	2564	2853	1834	1914	2284	1736	2264	1768	1793	1018
		F	2435	2270	2484	1649	1708	2018	1652	1924	1520	1618	919
8	Scarlet fever	M	503	417	478	355	284	263	358	352	239	235	340
		F	490	471	510	322	295	317	359	388	301	295	389
9	Whooping cough	M	1909	1864	2770	1877	1660	1343	2787	897	1112	1302	991
		F	2253	2119	3288	2241	2021	1633	3545	1140	1400	1654	1279
10	Diphtheria	M	1317	1212	1348	1421	1339	1580	1632	1725	1338	1122	1291
		F	1405	1289	1426	1573	1393	1611	1814	1772	1335	1217	1355
11	Influenza	M	4305	9142	6308	4540	10804	4084	13867	2742	6899	6162	10926
		F	4156	9844	6413	4396	11459	3670	15217	2277	7510	6994	11964
	(*a*) With respiratory complications*	M	2776	6409	4133	2932	7698	2742	10690	1843	4915	4250	8350
		F	2468	6602	3912	2557	7753	2196	11147	1301	5082	4685	8637
	1. With pneumonic complications ..	M	2021	4498	2831	2157	5308	2035	7394	1335	3367	2929	5694
		F	1561	4047	2341	1631	4699	1432	6835	848	3012	2947	5419
	2. With other respiratory complications*	M	755	1911	1302	775	2390	707	3296	508	1548	1321	2656
		F	907	2555	1571	926	3054	764	4312	453	2070	1738	3218
	(*b*) Without respiratory complications* ..	M	1529	2733	2175	1608	3106	1342	3177	899	1984	1912	2576
		F	1688	3242	2501	1839	3706	1474	4070	976	2428	2309	3327
	1. With non-respiratory complications*	M	952	1586	1271	1013	1752	998	1981	663	1392	1372	1696
		F	963	1758	1417	1130	2056	1070	2443	740	1636	1606	2137
	2. Without stated complications ..	M	577	1147	904	595	1354	344	1196	236	592	540	880
		F	725	1484	1084	709	1650	404	1627	236	792	703	1190
12	Cholera	M	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—
13	Dysentery	M	91	69	73	74	53	84	68	57	69	80	56
		F	58	61	62	68	42	71	30	40	47	53	36
	(*a*) Amœbic	M	8	8	9	11	12	12	10	6	10	3	5
		F	5	—	2	3	1	1	4	—	—	—	1
	(*b*) Bacillary	M	7	4	6	6	4	17	13	20	26	30	29
		F	5	9	7	5	2	20	7	22	21	23	15
	(*c*) Other or unspecified ..	M	76	57	58	57	37	55	45	31	33	47	22
		F	48	52	53	60	39	50	19	18	26	30	20

† *See* Manual of the International List of Causes of Death obtainable from H.M. Stationery Office, Adastral House, Kingsway, London, W.C.2; 120 George St., Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80, Chichester Street, Belfast; or through any Bookseller. Price 3*s.*

TABLE 6—*continued.*

International List No.	Causes of Death.		1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.	1931.	1932.	1933.
14	Plague	M	—	—	—	1	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—
	(*a*) Bubonic	M	—	—	—	1	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—
	(*b*) Pneumonic ..	M	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—
	(*c*) Septicæmic	M	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—
	(*d*) Not otherwise defined	M	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—
15	Erysipelas	M	306	353	449	427	414	480	540	548	521	503	624
		F	316	323	401	380	406	416	491	486	483	487	567
16	Acute poliomyelitis ..	M	60	88	85	127	107	99	83	86	56	99	119
		F	59	69	71	108	75	68	57	78	42	79	83
	(1) Acute poliomyelitis ..	M	36	62	65	91	67	68	48	61	37	55	84
		F	43	60	51	85	45	44	37	47	26	48	51
	(2) Acute polioencephalitis	M	24	26	20	36	40	31	35	25	19	44	35
		F	16	9	20	23	30	24	20	31	16	31	32
17	Encephalitis lethargica ..	M	276	732	666	650	592	512	517	437	496	402	428
		F	255	675	706	675	563	560	520	479	466	423	387
18	Cerebro-spinal fever ..	M	144	174	202	211	259	246	352	363	363	718	530
		F	140	127	152	154	171	192	236	269	577	495	412
19	Glanders	M	—	—	—	1	1	—	—	—	1	—	—
		F	—	—	—	—	—	—	—	—	—	—	—
20	Anthrax	M	13	9	10	6	3	9	7	7	4	5	3
		F	—	1	1	2	—	3	—	2	1	—	1
21	Rabies	M	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—
22	Tetanus	M	127	110	120	111	136	107	113	105	94	95	76
		F	44	25	39	37	29	26	46	28	25	21	28
23–32	Tuberculosis (all forms) ..	M	22093	22353	22238	20673	20919	20161	21292	19790	19941	18743	18734
		F	18706	18753	18154	16857	17261	16471	16709	15960	15877	14915	14525
23	Respiratory system ..	M	17571	17970	17995	16773	17184	16608	17786	16468	16704	15543	15862
		F	14526	14720	14387	13335	13882	13191	13639	12946	12954	12084	11992
24	Central nervous system ..	M	1677	1606	1608	1468	1534	1333	1344	1273	1346	1281	1106
		F	1579	1489	1427	1366	1334	1218	1220	1199	1252	1141	1037
25	Intestines and peritoneum ..	M	951	917	847	763	653	635	608	557	516	524	440
		F	1001	936	851	771	698	701	619	592	578	497	518
26	Vertebral column ..	M	332	317	305	298	283	277	262	270	274	257	278
		F	271	295	233	236	216	213	217	216	220	218	185
27	Other bones and joints ..	M	214	230	200	200	190	185	156	173	160	159	142
		F	158	151	145	126	117	118	115	112	91	125	95
28	Skin and subcutaneous tissues	M	25	36	20	30	16	19	12	19	12	21	13
		F	48	67	38	34	57	60	43	31	31	32	33
29	Lymphatic system (abdominal and bronchial glands excepted).	M	47	46	49	39	46	49	36	40	39	27	41
		F	60	53	44	45	41	41	23	37	26	46	24
30	Genito-urinary system ..	M	158	138	156	124	132	164	169	156	163	177	172
		F	102	114	118	85	98	127	110	103	123	107	88
31	Other organs	M	25	25	12	6	9	8	13	9	20	17	22
		F	12	16	9	8	11	17	10	6	11	15	10
	(1) Adrenals	M	8	3	4	4	3	4	6	4	11	11	12
		F	3	—	1	1	4	5	5	1	7	11	6
	(2) Other sites included under 31	M	17	22	8	2	6	4	7	5	9	6	10
		F	9	16	8	7	7	12	5	5	4	4	4

TABLE 6—*continued.*

International List No.	Causes of Death.		1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.	1931.	1932.	1933.
32	Disseminated tuberculosis	M	1093	1068	1046	972	872	883	906	825	707	737	658
		F	949	912	902	851	807	785	713	718	591	650	543
	(*a*) Acute	M	393	416	344	341	313	339	330	316	354	332	315
		F	404	388	355	341	334	344	294	309	299	323	288
	(*b*) Chronic	M									6	1	3
		F	700	652	702	631	559	544	576	509	3	5	1
	(*c*) Not distinguished as acute or chronic ..	M	545	524	547	510	473	441	419	409	347	404	340
		F									289	322	254
33	Leprosy	M	2	2	2	—	2	1	2	2	3	1	2
		F	—	—	—	1	1	—	1	—	—	—	1
	yphilis	M	857	781	726	784	865	993	892	918	956	834	870
		F	532	515	459	470	541	539	497	496	490	469	451
	(*a*) Congenital syphilis ..	M	?	?	?	?	?	?	?	?	229	203	162
		F	?	?	?	?	?	?	?	?	183	162	134
	(*b* & *c*) Acquired or unspecified	M	?	?	?	?	?	?	?	?	727	631	708
		F	?	?	?	?	?	?	?	?	307	307	317
35	Other venereal diseases ..	M	21	31	30	31	52	55	56	47	47	43	44
		F	21	17	13	20	22	21	13	18	18	23	14
	(1) Gonorrhœal or purulent ophthalmia ..	M	6	13	7	10	24	13	16	15	13	12	9
		F	10	6	8	7	8	12	9	13	9	13	6
	(2) Other diseases included under 35	M	15	18	23	21	28	42	40	32	34	31	35
		F	11	11	5	13	14	9	4	5	9	10	8
36	Purulent infection, septicæmia*	M	310	302	370	429	409	404	543	558	487	410	462
		F	187	202	252	254	266	284	323	303	279	263	287
	(*a*) Septicæmia	M	?	?	?	?	?	?	?	?	448	356	413
		F	?	?	?	?	?	?	?	?	263	229	255
	(*b*) Pyæmia	M	?	?	?	?	?	?	?	?	36	50	46
		F	?	?	?	?	?	?	?	?	15	33	31
	(*c*) Gas gangrene ..	M	?	?	?	?	?	?	?	?	3	4	3
		F	?	?	?	?	?	?	?	?	1	1	1
37	Yellow fever..	M	—	—	—	—	—	—	—	1	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—
38	Malaria	M	76	91	62	58	33	31	46	38	28	26	18
		F	5	6	4	7	6	5	3	2	3	3	4
39	Other diseases due to protozoa	M	4	1	8	3	5	7	6	2	4	9	1
		F	2	—	3	—	1	—	—	1	—	1	1
40	Ankylostomiasis	M	—	—	—	1	—	—	1	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—
41	Hydatid cysts	M	14	10	14	18	18	16	10	16	11	23	15
		F	13	15	13	19	16	14	13	19	16	11	8
	(*a*) Liver	M	13	5	12	14	17	11	7	13	6	14	11
		F	10	12	9	13	13	12	10	15	12	8	7
	(*b*) Other organs.. ..	M	1	5	2	4	1	5	3	3	5	9	4
		F	3	3	4	6	3	2	3	4	4	3	1
42	Other diseases due to helminths	M	5	6	8	6	9	7	13	6	5	6	5
		F	5	7	3	6	16	12	6	8	6	7	4
43	Mycoses	M	77	73	59	60	54	67	53	51	70	71	63
		F	51	45	43	36	26	31	42	36	38	43	40
	(1) Actinomycosis ..	M	33	31	21	27	30	44	27	29	42	40	39
		F	15	16	15	16	13	19	18	17	18	22	22
	(2) Other mycoses ..	M	44	42	38	33	24	23	26	22	28	31	24
		F	36	29	28	20	13	12	24	19	20	21	18
44	Other infectious or parasitic diseases	M	61	52	104	90	70	76	90	104	74	68	80
		F	40	43	68	72	58	70	72	62	68	42	55
	(1) Vaccinia	M	2	1	2	—	—	7	7	2	3	—	3
		F	5	—	1	1	1	9	6	1	5	1	1

TABLE 6—*continued.*

International List No.	Causes of Death.		1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.	1931.	1932.	1933.
44	Other infectious or parasitic diseases—*contd.*												
	(2) Other sequelæ of vaccination	M	3	2	4	1	3	3	3	1	2	—	—
		F	1	1	1	—	1	4	1	1	3	—	1
	(3) German measles ..	M	7	5	24	21	15	7	19	14	10	3	5
		F	10	7	18	14	5	5	12	13	6	4	6
	(4) Varicella	M	36	34	50	27	27	33	26	34	31	26	27
		F	16	25	33	29	22	29	27	13	23	15	16
	(5) Mumps	M	12	7	18	25	11	11	13	20	14	8	13
		F	7	7	10	15	13	14	12	12	11	6	5
	(6) Other diseases included under 44 ..	M	1	3	6	16	14	15	22	33	14	31	32
		F	1	3	5	13	16	9	14	22	20	16	26
45–55	**II.—Cancer and Other Tumours .. ..**	M	**23004**	**24049**	**24900**	**25468**	**26062**	**27084**	**27330**	**28030**	**28908**	**29960**	**29925**
		F	**28071**	**28753**	**29456**	**30402**	**30648**	**31851**	**32212**	**32674**	**33281**	**33604**	**34446**
45–53	Cancer, Malignant disease*	M	22065	23099	24002	24437	25048	26013	26284	26916	27777	28829	28837
		F	26603	27290	27937	28783	29030	30240	30612	30967	31569	31887	32735
45	Buccal cavity and pharynx	M	2819	2814	2953	2894	3043	3109	2928	2913	2951	3040	2812
		F	492	522	515	515	512	508	529	519	514	536	537
46	Digestive organs and peritoneum*	M	13621	14289	14838	15264	15534	15887	16396	16710	17043	17703	17704
		F	12833	13109	13473	14311	14059	14743	14955	15230	15368	15493	15958
47	Respiratory organs ..	M	1405	1493	1642	1735	1794	1984	1991	2258	2532	2688	2971
		F	542	576	651	659	665	708	760	864	903	920	953
48	Uterus	F	4363	4385	4467	4409	4428	4525	4455	4354	4341	4342	4313
49	Other female genital organs	F	1209	1241	1238	1382	1444	1483	1567	1645	1667	1735	1868
50	Breast	M	34	38	39	43	41	51	46	60	61	49	55
		F	4996	5153	5372	5296	5678	5878	5944	6052	6381	6386	6551
51	Male genito-urinary organs	M	2156	2295	2437	2474	2586	2822	2885	2947	3187	3259	3277
52	Skin	M	566	585	572	585	589	652	664	627	683	630	618
		F	427	460	432	427	475	502	494	447	480	527	500
53	Other or unspecified organs	M	1464	1585	1521	1442	1461	1508	1374	1401	1320	1460	1400
		F	1741	1844	1789	1784	1769	1893	1908	1856	1910	1948	2055
54	Non-malignant tumours ..	M	303	285	289	351	378	437	376	444	484	482	420
		F	809	818	848	948	945	962	980	1042	1099	1083	1096
	(*a*) Female genital organs	F	607	610	635	697	671	693	668	717	743	723	722
	(*b*) Other sites	M	303	285	289	351	378	437	376	444	484	482	420
		F	202	208	213	251	274	269	312	325	356	360	374
55	Tumours of undetermined nature*	M	636	665	609	680	636	634	670	670	647	649	668
		F	659	645	671	671	673	649	620	665	613	634	615
	(*a*) Female genital organs	F	28	41	40	34	25	24	32	28	29	26	22
	(*b*) Other sites*	M	636	665	609	680	636	634	670	670	647	649	668
		F	631	604	631	637	648	625	588	637	584	608	593
56–69	**III.—Rheumatism, Diseases of Nutrition and of Endocrine glands and other General Diseases.***	M	**4234**	**4271**	**4223**	**4387**	**4531**	**4844**	**4953**	**4758**	**4707**	**4716**	**4806**
		F	**6216**	**6269**	**6904**	**6872**	**7437**	**7995**	**8497**	**8285**	**8498**	**8589**	**8898**
56	Rheumatic fever	M	770	757	833	818	694	638	638	693	557	491	589
		F	857	906	1052	954	868	862	779	812	703	627	718
57	Chronic rheumatism, Osteo-arthritis	M	683	741	682	706	835	903	978	884	950	901	924
		F	1564	1551	1685	1711	1842	2097	2410	2118	2193	2262	2291
	(1) Chronic rheumatism*	M	181	195	159	142	100	98	93	72	56	52	44
		F	233	222	207	182	121	128	125	115	95	94	85
	(2) Rheumatoid arthritis, Osteo-arthritis* ..	M	502	546	523	564	735	805	885	812	894	849	880
		F	1331	1329	1478	1529	1721	1969	2285	2003	2098	2168	2206
58	Gout	M	148	159	168	153	224	277	253	238	213	233	200
		F	31	30	33	39	41	53	49	55	53	32	45
59	Diabetes	M	1927	1896	1814	1973	2045	2198	2306	2317	2259	2425	2460
		F	2439	2358	2543	2533	2905	2982	3322	3342	3551	3683	3818

TABLE 6—*continued.*

International List No.	Causes of Death.		1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.	1931.	1932.	1933.
60	Scurvy	M	11	19	16	7	17	18	11	9	15	9	6
		F	11	14	5	3	9	3	8	10	6	8	10
61	Beri-beri	M	1	1	3	1	1	—	1	—	1	—	1
		F	—	—	—	—	—	—	—	—	—	—	—
62	Pellagra	M	4	2	—	—	1	1	—	1	—	2	2
		F	9	7	9	6	7	4	1	5	4	2	5
63	Rickets*	M	?	?	?	?	?	?	?	?	238	195	130
		F	?	?	?	?	?	?	?	?	147	129	98
	(1) Rickets	M	280	301	281	248	232	290	252	184	227	182	123
		F	193	187	197	172	146	203	164	132	134	119	90
	(2) Spinal curvatures of undetermined nature*	M									11	13	7
		F									13	10	8
			14	16	16	18	23	18	20	12			
64	Osteomalacia*	M	37	41	35	30	28	39	28	25	1	2	1
		F									13	8	7
65	Diseases of the pituitary gland	M	14	13	12	13	19	17	14	14	26	24	25
		F	7	10	10	14	24	26	28	22	23	20	24
	(1) Infantilism	M	4	5	2	2	2	3	—	1	2	5	4
		F	1	5	2	1	5	4	3	2	3	3	4
	(2) Other diseases of the pituitary gland	M	10	8	10	11	17	14	14	13	24	19	21
		F	6	5	8	13	19	22	25	20	20	17	20
66	Diseases of the thyroid and parathyroid glands*	M	137	141	160	189	198	209	206	191	220	227	243
		F	852	925	1067	1137	1243	1374	1333	1481	1567	1575	1624
	(*a*) Simple goitre	M	29	30	23	35	28	24	23	26	30	18	31
		F	112	111	130	146	146	198	147	147	145	134	167
	(*b*) Exophthalmic goitre	M	56	48	65	84	91	119	128	112	138	165	168
		F	571	580	687	743	853	933	936	1115	1162	1239	1244
	(*c*) Myxœdema, Cretinism	M	46	41	46	44	53	47	37	40	37	23	37
		F	165	207	218	218	220	218	232	201	247	185	197
	(*d*) Tetany*	M	?	21	21	19	23	18	16	12	13	18	4
		F	?	20	24	23	19	17	13	11	8	13	5
	(*e*) Other diseases included under 66	M	6	1	5	7	3	1	2	1	2	3	3
		F	4	7	8	7	5	8	5	7	5	4	11
67	Diseases of the thymus	M	106	95	102	110	90	108	116	84	95	91	100
		F	52	61	67	56	63	65	86	54	48	63	53
68	Diseases of the adrenals	M	93	96	100	93	74	96	97	91	77	60	88
		F	124	126	148	163	153	140	146	141	129	129	137
69	Other general diseases*	M	46	34	36	58	78	71	61	40	55	56	37
		F	40	53	53	54	108	147	143	88	61	51	68
	(1) Amyloid disease of unstated origin*	M	2	2	2	3	4	1	—	—	3	3	2
		F	—	2	—	—	3	—	—	—	—	4	5
	(2) Other diseases included under 69	M	44	32	34	55	74	70	61	40	52	53	35
		F	40	51	53	54	105	147	143	88	61	47	63
70–74	**IV.—Diseases of the Blood and Blood-forming Organs**	M	**1819**	**1904**	**1967**	**2097**	**2070**	**1719**	**1832**	**1932**	**2019**	**2166**	**2098**
		F	**2122**	**2212**	**2320**	**2485**	**2347**	**1961**	**2025**	**2127**	**2221**	**2476**	**2482**
70	Hæmorrhagic conditions	M	191	184	202	196	191	229	203	217	218	191	193
		F	164	164	176	177	159	192	192	186	165	148	210
	(*a*) Purpura	M	110	114	129	125	123	141	136	131	135	119	125
		F	135	128	140	137	137	153	159	148	148	126	164
	(*b*) Hæmophilia	M	81	70	73	71	68	88	67	86	83	72	68
		F	29	36	36	40	22	39	33	38	17	22	46
71	Anæmia, Chlorosis	M	1099	1145	1189	1252	1192	831	910	995	990	1178	1075
		F	1539	1628	1677	1830	1683	1256	1273	1379	1476	1711	1641
	(*a*) Pernicious anæmia	M	998	1036	1078	1122	1100	739	807	902	893	1040	963
		F	1366	1486	1507	1658	1555	1115	1148	1248	1333	1551	1465

TABLE 6—*continued.*

International List No.	Causes of Death.		1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.	1931.	1932.	1933.
71	Anæmia, Chlorosis—*contd.*												
	(*b*) Other anæmias and chlorosis	M	101	109	111	130	92	92	103	93	97	138	112
		F	173	142	170	172	128	141	125	131	143	160	176
	(1) Splenic anæmia ..	M	59	71	62	82	60	60	71	57	67	98	75
		F	75	73	74	83	76	81	78	76	85	94	107
	(2) Other diseases included under 71*b* ..	M	42	38	49	48	32	32	32	36	30	40	37
		F	98	69	96	89	52	60	47	55	58	66	69
72	Leukæmia, Aleukæmia ..	M	494	544	541	605	631	601	670	672	752	740	751
		F	383	387	423	426	464	457	497	493	520	553	554
	(*a*) Leukæmia	M	270	276	296	325	341	342	357	354	378	390	407
		F	236	235	273	278	301	275	335	302	328	347	369
	(*b*) Aleukæmia (Lymphadenoma) ..	M	224	268	245	280	290	259	313	318	374	350	344
		F	147	152	150	148	163	182	162	191	192	206	185
73	Diseases of the spleen ..	M	28	27	28	34	43	44	37	34	47	42	56
		F	32	30	34	43	33	50	50	57	52	50	60
	(1) Banti's disease ..	M	11	16	18	14	25	24	26	19	31	21	37
		F	17	14	16	26	17	28	34	33	29	35	32
	(2) Other diseases of the spleen	M	17	11	10	20	18	20	11	15	16	21	19
		F	15	16	18	17	16	22	16	24	23	15	28
74	Other diseases of the blood and blood-forming organs	M	7	4	7	10	13	14	12	14	12	15	23
		F	4	3	10	9	8	6	13	12	8	14	17
75–77	**V.—Chronic Poisoning** ..	M	**160**	**152**	**129**	**128**	**137**	**135**	**137**	**93**	**78**	**101**	**76**
		F	**58**	**39**	**62**	**48**	**27**	**46**	**53**	**50**	**44**	**41**	**37**
75	Alcoholism (acute or chronic)	M	104	94	95	76	84	74	85	49	40	61	43
		F	47	33	55	39	24	34	49	45	41	34	30
76	Chronic poisoning by other organic substances ..	M	1	9	3	3	5	5	10	2	4	12	3
		F	5	4	3	3	2	5	3	4	—	3	3
77	Chronic poisoning by mineral substances	M	55	49	31	49	48	56	42	42	34	28	30
		F	6	2	4	6	1	7	1	1	3	4	4
	(1) Occupational lead poisoning	M	51	47	28	44	44	53	40	39	30	27	26
		F	4	2	3	3	—	6	1	1	3	2	2
	(2) Other chronic poisoning by mineral substances	M	4	2	3	5	4	3	2	3	4	1	4
		F	2	—	1	3	1	1	—	—	—	2	2
78–89	**VI.—Diseases of the Nervous System and Sense Organs***	M	**22651**	**22649**	**22601**	**22094**	**20655**	**19456**	**20630**	**19008**	**19569**	**19429**	**18669**
		F	**23903**	**23549**	**23298**	**23331**	**22059**	**21088**	**21830**	**20837**	**20860**	**21029**	**20399**
78	Encephalitis	M	182	151	201	215	155	153	172	161	173	153	158
		F	130	121	122	142	110	130	138	116	105	116	123
	(*a*) Cerebral abscess ..	M	119	113	131	143	104	94	112	92	115	102	84
		F	74	64	73	89	50	74	66	63	56	58	64
	(*b*) Other diseases included under 78	M	63	38	70	72	51	59	60	69	58	51	74
		F	56	57	49	53	60	56	72	53	49	58	59
79	Meningitis*	M	1097	1069	1016	863	813	669	735	590	590	621	615
		F	971	856	798	761	650	541	596	487	506	459	390
80	Tabes dorsalis (Locomotor ataxy)	M	597	627	602	630	642	651	744	579	557	634	592
		F	131	118	129	117	138	126	138	122	114	144	141
81	Other diseases of the spinal cord	M	817	852	792	765	761	829	754	719	744	708	684
		F	599	596	601	614	641	599	601	578	576	592	582
	(1) Progressive muscular atrophy	M	276	299	291	264	290	319	307	291	316	274	304
		F	217	226	221	246	218	225	240	240	245	225	244
	(2) Subacute combined sclerosis..	M	11	10	14	23	29	24	16	30	34	46	43
		F	5	18	20	26	30	22	26	27	24	49	56
	(3) Myelitis of unstated origin	M	232	219	222	207	199	204	204	159	164	173	159
		F	175	166	162	164	200	168	164	161	157	150	141
	(4) Other diseases included under 81	M	298	324	265	271	243	282	227	239	230	215	178
		F	202	186	198	178	193	184	171	150	150	168	141

TABLE 6—*continued.*

International List No.	Causes of Death.		1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.	1931.	1932.	1933.
82	Cerebral hæmorrhage, Apoplexy, etc.	M	13001	13258	13182	13065	11931	10991	11966	11164	11593	11592	11215
		F	16610	16578	16348	16656	15431	14624	15206	14723	14704	14937	14505
	(*a*) Cerebral hæmorrhage	M	10283	10455	10500	10321	9438	8760	9383	8560	8791	8675	8106
		F	13040	12888	12902	12937	12025	11400	11729	11181	10998	11104	10566
	(1) Cerebral hæmorrhage so returned	M	9012	9274	9435	9369	8648	8051	8712	7977	8207	8135	7647
		F	11430	11450	11642	11730	10977	10548	10917	10472	10295	10409	9998
	(2) Apoplexy (lesion unstated)	M	1271	1181	1065	952	790	709	671	583	584	540	459
		F	1610	1438	1260	1207	1048	852	812	709	703	695	568
	(*b*) Cerebral embolism and thrombosis	M	1737	1819	1700	1869	1784	1591	1896	2003	2183	2369	2577
		F	2288	2472	2330	2656	2461	2371	2591	2773	2934	3115	3316
	(1) Cerebral embolism..	M	303	327	321	277	302	202	214	225	199	200	206
		F	440	465	497	480	358	330	299	313	299	281	297
	(2) Cerebral thrombosis	M	1055	1082	1186	1341	1278	1232	1504	1620	1838	2025	2266
		F	1425	1568	1625	1852	1837	1830	2086	2243	2416	2643	2857
	(3) Cerebral softening..	M	379	410	193	251	204	157	178	158	146	144	105
		F	423	439	208	324	266	211	206	217	219	191	162
	(*c*) Hemiplegia and other paralyses of unstated origin.	M	981	984	982	875	709	640	687	601	619	548	532
		F	1282	1218	1116	1063	945	853	886	769	772	718	623
	(1) Hemiplegia ..	M	860	854	859	777	629	553	610	535	571	495	488
		F	1143	1068	1004	959	848	778	793	702	716	657	568
	(2) Other paralyses of unstated origin ..	M	121	130	123	98	80	87	77	66	48	53	44
		F	139	150	112	104	97	75	93	67	56	61	55
83	General paralysis of the insane	M	1402	1257	1254	1161	1229	1150	988	943	945	864	771
		F	305	287	285	277	284	263	264	218	259	236	239
84	Other forms of insanity* ..	M	284	286	358	438	461	491	530	450	423	426	384
		F	528	516	557	638	720	770	766	673	692	729	625
	(*a*) Dementia præcox ..	M	?	?	?	?	?	?	?	?	14	31	33
		F	?	?	?	?	?	?	?	?	23	26	33
	(*b*) Other conditions included under 84* ..	M	?	?	?	?	?	?	?	?	409	395	351
		F	?	?	?	?	?	?	?	?	669	703	592
85	Epilepsy	M	1096	1136	1097	1099	1152	1133	1128	1154	1201	1183	1105
		F	1041	1065	1026	944	994	1121	1068	1038	1087	1083	1054
86	Infantile convulsions (under 5 years of age)	M	2205	2013	1985	1720	1316	1122	1158	1014	989	873	750
		F	1590	1470	1381	1224	946	757	837	660	632	567	515
87	Other diseases of the nervous system*	M	1277	1352	1421	1386	1434	1488	1565	1416	1498	1510	1484
		F	1464	1447	1509	1444	1558	1531	1577	1570	1586	1536	1515
	(*a*) Chorea	M	15	30	24	22	23	18	22	21	32	14	14
		F	55	83	80	72	70	66	79	79	51	51	48
	(*b*) Neuritis, Neuralgia*..	M	93	98	100	87	74	90	69	67	63	48	53
		F	155	148	133	133	144	139	131	119	89	68	60
	(*c*) Paralysis agitans ..	M	389	432	533	521	577	620	699	594	710	792	780
		F	399	381	492	450	520	524	547	588	620	617	658
	(*d*) Disseminated sclerosis	M	326	366	359	393	368	378	376	380	389	395	390
		F	370	351	374	416	420	421	448	418	496	488	458
	(*e*) Other diseases included under 87*	M	454	426	405	363	392	382	399	354	304	261	247
		F	485	484	430	373	404	381	372	366	330	312	291
88	Diseases of the eye and annexa	M	36	32	21	34	31	39	50	37	35	36	45
		F	29	34	31	42	41	35	49	46	38	41	47
89	Diseases of the ear and mastoid sinus	M	657	616	672	718	730	740	840	781	821	829	866
		F	505	461	511	472	546	591	590	606	561	589	663
	(*a*) Otitis and other diseases of the ear ..	M	457	428	467	483	472	498	575	499	504	484	517
		F	369	320	357	321	364	376	376	376	347	375	409
	(*b*) Diseases of the mastoid sinus	M	200	188	205	235	258	242	265	282	317	345	349
		F	136	141	154	151	182	215	214	230	214	214	254

TABLE 6—*continued.*

International List No.	Causes of Death.		1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.	1931.	1932.	1933.
90–103	**VII.—Diseases of the Circulatory System***	M	**36633**	**39488**	**41789**	**42509**	**48326**	**52070**	**58337**	**55044**	**60735**	**62241**	**64569**
		F	**38435**	**41196**	**43448**	**43881**	**50565**	**54274**	**62729**	**57433**	**64749**	**65525**	**68755**
90–95	Heart diseases*	M	26223	28009	29691	30023	33365	35777	45018	42961	47960	49160	51412
		F	30663	32641	34368	34442	38744	41251	51449	47142	53393	53665	56675
90	Pericarditis	M	205	192	188	159	169	153	180	167	165	183	198
		F	118	157	144	119	117	129	111	133	106	109	115
91	Acute endocarditis* ..	M	827	773	769	712	728	648	657	662	601	569	605
		F	765	797	795	830	799	736	787	738	584	580	651
	(1) Malignant endocarditis	M	553	510	508	484	528	456	477	496	539	498	545
		F	479	507	473	527	510	488	528	526	505	517	578
	(2) Other acute endocarditis*	M	274	263	261	228	200	192	180	166	62	71	60
		F	286	290	322	303	289	248	259	212	79	63	73
92	Chronic endocarditis, Valvular disease*	M	11093	11239	11297	11024	11653	11990	12876	11625	12097	11654	10857
		F	13545	13924	13634	13058	14528	15001	15921	14533	15130	14162	14062
	(1) Aortic valve disease*	M	1965	1972	2054	2076	2181	2252	2390	2276	2359	2359	2133
		F	971	888	1025	956	1005	1074	1075	1146	1167	1028	1095
	(2) Mitral valve disease*	M	3321	3244	3270	3145	3635	3855	4212	3723	3772	3760	3456
		F	5528	5623	5558	5291	6233	6640	7145	6366	6559	6354	6217
	(3) Aortic and mitral valve disease*	M	451	450	444	458	543	633	723	648	627	622	578
		F	403	372	425	335	486	662	612	574	559	591	553
	(4) Endocarditis, not returned as acute or chronic*.	M									590	534	502
		F									838	741	755
			5356	5573	5529	5345	5294	5250	5551	4978			
	(5) Other or unspecified valve disease* ..	M	6643	7041	6626	6476	6804	6625	7089	6447	4749	4379	4188
		F									6007	5448	5442
93	Diseases of the myocardium*	M	7457	8916	10578	11826	13929	16204	23633	22699	26698	27954	30143
		F	9053	10513	12580	13651	16396	19011	27626	25430	30813	31889	34606
	(*a*) Acute myocarditis* ..	M	129	191	199	236	232	236	261	192	75	96	91
		F	166	183	234	275	242	220	250	194	78	90	90
	(*b*) Myocardial degeneration*	M	7328	8725	10379	11590	13697	15968	23372	22507	20931	22079	23778
		F	8887	10330	12346	13376	16154	18791	27376	25236	24100	25114	27212
	(1) Fatty heart ..	M	1230	1205	1202	1237	1218	1225	1343	1263	1250	1198	1128
		F	1540	1513	1562	1381	1618	1671	1837	1714	1664	1555	1431
	(2) Cardiovascular degeneration* ..	M									5640	6254	6905
		F									5207	5759	6267
			6098	7520	9177	10353	12479	14743	22029	21244	14041	14627	15745
	(3) Other diseases included under 93 (*b*)	M											
		F	7347	8817	10784	11995	14536	17120	25539	23522	17229	17800	19514
	(*c*) Myocarditis, not distinguished as acute or chronic*.	M									5692	5779	6274
		F									6635	6685	7304
94	Diseases of the coronary arteries, Angina pectoris*	M	1058	1226	1285	1280	1982	2586	3376	4118	4565	5241	6325
		F	505	537	551	600	820	1108	1431	1766	2063	2432	2905
95	Other diseases of the heart..	M	5583	5663	5574	5022	4904	4196	4296	3690	3834	3559	3284
		F	6677	6713	6664	6184	6084	5266	5573	4542	4697	4493	4336
	(*a*) Disordered action of heart	M	332	431	537	626	776	702	774	794	905	1019	1031
		F	475	650	835	965	1232	1259	1392	1302	1439	1598	1638
	(*b*) Other diseases included under 95	M	5251	5232	5037	4396	4128	3494	3522	2896	2929	2540	2253
		F	6202	6063	5829	5219	4852	4007	4181	3240	3258	2895	2698
	(1) Dilatation of heart (cause unspecified) ..	M	418	379	389	316	342	258	195	173	171	177	133
		F	446	353	411	378	347	245	175	151	155	120	119
	(2) Heart disease (undefined)	M	4833	4853	4648	4080	3786	3236	3327	2723	2758	2363	2120
		F	5756	5710	5418	4841	4505	3762	4006	3089	3103	2775	2579
96	Aneurysm	M	774	824	829	777	885	946	947	1006	989	958	931
		F	218	204	236	245	270	280	305	313	325	336	414
97	Arterio-sclerosis*	M	8622	9499	10074	10464	12907	14176	11265	10088	10841	11120	11271
		F	6397	7183	7617	7959	10241	11577	9722	8837	9888	10469	10580
	(1) With cerebral hæmorrhage	M	1750	1881	2047	2087	3191	3811	3791	3711	4055	4189	4154
		F	1496	1681	1768	1805	2973	3591	3520	3588	4021	4269	4370

TABLE 6—*continued*.

International List No.	Causes of Death.		1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.	1931.	1932.	1933.
97	Arterio-sclerosis*—*contd.*												
	(2) With record of other cerebral vascular lesion	M	935	894	1060	995	1388	1664	1657	1711	1828	2018	2116
		F	796	874	930	946	1306	1623	1579	1541	1832	2087	2221
	(3) Without record of cerebral vascular lesion	M	5937	6724	6967	7382	8328	8701	5817	4666	4958	4913	5001
		F	4105	4628	4919	5208	5962	6363	4623	3708	4035	4113	3989
98	Gangrene	M	555	687	645	641	556	528	549	430	423	433	396
		F	586	575	602	546	559	423	506	417	434	363	341
	(*a*) Senile gangrene ..	M	520	633	598	593	521	480	504	396	389	389	362
		F	534	517	552	512	523	385	469	375	390	326	310
	(*b*) Other gangrene ..	M	35	54	47	48	35	48	45	34	34	44	34
		F	52	58	50	34	36	38	37	42	44	37	31
99	Other diseases of the arteries*	M	263	252	280	331	303	288	251	230	177	192	169
		F	269	258	286	291	312	294	271	220	171	179	183
100	Diseases of the veins (Varix, hæmorrhoids,phlebitis,etc.)	M	134	123	159	154	150	211	183	180	187	181	176
		F	254	242	252	285	314	337	341	365	374	335	353
	(1) Varix	M	?	?	?	?	?	?	?	?	68	74	63
		F	?	?	?	?	?	?	?	?	174	151	152
	(2) Other diseases of the veins	M	?	?	?	?	?	?	?	?	119	107	113
		F	?	?	?	?	?	?	?	?	200	184	201
101	Diseases of the lymphatic system (lymphangitis,etc.)	M	44	47	55	44	50	37	44	53	42	53	38
		F	33	45	43	34	47	36	55	51	40	42	49
102	Abnormalities of blood pressure*	M	?	21	36	63	96	94	67	89	107	141	173
		F	?	26	25	69	70	65	70	82	118	131	153
103	Other diseases of the circulatory system	M	18	26	20	12	14	13	13	7	9	3	3
		F	15	22	19	10	8	11	10	6	6	5	7
104–114	**VIII.—Diseases of the Respiratory System***	M	**38551**	**43739**	**41548**	**36659**	**40699**	**32947**	**44732**	**29362**	**34334**	**29318**	**30269**
		F	**33160**	**38874**	**36281**	**31169**	**35242**	**26544**	**38619**	**22555**	**29623**	**25490**	**25971**
104	Diseases of the nasal fossæ and annexa	M	79	93	85	102	100	141	128	156	118	149	158
		F	63	51	65	64	102	86	99	107	76	120	121
	(1) Diseases of the nose ..	M	24	31	23	28	24	38	22	25	21	16	14
		F	20	19	15	15	20	29	25	23	14	20	17
	(2) Diseases of the accessory nasal sinuses ..	M	55	62	62	74	76	103	106	131	97	133	144
		F	43	32	50	49	82	57	74	84	62	100	104
105	Diseases of the larynx ..	M	243	260	247	204	200	185	188	171	141	93	119
		F	183	153	177	157	148	171	138	110	95	99	103
	(1) Laryngismus stridulus*	M	64	63	66	40	45	41	29	31	22	25	20
		F	43	23	33	33	29	29	18	21	16	16	11
	(2) Laryngitis	M	174	189	173	161	150	136	159	133	119	61	96
		F	137	125	141	122	119	141	116	86	76	82	87
	(3) Other diseases of the larynx*	M	5	8	8	3	5	8	—	7	—	7	3
		F	3	5	3	2	—	1	4	3	3	1	5
106	Bronchitis	M	16106	18346	17323	15291	16211	11942	16223	10179	12513	10127	10494
		F	16601	19440	17929	14896	16810	11489	17155	9344	12647	10207	10581
	(*a*) Acute bronchitis ..	M	3640	4429	4103	3567	3815	2329	3570	2001	2906	2224	2457
		F	4605	5654	5253	4253	4911	2783	4713	2380	3742	2920	3258
	(*b*) Chronic bronchitis ..	M	5888	6500	6348	6038	6145	4614	5954	4229	4811	4163	4371
		F	4735	5314	5091	4481	4824	3467	4618	2829	3478	2988	3051
	(*c*) Bronchitis, not distinguished as acute or chronic.	M	6578	7417	6872	5686	6251	4999	6699	3949	4796	3740	3666
		F	7261	8472	7585	6162	7075	5239	7824	4135	5427	4299	4272
107–109	Pneumonia (all forms) ..	M	19283	22099	21090	18430	21336	18212	25081	16468	18951	16516	16965
		F	14130	16871	15900	13909	15906	12802	18765	11256	14622	13042	13094
107	Broncho-pneumonia ..	M	8941	11498	10535	9457	11063	8413	12961	7481	10019	8291	8758
		F	7676	10072	9249	8178	9297	7072	11419	6141	8724	7524	7723
108	Lobar pneumonia	M	5807	5859	6378	5549	6633	6983	8421	6480	6321	6061	6056
		F	3382	3580	3718	3366	4006	3871	4869	3589	4120	3947	3796

TABLE 6—*continued.*

International List No.	Causes of Death.		1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.	1931.	1932.	1933.
109	Pneumonia (not otherwise defined)	M	4535	4742	4177	3424	3640	2816	3699	2507	2611	2164	2151
		F	3072	3219	2933	2365	2603	1859	2477	1526	1778	1571	1575
110	Pleurisy	M	797	738	710	699	647	686	806	674	626	601	588
		F	503	509	433	412	467	440	494	358	417	365	359
	(1) Empyema	M	308	314	305	259	267	273	354	289	267	300	302
		F	140	148	138	113	135	119	159	103	153	126	140
	(2) Other pleurisy ..	M	489	424	405	440	380	413	452	385	359	301	286
		F	363	361	295	299	332	321	335	255	264	239	219
111	Congestion and hæmorrhagic infarct of lung, etc.* ..	M	528	531	532	523	491	433	511	435	539	560	584
		F	672	717	770	772	687	608	734	576	719	736	794
	(1) Hypostatic congestion of lungs	M	523	523	524	518	488	431	507	435	485	499	523
		F	662	711	768	769	681	604	732	569	669	669	748
	(2) Other diseases included under 111*	M	5	8	8	5	3	2	4	—	54	61	61
		F	10	6	2	3	6	4	2	7	50	67	46
112	Asthma	M	1016	1171	1137	969	1324	997	1429	956	1106	887	975
		F	834	918	846	802	990	827	1128	694	939	808	820
113	Pulmonary emphysema ..	M	160	192	138	141	85	51	54	45	56	51	47
		F	42	70	54	46	28	14	10	13	14	12	12
114	Other diseases of the respiratory system	M	339	309	286	300	305	300	312	278	334	334	339
		F	132	145	107	111	104	107	96	97	94	101	87
	(*a*) Chronic interstitial pneumonia, including occupational diseases of the lung.	M	180	195	191	199	221	220	222	201	260	241	252
		F	62	67	46	64	61	74	60	64	60	49	53
	(*b*) Other diseases included under 114	M	159	114	95	101	84	80	90	77	74	93	87
		F	70	78	61	47	43	33	36	33	34	52	34
	(1) Gangrene of the lung	M	48	31	20	32	16	16	20	16	13	14	16
		F	14	15	13	11	7	8	9	2	6	8	4
	(2) Other diseases included under 114 (*b*)	M	111	83	75	69	68	64	70	61	61	79	71
		F	56	63	48	36	36	25	27	31	28	44	30
115–129	**IX.—Diseases of the Digestive System .. .. ..**	M	**14360**	**13897**	**14912**	**15021**	**14148**	**14417**	**15173**	**14310**	**14093**	**14058**	**14004**
		F	**12411**	**11796**	**12564**	**12572**	**11813**	**12184**	**12458**	**11677**	**11656**	**11994**	**11946**
115	Diseases of the buccal cavity, pharynx, etc.	M	501	505	640	618	743	863	911	881	868	822	907
		F	455	460	474	551	693	861	898	858	845	941	1056
	(1) Diseases of the teeth and gums	M	173	157	212	199	255	299	262	261	263	222	221
		F	149	151	129	142	181	227	194	190	207	195	204
	(2) Ludwig's angina ..	M	64	55	53	63	57	52	61	54	47	41	45
		F	35	44	39	44	38	37	51	48	39	44	30
	(3) Diseases of the tonsils	M	198	204	279	263	339	373	436	441	448	420	488
		F	199	178	239	270	368	451	511	467	468	516	621
	(4) Other diseases included under 115	M	66	89	96	93	92	139	152	125	110	139	153
		F	72	87	67	95	106	146	142	153	131	186	201
116	Diseases of the œsophagus	M	38	27	30	29	33	18	27	23	22	28	27
		F	23	19	13	14	14	21	19	26	19	18	15
117	Ulcer of the stomach or duodenum	M	2107	2134	2458	2663	2974	2833	3055	3214	3214	2935	3134
		F	909	889	1000	981	998	998	1031	1036	1021	1052	1000
	(*a*) Ulcer of the stomach	M	1354	1373	1565	1737	1915	1827	1976	2074	2029	1867	2012
		F	755	731	814	806	855	816	870	876	846	827	814
	(*b*) Ulcer of the duodenum	M	753	761	893	926	1059	1006	1079	1140	1185	1068	1122
		F	154	158	186	175	143	182	161	160	175	225	186
118	Other diseases of the stomach	M	1136	1092	976	980	790	738	659	621	638	556	493
		F	1127	1103	1060	945	846	845	743	673	723	616	525
	(1) Inflammation of the stomach	M	935	910	812	802	627	625	551	505	513	449	394
		F	988	970	906	822	739	761	655	578	634	522	458
	(2) Other diseases included under 118	M	201	182	164	178	163	113	108	116	125	107	99
		F	139	133	154	123	107	84	88	95	89	94	67

TABLE 6—*continued.*

International List No.	Causes of Death.		1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.	1931.	1932.	1933.
119 & 120	Diarrhœa and enteritis ..	M	4515	4076	4552	4592	3313	3528	3841	2988	2840	3033	3084
		F	3867	3385	3778	3823	2884	2937	3228	2503	2382	2643	2532
	(*a*) (1) Colitis* ..	M	194	181	168	214	179	163	184	146	134	154	130
		F	271	217	218	259	213	187	198	203	189	208	165
	(*a*) (2) Other diarrhœa and enteritis*	M	4205	3791	4262	4256	3008	3246	3530	2720	2576	2704	2791
		F	3441	2994	3394	3392	2502	2569	2837	2115	1983	2170	2104
	(*b*) Ulceration of intestines	M	116	104	122	122	126	119	127	122	130	175	163
		F	155	174	166	172	169	181	193	185	210	265	263
121	Appendicitis	M	1608	1545	1624	1535	1524	1623	1657	1693	1608	1715	1650
		F	1218	1211	1238	1175	1236	1245	1169	1248	1264	1299	1404
122	Hernia, Intestinal obstruction	M	2106	2167	2148	2147	2281	2267	2506	2352	2413	2519	2447
		F	2172	2098	2134	2156	2231	2126	2262	2192	2306	2318	2318
	(*a*) Hernia	M	822	867	830	842	957	993	1090	950	977	1058	1019
		F	916	947	931	923	1008	974	1039	1002	1044	1074	1076
	(1) Strangulated hernia	M	?	?	?	?	?	?	?	?	692	734	729
		F	?	?	?	?	?	?	?	?	792	814	832
	(2) Hernia not returned as strangulated ..	M	?	?	?	?	?	?	?	?	285	324	290
		F	?	?	?	?	?	?	?	?	252	260	244
	(*b*) Intestinal obstruction	M	1284	1300	1318	1305	1324	1274	1416	1402	1436	1461	1428
		F	1256	1151	1203	1233	1223	1152	1223	1190	1262	1244	1242
123	Other diseases of the intestines	M	234	221	241	233	266	268	300	304	304	314	349
		F	238	233	255	246	244	272	284	328	318	352	327
	(1) Constipation, Intestinal stasis	M	77	74	70	79	76	67	69	52	51	53	41
		F	105	97	112	109	101	93	96	99	94	90	64
	(2) Diverticulitis	M	41	55	91	84	97	120	138	158	174	187	206
		F	45	48	63	72	77	96	116	148	150	181	183
	(3) Other diseases included under 123	M	116	92	80	70	93	81	93	94	79	74	102
		F	88	88	80	65	66	83	72	81	74	81	80
124	Cirrhosis of the liver ..	M	1169	1126	1201	1214	1214	1206	1174	1100	1054	946	817
		F	605	630	646	651	646	684	604	556	557	505	424
	(*a*) Returned as alcoholic	M	98	90	87	82	162	210	175	144	162	115	115
		F	54	57	49	50	101	110	83	71	99	62	77
	(*b*) Not returned as alcoholic	M	1071	1036	1114	1132	1052	996	999	956	892	831	702
		F	551	573	597	601	545	574	521	485	458	443	347
125	Other diseases of the liver..	M	156	151	171	148	115	132	108	122	101	113	87
		F	174	194	162	149	158	162	148	146	125	111	114
	(1) Acute yellow atrophy	M	22	20	15	20	19	22	12	22	19	27	22
		F	51	80	58	63	62	54	62	69	47	48	54
	(2) Other diseases included under 125	M	134	131	156	128	96	110	96	100	82	86	65
		F	123	114	104	86	96	108	86	77	78	63	60
126	Biliary calculi	M	261	298	323	288	325	335	321	333	353	342	301
		F	769	737	763	802	835	903	889	880	853	882	884
	(1) With cholecystitis ..	M	?	?	?	?	?	?	?	?	118	136	95
		F	?	?	?	?	?	?	?	?	293	311	323
	(2) Without mention of cholecystitis	M	?	?	?	?	?	?	?	?	235	206	206
		F	?	?	?	?	?	?	?	?	560	571	561
127	Other diseases of the gall bladder and ducts ..	M	255	274	274	321	269	314	289	354	330	355	337
		F	451	463	584	648	566	644	690	721	711	752	791
	(1) Cholecystitis without record of biliary calculi	M	199	226	235	274	223	269	230	300	301	300	308
		F	394	399	516	593	518	573	632	665	665	697	731
	(2) Other diseases included under 127	M	56	48	39	47	46	45	59	54	29	55	29
		F	57	64	68	55	48	71	58	56	46	55	60
128	Diseases of the pancreas ..	M	122	136	147	144	186	192	196	189	227	252	234
		F	138	143	187	167	216	226	262	260	299	266	265
129	Peritonitis, without stated cause	M	152	145	127	109	115	100	129	136	121	128	137
		F	265	231	270	264	246	260	231	250	233	239	291

TABLE 6—*continued.*

International List No.	Causes of Death.		1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.	1931.	1932.	1933.
130–139	**X.—Non-venereal Diseases of the Genito-urinary System and annexa.**	M	**10521**	**10889**	**10800**	**10987**	**12012**	**12645**	**13391**	**13331**	**14001**	**14403**	**13790**
		F	**7159**	**6997**	**7257**	**7387**	**8039**	**8722**	**9070**	**9157**	**9370**	**9554**	**9293**
130–132	Nephritis	M	6466	6656	6519	6569	7151	7525	7874	7902	8284	8298	7687
		F	6034	5907	6096	6183	6701	7336	7638	7729	7840	8018	7786
130	Acute nephritis*	M	711	725	756	721	696	600	563	600	558	549	536
		F	633	674	651	683	610	583	602	574	515	536	520
131	Chronic nephritis* ..	M	5755	5931	5763	5848	6455	6925	7311	7302	6728	6788	6302
		F	5401	5233	5445	5500	6091	6753	7036	7155	6335	6533	6421
132	Nephritis not stated to be acute or chronic* ..	M	?	?	?	?	?	?	?	?	998	961	849
		F	?	?	?	?	?	?	?	?	990	949	845
133	Other diseases of the kidney and annexa	M	298	382	359	382	352	363	371	400	388	454	412
		F	311	365	369	406	459	480	468	488	537	575	538
	(*a*) Pyelitis	M	195	267	247	259	246	243	231	271	284	336	293
		F	200	237	258	298	315	322	339	354	394	439	420
	(*b*) Other diseases included under 133	M	103	115	112	123	106	120	140	129	104	118	119
		F	111	128	111	108	144	158	129	134	143	136	118
134	Calculi of the urinary passages	M	213	200	204	188	201	241	308	249	269	267	273
		F	99	88	102	94	122	133	149	168	160	161	152
	(*a*) Calculi of kidney and ureter	M	?	?	?	?	?	?	?	?	173	182	194
		F	?	?	?	?	?	?	?	?	141	148	140
	(*b*) Calculi of the bladder	M	?	?	?	?	?	?	?	?	94	82	79
		F	?	?	?	?	?	?	?	?	18	11	11
	(*c*) Calculi of unstated site	M	?	?	?	?	?	?	?	?	2	3	—
		F	?	?	?	?	?	?	?	?	1	2	1
135	Diseases of the bladder ..	M	801	726	660	734	687	605	545	513	552	555	484
		F	261	229	259	282	307	358	377	335	366	351	335
	(*a*) Cystitis	M	732	684	621	685	638	575	514	486	522	516	436
		F	235	204	247	256	292	345	356	316	348	336	313
	(*b*) Other diseases of the bladder	M	69	42	39	49	49	30	31	27	30	39	48
		F	26	25	12	26	15	13	21	19	18	15	22
136	Diseases of the urethra, urinary abscess, etc. ..	M	401	382	335	354	385	429	457	404	405	420	359
		F	4	5	2	4	8	7	5	5	5	3	4
	(*a*) Stricture of the urethra	M	336	315	296	327	364	407	433	389	391	403	341
		F	—	—	—	—	2	—	1	—	1	—	—
	(*b*) Other diseases of the urethra, etc.	M	65	67	39	27	21	22	24	15	14	17	18
		F	4	5	2	4	6	7	4	5	4	3	4
137	Diseases of the prostate ..	M	2288	2479	2665	2705	3172	3407	3760	3803	4039	4328	4498
138	Diseases of the male genital organs.	M	54	64	58	55	64	75	76	60	64	81	77
139	Diseases of the female genital organs.	F	450	403	429	418	442	408	433	432	462	446	478
	(*a*) Diseases of the ovary, Fallopian tube and parametrium.	F	264	239	272	248	247	225	239	230	240	218	227
	(1) Diseases of the ovary	F	15	8	12	11	11	18	5	8	6	9	10
	(2) Diseases of the Fallopian tube.	F	196	184	229	195	210	186	205	188	211	192	186
	(3) Diseases of the parametrium.	F	53	47	31	42	26	21	29	34	23	17	31
	(*b*) Diseases of the uterus	F	154	132	126	138	157	145	168	170	200	201	216
	(*c*) Diseases of the breast	F	21	15	14	18	13	10	13	6	9	11	13
	(*d*) Other diseases of the female genital organs.	F	11	17	17	14	25	28	13	26	13	16	22

TABLE 6—*continued.*

International List No.	Causes of Death.		1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.	1931.	1932.	1933.
140–150	**XI.—Diseases of Pregnancy, Childbirth, and the Puerperal State.**	F	**2895**	**2847**	**2900**	**2863**	**2691**	**2921**	**2791**	**2855**	**2601**	**2587**	**2618**
140 & 145	Puerperal sepsis	F	988	1018	1110	1112	1027	1185	1161	1244	1050	991	1061
140	Post-abortive sepsis* ..	F	?	?	?	222	215	224	238	300	229	262	257
141	Abortion not returned as septic.	F	188	179	156	158	154	124	118	124	118	117	121
	(1) Hæmorrhage following abortion.*	F	88	67	67	72	72	47	51	59	97	105	108
	(2) Without record of hæmorrhage.*	F	100	112	89	86	82	77	67	65	21	12	13
142	Ectopic gestation	F	97	73	87	94	98	86	86	73	79	83	90
143	Other accidents of pregnancy	F	16	20	19	19	25	14	16	16	23	19	22
144	Puerperal hæmorrhage ..	F	429	390	373	339	327	331	313	348	289	291	269
	(*a*) Placenta prævia ..	F	179	186	183	156	142	171	159	162	139	156	137
	(*b*) Other puerperal hæmorrhage.	F	250	204	190	183	185	160	154	186	150	135	132
145	Puerperal sepsis not returned as post-abortive.*	F	?	?	?	890	812	961	923	944	821	729	804
	(*a*) Puerperal septicæmia and pyæmia.*	F	?	?	?	887	811	960	919	943	820	729	803
	(*b*) Puerperal tetanus ..	F	3	—	—	3	1	1	4	1	1	—	1
146	Puerperal albuminuria and convulsions.*	F	518	524	499	524	537	557	524	467	375	373	372
147	Other toxæmias of pregnancy*	F	51	54	56	57	45	45	66	66	131	151	140
148	Puerperal phlegmasia alba dolens, embolism and sudden death.	F	277	244	240	202	175	219	180	190	188	200	175
	(*a*) Puerperal phlegmasia alba dolens not returned as septic.	F	61	58	35	25	32	31	17	23	47	46	55
	(*b*) Puerperal embolism and sudden death.	F	216	186	205	177	143	188	163	167	141	154	120
149	Other accidents of childbirth	F	230	235	247	272	251	307	274	246	300	286	311
150	Other or unspecified conditions of the puerperal state.	F	101	110	113	86	52	53	53	81	48	76	57
	(1) Puerperal insanity ..	F	23	20	23	13	14	21	22	25	13	24	11
	(2) Puerperal diseases of the breast.	F	4	4	6	6	7	8	6	8	11	13	17
	(3) Childbirth (unqualified)	F	74	86	84	67	31	24	25	48	24	39	29
151–153	**XII.—Diseases of the Skin and Cellular Tissue*** ..	M	**971**	**885**	**991**	**952**	**904**	**1084**	**1057**	**999**	**1006**	**1066**	**1084**
		F	**778**	**787**	**864**	**842**	**803**	**875**	**832**	**820**	**832**	**901**	**895**
151	Carbuncle, Boil	M	234	203	244	258	256	307	303	340	352	369	383
		F	109	97	122	133	138	152	166	171	160	197	230
152	Cellulitis, Acute abscess* ..	M	370	363	417	388	335	426	455	372	378	385	426
		F	297	273	327	315	275	311	313	305	367	312	330
	(1) Cellulitis	M	262	265	313	310	250	338	354	296	294	282	335
		F	199	198	238	242	205	238	252	240	289	232	267
	(2) Acute abscess* ..	M	108	98	104	78	85	88	101	76	84	103	91
		F	98	75	89	73	70	73	61	65	78	80	63
153	Other diseases of the skin and its annexa..	M	367	319	330	306	313	351	299	287	276	312	275
		F	372	417	415	394	390	412	353	344	355	392	335
154–156	**XIII.—Diseases of the Bones and Organs of Locomotion.**	M	**502**	**526**	**501**	**488**	**538**	**579**	**577**	**560**	**545**	**608**	**534**
		F	**263**	**307**	**299**	**294**	**317**	**309**	**386**	**352**	**327**	**354**	**359**
154	Acute infective osteomyelitis and periostitis	M	301	319	291	271	315	362	318	326	321	347	279
		F	123	151	146	146	164	144	191	164	163	156	175

TABLE 6—*continued.*

International List No.	Causes of Death.		1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.	1931.	1932.	1933.
155	Other diseases of the bones..	M	78	75	93	110	94	95	114	102	91	115	115
		F	54	51	60	80	68	56	69	72	56	69	76
156	Diseases of the joints and other organs of locomotion	M	123	132	117	107	129	122	145	132	133	146	140
		F	86	105	93	68	85	109	126	116	108	129	108
	(*a*) Diseases of the joints	M	89	101	82	72	100	96	109	103	93	106	110
		F	54	77	57	43	62	64	78	80	74	91	76
	(*b*) Diseases of other organs of locomotion ..	M	34	31	35	35	29	26	36	29	40	40	30
		F	32	28	36	25	23	45	48	36	34	38	32
157	**XIV.—Congenital Malformations.**	M	**2019**	**1961**	**2035**	**2018**	**1969**	**2058**	**2069**	**2193**	**2199**	**2271**	**2161**
		F	**1551**	**1496**	**1611**	**1586**	**1596**	**1624**	**1746**	**1665**	**1712**	**1810**	**1716**
	(*a*) Congenital hydrocephalus	M	195	148	164	159	160	135	144	138	147	161	151
		F	116	116	114	119	113	92	112	108	117	127	115
	(*b*) Spina bifida and meningocele	M	328	284	326	320	328	387	361	397	407	427	418
		F	453	427	450	467	453	467	517	470	516	635	601
	(*c*) Congenital malformation of heart	M	803	806	801	773	791	780	823	888	858	860	812
		F	580	544	618	621	599	630	659	639	640	589	566
	(*d*) Monstrosities ..	M	24	37	39	28	22	24	24	29	33	35	38
		F	28	30	30	28	32	37	41	23	50	59	55
	(*e*) Other congenital malformations	M	669	686	705	738	668	732	717	741	754	788	742
		F	374	379	399	351	399	398	417	425	389	400	379
	(1) Congenital pyloric stenosis	M	198	192	217	279	217	240	233	270	330	292	247
		F	59	57	82	66	55	68	83	77	76	74	70
	(2) Cleft palate, Hare-lip	M	76	102	88	72	70	77	88	80	85	96	81
		F	59	56	63	62	50	51	79	77	53	42	45
	(3) Imperforate anus ..	M	56	65	62	56	54	74	54	55	42	51	54
		F	19	20	19	8	22	19	15	17	18	22	10
	(4) Other stated congenital malformations ..	M	259	256	270	272	276	303	308	288	247	300	320
		F	187	192	202	175	228	228	220	215	195	228	229
	(5) Congenital malformation unspecified ..	M	80	71	68	59	51	38	34	48	50	49	40
		F	50	54	33	40	44	32	20	39	47	34	25
158–161	**XV.—Diseases of Early Infancy***	M	**11990**	**12062**	**11277**	**10895**	**10388**	**10061**	**10252**	**9723**	**9803**	**9510**	**9085**
		F	**8867**	**9009**	**8490**	**7955**	**7567**	**7313**	**7512**	**7067**	**6997**	**6722**	**6712**
158	Congenital debility* ..	M	2570	2498	2506	2166	1653	1578	1522	1357	1307	1119	1082
		F	1761	1684	1650	1524	1115	977	982	841	809	704	728
159	Premature birth	M	7564	7712	7025	6932	6898	6630	6784	6447	6594	6406	6138
		F	5815	6026	5509	5214	5234	5041	5208	4913	4971	4768	4747
160	Injury at birth	M	626	644	663	647	732	751	862	834	837	899	813
		F	430	375	395	406	482	505	492	527	497	480	508
	(*a*) With mention of Cæsarean section	M	?	?	?	?	?	?	?	?	6	12	7
		F	?	?	?	?	?	?	?	?	4	3	5
	(*b*) Without mention of Cæsarean section ..	M	?	?	?	?	?	?	?	?	831	887	806
		F	?	?	?	?	?	?	?	?	493	477	503
161	Other diseases peculiar to early infancy	M	1230	1208	1083	1150	1105	1102	1084	1085	1065	1086	1052
		F	861	924	936	811	736	790	830	786	720	770	729
	(*a*) Atelectasis	M	671	641	581	641	613	594	581	601	637	619	657
		F	457	530	518	440	405	455	440	411	405	433	422
	(*b*) Icterus neonatorum ..	M	363	312	235	225	257	255	257	235	204	199	193
		F	190	171	162	147	145	136	132	141	122	114	107
	(*c*) Other diseases included under 161*	M	196	255	267	284	235	253	246	249	224	268	202
		F	214	223	256	224	186	199	258	234	193	223	200
	(1) Diseases of the umbilicus	M	62	69	72	80	39	41	52	61	57	51	43
		F	57	59	67	41	36	38	46	52	33	52	26

TABLE 6—*continued.*

International List No.	Causes of Death.		1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.	1931.	1932.	1933.
161	Other diseases peculiar to early infancy—*contd.*												
	(2) Pemphigus neonatorum	M	57	76	105	87	85	79	65	56	51	40	28
		F	47	51	68	53	37	40	61	46	33	32	24
	(3) Other diseases included under 161 (*c*)*	M	77	110	90	117	111	133	129	132	116	177	131
		F	110	113	121	130	113	121	151	136	127	139	150
162	**XVI.—Old Age***	M	**10549**	**10434**	**10202**	**10036**	**9150**	**7976**	**8495**	**7345**	**7120**	**7250**	**6703**
		F	**14795**	**15301**	**15112**	**14528**	**13603**	**11774**	**12685**	**10772**	**10867**	**11016**	**10435**
	(*a*) Senile dementia* ..	M	645	653	760	710	782	852	877	776	565	491	449
		F	796	858	957	1061	1037	1141	1271	1112	758	659	514
	(*b*) Other forms of senile decay*	M	9904	9781	9442	9326	8368	7124	7618	6569	6555	6759	6254
		F	13999	14443	14155	13467	12566	10633	11414	9660	10109	10357	9921
163–198	**XVII.—Deaths from Violence**	M	**12227**	**12096**	**12903**	**12993**	**14162**	**14810**	**15184**	**15585**	**14547**	**14981**	**15295**
		F	**5113**	**5378**	**5648**	**5929**	**6227**	**6753**	**6936**	**6832**	**7031**	**6888**	**7385**
163–171	Suicide	M	2887	2635	2852	3099	3458	3409	3480	3527	3624	4054	3893
		F	1062	1085	1232	1350	1449	1473	1504	1524	1523	1689	1761
163	By solid or liquid poisons and corrosive substances	M	240	214	254	323	399	380	354	406	368	428	468
		F	177	197	212	283	338	285	314	309	308	349	348
164	By poisonous gas ..	M	449	373	465	588	658	667	824	842	934	1168	1091
		F	239	212	297	355	340	421	461	509	517	639	641
165	By hanging or strangulation	M	619	579	608	676	671	697	690	629	614	727	704
		F	130	148	172	151	157	166	136	124	122	135	168
166	By drowning	M	537	504	508	558	580	609	546	554	584	670	561
		F	315	320	327	349	363	350	329	333	329	329	324
167	By firearms	M	231	190	197	210	225	226	221	254	254	249	283
		F	16	9	14	8	18	11	11	8	13	10	5
168	By cutting or piercing instruments	M	568	532	549	531	634	567	581	535	524	534	455
		F	101	99	95	96	125	111	118	88	87	77	97
169	By jumping from high places	M	72	69	83	70	93	83	87	110	111	98	102
		F	54	43	57	54	53	59	65	67	56	74	64
170	By crushing	M	163	170	182	130	185	173	170	190	227	172	218
		F	18	35	35	33	27	36	20	30	36	30	44
171	By other means	M	8	4	6	13	13	7	7	7	8	8	11
		F	12	22	23	21	28	34	50	56	55	46	70
172–175	Homicide	M	130	119	118	127	99	100	97	112	76	71	87
		F	110	105	144	149	109	108	107	82	114	115	123
172	Infanticide (under 1 year)†												
173	By firearms	M	12	7	10	9	10	7	9	9	6	8	6
		F	13	3	10	25	11	10	16	9	12	17	12
174	By cutting or piercing instruments	M	15	12	21	14	11	13	18	7	9	5	15
		F	25	27	39	25	24	25	22	9	23	16	23
175	By other means	M	103	100	87	104	78	80	70	96	61	58	66
		F	72	75	95	99	74	73	69	64	79	82	88
176–194	Accidental deaths	M	8298	8512	9111	8929	9700	10415	10827	11081	9943	9976	10465
		F	3651	3888	3976	4153	4381	4883	5066	4968	5076	4771	5202
176	Attack by venomous animals	M	5	4	18	11	6	18	5	18	9	21	25
		F	12	8	16	12	9	15	18	14	14	23	19
177	Food poisoning	M	20	19	23	12	10	19	10	10	8	5	12
		F	17	14	14	8	12	14	8	6	7	10	6
178	Accidental absorption of irrespirable or poisonous gas.	M	89	83	97	101	87	88	119	111	104	136	106
		F	49	32	52	75	77	63	90	39	73	64	58
179	Other acute accidental poisoning (not by gas)	M	47	51	75	43	50	49	46	56	51	45	57
		F	31	29	46	40	37	49	25	48	41	44	49

† Deaths from this cause are included under headings 173–175 (Homicide).

TABLE 6—*continued.*

International List No.	Causes of Death.		1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.	1931.	1932.	1933.
180	Conflagration	M	18	27	25	18	28	32	45	31	30	22	30
		F	12	14	22	21	31	25	30	30	42	27	16
181	Accidental burns (conflagration excepted) ..	M	747	660	726	577	689	641	681	601	597	535	534
		F	846	899	858	773	767	822	935	749	800	729	783
182	Accidental mechanical suffocation	M	304	303	283	309	282	280	265	277	242	255	248
		F	208	225	248	210	242	223	205	197	186	167	144
183	Accidental drowning ..	M	771	678	743	762	660	743	735	622	583	753	810
		F	126	112	130	97	132	144	131	117	102	80	115
184	Accidental injury by firearms.	M	65	62	71	63	66	62	55	75	66	66	67
		F	5	8	6	8	5	6	10	4	4	8	3
185	Accidental injury by cutting or piercing instruments.	M	11	12	4	8	11	15	14	9	2	7	10
		F	1	—	1	—	—	11	6	1	2	1	4
186	Accidental injury by fall, crushing, etc.	M	5496	6032	6429	6430	7178	7854	8241	8552	7813	7581	7980
		F	2039	2294	2335	2642	2846	3281	3365	3497	3637	3384	3784
187	Cataclysm	M	?	?	?	?	?	?	?	?	—	—	—
		F	?	?	?	?	?	?	?	?	—	—	—
188	Injury by animals (poisoning by venomous animals excepted).	M	61	66	64	65	58	50	52	42	45	54	37
		F	6	7	6	4	5	3	7	10	4	4	4
189	Hunger or thirst	M	9	10	7	13	16	14	20	9	6	5	9
		F	3	5	6	6	10	9	7	5	5	2	2
190	Excessive cold	M	23	31	40	43	50	40	68	28	19	14	30
		F	9	9	16	11	12	9	27	6	5	6	7
191	Excessive heat	M	217	18	76	60	7	52	50	155	11	67	93
		F	107	12	45	32	8	22	19	72	1	36	53
192	Lightning	M	8	12	17	10	5	4	14	9	10	7	13
		F	—	3	—	1	—	—	—	1	2	1	2
193	Electricity (lightning excepted)	M	30	41	42	43	51	51	52	61	51	51	63
		F	—	1	1	2	1	4	1	7	5	4	7
194	Other and unstated forms of accidental violence	M	377	403	371	361	446	403	355	415	296	352	341
		F	180	216	174	211	187	183	182	165	146	181	146
	(1) Inattention at birth	M	114	143	121	147	143	132	105	105	82	114	87
		F	119	148	116	155	123	118	118	112	100	112	78
	(2) Other causes included under 194 ..	M	263	260	250	214	303	271	250	310	214	238	254
		F	61	68	58	56	64	65	64	53	46	69	68
195	Violent deaths of unstated nature (i.e., accidental, suicidal, etc.).	M	824	759	743	749	830	789	700	788	802	786	757
		F	289	300	296	276	287	289	259	258	318	313	299
196	Wounds of war	M	75	61	63	73	68	76	72	74	92	85	84
		F	—	—	—	—	1	—	—	—	—	—	—
197	Execution of civilians by belligerent armies ..	M	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—
198	Execution	M	13	10	16	16	7	21	8	3	10	9	9
		F	1	—	—	1	—	—	—	—	—	—	—
199–200	**XVIII.—Ill-defined Diseases***	M	**982**	**930**	**923**	**828**	**642**	**494**	**484**	**441**	**777**	**748**	**731**
		F	**731**	**664**	**681**	**578**	**443**	**343**	**347**	**306**	**570**	**593**	**584**
199	Sudden death*	M	200	162	162	171	154	138	133	117	174	178	194
		F	125	96	98	74	88	74	82	75	97	113	143
200	Cause of death unstated or ill-defined*	M	782	768	761	657	488	356	351	324	603	570	537
		F	606	568	583	504	355	269	265	231	473	480	441
	(1) Heart failure* ..	M	504	489	514	467	359	246	250	214	499	493	463
		F	373	352	353	344	234	169	171	153	397	426	367
	(2) Other ill-defined causes	M	234	233	197	136	99	85	70	80	63	49	50
		F	210	177	183	119	104	84	79	55	64	43	58
	(3) Cause not specified ..	M	44	46	50	54	30	25	31	30	41	28	24
		F	23	39	47	41	17	16	15	23	12	11	16

TABLE 7. CRUDE DEATH-RATES OF MALES, FEMALES AND PERSONS FROM CERTAIN CAUSES AT ALL AGES TO A MILLION LIVING, 1923–1933. } { England and Wales.

List of Causes as in use for 1931 (*see note to heading of Table* 6), *but in this table headings consistently showing a mortality of less than* 5 *per million and some indefinite headings are omitted. Where the incidence of mortality falls particularly on one sex, the rate in that sex has been taken as the criterion. For titles omitted see Table* 6. *The deaths on which the rates for years prior to* 1931 *are based have been reconstructed as far as possible in the terms of the revised List, and where such reconstruction is incomplete an * is marked against the heading.*

List No.	Causes of Death.		1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.	1931.	1932.	1933.
	ALL CAUSES	M.	**12,368**	**12,975**	**12,949**	**12,384**	**13,115**	**12,465**	**14,229**	**12,268**	**13,033**	**12,745**	**12,948**
		F.	**10,863**	**11,515**	**11,434**	**10,911**	**11,618**	**10,922**	**12,724**	**10,680**	**11,615**	**11,396**	**11,711**
		P.	**11,582**	**12,214**	**12,158**	**11,616**	**12,334**	**11,661**	**13,444**	**11,441**	**12,294**	**12,043**	**12,304**
1–44	**I.—Infectious and Parasitic Diseases***	M.	**1,946**	**2,194**	**2,106**	**1,818**	**2,139**	**1,755**	**2,387**	**1,641**	**1,839**	**1,706**	**1,902**
		F.	**1,565**	**1,839**	**1,714**	**1,450**	**1,786**	**1,373**	**2,028**	**1,252**	**1,470**	**1,398**	**1,568**
		P.	**1,747**	**2,009**	**1,901**	**1,626**	**1,954**	**1,556**	**2,200**	**1,438**	**1,647**	**1,545**	**1,728**
1–2	Typhoid and paratyphoid fevers	M.	12	13	10	10	10	11	10	9	7	7	6
		F.	11	12	10	9	9	11	9	7	6	6	5
		P.	12	13	10	9	9	11	10	8	6	6	6
1	Typhoid fever	M.	12	13	9	9	9	9	9	7	5	6	5
		F.	10	11	9	8	7	9	8	6	4	5	4
		P.	11	12	9	8	8	9	8	6	5	5	5
7	Measles	M.	157	138	153	98	102	121	92	119	92	93	53
		F.	121	112	122	81	83	98	80	93	73	77	44
		P.	138	125	137	89	92	109	86	105	82	85	48
8	Scarlet fever	M.	27	22	26	19	15	14	19	18	12	12	18
		F.	24	23	25	16	14	15	17	19	14	14	19
		P.	26	23	25	17	15	15	18	19	14	13	18
9	Whooping cough	M.	104	101	149	100	88	71	147	47	58	68	51
		F.	112	105	162	110	99	79	172	55	67	79	61
		P.	108	103	156	105	94	75	160	51	63	74	56
10	Diphtheria	M.	72	65	72	76	71	84	86	90	70	58	67
		F.	70	64	70	77	68	78	88	85	64	58	65
		P.	71	65	71	77	70	81	87	88	67	58	66
11	Influenza	M.	235	493	339	243	575	216	731	144	360	320	564
		F.	207	487	316	216	559	178	737	110	360	334	570
		P.	220	490	327	229	567	196	734	126	360	327	567
	(*a*) 1. With pneumonic complications	M.	110	243	152	115	282	108	390	70	176	152	294
		F.	78	200	115	80	229	70	331	41	145	141	258
		P.	93	221	133	97	255	88	359	55	160	146	275
	(*a*) 2. With other respiratory complications*	M.	41	103	70	41	127	37	174	27	81	69	137
		F.	45	126	77	45	149	37	209	22	99	83	153
		P.	43	115	74	44	139	37	192	24	90	76	146
	(*b*) 1. With non-respiratory complications*	M.	52	86	68	54	93	53	104	35	73	71	88
		F.	48	87	70	55	100	52	118	36	79	77	102
		P.	50	86	69	55	97	52	112	35	76	74	95
	(*b*) 2. Without stated complications	M.	31	62	49	32	72	18	63	12	31	28	45
		F.	36	73	53	35	81	20	79	11	38	34	57
		P.	34	68	51	33	76	19	71	12	35	31	51
13	Dysentery	M.	5	4	4	4	3	4	4	3	4	4	3
		F.	3	3	3	3	2	3	1	2	2	3	2
		P.	4	3	3	4	2	4	2	2	3	3	2
15	Erysipelas	M.	17	19	24	23	22	25	28	29	27	26	32
		F.	16	16	20	19	20	20	24	23	23	23	27
		P.	16	17	22	21	21	23	26	26	25	25	30
16	Acute poliomyelitis	M.	3	5	5	7	6	5	4	5	3	5	6
		F.	3	3	3	5	4	3	3	4	2	4	4
		P.	3	4	4	6	5	4	4	4	2	4	5
17	Encephalitis lethargica	M.	15	39	36	35	31	27	27	23	26	21	22
		F.	13	33	35	33	27	27	25	23	22	20	18
		P.	14	36	35	34	29	27	26	23	24	21	20
18	Cerebro-spinal fever	M.	8	9	11	11	14	13	19	19	45	37	27
		F.	7	6	7	8	8	9	11	13	28	24	20
		P.	7	8	9	9	11	11	15	16	36	30	23
22	Tetanus	M.	7	6	6	6	7	6	6	6	5	5	4
		F.	2	1	2	2	1	1	2	1	1	1	1
		P.	4	3	4	4	4	3	4	3	3	3	3

TABLE 7—*continued.*

List No.	Causes of Death.		1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.	1931.	1932.	1933.
23–32	Tuberculosis (all forms)	M.	1,205	1,205	1,195	1,106	1,112	1,067	1,122	1,037	1,041	972	968
		F.	932	928	895	828	843	800	810	770	762	713	692
		P.	1,062	1,061	1,039	961	972	928	959	898	896	837	824
23	Respiratory system	M.	958	969	967	897	914	879	938	863	872	806	819
		F.	724	729	709	655	678	641	661	624	622	578	571
		P.	836	844	833	771	791	755	793	739	742	687	690
24	Central nervous system	M.	91	87	86	79	82	71	71	67	70	66	57
		F.	79	74	70	67	65	59	59	58	60	55	49
		P.	85	80	78	73	73	65	65	62	65	60	53
25	Intestines and peritoneum	M.	52	49	46	41	35	34	32	29	27	27	23
		F.	50	46	42	38	34	34	30	29	28	24	25
		P.	51	48	44	39	34	34	31	29	27	25	24
26	Vertebral column ..	M.	18	17	16	16	15	15	14	14	14	13	14
		F.	14	15	11	12	11	10	11	10	11	10	9
		P.	16	16	14	14	13	12	12	12	12	12	11
27	Other bones and joints	M.	12	12	11	11	10	10	8	9	8	8	7
		F.	8	7	7	6	6	6	6	5	4	6	5
		P.	10	10	9	8	8	8	7	7	6	7	6
30	Genito-urinary system	M.	9	7	8	7	7	9	9	8	9	9	9
		F.	5	6	6	4	5	6	5	5	6	5	4
		P.	7	7	7	5	6	7	7	7	7	7	6
32	Disseminated tuberculosis	M.	60	58	56	52	46	47	48	43	37	38	34
		F.	47	45	44	42	39	38	35	35	28	31	26
		P.	53	51	50	47	43	42	41	39	32	35	30
	(*a*) Acute	M.	21	22	18	18	17	18	17	17	18	17	16
		F.	20	19	17	17	16	17	14	15	14	15	14
		P.	21	21	18	17	16	17	16	16	16	16	15
	(*b*) Chronic	M.									0	0	0
		F.									0	0	0
		P.	38	35	38	34	30	29	30	27	0	0	0
	(*c*) Not distinguished as acute or chronic ..	M.	27	26	27	25	23	21	20	20			
		F.	32	30	32	29	26	25	25	23	18	21	18
		P.									14	15	12
											16	18	15
34	Syphilis	M.	47	42	39	42	46	53	47	48	50	43	45
		F.	27	25	23	23	26	26	24	24	24	22	21
		P.	36	33	30	32	36	39	35	36	36	32	33
	(*a*) Congenital syphilis ..	M.	?	?	?	?	?	?	?	?	12	11	8
		F.	?	?	?	?	?	?	?	?	9	8	6
		P.	?	?	?	?	?	?	?	?	10	9	7
	(*b* & *c*) Acquired or unspecified	M.	?	?	?	?	?	?	?	?	38	33	37
		F.	?	?	?	?	?	?	?	?	15	15	15
		P.	?	?	?	?	?	?	?	?	26	23	25
36	Purulent infection, septicæmia*	M.	17	16	20	23	22	21	29	29	25	21	24
		F.	9	10	12	12	13	14	16	15	13	13	14
		P.	13	13	16	17	17	17	22	22	19	17	19
	(*a*) Septicæmia	M.	?	?	?	?	?	?	?	?	23	18	21
		F.	?	?	?	?	?	?	?	?	13	11	12
		P.	?	?	?	?	?	?	?	?	18	15	17
38	Malaria	M.	4	5	3	3	2	2	2	2	1	1	1
		F.	0	0	0	0	0	0	0	0	0	0	0
		P.	2	3	2	2	1	1	1	1	1	1	1
44	Other infectious or parasitic diseases	M.	3	3	5	5	4	4	5	5	4	4	4
		F.	2	2	3	4	3	3	3	3	3	2	3
		P.	3	2	4	4	3	4	4	4	4	3	3
45–55	**II.—Cancer and Other Tumours**	M.	**1,254**	**1,297**	**1,339**	**1,362**	**1,386**	**1,433**	**1,441**	**1,469**	**1,509**	**1,554**	**1,546**
		F.	**1,399**	**1,423**	**1,452**	**1,493**	**1,496**	**1,547**	**1,561**	**1,576**	**1,598**	**1,606**	**1,641**
		P.	**1,330**	**1,363**	**1,398**	**1,430**	**1,443**	**1,493**	**1,503**	**1,525**	**1,555**	**1,581**	**1,595**
45–53	Cancer, malignant disease* ..	M.	1,203	1,246	1,290	1,307	1,332	1,377	1,386	1,411	1,450	1,495	1,490
		F.	1,326	1,351	1,377	1,413	1,417	1,469	1,483	1,494	1,516	1,524	1,559
		P.	1,267	1,300	1,336	1,362	1,376	1,425	1,437	1,454	1,484	1,510	1,526
45	Buccal cavity and pharynx	M.	154	152	159	155	162	165	154	153	154	158	145
		F.	25	26	25	25	25	25	26	25	25	26	26
		P.	86	86	89	87	90	92	87	86	87	89	83
46	Digestive organs and peritoneum*	M.	743	771	798	816	826	841	864	876	890	918	915
		F.	640	649	664	703	686	716	725	735	738	741	760
		P.	689	707	728	757	753	776	792	802	811	826	834

TABLE 7—*continued.*

List No.	Causes of Death.		1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.	1931.	1932.	1933.
	Cancer, malignant disease —*contd.*												
47	Respiratory organs ..	M.	77	81	88	93	95	105	105	118	132	139	153
		F.	27	29	32	32	32	34	37	42	44	44	45
		P.	51	53	59	61	63	68	69	78	86	90	97
48	Uterus	F.	217	217	220	216	216	220	216	210	208	208	205
49	Other female genital organs	F.	60	61	61	68	70	72	76	79	80	83	89
50	Breast	M.	2	2	2	2	2	3	2	3	3	3	3
		F.	249	255	265	260	277	286	288	292	306	305	312
		P.	131	134	139	137	146	150	151	154	161	160	164
51	Male genito-urinary organs	M.	118	124	131	132	138	149	152	154	166	169	169
52	Skin	M.	31	32	31	31	31	35	35	33	36	33	32
		F.	21	23	21	21	23	24	24	22	23	25	24
		P.	26	27	26	26	27	29	29	27	29	29	28
53	Other or unspecified organs	M.	80	85	82	77	78	80	72	73	69	76	72
		F.	87	91	88	88	86	92	92	90	92	93	98
		P.	83	88	85	83	82	86	83	82	81	85	86
54	Non-malignant tumours ..	M.	17	15	16	19	20	23	20	23	25	25	22
		F.	40	40	42	47	46	47	47	50	53	52	52
		P.	29	28	29	33	34	35	34	37	40	39	38
	(*a*) Female genital organs	F.	30	30	31	34	33	34	32	35	36	35	34
	(*b*) Other sites	M.	17	15	16	19	20	23	20	23	25	25	22
		F.	10	10	10	12	13	13	15	16	17	17	18
		P.	13	13	13	15	17	18	17	19	21	21	20
55	Tumours of undetermined nature*	M.	35	36	33	36	34	34	35	35	34	34	35
		F.	33	32	33	33	33	32	30	32	29	30	29
		P.	34	34	33	35	33	32	33	34	32	32	32
	(*b*) Sites other than female genital organs* ..	M.	35	36	33	36	34	34	35	35	34	34	35
		F.	31	30	31	31	32	30	28	31	28	29	28
		P.	33	33	32	34	33	32	32	33	31	31	31
56–69	**III.—Rheumatism, Diseases of Nutrition and of Endocrine Glands and other General Diseases.***	M.	**231**	**230**	**227**	**235**	**241**	**256**	**261**	**249**	**246**	**245**	**248**
		F.	**310**	**310**	**340**	**335**	**363**	**388**	**412**	**400**	**408**	**411**	**424**
		P.	**272**	**272**	**286**	**288**	**305**	**325**	**340**	**328**	**330**	**331**	**340**
56	Rheumatic fever	M.	42	41	45	44	37	34	34	36	29	25	30
		F.	43	45	52	47	42	42	38	39	34	30	34
		P.	42	43	48	45	40	38	36	38	32	28	32
57	Chronic rheumatism, osteo-arthritis	M.	37	40	37	38	44	48	52	46	50	47	48
		F.	78	77	83	84	90	102	117	102	105	108	109
		P.	59	59	61	62	68	76	86	75	79	79	80
	(1) Chronic rheumatism* ..	M.	10	11	9	8	5	5	5	4	3	3	2
		F.	12	11	10	9	6	6	6	6	5	4	4
		P.	11	11	9	8	6	6	6	5	4	4	3
	(2) Rheumatoid arthritis, osteo-arthritis* ..	M.	27	29	28	30	39	43	47	43	47	44	45
		F.	66	66	73	75	84	96	111	97	101	104	105
		P.	48	48	51	54	63	70	80	71	75	75	76
58	Gout	M./	8	9	9	8	12	15	13	12	11	12	10
		F.	2	1	2	2	2	3	2	3	3	2	2
		P.	5	5	5	5	7	8	8	7	7	7	6
59	Diabetes	M.	105	102	98	106	109	116	122	121	118	126	127
		F.	122	117	125	124	142	145	161	161	170	176	182
		P.	114	110	112	115	126	131	142	142	145	152	156
63	Rickets*	M.	?	?	?	?	?	?	?	?	12	10	7
		F.	?	?	?	?	?	?	?	?	7	6	5
		P.	?	?	?	?	?	?	?	?	10	8	6
	(1) Rickets (excluding spinal curvatures of undetermined nature)	M.	15	16	15	13	12	15	13	10	12	9	6
		F.	10	9	10	8	7	10	8	6	6	6	4
		P.	12	13	12	11	10	12	11	8	9	7	5
64	Osteomalacia*	M.									0	0	0
		F.									1	0	0
		P.									0	0	0
66	Diseases of the thyroid and parathyroid glands* ..	M.	7	8	9	10	11	11	11	10	11	12	13
		F.	42	46	53	56	61	67	65	71	75	75	77
		P.	26	28	32	34	37	40	39	42	45	45	46
	(*a*) Simple goitre ..	M.	2	2	1	2	1	1	1	1	2	1	2
		F.	6	5	6	7	7	10	7	7	7	6	8
		P.	4	4	4	5	4	6	4	4	4	4	5

TABLE 7—*continued.*

List No.	Causes of Death.		1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.	1931.	1932.	1933.
66	Diseases of the thyroid and parathyroid glands*—*contd.*												
	(*b*) Exophthalmic goitre ..	M.	3	3	3	4	5	6	7	6	7	9	9
		F.	28	29	34	36	42	45	45	54	56	59	59
		P.	16	16	19	21	24	27	27	31	33	35	35
	(*c*) Myxœdema, cretinism	M.	3	2	2	2	3	2	2	2	2	1	2
		F.	8	10	11	11	11	11	11	10	12	9	9
		P.	5	6	7	7	7	7	7	6	7	5	6
67	Diseases of the thymus ..	M.	6	5	5	6	5	6	6	4	5	5	5
		F.	3	3	3	3	3	3	4	3	2	3	3
		P.	4	4	4	4	4	4	5	3	4	4	4
68	Diseases of the adrenals ..	M.	5	5	5	5	4	5	5	5	4	3	5
		F.	6	6	7	8	7	7	7	7	6	6	7
		P.	6	6	6	7	6	6	6	6	5	5	6
69	Other general diseases* ..	M.	3	2	2	3	4	4	3	2	3	3	2
		F.	2	3	3	3	5	7	7	4	3	2	3
		P.	2	2	2	3	5	6	5	3	3	3	3
70–74	**IV.—Diseases of the Blood and Blood-forming organs** ..	M.	**99**	**103**	**106**	**112**	**110**	**91**	**97**	**101**	**105**	**112**	**108**
		F.	**106**	**109**	**114**	**122**	**115**	**95**	**98**	**103**	**107**	**118**	**118**
		P.	**103**	**106**	**110**	**117**	**112**	**93**	**97**	**102**	**106**	**115**	**114**
70	Hæmorrhagic conditions ..	M.	10	10	11	10	10	12	11	11	11	10	10
		F.	8	8	9	9	8	9	9	9	8	7	10
		P.	9	9	10	10	9	11	10	10	10	8	10
	(*a*) Purpura	M.	6	6	7	7	7	7	7	7	7	6	6
		F.	7	6	7	7	7	7	8	7	7	6	8
		P.	6	6	7	7	7	7	7	7	7	6	7
71	Anæmia, Chlorosis	M.	60	62	64	67	63	44	48	52	52	61	56
		F.	77	81	83	90	82	61	62	67	71	82	78
		P.	69	72	74	79	73	53	55	60	62	72	67
	(*a*) Pernicious anæmia ..	M.	54	56	58	60	58	39	43	47	47	54	50
		F.	68	74	74	81	76	54	56	60	64	74	70
		P.	62	65	66	71	68	47	49	54	56	64	60
	(*b*) Other anæmias and chlorosis	M.	6	6	6	7	5	5	5	5	5	7	6
		F.	9	7	8	8	6	7	6	6	7	8	8
		P.	7	6	7	8	6	6	6	6	6	7	7
72	Leukæmia, Aleukæmia ..	M.	27	29	29	32	34	32	35	35	39	38	39
		F.	19	19	21	21	23	22	24	24	25	26	26
		P.	23	24	25	26	28	27	29	29	32	32	32
	(*a*) Leukæmia	M.	15	15	16	17	18	18	19	19	20	20	21
		F.	12	12	13	14	15	13	16	15	16	17	18
		P.	13	13	15	15	16	16	17	16	18	18	19
	(*b*) Aleukæmia (Lymphadenoma)	M.	12	14	13	15	15	14	17	17	20	18	18
		F.	7	8	7	7	8	9	8	9	9	10	9
		P.	10	11	10	11	12	11	12	13	14	14	13
75–77	**V.—Chronic Poisoning** ..	M.	**9**	**8**	**7**	**7**	**7**	**7**	**7**	**5**	**4**	**5**	**4**
		F.	**3**	**2**	**3**	**2**	**1**	**2**	**3**	**2**	**2**	**2**	**2**
		P.	**6**	**5**	**5**	**5**	**4**	**5**	**5**	**4**	**3**	**4**	**3**
75	Alcoholism (acute or chronic)	M.	6	5	5	4	4	4	4	3	2	3	2
		F.	2	2	3	2	1	2	2	2	2	2	1
		P.	4	3	4	3	3	3	3	2	2	2	2
78–89	**VI.—Diseases of the Nervous System and Sense Organs***	M.	**1,235**	**1,221**	**1,215**	**1,182**	**1,098**	**1,030**	**1,088**	**996**	**1,021**	**1,008**	**964**
		F.	**1,192**	**1,166**	**1,148**	**1,145**	**1,077**	**1,024**	**1,058**	**1,005**	**1,002**	**1,005**	**972**
		P.	**1,212**	**1,192**	**1,180**	**1,163**	**1,087**	**1,027**	**1,072**	**1,001**	**1,011**	**1,006**	**968**
78	Encephalitis	M.	10	8	11	11	8	8	9	8	9	8	8
		F.	6	6	6	7	5	6	7	6	5	6	6
		P.	8	7	8	9	7	7	8	7	7	7	7
	(*a*) Cerebral abscess ..	M.	6	6	7	8	6	5	6	5	6	5	4
		F.	4	3	4	4	2	4	3	3	3	3	3
		P.	5	5	5	6	4	4	4	4	4	4	4
79	Meningitis*	M.	60	58	55	46	43	35	39	31	31	32	32
		F.	48	42	39	37	32	26	29	23	24	22	19
		P.	54	50	47	42	37	31	34	27	27	27	25
80	Tabes dorsalis (locomotor ataxy)	M.	33	34	32	34	34	34	39	30	29	33	31
		F.	7	6	6	6	7	6	7	6	5	7	7
		P.	19	19	19	19	20	20	22	18	17	19	18

TABLE 7—*continued.*

List No.	Causes of Death.		1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.	1931.	1932.	1933.
81	Other diseases of the spinal cord	M.	45	46	43	41	40	44	40	38	39	37	35
		F.	30	30	30	30	31	29	29	28	28	28	28
		P.	37	37	36	35	36	36	34	33	33	32	31
	(1) Progressive muscular atrophy	M.	15	16	16	14	15	17	16	15	16	14	16
		F.	11	11	11	12	11	11	12	12	12	11	12
		P.	13	14	13	13	13	14	14	13	14	12	14
	(3) Myelitis of unstated origin	M.	13	12	12	11	11	11	11	8	9	9	8
		F.	9	8	8	8	10	8	8	8	8	7	7
		P.	11	10	10	9	10	9	9	8	8	8	7
	(4) Other diseases included under 81	M.	16	17	14	14	13	15	12	13	12	11	9
		F.	10	9	10	9	9	9	8	7	7	8	7
		P.	13	13	12	11	11	12	10	10	10	10	8
82	Cerebral hæmorrhage, Apoplexy, etc.	M.	709	715	709	699	634	582	631	585	605	601	579
		F.	828	821	806	818	753	710	737	710	706	714	691
		P.	771	770	759	761	696	649	686	650	658	660	637
	(*a*) 1. Cerebral hæmorrhage so returned	M.	491	500	507	501	460	426	459	418	428	422	395
		F.	570	567	574	576	536	512	529	505	494	498	476
		P.	532	535	542	540	499	471	496	463	463	461	437
	(*a*) 2. Apoplexy (lesion unstated)	M.	69	64	57	51	42	38	35	31	30	28	24
		F.	80	71	62	59	51	41	39	34	34	33	27
		P.	75	68	60	55	47	40	37	32	32	31	25
	(*b*) 1. Cerebral embolism	M.	17	18	17	15	16	11	11	12	10	10	11
		F.	22	23	24	24	17	16	14	15	14	13	14
		P.	19	20	21	19	17	13	13	14	12	12	12
	(*b*) 2. Cerebral thrombosis	M.	58	58	64	72	68	65	79	85	96	105	117
		F.	71	78	80	91	90	89	101	108	116	126	136
		P.	65	68	72	82	79	78	91	97	106	116	127
	(*b*) 3. Cerebral softening	M.	21	22	10	13	11	8	9	8	8	7	5
		F.	21	22	10	16	13	10	10	10	11	9	8
		P.	21	22	10	15	12	9	10	9	9	8	7
	(*c*) 1. Hemiplegia	M.	47	46	46	42	33	29	32	28	30	26	25
		F.	57	53	49	47	41	38	38	34	34	31	27
		P.	52	50	48	44	38	34	35	31	32	29	26
	(*c*) 2. Other paralyses of unstated origin	M.	7	7	7	5	4	5	4	3	3	3	2
		F.	7	7	6	5	5	4	5	3	3	3	3
		P.	7	7	6	5	5	4	4	3	3	3	2
83	General paralysis of the insane	M.	76	68	67	62	65	61	52	49	49	45	40
		F.	15	14	14	14	14	13	13	11	12	11	11
		P.	44	40	40	37	39	36	32	29	30	27	25
84	Other forms of insanity*	M.	15	15	19	23	25	26	28	24	22	22	20
		F.	26	26	27	31	35	37	37	32	33	35	30
		P.	21	21	24	28	30	32	33	28	28	29	25
	(*a*) Dementia præcox	M.	?	?	?	?	?	?	?	?	1	2	2
		F.	?	?	?	?	?	?	?	?	1	1	2
		P.	?	?	?	?	?	?	?	?	1	1	2
	(*b*) Other conditions included under 84*	M.	?	?	?	?	?	?	?	?	21	20	18
		F.	?	?	?	?	?	?	?	?	32	34	28
		P.	?	?	?	?	?	?	?	?	27	27	23
85	Epilepsy	M.	60	61	59	59	61	60	59	60	63	61	57
		F.	52	53	51	46	49	54	52	50	52	52	50
		P.	56	57	55	52	55	57	55	55	57	56	54
86	Infantile convulsions (under 5 years of age)	M.	120	109	107	92	70	59	61	53	52	45	39
		F.	79	73	68	60	46	37	41	32	30	27	25
		P.	99	90	87	75	58	48	50	42	41	36	31
87	Other diseases of the nervous system*	M.	70	73	76	74	76	79	83	74	78	78	77
		F.	73	72	74	71	76	74	76	76	76	73	72
		P.	71	72	75	72	76	76	79	75	77	76	74
	(*b*) Neuritis, neuralgia*	M.	5	5	5	5	4	5	4	4	3	2	3
		F.	8	7	7	7	7	7	6	6	4	3	3
		P.	6	6	6	6	6	6	5	5	4	3	3
	(*c*) Paralysis agitans	M.	21	23	29	28	31	33	37	31	37	41	40
		F.	20	19	24	22	25	25	27	28	30	29	31
		P.	21	21	26	25	28	29	31	30	33	35	36
	(*d*) Disseminated sclerosis	M.	18	20	19	21	20	20	20	20	20	20	20
		F.	18	17	18	20	21	20	22	20	24	23	22
		P.	18	19	19	21	20	20	21	20	22	22	21

TABLE 7—*continued.*

List No.	Causes of Death.		1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.	1931.	1932.	1933.
87	Other diseases of the nervous system*—*contd.*												
	(*e*) Other diseases included under 87*	M.	25	23	22	19	21	20	21	19	16	14	13
		F.	24	24	21	18	20	19	18	18	16	15	14
		P.	24	23	21	19	20	19	19	18	16	14	13
89	Diseases of the ear and mastoid sinus	M.	36	33	36	38	39	39	44	41	43	43	45
		F.	25	23	25	23	27	29	29	29	27	28	32
		P.	30	28	30	30	32	34	36	35	35	35	38
	(*a*) Otitis and other diseases of the ear	M.	25	23	25	26	25	26	30	26	26	25	27
		F.	18	16	18	16	18	18	18	18	17	18	19
		P.	22	19	21	21	21	22	24	22	21	21	23
	(*b*) Diseases of the mastoid sinus	M.	11	10	11	13	14	13	14	15	17	18	18
		F.	7	7	8	7	9	10	10	11	10	10	12
		P.	9	8	9	10	11	12	12	13	13	14	15
90–103	**VII.—Diseases of the Circulatory System***	M.	**1,997**	**2,129**	**2,246**	**2,273**	**2,570**	**2,756**	**3,075**	**2,886**	**3,170**	**3,228**	**3,336**
		F.	**1,916**	**2,039**	**2,142**	**2,154**	**2,468**	**2,636**	**3,039**	**2,770**	**3,109**	**3,132**	**3,275**
		P.	**1,955**	**2,082**	**2,192**	**2,211**	**2,517**	**2,693**	**3,057**	**2,826**	**3,138**	**3,178**	**3,304**
90–95	Heart diseases*	M.	1,430	1,510	1,596	1,606	1,774	1,893	2,373	2,252	2,503	2,550	2,656
		F.	1,528	1,616	1,694	1,691	1,891	2,004	2,493	2,274	2,564	2,565	2,700
		P.	1,481	1,565	1,647	1,650	1,835	1,951	2,436	2,264	2,535	2,558	2,679
90	Pericarditis	M.	11	10	10	9	9	8	9	9	9	9	10
		F.	6	8	7	6	6	6	5	6	5	5	5
		P.	8	9	9	7	7	7	7	8	7	7	8
91	Acute endocarditis*	M.	45	42	41	38	39	34	35	35	31	30	31
		F.	38	39	39	41	39	36	38	36	28	28	31
		P.	41	41	40	39	39	35	36	35	30	29	31
	(1) Malignant endocarditis	M.	30	28	27	26	28	24	25	26	28	26	28
		F.	24	25	23	26	25	24	26	25	24	25	28
		P.	27	26	25	26	26	24	25	26	26	25	28
	(2) Other acute, endocarditis*	M.	15	14	14	12	11	10	9	9	3	4	3
		F.	14	14	16	15	14	12	13	10	4	3	3
		P.	15	14	15	14	12	11	11	9	4	3	3
92	Chronic endocarditis, valvular disease*	M.	605	606	607	590	620	635	679	609	631	604	561
		F.	675	689	672	641	709	729	771	701	726	677	670
		P.	642	649	641	616	666	684	727	657	681	642	618
	(1) Aortic valve disease*..	M.	107	106	110	111	116	119	126	119	123	122	110
		F.	48	44	51	47	49	52	52	55	56	49	52
		P.	76	74	79	78	81	84	87	86	88	84	80
	(2) Mitral valve disease*..	M.	181	175	176	168	193	204	222	195	197	195	179
		F.	276	278	274	260	304	323	346	307	315	304	296
		P.	230	229	227	216	251	266	287	253	258	252	240
	(3) Aortic and mitral valve disease*..	M.	25	24	24	24	29	33	38	34	33	32	30
		F.	20	18	21	16	24	32	30	28	27	28	26
		P.	22	21	22	20	26	33	34	31	30	30	28
	(4) Endocarditis, not returned as acute or chronic*	M.									31	28	26
		F.									40	35	36
		P.	292	301	297	286	282	278	293	261	36	32	31
	(5) Other or unspecified valve disease* ..	M.	331	349	327	318	332	322	343	311			
		F.	312	326	313	303	308	301	319	287	248	227	216
		P.									288	260	259
											269	244	239
93	Diseases of the myocardium*	M.	407	481	569	632	741	858	1,246	1,190	1,393	1,450	1,557
		F.	451	520	620	670	800	923	1,339	1,227	1,479	1,524	1,648
		P.	430	501	595	652	772	892	1,294	1,209	1,438	1,489	1,605
	(*a*) Acute myocarditis* ..	M.	7	10	11	13	12	12	14	10	4	5	5
		F.	8	9	12	14	12	11	12	9	4	4	4
		P.	8	10	11	13	12	12	13	10	4	5	4
	(*b*) Myocardial degeneration*	M.	400	470	558	620	728	845	1,232	1,180	1,092	1,145	1,228
		F.	443	511	609	657	789	913	1,326	1,217	1,157	1,200	1,296
		P.	422	492	584	639	760	880	1,281	1,199	1,126	1,174	1,264
	1. Fatty heart.. ..	M.	67	65	65	66	65	65	71	66	65	62	58
		F.	77	75	77	68	79	81	89	83	80	74	68
		P.	72	70	71	67	72	73	80	75	73	68	63
	2. Cardio-vascular degeneration*	M.									294	324	357
		F.									250	275	299
		P.									271	299	326
	3. Other diseases included under 93 (*b*)	M.	332	406	493	554	664	780	1,161	1,114	733	759	813
		F.	366	436	532	589	710	832	1,237	1,135	827	851	930
		P.	350	422	513	572	688	807	1,201	1,125	782	807	874
	(*c*) Myocarditis, not distinguished as acute or chronic*	M.									297	300	324
		F.									319	320	348
		P.									308	310	337

TABLE 7—*continued.*

List No.	Causes of Death.		1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.	1931.	1932.	1933.
94	Diseases of the coronary arteries, angina pectoris* ..	M.	58	66	69	68	105	137	178	216	238	272	327
		F.	25	27	27	29	40	54	69	85	99	116	138
		P.	41	46	47	48	71	94	121	148	166	191	229
95	Other diseases of the heart ..	M.	304	305	300	269	261	222	226	193	200	185	170
		F.	333	332	328	304	297	256	270	219	226	215	207
		P.	319	319	315	287	280	240	249	207	213	200	189
	(*a*) Disordered action of heart	M.	18	23	29	33	41	37	41	42	47	53	53
		F.	24	32	41	47	60	61	67	63	69	76	78
		P.	21	28	35	41	51	50	55	53	59	65	66
	(*b*) 1. Dilatation of heart (cause unspecified)	M.	23	20	21	17	18	14	10	9	9	9	7
		F.	22	17	20	19	17	12	8	7	7	6	6
		P.	22	19	21	18	18	13	9	8	8	7	6
	(*b*) 2. Heart disease (undefined)	M.	263	262	250	218	201	171	175	143	144	123	110
		F.	287	283	267	238	220	183	194	149	149	133	123
		P.	276	273	259	228	211	177	185	146	147	128	116
96	Aneurysm	M.	42	44	45	42	47	50	50	53	52	50	48
		F.	11	10	12	12	13	14	15	15	16	16	20
		P.	26	27	27	26	29	31	32	33	33	32	33
97	Arterio-sclerosis*	M.	470	512	542	560	686	750	594	529	566	577	582
		F.	319	356	375	391	500	562	471	426	475	500	504
		P.	391	431	455	472	589	652	530	475	518	537	542
	(1) With cerebral hæmorrhage	M.	95	101	110	112	170	202	200	195	212	217	215
		F.	75	83	87	89	145	174	171	173	193	204	208
		P.	85	92	98	100	157	187	185	183	202	210	211
	(2) With record of other cerebral vascular lesion	M.	51	48	57	53	74	88	87	90	95	105	109
		F.	40	43	46	46	64	79	77	74	88	100	106
		P.	45	46	51	50	69	83	82	82	92	102	107
	(3) Without record of cerebral vascular lesion ..	M.	324	363	375	395	443	460	307	245	259	255	258
		F.	205	229	242	256	291	309	224	179	194	197	190
		P.	261	293	306	322	364	382	264	210	225	225	223
98	Gangrene	M.	30	37	35	34	30	28	29	23	22	22	20
		F.	29	28	30	27	27	21	25	20	21	17	16
		P.	30	33	32	30	28	24	27	21	21	20	18
	(*a*) Senile gangrene ..	M.	28	34	32	32	28	25	27	21	20	20	19
		F.	27	26	27	25	26	19	23	18	19	16	15
		P.	27	30	30	28	27	22	25	19	19	18	17
99	Other diseases of the arteries*	M.	14	14	15	18	16	15	13	12	9	10	9
		F.	13	13	14	14	15	14	13	11	8	9	9
		P.	14	13	15	16	16	15	13	11	9	9	9
100	Diseases of the veins (varix, hæmorrhoids, phlebitis, etc.)	M.	7	7	9	8	8	11	10	9	10	9	9
		F.	13	12	12	14	15	16	17	18	18	16	17
		P.	10	9	11	11	12	14	13	14	14	13	13
	(1) Varix	M.	?	?	?	?	?	?	?	?	4	4	3
		F.	?	?	?	?	?	?	?	?	8	7	7
		P.	?	?	?	?	?	?	?	?	6	6	5
	(2) Other diseases of the veins	M.	?	?	?	?	?	?	?	?	6	6	6
		F.	?	?	?	?	?	?	?	?	10	9	10
		P.	?	?	?	?	?	?	?	?	8	7	8
102	Abnormalities of blood-pressure*	M.	?	1	2	3	5	5	4	5	6	7	9
		F.	?	1	1	3	3	3	3	4	6	6	7
		P.	?	1	2	3	4	4	3	4	6	7	8
104–114	**VIII.—Diseases of the Respiratory System***	M.	**2,102**	**2,359**	**2,234**	**1,961**	**2,164**	**1,744**	**2,358**	**1,539**	**1,795**	**1,521**	**1,564**
		F.	**1,653**	**1,924**	**1,788**	**1,530**	**1,720**	**1,289**	**1,871**	**1,088**	**1,422**	**1,218**	**1,237**
		P.	**1,867**	**2,132**	**2,001**	**1,736**	**1,933**	**1,507**	**2,104**	**1,304**	**1,601**	**1,363**	**1,394**
104	Diseases of the nasal fossæ and annexa	M.	4	5	5	5	5	7	7	8	6	8	8
		F.	3	3	3	3	5	4	5	5	4	6	6
		P.	4	4	4	4	5	6	6	7	5	7	7
	(2) Diseases of the accessory nasal sinuses	M.	3	3	3	4	4	5	6	7	5	7	7
		F.	2	2	2	2	4	3	4	4	3	5	5
		P.	3	2	3	3	4	4	5	5	4	6	6

TABLE 7—*continued.*

List No.	Causes of Death.		1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.	1931.	1932.	1933.
105	Diseases of the larynx ..	M.	13	14	13	11	11	10	10	9	7	5	6
		F.	9	8	9	8	7	8	7	5	5	5	5
		P.	11	11	11	9	9	9	8	7	6	5	6
	(2) Laryngitis	M.	9	10	9	9	8	7	8	7	6	3	5
		F.	7	6	7	6	6	7	6	4	4	4	4
		P.	8	8	8	7	7	7	7	6	5	4	5
106	Bronchitis	M.	878	989	931	818	862	632	855	534	653	525	542
		F.	828	962	884	731	821	558	831	451	607	488	504
		P.	852	975	906	773	840	593	843	490	629	506	522
	(*a*) Acute bronchitis ..	M.	198	239	221	191	203	123	188	105	152	115	127
		F.	230	280	259	209	240	135	228	115	180	140	155
		P.	215	260	241	200	222	129	209	110	166	128	142
	(*b*) Chronic bronchitis ..	M.	321	350	341	323	327	244	314	222	251	216	226
		F.	236	263	251	220	235	168	224	136	167	143	145
		P.	277	305	294	269	279	205	267	177	207	178	184
	(*c*) Bronchitis not distinguished as acute or chronic	M.	359	400	369	304	332	265	353	207	250	194	189
		F.	362	419	374	303	345	254	379	199	261	205	203
		P.	360	410	372	303	339	259	367	203	256	200	197
107–109	Pneumonia (all forms) ..	M.	1,051	1,192	1,134	986	1,135	964	1,322	863	989	857	876
		F.	704	835	784	683	776	622	909	543	702	623	624
		P.	870	1,006	951	828	948	786	1,107	696	840	735	745
107	Broncho-pneumonia ..	M.	487	620	566	506	588	445	683	392	523	430	452
		F.	383	499	456	401	454	344	553	296	419	360	368
		P.	433	557	509	451	518	392	616	342	469	393	408
108	Lobar pneumonia	M.	317	316	343	297	353	370	444	340	330	314	313
		F.	169	177	183	165	196	188	236	173	198	189	181
		P.	239	244	260	228	271	275	336	253	261	249	244
109	Pneumonia (not otherwise defined)	M.	247	256	225	183	194	149	195	131	136	112	111
		F.	153	159	145	116	127	90	120	74	85	75	75
		P.	198	205	183	148	159	118	156	101	110	93	92
110	Pleurisy	M.	43	40	38	37	34	36	42	35	33	31	30
		F.	25	25	21	20	23	21	24	17	20	17	17
		P.	34	32	29	28	28	29	33	26	26	24	23
	(1) Empyema	M.	17	17	16	14	14	14	19	15	14	16	16
		F.	7	7	7	6	7	6	8	5	7	6	7
		P.	12	12	11	10	10	10	13	10	11	11	11
	(2) Other pleurisy	M.	27	23	22	24	20	22	24	20	19	16	15
		F.	18	18	15	15	16	16	16	12	13	11	10
		P.	22	20	18	19	18	19	20	16	16	13	13
111	Congestion and hæmorrhagic infarct of lung, etc.* ..	M.	29	29	29	28	26	23	27	23	28	29	30
		F.	33	35	38	38	34	30	36	28	35	35	38
		P.	31	32	33	33	30	26	31	25	31	32	34
	(1) Hypostatic congestion of lungs	M.	29	28	28	28	26	23	27	23	25	26	27
		F.	33	35	38	38	33	29	35	27	32	32	36
		P.	31	32	33	33	30	26	31	25	29	29	31
112	Asthma	M.	55	63	61	52	70	53	75	50	58	46	50
		F.	42	45	42	39	48	40	55	33	45	39	39
		P.	48	54	51	45	59	46	65	41	51	42	44
113	Pulmonary emphysema ..	M.	9	10	7	8	5	3	3	2	3	3	2
		F.	2	3	3	2	1	1	0	1	1	1	1
		P.	5	7	5	5	3	2	2	1	2	2	1
114	Other diseases of the respiratory system	M.	18	17	15	16	16	16	16	15	17	17	18
		F.	7	7	5	5	5	5	5	5	5	5	4
		P.	12	12	10	11	10	10	10	9	11	11	11
	(*a*) Chronic interstitial pneumonia, including occupational diseases of the lung	M.	10	11	10	11	12	12	12	11	14	13	13
		F.	3	3	2	3	3	4	3	3	3	2	3
		P.	6	7	6	7	7	7	7	7	8	7	8
115–129	**IX.—Diseases of the Digestive System .. .. ..**	M.	**783**	**749**	**802**	**803**	**752**	**763**	**800**	**750**	**736**	**729**	**723**
		F.	**619**	**584**	**619**	**617**	**577**	**592**	**604**	**563**	**560**	**573**	**569**
		P.	**697**	**663**	**707**	**706**	**661**	**674**	**698**	**653**	**644**	**648**	**643**
115	Diseases of the buccal cavity, pharynx, etc.	M.	27	27	34	33	40	46	48	46	45	43	47
		F.	23	23	23	27	34	42	44	41	41	45	50
		P.	25	25	29	30	37	44	46	44	43	44	49
	(1) Diseases of the teeth and gums	M.	9	8	11	11	14	16	14	14	14	12	11
		F.	7	7	6	7	9	11	9	9	10	9	10
		P.	8	8	9	9	11	13	12	11	12	10	11

TABLE 7—*continued.*

List No.	Causes of Death.		1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.	1931.	1932.	1933.
115	Diseases of the buccal cavity, pharynx, etc.—*contd.*												
	(3) Diseases of the tonsils..	M.	11	11	15	14	18	20	23	23	23	22	25
		F.	10	9	12	13	18	22	25	23	22	25	30
		P.	10	10	13	14	18	21	24	23	23	23	27
	(4) Other diseases included under 115	M.	4	5	5	5	5	7	8	7	6	7	8
		F.	4	4	3	5	5	7	7	7	6	9	10
		P.	4	5	4	5	5	7	7	7	6	8	9
117	Ulcer of the stomach or duodenum	M.	115	115	132	142	158	150	161	168	168	152	162
		F.	45	44	49	48	49	48	50	50	49	50	48
		P.	79	78	89	93	101	97	103	107	106	99	102
	(*a*) Ulcer of the stomach ..	M.	74	74	84	93	102	97	104	109	106	97	104
		F.	38	36	40	40	42	40	42	42	41	40	39
		P.	55	54	61	65	71	67	72	74	72	67	70
	(*b*) Ulcer of the duodenum	M.	41	41	48	50	56	53	57	60	62	55	58
		F.	8	8	9	9	7	9	8	8	8	11	9
		P.	24	24	28	28	31	30	31	33	34	32	32
118	Other diseases of the stomach	M.	62	59	52	52	42	39	35	33	33	29	25
		F.	56	55	52	46	41	41	36	32	35	29	25
		P.	59	57	52	49	42	40	35	33	34	29	25
	(1) Inflammation of the stomach	M.	51	49	44	43	33	33	29	26	27	23	20
		F.	49	48	45	40	36	37	32	28	30	25	22
		P.	50	49	44	42	35	35	30	27	29	24	21
	(2) Other diseases included under 118	M.	11	10	9	10	9	6	6	6	7	6	5
		F.	7	7	8	6	5	4	4	5	4	4	3
		P.	9	8	8	8	7	5	5	5	5	5	4
119-120	Diarrhœa and enteritis ..	M.	246	220	245	246	176	187	202	157	148	157	159
		F.	193	168	186	188	141	143	156	121	114	126	121
		P.	218	193	214	215	158	164	178	138	131	141	139
	(*a*) 1. Colitis*	M.	11	10	9	11	10	9	10	8	7	8	7
		F.	14	11	11	13	10	9	10	10	9	10	8
		P.	12	10	10	12	10	9	10	9	8	9	7
	(*a*) 2. Other diarrhœa and enteritis*	M.	229	204	229	228	160	172	186	143	134	140	144
		F.	172	148	167	167	122	125	137	102	95	104	100
		P.	199	175	197	196	140	147	161	121	114	121	121
	(*b*) Ulceration of intestines	M.	6	6	7	7	7	6	7	6	7	9	8
		F.	8	9	8	8	8	9	9	9	10	13	13
		P.	7	7	7	8	8	8	8	8	9	11	11
121	Appendicitis	M.	88	83	87	82	81	86	87	89	84	89	85
		F.	61	60	61	58	60	60	57	60	61	62	67
		P.	74	71	74	69	70	73	71	74	72	75	76
122	Hernia, intestinal obstruction	M.	115	117	115	115	121	120	132	123	126	131	126
		F.	108	104	105	106	109	103	110	106	111	111	110
		P.	111	110	110	110	115	111	120	114	118	120	118
	(*a*) Hernia	M.	45	47	45	45	51	53	57	50	51	55	53
		F.	46	47	46	45	49	47	50	48	50	51	51
		P.	45	47	45	45	50	50	54	49	51	53	52
	1. Strangulated hernia	M.	?	?	?	?	?	?	?	?	36	38	38
		F.	?	?	?	?	?	?	?	?	38	39	40
		P.	?	?	?	?	?	?	?	?	37	39	39
	2. Hernia not returned as strangulated ..	M.	?	?	?	?	?	?	?	?	15	17	15
		F.	?	?	?	?	?	?	?	?	12	12	12
		P.	?	?	?	?	?	?	?	?	13	15	13
	(*b*) Intestinal obstruction..	M.	70	70	71	70	70	67	75	73	75	76	74
		F.	63	57	59	61	60	56	59	57	61	59	59
		P.	66	63	65	65	65	61	67	65	67	67	66
123	Other diseases of the intestines	M.	13	12	13	12	14	14	16	16	16	16	18
		F.	12	12	13	12	12	13	14	16	15	17	16
		P.	12	12	13	12	13	14	15	16	16	17	17
	(1) Constipation, intestinal stasis	M.	4	4	4	4	4	4	4	3	3	3	2
		F.	5	5	6	5	5	5	5	5	5	4	3
		P.	5	4	5	5	5	4	4	4	4	4	3
	(2) Diverticulitis	M.	2	3	5	4	5	6	7	8	9	10	11
		F.	2	2	3	4	4	5	6	7	7	9	9
		P.	2	3	4	4	4	5	6	8	8	9	10
	(3) Other diseases included under 123	M.	6	5	4	4	5	4	5	5	4	4	5
		F.	4	4	4	3	3	4	3	4	4	4	4
		P.	5	5	4	3	4	4	4	4	4	4	5

TABLE 7—*continued.*

List No.	Causes of Death.		1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.	1931.	1932.	1933.
124	Cirrhosis of the liver ..	M.	64	61	65	65	65	64	62	58	55	49	42
		F.	30	31	32	32	32	33	29	27	27	24	20
		P.	46	45	47	48	47	48	45	42	40	36	31
	(*a*) Returned as alcoholic..	M.	5	5	5	4	9	11	9	8	8	6	6
		F.	3	3	2	2	5	5	4	3	5	3	4
		P.	4	4	3	3	7	8	7	5	7	4	5
	(*b*) Not returned as alcoholic	M.	58	56	60	61	56	53	53	50	47	43	36
		F.	27	28	29	30	27	28	25	23	22	21	17
		P.	42	42	44	44	41	40	38	36	34	32	26
125	Other diseases of the liver ..	M.	9	8	9	8	6	7	6	6	5	6	4
		F.	9	10	8	7	8	8	7	7	6	5	5
		P.	9	9	9	8	7	7	6	7	6	6	5
126	Biliary calculi	M.	14	16	17	15	17	18	17	17	18	18	16
		F.	38	36	38	39	41	44	43	42	41	42	42
		P.	27	27	28	28	30	31	31	30	30	30	29
	(1) With cholecystitis ..	M.	?	?	?	?	?	?	?	?	6	7	5
		F.	?	?	?	?	?	?	?	?	14	15	15
		P.	?	?	?	?	?	?	?	?	10	11	10
	(2) Without mention of cholecystitis	M.	?	?	?	?	?	?	?	?	12	11	11
		F.	?	?	?	?	?	?	?	?	27	27	27
		P.	?	?	?	?	?	?	?	?	20	19	19
127	Other diseases of the gall bladder and ducts ..	M.	14	15	15	17	14	17	15	19	17	18	17
		F.	22	23	29	32	28	31	33	35	34	36	38
		P.	18	19	22	25	21	24	25	27	26	28	28
	(1) Cholecystitis without record of biliary calculi	M.	11	12	13	15	12	14	12	16	16	16	16
		F.	20	20	25	29	25	28	31	32	32	33	35
		P.	15	16	19	22	19	21	22	24	24	25	26
128	Diseases of the pancreas ..	M.	7	7	8	8	10	10	10	10	12	13	12
		F.	7	7	9	8	11	11	13	13	14	13	13
		P.	7	7	9	8	10	11	12	11	13	13	12
129	Peritonitis, without stated cause	M.	8	8	7	6	6	5	7	7	6	7	7
		F.	13	11	13	13	12	13	11	12	11	11	14
		P.	11	10	10	10	9	9	9	10	9	9	11
130–139	**X.—Non-Venereal Diseases of the Genito-urinary System and Annexa .. ..**	M.	**574**	**587**	**581**	**588**	**639**	**669**	**706**	**699**	**731**	**747**	**712**
		F.	**357**	**346**	**358**	**363**	**392**	**424**	**439**	**442**	**450**	**457**	**443**
		P.	**460**	**462**	**464**	**470**	**510**	**541**	**567**	**565**	**584**	**596**	**572**
130–132	Nephritis	M.	353	359	350	351	380	398	415	414	432	430	397
		F.	301	292	300	304	327	356	370	373	376	383	371
		P.	325	324	324	326	353	376	392	393	403	406	383
130	Acute nephritis* ..	M.	39	39	41	39	37	32	30	31	29	28	28
		F.	32	33	32	34	30	28	29	28	25	26	25
		P.	35	36	36	36	33	30	29	29	27	27	26
131	Chronic nephritis* ..	M.	314	320	310	313	343	366	385	383	351	352	326
		F.	269	259	268	270	297	328	341	345	304	312	306
		P.	290	288	288	290	319	346	362	363	327	331	315
132	Nephritis, not stated to be acute or chronic*..	M.	?	?	?	?	?	?	?	?	52	50	44
		F.	?	?	?	?	?	?	?	?	48	45	40
		P.	?	?	?	?	?	?	?	?	50	48	42
133	Other diseases of the kidney and annexa	M.	16	21	19	20	19	19	20	21	20	24	21
		F.	16	18	18	20	22	23	23	24	26	27	26
		P.	16	19	19	20	21	21	21	22	23	26	24
	(*a*) Pyelitis	M.	11	14	13	14	13	13	12	14	15	17	15
		F.	10	12	13	15	15	16	16	17	19	21	20
		P.	10	13	13	14	14	14	14	16	17	19	18
	(*b*) Other diseases included under 133	M.	6	6	6	7	6	6	7	7	5	6	6
		F.	6	6	5	5	7	8	6	6	7	7	6
		P.	6	6	6	6	6	7	7	7	6	6	6
134	Calculi of the urinary passages	M.	12	11	11	10	11	13	16	13	14	14	14
		F.	5	4	5	5	6	6	7	8	8	8	7
		P.	8	7	8	7	8	9	12	10	11	11	11
	(*a*) Calculi of kidney and ureter	M.	?	?	?	?	?	?	?	?	9	9	10
		F.	?	?	?	?	?	?	?	?	7	7	7
		P.	?	?	?	?	?	?	?	?	8	8	8
	(*b*) Calculi of the bladder..	M.	?	?	?	?	?	?	?	?	5	4	4
		F.	?	?	?	?	?	?	?	?	1	1	1
		P.	?	?	?	?	?	?	?	?	3	2	2

TABLE 7—*continued.*

List No.	Causes of Death.		1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.	1931.	1932.	1933.
135	Diseases of the bladder ..	M.	44	39	35	39	37	32	29	27	29	29	25
		F.	13	11	13	14	15	17	18	16	18	17	16
		P.	28	25	24	26	25	24	23	21	23	23	20
	(*a*) Cystitis	M.	40	37	33	37	34	30	27	25	27	27	23
		F.	12	10	12	13	14	17	17	15	17	16	15
		P.	25	23	22	24	24	23	22	20	22	21	19
136	Diseases of the urethra, urinary abscess, etc. ..	M.	22	21	18	19	20	23	24	21	21	22	19
		F.	0	0	0	0	0	0	0	0	0	0	0
		P.	11	10	9	9	10	11	12	10	10	11	9
	(*a*) Stricture of the urethra	M.	18	17	16	17	19	22	23	20	20	21	18
		F.	—	—	—	—	0	—	0	—	0	—	—
		P.	9	8	8	8	9	10	11	10	10	10	8
137	Diseases of the prostate ..	M.	125	134	143	145	169	180	198	199	211	224	232
139	Diseases of the female genital organs	F.	22	20	21	21	22	20	21	21	22	21	23
	(*a*) Diseases of the ovary, Fallopian tube and parametrium	F.	13	12	13	12	12	11	12	11	12	10	11
	2. Diseases of the Fallopian tube	F.	10	9	11	10	10	9	10	9	10	9	9
	(*b*) Diseases of the uterus..	F.	8	7	6	7	8	7	8	8	10	10	10
140–150	**XI.—Diseases of Pregnancy, Child-birth and the Puerperal State†.. .. ..**	F.	**3·82**	**3·90**	**4·08**	**4·12**	**4·11**	**4·25**	**4·16**	**4·22**	**3·95**	**4·04**	**4·32**
140 & 145	Puerperal sepsis	F.	1·30	1·39	1·56	1·60	1·57	1·72	1·73	1·84	1·59	1·55	1·75
140	Post-abortive sepsis* ..	F.	?	?	?	0·32	0·33	0·33	0·35	0·44	0·35	0·41	0·42
141	Abortion not returned as septic	F.	0·25	0·25	0·22	0·23	0·24	0·18	0·18	0·18	0·18	0·18	0·20
	(1) Hæmorrhage following abortion*	F.	0·12	0·09	0·09	0·10	0·11	0·07	0·08	0·09	0·15	0·16	0·18
	(2) Without record of hæmorrhage*	F.	0·13	0·15	0·13	0·12	0·13	0·11	0·10	0·10	0·03	0·02	0·02
142	Ectopic gestation	F.	0·13	0·10	0·12	0·14	0·15	0·13	0·13	0·11	0·12	0·13	0·15
143	Other accidents of pregnancy	F.	0·02	0·03	0·03	0·03	0·04	0·02	0·02	0·02	0·03	0·03	0·04
144	Puerperal hæmorrhage ..	F.	0·57	0·53	0·52	0·49	0·50	0·48	0·47	0·51	0·44	0·45	0·44
†	(*a*) Placenta prævia ..	F.	0·24	0·25	0·26	0·22	0·22	0·25	0·24	0·24	0·21	0·24	0·23
	(*b*) Other puerperal hæmorrhage	F.	0·33	0·28	0·27	0·26	0·28	0·23	0·23	0·27	0·23	0·21	0·22
145	Puerperal sepsis not returned as post-abortive*	F.	?	?	?	1·28	1·24	1·40	1·38	1·40	1·25	1·14	1·33
	(*a*) Puerperal septicæmia and pyæmia*	F.	?	?	?	1·28	1·24	1·40	1·37	1·39	1·24	1·14	1·33
	(*b*) Puerperal tetanus ..	F.	0·00	—	—	0·00	0·00	0·00	0·01	0·00	0·00	—	0·00
146	Puerperal albuminuria and convulsions*	F.	0·68	0·72	0·70	0·75	0·82	0·81	0·78	0·69	0·57	0·58	0·61
147	Other toxæmias of pregnancy*	F.	0·07	0·07	0·08	0·08	0·07	0·07	0·10	0·10	0·20	0·24	0·23
148	Puerperal phlegmasia alba dolens, embolism and sudden death	F.	0·37	0·33	0·34	0·29	0·27	0·32	0·27	0·28	0·29	0·31	0·29
	(*a*) Puerperal phlegmasia alba dolens not returned as septic ..	F.	0·08	0·08	0·05	0·04	0·05	0·05	0·03	0·03	0·07	0·07	0·09
	(*b*) Puerperal embolism and sudden death	F.	0·28	0·25	0·29	0·25	0·22	0·27	0·24	0·25	0·21	0·24	0·20

† The rates for these headings are per 1,000 Live-births up to and including 1927. From 1928 onwards they are per 1,000 Total (live and still) Births.

TABLE 7—*continued.*

List No.	Causes of Death.		1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.	1931.	1932.	1933.
149	Other accidents of childbirth	F.	0·30	0·32	0·35	0·39	0·38	0·45	0·41	0·36	0·46	0·45	0·51
150	Other or unspecified conditions of the puerperal state	F.	0·13	0·15	0·16	0·12	0·08	0·08	0·08	0·12	0·07	0·12	0·09
†	(1) Puerperal insanity ..	F.	0·03	0·03	0 03	0·02	0·02	0·03	0·03	0·04	0·02	0·04	0·02
	(2) Puerperal diseases of the breast	F.	0·01	0·01	0·01	0·01	0·01	0·01	0·01	0·01	0·02	0·02	0·03
	(3) Childbirth (unqualified)	F.	0·10	0·12	0·12	0·10	0·05	0·03	0·04	0·07	0·04	0·06	0·05
131–153	**XII.—Diseases of the Skin and Cellular Tissue***	M.	**53**	**48**	**53**	**51**	**48**	**57**	**56**	**52**	**53**	**55**	**56**
		F.	**39**	**39**	**43**	**41**	**39**	**43**	**40**	**40**	**42**	**43**	**43**
		P.	**46**	**43**	**48**	**46**	**43**	**50**	**48**	**46**	**47**	**49**	**49**
151	Carbuncle, Boil	M.	13	11	13	14	14	16	16	18	18	19	20
		F.	5	5	6	7	7	7	8	8	8	9	11
		P.	9	8	9	10	10	12	12	13	13	14	15
152	Cellulitis, acute abscess* ..	M.	20	20	22	21	18	23	24	20	20	20	22
		F.	15	14	16	15	13	15	15	15	18	15	16
		P.	17	16	19	18	16	19	19	17	19	17	19
	(1) Cellulitis	M.	14	14	17	17	13	18	19	16	15	15	17
		F.	10	10	12	12	10	12	12	12	14	11	13
		P.	12	12	14	14	12	15	15	13	15	13	15
	(2) Acute abscess* ..	M.	6	5	6	4	5	5	5	4	4	5	5
		F.	5	4	4	4	3	4	3	3	4	4	3
		P.	5	4	5	4	4	4	4	4	4	5	4
153	Other diseases of the skin and its annexa	M.	20	17	18	16	17	19	16	15	14	16	14
		F.	19	21	20	19	19	20	17	17	17	19	16
		P.	19	19	19	18	18	19	16	16	16	18	15
154–156	**XIII.—Diseases of the Bones and Organs of Locomotion**	M.	**27**	**28**	**27**	**26**	**29**	**31**	**30**	**29**	**28**	**32**	**28**
		F.	**13**	**15**	**15**	**14**	**15**	**15**	**19**	**17**	**16**	**17**	**17**
		P.	**20**	**21**	**21**	**20**	**22**	**22**	**24**	**23**	**22**	**24**	**22**
154	Acute infective osteomyelitis and periostitis	M.	16	17	16	14	17	19	17	17	17	18	14
		F.	6	7	7	7	8	7	9	8	8	7	8
		P.	11	12	11	11	12	13	13	12	12	13	11
155	Other diseases of the bones	M.	4	4	5	6	5	5	6	5	5	6	6
		F.	3	3	3	4	3	3	3	3	3	3	4
		P.	3	3	4	5	4	4	5	4	4	5	5
156	Diseases of the joints and other organs of locomotion	M.	7	7	6	6	7	6	8	7	7	8	7
		F.	4	5	5	3	4	5	6	6	5	6	5
		P.	5	6	5	4	5	6	7	6	6	7	6
	(*a*) Diseases of the joints ..	M.	5	5	4	4	5	5	6	5	5	5	6
		F.	3	4	3	2	3	3	4	4	4	4	4
		P.	4	5	4	3	4	4	5	5	4	5	5
157	**XIV.—Congenital Malformations**	M.	**110**	**106**	**109**	**108**	**105**	**109**	**109**	**115**	**115**	**118**	**112**
		F.	**77**	**74**	**79**	**78**	**78**	**79**	**85**	**80**	**82**	**87**	**82**
		P.	**93**	**89**	**94**	**92**	**91**	**93**	**96**	**97**	**98**	**102**	**96**
	(*a*) Congenital hydrocephalus	M.	11	8	9	9	9	7	8	7	8	8	8
		F.	6	6	6	6	6	4	5	5	6	6	5
		P.	8	7	7	7	7	6	6	6	7	7	7
	(*b*) Spina bifida and meningocele	M.	18	15	18	17	17	20	19	21	21	22	22
		F.	23	21	22	23	22	23	25	23	25	30	29
		P.	20	18	20	20	20	22	22	22	23	26	25
	(*c*) Congenital malformation of heart	M.	44	43	43	41	42	41	43	47	45	45	42
		F.	29	27	30	30	29	31	32	31	31	28	27
		P.	36	35	36	36	35	36	37	38	37	36	34
	(*e*) Other congenital malformations	M.	36	37	38	39	36	39	38	39	39	41	38
		F.	19	19	20	17	19	19	20	21	19	19	18
		P.	27	27	28	28	27	29	29	29	29	30	28
	1. Congenital pyloric stenosis	M.	11	10	12	15	12	13	12	14	17	15	13
		F.	3	3	4	3	3	3	4	4	4	4	3
		P.	7	6	8	9	7	8	8	9	10	9	8
	2. Cleft palate, hare lip	M.	4	6	5	4	4	4	5	4	4	5	4
		F.	3	3	3	3	2	2	4	4	3	2	2
		P.	4	4	4	3	3	3	4	4	3	3	3

† The rates for these headings are per 1,000 Live-births up to and including 1927. From 1928 onwards they are per 1,000 Total (live and still) Births.

TABLE 7—*continued.*

List No.	Causes of Death.		1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.	1931.	1932.	1933.
157	Congenital Malformations—*contd.* (*e*) Other congenital malformations—*contd.*												
	4. Other stated congenital malformations ..	M.	14	14	15	15	15	16	16	15	13	16	17
		F.	9	10	10	9	11	11	11	10	9	11	11
		P.	12	12	12	11	13	13	13	13	11	13	14
	5. Congenital malformation unspecified ..	M.	4	4	4	3	3	2	2	3	3	3	2
		F.	2	3	2	2	2	2	1	2	2	2	1
		P.	3	3	3	3	2	2	1	2	2	2	2
158–161	**XV.—Diseases of Early Infancy**		**(The rates for this section are shown per 1,000 live-births in Table 12.)**										
162	**XVI.—Old Age***	M.	**575**	**563**	**548**	**537**	**487**	**422**	**448**	**385**	**372**	**376**	**346**
		F.	**738**	**757**	**745**	**713**	**664**	**572**	**615**	**520**	**522**	**527**	**497**
		P.	**660**	**664**	**651**	**629**	**579**	**500**	**535**	**455**	**450**	**454**	**425**
	(*a*) Senile dementia* ..	M.	35	35	41	38	42	45	46	41	29	25	23
		F.	40	42	47	52	51	55	62	54	36	31	24
		P.	38	39	44	45	46	50	54	47	33	29	24
	(*b*) Other forms of senile decay*	M.	540	527	508	499	445	377	402	344	342	351	323
		F.	698	715	698	661	613	517	553	466	485	495	473
		P.	622	625	607	583	533	450	481	408	417	426	401
163–198	**XVII.—Deaths from Violence** ..	M.	**667**	**652**	**694**	**695**	**753**	**784**	**800**	**817**	**759**	**777**	**790**
		F.	**255**	**266**	**278**	**291**	**304**	**328**	**336**	**330**	**338**	**329**	**352**
		P.	**452**	**451**	**477**	**484**	**519**	**546**	**558**	**563**	**540**	**544**	**562**
163–171	Suicide	M.	157	142	153	166	184	180	183	185	189	210	201
		F.	53	54	61	66	71	72	73	74	73	81	84
		P.	103	96	105	114	125	124	126	127	129	143	140
163	By solid or liquid poisons and corrosive substances	M.	13	12	14	17	21	20	19	21	19	22	24
		F.	9	10	10	14	16	14	15	15	15	17	17
		P.	11	11	12	16	19	17	17	18	17	19	20
164	By poisonous gas	M.	24	20	25	31	35	35	43	44	49	61	56
		F.	12	10	15	17	17	20	22	25	25	31	31
		P.	18	15	20	24	25	28	32	34	36	45	43
165	By hanging or strangulation	M.	34	31	33	36	36	37	36	33	32	38	36
		F.	6	7	8	7	8	8	7	6	6	6	8
		P.	20	19	20	21	21	22	21	19	18	21	22
166	By drowning	M.	29	27	27	30	31	32	29	29	30	35	29
		F.	16	16	16	17	18	17	16	16	16	16	15
		P.	22	21	21	23	24	24	22	22	23	25	22
167	By firearms	M.	13	10	11	11	12	12	12	13	13	13	15
		F.	1	0	1	0	1	1	1	0	1	0	0
		P.	6	5	5	6	6	6	6	7	7	6	7
168	By cutting or piercing instruments	M.	31	29	30	28	34	30	31	28	27	28	24
		F.	5	5	5	5	6	5	6	4	4	4	5
		P.	17	16	17	16	19	17	18	16	15	15	14
169	By jumping from high places	M.	4	4	4	4	5	4	5	6	6	5	5
		F.	3	2	3	3	3	3	3	3	3	4	3
		P.	3	3	4	3	4	4	4	4	4	4	4
170	By crushing	M.	9	9	10	7	10	9	9	10	12	9	11
		F.	1	2	2	2	1	2	1	1	2	1	2
		P.	5	5	6	4	5	5	5	6	7	5	6
172–175	Homicide	M.	7	6	6	7	5	5	5	6	4	4	4
		F.	5	5	7	7	5	5	5	4	5	5	6
		P.	6	6	7	7	5	5	5	5	5	5	5
176–194	Accidental deaths	M.	452	459	490	478	516	551	571	581	519	517	541
		F.	182	192	196	204	214	237	245	240	244	228	248
		P.	311	320	337	335	358	387	401	403	376	367	388
178	Accidental absorption of irrespirable or poisonous gas	M.	5	4	5	5	5	5	6	6	5	7	5
		F.	2	2	3	4	4	3	4	2	4	3	3
		P.	4	3	4	5	4	4	5	4	4	5	4
181	Accidental burns (conflagration excepted) ..	M.	41	36	39	31	37	34	36	32	31	28	28
		F.	42	45	42	38	37	40	45	36	38	35	37
		P.	41	40	41	35	37	37	41	34	35	31	33
182	Accidental mechanical suffocation	M.	17	16	15	17	15	15	14	15	13	13	13
		F.	10	11	12	10	12	11	10	10	9	8	7
		P.	13	14	14	13	13	13	12	12	11	10	10

TABLE 7—*continued.*

List No.	Causes of Death.		1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.	1931.	1932.	1933.
	Accidental deaths—*contd.*												
183	Accidental drowning ..	M.	42	37	40	41	35	39	39	33	30	39	42
		F.	6	6	6	5	6	7	6	6	5	4	5
		P.	23	20	22	22	20	22	22	19	17	21	23
186	Accidental injury by fall, crushing, etc.	M.	300	325	346	344	382	416	434	448	408	393	412
		F.	102	114	115	130	139	159	163	169	175	162	180
		P.	196	215	225	232	255	282	293	303	286	273	292
191	Excessive heat	M.	12	1	4	3	0	3	3	8	1	3	5
		F.	5	1	2	2	0	1	1	3	0	2	3
		P.	8	1	3	2	0	2	2	6	0	3	4
194	Other and unstated forms of accidental violence ..	M.	21	22	20	19	24	21	19	22	15	18	18
		F.	9	11	9	10	9	9	9	8	7	9	7
		P.	15	16	14	15	16	15	14	15	11	13	12
	(1) Inattention at birth†	M.	6	8	7	8	8	7	6	6	4	6	4
		F.	6	7	6	8	6	6	6	5	5	5	4
		P.	6	8	6	8	7	6	6	5	5	6	4
	(2) Other causes included under 194 ..	M.	14	14	13	11	16	14	13	16	11	12	13
		F.	3	3	3	3	3	3	3	3	2	3	3
		P.	8	8	8	7	9	9	8	9	7	8	8
95	Violent deaths of unstated nature (i.e., accidental, suicidal, etc.)	M.	45	41	40	40	44	42	37	41	42	41	39
		F.	14	15	15	14	14	14	13	12	15	15	14
		P.	29	27	27	26	28	27	24	26	28	27	26
196	Wounds of war	M.	4	3	3	4	4	4	4	4	5	4	4
		F.	—	—	—	—	0	—	—	—	—	—	—
		P.	2	2	2	2	2	2	2	2	2	2	2
199–200	**XVIII.—Ill-defined Diseases***	M.	**54**	**50**	**50**	**44**	**34**	**26**	**26**	**23**	**41**	**39**	**38**
		F.	**36**	**33**	**34**	**28**	**22**	**17**	**17**	**15**	**27**	**28**	**28**
		P.	**45**	**41**	**41**	**36**	**28**	**21**	**21**	**19**	**34**	**33**	**33**
199	Sudden death*	M.	11	9	9	9	8	7	7	6	9	9	10
		F.	6	5	5	4	4	4	4	4	5	5	7
		P.	8	7	7	6	6	5	5	5	7	7	8
200	Cause of death unstated or ill-defined*	M.	43	41	41	35	26	19	19	17	31	30	28
		F.	30	28	29	25	17	13	13	11	23	23	21
		P.	36	34	35	30	21	16	16	14	27	26	24
	(1) Heart failure* ..	M.	27	26	28	25	19	13	13	11	26	26	24
		F.	19	17	17	17	11	8	8	7	19	20	17
		P.	23	22	22	21	15	11	11	9	22	23	21

† The rates for this cause per 1.000 Live Births are shown in Table 12.

TABLE 8.—STANDARDIZED DEATH-RATES* OF MALES AND FEMALES FROM CERTAIN CAUSES AT ALL AGES TO A MILLION LIVING, 1923–33. — England and Wales.

The deaths on which these rates are based were classified according to the International List in use from 1921–30 and according to the revised International List from 1931 onwards. A † is inserted against those headings in which changes of classification occur, but in most cases these changes do not materially affect the comparability of the figures. The nature of the change will be found in Appendix C to Part I, Statistical Review, 1931. The numbers and headings to the various causes are those of the revised International List, but where a difference in name occurs the old name is shown in brackets.

List No.	Causes of Death.		1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.	1931.	1932.	1933.
	ALL CAUSES	M.	**11,436**	**11,842**	**11,878**	**11,236**	**11,810**	**11,104**	**12,714**	**10,767**	**11,281**	**10,896**	**10,920**
		F.	**9,303**	**9,693**	**9,683**	**9,099**	**9,552**	**8,900**	**10,372**	**8,546**	**9,019**	**8,730**	**8,809**
1 & 2	Typhoid and paratyphoid (Enteric) fevers.	M.	12	13	10	10	10	11	9	8	7	7	6
		F.	11	13	10	8	8	10	9	7	5	5	4
7	Measles	M.	181	157	182	121	131	159	125	165	130	133	76
		F.	157	143	162	111	119	143	121	142	114	123	71
8	Scarlet fever	M.	31	25	30	22	18	17	23	23	16	16	23
		F.	30	29	32	20	19	20	23	26	20	20	26
9	Whooping cough	M.	120	114	177	124	114	95	202	66	83	98	76
		F.	146	133	216	152	142	117	261	85	107	127	100
10	Diphtheria	M.	82	75	85	91	87	104	109	117	91	77	88
		F.	88	81	91	101	91	106	121	120	90	83	92
11	Influenza	M.	209	440	297	212	504	185	623	119	304	263	463
		F.	169	393	253	171	438	139	550	83	265	237	401
15	Erysipelas†	M.	15	17	21	20	19	22	24	25	25	23	30
		F.	14	14	17	15	16	16	19	20	20	21	25
16	Acute poliomyelitis	M.	4	5	5	8	7	6	5	5	4	6	8
		F.	4	4	4	7	5	4	4	5	3	5	5
17	Encephalitis lethargica	M.	14	38	34	33	30	25	25	21	23	19	19
		F.	12	33	34	32	26	26	23	21	20	18	16
18	Cerebro-spinal fever (Meningococcal meningitis)	M.	9	10	12	13	17	16	23	24	55	46	35
		F.	9	8	9	10	11	12	16	18	37	32	27
23–32	Tuberculosis (all forms)†	M.	1,164	1,156	1,143	1,058	1,061	1,015	1,057	974	976	913	901
		F.	942	934	904	839	854	812	820	781	772	727	707
23	Respiratory system	M.	900	904	895	829	838	803	846	775	780	718	729
		F.	707	708	691	638	660	625	641	606	601	562	559
24	Nervous system	M.	103	97	100	93	99	87	89	85	91	87	75
		F.	98	91	90	87	87	80	82	80	84	78	71
25	Intestines and peritoneum	M.	56	54	50	45	40	39	37	34	31	32	27
		F.	56	52	48	43	39	39	35	32	32	27	28
34	Syphilis	M.	48	42	39	43	45	50	45	45	45	39	39
		F.	30	28	25	26	29	28	26	25	24	23	21
45–53	Cancer, malignant disease†	M.	972	999	1,023	1,011	1,018	1,032	1,031	1,031	1,034	1,052	1,035
		F.	979	985	991	995	984	1,000	999	987	974	966	973
54	Non-malignant tumours†	M.	?	?	?	?	?	?	?	?	22	21	18
		F.	?	?	?	?	?	?	?	?	40	39	39
55	Tumours of undetermined nature.†	M.	?	?	?	?	?	?	?	?	28	27	28
		F.	?	?	?	?	?	?	?	?	22	23	23
54 (*a*) & 55 (*a*)	Tumours of female genital organs — Non - malignant and undetermined.†	F.	?	?	?	?	?	?	?	?	27	25	25
56	Rheumatic fever	M.	43	41	45	44	37	35	35	38	30	27	33
		F.	45	47	54	49	45	45	41	42	37	32	38
57 (2)	Rheumatoid arthritis, osteo-arthritis.†	M.	23	24	23	24	31	32	35	32	34	31	32
		F.	47	46	51	51	56	62	72	61	61	62	61
59	Diabetes	M.	90	86	81	86	88	91	95	93	88	92	92
		F.	94	88	94	91	101	101	111	108	111	112	114
68	Diseases of the adrenals†	M.	5	5	5	4	4	4	4	4	3	3	4
		F.	5	5	6	6	6	6	6	5	5	5	5
71 (*a*)	Pernicious anæmia	M.	44	45	46	47	45	30	32	35	34	39	35
		F.	54	57	57	61	56	39	39	42	43	49	46
72 (*a*)	Leukæmia	M.	14	14	15	17	17	18	17	18	18	19	19
		F.	11	11	12	12	14	12	15	13	15	15	16
72 (*b*)	Aleukæmia (Lymphadenoma)	M.	11	14	12	14	14	13	15	15	17	16	15
		F.	6	7	6	6	7	8	6	8	8	8	7
79	Meningitis†	M.	66	63	61	52	50	42	46	37	38	39	40
		F.	57	49	47	45	40	34	37	31	32	29	25
80	Tabes dorsalis (locomotor ataxy).	M.	26	26	25	26	26	25	29	22	20	23	21
		F.	5	4	5	4	5	4	5	4	4	5	4

* *See* Note *re* Standardized death-rates at foot of Table 3.

TABLE 8—*continued.*

List No.	Causes of Death.		1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.	1931.	1932.	1933.
82	Cerebral hæmorrhage, apoplexy, etc.†	M.	531	530	528	509	459	412	446	405	436	427	404
		F.	524	515	509	502	457	424	438	415	421	418	399
83	General paralysis of the insane	M.	64	55	56	51	54	49	42	40	40	35	31
		F.	12	12	11	11	11	10	10	8	10	9	9
84	Other forms of insanity† ..	M.	13	13	16	19	19	20	21	18	17	17	15
		F.	21	20	21	24	27	28	27	23	24	25	21
85	Epilepsy	M.	57	58	56	56	57	55	55	56	57	56	51
		F.	47	48	45	42	43	47	45	42	45	45	44
87 (*c*)	Paralysis agitans	M.	18	19	23	22	24	25	28	23	26	29	27
		F.	14	13	17	15	17	16	17	18	17	17	18
87 (*d*)	Disseminated sclerosis ..	M.	15	16	16	17	16	16	16	15	16	16	15
		F.	15	14	14	16	16	15	16	15	18	17	16
89	Diseases of the ear and mastoid sinus.	M.	38	35	38	41	42	43	49	45	47	49	50
		F.	28	26	29	27	31	33	34	35	32	34	38
90–95	Heart diseases†	M.	1,210	1,267	1,322	1,298	1,412	1,474	1,835	1,706	1,845	1,848	1,896
		F.	1,129	1,181	1,220	1,188	1,303	1,349	1,658	1,486	1,592	1,560	1,616
91 (1)	Malignant (Infective) endocarditis.	M.	29	27	26	25	26	23	23	24	26	24	26
		F.	23	24	22	25	24	23	24	25	24	23	27
91 (2)	Other acute endocarditis† ..	M.	15	14	14	12	11	10	10	9	3	3	3
		F.	14	14	16	15	14	12	13	10	3	3	3
92 (1)	Aortic valve disease† ..	M.	88	87	89	87	90	91	96	88	89	88	78
		F.	35	32	36	33	34	35	35	36	35	31	32
92 (2)	Mitral valve disease† ..	M.	155	148	147	139	157	165	177	154	151	148	135
		F.	211	211	206	193	222	232	249	219	219	207	202
92 (3)	Aortic and mitral valve disease.†	M.	21	21	20	20	23	27	30	27	25	25	23
		F.	16	14	16	12	18	24	22	21	19	20	19
92 (4)	Endocarditis not returned as acute or chronic.†	M.	?	?	?	?	?	?	?	?	23	21	19
		F.	?	?	?	?	?	?	?	?	28	23	24
92 (5)	Other or unspecified valve disease.†	M.	246	251	245	231	224	217	227	200	187	168	159
		F.	248	260	240	229	236	224	238	213	192	171	169
93 (*a*)	Acute myocarditis†	M.	7	9	10	11	11	12	13	9	3	4	3
		F.	7	8	10	11	10	10	11	8	3	3	3
93 (*b*.1)	Fatty heart	M.	54	52	51	51	50	48	53	48	47	43	40
		F.	56	53	54	47	54	54	58	54	50	46	42
93 (*b*.2)	Cardio-vascular degeneration.†	M.	281	341	409	446	526	601	894	838	215	233	251
		F.	254	300	361	388	460	525	781	699	144	155	165
93 (*b*.3)	Other diseases included under 93 (*b*).†	M.								..	538	547	578
		F.								..	483	488	524
93 (*c*)	Myocarditis, not distinguished as acute or chronic.†	M.	?	?	?	?	?	?	?	?	216	214	228
		F.	?	?	?	?	?	?	?	?	190	187	200
94	Diseases of the coronary arteries, angina pectoris.†	M.	46	53	55	52	79	101	131	156	168	189	224
		F.	18	19	19	20	27	35	45	53	59	69	80
95 (*a*)	Disordered action of heart ..	M.	15	19	24	27	33	28	31	31	34	38	37
		F.	17	23	29	33	41	40	45	40	42	46	46
95 (*b*.2)	Heart disease (undefined) ..	M.	222	218	206	176	160	132	134	107	105	88	78
		F.	208	203	189	164	148	120	127	96	91	80	73
96	Aneurysm	M.	34	35	34	32	36	37	37	38	38	36	35
		F.	8	7	9	9	9	9	10	10	10	11	13
97	Arterio-sclerosis†	M.	399	432	451	454	545	581	458	398	412	412	409
		F.	219	241	252	255	321	352	295	261	275	284	281
97 (1)	With cerebral hæmorrhage	M.	122	123	136	131	190	221	217	210	151	152	148
		F.									114	118	118
97 (2)	With other cerebral vascular lesion.	M.	79	87	91	89	136	161	156	153	69	74	76
		F.									51	57	59
98	Gangrene	M.	27	33	31	29	25	23	24	18	17	17	15
		F.	20	20	20	18	18	13	16	13	13	10	9
98 (*a*)	Senile gangrene	M.	25	30	28	27	23	20	22	16	15	15	14
		F.	18	17	18	16	16	11	14	11	11	9	8
100	Diseases of the veins (varix, hæmorrhoids, phlebitis, etc.)†	M.	6	5	7	7	6	8	7	7	7	7	7
		F.	9	9	9	10	11	11	11	12	12	10	11
104–114	Diseases of the respiratory system.†	M.	1,973	2,217	2,108	1,851	2,060	1,649	2,258	1,438	1,704	1,426	1,442
		F.	1,451	1,682	1,572	1,349	1,513	1,151	1,670	958	1,242	1,055	1,043
104 (2)	Diseases of the accessory nasal sinuses.	M.	3	3	3	4	4	5	5	7	5	7	8
		F.	2	1	2	2	4	3	4	4	3	5	5

TABLE 8—*continued.*

List No.	Causes of Death.		1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.	1931.	1932.	1933.
105	Diseases of the larynx ..	M.	14	15	15	13	13	12	12	12	9	6	7
		F.	11	9	11	10	9	11	9	7	6	6	6
106	Bronchitis	M.	790	884	832	719	749	548	735	452	548	436	435
		F.	641	733	674	546	600	412	601	328	420	337	334
106 (*a*)	Acute	M.	190	227	212	183	193	120	178	101	145	111	115
		F.	190	227	212	170	188	113	179	94	140	108	112
106 (*b*)	Chronic	M.	270	293	281	261	260	190	243	169	187	159	163
		F.	166	184	173	149	156	109	145	87	101	86	86
107	Broncho-pneumonia	M.	516	656	615	559	671	510	795	446	614	499	515
		F.	420	545	506	457	528	404	653	343	488	410	410
108	Lobar pneumonia	M.	285	285	307	264	313	325	390	295	284	271	270
		F.	150	158	161	146	169	162	202	145	169	157	150
109	Pneumonia (not otherwise defined).	M.	229	236	208	173	183	139	185	123	130	106	105
		F.	141	145	134	107	120	86	113	68	82	71	70
110 (1)	Empyema	M.	16	17	16	14	14	14	18	15	14	15	15
		F.	7	8	8	6	7	7	8	6	8	7	7
110 (2)	Other pleurisy	M.	23	19	18	20	17	18	19	16	15	12	12
		F.	14	14	11	12	12	12	13	9	9	8	7
111	Congestion and hæmorrhagic infarct of lung.†	M.	27	26	26	25	23	20	23	19	24	24	24
		F.	25	26	27	27	23	21	24	18	22	22	23
112	Asthma†	M.	45	52	49	41	55	41	58	38	43	34	37
		F.	31	34	31	29	35	29	38	24	31	27	26
114 (*a*)	Chronic interstitial pneumonia including occupational diseases of the lung.	M.	8	8	8	8	9	9	9	8	10	9	10
		F.	2	2	2	2	2	3	2	2	2	2	2
115–129	Diseases of the digestive system.	M.	760	715	778	783	718	734	780	713	690	687	684
		F.	586	542	586	587	528	544	565	510	494	511	507
117 (*a*)	Ulcer of the stomach† ..	M.	62	62	70	76	83	77	82	85	82	73	78
		F.	30	29	31	30	31	29	30	30	28	27	26
117 (*b*)	Ulcer of the duodenum ..	M.	35	35	40	41	47	43	46	47	48	43	44
		F.	6	6	7	7	5	6	6	6	6	7	6
118	Other diseases of the stomach†	M.	61	57	52	51	41	38	34	32	32	28	24
		F.	51	48	46	41	36	35	30	27	29	24	21
118 (1)	Inflammation of the stomach	M.	51	48	44	43	33	32	29	26	27	23	20
		F.	46	43	40	36	32	32	27	23	26	21	19
121	Appendicitis	M.	86	82	85	80	78	82	84	84	79	83	79
		F.	59	59	60	56	51	57	53	55	55	57	60
122 (*a*)	Hernia..	M.	39	40	39	38	43	44	48	40	41	43	28
		F.	34	34	33	32	34	32	34	32	32	32	31
122 (*b*)	Intestinal obstruction ..	M.	67	65	67	66	67	64	71	69	69	69	68
		F.	54	48	50	51	49	47	50	48	49	48	48
124	Cirrhosis of the liver† ..	M.	51	47	49	49	48	47	45	41	39	34	29
		F.	23	23	23	23	22	23	20	18	18	16	13
125	Other diseases of the liver† ..	M.									4	5	4
		F.	18	19	20	20	16	18	16	19	5	4	5
127	Other diseases of the gall bladder and ducts.	M.									13	13	13
		F.	22	22	25	26	23	25	26	26	22	23	23
126	Biliary calculi	M.	12	13	14	12	13	13	13	13	13	12	11
		F.	28	26	27	27	28	29	29	28	26	26	26
128	Diseases of the pancreas ..	M.	5	6	6	6	8	8	8	7	9	10	9
		F.	5	5	7	6	8	8	9	9	10	9	8
129	Peritonitis without stated cause.	M.	8	7	7	6	6	5	7	7	7	7	7
		F.	14	12	15	14	13	14	13	14	13	14	17
130	Acute nephritis†	M.	37	37	38	36	35	31	28	30	27	26	26
		F.	30	31	30	32	28	27	28	25	23	23	22
131	Chronic nephritis†	M.	262	265	254	250	271	284	297	289	258	256	234
		F.	205	195	200	195	213	230	237	234	200	202	196
132	Nephritis not stated to be acute or chronic.†	M.	?	?	?	?	?	?	?	?	40	37	32
		F.	?	?	?	?	?	?	?	?	32	30	27

TABLE 8—*continued.*

List No.	Causes of Death.		1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.	1931.	1932.	1933.
134	Calculi of the urinary passages	M.	10	9	9	8	9	10	13	10	11	11	11
		F	4	3	4	3	4	5	5	6	6	5	5
135 (*a*)	Cystitis	M.	35	32	28	30	27	24	21	20	20	20	16
		F.	9	7	9	9	10	11	11	10	10	10	9
136 (*a*)	Stricture of the urethra	M.	15	13	12	13	15	16	17	15	14	15	12
137	Diseases of the prostate	M.	107	114	121	117	135	140	154	150	153	161	162
151	Carbuncle, boil	M.	11	10	11	12	12	14	13	15	15	16	16
		F.	5	4	5	6	6	7	7	7	6	8	9
152 (1)	Cellulitis†	M.	13	13	15	15	12	16	16	14	13	13	15
		F.	9	9	10	11	9	10	10	9	12	9	10
154	Acute infective osteomyelitis and periostitis.	M.	18	19	17	16	19	22	19	20	19	21	17
		F.	7	9	9	9	10	9	12	10	10	10	11
162	Old age†	M.	530	515	499	472	418	349	373	313	290	288	260
		F.	492	500	488	453	415	348	377	312	292	288	267
163–198	Deaths from violence (external causes).	M.	619	601	642	639	690	719	735	746	693	710	721
		F.	226	233	244	252	264	283	290	281	290	280	293
163–171	Suicide	M.	134	120	128	136	151	147	148	149	149	165	158
		F.	45	45	50	55	57	57	58	58	58	62	65
176–194	Accidental deaths‡	M.	478	475	508	495	534	567	582	591	500	503	521
		F.	175	183	186	190	201	220	226	218	212	198	208
181	Accidental burns (conflagration excepted).	M.	45	38	43	35	42	40	43	38	37	34	34
		F.	46	47	45	41	42	44	49	39	40	37	39
186(pt)	Accidental injury by fall	M.	66	69	74	72	73	78	79	79	76	67	75
		F.	47	47	48	50	53	57	56	56	57	52	60
199–200	Ill-defined diseases†	M.	46	43	42	37	28	22	21	19	31	30	29
		F.	32	28	29	24	18	14	14	12	19	19	18
199	Sudden death†	M.	9	7	7	7	6	6	5	4	7	7	7
		F.	5	4	4	3	3	2	3	3	3	4	4
200 (1)	Heart failure†	M.	22	21	22	20	14	10	10	8	19	19	17
		F.	14	13	13	13	8	6	6	5	12	12	10

‡ This heading excludes headings 195–198 (*see* Table 6) which were included in the heading " Violent deaths (excluding suicide and homicide) " to which the figures prior to 1931 relate.

TABLE 9.—DEATH-RATES PER MILLION LIVING FROM THE PRINCIPAL EPIDEMIC OR GENERAL DISEASES, 1851–1933. } { England and Wales.

Note.—The rates throughout the table are based on total deaths and population (including non-civilians).

Period.	At All Ages (Standardized).								At Ages under 15 Years.					
	Typhoid and paratyphoid fevers.	Small-pox.	Influenza.	Encephalitis lethargica.	Tuberculosis (all forms).	Tuberculosis of respiratory system.	Cancer.	Diabetes.	Measles.	Scarlet fever.	Diphtheria and croup.	Whooping cough.	Acute poliomyelitis.	Cerebro-spinal fever.
1851–60					3,478	2,772	326		1,151			1,418		
1861–70		149			3,263	2,590	396		1,221	2,617	1,148	1,475		
1871–80	321	228			2,882	2,231	484		1,038	1,908	765	1,415		
1881–90	199	45			2,444	1,810	610		1,227	903	823	1,259		
1891–1900	175	14	363		2,021	1,418	767		1,217	439	894	1,115		
1901–10	91	13	208		1,646	1,143	867	93	973	311	584	876		
1911–20	34	0	566		1,375	1,007	928	98	891	141	447	596	13	45
1921–30	11	1	310	25	993	768	991	95	416	74	306	437	11	31
1851–55					3,638	2,890	320		1,114			1,439		
1856–60		180			3,328	2,663	341		1,185	2,201	1,379	1,398		
1861–65		205			3,316	2,625	381		1,265	2,646	1,422	1,437		
1866–70		97			3,217	2,558	416		1,180	2,589	891	1,511		
1871–75	371	392			2,956	2,327	460		1,023	2,018	807	1,378		
1876–80	275	76			2,818	2,141	515		1,051	1,806	726	1,450		
1881–85	218	78			2,558	1,922	567		1,138	1,160	848	1,269		
1886–90	181	13			2,342	1,704	650		1,313	656	799	1,250		
1891–95	175	20	418		2,138	1,504	725		1,174	498	896	1,151		
1896–1900	176	7	311		1,912	1,337	805		1,260	380	893	1,079		
1901–05	113	25	189		1,739	1,208	849	88	1,016	366	668	940		
1906–10	70	0	224		1,556	1,082	882	97	930	257	503	813		
1911–15	47	0	164		1,389	1,005	932	107	1,110	185	444	681	14	41
1916–20	22	0	965		1,359	1,009	924	91	665	96	449	509	12	48
1921–25	13	0	319	22	1,065	816	976	91	449	92	310	484	11	25
1926–30	9	1	301	26	922	721	1,004	97	381	55	302	387	12	37
1889	177	1			2,279	1,637	674		1,457	646	825	1,216		
1890	180	0	160		2,403	1,748	693		1,240	665	785	1,358		
1891	169	2	582		2,325	1,659	708		1,237	465	719	1,335		
1892	138	15	540		2,156	1,517	704		1,317	519	821	1,307		
1893	230	49	329		2,158	1,509	723		1,075	629	1,074	991		
1894	160	27	222		1,987	1,419	723		1,136	461	978	1,198		
1895	176	7	426		2,072	1,426	764		1,106	418	889	927		
1896	167	17	122		1,899	1,327	770		1,685	495	981	1,274		
1897	157	1	196		1,933	1,356	791		1,214	414	805	1,097		
1898	182	8	331		1,915	1,325	804		1,256	320	788	973		
1899	198	6	390		1,908	1,339	829		948	334	953	965		
1900	174	3	504		1,904	1,337	830		1,199	340	936	1,090		
1901	155	11	173		1,807	1,263	841	91	850	380	888	965		
1902	126	75	222		1,739	1,229	836	83	1,211	427	768	924		
1903	101	23	187		1,741	1,196	856	84	854	364	592	893		
1904	93	15	166		1,780	1,228	854	91	1,141	330	564	1,109		
1905	90	3	199		1,634	1,130	856	91	1,025	333	532	809		
1906	92	1	178		1,647	1,138	880	94	871	301	587	768		
1907	68	0	256		1,606	1,125	866	93	1,157	275	541	944		
1908	75	0	275		1,585	1,099	874	98	729	236	521	899		
1909	60	1	241		1,524	1,063	895	99	1,145	273	484	654		
1910	53	1	172		1,422	988	893	103	750	200	384	798		
1911	67	1	113		1,456	1,035	909	99	1,173	158	433	705	16	31
1912	44	0	137		1,361	995	925	103	1,150	168	376	756	13	25
1913	41	0	161		1,340	958	948	108	951	175	392	492	15	25
1914	46	0	148		1,345	988	943	111	816	233	510	722	13	29
1915	37	0	257		1,440	1,053	933	113	1,458	189	510	730	13	97
1916	29	0	210		1,423	1,046	935	109	478	112	468	546	13	59
1917	26	0	174		1,479	1,085	930	90	941	62	393	411	11	62
1918	25	0	3,024		1,539	1,165	913	84	892	82	430	918	14	41
1919	15	1	1,169		1,229	918	915	89	334	104	447	248	12	40
1920	14	1	267		1,123	833	928	85	675	119	510	417	9	37
1921	16	0	213	19	1,117	845	957	90	212	106	432	435	12	30
1922	12	1	503	9	1,107	848	959	99	542	109	373	607	10	27
1923	12	0	189	13	1,049	798	973	92	508	83	250	399	9	21
1924	13	0	416	36	1,039	801	988	87	464	74	231	384	11	22
1925	10	0	274	34	1,017	788	1,002	88	520	86	262	594	11	27
1926	9	0	191	32	942	730	999	89	340	57	283	408	16	28
1927	9	1	470	28	952	744	996	95	359	49	257	367	12	33
1928	11	1	161	26	909	709	1,011	97	430	49	303	300	12	33
1929	9	1	587	24	932	738	1,010	104	346	57	328	649	10	45
1930	7	1	101	21	872	685	1,003	101	431	64	340	211	11	48
1931	6	0	284	22	869	686	998	101	341	45	258	263	7	95
1932	6	0	251	18	815	636	1,001	103	354	46	228	310	13	80
1933	5	0	432	17	799	639	997	104	201	63	261	237	13	67

TABLE 10. CRUDE DEATH-RATES (INCLUDING NON-CIVILIANS) FROM THE PRINCIPAL EPIDEMIC DISEASES AND FROM CERTAIN OTHER CAUSES; INFANT MORTALITY; 1932 AND 1933. — England and Wales, Metropolitan Boroughs, County Boroughs, Administrative Counties.

Note :—The figures relate to the areas as constituted during each year.

Administrative Area.	Mortality per Million Population at all Ages.																Mortality per 1,000 Live births.				Mortality per 1,000 Total (live and still) births.			
	Typhoid and paratyphoid fevers.		Smallpox.		Measles.		Scarlet fever.		Whooping cough.		Diphtheria.		Tuberculosis (all forms).		Tuberculosis of respiratory system.		Deaths under One Year.		Diarrhœa and enteritis under Two Years.		The Puerperal state.			
																					Puerperal sepsis.		Others.	
	1932.	1933.	1932.	1933.	1932.	1933.	1932.	1933.	1932.	1933.	1932.	1933.	1932.	1933.	1932.	1933.	1932.	1933.	1932.	1933.	1932.	1933.	1932.	1933.
England and Wales ..	6	6	0	0	85	48	13	18	74	56	58	66	837	824	687	690	65	64	6·60	6·98	1·55	1·75	2·49	2·57
Metropolitan Boroughs :																								
City of London ..	—	—	—	—	100	—	—	—	100	—	100	—	901	814	701	712	46	66	—	13·16	—	12·34	—	—
The Temples	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Battersea	—	13	—	—	146	6	25	39	70	78	57	78	1,045	948	898	812	58	49	9·49	9·72	0·84	1·72	0·84	0·43
Bermondsey	—	—	9	—	245	75	9	37	154	47	91	130	1,153	1,100	1,063	913	57	62	7·65	9·33	1·05	0·64	1·58	2·58
Bethnal Green.. ..	9	—	—	—	405	58	28	29	94	106	160	86	1,035	845	931	710	69	66	15·29	20·75	0·59	1·31	0·59	—
Camberwell	—	—	4	—	121	16	8	25	73	82	56	82	1,000	1,005	863	915	65	49	10·24	10·16	1·08	1·79	1·08	2·98
Chelsea	—	—	—	—	151	34	17	—	101	68	34	119	925	663	808	612	52	78	16·93	24·00	—	—	—	—
Deptford	10	10	10	—	219	10	38	—	86	88	57	49	999	1,012	875	914	65	54	13·78	9·87	1·17	3·81	1·75	1·90
Finsbury	—	—	—	—	420	45	43	15	174	105	101	105	1,231	1,261	1,058	1,125	88	51	11·74	5·94	—	—	—	1·93
Fulham..	7	—	—	—	174	13	13	40	80	94	67	54	1,063	951	916	864	58	65	10·29	12·90	0·91	2·00	2·27	2·50
Greenwich	—	—	—	—	221	20	10	31	80	82	70	143	894	1,104	773	981	81	66	16·24	11·95	0·65	2·18	1·96	2·90
Hackney	—	5	—	—	233	14	23	28	61	47	51	89	822	915	710	798	54	51	6·10	7·99	0·93	1·92	2·48	1·28
Hammersmith.. ..	7	8	—	—	217	23	30	30	45	38	60	107	1,167	1,141	1,010	1,050	66	65	10·82	10·95	1·50	3·17	2·00	1·06
Hampstead	11	—	—	—	33	—	22	—	—	33	44	33	444	443	355	409	54	38	8·15	6·94	0·99	—	0·99	—
Holborn	—	—	—	—	27	28	—	55	—	—	55	83	1,043	804	933	721	72	70	31·52	17·54	5·52	2·78	—	5·56
Islington	—	13	—	—	163	51	25	13	94	83	60	102	981	1,006	849	882	68	63	12·14	12·91	1·32	1·69	1·32	1·90
Kensington	5	11	—	—	245	17	16	6	196	55	158	121	692	762	583	685	98	73	26·25	19·86	1·64	1·34	2·05	2·23
Lambeth	14	3	—	—	137	38	7	14	79	73	109	90	961	948	845	848	56	63	10·20	12·43	1·35	1·22	0·67	0·49
Lewisham	5	9	—	—	77	5	18	23	50	36	59	90	650	724	587	642	55	40	7·10	5·18	1·37	1·08	2·06	1·43
Paddington	—	—	—	—	181	49	—	7	91	35	91	134	850	733	745	634	107	86	27·25	17·32	0·98	2·00	1·96	3·00
Poplar	20	7	—	7	203	13	20	40	39	94	105	121	1,010	985	879	891	63	54	5·73	4·36	1·85	1·70	2·22	—
St. Marylebone ..	—	—	—	—	187	—	—	—	145	64	10	11	778	723	695	595	87	56	23·70	13·10	1·83	3·15	1·83	5·25
St. Pancras	10	—	—	—	139	21	26	21	129	79	52	68	985	1,021	856	901	69	58	20·64	11·58	3·22	1·87	1·79	1·87
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
Shoreditch	—	—	—	—	626	75	63	—	42	150	73	160	1,054	1,048	919	962	80	74	15·53	14·73	0·58	2·58	1·73	1·29
Southwark	—	18	—	—	314	36	24	18	118	140	83	73	1,125	1,172	1,012	1,044	72	63	12·46	13·74	1·42	1·24	2·49	1·24
Stepney	4	9	—	—	300	5	31	18	58	141	99	59	996	1,073	852	945	60	64	12·04	17·78	0·78	0·88	1·56	2·34
Stoke Newington ..	—	20	—	—	135	—	39	20	—	98	77	117	1,006	646	948	587	54	46	10·31	13·93	1·25	—	3·75	9·01
Wandsworth	3	9	—	—	99	9	11	17	57	80	40	40	818	862	693	734	63	51	14·62	9·62	1·39	2·01	1·39	3·26
Westminster	—	8	—	—	24	24	16	32	16	48	24	8	870	808	752	721	67	67	8·50	10·77	1·65	0·87	3·29	2·60
Woolwich	14	—	—	—	170	7	20	—	54	62	54	103	1,048	923	946	793	60	62	3·89	5·92	1·89	1·05	0·94	2·09
County Boroughs	4	4	—	—	98	88	13	20	94	63	76	88	1,007	999	838	851	74	74	8·02	9·25	1·58	1·79	2·37	2·41
Barnsley	—	28	—	—	83	14	14	—	111	42	42	196	904	978	709	810	85	93	7·63	4·71	1·33	0·75	3·98	3·00
Barrow-in-Furness ..	15	46	—	—	—	261	—	—	91	31	46	15	1,020	938	868	800	77	65	3·16	3·46	—	2·18	2·01	5·44
Bath	—	—	—	—	29	44	—	—	14	15	29	58	738	726	594	537	40	52	3·78	6·65	3·63	1·30	2·42	3·89
Birkenhead	14	7	—	—	27	293	7	7	61	87	68	100	1,137	1,067	941	907	70	100	13·38	15·49	0·73	0·78	3·28	4·29
Birmingham	2	1	—	—	50	77	10	19	132	35	35	32	946	971	839	859	68	66	7·49	7·52	1·58	1·40	1·70	1·71
Blackburn	—	—	—	—	—	173	16	25	74	25	65	41	777	799	630	659	67	71	3·89	4·80	1·22	—	4·28	2·60
Blackpool	10	10	—	—	—	29	—	10	20	48	99	29	779	740	671	605	78	69	1·92	2·94	2·72	1·87	2·72	2·80
Bolton	—	6	—	—	56	79	6	56	62	62	17	34	782	678	636	531	70	78	4·60	7·98	2·39	2·65	4·38	5·30
Bootle	26	13	—	—	531	142	65	26	207	168	168	285	1,346	1,489	1,100	1,308	86	89	12·44	19·98	2·15	2·31	1·08	1·74
Bournemouth	9	—	—	—	9	—	—	9	—	43	18	43	945	712	804	608	55	54	1·56	3·89	5·29	2·26	3·02	3·77
Bradford	—	—	—	—	54	95	17	20	57	41	47	51	928	881	749	746	75	80	4·98	7·95	2·61	1·96	3·08	2·69
Brighton	14	—	—	—	—	204	21	14	27	34	14	14	873	893	756	757	41	47	2·12	6·49	—	2·07	2·04	0·52
Bristol	2	7	—	—	5	39	5	12	77	37	54	54	829	982	730	838	53	55	4·62	5·19	0·95	1·88	1·90	2·39
Burnley	—	—	—	—	—	229	—	31	21	42	103	136	977	865	710	688	86	75	3·42	14·59	1·63	4·08	3·26	2·45
Burton-upon-Trent ..	—	—	—	—	201	—	—	—	81	61	—	82	765	632	624	509	79	68	4·18	8·85	—	2·82	2·67	1·41
Bury	—	—	—	—	17	17	—	17	87	17	17	101	612	693	455	541	85	52	5·49	4·01	—	—	2·58	6·32
Canterbury	—	—	—	—	41	—	—	—	—	209	—	—	865	668	700	626	55	39	6·13	5·99	—	—	5·95	5·78
Carlisle	—	—	—	—	17	—	—	51	86	68	138	102	950	854	829	683	86	80	9·37	4·80	—	6·83	3·98	4·55
Chester	—	—	—	—	97	—	—	24	97	24	24	24	677	974	605	925	54	68	1·46	10·17	1·40	1·61	4·21	—
Coventry	6	16	—	—	74	16	11	—	68	11	17	60	899	864	792	782	71	64	13·59	7·66	1·59	2·72	2·38	2·72
Croydon	8	—	—	—	8	50	—	4	51	17	46	71	704	779	603	675	49	47	5·74	6·04	0·58	1·85	1·17	1·85
Darlington	—	14	—	—	69	109	—	—	27	109	—	—	1,099	968	948	873	66	68	1·77	3·96	2·52	2·83	2·52	2·83
Derby	—	—	—	—	232	7	21	—	154	42	84	63	899	796	723	676	70	64	3·40	5·67	0·94	0·50	0·94	2·98
Dewsbury	—	—	—	—	19	—	56	19	19	93	557	336	724	504	557	466	90	91	3·80	9·19	1·19	2·46	3·56	3·69
Doncaster	—	—	—	—	155	15	—	30	31	45	—	15	572	618	355	512	69	53	3·02	2·07	0·97	2·98	2·91	4·97
Dudley	—	—	—	—	84	17	33	17	84	17	33	17	1,122	1,114	971	1,014	94	86	4·32	13·26	0·83	—	—	1·82
Eastbourne	35	35	—	—	—	—	18	—	35	18	18	35	742	725	618	637	47	50	2·85	—	1·38	1·51	2·77	—
East Ham	14	—	—	—	71	—	14	36	42	50	134	151	890	810	784	710	54	45	7·27	5·72	2·33	1·51	0·93	1·51
Exeter	—	—	—	—	76	30	—	—	—	59	—	—	801	817	650	713	54	48	—	—	—	2·05	3·02	1·02
Gateshead	—	8	—	—	180	154	33	97	155	8	24	24	1,592	1,391	1,249	1,164	94	76	10·57	12·96	0·81	0·85	3·25	1·70

TABLE 10—*continued.*

Administrative Area	Mortality per Million Population at all Ages.																Mortality per 1,000 Live births.				Mortality per 1,000 Total (live and still) births.			
	Typhoid and paratyphoid fevers.		Smallpox.		Measles.		Scarlet fever.		Whooping cough.		Diphtheria.		Tuberculosis (all forms).		Tuberculosis of respiratory system.		Deaths under One Year.		Diarrhœa and enteritis under Two Years.		The Puerperal state.			
																					Puerperal sepsis.		Others.	
	1932.	1933.	1932.	1933.	1932.	1933.	1932.	1933.	1932.	1933.	1932.	1933.	1932.	1933.	1932.	1933.	1932.	1933.	1932.	1933.	1932.	1933.	1932.	1933.
Gloucester	—	—	—	—	38	—	19	—	—	57	—	—	938	1,000	807	943	30	43	1·21	—	4·66	1·27	3·49	3·81
Great Yarmouth	—	18	—	—	35	18	18	—	35	35	18	71	947	1,010	789	744	51	55	1·27	2·61	3·61	—	2·41	1·25
Grimsby	22	11	—	—	65	43	—	—	173	75	65	32	1,203	945	911	773	67	69	2·42	2·99	1·16	2·89	2·32	1·73
Halifax	—	—	—	—	51	51	10	21	82	31	102	134	727	731	522	576	81	92	4·21	12·76	5·57	5·14	3·18	5·14
Hastings	32	16	—	—	32	—	—	32	16	63	111	95	871	709	792	567	43	48	2·66	—	2·56	1·35	2·56	5·39
Huddersfield	9	9	—	—	9	35	9	96	44	18	26	430	702	886	561	737	52	49	3·71	6·16	1·39	5·14	3·49	3·67
Ipswich	11	—	—	—	34	34	11	—	23	34	124	79	834	674	710	528	46	46	—	0·78	—	1·51	3·54	2·26
Kingston-upon-Hull	6	—	—	—	41	134	19	3	138	38	418	284	1,009	1,119	798	932	68	77	9·82	13·24	2·21	1·67	2·52	3·84
Leeds	—	2	—	—	105	43	16	16	87	60	99	179	1,019	1,041	792	864	88	81	13·28	15·20	1·23	2·01	2·18	1·58
Leicester	—	—	—	—	54	75	8	8	79	66	29	54	1,146	1,251	997	1,089	70	75	6·42	9·87	1·60	1·48	3·21	1·77
Lincoln	—	—	—	—	15	15	—	—	106	—	46	46	866	857	608	765	63	42	4·37	3·82	3·13	2·43	4·18	12·16
Liverpool	7	2	—	—	361	351	12	31	173	108	213	205	1,325	1,361	1,128	1,182	91	98	14·38	18·78	0·84	1·65	1·84	1·76
Manchester	4	3	—	—	169	63	22	18	110	65	106	115	1,160	1,175	1,004	1,043	86	75	10·57	9·14	1·61	1·70	2·18	2·73
Middlesbrough	—	—	—	—	114	7	29	22	193	108	43	43	1,509	1,577	1,216	1,276	85	91	8·45	11·66	1·35	4·28	2·36	2·14
Newcastle-upon-Tyne	7	10	—	—	74	129	28	63	105	94	18	31	1,203	1,159	979	925	76	76	8·60	11·88	1·96	1·84	2·75	1·64
Northampton	10	83	—	—	—	—	10	—	94	31	10	10	794	797	659	662	64	45	1·61	3·47	1·56	0·84	—	—
Norwich	—	—	—	—	55	16	8	—	103	48	103	63	885	856	790	738	56	63	2·14	5·10	1·55	1·10	0·52	2·20
Nottingham	—	7	—	—	18	179	—	14	118	36	33	21	968	1,039	787	879	80	85	9·03	13·09	0·87	1·51	2·16	1·94
Oldham	7	7	—	—	137	22	—	15	122	15	7	66	907	797	763	644	83	72	4·47	4·82	1·06	2·84	5·84	5·11
Oxford	—	—	—	—	12	—	—	—	62	12	—	24	615	875	480	719	61	32	—	—	2·57	—	1·71	0·85
Plymouth	—	5	—	—	34	68	48	19	82	73	96	87	930	994	811	868	59	58	3·69	2·78	2·64	2·08	2·94	3·87
Portsmouth	—	—	—	—	190	16	20	40	24	68	8	36	1,003	792	844	677	60	53	7·33	4·92	0·94	0·99	1·41	0·99
Preston	—	8	—	—	143	25	8	—	118	85	8	8	945	891	751	756	83	88	6·80	6·40	2·14	2·21	3·21	1·65
Reading	—	—	—	—	10	—	—	10	30	61	30	20	850	1,001	709	920	57	63	6·45	6·52	1·37	1·40	3·43	2·10
Rochdale	11	11	—	—	77	—	11	22	110	—	99	164	773	734	652	646	72	89	8·81	12·45	0·84	0·90	0·84	1·81
Rotherham	14	—	—	—	344	—	—	—	86	72	72	14	888	706	745	649	70	86	2·37	8·72	3·77	2·47	0·75	0·82
St. Helens	—	28	—	—	9	112	9	19	37	483	—	74	818	836	632	734	89	116	8·33	6·19	0·88	0·49	3·09	4·85
Salford	—	—	—	—	104	9	5	5	141	88	100	106	1,198	1,336	1,035	1,143	97	80	13·92	5·47	2·46	3·17	4·11	2·89
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
Sheffield	—	—	—	—	86	4	2	12	111	41	12	37	823	844	700	711	73	63	5·01	5·57	2·20	1·59	1·94	3·06
Smethwick	—	—	—	—	24	59	—	—	83	35	71	12	614	685	519	626	78	62	3·88	4·08	2·99	1·58	2·24	1·58
Southampton	—	—	—	—	62	34	—	6	90	39	11	51	1,206	1,036	1,042	884	54	58	5·24	2·44	0·63	0·67	3·17	2·67
Southend-on-Sea ..	—	—	—	—	50	—	—	16	—	32	42	48	806	697	698	633	54	42	8·10	3·71	2·14	1·44	4·99	3·59
Southport	13	—	—	—	13	25	—	—	13	38	38	13	482	633	394	494	45	59	3·39	1·30	4·21	—	4·21	1·26
South Shields	—	—	—	—	70	307	—	9	105	131	—	44	1,912	1,832	1,447	1,376	70	93	5·07	15·28	2·23	1·95	2·67	3·41
Stockport	8	16	—	—	79	—	—	8	110	31	189	118	962	850	820	740	72	83	3·75	8·37	—	1·22	2·96	3·05
Stoke-on-Trent ..	—	—	—	—	210	4	4	11	69	73	18	25	1,027	1,025	850	876	87	89	12·63	10·98	1·59	3·20	1·39	1·49
Sunderland	16	5	—	—	32	123	64	139	170	21	27	16	1,227	1,185	925	977	95	89	12·56	19·44	2·90	3·12	1·93	2·60
Tynemouth	—	—	—	—	46	106	—	30	91	76	61	15	1,432	1,003	945	836	70	86	7·35	15·29	2·34	1·71	1·56	3·42
Wakefield	—	—	—	—	50	83	117	133	67	66	502	316	920	665	719	532	73	75	13·82	7·79	2·02	1·06	4·04	6·36
Wallasey	10	—	—	—	21	51	10	10	51	62	196	82	803	739	700	596	51	54	3·80	3·15	—	1·51	0·73	0·76
Walsall	19	—	—	—	76	123	—	—	239	38	29	19	946	1,148	764	1,034	73	89	6·98	10·09	2·87	—	1·44	0·51
Warrington	25	—	—	—	251	25	50	12	126	74	88	86	1,130	987	992	765	88	73	6·52	6·93	0·68	2·19	2·05	2·19
West Bromwich ..	—	—	—	—	73	269	—	—	24	61	24	49	669	880	584	696	97	102	24·97	19·33	—	4·13	5·72	2·06
West Ham	—	—	—	—	266	4	10	21	100	166	41	191	1,148	1,106	968	997	72	64	11·85	9·99	1·75	1·09	1·17	0·66
West Hartlepool ..	—	14	—	—	—	212	—	—	172	42	29	212	1,174	932	716	692	89	76	13·43	9·24	2·02	0·73	0·67	1·47
Wigan	12	12	—	—	304	129	—	35	23	12	12	23	959	963	760	763	91	110	5·26	12·01	3·12	1·34	5·00	4·69
Wolverhampton ..	15	—	—	—	128	101	8	22	15	159	105	29	855	831	690	744	61	79	7·78	11·75	1·32	0·94	1·32	0·94
Worcester	—	19	—	—	—	95	—	—	19	95	38	19	1,266	955	998	859	64	63	7·80	5·63	1·26	1·35	3·78	1·35
York	—	—	—	—	23	83	—	35	106	59	258	201	845	732	669	626	72	56	1·51	2·42	1·45	3·83	1·45	1·53
Cardiff	9	5	—	—	45	144	13	18	108	63	45	86	1,276	1,266	1,056	1,054	76	77	8·56	8·72	1·08	1·38	4·04	3·32
Merthyr Tydfil ..	—	—	—	—	14	100	28	86	—	100	28	287	1,231	1,091	1,047	789	73	90	6·73	4·88	1·78	1·81	5·35	1·81
Newport (Mon.) ..	—	—	—	—	11	248	100	11	78	102	45	147	1,093	982	937	824	76	94	3·94	8·44	0·63	0·67	1·26	1·35
Swansea	—	—	—	—	18	121	6	12	24	121	55	54	1,043	1,021	928	888	69	75	4·46	4·91	1·76	1·79	2·46	2·51
Administrative Counties	7	6	0	—	78	28	13	17	63	53	49	54	753	738	612	611	60	58	5·84	5·78	1·53	1·73	2·55	2·66
Bedfordshire	18	—	—	—	72	35	22	13	54	18	9	35	770	696	609	585	52	45	3·50	1·67	0·92	0·64	2·46	3·22
Berkshire	5	5	—	—	23	—	5	5	14	55	23	18	640	626	493	507	46	49	2·86	1·31	1·84	0·95	2·45	1·58
Buckinghamshire ..	—	—	—	—	61	—	4	7	18	36	18	36	588	536	483	436	52	45	2·02	2·64	1·95	0·77	2·19	2·83
Cambridgeshire ..	7	14	—	—	21	7	14	14	21	35	14	35	661	626	520	536	39	49	—	2·35	0·54	3·96	3·79	4·53
Cheshire	7	4	—	—	60	15	6	12	87	22	76	57	676	569	539	439	62	55	3·69	2·99	1·14	1·27	3·21	3·28
Cornwall	3	6	—	—	10	32	16	19	61	35	29	16	777	800	653	653	55	52	2·51	1·42	0·87	1·80	3·05	2·71
Cumberland	5	5	—	—	54	5	5	—	44	103	19	34	920	922	691	706	75	71	4·66	5·90	2·24	0·89	1·12	5·90
Derbyshire	5	8	—	—	105	32	11	6	65	64	55	39	562	521	441	415	63	62	4·15	4·31	1·32	1·31	2·64	2·71
Devonshire	7	7	—	—	53	11	7	7	20	37	38	44	772	740	647	628	56	45	2·62	2·29	1·00	1·35	2·68	2·86
Dorsetshire	8	8	—	—	100	17	—	12	29	33	17	29	674	591	523	442	48	45	2·92	2·42	1·41	1·45	1·41	1·74
Durham	6	7	—	—	53	71	22	62	126	46	21	48	959	882	687	691	82	80	8·26	13·16	1·65	2·04	2·71	2·63
Ely, Isle of	25	—	—	—	—	38	13	13	64	89	127	114	611	633	458	456	54	58	2·94	0·78	2·10	2·27	1·40	2·27

TABLE 10—*continued.*

Administrative Area.	Mortality per Million Population at all Ages.																Mortality per 1,000 Live births.				Mortality per 1,000 Total (live and still) births.			
	Typhoid and paratyphoid fevers.		Smallpox.		Measles.		Scarlet fever.		Whooping cough.		Diphtheria.		Tuberculosis (all forms).		Tuberculosis of respiratory system.		Deaths under One Year.		Diarrhœa and enteritis under Two Years.		The Puerperal state.			
																					Puerperal sepsis.		Others.	
	1932.	1933.	1932.	1933.	1932.	1933.	1932.	1933.	1932.	1933.	1932.	1933.	1932.	1933.	1932.	1933.	1932.	1933.	1932.	1933.	1932.	1933.	1932.	1933.
Essex	6	6	—	—	110	5	19	20	63	35	39	44	683	638	550	532	50	49	6·16	4·39	1·26	2·03	2·42	1·87
Gloucestershire ..	18	6	—	—	—	6	3	6	15	27	47	9	633	657	542	533	51	48	2·54	1·55	1·42	2·12	4·48	2·33
Herefordshire	18	18	—	—	18	27	—	—	—	81	36	27	692	782	558	611	49	53	0·60	1·87	2·31	1·80	3·46	2·39
Hertfordshire	10	5	—	—	19	9	12	19	63	57	34	52	619	639	510	530	50	42	3·18	3·49	1·21	1·35	1·90	2·03
Huntingdonshire ..	18	—	—	—	18	18	18	18	18	18	53	18	676	533	570	356	57	53	2·23	3·51	1·08	1·14	1·08	2·27
Kent	5	2	—	—	74	5	11	15	52	46	20	36	769	766	642	642	49	48	4·96	4·11	0·93	1·93	2·18	1·93
Lancashire	8	6	—	—	75	33	12	17	63	49	64	60	673	687	541	559	68	69	4·00	4·63	1·41	1·59	3·05	3·54
Leicestershire	—	10	—	—	16	32	16	6	65	42	33	32	909	825	733	692	59	54	5·18	3·39	0·99	1·52	2·38	3·27
Lincolnshire, Holland	—	11	—	—	161	64	—	—	54	11	32	43	612	812	473	673	49	48	2·87	4·85	0·55	1·16	2·20	1·74
,, Kesteven	9	18	—	—	18	27	—	18	18	46	—	36	689	746	571	582	56	52	3·99	5·33	1·64	1·27	2·19	1·91
,, Lindsey..	—	4	—	—	38	49	15	4	83	72	38	30	876	756	676	644	59	53	1·41	3·22	1·35	1·19	2·70	1·67
London..	5	6	1	0	189	23	20	20	80	77	72	84	938	930	818	821	67	60	12·55	11·74	1·29	1·64	1·60	1·91
Middlesex	6	3	—	—	78	3	17	19	43	50	51	54	672	697	567	595	51	48	5·39	5·47	1·71	2·05	2·01	2·57
Norfolk..	22	3	—	—	31	3	3	3	59	59	59	56	705	565	522	438	55	53	2·85	2·34	1·77	0·61	1·96	2·05
Northamptonshire ..	5	103	—	—	19	14	9	9	47	19	9	23	647	635	535	541	46	42	3·65	1·88	2·46	0·72	2·81	2·54
Northumberland ..	7	12	—	—	17	54	15	46	95	29	22	15	907	851	680	653	67	71	6·27	9·96	3·22	3·04	3·51	3·34
Nottinghamshire ..	13	2	—	—	62	60	7	7	86	51	27	22	644	692	509	533	66	68	3·72	4·75	0·76	2·61	2·91	1·51
Oxfordshire	8	8	—	—	46	—	—	8	54	53	23	—	544	588	490	481	41	41	2·16	2·16	1·04	1·58	3·13	3·16
Peterborough, Soke of	—	—	—	—	—	19	—	38	—	95	19	—	671	420	518	325	41	49	1·36	1·46	5·22	2·80	1·30	4·20
Rutlandshire	—	—	—	—	—	—	—	—	—	56	—	—	717	502	552	390	34	52	—	4·37	—	—	3·65	—
Shropshire	4	12	—	—	16	57	4	4	94	70	37	53	655	648	516	513	61	54	2·12	1·91	2·55	2·35	1·27	3·14
Somersetshire	10	5	—	—	15	15	2	2	22	27	42	37	669	590	554	472	49	47	3·05	2·51	0·86	0·92	3·26	3·32
Southampton	6	—	—	—	50	15	2	12	44	58	27	27	613	632	485	495	47	51	3·55	2·64	2·04	1·48	3·31	3·36
Staffordshire	—	3	—	—	109	81	8	10	78	43	38	28	736	777	577	656	70	70	8·11	7·53	1·63	1·59	2·25	1·50
Suffolk, East	10	10	—	—	—	14	10	14	53	81	34	38	628	626	537	502	44	43	2·61	1·75	1·56	0·68	2·19	1·69
,, West	—	—	—	—	9	—	19	10	38	48	28	—	788	562	636	477	53	46	2·14	1·45	0·69	0·70	—	2·11
Surrey	4	1	—	—	49	14	7	12	37	32	18	43	600	638	501	551	47	42	4·76	3·01	1·66	1·19	1·87	2·31
Sussex, East	4	11	—	—	14	25	7	4	32	25	28	21	576	581	466	444	44	45	1·74	2·42	2·50	0·59	2·78	2·05
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
Sussex West	9	—	—	—	22	22	31	26	80	39	40	26	630	614	506	519	54	48	2·98	3·75	2·86	2·30	3·18	1·97
Warwickshire	8	—	—	—	69	33	11	22	80	25	22	50	645	652	498	527	56	55	2·34	2·62	1·22	2·33	2·43	2·72
Westmorland	—	—	—	—	62	16	16	—	62	47	31	78	574	777	512	668	67	72	2·23	5·74	3·18	6·62	1·06	2·21
Wight, Isle of	—	23	—	—	12	—	—	12	23	35	12	—	603	593	510	523	49	35	6·53	—	—	0·98	0·90	4·92
Wiltshire	3	3	—	—	43	23	10	3	10	85	46	65	564	500	403	422	44	53	2·63	2·35	1·06	0·91	2·11	1·36
Worcestershire ..	10	13	—	—	19	70	13	38	61	22	45	57	758	722	617	599	66	64	6·71	7·58	2·01	2·14	2·41	2·14
Yorkshire, East Riding	6	35	—	—	23	23	18	6	76	52	41	64	570	647	429	501	58	57	1·97	6·83	0·38	0·77	1·14	3·47
,, North ,,	72	12	—	—	21	6	12	12	96	51	21	72	630	633	447	463	65	56	5·56	3·89	2·37	1·75	2·74	1·75
,, West ,,	18	8	—	1	96	33	12	16	92	70	76	79	697	627	525	485	70	70	6·00	6·06	1·96	1·98	3·01	3·96
Anglesey	—	—	—	—	21	21	21	—	41	83	103	41	1,297	1,140	1,050	912	55	84	9·41	5·81	2·54	—	2·54	6·85
Brecknockshire ..	35	—	—	—	—	18	18	—	53	—	53	18	999	812	736	635	57	62	1·19	6·04	—	1·15	3·37	1·15
Caernarvonshire ..	—	—	—	—	8	84	8	—	25	92	50	33	1,271	1,238	1,121	1,054	67	60	5·46	6·67	1·15	1·14	2·89	4·00
Cardiganshire	18	—	—	—	—	—	18	—	18	18	18	—	894	999	802	869	67	77	10·13	7·26	1·37	2·74	1·37	6·86
Carmarthenshire ..	—	—	—	—	—	39	11	17	61	96	117	62	948	882	803	725	73	82	5·08	4·68	0·73	2·57	5·87	4·04
Denbighshire	—	6	—	—	13	109	13	13	32	38	203	134	776	824	566	645	65	72	5·40	4·46	1·96	3·35	3·93	3·77
Flintshire	9	9	—	—	97	35	9	18	9	9	142	132	717	598	593	448	62	47	1·78	1·85	1·69	1·16	3·93	2·90
Glamorganshire ..	1	1	—	—	12	112	12	20	66	90	83	91	933	1,014	756	831	72	79	4·62	6·19	2·48	2·33	5·10	4·12
Merionethshire ..	—	—	—	—	24	—	—	48	—	96	—	96	1,543	1,054	1,258	934	51	55	1·68	5·18	1·58	1·60	3·16	3·20
Monmouthshire ..	3	—	—	—	55	64	58	35	73	70	96	117	811	849	651	694	68	72	5·44	4·85	1·28	2·37	4·01	4·41
Montgomeryshire ..	—	—	—	—	—	—	21	—	63	21	—	21	626	802	501	696	57	57	3·91	1·43	—	2·66	3·76	3·98
Pembrokeshire ..	—	—	—	—	12	—	—	35	104	—	46	163	994	1,151	821	895	71	63	3·58	2·24	2·73	2·14	6·82	2·85
Radnorshire	—	—	—	—	—	—	—	—	—	192	—	48	715	959	525	671	43	54	2·85	3·17	—	3·10	2·75	—

TABLE 11. DEATHS UNDER ONE YEAR OF AGE FROM CERTAIN CAUSES, 1923–1933. } { England and Wales.

Cause of Death.	1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.	1931.	1932.	1933.
All Causes	52,582	54,813	53,316	48,757	45,610	42,960	47,868	38,908	41,939	39,933	36,960
I—Common Infectious Diseases (6–10, 44 : 4)	3,216	2,876	3,998	2,882	2,537	2,498	3,415	2,028	2,000	2,185	1,479
II—Tuberculous Diseases (23–32) ..	1,036	990	896	862	718	710	660	585	665	617	482
III—Diarrhœa and Enteritis (119) ..	5,169	4,616	5,307	5,394	3,740	4,099	4,597	3,522	3,284	3,630	3,558
IV—Developmental and Wasting Diseases (157–159, 161 : *a* & *b*) ..	22,547	22,637	21,439	20,470	19,440	18,915	19,256	18,366	18,543	17,973	17,491
V—Miscellaneous Diseases—(Remainder)	20,614	23,694	21,676	19,149	19,175	16,738	19,940	14,407	17.447	15,528	13,950
Measles (7)	1,134	990	1,099	789	791	914	657	902	720	661	363
Whooping cough (9)	1,907	1,720	2,708	1,920	1,584	1,397	2,554	965	1,127	1,410	1,010
Diphtheria (10)	119	104	121	124	105	135	143	126	101	72	70
Influenza (11)	291	814	412	312	808	222	777	130	513	422	519
Tuberculosis of nervous system (24)	496	464	435	444	399	357	325	306	366	341	229
Tuberculosis of intestines and peritoneum (25)	229	224	192	173	114	128	128	86	104	89	81
Other tuberculous diseases (23, 26–32)	311	302	269	245	205	225	207	193	195	187	172
Syphilis (34)	797	666	585	586	505	471	413	360	322	291	232
Meningitis (79)	511	461	434	388	310	298	291	231	257	225	233
Convulsions (86)	3,171	2,916	2,824	2,524	1,911	1,624	1,702	1,456	1,412	1,237	1,084
Bronchitis (106)	3,446	4,045	3,655	2,939	2,762	2,309	2,725	1,718	2,305	1,899	1,485
Pneumonia (107–109)	6,732	9,156	8,101	6,980	7,659	6,385	8,477	5,160	7,302	5,987	5,484
Other respiratory diseases (104, 105, 110–114)	273	275	235	208	158	199	188	189	180	163	123
Inflammation of the stomach (118 : 1)	610	544	508	444	335	302	253	219	247	208	189
Diarrhœa and enteritis (119) ..	5,169	4,616	5,307	5,394	3,740	4,099	4,597	3,522	3,284	3,630	3,558
Hernia, intestinal obstruction (122)	468	405	442	412	384	408	432	399	392	357	340
Congenital malformations (157) ..	3,156	3,063	3,253	3,181	3,120	3,249	3,350	3,420	3,494	3,611	3,417
Diseases of early infancy (158–161)	20,857	21,071	19,766	18,846	17,952	17,371	17,764	16,789	16,800	16,232	15,797
Congenital debility (158) ..	4,331	4,182	4,156	3,690	2,768	2,555	2,504	2,198	2,116	1,823	1,810
Premature birth (159)	13,379	13,738	12,534	12,146	12,132	11,671	11,992	11,360	11,565	11,174	10,885
Injury at birth (160)	1,056	1,019	1,057	1,049	1,211	1,253	1,354	1,360	1,334	1,379	1,321
With mention of Cæsarean section (160 *a*)	?	?	?	?	?	?	?	?	10	15	12
Without mention of Cæsarean section (160 *b*)	?	?	?	?	?	?	?	?	1,324	1,364	1,309
Other Diseases peculiar to early infancy (161)	2,091	2,132	2,019	1,961	1,841	1,892	1,914	1,871	1,785	1,856	1,781
Atelectasis (161 *a*)	1,128	1,171	1,099	1,081	1,018	1,049	1,021	1,012	1,042	1,052	1,079
Icterus neonatorum (161 *b*) ..	553	483	397	372	402	391	389	376	326	313	300
Other diseases included under 161 (161 *c*)	410	478	523	508	421	452	504	483	417	491	402
Disease of the umbilicus (161 *c* : 1)	119	128	139	121	75	79	98	113	90	103	69
Pemphigus neonatorum (161 *c* : 2)	104	127	173	140	122	119	126	102	84	72	52
Other diseases under 161 *c* (161 *c* : 3)	187	223	211	247	224	254	280	268	243	316	281
Suffocation—in bed or not stated how (182 pt.)	415	430	403	396	392	390	364	359	296	300	255
Inattention at birth (194 : 1) ..	233	291	237	302	266	250	223	217	182	226	165
Other causes	2,257	2,256	2,330	2,150	2,110	2,227	2,298	2,161	2,340	2,385	2,154

TABLE 12. INFANT MORTALITY (DEATHS UNDER 1 YEAR PER 1,000 LIVE BIRTHS) FROM CERTAIN CAUSES, 1923–1933. } { ENGLAND AND WALES.

Cause of Death.	1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.	1931.	1932.	1933.
All Causes	69·36	75·09	75·03	70·20	69·72	65·06	74·37	59·97	66·35	65·04	63·68
I—Common Infectious Diseases (6–10, 44 : 4)	4·24	3·94	5·63	4·15	3·88	3·78	5·31	3·13	3·16	3·56	2·55
II—Tuberculous Diseases (23–32) ..	1·36	1·36	1·26	1·24	1·10	1·08	1·03	0·90	1·05	1·00	0·83
III—Diarrhœa and Enteritis (119) ..	6·82	6·32	7·47	7·77	5·72	6·21	7·14	5·43	5·20	5·91	6·13
IV—Developmental and Wasting Diseases (157–159, 161 : *a* & *b*) ..	29·74	31·01	30·17	29·47	29·72	28·65	29·92	28·31	29·34	29·27	30·14
V—Miscellaneous Diseases—(Remainder)	27·20	32·46	30·50	27·57	29·31	25·35	30·98	22·21	27·60	25·29	24·03
Measles (7)	1·50	1·36	1·55	1·14	1·21	1·38	1·02	1·39	1·14	1·08	0·63
Whooping cough (9)	2·52	2·36	3·81	2·76	2·42	2·12	3·97	1·49	1·78	2·30	1·74
Diphtheria (10)	0·16	0·14	0·17	0·18	0·16	0·20	0·22	0·19	0·16	0·12	0·12
Influenza (11)	0·38	1·12	0·58	0·45	1·24	0·34	1·21	0·20	0·81	0·69	0·89
Tuberculosis of nervous system (24)	0·65	0·64	0·61	0·64	0·61	0·54	0·50	0·47	0·58	0·56	0·39
Tuberculosis of intestines and peritoneum (25)	0·30	0·31	0·27	0·25	0·17	0·19	0·20	0·13	0·16	0·14	0·14
Other tuberculous diseases (23, 26–32)	0·41	0·41	0·38	0·35	0·31	0·34	0·32	0·30	0·31	0·30	0·30
Syphilis (34)	1·05	0·91	0·82	0·84	0·77	0·71	0·64	0·55	0·51	0·47	0·40
Meningitis (79)	0·67	0·63	0·61	0·56	0·47	0·45	0·45	0·36	0·41	0·37	0·40
Convulsions (86)	4·18	3·99	3·97	3·63	2·92	2·46	2·64	2·24	2·23	2·01	1·87
Bronchitis (106)	4·55	5·54	5·14	4·23	4·22	3·50	4·23	2·65	3·65	3·09	2·56
Pneumonia (107–109)	8·88	12·54	11·40	10·05	11·71	9·67	13·17	7·95	11·55	9·75	9·45
Other respiratory diseases (104, 105, 110–114)	0·36	0·38	0·33	0·30	0·24	0·30	0·29	0·29	0·28	0·27	0·21
Inflammation of the stomach (118 : 1)	0·80	0·75	0·71	0·64	0·51	0·46	0·39	0·34	0·39	0·34	0·33
Diarrhœa and enteritis (119) ..	6·82	6·32	7·47	7·77	5·72	6·21	7·14	5·43	5·20	5·91	6·13
Hernia, intestinal obstruction (122)	0·62	0·55	0·62	0·59	0·59	0·62	0·67	0·61	0·62	0·58	0·59
Congenital malformations (157) ..	4·16	4·20	4·58	4·58	4·77	4·92	5·20	5·27	5·53	5·88	5·89
Diseases of early infancy (158–161)	27·51	28·87	27·82	27·14	27·45	26·31	27·60	25·88	26·58	26·44	27·22
Congenital debility (158) ..	5·71	5·73	5·85	5·31	4·23	3·87	3·89	3·39	3·35	2·97	3·12
Premature birth (159)	17·65	18·82	17·64	17·49	18·55	17·68	18·63	17·51	18·30	18·20	18·75
Injury at birth (160)	1·39	1·40	1·49	1·51	1·85	1·90	2·10	2·10	2·11	2·25	2·28
With mention of Cæsarean section (160 *a*)	?	?	?	?	?	?	?	?	0·02	0·02	0·02
Without mention of Cæsarean section (160 *b*)	?	?	?	?	?	?	?	?	2·10	2·22	2·26
Other Diseases peculiar to early infancy (161)	2·76	2·92	2·84	2·82	2·81	2·87	2·97	2·88	2·82	3·02	3·07
Atelectasis (161 *a*)	1·49	1·60	1·55	1·56	1·56	1·59	1·59	1·56	1·65	1·71	1·86
Icterus neonatorum (161 *b*) ..	0·73	0·66	0·56	0·54	0·61	0·59	0·60	0·58	0·52	0·51	0·52
Other diseases included under 161 (161 *c*)	0·54	0·65	0·74	0·73	0·64	0·68	0·78	0·74	0·66	0·80	0·69
Disease of the umbilicus (161 *c* : 1)	0·16	0·18	0·20	0·17	0·11	0·12	0·15	0·17	0·14	0·17	0·12
Pemphigus neonatorum (161 *c* : 2)	0·14	0·17	0·24	0·20	0·19	0·18	0·20	0·16	0·13	0·12	0·09
Other diseases under 161 *c* (161 *c* : 3)	0·25	0·31	0·30	0·36	0·34	0·38	0·44	0·41	0·38	0·51	0·48
Suffocation—in bed or not stated how (182 pt.)	0·55	0·59	0·57	0·57	0·60	0·59	0·57	0·55	0·47	0·49	0·44
Inattention at birth (194 : 1) ..	0·31	0·40	0·33	0·43	0·41	0·38	0·35	0·33	0·29	0·37	0·28
Other causes	2·98	3·09	3·28	3·10	3·23	3·37	3·57	3·33	3·70	3·88	3·71

TABLE 13. Deaths at Various Periods in the First Year of Life, 1933, and the Four Quarters thereof.

England and Wales, Geographical Regions,* Aggregates of County Boroughs, Other Urban Districts and Rural Districts.

		Total under 1 year.	Under 30 minutes.	30 minutes and under 1 day.	Total under 1 day.	Days. 1	2	3	4	5	6	1 day and under 1 week.	Weeks. 0	1	2	3	Months. Total under 4 weeks.	4 weeks to 3 months	3–6	6–9	9–12
England and Wales.	All Infants M.	21,311	521	3,093	3,614	1,185	1,153	783	425	273	245	4,064	7,678	1,294	1,017	762	10,751	3,411	2,964	2,266	1,919
	All Infants F.	15,649	492	2,325	2,817	881	720	458	316	249	185	2,809	5,626	1,014	762	535	7,937	2,352	2,129	1,680	1,551
	All Infants P.	36,960	1,013	5,418	6,431	2,066	1,873	1,241	741	522	430	6,873	13,304	2,308	1,779	1,297	18,688	5,763	5,093	3,946	3,470
	Legitimate M.	19,800	400	2,912	3,312	1,116	1,086	740	396	258	232	3,828	7,140	1,202	944	696	9,982	3,142	2,717	2,137	1,822
	Legitimate F.	14,429	366	2,152	2,518	828	672	432	294	229	169	2,624	5,142	937	698	503	7,280	2,150	1,976	1,579	1,444
	Legitimate P.	34,229	766	5,064	5,830	1,944	1,758	1,172	690	487	401	6,452	12,282	2,139	1,642	1,199	17,262	5,292	4,693	3,716	3,266
	Illegitimate M.	1,511	121	181	302	69	67	43	29	15	13	236	538	92	73	66	769	269	247	129	97
	Illegitimate F.	1,220	126	173	299	53	48	26	22	20	16	185	484	77	64	32	657	202	153	101	107
	Illegitimate P.	2,731	247	354	601	122	115	69	51	35	29	421	1,022	169	137	98	1,426	471	400	230	204
South East		9,586	307	1,505	1,812	548	466	333	196	137	92	1,772	3,584	634	455	301	4,974	1,438	1,377	975	822
Greater London		6,105	200	905	1,105	313	278	180	117	78	50	1,016	2,121	391	268	176	2,956	945	979	682	543
Remainder of South East		3,481	107	600	707	235	188	153	79	59	42	756	1,463	243	187	125	2,018	492	398	293	279
Midland section		3,137	87	528	615	182	191	129	59	48	25	634	1,249	247	155	109	1,760	466	385	283	243
Southern section		6,449	220	977	1,197	366	275	204	137	89	67	1,138	2,335	387	300	192	3,214	972	992	692	579
North		14,978	357	2,033	2,390	766	730	468	304	193	169	2,630	5,020	844	725	553	7,142	2,373	2,237	1,706	1,520
North I		3,078	75	408	483	141	166	106	61	43	40	557	1,040	172	152	121	1,485	428	494	374	297
„ II		1,457	45	196	241	79	61	47	33	17	14	251	492	89	80	42	703	248	197	171	138
„ III		3,556	85	461	546	200	185	122	86	41	45	679	1,225	206	182	121	1,734	566	537	382	337
„ IV		6,887	152	968	1,120	346	318	193	124	92	70	1,143	2,263	377	311	269	3,220	1,131	1,009	779	748
Midland		6,722	209	989	1,198	376	342	213	123	100	91	1,245	2,443	431	331	245	3,450	1,064	822	725	661
Midland I		4,476	143	696	839	268	206	136	87	64	62	823	1,662	278	210	165	2,315	709	550	486	416
„ II		2,246	66	293	359	108	136	77	36	36	29	422	781	153	121	80	1,135	355	272	239	245
East		1,384	22	228	250	102	80	65	32	28	19	326	576	109	71	41	797	194	149	130	114
South West		1,364	50	219	269	96	98	67	35	21	21	338	607	96	63	53	819	205	132	114	94
Wales		2,926	68	444	512	178	157	95	51	43	38	562	1,074	194	134	104	1,506	489	376	296	259
Wales I		2,305	51	340	391	140	118	67	40	26	28	419	810	164	103	86	1,163	383	297	247	215
„ II		621	17	104	121	38	39	28	11	17	10	143	264	30	31	18	343	106	79	49	44
Density Summaries—																					
County Boroughs } Excluding		14,307	347	1,896	2,243	758	621	411	274	176	171	2,411	4,654	801	648	504	6,607	2,301	2,183	1,689	1,527
Other Urban Districts } Greater		10,188	287	1,603	1,890	584	553	388	210	155	119	2,009	3,899	668	522	381	5,470	1,538	1,258	1,022	900
Rural Districts } London		6,360	179	1,014	1,193	411	421	262	140	113	90	1,437	2,630	448	341	236	3,655	979	673	553	500
England and Wales. March Quarter		12,503	276	1,377	1,653	584	586	377	240	167	115	2,069	3,722	793	630	477	5,622	2,088	1,697	1,568	1,528
June „		8,212	274	1,372	1,646	489	444	330	166	117	101	1,647	3,293	498	413	318	4,522	1,159	1,016	759	756
September „		7,286	210	1,365	1,575	458	368	235	142	111	99	1,413	2,988	460	284	171	3,903	1,081	1,029	728	545
December „		8,959	253	1,304	1,557	535	475	299	193	127	115	1,744	3,301	557	452	331	4,641	1,435	1,351	891	641

* For constitution of Geographical Regions *see* note on first page of Table 17.

TABLE 14. INFANT MORTALITY (DEATHS UNDER 1 YEAR AND VARIOUS SUB-DIVISIONS OF THE FIRST YEAR PER 1,000 LIVE BIRTHS), 1933.

By Sex, Age, Cause and Legitimacy—England and Wales.

By Age, Cause and Legitimacy—Greater London, Aggregates of County Boroughs, Other Urban Districts and Rural Districts.

		All Infants.						Legitimate Infants.						Illegitimate Infants.					
		Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.
All Causes—																			
England and Wales	M	71·82	36·23	11·50	9·99	7·64	6·47	69·75	35·16	11·07	9·57	7·53	6·42	117·69	59·90	20·95	19·24	10·05	7·56
	F	55·16	27·98	8·29	7·50	5·92	5·47	53·22	26·85	7·93	7·29	5·82	5·33	97·06	52·27	16·07	12·17	8·04	8·51
	P	63·68	32·20	9·93	8·77	6·80	5·98	61·67	31·10	9·54	8·46	6·70	5·88	107·49	56·12	18·54	15·74	9·05	8·03
Greater London		54·17	26·23	8·39	8·69	6·05	4·82	50·80	24·39	7·80	8·02	5·87	4·72	125·92	65·33	20·79	22·97	9·90	6·93
County Boroughs (excluding Greater London.)		74·85	34·57	12·04	11·42	8·84	7·99	72·79	33·68	11·53	10·99	8·72	7·86	118·92	53·44	22·92	20·70	11·23	10·64
Other Urban Districts (excluding Greater London.)		62·29	33·44	9·40	7·69	6·25	5·50	60·83	32·50	9·18	7·60	6·12	5·43	96·74	55·66	14·59	9·93	9·33	7·22
Rural Districts (excluding Greater London.)		56·28	32·34	8·66	5·96	4·89	4·42	54·94	31·39	8·40	5·86	4·92	4·36	84·34	52·15	14·15	7·95	4·27	5·82
All Urban Districts		65·47	32·16	10·24	9·46	7·26	6·35	63·30	31·03	9·81	9·08	7·12	6·25	113·38	57·14	19·65	17·73	10·27	8·59
I. Common Infectious Diseases (6–10, 44 : 4)																			
England and Wales	M	2·49	0·07	0·34	0·43	0·71	0·94	2·49	0·07	0·35	0·42	0·72	0·93	2·65	—	0·16	0·70	0·55	1·25
	F	2·60	0·09	0·39	0·48	0·68	0·96	2·58	0·09	0·40	0·45	0·69	0·95	3·10	—	0·16	1·03	0·64	1·27
	P	2·55	0·08	0·37	0·45	0·70	0·95	2·53	0·08	0·37	0·44	0·70	0·94	2·87	—	0·16	0·87	0·59	1·26
Greater London		2·47	0·06	0·32	0·55	0·77	0·76	2·44	0·07	0·33	0·52	0·76	0·76	2·97	—	—	1·19	0·99	0·79
County Boroughs (excluding Greater London.)		3·05	0·09	0·33	0·43	0·86	1·33	3·01	0·09	0·34	0·41	0·88	1·30	3·86	—	0·12	1·05	0·58	2·10
Other Urban Districts (excluding Greater London.)		2·32	0·09	0·33	0·43	0·59	0·88	2·30	0·09	0·33	0·43	0·59	0·87	2·71	—	0·30	0·45	0·75	1·20
Rural Districts (excluding Greater London.)		2·11	0·07	0·52	0·43	0·50	0·59	2·15	0·07	0·54	0·42	0·52	0·60	1·36	—	0·19	0·78	—	0·39
All Urban Districts		2·65	0·08	0·33	0·46	0·75	1·04	2·63	0·08	0·34	0·44	0·75	1·02	3·26	—	0·15	0·89	0·74	1·48
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)

TABLE 14—*continued.*

	All Infants.						Legitimate Infants.						Illegitimate Infants.					
	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.
II. Tuberculous Diseases (23–32)																		
England and Wales .. .. M	0·95	0·01	0·06	0·24	0·31	0·33	0·97	0·01	0·06	0·25	0·32	0·33	0·55	—	0·16	0·16	0·08	0·16
England and Wales .. .. F	0·70	0·01	0·03	0·18	0·24	0·24	0·69	0·01	0·03	0·18	0·23	0·24	1·03	—	0·08	0·24	0·56	0·16
England and Wales .. .. P	0·83	0·01	0·05	0·21	0·28	0·28	0·83	0·01	0·05	0·21	0·28	0·29	0·79	—	0·12	0·20	0·31	0·16
Greater London	0·86	0·01	0·03	0·19	0·28	0·35	0·85	0·01	0·02	0·20	0·28	0·35	0·99	—	0·20	—	0·40	0·40
County Boroughs (excluding Greater London)	0·93	0·01	0·06	0·25	0·35	0·26	0·92	0·01	0·05	0·24	0·34	0·27	1·17	—	0·23	0·47	0·47	—
Other Urban Districts (excluding Greater London)	0·78	0·01	0·02	0·21	0·28	0·27	0·79	0·01	0·03	0·21	0·27	0·27	0·60	—	—	0·15	0·30	0·15
Rural Districts (excluding Greater London)	0·70	—	0·08	0·18	0·17	0·27	0·72	—	0·08	0·19	0·18	0·28	0·19	—	—	—	—	0·19
All Urban Districts	0·86	0·01	0·04	0·22	0·31	0·29	0·86	0·01	0·04	0·22	0·30	0·29	0·94	—	0·15	0·25	0·40	0·15
III. Diarrhœa and Enteritis (119)																		
England and Wales .. .. M	7·25	0·62	2·04	2·35	1·44	0·80	6·79	0·59	1·88	2·18	1·37	0·77	17·29	1·17	5·69	6·15	2·88	1·40
England and Wales .. .. F	4·96	0·38	1·17	1·80	0·93	0·68	4·67	0·39	1·06	1·68	0·91	0·62	11·30	0·24	3·42	4·38	1·27	1·99
England and Wales .. .. P	6·13	0·50	1·61	2·08	1·19	0·74	5·75	0·49	1·48	1·94	1·15	0·70	14·33	0·71	4·57	5·27	2·09	1·69
Greater London	8·01	0·48	1·89	3·03	1·69	0·92	7·22	0·46	1·68	2·66	1·58	0·85	24·95	0·99	6·34	10·89	4·16	2·57
County Boroughs (excluding Greater London)	8·12	0·60	2·12	2·88	1·57	0·95	7·60	0·60	1·92	2·68	1·53	0·87	19·29	0·47	6·43	7·25	2·57	2·57
Other Urban Districts (excluding Greater London)	4·42	0·50	1·27	1·30	0·79	0·56	4·31	0·47	1·21	1·30	0·77	0·56	6·92	1·05	2·71	1·20	1·35	0·60
Rural Districts (excluding Greater London)	3·36	0·38	0·98	0·92	0·61	0·47	3·27	0·38	0·93	0·88	0·63	0·45	5·23	0·39	2·13	1·74	0·19	0·78
All Urban Districts	6·80	0·53	1·77	2·36	1·33	0·81	6·35	0·52	1·61	2·19	1·27	0·76	16·64	0·79	5·19	6·17	2·57	1·93
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)

		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
IV. Developmental and Wasting Diseases (157–9,161 (*a*)&(*b*)) England and Wales ..	M	33·66	27·71	4·10	1·27	0·38	0·21	32·95	27·18	3·96	1·23	0·37	0·20	49·54	39·33	7·17	2·18	0·62	0·23
	F	26·44	21·84	3·05	0·97	0·36	0·23	25·65	21·21	2·90	0·96	0·35	0·24	43·60	35·64	6·13	1·19	0·56	0·08
	P	30·14	24·84	3·59	1·12	0·37	0·22	29·38	24·26	3·44	1·10	0·36	0·22	46·60	37·51	6·65	1·69	0·59	0·16
Greater London		24·62	19·99	3·11	1·02	0·35	0·14	23·37	19·06	2·88	0·95	0·33	0·15	51·28	39·79	8·12	2·57	0·79	—
County Boroughs (excluding Greater London.)		33·11	26·95	4·12	1·34	0·39	0·31	32·37	26·39	3·99	1·31	0·37	0·31	48·88	38·94	6·90	2·10	0·70	0·23
Other Urban Districts (excluding Greater London.)		30·73	25·68	3·53	1·00	0·32	0·19	30·16	25·20	3·44	1·00	0·33	0·18	44·38	37·01	5·72	1·05	0·30	0·30
Rural Districts (excluding Greater London.)		29·73	24·89	3·22	1·02	0·42	0·19	29·19	24·48	3·09	1·02	0·41	0·19	41·10	33·54	6·01	0·97	0·58	—
All Urban Districts		30·23	24·83	3·67	1·15	0·36	0·23	29·43	24·21	3·53	1·11	0·35	0·23	48·00	38·52	6·81	1·88	0·59	0·20
V. Miscellaneous Diseases (remainder) England and Wales ..	M	27·46	7·83	4·95	5·70	4·79	4·20	26·55	7·31	4·82	5·50	4·74	4·18	47·67	19·39	7·79	10·05	5·92	4·52
	F	20·45	5·65	3·66	4·08	3·71	3·35	19·63	5·16	3·53	4·02	3·65	3·28	38·03	16·39	6·29	5·33	5·01	5·01
	P	24·03	6·77	4·32	4·91	4·26	3·78	23·17	6·26	4·19	4·78	4·21	3·74	42·90	17·91	7·05	7·71	5·47	4·76
Greater London		18·22	5·69	3·03	3·91	2·95	2·64	16·93	4·80	2·89	3·71	2·92	2·61	45·73	24·55	6·14	8·32	3·56	3·17
County Boroughs (excluding Greater London.)		29·64	6·92	5·40	6·51	5·67	5·14	28·88	6·59	5·22	6·35	5·61	5·11	45·72	14·03	9·24	9·82	6·90	5·73
Other Urban Districts (excluding Greater London.)		24·03	7·17	4·24	4·75	4·26	3·60	23·26	6·73	4·17	4·65	4·16	3·54	42·12	17·60	5·87	7·07	6·62	4·96
Rural Districts (excluding Greater London.)		20·37	7·00	3·86	3·41	3·20	2·90	19·60	6·46	3·76	3·36	3·19	2·83	36·45	18·22	5·82	4·46	3·49	4·46
All Urban Districts		24·92	6·71	4·43	5·27	4·52	4·00	24·03	6·21	4·29	5·12	4·45	3·96	44·54	17·83	7·36	8·54	5·98	4·84
Measles (7) England and Wales ..	M	0·67	0·01	0·02	0·02	0·22	0·41	0·67	0·01	0·02	0·02	0·23	0·41	0·70	—	—	0·08	0·16	0·47
	F	0·57	0·00	0·03	0·02	0·20	0·32	0·55	0·00	0·03	0·02	0·20	0·30	1·11	—	—	—	0·32	0·80
	P	0·63	0·01	0·02	0·02	0·21	0·36	0·61	0·01	0·02	0·02	0·21	0·35	0·91	—	—	0·04	0·24	0·63
Greater London		0·19	—	0·01	—	0·07	0·11	0·18	—	0·01	—	0·07	0·10	0·40	—	—	—	0·20	0·20
County Boroughs (excluding Greater London.)		1·19	0·01	0·05	0·03	0·38	0·73	1·18	0·01	0·05	0·03	0·38	0·71	1·52	—	—	—	0·35	1·17
Other Urban Districts (excluding Greater London.)		0·56	0·01	0·01	0·02	0·18	0·34	0·54	0·01	0·01	0·02	0·18	0·32	1·20	—	—	0·15	0·30	0·75
Rural Districts (excluding Greater London.)		0·19	—	0·01	0·02	0·12	0·04	0·20	—	0·01	0·02	0·13	0·05	—	—	—	—	—	—
All Urban Districts		0·73	0·01	0·03	0·02	0·24	0·44	0·71	0·01	0·03	0·02	0·23	0·42	1·14	—	—	0·05	0·30	0·79
Whooping cough (9) England and Wales ..	M	1·61	0·06	0·30	0·39	0·39	0·47	1·61	0·06	0·31	0·38	0·41	0·45	1·56	—	0·16	0·62	0·08	0·70
	F	1·88	0·08	0·36	0·43	0·42	0·59	1·88	0·08	0·37	0·42	0·43	0·59	1·67	—	0·16	0·80	0·24	0·48
	P	1·74	0·07	0·33	0·41	0·40	0·53	1·75	0·07	0·34	0·40	0·42	0·52	1·61	—	0·16	0·71	0·16	0·59
Greater London		1·99	0·06	0·30	0·51	0·53	0·59	2·01	0·07	0·32	0·49	0·55	0·59	1·58	—	—	0·79	0·20	0·59
County Boroughs (excluding Greater London.)		1·68	0·07	0·27	0·39	0·41	0·54	1·65	0·07	0·28	0·36	0·43	0·52	2·22	—	0·12	1·05	0·12	0·94
Other Urban Districts (excluding Greater London.)		1·62	0·07	0·31	0·37	0·35	0·51	1·64	0·08	0·31	0·38	0·36	0·52	1·20	—	0·30	0·15	0·30	0·45
Rural Districts (excluding Greater London.)		1·77	0·07	0·49	0·42	0·34	0·46	1·80	0·07	0·50	0·40	0·35	0·47	1·16	—	0·19	0·78	—	0·19
All Urban Districts		1·73	0·07	0·29	0·41	0·42	0·54	1·73	0·07	0·30	0·40	0·43	0·53	1·73	—	0·15	0·69	0·20	0·69

TABLE 14—*continued.*

	All Infants.						Legitimate Infants.						Illegitimate Infants.					
	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.
Diphtheria (10)																		
England and Wales .. .. M	0·13	0·00	0·02	0·01	0·05	0·05	0·12	0·00	0·02	0·01	0·04	0·05	0·31	—	—	—	0·23	0·08
England and Wales .. .. F	0·11	0·01	0·01	0·02	0·05	0·04	0·10	0·01	0·01	0·01	0·04	0·04	0·32	—	—	0·24	0·08	—
England and Wales .. .. P	0·12	0·01	0·01	0·01	0·05	0·04	0·11	0·01	0·01	0·01	0·04	0·04	0·31	—	—	0·12	0·16	0·04
Greater London	0·19	—	0·01	0·04	0·09	0·05	0·16	—	0·01	0·02	0·07	0·06	0·79	—	—	0·40	0·40	—
County Boroughs (excluding Greater London.)	0·13	0·02	0·01	0·01	0·06	0·04	0·13	0·02	0·01	0·01	0·06	0·04	0·12	—	—	—	0·12	—
Other Urban Districts (excluding Greater London.)	0·06	—	0·01	0·01	0·02	0·02	0·05	—	0·01	0·01	0·01	0·02	0·30	—	—	0·15	0·15	—
Rural Districts (excluding Greater London.)	0·12	—	0·03	—	0·03	0·07	0·12	—	0·03	—	0·03	0·06	0·19	—	—	—	—	0·19
All Urban Districts	0·12	0·01	0·01	0·01	0·05	0·04	0·11	0·01	0·01	0·01	0·05	0·04	0·35	—	—	0·15	0·20	—
Influenza (11)																		
England and Wales .. .. M	1·02	0·09	0·22	0·21	0·27	0·24	1·05	0·10	0·22	0·21	0·27	0·24	0·55	—	0·08	0·16	0·16	0·16
England and Wales .. .. F	0·76	0·09	0·11	0·16	0·20	0·19	0·77	0·09	0·12	0·17	0·20	0·20	0·48	0·08	—	—	0·24	0·16
England and Wales .. .. P	0·89	0·09	0·17	0·19	0·23	0·22	0·91	0·09	0·17	0·19	0·24	0·22	0·51	0·04	0·04	0·08	0·20	0·16
Greater London	0·40	0·04	0·04	0·11	0·09	0·12	0·41	0·05	0·05	0·11	0·08	0·12	0·20	—	—	—	0·20	—
County Boroughs (excluding Greater London.)	0·95	0·04	0·18	0·24	0·28	0·21	0·99	0·04	0·19	0·24	0·30	0·22	0·12	—	—	0·12	—	—
Other Urban Districts (excluding Greater London.)	1·07	0·15	0·20	0·21	0·25	0·26	1·07	0·15	0·20	0·22	0·24	0·25	1·05	—	—	—	0·45	0·60
Rural Districts (excluding Greater London.)	1·04	0·13	0·21	0·15	0·27	0·27	1·05	0·13	0·21	0·15	0·28	0·28	0·78	0·19	0·19	0·19	0·19	—
All Urban Districts	0·86	0·08	0·15	0·20	0·22	0·21	0·88	0·08	0·16	0·20	0·23	0·21	0·44	—	—	0·05	0·20	0·20
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)

		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
Tuberculosis of nervous system (24)																			
England and Wales ..	M	0·44	—	0·02	0·11	0·16	0·16	0·46	—	0·02	0·11	0·16	0·17	0·08	—	—	0·08	—	—
	F	0·35	—	0·01	0·07	0·14	0·12	0·34	—	0·01	0·07	0·14	0·12	0·40	—	0·08	0·16	—	0·16
	P	0·39	—	0·02	0·09	0·15	0·14	0·40	—	0·01	0·09	0·15	0·14	0·24	—	0·04	0·12	—	0·08
Greater London		0·40	—	0·01	0·06	0·13	0·20	0·40	—	—	0·07	0·14	0·20	0·40	—	0·20	—	—	0·20
County Boroughs (excluding Greater London.)		0·40	—	0·02	0·10	0·16	0·13	0·41	—	0·02	0·09	0·17	0·13	0·23	—	—	0·23	—	—
Other Urban Districts (excluding Greater London.)		0·40	—	0·01	0·10	0·17	0·12	0·41	—	0·01	0·10	0·18	0·11	0·30	—	—	0·15	—	0·15
Rural Districts (excluding Greater London.)		0·36	—	0·03	0·09	0·10	0·15	0·38	—	0·03	0·09	0·10	0·16	—	—	—	—	—	—
All Urban Districts		0·40	—	0·01	0·09	0·16	0·14	0·41	—	0·01	0·09	0·17	0·14	0·30	—	0·05	0·15	—	0·10
Tuberculosis of intestines and peritoneum (25)																			
England and Wales ..	M	0·18	0·00	0·03	0·05	0·03	0·07	0·18	0·00	0·02	0·05	0·04	0·07	0·23	—	0·08	0·08	—	0·08
	F	0·10	0·00	0·00	0·02	0·04	0·03	0·09	0·00	0·00	0·02	0·03	0·03	0·24	—	—	0·08	0·16	—
	P	0·14	0·00	0·02	0·04	0·04	0·05	0·14	0·00	0·01	0·03	0·03	0·05	0·24	—	0·04	0·08	0·08	0·04
Greater London		0·06	—	—	—	0·03	0·04	0·06	—	—	—	0·02	0·04	0·20	—	—	—	0·20	—
County Boroughs (excluding Greater London.)		0·17	0·01	0·03	0·06	0·03	0·05	0·16	0·01	0·02	0·05	0·03	0·05	0·35	—	0·12	0·23	—	—
Other Urban Districts (excluding Greater London.)		0·16	—	0·01	0·04	0·06	0·05	0·16	—	0·01	0·04	0·05	0·05	0·15	—	—	—	0·15	—
Rural Districts (excluding Greater London.)		0·14	—	0·02	0·03	0·04	0·06	0·14	—	0·02	0·03	0·04	0·06	0·19	—	—	—	—	0·19
All Urban Districts		0·14	0·00	0·01	0·04	0·04	0·04	0·13	0·00	0·01	0·04	0·03	0·05	0·25	—	0·05	0·10	0·10	—
Other tuberculous diseases (23, 26–32)																			
England and Wales ..	M	0·33	0·00	0·02	0·08	0·12	0·10	0·33	0·00	0·02	0·09	0·13	0·10	0·23	—	0·08	—	0·08	0·08
	F	0·26	0·00	0·01	0·08	0·07	0·09	0·25	0·00	0·01	0·09	0·05	0·10	0·40	—	—	—	0·40	—
	P	0·30	0·00	0·02	0·08	0·10	0·09	0·30	0·00	0·02	0·09	0·09	0·10	0·31	—	0·04	—	0·24	0·04
Greater London		0·40	0·01	0·02	0·12	0·12	0·12	0·40	0·01	0·02	0·13	0·12	0·12	0·40	—	—	—	0·20	0·20
County Boroughs (excluding Greater London.)		0·36	—	0·02	0·09	0·16	0·09	0·35	—	0·02	0·10	0·14	0·09	0·58	—	0·12	—	0·47	—
Other Urban Districts (excluding Greater London.)		0·22	0·01	—	0·06	0·05	0·10	0·22	0·01	—	0·06	0·04	0·11	0·15	—	—	—	0·15	—
Rural Districts (excluding Greater London.)		0·19	—	0·04	0·06	0·04	0·06	0·20	—	0·04	0·06	0·04	0·06	—	—	—	—	—	—
All Urban Districts		0·32	0·00	0·01	0·09	0·11	0·10	0·32	0·00	0·01	0·09	0·10	0·11	0·40	—	0·05	—	0·30	0·05
Syphilis (34)																			
England and Wales ..	M	0·43	0·17	0·15	0·08	0·02	0·02	0·37	0·15	0·12	0·07	0·01	0·02	1·87	0·62	0·78	0·31	0·08	0·08
	F	0·36	0·14	0·13	0·06	0·02	—	0·26	0·11	0·10	0·03	0·01	—	2·55	0·88	0·80	0·72	0·16	—
	P	0·40	0·16	0·14	0·07	0·02	0·01	0·32	0·13	0·11	0·05	0·01	0·01	2·20	0·75	0·79	0·51	0·12	0·04
Greater London		0·36	0·13	0·12	0·12	—	—	0·22	0·07	0·07	0·08	—	—	3·37	1·58	0·99	0·79	—	—
County Boroughs (excluding Greater London.)		0·54	0·19	0·23	0·09	0·03	—	0·47	0·18	0·19	0·08	0·02	—	2·22	0·47	1·05	0·35	0·35	—
Other Urban Districts (excluding Greater London.)		0·35	0·15	0·10	0·05	0·03	0·03	0·30	0·13	0·08	0·03	0·03	0·03	1·65	0·45	0·45	0·60	—	0·15
Rural Districts (excluding Greater London.)		0·26	0·15	0·08	0·02	—	0·01	0·19	0·12	0·06	—	—	0·01	1·74	0·78	0·58	0·39	—	—
All Urban Districts		0·43	0·16	0·16	0·08	0·02	0·01	0·35	0·13	0·13	0·06	0·02	0·01	2·32	0·74	0·84	0·54	0·15	0·05

TABLE 14—*continued.*

	All Infants.						Legitimate Infants.						Illegitimate Infants.					
	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.
Meningitis (79)																		
England and Wales .. M	0·51	0·04	0·07	0·13	0·11	0·16	0·52	0·04	0·07	0·14	0·12	0·15	0·39	—	0·16	—	0·08	0·16
England and Wales .. F	0·29	0·01	0·05	0·10	0·07	0·05	0·28	0·01	0·05	0·09	0·07	0·05	0·32	—	0·08	0·16	0·08	—
England and Wales .. P	0·40	0·03	0·06	0·11	0·09	0·10	0·40	0·03	0·06	0·12	0·10	0·10	0·35	—	0·12	0·08	0·08	0·08
Greater London	0·35	0·04	0·10	0·06	0·07	0·08	0·35	0·04	0·09	0·07	0·07	0·08	0·20	—	0·20	—	—	—
County Boroughs (excluding Greater London.)	0·40	0·03	0·06	0·14	0·09	0·08	0·41	0·03	0·05	0·14	0·09	0·09	0·35	—	0·23	0·12	—	—
Other Urban Districts (excluding Greater London.)	0·46	0·02	0·06	0·13	0·12	0·13	0·45	0·02	0·06	0·14	0·11	0·13	0·60	—	—	—	0·30	0·30
Rural Districts (excluding Greater London.)	0·37	0·03	0·04	0·09	0·10	0·12	0·38	0·03	0·05	0·08	0·10	0·12	0·19	—	—	0·19	—	—
All Urban Districts	0·41	0·03	0·07	0·12	0·09	0·10	0·41	0·03	0·06	0·12	0·09	0·10	0·40	—	0·15	0·05	0·10	0·10
Convulsions (86)																		
England and Wales .. M	2·21	1·28	0·33	0·29	0·23	0·09	2·16	1·24	0·32	0·29	0·23	0·08	3·27	2·18	0·39	0·23	0·23	0·23
England and Wales .. F	1·51	0·78	0·30	0·19	0·16	0·08	1·47	0·77	0·28	0·19	0·15	0·08	2·39	0·95	0·64	0·24	0·32	0·24
England and Wales .. P	1·87	1·03	0·31	0·24	0·19	0·09	1·82	1·01	0·30	0·24	0·19	0·08	2·83	1·57	0·51	0·24	0·28	0·24
Greater London	0·52	0·34	0·04	0·07	0·08	—	0·51	0·32	0·04	0·07	0·08	—	0·79	0·79	—	—	—	—
County Boroughs (excluding Greater London.)	2·00	0·98	0·38	0·27	0·22	0·14	1·97	0·98	0·36	0·27	0·22	0·14	2·57	1·05	0·70	0·23	0·35	0·23
Other Urban Districts (excluding Greater London.)	2·47	1·45	0·39	0·34	0·20	0·09	2·40	1·41	0·38	0·33	0·20	0·08	4·21	2·41	0·60	0·60	0·30	0·30
Rural Districts (excluding Greater London.)	2·11	1·21	0·37	0·20	0·24	0·09	2·05	1·17	0·36	0·21	0·23	0·07	3·49	2·13	0·58	—	0·39	0·39
All Urban Districts	1·81	0·99	0·30	0·25	0·18	0·09	1·77	0·97	0·29	0·25	0·18	0·08	2·67	1·43	0·49	0·30	0·25	0·20
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)

		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
Bronchitis (106)																			
England and Wales ..	M	2·83	0·42	0·87	0·75	0·50	0·30	2·77	0·41	0·86	0·73	0·49	0·28	4·13	0·70	0·93	1·25	0·62	0·62
	F	2·27	0·32	0·61	0·59	0·42	0·34	2·21	0·32	0·60	0·56	0·41	0·32	3·58	0·40	0·72	1·11	0·64	0·72
	P	2·56	0·37	0·74	0·67	0·46	0·32	2·50	0·36	0·74	0·65	0·45	0·30	3·86	0·55	0·83	1·18	0·63	0·67
Greater London		1·23	0·19	0·28	0·41	0·20	0·15	1·16	0·19	0·25	0·38	0·21	0·13	2·77	0·20	0·99	0·99	—	0·59
County Boroughs (excluding Greater London.)		3·12	0·41	0·92	0·77	0·54	0·47	3·05	0·41	0·94	0·72	0·54	0·45	4·56	0·58	0·58	1·99	0·70	0·70
Other Urban Districts (excluding Greater London.)		2·98	0·45	0·88	0·81	0·56	0·29	2·93	0·43	0·87	0·82	0·53	0·27	4·36	0·90	1·05	0·60	1·20	0·60
Rural Districts (excluding Greater London.)		2·32	0·37	0·69	0·57	0·42	0·27	2·28	0·37	0·69	0·56	0·42	0·25	3·10	0·39	0·78	0·78	0·39	0·78
All Urban Districts		2·62	0·37	0·75	0·70	0·47	0·33	2·55	0·36	0·75	0·67	0·46	0·31	4·05	0·59	0·84	1·28	0·69	0·64
Pneumonia (107–109)																			
England and Wales ..	M	10·84	0·92	2·11	2·79	2·53	2·48	10·62	0·88	2·04	2·71	2·50	2·49	15·73	1·95	3·50	4·67	3·27	2·34
	F	7·99	0·65	1·55	1·97	1·89	1·93	7·85	0·64	1·51	1·97	1·86	1·87	11·14	0·72	2·55	1·99	2·71	3·18
	P	9·45	0·79	1·84	2·39	2·22	2·21	9·26	0·76	1·78	2·35	2·19	2·19	13·46	1·34	3·03	3·35	2·99	2·76
Greater London		7·16	0·81	1·47	1·93	1·54	1·41	6·95	0·76	1·44	1·87	1·50	1·38	11·68	1·78	2·18	3·17	2·57	1·98
County Boroughs (excluding Greater London.)		13·35	1·04	2·54	3·43	3·17	3·17	13·12	1·01	2·45	3·38	3·14	3·14	18·12	1·75	4·56	4·33	3·74	3·74
Other Urban Districts (excluding Greater London.)		8·69	0·61	1·64	2·14	2·16	2·15	8·50	0·58	1·59	2·08	2·11	2·14	13·09	1·20	2·71	3·61	3·31	2·26
Rural Districts (excluding Greater London.)		6·24	0·60	1·29	1·47	1·39	1·49	6·16	0·61	1·27	1·46	1·37	1·44	7·95	0·39	1·74	1·55	1·74	2·52
All Urban Districts		10·22	0·83	1·97	2·61	2·42	2·39	10·01	0·80	1·91	2·56	2·38	2·37	14·86	1·58	3·36	3·80	3·31	2·81
Other respiratory diseases (104, 105, 110–114)																			
England and Wales ..	M	0·23	0·04	0·06	0·05	0·03	0·03	0·22	0·04	0·07	0·05	0·04	0·03	0·39	0·08	—	0·16	—	0·16
	F	0·19	0·05	0·04	0·05	0·03	0·02	0·20	0·05	0·04	0·05	0·03	0·03	0·16	0·16	—	—	—	—
	P	0·21	0·05	0·05	0·05	0·03	0·03	0·21	0·05	0·05	0·05	0·03	0·03	0·28	0·12	—	0·08	—	0·08
Greater London		0·15	0·04	0·01	0·04	0·04	0·02	0·14	0·03	0·01	0·05	0·05	0·01	0·40	0·20	—	—	—	0·20
County Boroughs (excluding Greater London.)		0·22	0·05	0·05	0·06	0·03	0·04	0·22	0·04	0·05	0·06	0·03	0·04	0·23	0·12	—	—	—	0·12
Other Urban Districts (excluding Greater London.)		0·22	0·06	0·07	0·05	0·02	0·02	0·22	0·06	0·07	0·04	0·02	0·03	0·30	0·15	—	0·15	—	—
Rural Districts (excluding Greater London.)		0·25	0·04	0·07	0·05	0·05	0·03	0·25	0·05	0·07	0·05	0·06	0·03	0·19	—	—	0·19	—	—
All Urban Districts		0·20	0·05	0·04	0·05	0·03	0·03	0·20	0·04	0·05	0·05	0·03	0·03	0·30	0·15	—	0·05	—	0·10
Inflammation of the stomach (118 : 1)																			
England and Wales ..	M	0·34	0·09	0·09	0·12	0·02	0·02	0·32	0·09	0·08	0·10	0·02	0·02	0·78	—	0·23	0·55	—	—
	F	0·31	0·07	0·11	0·07	0·05	0·02	0·30	0·07	0·10	0·07	0·04	0·02	0·48	0·16	0·16	0·08	0·08	—
	P	0·33	0·08	0·10	0·09	0·03	0·02	0·31	0·08	0·09	0·08	0·03	0·02	0·63	0·08	0·20	0·31	0·04	—
Greater London		0·14	0·03	0·05	0·04	0·01	0·01	0·11	0·03	0·03	0·04	0·01	0·01	0·79	—	0·59	0·20	—	—
County Boroughs (excluding Greater London.)		0·40	0·08	0·10	0·15	0·05	0·02	0·39	0·09	0·11	0·13	0·05	0·02	0·58	—	—	0·47	0·12	—
Other Urban Districts (excluding Greater London.)		0·40	0·12	0·12	0·10	0·04	0·03	0·38	0·11	0·11	0·08	0·04	0·03	0·75	0·15	0·15	0·45	—	—
Rural Districts (excluding Greater London.)		0·27	0·07	0·10	0·05	0·03	0·03	0·27	0·06	0·09	0·06	0·03	0·03	0·39	0·19	0·19	—	—	—
All Urban Districts		0·34	0·08	0·10	0·10	0·04	0·02	0·32	0·08	0·09	0·09	0·04	0·02	0·69	0·05	0·20	0·40	0·05	—

TABLE 14—*continued.*

		All Infants.						Legitimate Infants.						Illegitimate Infants.					
		Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.
Diarrhœa and enteritis (119)																			
England and Wales	M	7·25	0·62	2·04	2·35	1·44	0·80	6·79	0·59	1·88	2·18	1·37	0·77	17·29	1·17	5·69	6·15	2·88	1·40
	F	4·96	0·38	1·17	1·80	0·93	0·68	4·67	0·39	1·06	1·68	0·91	0·62	11·30	0·24	3·42	4·38	1·27	1·99
	P	6·13	0·50	1·61	2·08	1·19	0·74	5·75	0·49	1·48	1·94	1·15	0·70	14·33	0·71	4·57	5·27	2·09	1·69
Greater London		8·01	0·48	1·89	3·03	1·69	0·92	7·22	0·46	1·68	2·66	1·58	0·85	24·95	0·99	6·34	10·89	4·16	2·57
County Boroughs (excluding Greater London.)		8·12	0·60	2·12	2·88	1·57	0·95	7·60	0·60	1·92	2·68	1·53	0·87	19·29	0·47	6·43	7·25	2·57	2·57
Other Urban Districts (excluding Greater London.)		4·42	0·50	1·27	1·30	0·79	0·56	4·31	0·47	1·21	1·30	0·77	0·56	6·92	1·05	2·71	1·20	1·35	0·60
Rural Districts (excluding Greater London.)		3·36	0·38	0·98	0·92	0·61	0·47	3·27	0·38	0·93	0·88	0·63	0·45	5·23	0·39	2·13	1·74	0·19	0·78
All Urban Districts		6·80	0·53	1·77	2·36	1·33	0·81	6·35	0·52	1·61	2·19	1·27	0·76	16·64	0·79	5·19	6·17	2·57	1·93
Hernia, intestinal obstruction (122)																			
England and Wales	M	0·80	0·12	0·06	0·26	0·24	0·12	0·81	0·13	0·07	0·26	0·23	0·12	0·62	0·08	—	0·16	0·31	0·08
	F	0·36	0·05	0·02	0·11	0·12	0·06	0·38	0·05	0·02	0·12	0·12	0·07	—	—	—	—	—	—
	P	0·59	0·09	0·04	0·19	0·18	0·09	0·60	0·09	0·05	0·19	0·18	0·09	0·31	0·04	—	0·08	0·16	0·04
Greater London		0·62	0·05	0·06	0·22	0·16	0·12	0·64	0·06	0·07	0·22	0·17	0·13	0·20	—	—	0·20	—	—
County Boroughs (excluding Greater London.)		0·65	0·10	0·05	0·19	0·22	0·08	0·67	0·11	0·05	0·20	0·22	0·09	0·23	—	—	—	0·23	—
Other Urban Districts (excluding Greater London.)		0·57	0·08	0·04	0·18	0·17	0·10	0·57	0·08	0·04	0·18	0·17	0·10	0·60	0·15	—	0·15	0·15	0·15
Rural Districts (excluding Greater London.)		0·46	0·11	0·02	0·14	0·13	0·06	0·47	0·11	0·02	0·15	0·13	0·06	0·19	—	—	—	0·19	—
All Urban Districts		0·62	0·08	0·05	0·20	0·19	0·10	0·63	0·08	0·05	0·20	0·19	0·10	0·35	0·05	—	0·10	0·15	0·05
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)

		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
Congenital malformations (157)																			
England and Wales ..	M	6·47	3·89	1·53	0·62	0·28	0·14	6·51	3·92	1·54	0·63	0·27	0·14	5·61	3·12	1·48	0·47	0·39	0·16
	F	5·28	3·31	1·08	0·50	0·22	0·18	5·29	3·30	1·07	0·51	0·22	0·18	5·17	3·42	1·11	0·32	0·24	0·08
	P	5·89	3·61	1·31	0·56	0·25	0·16	5·91	3·62	1·31	0·57	0·25	0·16	5·39	3·27	1·30	0·39	0·31	0·12
Greater London		5·31	3·19	1·25	0·51	0·22	0·13	5·31	3·17	1·26	0·52	0·22	0·14	5·15	3·56	0·99	0·40	0·20	—
County Boroughs (excluding Greater London.)		6·05	3·56	1·44	0·58	0·27	0·20	6·07	3·57	1·47	0·59	0·26	0·20	5·50	3·39	0·94	0·47	0·47	0·23
Other Urban Districts (excluding Greater London.)		6·14	3·91	1·31	0·54	0·23	0·14	6·16	3·93	1·31	0·55	0·23	0·14	5·72	3·46	1·50	0·30	0·30	0·15
Rural Districts (excluding Greater London.)		5·83	3·67	1·13	0·60	0·28	0·14	5·87	3·73	1·09	0·61	0·29	0·15	5·04	2·52	1·94	0·39	0·19	—
All Urban Districts		5·90	3·59	1·35	0·55	0·24	0·16	5·92	3·60	1·36	0·56	0·24	0·16	5·48	3·46	1·14	0·40	0·35	0·15
Congenital debility (158)																			
England and Wales ..	M	3·65	2·07	0·95	0·47	0·09	0·06	3·51	2·04	0·90	0·44	0·08	0·06	6·62	2·88	2·18	1·25	0·23	0·08
	F	2·57	1·46	0·59	0·35	0·12	0·05	2·44	1·42	0·53	0·33	0·11	0·05	5·25	2·31	1·91	0·72	0·32	—
	P	3·12	1·77	0·78	0·41	0·11	0·05	2·99	1·73	0·72	0·39	0·10	0·05	5·94	2·60	2·05	0·98	0·28	0·04
Greater London		2·23	0·99	0·68	0·41	0·13	0·01	1·91	0·93	0·52	0·34	0·11	0·01	8·91	2·38	4·16	1·78	0·59	—
County Boroughs (excluding Greater London.)		3·30	1·62	0·93	0·54	0·10	0·11	3·20	1·59	0·87	0·53	0·10	0·12	5·38	2·10	2·10	0·94	0·23	—
Other Urban Districts (excluding Greater London.)		3·44	2·21	0·78	0·34	0·08	0·02	3·36	2·17	0·76	0·33	0·08	0·02	5·27	3·01	1·35	0·75	—	0·15
Rural Districts (excluding Greater London.)		3·24	2·18	0·61	0·29	0·12	0·04	3·16	2·13	0·60	0·28	0·11	0·04	4·85	3·10	0·78	0·58	0·39	—
All Urban Districts		3·09	1·67	0·82	0·44	0·10	0·06	2·95	1·64	0·75	0·41	0·10	0·06	6·22	2·47	2·37	1·09	0·25	0·05
Premature Birth (159)																			
England and Wales..	M	20·69	19·00	1·49	0·18	0·01	0·01	20·09	18·49	1·42	0·16	0·01	0·01	33·80	30·30	3·04	0·47	—	—
	F	16·73	15·30	1·30	0·12	0·01	0·01	16·06	14·71	1·21	0·12	0·01	0·01	31·19	27·93	3·10	0·16	—	—
	P	18·75	17·19	1·40	0·15	0·01	0·01	18·12	16·64	1·32	0·14	0·01	0·01	32·51	29·12	3·07	0·31	—	—
Greater London		14·91	13·80	1·01	0·10	—	—	13·97	12·94	0·95	0·08	—	—	34·84	32·07	2·38	0·40	—	—
County Boroughs (excluding Greater London.)		21·23	19·33	1·67	0·22	0·02	—	20·57	18·78	1·57	0·20	0·02	—	35·43	30·99	3·74	0·70	—	—
Other Urban Districts (excluding Greater London.)		18·82	17·30	1·37	0·12	0·01	0·02	18·35	16·87	1·32	0·12	0·01	0·03	30·09	27·53	2·56	—	—	—
Rural Districts (excluding Greater London.)		18·30	16·79	1·36	0·12	0·01	0·01	17·81	16·39	1·27	0·13	0·01	0·01	28·50	25·20	3·30	—	—	—
All Urban Districts		18·86	17·28	1·41	0·15	0·01	0·01	18·20	16·70	1·33	0·14	0·01	0·01	33·53	30·12	3·01	0·40	—	—
Injury at birth (160)																			
England and Wales ..	M	2·74	2·67	0·05	—	0·01	0·01	2·70	2·63	0·05	—	0·01	0·01	3·58	3·50	0·08	—	—	—
	F	1·79	1·74	0·04	—	0·00	0·00	1·74	1·69	0·04	—	0·00	0·00	2·94	2·86	0·08	—	—	—
	P	2·28	2·22	0·04	—	0·01	0·01	2·23	2·17	0·04	—	0·01	0·01	3·27	3·19	0·08	—	—	—
Greater London		2·15	2·05	0·08	—	0·01	0·01	2·09	2·00	0·07	—	0·01	0·01	3·37	3·17	0·20	—	—	—
County Boroughs (excluding Greater London.)		2·35	2·27	0·05	—	0·02	0·01	2·33	2·26	0·05	—	0·02	0·01	2·69	2·57	0·12	—	—	—
Other Urban Districts (excluding Greater London.)		2·34	2·32	0·01	—	—	0·01	2·29	2·28	0·01	—	—	0·01	3·31	3·31	—	—	—	—
Rural Districts (excluding Greater London.)		2·19	2·14	0·05	—	—	—	2·11	2·05	0·06	—	—	—	4·07	4·07	—	—	—	—
All Urban Districts		2·30	2·24	0·04	—	0·01	0·01	2·26	2·20	0·04	—	0·01	0·01	3·06	2·96	0·10	—	—	—

TABLE 14—*continued.*

	All Infants.						Legitimate Infants.						Illegitimate Infants.					
	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.
Atelectasis (161a)																		
England and Wales .. M	2·21	2·15	0·06	—	—	—	2·18	2·13	0·05	—	—	—	2·88	2·49	0·39	—	—	—
England and Wales .. F	1·49	1·45	0·04	—	—	—	1·48	1·43	0·04	—	—	—	1·67	1·67	—	—	—	—
England and Wales .. P	1·86	1·81	0·05	—	—	—	1·84	1·79	0·05	—	—	—	2·28	2·09	0·20	—	—	—
Greater London	1·72	1·62	0·10	—	—	—	1·71	1·63	0·08	—	—	—	1·98	1·58	0·40	—	—	—
County Boroughs (excluding Greater London.)	2·03	1·98	0·05	—	—	—	2·03	1·98	0·05	—	—	—	1·99	1·87	0·12	—	—	—
Other Urban Districts (excluding Greater London.)	1·81	1·78	0·03	—	—	—	1·77	1·75	0·02	—	—	—	2·86	2·56	0·30	—	—	—
Rural Districts (excluding Greater London.)	1·78	1·73	0·04	—	—	—	1·75	1·71	0·05	—	—	—	2·33	2·33	—	—	—	—
All Urban Districts	1·88	1·82	0·06	—	—	—	1·86	1·81	0·05	—	—	—	2·27	2·02	0·25	—	—	—
Icterus neonatorum (161*b*)																		
England and Wales .. M	0·65	0·59	0·06	—	—	—	0·65	0·60	0·06	—	—	—	0·62	0·55	0·08	—	—	—
England and Wales .. F	0·38	0·34	0·04	—	—	—	0·38	0·34	0·04	—	—	—	0·32	0·32	—	—	—	—
England and Wales .. P	0·52	0·47	0·05	—	—	—	0·52	0·47	0·05	—	—	—	0·47	0·43	0·04	—	—	—
Greater London	0·46	0·39	0·07	—	—	—	0·46	0·40	0·07	—	—	—	0·40	0·20	0·20	—	—	—
County Boroughs (excluding Greater London.)	0·50	0·47	0·03	—	—	—	0·50	0·47	0·03	—	—	—	0·58	0·58	—	—	—	—
Other Urban Districts (excluding Greater London.)	0·53	0·49	0·04	—	—	—	0·53	0·49	0·04	—	—	—	0·45	0·45	—	—	—	—
Rural Districts (excluding Greater London.)	0·58	0·51	0·07	—	—	—	0·59	0·52	0·07	—	—	—	0·39	0·39	—	—	—	—
All Urban Districts	0·50	0·46	0·04	—	—	—	0·50	0·46	0·04	—	—	—	0·49	0·44	0·05	—	—	—
	(*1*)	(*2*)	(*3*)	(*4*)	(*5*)	(*6*)	(*7*)	(*8*)	(*9*)	(*10*)	(*11*)	(*12*)	(*13*)	(*14*)	(*15*)	(*16*)	(*17*)	(*18*)

		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
Diseases of the umbilicus (161*c* : 1)																			
England and Wales ..	M	0·14	0·13	0·02	—	—	—	0·14	0·13	0·02	—	—	—	0·16	0·16	—	—	—	—
	F	0·09	0·07	0·02	—	—	—	0·09	0·07	0·02	—	—	—	0·16	0·16	—	—	—	—
	P	0·12	0·10	0·02	—	—	—	0·12	0·10	0·02	—	—	—	0·16	0·16	—	—	—	—
Greater London		0·14	0·12	0·02	—	—	—	0·15	0·13	0·02	—	—	—	—	—	—	—	—	—
County Boroughs (excluding Greater London.)		0·09	0·08	0·02	—	—	—	0·09	0·08	0·02	—	—	—	0·12	0·12	—	—	—	—
Other Urban Districts (excluding Greater London.)		0·13	0·11	0·02	—	—	—	0·11	0·10	0·02	—	—	—	0·45	0·45	—	—	—	—
Rural Districts (excluding Greater London.)		0·12	0·11	0·02	—	—	—	0·13	0·11	0·02	—	—	—	—	—	—	—	—	—
All Urban Districts		0·12	0·10	0·02	—	—	—	0·11	0·10	0·02	—	—	—	0·20	0·20	—	—	—	—
Pemphigus neonatorum and other diseases under 161*c* (161*c* : 2 and 3)																			
England and Wales ..	M	0·54	0·49	0·05	—	—	—	0·53	0·48	0·05	—	—	—	0·70	0·62	0·08	—	—	—
	F	0·61	0·58	0·03	—	—	—	0·61	0·58	0·03	—	—	—	0·72	0·64	0·08	—	—	—
	P	0·57	0·53	0·04	—	—	—	0·57	0·53	0·04	—	—	—	0·71	0·63	0·08	—	—	—
Greater London		0·47	0·43	0·04	—	—	—	0·46	0·43	0·04	—	—	—	0·59	0·59	—	—	—	—
County Boroughs (excluding Greater London.)		0·49	0·44	0·04	—	—	—	0·48	0·44	0·04	—	—	—	0·58	0·58	—	—	—	—
Other Urban Districts (excluding Greater London.)		0·61	0·57	0·04	—	—	—	0·61	0·57	0·03	—	—	—	0·75	0·60	0·15	—	—	—
Rural Districts (excluding Greater London.)		0·77	0·73	0·04	—	—	—	0·76	0·72	0·04	—	—	—	0·97	0·78	0·19	—	—	—
All Urban Districts		0·53	0·49	0·04	—	—	—	0·52	0·48	0·04	—	—	—	0·64	0·59	0·05	—	—	—
Suffocation—in bed or not stated how (182 pt.)																			
England and Wales ..	M	0·53	0·20	0·14	0·14	0·04	0·01	0·51	0·20	0·13	0·13	0·04	0·01	0·93	0·23	0·23	0·31	0·08	0·08
	F	0·34	0·12	0·10	0·08	0·04	0·00	0·32	0·11	0·09	0·08	0·04	—	0·80	0·32	0·24	0·08	0·08	0·08
	P	0·44	0·16	0·12	0·11	0·04	0·01	0·42	0·16	0·11	0·11	0·04	0·01	0·87	0·28	0·24	0·20	0·08	0·08
Greater London		0·37	0·05	0·12	0·12	0·08	0·01	0·37	0·06	0·11	0·11	0·08	0·01	0·40	—	0·20	0·20	—	—
County Boroughs (excluding Greater London.)		0·41	0·18	0·08	0·10	0·03	0·01	0·40	0·18	0·08	0·10	0·03	0·01	0·70	0·23	0·23	0·23	—	—
Other Urban Districts (excluding Greater London.)		0·54	0·21	0·13	0·17	0·04	0·01	0·52	0·20	0·13	0·17	0·03	—	1·05	0·45	0·15	0·15	0·15	0·15
Rural Districts (excluding Greater London.)		0·40	0·17	0·16	0·04	0·02	0·01	0·35	0·16	0·15	0·04	0·01	—	1·36	0·39	0·39	0·19	0·19	0·19
All Urban Districts		0·45	0·16	0·11	0·13	0·04	0·01	0·44	0·16	0·10	0·13	0·04	0·01	0·74	0·25	0·20	0·20	0·05	0·05
Other causes																			
England and Wales ..	M	4·37	1·16	0·75	0·88	0·84	0·74	3·91	0·79	0·72	0·82	0·83	0·74	14·64	9·27	1·32	2·26	1·17	0·62
	F	3·60	0·97	0·55	0·70	0·72	0·66	3·20	0·60	0·53	0·69	0·72	0·66	12·33	9·07	0·95	0·95	0·72	0·64
	P	3·99	1·07	0·65	0·79	0·78	0·70	3·56	0·70	0·63	0·76	0·77	0·70	13·50	9·17	1·14	1·61	0·94	0·63
Greater London		4·25	1·37	0·61	0·81	0·74	0·73	3·46	0·67	0·60	0·72	0·72	0·74	21·18	16·23	0·79	2·77	0·99	0·40
County Boroughs (excluding Greater London.)		4·70	1·01	0·70	1·07	0·99	0·94	4·33	0·75	0·65	1·03	0·97	0·94	12·63	6·55	1·75	1·99	1·40	0·94
Other Urban Districts (excluding Greater London.)		3·27	0·88	0·58	0·58	0·72	0·51	2·99	0·61	0·58	0·57	0·72	0·51	9·93	7·37	0·60	0·75	0·75	0·45
Rural Districts (excluding Greater London.)		3·59	1·14	0·71	0·62	0·57	0·56	3·19	0·77	0·69	0·60	0·57	0·56	12·02	8·92	1·16	0·97	0·39	0·58
All Urban Districts		4·09	1·05	0·64	0·84	0·83	0·74	3·65	0·68	0·61	0·79	0·82	0·74	13·88	9·23	1·14	1·78	1·09	0·64

TABLE 15. INFANT MORTALITY FROM CERTAIN CAUSES, 1933. (Deaths under 1 year and various sub-divisions of the first year per 1,000 live births.) — England and Wales, Geographical Regions. (See note on first page of Table 17.)

Area.	All Causes.						I.—Common Infectious Diseases (6–10, 44 : 4).						II.—Tuberculous Diseases (23–32).					
	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.
England and Wales	63·68	32·20	9·93	8·77	6·80	5·98	2·55	0·08	0·37	0·45	0·70	0·95	0·83	0·01	0·05	0·21	0·28	0·28
South East ..	51·41	26·68	7·71	7·39	5·23	4·41	2·24	0·07	0·31	0·50	0·65	0·71	0·74	0·01	0·03	0·16	0·23	0·32
Greater London	54·17	26·23	8·39	8·69	6·05	4·82	2·47	0·06	0·32	0·55	0·77	0·76	0·86	0·01	0·03	0·19	0·28	0·35
Remainder of South East ..	47·19	27·36	6·68	5·40	3·97	3·78	1·90	0·08	0·28	0·43	0·47	0·62	0·56	—	0·03	0·12	0·15	0·26
North	75·86	36·17	12·02	11·33	8·64	7·70	2·76	0·08	0·32	0·42	0·79	1·15	0·91	—	0·06	0·24	0·33	0·29
North I ..	79·37	38·29	11·04	12·74	9·64	7·66	2·60	0·15	0·23	0·39	0·67	1·16	1·01	—	0·08	0·23	0·41	0·28
North II ..	70·39	33·96	11·98	9·52	8·26	6·67	2·71	0·05	0·43	0·29	1·01	0·92	1·40	—	0·10	0·58	0·34	0·39
North III ..	71·85	35·04	11·44	10·85	7·72	6·81	2·06	0·06	0·28	0·48	0·51	0·73	0·81	—	0·06	0·24	0·26	0·24
North IV ..	77·85	36·40	12·79	11·41	8·81	8·46	3·23	0·06	0·36	0·43	0·94	1·45	0·81	—	0·03	0·16	0·33	0·29
Midland	65·21	33·47	10·32	7·97	7·03	6·41	2·47	0·10	0·37	0·36	0·62	1·03	0·85	0·02	0·04	0·26	0·29	0·24
Midland I ..	65·74	34·00	10·41	8·08	7·14	6·11	2·28	0·10	0·32	0·35	0·62	0·88	0·79	0·03	0·04	0·23	0·31	0·18
Midland II ..	64·17	32·43	10·14	7·77	6·83	7·00	2·86	0·09	0·46	0·37	0·63	1·31	0·97	—	0·03	0·31	0·26	0·37
East	52·33	30·13	7·34	5·63	4·92	4·31	1·93	0·04	0·42	0·49	0·38	0·60	0·83	—	0·08	0·19	0·26	0·30
South West ..	49·48	29·71	7·44	4·79	4·14	3·41	2·25	0·18	0·58	0·40	0·51	0·58	0·83	0·04	0·15	0·18	0·15	0·33
Wales	74·22	38·20	12·40	9·54	7·51	6·57	3·75	0·05	0·66	0·66	1·01	1·37	0·79	—	0·05	0·23	0·33	0·18
Wales I ..	77·88	39·29	12·94	10·03	8·35	7·26	4·09	0·07	0·64	0·68	1·15	1·55	0·78	—	0·03	0·20	0·41	0·14
Wales II ..	63·19	34·90	10·79	8·04	4·99	4·48	2·75	—	0·71	0·61	0·61	0·81	0·81	—	0·10	0·31	0·10	0·31

	III.—Diarrhœa and Enteritis (119).						IV.—Developmental and Wasting Diseases (157–9, 161a & b).						V.—Miscellaneous Diseases (Remainder).					
England and Wales	6·13	0·50	1·61	2·08	1·19	0·74	30·14	24·84	3·59	1·12	0·37	0·22	24·03	6·77	4·32	4·91	4·26	3·73
South East ..	5·87	0·40	1·42	2·14	1·22	0·69	24·76	20·37	2·98	0·94	0·33	0·13	17·81	5·82	2·98	3·64	2·80	2·51
Greater London	8·01	0·48	1·89	3·03	1·69	0·92	24·62	19·99	3·11	1·02	0·35	0·14	18·22	5·69	3·03	3·91	2·95	2·66
Remainder of South East ..	2·59	0·28	0·70	0·79	0·49	0·33	24·96	20·96	2·78	0·83	0·28	0·11	17·19	6·03	2·89	3·23	2·58	2·44
North	7·97	0·64	2·09	2·80	1·48	0·95	33·97	27·83	4·14	1·37	0·39	0·24	30·26	7·62	5·41	6·50	5·66	5·01
North I ..	10·70	1·03	2·45	3·66	2·32	1·24	34·71	29·06	3·61	1·37	0·39	0·28	30·35	8·05	4·67	7·09	5·85	4·66
North II ..	7·34	0·68	1·74	2·75	1·45	0·72	32·03	26·33	4·01	1·11	0·43	0·14	26·91	6·91	5·70	4·78	5·02	4·43
North III ..	6·67	0·61	1·82	2·16	1·19	0·89	32·69	26·73	3·94	1·43	0·36	0·22	29·62	7·64	5·33	6·53	5·39	4·74
North IV ..	7·64	0·49	2·17	2·79	1·28	0·92	34·81	28·26	4·51	1·39	0·40	0·25	31·36	7·60	5·71	6·64	5·87	5·52
Midland	5·65	0·51	1·59	1·72	1·15	0·67	31·64	26·20	3·75	1·07	0·34	0·28	24·58	6·64	4·57	4·56	4·63	4·18
Midland I ..	5·98	0·57	1·60	1·87	1·22	0·72	32·21	26·61	3·88	1·12	0·34	0·26	24·47	6·68	4·57	4·49	4·66	4·07
Midland II ..	5·00	0·40	1·57	1·43	1·03	0·57	30·54	25·40	3·51	0·97	0·34	0·31	24·80	6·54	4·57	4·69	4·57	4·43
East	2·38	0·15	0·68	0·72	0·49	0·34	29·87	25·07	3·10	1·02	0·42	0·26	17·32	4·88	3·06	3·21	3·37	2·85
South West ..	1·92	0·22	0·76	0·44	0·25	0·25	27·39	22·78	2·90	0·98	0·40	0·33	17·09	6·49	3·05	2·79	2·83	1·93
Wales	4·90	0·68	1·42	1·22	0·84	0·74	34·55	28·71	4·03	1·04	0·48	0·28	30·24	8·75	6·24	6·39	4·84	4·09
Wales I ..	5·27	0·74	1·42	1·32	0·95	0·84	35·95	29·83	4·22	1·18	0·44	0·27	31·79	8·65	6·62	6·66	5·41	4·44
Wales II ..	3·77	0·51	1·42	0·92	0·51	0·41	30·32	25·34	3·46	0·61	0·61	0·31	25·54	9·06	5·09	5·60	3·15	2·66

	Measles (7).						Whooping cough (9).						Syphilis (34).					
England and Wales	0·63	0·01	0·02	0·02	0·21	0·36	1·74	0·07	0·33	0·41	0·40	0·53	0·40	0·16	0·14	0·07	0·02	0·04
South East ..	0·17	—	0·01	0·01	0·06	0·09	1·86	0·07	0·28	0·46	0·48	0·56	0·33	0·12	0·11	0·07	0·01	0·04
Greater London	0·19	—	0·01	—	0·07	0·11	1·99	0·06	0·30	0·51	0·53	0·59	0·36	0·13	0·12	0·12	—	—
Remainder of South East ..	0·14	—	—	0·01	0·05	0·07	1·65	0·08	0·26	0·39	0·41	0·52	0·27	0·11	0·11	—	0·01	0·04
North	0·94	0·01	0·04	0·05	0·32	0·53	1·66	0·06	0·28	0·36	0·39	0·57	0·47	0·18	0·16	0·09	0·03	0·04
North I ..	0·98	0·05	0·05	0·03	0·31	0·54	1·47	0·10	0·18	0·36	0·28	0·54	0·67	0·18	0·23	0·15	0·10	—
North II ..	0·58	—	0·05	—	0·14	0·39	1·84	0·05	0·34	0·29	0·68	0·48	0·24	0·14	0·10	—	—	—
North III ..	0·46	—	0·04	0·04	0·16	0·22	1·45	0·04	0·22	0·40	0·30	0·48	0·48	0·20	0·20	0·04	—	0·04
North IV ..	1·28	—	0·02	0·07	0·45	0·73	1·82	0·05	0·34	0·36	0·42	0·66	0·42	0·17	0·12	0·10	0·02	—
Midland	0·84	0·01	0·03	0·01	0·25	0·54	1·46	0·08	0·34	0·32	0·32	0·40	0·49	0·22	0·18	0·05	0·03	—
Midland I ..	0·73	—	0·03	—	0·23	0·47	1·37	0·10	0·29	0·32	0·34	0·31	0·47	0·19	0·22	0·04	0·01	—
Midland II ..	1·06	0·03	0·03	0·03	0·29	0·69	1·63	0·03	0·43	0·31	0·29	0·57	0·51	0·29	0·11	0·06	0·06	—
East	0·19	—	—	—	0·04	0·15	1·47	0·04	0·38	0·45	0·23	0·38	0·34	0·15	0·11	0·08	—	—
South West ..	0·36	—	0·04	0·04	0·15	0·15	1·85	0·18	0·51	0·36	0·36	0·44	0·29	0·07	0·15	0·07	—	—
Wales	1·12	—	0·03	—	0·46	0·63	2·44	0·05	0·61	0·66	0·48	0·63	0·30	0·13	0·08	0·05	0·03	0·04
Wales I ..	1·28	—	0·03	—	0·51	0·74	2·57	0·07	0·57	0·68	0·57	0·68	0·37	0·17	0·07	0·07	0·03	0·04
Wales II ..	0·61	—	—	—	0·31	0·31	2·04	—	0·71	0·61	0·20	0·51	0·10	—	0·10	—	—	—

TABLE 15—*continued.*

Area.	Meningitis (79).						Convulsions (86).						Bronchitis (106).					
	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.
England and Wales	0·40	0·03	0·06	0·11	0·09	0·10	1·87	1·03	0·31	0·24	0·19	0·09	2·56	0·37	0·74	0·67	0·46	0·32
South East ..	0·33	0·03	0·09	0·08	0·06	0·08	0·70	0·41	0·09	0·11	0·08	0·02	1·24	0·19	0·34	0·33	0·24	0·14
Greater London	0·35	0·04	0·10	0·06	0·07	0·08	0·52	0·34	0·04	0·07	0·08	—	1·23	0·19	0·28	0·41	0·20	0·15
Remainder of South East ..	0·31	0·01	0·07	0·11	0·05	0·07	0·98	0·52	0·18	0·16	0·08	0·04	1·25	0·19	0·43	0·22	0·28	0·12
North	0·46	0·03	0·05	0·16	0·12	0·10	2·52	1·34	0·44	0·37	0·24	0·12	3·54	0·51	0·99	0·94	0·61	0·49
North I ..	0·62	0·03	0·03	0·15	0·21	0·21	3·71	1·88	0·57	0·80	0·39	0·08	4·51	0·70	0·93	1·37	0·64	0·88
North II ..	0·24	—	—	—	0·14	0·10	2·80	1·69	0·39	0·39	0·29	0·05	2·75	0·29	0·87	0·72	0·48	0·39
North III ..	0·53	0·04	0·08	0·22	0·08	0·10	2·10	1·23	0·28	0·26	0·16	0·16	3·11	0·46	0·93	0·89	0·46	0·36
North IV ..	0·40	0·03	0·05	0·16	0·10	0·06	2·16	1·09	0·49	0·25	0·20	0·14	3·53	0·50	1·07	0·84	0·70	0·42
Midland	0·45	0·03	0·08	0·10	0·12	0·13	1·94	1·10	0·28	0·16	0·29	0·11	2·80	0·44	0·81	0·65	0·52	0·39
Midland I ..	0·57	0·04	0·09	0·12	0·18	0·15	1·64	0·90	0·22	0·13	0·29	0·10	2·67	0·35	0·81	0·65	0·44	0·43
Midland II ..	0·20	—	0·06	0·06	—	0·09	2·51	1·49	0·40	0·23	0·29	0·11	3·06	0·60	0·80	0·66	0·69	0·31
East	0·23	0·04	0·04	0·11	0·04	—	1·21	0·68	0·26	0·11	0·11	0·04	1·74	0·42	0·34	0·49	0·30	0·19
South West ..	0·44	0·04	0·07	0·15	0·11	0·07	1·31	0·76	0·11	0·07	0·18	0·18	1·85	0·29	0·47	0·54	0·44	0·11
Wales	0·43	—	—	0·08	0·08	0·28	4·77	2·71	0·99	0·58	0·30	0·18	4·31	0·43	1·67	1·19	0·68	0·33
Wales I ..	0·47	—	—	0·07	0·10	0·30	4·83	2·67	0·98	0·61	0·37	0·20	4·90	0·54	1·82	1·35	0·78	0·41
Wales II ..	0·31	—	—	0·10	—	0·20	4·58	2·85	1·02	0·51	0·10	0·10	2·54	0·10	1·22	0·71	0·41	0·10

Area.	Pneumonia (107–109).						Congenital malformations (157).						Congenital debility (158).					
	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.
England and Wales	9·45	0·79	1·84	2·39	2·22	2·21	5·89	3·61	1·31	0·56	0·25	0·16	3·12	1·77	0·78	0·41	0·11	0·05
South East ..	6·63	0·74	1·34	1·76	1·41	1·39	5·20	3·22	1·17	0·48	0·21	0·10	2·41	1·25	0·68	0·34	0·11	0·02
Greater London	7·16	0·81	1·47	1·93	1·54	1·41	5·31	3·19	1·25	0·51	0·22	0·13	2·23	0·99	0·68	0·41	0·13	0·01
Remainder of South East ..	5·82	0·64	1·13	1·50	1·19	1·36	5·03	3·28	1·06	0·43	0·20	0·05	2·68	1·65	0·66	0·24	0·08	0·04
North	12·52	0·91	2·29	3·20	3·11	3·01	6·24	3·80	1·40	0·62	0·26	0·16	3·72	2·03	0·97	0·54	0·11	0·07
North I ..	10·21	0·67	1·60	3·04	2·73	2·17	5·85	3·61	1·21	0·67	0·21	0·15	4·23	2·76	0·77	0·44	0·18	0·08
North II ..	11·35	0·68	2·66	2·37	2·85	2·80	5·80	3·77	1·35	0·34	0·24	0·10	3·91	1·98	1·16	0·58	0·14	0·05
North III ..	12·22	1·17	2·06	3·15	3·07	2·77	6·43	3·54	1·56	0·93	0·24	0·16	2·83	1·70	0·59	0·38	0·10	0·06
North IV ..	13·97	0·92	2·63	3·49	3·37	3·56	6·41	4·04	1·40	0·50	0·31	0·17	3·95	1·91	1·23	0·66	0·08	0·07
Midland	10·20	0·81	2·10	2·28	2·43	2·59	6·06	3·70	1·41	0·52	0·23	0·20	3·20	1·99	0·65	0·39	0·10	0·08
Midland I ..	10·22	1·01	2·09	2·23	2·44	2·45	6·21	3·73	1·53	0·56	0·23	0·16	2·95	1·70	0·65	0·40	0·10	0·10
Midland II ..	10·14	0·40	2·11	2·37	2·40	2·86	5·77	3·63	1·17	0·46	0·23	0·29	3·69	2·54	0·66	0·37	0·09	0·03
East	6·39	0·42	1·29	1·66	1·36	1·66	5·63	3·21	1·25	0·68	0·26	0·23	3·14	2·00	0·76	0·23	0·11	0·04
South West ..	5·19	0·62	1·38	1·09	1·12	0·98	5·77	3·52	0·98	0·62	0·33	0·33	2·79	1·71	0·73	0·33	0·04	—
Wales	10·48	0·74	1·95	3·02	2·41	2·36	7·18	4·54	1·52	0·61	0·36	0·15	3·48	2·23	0·66	0·36	0·13	0·10
Wales I ..	11·45	0·84	2·20	3·11	2·77	2·53	7·70	4·97	1·66	0·64	0·30	0·14	3·58	2·23	0·64	0·44	0·14	0·14
Wales II ..	7·53	0·41	1·22	2·75	1·32	1·83	5·60	3·26	1·12	0·51	0·51	0·20	3·15	2·24	0·71	0·10	0·10	—

Area.	Premature birth (159).						Injury at birth (160).						Suffocation—in bed or not stated how (182 pt.).					
	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.
England and Wales	18·75	17·19	1·40	0·15	0·01	0·01	2·28	2·22	0·04	—	0·01	0·01	0·44	0·16	0·12	0·11	0·04	0·01
South East ..	14·96	13·84	1·00	0·12	—	0·01	2·21	2·13	0·06	—	0·01	0·01	0·46	0·13	0·12	0·13	0·07	0·01
Greater London	14·91	13·80	1·01	0·10	—	—	2·15	2·05	0·08	—	0·01	0·01	0·37	0·05	0·12	0·12	0·08	0·01
Remainder of South East ..	15·04	13·90	0·98	0·15	—	0·01	2·30	2·26	0·03	—	0·01	—	0·58	0·24	0·12	0·16	0·05	—
North	21·34	19·42	1·68	0·21	0·02	0·02	2·44	2·37	0·06	—	0·02	0·01	0·42	0·17	0·10	0·13	0·02	0·01
North I ..	22·41	20·60	1·50	0·26	—	0·05	2·30	2·22	0·05	—	0·03	—	0·28	0·15	0·10	0·03	—	—
North II ..	19·86	18·17	1·45	0·19	0·05	—	2·71	2·61	0·10	—	—	—	0·53	0·14	0·14	0·14	0·10	—
North III ..	20·91	19·07	1·70	0·12	0·02	—	2·28	2·18	0·08	—	0·02	—	0·61	0·36	0·08	0·14	0·02	—
North IV ..	21·46	19·40	1·80	0·24	0·01	0·01	2·53	2·48	0·03	—	0·01	0·01	0·35	0·08	0·09	0·16	0·01	0·01
Midland	20·11	18·35	1·59	0·16	0·01	—	2·19	2·14	0·04	—	—	0·01	0·41	0·14	0·15	0·08	0·03	0·02
Midland I ..	20·71	18·95	1·60	0·16	—	—	2·29	2·23	0·04	—	—	0·01	0·41	0·12	0·16	0·09	0·03	0·01
Midland II ..	18·94	17·20	1·57	0·14	0·03	—	2·00	1·97	0·03	—	—	—	0·40	0·17	0·11	0·06	0·03	0·03
East	19·13	17·96	1·02	0·11	0·04	—	1·29	1·29	—	—	—	—	0·34	0·19	0·11	—	0·04	—
South West ..	16·14	14·91	1·16	0·04	0·04	—	2·47	2·47	—	—	—	—	0·54	0·25	0·15	0·11	—	0·04
Wales	21·79	19·89	1·80	0·08	—	0·03	2·51	2·51	—	—	—	—	0·53	0·25	0·13	0·10	0·05	—
Wales I ..	22·60	20·64	1·86	0·10	—	—	2·33	2·33	—	—	—	—	0·47	0·27	0·14	0·03	0·03	—
Wales II ..	19·33	17·60	1·63	—	—	0·10	3·05	3·05	—	—	—	—	0·71	0·20	0·10	0·31	0·10	—

TABLE 16.—INFANT MORTALITY (ALL INFANTS AND ILLEGITIMATE INFANTS). NUMBERS AND DEATH-RATES PER 1,000 LIVE BIRTHS, 1933.

England and Wales, Geographical Regions.*
London and Metropolitan Boroughs, County Boroughs.
Aggregates of Urban and of Rural Districts in each Administrative County.

ALL INFANTS. DEATHS. Under 1 day.	1–7 days.	1–4 weeks.	4 weeks to 3 months.	3–6 months.	6–9 months.	9–12 months.	Total under 1 year.	Deaths per 1,000 Live Births. Under 4 weeks.	Total under 1 year.	Area.	ILLEGITIMATE INFANTS. Deaths per 1,000 Live Births. Under 4 weeks.	Total under 1 year.	DEATHS. Under 1 day.	1–7 days.	1–4 weeks.	4 weeks to 3 months.	3–6 months.	6–9 months.	9–12 months.	Total under 1 year.
6431	6873	5384	5763	5093	3946	3470	36960	32	64	England and Wales..	56	107	601	421	404	471	400	230	204	2731
1812	1772	1390	1438	1377	975	822	9586	27	51	SOUTH-EAST ..	58	107	232	123	138	155	142	74	47	911
1105	1016	835	945	979	682	543	6105	26	54	Greater London ..	65	126	163	76	91	105	116	50	35	636
707	756	555	493	398	293	279	3481	27	47	Remainder of S.E.	47	79	69	47	47	50	26	24	12	275
615	634	511	466	385	283	243	3137	27	48	Midland Section ..	60	103	59	38	42	36	37	13	14	239
1197	1138	879	972	992	692	579	6449	27	53	Southern Section..	57	108	173	85	96	119	105	61	33	672
2390	2630	2122	2373	2237	1706	1520	14978	36	76	NORTH	56	120	184	147	142	196	167	94	85	1015
483	557	445	428	494	374	297	3078	38	79	North I	47	103	29	21	24	28	36	14	9	161
241	251	211	248	197	171	138	1457	34	70	North II	54	103	21	17	25	28	9	10	9	119
546	679	509	566	537	382	337	3556	35	72	North III	61	128	44	46	40	50	51	22	19	272
1120	1143	957	1131	1009	779	748	6887	36	78	North IV	57	127	90	63	53	90	71	48	48	463
1198	1245	1007	1064	822	725	661	6722	33	65	MIDLAND	60	108	95	76	66	81	49	29	34	430
839	823	653	709	550	486	416	4476	34	66	Midland I ..	61	108	66	51	40	50	32	18	21	278
359	422	354	355	272	239	245	2246	32	64	Midland II ..	57	108	29	25	26	31	17	11	13	152
250	326	221	194	149	130	114	1384	30	52	EAST	37	65	24	22	9	9	9	10	13	96
269	338	212	205	132	114	94	1364	30	49	SOUTH-WEST ..	49	85	30	11	20	12	12	7	14	106
512	562	432	489	376	296	259	2926	38	74	WALES	63	101	36	42	29	18	21	16	11	173
391	419	353	383	297	247	215	2305	39	78	Wales I	68	112	23	29	22	12	16	12	7	121
121	143	79	106	79	49	44	621	35	63	Wales II	53	83	13	13	7	6	5	4	4	52
										Summary of Areas Outside Greater London.										
2243	2411	1953	2301	2183	1689	1527	14307	35	75	County Boroughs ..	53	119	185	141	131	196	177	96	91	1017
1890	2009	1571	1538	1258	1022	900	10188	33	62	Other Urban Districts	56	97	139	122	109	97	66	62	48	643
1193	1437	1025	979	673	553	500	6360	32	56	Rural Districts ..	52	84	114	82	73	73	41	22	30	435
595	494	368	534	635	419	332	3377	26	60	LONDON Ad. Co...	63	127	103	45	51	71	75	34	19	398
2	—	—	1	—	1	1	5	26	66	City of London ..	143	143	1	—	—	—	—	—	—	1
—	—	—	—	—	—	—	—	—	—	Inner and Middle Temples.	—	—	—	—	—	—	—	—	—	—
20	12	13	14	25	18	10	112	20	49	Battersea	30	69	2	—	1	2	2	—	—	7
14	22	6	11	12	17	11	93	28	62	Bermondsey	30	91	1	—	—	1	—	—	1	3
10	8	9	19	25	19	9	99	18	66	Bethnal Green ..	45	136	—	1	1	1	1	1	1	6
27	20	20	31	27	17	18	160	21	49	Camberwell	51	101	3	1	1	—	2	3	—	10
7	7	3	10	5	10	7	49	27	78	Chelsea	83	333	1	2	1	5	3	4	—	16
16	9	14	14	11	14	4	82	26	54	Deptford	78	118	—	2	2	—	2	—	—	6
13	5	4	6	10	6	8	52	22	51	Finsbury	71	107	3	—	1	—	2	—	—	6
22	22	13	20	30	8	11	126	29	65	Fulham	76	159	6	2	2	5	6	—	—	21
22	9	6	11	21	11	9	89	28	66	Greenwich	106	128	4	1	—	—	—	1	—	6
33	27	17	23	19	16	17	152	26	51	Hackney	57	94	3	1	2	2	1	1	—	10
16	17	17	19	22	20	8	119	27	65	Hammersmith ..	83	165	3	3	4	5	—	4	1	20
6	6	4	4	5	3	5	33	19	38	Hampstead	45	114	2	1	1	2	3	1	—	10
4	5	2	5	6	1	1	24	32	70	Holborn	111	130	2	3	1	—	1	—	—	7
45	44	41	52	36	40	31	289	28	63	Islington	71	124	6	4	6	6	4	—	2	28
30	18	20	21	26	20	22	157	31	73	Kensington	50	114	3	3	4	5	2	3	3	23
52	33	20	46	44	30	24	249	27	63	Lambeth	50	121	7	3	2	4	10	2	1	29
14	26	10	26	16	8	7	107	19	40	Lewisham	11	84	—	—	1	4	2	—	1	8
24	25	14	25	40	19	16	163	33	86	Paddington	69	163	11	3	3	8	12	2	1	40
31	24	13	22	14	12	9	125	30	54	Poplar	102	119	5	—	1	—	—	1	—	7
9	7	3	8	12	9	3	51	21	56	St. Marylebone ..	26	61	2	1	—	1	1	2	—	7
25	26	18	19	36	12	15	151	27	58	St. Pancras	73	99	8	6	3	3	2	—	1	23
13	14	9	10	34	20	10	110	24	74	Shoreditch	59	196	3	—	—	1	4	2	—	10
25	20	10	15	34	23	20	147	24	63	Southwark	81	162	4	2	3	2	2	3	2	18
30	23	23	31	55	27	25	214	23	64	Stepney	92	183	5	2	4	3	6	1	1	22
5	3	5	5	5	4	3	30	20	46	Stoke Newington ..	61	91	—	—	2	—	—	—	1	3
33	35	32	34	29	19	16	198	26	51	Wandsworth.. ..	42	93	4	1	4	5	2	1	3	20
16	11	6	11	14	13	4	75	30	67	Westminster.. ..	77	126	8	3	—	4	2	1	—	18
31	16	16	21	22	2	8	116	34	62	Woolwich	103	191	6	—	1	2	3	1	—	13

* The counties included in the several Geographical Regions are shown on the first page of Table 17.

TABLE 16—*continued.*

All Infants. Deaths. Under 1 day.	1–7 days.	1–4 weeks.	4 weeks to 3 months.	3–6 months.	6–9 months.	9–12 months.	Total under 1 year.	All Infants. Deaths per 1,000 Live Births. Under 4 weeks.	Total under 1 year.	Area.	Illegitimate Infants. Deaths per 1,000 Live Births. Under 4 weeks.	Total under 1 year.	Illegitimate Infants. Deaths. Under 1 day.	1–7 days.	1–4 weeks.	4 weeks to 3 months.	3–6 months.	6–9 months.	9–12 months.	Total under 1 year.
										COUNTY BOROUGHS.										
										ENGLAND (excluding Monmouth).										
10	19	17	20	22	10	21	119	36	93	Barnsley	53	105	—	1	2	—	2	—	1	6
15	12	6	8	5	6	4	56	38	65	Barrow-in-Furness ..	24	71	—	1	—	1	1	—	—	3
10	5	3	11	4	2	4	39	24	52	Bath	61	121	1	—	1	—	1	1	—	4
24	31	31	51	46	31	31	245	35	100	Birkenhead	42	156	1	1	2	7	2	2	—	15
193	151	125	163	135	138	97	1002	31	66	Birmingham	61	119	14	10	10	11	8	7	6	66
17	26	9	12	11	16	13	104	36	71	Blackburn	17	67	—	1	—	1	—	1	1	4
13	14	13	10	8	3	9	70	39	69	Blackpool	75	75	1	1	5	—	—	—	—	7
28	19	23	30	26	20	21	167	33	78	Bolton	103	253	3	2	4	4	3	2	4	22
16	20	21	29	21	23	17	147	35	89	Bootle	93	204	1	1	3	—	4	2	—	11
10	20	17	9	6	4	3	69	37	54	Bournemouth ..	38	51	2	—	1	1	—	—	—	4
32	53	43	52	61	37	33	311	33	80	Bradford	43	138	3	—	6	6	9	4	1	29
13	11	11	13	14	13	11	86	19	47	Brighton	34	81	3	1	1	2	2	2	1	12
53	55	62	38	34	37	27	306	30	55	Bristol	52	103	4	4	2	3	4	2	1	20
24	17	7	8	13	6	12	87	41	75	Burnley	—	115	—	—	—	1	1	2	3	7
5	9	8	9	6	6	3	46	32	68	Burton-on-Trent ..	—	107	—	—	—	1	1	1	—	3
4	8	7	9	7	1	3	39	25	52	Bury	57	143	—	—	2	—	2	1	—	5
2	3	1	3	1	2	1	13	18	39	Canterbury	53	53	—	1	—	—	—	—	—	1
12	9	10	10	9	11	6	67	37	80	Carlisle	—	67	—	—	—	2	—	—	1	3
7	10	12	5	2	2	2	40	49	68	Chester	29	57	1	—	—	—	—	1	—	2
43	35	17	30	18	11	5	159	38	64	Coventry	77	99	5	1	1	2	—	—	—	9
29	22	33	18	16	17	14	149	27	47	Croydon	61	144	3	1	4	1	3	5	2	19
10	19	11	4	10	10	5	69	40	68	Darlington	22	109	—	—	1	1	2	1	—	5
31	17	16	21	17	12	11	125	33	64	Derby	93	147	3	2	2	3	1	—	—	11
9	22	7	9	9	8	5	69	50	91	Dewsbury	128	154	1	4	—	—	1	—	—	6
5	10	6	11	7	6	6	51	22	53	Doncaster	38	38	1	1	—	—	—	—	—	2
23	10	12	15	11	14	6	91	43	86	Dudley	56	167	—	1	—	—	1	1	—	3
7	2	6	5	3	5	4	32	23	50	Eastbourne	108	189	2	1	1	1	—	2	—	7
14	16	14	17	11	9	6	87	23	45	East Ham	89	133	1	3	—	1	—	1	—	6
6	11	7	7	6	4	4	45	26	48	Exeter	36	109	1	—	1	1	2	—	1	6
29	16	23	26	37	24	16	171	30	76	Gateshead	45	90	1	1	2	1	2	1	—	8
7	6	3	5	5	4	2	32	21	43	Gloucester	—	—	—	—	—	—	—	—	—	—
9	11	3	8	7	3	1	42	30	55	Gt. Yarmouth ..	21	42	—	1	—	—	1	—	—	2
21	18	21	17	6	18	15	116	36	69	Grimsby	28	74	2	—	1	—	1	1	3	8
7	27	18	18	13	10	8	101	47	92	Halifax	104	188	1	4	—	1	1	2	—	9
7	7	6	6	3	2	3	34	28	48	Hastings	23	70	1	—	—	1	1	—	—	3
16	16	4	3	13	6	5	63	28	49	Huddersfield	121	138	5	2	—	—	1	—	—	8
13	9	12	9	3	5	8	59	27	46	Ipswich	71	86	3	1	1	1	—	—	—	6
66	58	51	91	77	51	46	440	30	77	Kingston-upon-Hull	49	125	5	4	4	11	4	2	3	33
86	88	69	98	79	58	58	536	37	81	Leeds	50	172	7	5	5	18	11	4	8	58
27	47	29	36	29	38	36	242	32	75	Leicester	37	85	3	2	1	1	4	1	2	14
4	12	5	6	6	—	—	33	27	42	Lincoln	20	20	1	—	—	—	—	—	—	1
213	199	162	267	323	249	240	1653	34	98	Liverpool	42	154	11	10	10	28	27	12	15	113
139	136	110	160	124	79	86	834	35	75	Manchester	54	113	15	10	6	11	13	6	4	65
29	42	35	35	34	45	23	243	40	91	Middlesbrough ..	70	126	2	5	3	4	—	1	3	18
56	62	56	40	66	39	39	358	37	76	Newcastle-upon-Tyne	42	158	5	1	3	6	11	5	3	34
8	16	9	4	7	5	3	52	29	45	Northampton ..	29	57	1	—	—	—	—	1	—	2
14	20	15	21	15	13	13	111	28	63	Norwich	37	73	2	—	1	—	—	—	3	6
48	54	57	54	59	51	52	375	36	85	Nottingham	84	168	8	4	10	7	5	5	5	44
14	31	20	18	14	12	10	119	39	72	Oldham	63	90	3	2	2	—	2	—	1	10
9	8	4	5	4	3	4	37	18	32	Oxford	—	—	—	—	—	—	—	—	—	—
29	39	39	36	15	19	10	187	33	58	Plymouth	38	71	1	2	4	4	1	—	1	13
30	42	29	27	29	25	21	203	26	53	Portsmouth	27	80	2	—	4	6	3	2	1	18
26	23	24	33	16	17	13	152	42	88	Preston	36	71	2	1	—	2	—	1	—	6
22	23	14	9	11	5	3	87	43	63	Reading	42	69	1	2	—	2	—	—	—	5
9	17	20	14	14	11	8	93	44	89	Rochdale	40	200	1	—	1	5	—	1	2	10
15	21	16	15	14	11	7	99	45	86	Rotherham	96	135	2	3	—	2	—	—	—	7
28	30	30	38	35	32	31	224	45	116	St. Helens	136	159	1	5	—	—	—	—	1	7
47	45	32	55	34	22	29	264	38	80	Salford	66	153	7	2	—	6	1	3	2	21
58	91	74	69	71	43	49	455	31	63	Sheffield	65	122	6	5	5	3	5	2	4	30
17	12	11	9	13	9	5	76	33	62	Smethwick	69	207	1	—	1	1	2	—	1	6
31	33	24	30	28	10	12	168	31	58	Southampton ..	54	116	2	3	2	5	2	1	—	15
14	10	10	4	11	5	3	57	25	42	Southend-on-Sea ..	74	111	2	3	1	—	3	—	—	9
8	11	8	6	6	6	—	45	35	59	Southport	58	135	3	—	—	2	—	2	—	7
19	37	23	26	29	28	20	182	40	93	South Shields ..	34	56	2	1	—	—	2	—	—	5
27	26	25	14	18	9	10	129	50	83	Stockport	48	95	2	1	—	2	—	1	—	6
71	82	57	56	60	29	41	396	47	89	Stoke-on-Trent ..	60	145	4	5	3	8	6	1	2	29

TABLE 16—*continued.*

All Infants. Deaths. Under 1 day.	1–7 days.	1–4 weeks.	4 weeks to 3 months.	3–6 months.	6–9 months.	9–12 months.	Total under 1 year.	All Infants. Deaths per 1,000 Live Births. Under 4 weeks.	Total under 1 year.	Area.	Illegitimate Infants. Deaths per 1,000 Live Births. Under 4 weeks.	Total under 1 year.	Illegitimate Infants. Deaths. Under 1 day.	1–7 days.	1–4 weeks.	4 weeks to 3 months.	3–6 months.	6–9 months.	9–12 months.	Total under 1 year.
COUNTY BOROUGHS—*continued.*																				
35	56	54	39	60	51	36	331	39	89	Sunderland	51	125	2	2	3	3	4	1	2	17
16	15	8	17	24	8	8	96	35	86	Tynemouth	19	58	—	1	—	—	2	—	—	
16	17	8	7	8	7	4	67	46	75	Wakefield	88	147	1	2	—	—	2	—	—	
16	13	12	7	9	4	7	68	32	54	Wallasey	19	57	1	—	—	1	—	1	—	
32	27	27	23	24	16	18	167	46	89	Walsall	136	220	5	2	1	2	1	2	—	13
24	13	18	16	8	6	10	95	42	73	Warrington	29	29	—	—	1	—	—	—	—	1
19	20	16	26	19	23	19	142	39	102	West Bromwich ..	119	214	1	2	2	2	1	—	1	9
47	42	25	43	46	45	36	284	26	64	West Ham	60	85	3	4	—	—	1	—	2	10
15	23	11	11	21	7	11	99	38	76	West Hartlepool ..	51	77	1	—	1	—	1	—	—	
26	11	18	25	29	29	18	156	39	110	Wigan	71	179	1	—	1	—	1	2	—	
24	31	16	27	22	19	22	161	35	79	Wolverhampton ..	67	100	2	2	—	1	—	—	1	6
6	10	6	10	2	6	5	45	31	63	Worcester ..	133	133	1	3	—	—	—	—	—	4
9	13	8	14	13	6	7	70	24	56	York	39	53	—	1	2	—	1	—	—	
										WALES AND MONMOUTH.										
52	31	37	48	37	35	25	265	35	77	Cardiff	49	74	2	4	2	—	2	—	2	12
10	17	8	17	16	11	13	92	34	90	Merthyr Tydfil ..	34	241	1	—	—	—	3	2	1	
22	31	22	17	17	11	13	133	53	94	Newport, Mon. ..	78	137	3	1	—	1	2	—	—	
26	40	28	37	34	16	17	198	35	75	Swansea	95	122	2	2	3	—	1	1	—	9
ADMINISTRATIVE COUNTIES.																				
NOTE.—The following figures relate to the aggregates of Urban Districts (including Municipal Boroughs but excluding County Boroughs) and of Rural Districts in each Administrative County.																				
										ENGLAND (excluding Monmouth).										
20	19	9	17	8	2	7	82	27	45	Bedford .. U.D.	89	114	3	2	2	2	—	—	—	
6	15	13	2	11	1	3	51	29	43	R.D.	22	22	—	—	1	—	—	—	—	
8	13	18	6	8	3	8	64	41	67	Berks.. .. U.D.	59	78	—	—	3	—	—	1	—	
16	14	18	13	11	11	3	86	23	41	R.D.	19	38	1	1	—	1	—	1	—	
12	17	11	14	8	11	5	78	22	43	Bucks .. U.D.	16	16	—	1	—	—	—	—	—	
18	23	11	17	8	9	6	92	26	47	R.D.	27	68	2	—	—	—	—	2	1	
6	10	5	5	5	3	2	36	30	52	Cambs .. U.D.	—	—	—	—	—	—	—	—	—	—
10	12	7	2	4	8	4	47	29	47	R.D.	—	19	—	—	—	—	—	1	—	
71	81	66	41	41	23	34	357	33	55	Cheshire .. U.D.	50	104	5	2	4	3	3	1	5	2
34	37	21	21	9	5	9	136	37	55	R.D.	82	92	3	3	2	1	—	—	—	
22	25	16	17	8	9	9	106	34	57	Cornwall .. U.D.	91	125	4	2	2	—	1	—	2	1
20	25	14	19	10	11	13	112	25	48	R.D.	73	109	5	2	1	1	1	1	1	1
17	21	20	31	14	17	15	135	31	72	Cumberland .. U.D.	61	101	2	2	2	1	2	1	—	1
24	18	16	20	7	6	3	94	43	69	R.D.	77	96	4	1	3	2	—	—	—	1
53	59	55	41	37	30	34	309	35	65	Derby .. U.D.	54	90	3	3	3	3	—	—	3	1
40	56	36	62	31	26	32	283	28	59	R.D.	23	92	2	1	1	7	3	1	1	1
22	26	15	20	12	8	7	110	24	41	Devon .. U.D.	21	57	2	—	1	1	—	3	1	
32	47	26	9	10	9	10	143	35	48	R.D.	43	43	3	1	1	—	—	—	—	
17	19	16	4	8	10	3	77	26	39	Dorset .. U.D.	37	61	1	—	2	1	—	—	1	
17	17	13	10	7	6	3	73	35	54	R.D.	104	167	3	—	2	1	—	—	2	
132	149	100	115	100	91	77	764	41	83	Durham .. U.D.	49	93	5	5	7	9	3	3	—	3
97	93	97	81	78	61	49	556	40	78	R.D.	71	120	6	7	6	4	6	1	2	3
8	9	3	4	8	3	1	36	27	49	Ely, Isle of .. U.D.	—	—	—	—	—	—	—	—	—	—
4	9	3	6	8	7	1	38	29	70	R.D.	—	154	—	—	—	1	1	2	—	
140	152	101	91	91	49	56	680	28	49	Essex.. .. U.D.	62	94	9	13	3	6	3	2	2	3
39	48	29	29	17	20	16	198	29	49	R.D.	69	121	4	4	4	3	3	1	2	2
18	20	10	7	10	5	4	74	34	52	Gloucester .. U.D.	68	81	2	2	1	—	1	—	—	
31	34	26	23	13	8	8	143	29	46	R.D.	79	87	4	3	3	1	—	—	—	1
6	7	7	7	4	3	2	36	35	63	Hereford .. U.D.	83	125	1	1	—	1	—	—	—	
8	13	8	12	1	4	3	49	28	47	R.D.	27	82	2	—	—	4	—	—	—	
52	38	31	15	19	16	8	179	30	45	Hertford .. U.D.	58	84	3	2	4	1	2	1	—	1
16	6	10	15	4	5	8	64	19	37	R.D.	77	154	1	—	3	2	—	1	1	
4	7	6	3	3	3	3	29	41	70	Huntingdon .. U.D.	50	100	1	—	—	1	—	—	—	
3	5	6	1	—	—	1	16	32	36	R.D.	—	45	—	—	—	—	—	—	1	
109	118	102	89	70	52	56	596	27	48	Kent .. .. U.D.	58	100	7	17	6	4	7	7	4	5
48	65	34	33	27	21	20	248	29	48	R.D.	51	72	8	2	2	2	—	1	2	1
253	265	232	220	174	151	116	1411	37	70	Lancs.. .. U.D.	65	124	18	17	10	13	11	7	10	8
37	48	30	34	16	16	15	196	36	62	R.D.	127	147	10	3	—	2	—	—	—	1
19	19	26	11	12	10	10	107	38	63	Leicester .. U.D.	75	113	1	2	1	1	—	1	—	
23	25	24	19	17	12	14	134	26	49	R.D.	11	44	—	—	1	1	1	1	—	
2	6	5	7	3	3	3	29	22	48	Lincs, Holland U.D.	100	100	—	—	3	1	—	—	—	
6	16	7	10	6	3	3	51	28	49	R.D.	20	59	—	1	—	1	—	1	—	
8	5	4	6	2	6	2	33	30	58	Lincs, Kesteven U.D.	—	33	—	—	—	—	—	1	—	
7	9	2	7	7	8	5	45	19	49	R.D.	33	67	2	—	—	1	—	1	—	
21	22	12	15	10	10	10	100	29	52	Lincs, Lindsey U.D.	40	90	—	3	1	1	—	2	2	
22	30	25	14	8	6	7	112	36	53	R.D.	68	90	5	3	1	1	—	—	2	
203	206	227	183	133	104	72	1128	27	48	Middlesex .. U.D.	63	125	28	5	23	20	24	5	6	11
8	14	7	5	5	2	3	44	29	44	R.D.	37	37	1	—	—	—	—	—	—	
9	12	7	1	5	4	3	41	33	48	Norfolk .. U.D.	48	79	—	1	2	—	1	1	—	
35	54	36	30	26	14	15	210	33	55	R.D.	33	52	3	3	1	—	3	—	1	

TABLE 16—*continued.*

ALL INFANTS. DEATHS. Under 1 day.	1–7 days.	1–4 weeks.	4 weeks to 3 months.	3–6 months.	6–9 months.	9–12 months.	Total under 1 year.	Deaths per 1,000 Live Births. Under 4 weeks.	Total under 1 year.	Area.		ILLEGITIMATE INFANTS. Deaths per 1,000 Live Births. Under 4 weeks.	Total under 1 year.	DEATHS. Under 1 day.	1–7 days.	1–4 weeks.	4 weeks to 3 months.	3–6 months.	6–9 months.	9–12 months.	Total under 1 year.
ADMINISTRATIVE COUNTIES—*continued.*																					
11	9	7	10	6	2	1	46	21	36	Northants ..	U.D.	71	119	1	2	—	1	1	—	—	5
15	17	13	13	3	3	2	66	32	47		R.D.	43	85	1	1	—	1	1	—	—	4
60	63	52	58	64	47	30	374	36	76	North'berland	U.D.	33	81	5	1	1	3	3	2	2	17
14	24	10	11	5	8	6	78	34	56		R.D.	55	68	2	2	—	1	—	—	—	5
47	53	47	51	29	34	38	299	35	71	Notts.. ..	U.D.	82	119	7	3	3	2	1	1	2	19
34	42	29	24	20	15	10	174	38	63		R.D.	43	65	—	3	1	2	—	—	—	6
6	9	2	3	2	—	—	22	31	40	Oxford ..	U.D.	118	118	1	—	1	—	—	—	—	2
11	11	7	6	7	2	10	54	22	41		R.D.	38	75	1	1	—	1	1	—	—	4
1	8	4	7	3	—	1	24	23	42	Peterborough,	U.D.	75	100	—	2	1	1	—	—	—	4
2	—	2	2	2	1	1	10	36	90	Soke of	R.D.	125	250	—	—	1	1	—	—	—	2
—	2	—	—	—	1	—	3	53	79	Rutland ..	U.D.	—	—	—	—	—	—	—	—	—	—
2	3	1	2	—	—	1	9	31	47		R.D.	125	125	1	—	—	—	—	—	—	1
23	19	20	8	12	6	8	96	37	57	Salop	U.D.	71	88	4	2	2	1	1	—	—	10
18	28	22	14	6	10	3	101	34	51		R.D.	37	59	1	2	2	1	1	1	—	8
21	31	17	14	10	9	3	105	33	50	Somerset ..	U.D.	20	59	1	—	1	—	2	2	—	6
24	38	13	21	17	12	15	140	24	46		R.D.	63	125	3	2	2	1	3	—	3	14
50	42	30	30	17	18	20	207	30	51	Southants ..	U.D.	46	51	6	1	2	1	—	—	—	10
40	35	29	14	21	14	6	159	33	51		R.D.	48	62	3	1	3	1	1	—	—	9
92	95	75	92	83	76	71	584	32	72	Staffs.. ..	U.D.	59	104	4	5	4	1	2	2	5	23
42	51	43	33	17	12	14	212	41	63		R.D.	87	110	4	2	5	2	—	—	1	14
7	12	13	5	7	6	5	55	27	47	Suffolk, East	U.D.	75	104	—	5	—	1	1	—	—	7
16	17	11	6	5	5	9	69	26	41		R.D.	30	40	2	1	—	—	—	—	1	4
8	7	4	2	4	—	2	27	37	52	Suffolk, West	U.D.	48	95	1	—	—	1	—	—	—	2
11	9	8	7	1	1	—	37	32	43		R.D.	25	50	1	—	—	—	1	—	—	2
91	106	76	74	58	43	27	475	24	42	Surrey ..	U.D.	68	125	18	4	10	11	9	6	1	59
15	21	9	7	9	5	6	72	26	42		R.D.	81	108	4	1	1	2	—	—	—	8
25	16	12	13	8	7	6	87	33	55	Sussex, East..	U.D.	54	87	3	1	1	3	—	—	—	8
9	14	12	11	3	6	7	62	20	36		R.D.	35	58	2	1	—	—	—	—	2	5
14	21	9	12	7	3	8	74	30	51	Sussex, West	U.D.	59	74	—	2	2	1	—	—	—	5
19	9	14	13	4	3	5	67	29	46		R.D.	51	90	2	—	2	2	—	—	1	7
33	31	23	30	13	12	10	152	29	52	Warwick ..	U.D.	47	81	2	—	2	2	1	—	—	7
18	20	23	21	16	8	13	119	30	59		R.D.	13	66	—	—	1	2	1	—	1	5
7	10	5	2	2	2	4	32	57	83	Westmorland	U.D.	29	59	—	1	—	—	—	1	—	2
7	8	5	6	2	1	2	31	41	64		R.D.	53	132	1	—	1	2	—	—	1	5
7	7	5	3	2	2	2	28	26	38	Wight, Isle of	U.D.	—	54	—	—	—	1	1	—	—	2
—	—	2	—	1	2	1	6	8	25		R.D.	—	—	—	—	—	—	—	—	—	—
17	22	13	19	10	6	6	93	28	51	Wilts.. ..	U.D.	47	82	1	1	2	—	1	—	2	7
32	33	20	18	15	9	7	134	35	55		R.D.	53	74	4	1	—	2	—	—	—	7
41	41	29	36	23	24	25	219	35	70	Worcester ..	U.D.	26	70	3	—	—	3	1	—	1	8
16	16	7	15	3	6	5	68	29	50		R.D.	88	132	2	4	—	1	—	1	1	9
9	8	11	4	7	6	7	52	28	52	Yorks, E.R. ..	U.D.	36	71	—	1	1	—	—	2	—	4
18	18	15	13	10	7	9	90	34	60		R.D.	28	55	1	—	2	1	1	1	—	6
31	30	29	21	24	17	13	165	32	59	Yorks, N.R. ..	U.D.	56	99	3	1	4	3	1	2	—	14
21	29	14	15	11	8	10	108	31	52		R.D.	83	116	3	2	5	2	1	—	1	14
97	193	161	171	155	119	87	1083	35	69	Yorks, W.R...	U.D.	67	135	14	13	12	13	13	10	4	79
36	109	78	79	72	61	47	532	37	72		R.D.	50	90	3	5	8	7	5	—	1	29
										WALES AND MONMOUTH.											
4	3	6	5	7	2	3	30	48	111	Anglesey ..	U.D.	80	120	1	—	1	—	—	—	1	3
3	5	7	6	2	2	3	28	36	67		R.D.	19	56	—	1	—	1	1	—	—	3
2	—	5	2	—	2	1	12	33	57	Brecon ..	U.D.	83	83	—	—	1	—	—	—	—	1
7	4	7	7	5	5	4	39	29	63		R.D.	91	182	—	1	1	—	2	—	—	4
8	12	5	8	5	3	7	48	30	57	Caernarvon ..	U.D.	70	140	2	1	—	—	1	1	1	6
14	11	9	8	6	1	2	51	42	63		R.D.	54	89	1	1	1	1	—	1	—	5
3	3	—	—	2	1	2	11	35	65	Cardigan ..	U.D.	77	77	—	1	—	—	—	—	—	1
9	10	4	10	3	3	3	42	44	81		R.D.	61	122	2	—	1	2	1	—	—	6
11	27	3	15	5	7	3	71	42	73	Carmarthen ..	U.D.	80	120	—	2	—	1	—	—	—	3
23	25	25	24	16	11	14	138	46	87		R.D.	75	88	2	3	1	—	—	1	—	7
12	8	3	9	5	3	3	43	32	60	Denbigh ..	U.D.	88	118	3	—	—	1	—	—	—	4
6	32	14	23	13	12	8	118	41	78		R.D.	61	110	—	4	1	—	1	1	2	9
7	4	3	1	3	3	2	23	22	36	Flint	U.D.	20	20	—	1	—	—	—	—	—	1
9	10	8	10	10	3	3	53	27	53		R.D.	26	77	—	—	1	1	1	—	—	3
34	133	123	125	98	82	65	760	42	81	Glamorgan	U.D.	71	109	8	6	10	7	2	3	1	37
27	39	36	32	17	27	20	198	37	72		R.D.	53	74	—	4	1	—	1	—	1	7
1	7	1	1	4	1	1	16	34	60	Merioneth ..	U.D.	—	—	—	—	—	—	—	—	—	—
2	4	2	3	3	1	1	16	25	51		R.D.	45	45	—	1	—	—	—	—	—	1
38	58	53	51	46	36	37	349	38	73	Monmouth ..	U.D.	64	147	3	4	3	3	3	5	2	23
9	14	6	8	6	4	3	50	36	63		R.D.	108	108	2	2	—	—	—	—	—	4
2	3	1	3	1	2	—	12	25	49	Montgomery..	U.D.	—	—	—	—	—	—	—	—	—	—
4	9	6	3	—	6	—	28	42	61		R.D.	33	33	—	1	—	—	—	—	—	1
9	10	2	6	6	2	2	37	31	55	Pembroke ..	U.D.	71	71	2	—	—	—	—	—	—	2
4	9	7	5	7	3	3	48	45	72		R.D.	118	137	2	2	2	—	—	1	—	7
—	—	—	2	1	—	1	4	—	59	Radnor ..	U.D.	—	—	—	—	—	—	—	—	—	—
4	3	1	3	1	1	—	13	32	53		R.D.	—	—	—	—	—	—	—	—	—	—

TABLE 17. Population, Births, Deaths, Infant Mortality, Natural Increase, 1933. — England and Wales, Geographical Regions, Counties, County Boroughs, Other Urban Districts, Rural Districts.

Note.—The estimates of population shown in the following table have been based primarily on the 1931 Census returns (*see* Section "Population" in Text). An * denotes change in boundary during the year, and the population has, in each case, been adjusted in order to make it comparable with the records of births and deaths. The mid-year population of these areas, as constituted after the change in boundary, will be found in Appendix A. The births and deaths exclude still births. Deaths are transferred to the area of residence of the deceased person; births occurring away from home have been transferred to the area of residence of the mother. Deaths of non-civilians are included throughout this table.

Area.	Estimated Resident Population (Middle 1933).	Births.						Deaths.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		Total.	Crude Rate per 1,000. Total Population.	M.	F.	Total.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*
England and Wales.	40,350,000	283,890	271,115	12,839	12,569	580,413	14·4	250,625	245,840	496,465†	12·3	36,960	64	2·1
Regional Summary (*see* note at foot):														
South East..	13,762,700	90,948	86,990	4,284	4,235	186,457	13·5	79,249	79,421	158,670	11·5	9,586	51	2·0
Greater London.‡	8,360,500	55,108	52,539	2,540	2,511	112,698	13·5	47,154	46,436	93,590	11·2	6,105	54	2·3
Remainder of South East	5,402,200	35,840	34,451	1,744	1,724	73,759	13·7	32,095	32,985	65,080	12·0	3,481	47	1·7
Supplementary Sub-Divisions of South East Regions (*see* note at foot):														
Midland Section	4,722,350	32,282	31,082	1,144	1,181	65,689	13·9	24,503	24,645	49,148	10·4	3,137	48	3·5
Southern Section.	9,040,350	58,666	55,908	3,140	3,054	120,768	13·4	54,746	54,776	109,522	12·1	6,449	53	1·3
North	13,127,200	96,792	92,162	4,261	4,217	197,432	15·0	87,289	84,647	171,936	13·1	14,978	76	1·9
North I ..	2,250,100	19,207	18,010	793	768	38,778	17·2	14,624	13,092	27,716	12·3	3,078	79	4·9
North II ..	1,292,800	10,038	9,505	587	569	20,699	16·0	8,616	8,213	16,829	13·0	1,457	70	3·0
North III ..	3,445,000	24,280	23,096	1,071	1,046	49,493	14·4	22,245	21,916	44,161	12·8	3,556	72	1·6
North IV ..	6,139,300	43,267	41,551	1,810	1,834	88,462	14·4	41,804	41,426	83,230	13·6	6,887	78	0·8
Midland ..	6,995,800*	50,597	48,512	2,011	1,967	103,087	14·7	42,065	40,348	82,413	11·8	6,722	65	2·9
Midland I ..	4,589,600*	33,430	32,086	1,276	1,295	68,087	14·8	27,650	26,587	54,237	11·8	4,476	66	3·0
Midland II ..	2,406,200	17,167	16,426	735	672	35,000	14·5	14,415	13,761	28,176	11·7	2,246	64	2·8
East	1,832,200	12,699	12,272	772	705	26,448	14·4	11,300	11,691	22,991	12·5	1,384	52	1·9
South West ..	2,064,000*	13,454	12,863	637	611	27,565	13·4	12,998	13,847	26,845	13·0	1,364	49	0·4
Wales	2,568,100	19,400	18,316	874	834	39,424	15·4	17,724	15,886	33,610	13·1	2,926	74	2·3
Wales I ..	1,880,000	14,574	13,942	546	535	29,597	15·7	12,886	10,982	23,868	12·7	2,305	78	3·0
Wales II ..	688,100	4,826	4,374	328	299	9,827	14·3	4,838	4,904	9,742	14·2	621	63	0·1
Density Summary of all Areas outside Greater London:—														
County Boroughs.	12,720,540*	93,286	89,302	4,340	4,212	191,140	15·0	84,384	82,147	166,531	13·1	14,307	75	1·9
Urban Districts	11,563,020*	80,511	76,406	3,358	3,289	163,564	14·1	71,701	71,764	143,465	12·4	10,188	62	1·7
Rural Districts	7,705,940*	54,985	52,868	2,601	2,557	113,011	14·7	47,386	45,493	92,879	12·1	6,360	56	2·6

† Including 377 deaths of non-civilians.

‡ Greater London coincides with the area covered by the City of London and Metropolitan Police Districts and represents an area of approximately 15 miles radius from Charing Cross. For detailed constitution, *see* pp. 2–3 of County of London Census Volume 1931.

Regional Summary.—The country has been re-divided into regions, after consultation with other Government Departments with a view to securing greater homogeneity in the character of the sectional populations than was provided by the old grouping into North, Midlands, South (including London) and Wales. In order to maintain continuity the parts of the new "South East" region comprised in the former "Midlands" and "South" respectively, are shown separately. "North" and "Wales" are identical in both groupings, "Midlands" comprises "Midland" and "East" together with the Midland section of "South East," "South (including London)" comprises "South West" and the Southern section of "South East."

The counties in the various regions are as follows:—

South East.
Bedfordshire
Berkshire.
Buckinghamshire.
Essex.
Hertfordshire.
Kent.
London.
Middlesex.
Oxfordshire.
Southampton.
Surrey.
Sussex, East.
,, West.
Wight, Isle of.

North I.
Durham.
Northumberland.

North II.
Cumberland.
Westmorland.
Yorkshire, East Riding.
,, North Riding.

North III.
Yorkshire, West Riding.
York C.B.

North IV.
Cheshire.
Lancashire.

Midland I.
Gloucestershire.
Herefordshire.
Shropshire.
Staffordshire.
Warwickshire.
Worcestershire.

Midlands II.
Derbyshire.
Leicestershire.
Northamptonshire.
Nottinghamshire.
Peterborough, Soke of.

East.
Cambridgeshire.
Ely, Isle of.
Huntingdonshire.
Lincolnshire—
Parts of Holland.
,, Kesteven.
,, Lindsey.
Norfolk.
Rutlandshire.
Suffolk, East.
,, West.

South West.
Cornwall.
Devonshire.
Dorsetshire.
Somersetshire.
Wiltshire.

Wales I.
Brecknockshire.
Carmarthenshire.
Glamorganshire.
Monmouthshire.

Wales II.
Anglesey.
Caernarvonshire.
Cardiganshire.
Denbighshire.
Flintshire.
Merionethshire.
Montgomeryshire.
Pembrokeshire.
Radnorshire.

TABLE 17—*continued.*

AREA.	Estimated Resident Population (Middle 1933).	BIRTHS						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*
ENGLAND (excluding Monmouth)														
BEDFORDSHIRE :														
ADMINISTRATIVE COUNTY.	225,730	1,490	1,374	66	58	2,988	13·2	1,251	1,365	2,616	11·6	133	45	1·6
URBAN DISTRICTS	147,130*	892	839	45	34	1,810	12·3	788	925	1,713	11·6	82	45	0·7
Ampthill ..	2,280	12	12	1	—	25	11·0	12	22	34	14·9	1	40	−3·9
Bedford M.B. ..	40,750	214	185	14	7	420	10·3	223	288	511	12·5	14	33	−2·2
Biggleswade ..	5,958*	36	45	2	2	85	14·3	43	31	74	12·4	5	59	1·9
Dunstable M.B.	10,070*	63	51	2	3	119	11·8	54	78	132	13·1	7	59	−1·3
Kempston ..	5,505	35	43	2	—	80	14·5	31	37	68	12·4	2	25	2·1
Leighton Buzzard	6,934*	41	42	—	—	83	12·0	34	59	93	13·4	5	60	−1·4
Luton M.B. ..	72,410*	472	433	23	21	949	13·1	373	387	760	10·5	44	46	2·6
Sandy	3,223*	19	28	1	1	49	15·2	18	23	41	12·7	4	82	2·5
RURAL DISTRICTS	78,600*	598	535	21	24	1,178	15·0	463	440	903	11·5	51	43	3·5
Ampthill ..	18,230*	146	120	7	7	280	15·4	127	109	236	12·9	10	36	2·5
Bedford.. ..	22,120	170	147	4	5	326	14·7	118	141	259	11·7	12	37	3·0
Biggleswade ..	21,390*	158	146	4	7	315	14·7	125	111	236	11·0	18	57	3·7
Eaton Bray† ..	969*	6	11	—	—	17	17·5	10	5	15	15·5	—	—	2·0
Eaton Socon ..	3,211	17	16	1	3	37	11·5	21	17	38	11·8	3	81	−0·3
Luton	12,680*	101	95	5	2	203	16·0	62	57	119	9·4	8	39	6·6
BERKSHIRE ..	317,800	2,111	2,094	118	110	4,433	13·9	2,019	2,017	4,036	12·7	237	53	1·2
COUNTY BORO' :														
Reading ..	98,950	648	660	42	30	1,380	13·9	693	665	1,358	13·7	87	63	0·2
ADMINISTRATIVE COUNTY.	218,850	1,463	1,434	76	80	3,053	14·0	1,326	1,352	2,678	12·2	150	49	1·8
URBAN DISTRICTS	71,750	477	421	20	31	949	13·2	455	502	957	13·3	64	67	−0·1
Abingdon M.B.	7,253	54	60	5	3	122	16·8	44	36	80	11·0	8	66	5·8
Maidenhead M.B.	17,690	110	118	3	8	239	13·5	113	118	231	13·1	17	71	0·4
Newbury M.B...	13,310	97	72	4	6	179	13·4	71	99	170	12·8	12	67	0·6
New Windsor M.B.	19,350	126	99	5	10	240	12·4	139	134	273	14·1	20	83	−1·7
Wallingford M.B.	2,784	21	16	—	1	38	13·6	16	12	28	10·1	—	—	3·5
Wantage ..	3,845	24	12	—	2	38	9·9	19	33	52	13·5	1	26	−3·6
Wokingham M.B.	7,518	45	44	3	1	93	12·4	53	70	123	16·4	6	65	−4·0
RURAL DISTRICTS	147,100	986	1,013	56	49	2,104	14·3	871	850	1,721	11·7	86	41	2·6
Abingdon ..	13,360	107	100	4	8	219	16·4	68	68	136	10·2	8	37	6·2
Bradfield ..	15,020	96	109	7	7	219	14·6	95	91	186	12·4	9	41	2·2
Cookham ..	15,520	109	107	5	6	227	14·6	74	70	144	9·3	8	35	5·3
Easthampstead	19,200	113	123	6	4	246	12·8	99	91	190	9·9	8	33	2·9
Faringdon (part of).‡	9,581	67	61	2	7	137	14·3	69	49	118	12·3	4	29	2·0
Hungerford ..	8,802	52	61	7	4	124	14·1	54	42	96	10·9	4	32	3·2
Newbury ..	12,350	86	73	2	2	163	13·2	84	91	175	14·2	8	49	−1·0
Wallingford ..	10,060	67	79	5	2	153	15·2	46	54	100	9·9	6	39	5·3
Wantage ..	12,010	82	91	5	2	180	15·0	88	90	178	14·8	8	44	0·2
Windsor ..	9,667	61	65	5	3	134	13·9	60	56	116	12·0	6	45	1·9
Wokingham ..	21,530	146	144	8	4	302	14·0	134	148	282	13·1	17	56	0·9

† Abolished 1st April, 1933.
‡ The remainder of Faringdon Rural District is in Gloucestershire.

TABLE 17—*continued.*

AREA.	Estimated Resident Population (Middle 1933).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*
BUCKINGHAMSHIRE ADMINISTRATIVE COUNTY.	279,980*	1,821	1,824	68	69	3,782	13·5	1,611	1,538	3,149	11·2	170	45	2·3
URBAN DISTRICTS.	131,600	856	889	32	31	1,808	13·7	715	693	1,408	10·7	78	43	3·0
Aylesbury M.B.	13,300	87	80	5	3	175	13·2	65	75	140	10·5	3	17	2·7
Beaconsfield ..	5,139	31	28	—	3	62	12·1	23	24	47	9·1	1	16	3·0
Bletchley ..	6,489	39	49	1	—	89	13·7	30	32	62	9·6	2	22	4·1
Buckingham M.B.	3,197	22	13	1	—	36	11·3	18	13	31	9·7	1	28	1·6
Chepping Wycombe M.B.	29,540	210	222	7	6	445	15·1	150	142	292	9·9	22	49	5·2
Chesham ..	8,955	49	49	—	—	98	10·9	69	51	120	13·4	3	31	−2·5
Eton	3,514	4	9	—	—	13	3·7	6	13	19	5·4	2	154	−1·7
Linslade ..	2,436	14	21	—	—	35	14·4	10	13	23	9·4	2	57	5·0
Marlow	5,120	36	33	—	1	70	13·7	31	44	75	14·6	5	71	−0·9
Newport Pagnell	3,940	17	21	1	1	40	10·2	23	18	41	10·4	2	50	−0·2
Slough	36,900	291	306	14	16	627	17·0	210	185	395	10·7	32	51	6·3
Wolverton ..	13,070	56	58	3	1	118	9·0	80	83	163	12·5	3	25	−3·5
RURAL DISTRICTS.	148,380*	965	935	36	38	1,974	13·3	896	845	1,741	11·7	92	47	1·6
Amersham ..	30,080	187	182	9	9	387	12·9	160	167	327	10·9	17	44	2·0
Aylesbury ..	21,300*	135	114	1	3	253	11·9	114	112	226	10·6	15	59	1·3
Buckingham ..	7,562	43	42	3	3	91	12·0	51	36	87	11·5	2	22	0·5
Eton	29,990	188	216	11	9	424	14·1	164	161	325	10·8	18	42	3·3
Hambleden ..	1,877	12	9	—	—	21	11·2	14	4	18	9·6	1	48	1·6
Long Crendon ..	3,616*	17	31	3	—	51	14·1	17	26	43	11·9	1	20	2·2
Newport Pagnell	13,780	78	79	2	7	166	12·0	111	87	198	14·4	9	54	−2·4
Wing	5,455	37	30	1	2	70	12·8	37	31	68	12·5	1	14	0·3
Winslow ..	6,230	40	18	1	—	59	9·5	33	37	70	11·2	1	17	−1·7
Wycombe ..	28,490*	228	214	5	5	452	15·9	195	184	379	13·3	27	60	2·6
CAMBRIDGESHIRE: ADMINISTRATIVE COUNTY.	143,780	814	804	42	44	1,704	11·9	880	967	1,847	12·8	83	49	−0·9
URBAN DISTRICT: Cambridge M.B.	68,880	342	319	15	18	694	10·1	420	454	874	12·7	36	52	−2·6
RURAL DISTRICTS:	74,900	472	485	27	26	1,010	13·5	460	513	973	13·0	47	47	0·5
Caxton and Arrington.	7,419	45	54	1	1	101	13·6	62	58	120	16·2	6	59	−2·6
Chesterton ..	28,430	182	173	10	13	378	13·3	145	184	329	11·6	17	45	1·7
Linton	9,960	67	67	4	4	142	14·3	61	72	133	13·4	7	49	0·9
Melbourn ..	7,796	38	32	2	3	75	9·6	48	49	97	12·4	4	53	−2·8
Newmarket ..	18,940	126	146	7	5	284	15·0	124	125	249	13·1	12	42	1·9
Swavesey ..	2,355	14	13	3	—	30	12·7	20	25	45	19·1	1	33	−6·4
CHESHIRE:	1,098,660*	7,417	6,905	283	283	14,888	13·6	6,909	6,983	13,892	12·6	975	65	1·0
COUNTY BORO'S ..	415,370*	2,902	2,718	127	120	5,867	14·1	2,763	2,876	5,639	13·6	482	82	0·5
Birkenhead ..	149,920*	1,248	1,109	54	42	2,453	16·4	1,040	995	2,035	13·6	245	100	2·8
Chester	41,070	288	267	14	21	590	14·4	256	286	542	13·2	40	68	1·2
Stockport ..	127,000	763	727	27	36	1,553	12·2	855	903	1,758	13·8	129	83	−1·6
Wallasey ..	97,380*	603	615	32	21	1,271	13·1	612	692	1,304	13·4	68	54	−0·3

TABLE 17—*continued.*

AREA.	Estimated Resident Population (Middle 1933).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Crude Rate per 1,000. Total Population.	DEATHS M.	F.	Total.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*
CHESHIRE—*contd.*														
ADMINISTRATIVE COUNTY.	683,290*	4,515	4,187	156	163	9,021	13·2	4,146	4,107	8,253	12·1	493	55	1·1
URBAN DISTRICTS	494,320*	3,251	3,057	110	111	6,529	13·2	2,996	3,063	6,059	12·3	357	55	0·9
Alderley Edge..	3,002	12	14	1	—	27	9·0	17	17	34	11·3	—	—	−2·3
Alsager	2,913	17	12	—	2	31	10·6	16	18	34	11·7	3	97	−1·1
Altrincham ..	21,300	156	126	4	8	294	13·8	125	136	261	12·3	7	24	1·5
Bebington ..	32,410*	242	235	3	10	490	15·1	159	146	305	9·4	30	61	5·7
Bollington ..	4,986	24	19	—	1	44	8·8	28	24	52	10·4	2	45	−1·6
Bowdon ..	3,262	12	14	1	1	28	8·6	19	17	36	11·0	2	71	−2·4
Bredbury and Romiley.	11,400	64	79	—	2	145	12·7	74	80	154	13·5	8	55	−0·8
Buglawton ..	1,635	12	11	1	—	24	14·7	11	4	15	9·2	2	83	5·5
Cheadle and Gatley.	20,110	152	122	5	2	281	14·0	103	119	222	11·0	10	36	3·0
Compstall ..	842	8	5	2	—	15	17·8	6	4	10	11·9	1	67	5·9
Congleton M.B.	12,960	81	84	4	3	172	13·3	84	96	180	13·9	9	52	−0·6
Crewe M.B. ..	45,340	301	257	10	13	581	12·8	294	274	568	12·5	31	53	0·3
Dukinfield M.B.	19,250	133	125	1	5	264	13·7	117	144	261	13·6	20	76	0·1
Ellesmere Port..	23,190*	230	219	8	10	467	20·1	138	84	222	9·6	35	75	10·5
Hale	10,950	66	53	—	2	121	11·1	60	69	129	11·8	4	33	—0·7
Handforth ..	1,253	9	11	—	—	20	16·0	9	9	18	14·4	1	50	1·6
Hazel Grove and Bramhall.	14,180	83	71	5	2	161	11·4	98	99	197	13·9	10	62	−2·5
Hollingworth ..	2,228	13	—	—	1	14	6·3	10	9	19	8·5	—	—	−2·2
Hoole	6,015	35	38	2	1	76	12·6	18	29	47	7·8	1	13	4·8
Hoylake ..	19,110*	87	107	7	4	205	10·7	98	144	242	12·7	10	49	−2·0
Hyde M.B. ..	31,710	166	145	6	4	321	10·1	237	250	487	15·4	17	53	−5·3
Knutsford ..	5,721	35	41	4	4	84	14·7	34	35	69	12·1	3	36	2·6
Lymm	5,724*	43	47	1	1	92	16·1	32	43	75	13·1	2	22	3·0
Macclesfield M.B.	34,780	214	188	12	6	420	12·1	214	252	466	13·4	21	50	−1·3
Marple ..	7,405	36	37	1	1	75	10·1	38	51	89	12·0	1	13	−1·9
Middlewich ..	5,481	40	40	1	1	82	15·0	37	26	63	11·5	6	73	3·5
Mottram-in-Longendale.	2,569	11	12	—	—	23	9·0	21	20	41	16·0	—	—	−7·0
Nantwich ..	7,152	47	54	1	2	104	14·5	44	44	88	12·3	6	58	2·2
Neston	7,650*	53	58	1	2	114	14·9	52	45	97	12·7	10	88	2·2
Northwich ..	18,200	110	114	7	2	233	12·8	115	101	216	11·9	18	77	0·9
Runcorn ..	18,050	155	161	5	4	325	18·0	108	96	204	11·3	18	55	6·7
Sale	29,880	176	180	3	6	365	12·2	160	166	326	10·9	17	47	1·3
Sandbach ..	6,416	42	45	1	1	89	13·9	39	34	73	11·4	3	34	2·5
Stalybridge M.B.	24,530	177	137	9	3	326	13·3	168	194	362	14·8	24	74	−1·5
Tarporley ..	2,469	15	13	—	1	29	11·7	19	17	36	14·6	—	—	−2·9
Wilmslow ..	10,220	57	60	—	2	119	11·6	60	55	115	11·3	8	67	0·3
Winsford ..	10,810	81	62	4	3	150	13·9	87	76	163	15·1	13	87	−1·2
Wirral†	7,450*	49	47	—	1	97	13·0	32	28	60	8·1	3	31	4·9
Yeardsley-cum-Whaley.	1,767	7	14	—	—	21	11·9	15	8	23	13·0	1	48	−1·1

† Created 1st April, 1933.

TABLE 17—*continued.*

AREA.	Estimated Resident Population (Middle 1933).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*
CHESHIRE—*cont.*														
RURAL DISTRICTS	188,970*	1,264	1,130	46	52	2,492	13·2	1,150	1,044	2,194	11·6	136	55	1·6
Bucklow ..	22,310*	158	113	3	5	279	12·5	103	116	219	9·8	15	54	2·7
Chester	16,940*	112	82	2	3	199	11·7	92	81	173	10·2	7	35	1·5
Congleton ..	13,530	102	94	6	4	206	15·2	92	73	165	12·2	17	83	3·0
Disley	3,295	14	21	—	—	35	10·6	21	16	37	11·2	1	29	—0·6
Macclesfield ..	19,510	112	103	5	6	226	11·6	111	103	214	11·0	15	66	0·6
Malpas	4,333	37	28	1	3	69	15·9	24	29	53	12·2	5	72	3·7
Nantwich ..	26,400	190	167	10	9	376	14·2	192	150	342	13·0	25	66	1·2
Northwich ..	27,370	204	185	4	8	401	14·7	194	172	366	13·4	19	47	1·3
Runcorn ..	32,460*	191	198	5	11	405	12·5	193	181	374	11·5	20	49	1·0
Tarvin	13,050	84	75	7	2	168	12·9	81	67	148	11·3	7	42	1·6
Tintwistle ..	2,002	12	7	—	—	19	9·5	10	12	22	11·0	—	—	—1·5
Wirral†	7,770*	48	57	3	1	109	14·0	37	44	81	10·4	5	46	3·6
CORNWALL:														
ADMINISTRATIVE COUNTY.	313,700	2,109	1,911	103	95	4,218	13·4	2,112	2,386	4,498	14·3	218	52	—0·9
URBAN DISTRICTS.	143,100	937	837	47	41	1,862	13·0	1,003	1,199	2,202	15·4	106	57	—2·4
Bodmin M.B. ..	5,603	28	34	1	—	63	11·2	24	42	66	11·8	2	32	—0·6
Callington ..	1,820	14	12	—	2	28	15·4	22	21	43	23·6	2	71	—8·2
Camborne ..	14,010	88	64	4	3	159	11·3	116	145	261	18·6	10	63	—7·3
Falmouth M.B.	13,320	97	98	3	3	201	15·1	96	98	194	14·6	15	75	0·5
Fowey M.B. ..	2,190	9	5	—	1	15	6·8	11	15	26	11·9	—	—	—5·1
Hayle	957	3	12	2	1	18	18·8	5	12	17	17·8	3	167	1·0
Helston M.B. ..	2,522	10	16	1	—	27	10·7	23	19	42	16·7	3	111	—6·0
Launceston M.B.	4,152	32	26	—	2	60	14·5	32	36	68	16·4	3	50	—1·9
Liskeard M.B. ..	4,176	23	13	—	2	38	9·1	25	26	51	12·2	2	53	—3·1
Looe	2,944	13	13	1	1	28	9·5	20	20	40	13·6	—	—	—4·1
Lostwithiel M.B.	1,349	12	13	1	1	27	20·0	12	12	24	17·8	2	74	2·2
Ludgvan ..	1,856	19	18	—	—	37	19·9	16	18	34	18·3	6	162	1·6
Madron	3,181	23	18	3	—	44	13·8	25	21	46	14·5	1	23	—0·7
Newquay ..	5,656	20	32	2	1	55	9·7	30	41	71	12·6	—	—	—2·9
Padstow ..	1,689	8	13	—	—	21	12·4	16	15	31	18·4	—	—	—6·0
Paul	5,470	42	38	—	—	80	14·6	28	42	70	12·8	6	75	1·8
Penryn M.B. ..	3,447	36	24	1	—	61	17·7	30	27	57	16·5	7	115	1·2
Penzance M.B.	11,250	71	60	3	7	141	12·5	79	118	197	17·5	5	35	—5·0
Phillack ..	3,174	25	25	2	1	53	16·7	18	22	40	12·6	2	38	4·1
Redruth ..	9,722	79	52	6	1	138	14·2	68	82	150	15·4	8	58	—1·2
St. Austell ..	8,375	55	48	1	1	105	12·5	60	62	122	14·6	5	48	—2·1
St. Ives M.B. ..	6,556	36	42	5	1	84	12·8	49	60	109	16·6	6	71	—3·8
St. Just ..	4,311	35	25	1	3	64	14·8	24	30	54	12·5	2	31	2·3
Saltash M.B. ..	3,679	20	20	1	1	42	11·4	21	39	60	16·3	1	24	—4·9
Stratton and Bude.	3,880	33	21	5	2	61	15·7	25	29	54	13·9	1	16	1·8
Torpoint ..	3,906	33	35	1	2	71	18·2	35	23	58	14·9	3	42	3·3
Truro M.B. ..	11,450	69	52	3	4	128	11·2	84	99	183	16·0	10	78	—4·8
Wadebridge ..	2,455	4	8	—	1	13	5·3	9	25	34	13·8	1	77	—8·5
RURAL DISTRICTS	170,600	1,172	1,074	56	54	2,356	13·8	1,109	1,187	2,296	13·5	112	48	0·3
Bodmin	10,260	89	58	4	4	155	15·1	68	65	133	13·0	7	45	2·1
Calstock ..	4,371	30	26	2	1	59	13·5	22	29	51	11·7	1	17	1·8
Camelford ..	7,342	53	52	—	4	109	14·8	37	49	86	11·7	6	55	3·1

† Abolished 1st April, 1933.

TABLE 17—*continued.*

AREA.	Estimated Resident Population (Middle 1933).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	Total.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Deaths under 1 year. Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*
CORNWALL—*cont.*														
RURAL DISTRICTS—*cont.*														
East Kerrier ..	9,256	71	55	2	3	131	14·2	56	71	127	13·7	10	76	0·5
Helston	15,660	117	92	4	8	221	14·1	128	116	244	15·6	9	41	−1·5
Holsworthy (part of).†	303	2	1	—	1	4	13·2	3	2	5	16·5	—	—	−3·3
Launceston ..	6,872	54	44	2	3	103	15·0	43	55	98	14·3	8	78	0·7
Liskeard ..	14,180	95	92	4	5	196	13·8	105	92	197	13·9	5	26	−0·1
Redruth ..	16,020	120	106	16	4	246	15·4	96	136	232	14·5	13	53	0·9
St. Austell ..	26,490	167	174	8	7	356	13·4	168	168	336	12·7	17	48	0·7
St. Columb Major.	12,190	92	71	2	3	168	13·8	72	64	136	11·2	7	42	2·6
St. Germans ..	11,460	70	73	4	2	149	13·0	83	80	163	14·2	10	67	−1·2
Scilly, Isles of ..	1,624	17	10	—	—	27	16·6	7	11	18	11·1	—	—	5·5
Stratton ..	4,992	34	42	1	—	77	15·4	23	22	45	9·0	—	—	6·4
Truro	19,340	106	122	5	6	239	12·4	128	146	274	14·2	15	63	−1·8
West Penwith ..	10,240	55	56	2	3	116	11·3	70	81	151	14·7	4	34	−3·4
CUMBERLAND: ..	262,570	1,962	1,846	120	128	4,056	15·4	1,800	1,822	3,622	13·8	296	73	1·6
COUNTY BORO':														
Carlisle	58,560	408	380	22	23	833	14·2	375	441	816	13·9	67	80	0·3
ADMINISTRATIVE COUNTY.	204,010	1,554	1,466	98	105	3,223	15·8	1,425	1,381	2,806	13·8	229	71	2·0
URBAN DISTRICTS	113,900	930	841	47	52	1,870	16·4	815	760	1,575	13·8	135	72	2·6
Arlecdon and Frizington.	4,303	50	42	4	5	101	23·5	36	42	78	18·1	5	50	5·4
Aspatria ..	3,154	26	14	3	3	46	14·6	20	21	41	13·0	4	87	1·6
Cleator Moor ..	6,541	49	44	1	3	97	14·8	47	40	87	13·3	6	62	1·5
Cockermouth ..	4,853	37	20	3	3	63	13·0	42	40	82	16·9	13	206	−3·9
Egremont ..	5,805	48	37	2	4	91	15·7	64	28	92	15·8	5	55	−0·1
Harrington ..	4,190	29	35	2	4	70	16·7	20	23	43	10·3	4	57	6·4
Holme Cultram	4,543	36	35	1	1	73	16·1	27	30	57	12·5	2	27	3·6
Keswick ..	4,464	25	21	1	—	47	10·5	26	34	60	13·4	—	—	−2·9
Maryport ..	10,110	78	76	4	7	165	16·3	68	52	120	11·9	10	61	4·4
Millom	7,281	62	50	3	2	117	16·1	55	48	103	14·1	9	77	2·0
Penrith	9,262	78	71	6	6	161	17·4	73	69	142	15·3	8	50	2·1
Whitehaven M.B.	21,220	206	187	7	9	409	19·3	145	143	288	13·6	36	88	5·7
Wigton	3,614	22	28	1	—	51	14·1	25	23	48	13·3	3	59	0·8
Workington M.B.	24,560	184	181	9	5	379	15·4	167	167	334	13·6	30	79	1·8
RURAL DISTRICTS	90,110	624	625	51	53	1,353	15·0	610	621	1,231	13·7	94	69	1·3
Alston with Garrigill.	2,560	15	13	4	4	36	14·1	20	23	43	16·8	3	83	−2·7
Bootle	5,076	31	20	1	—	52	10·2	32	34	66	13·0	2	38	−2·8
Brampton ..	7,914	60	57	6	4	127	16·0	57	63	120	15·2	7	55	0·8
Carlisle	12,350	84	87	3	4	178	14·4	82	95	177	14·3	13	73	0·1
Cockermouth ..	21,290	141	138	6	15	300	14·1	127	136	263	12·4	23	77	1·7
Longtown ..	5,830	45	40	5	7	97	16·6	49	47	96	16·5	10	103	0·1
Penrith	11,870	82	80	12	7	181	15·2	74	69	143	12·0	9	50	3·2
Whitehaven ..	12,970	92	98	9	5	204	15·7	90	79	169	13·0	15	74	2·7
Wigton	10,250	74	92	5	7	178	17·4	79	75	154	15·0	12	67	2·4

† The remainder of Holsworthy Rural District is in Devonshire.

TABLE 17—*continued.*

AREA.	Estimated Resident Population (Middle 1933).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*
DERBYSHIRE:	764,300	5,578	5,463	220	194	11,455	15·0	4,455	4,147	8,602	11·3	717	63	3·7
COUNTY BORO':														
Derby	142,000	938	926	48	27	1,939	13·7	869	845	1,714	12·1	125	64	1·6
ADMINISTRATIVE COUNTY.	622,300	4,640	4,537	172	167	9,516	15·3	3,586	3,302	6,888	11·1	592	62	4·2
URBAN DISTRICTS	317,400	2,293	2,265	93	73	4,724	14·9	1,835	1,759	3,594	11·3	309	65	3·6
Alfreton ..	21,340	175	168	8	7	358	16·8	121	105	226	10·6	19	53	6·2
Alvaston and Boulton.	4,393	44	35	2	—	81	18·4	18	20	38	8·7	5	62	9·7
Ashbourne ..	4,519	28	33	1	—	62	13·7	28	21	49	10·8	4	65	2·9
Bakewell ..	3,094	17	14	—	2	33	10·7	18	15	33	10·7	3	91	—
Baslow and Bubnell.	873	8	7	—	—	15	17·2	6	6	12	13·7	—	—	3·5
Belper	13,240	110	107	3	1	221	16·7	78	78	156	11·8	22	100	4·9
Bolsover ..	11,890	120	118	2	3	243	20·4	66	57	123	10·3	11	45	10·1
Bonsall	1,149	11	8	2	—	21	18·3	7	5	12	10·4	—	—	7·9
Brampton and Walton.	2,408	15	20	—	—	35	14·5	21	18	39	16·2	5	143	−1·7
Buxton M.B. ..	15,020	102	93	6	3	204	13·6	74	94	168	11·2	6	29	2·4
Chesterfield M.B.	64,690	463	494	22	22	1,001	15·5	371	356	727	11·2	78	78	4·3
Clay Cross ..	8,382	81	64	3	1	149	17·8	58	48	106	12·6	15	101	5·2
Dronfield ..	4,435	27	32	2	—	61	13·8	25	30	55	12·4	2	33	1·4
Glossop M.B. ..	18,970	106	87	6	4	203	10·7	119	155	274	14·4	14	69	−3·7
Heage	3,953	27	31	—	1	59	14·9	22	14	36	9·1	1	17	5·8
Heanor	22,520	169	166	6	3	344	15·3	120	105	225	10·0	17	49	5·3
Ilkeston M.B. ..	32,580	238	254	10	9	511	15·7	216	185	401	12·3	40	78	3·4
Long Eaton ..	22,830	157	132	8	3	300	13·1	115	105	220	9·6	14	47	3·5
New Mills ..	8,384	43	40	3	1	87	10·4	68	48	116	13·8	3	34	−3·4
North Darley ..	4,314	31	27	2	—	60	13·9	25	23	48	11·1	5	83	2·8
Ripley	13,460	109	97	1	2	209	15·5	61	79	140	10·4	12	57	5·1
South Darley ..	721	9	6	—	1	16	22·2	3	8	11	15·3	2	125	6·9
Swadlincote District.	20,240	112	145	5	8	270	13·3	111	98	209	10·3	24	89	3·0
The Matlocks ..	10,120	58	61	1	2	122	12·1	63	54	117	11·6	5	41	0·5
Wirksworth ..	3,875	33	26	—	—	59	15·2	21	32	53	13·7	2	34	1·5
RURAL DISTRICTS	304,900	2,347	2,272	79	94	4,792	15·7	1,751	1,543	3,294	10·8	283	59	4·9
Ashbourne ..	10,160	64	79	5	7	155	15·3	52	65	117	11·5	12	77	3·8
Bakewell ..	18,240	123	129	5	4	261	14·3	118	118	236	12·9	10	38	1·4
Belper	26,000	183	167	6	6	362	13·9	161	139	300	11·5	14	39	2·4
Blackwell ..	42,670	363	351	12	23	749	17·6	241	187	428	10·0	56	75	7·6
Chapel-en-le-Frith.	17,780	124	135	3	4	266	15·0	108	95	203	11·4	17	64	3·6
Chesterfield ..	82,230	683	668	30	25	1,406	17·1	504	403	907	11·0	98	70	6·1
Clowne	17,770	149	145	4	6	304	17·1	81	77	158	8·9	9	30	8·2
Glossop Dale ..	3,900	19	14	—	—	33	8·5	27	38	65	16·7	3	91	−8·2
Hartshorn and Seals.	8,679	61	63	3	2	129	14·9	55	42	97	11·2	8	62	3·7
Hayfield ..	4,273	25	30	2	3	60	14·0	24	32	56	13·1	3	50	0·9
Norton	8,978	53	45	—	1	99	11·0	46	45	91	10·1	1	10	0·9
Repton	18,670	134	123	5	3	265	14·2	98	88	186	10·0	16	60	4·2
Shardlow ..	41,170	330	299	3	9	641	15·6	211	187	398	9·7	32	50	5·9
Sudbury ..	2,531	21	15	1	1	38	15·0	12	17	29	11·5	2	53	3·5

TABLE 17—*continued.*

AREA.	Estimated Resident Population (Middle 1933).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	Total.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*
DERBYSHIRE—*cont.*														
RURAL DISTRICTS —*cont.*														
Civil Parishes of Codnor Park and Shipley. Administered by R.D. Council of Basford (Notts).	1,849	15	9	—	—	24	13·0	13	10	23	12·4	2	83	0·6
DEVONSHIRE :	728,900	4,762	4,594	265	229	9,850	13·5	4,679	4,988	9,667	13·3	485	49	0·2
COUNTY BORO's	273,500	1,993	1,941	131	107	4,172	15·3	1,751	1,851	3,602	13·2	232	56	2·1
Exeter	67,300	454	431	36	19	940	14·0	424	461	885	13·2	45	48	0·8
Plymouth ..	206,200	1,539	1,510	95	88	3,232	15·7	1,327	1,390	2,717	13·2	187	58	2·5
ADMINISTRATIVE COUNTY.	455,400	2,769	2,653	134	122	5,678	12·5	2,928	3,137	6,065	13·3	253	45	—0·8
URBAN DISTRICTS	228,900	1,275	1,257	68	73	2,673	11·7	1,458	1,728	3,186	13·9	110	41	—2
Ashburton ..	2,527	17	18	2	—	37	14·6	18	21	39	15·4	1	27	—0·8
Axminster ..	2,355	9	12	—	—	21	8·9	14	22	36	15·3	—	—	—6·4
Bampton ..	1,430	11	12	—	—	23	16·1	7	6	13	9·1	2	87	7·0
Barnstaple M.B.	14,650	98	108	7	5	218	14·9	98	113	211	14·4	6	28	0·5
Bideford M.B. ..	9,087	58	43	1	6	108	11·9	71	64	135	14·9	4	37	—3·0
Brixham ..	8,298	50	54	2	2	108	13·0	43	51	94	11·3	2	19	1·7
Buckfastleigh ..	2,488	14	14	—	1	29	11·7	11	24	35	14·1	2	69	—2·4
Budleigh Salterton.	3,293	18	10	—	—	28	8·5	21	31	52	15·8	3	107	—7·3
Crediton ..	3,703	24	19	2	—	45	12·2	19	31	50	13·5	3	67	—1·3
Dartmouth M.B.	6,327	38	34	1	—	73	11·5	38	36	74	11·7	5	68	—0·2
Dawlish ..	4,319	22	15	—	1	38	8·8	36	37	73	16·9	5	132	—8·1
Exmouth ..	14,970	58	82	2	3	145	9·7	107	117	224	15·0	3	21	—5·3
Great Torrington M.B.	2,866	15	21	1	—	37	12·9	16	23	39	13·6	2	54	—0·7
Holsworthy ..	1,346	7	7	—	—	14	10·4	8	7	15	11·1	1	71	—0·7
Honiton M.B. ..	3,317	27	12	1	2	42	12·7	29	14	43	13·0	2	48	—0·3
Ilfracombe ..	8,674	49	56	1	3	109	12·6	54	77	131	15·1	3	28	—2·5
Ivybridge ..	1,601	10	14	1	—	25	15·6	10	11	21	13·1	—	—	2·5
Kingsbridge ..	3,101	22	17	—	1	40	12·9	30	33	63	20·3	1	25	—7·4
Lynton	1,701	9	9	—	—	18	10·6	12	11	23	13·5	1	56	—2·9
Newton Abbot..	15,010	81	84	2	8	175	11·7	91	99	190	12·7	6	34	—1·0
Northam ..	5,725	37	25	1	2	65	11·4	36	47	83	14·5	2	31	—3·1
Okehampton M.B.	3,356	16	19	—	—	35	10·4	11	17	28	8·3	1	29	2·1
Ottery St. Mary	3,713	17	20	1	1	39	10·5	26	29	55	14·8	3	77	—4·3
Paignton ..	19,370	104	105	10	4	223	11·5	109	131	240	12·4	7	31	—0·9
Salcombe ..	2,243	13	9	1	—	23	10·3	13	14	27	12·0	2	87	—1·7
Seaton	2,373	6	10	—	1	17	7·2	20	24	44	18·5	—	—	—11·3
Sidmouth ..	5,387	24	31	—	1	56	10·4	21	43	64	11·9	2	36	—1·5
South Molton M.B.	2,876	19	7	1	2	29	10·1	13	19	32	11·1	3	103	—1·0

TABLE 17—*continued.*

AREA.	Estimated Resident Population (Middle 1933).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*
DEVONSHIRE—*cont.*														
URBAN DISTRICTS —*cont.*														
Tavistock ..	4,703	31	21	3	1	56	11·9	28	32	60	12·8	3	54	−0·9
Teignmouth ..	9,882	45	58	3	1	107	10·8	71	99	170	17·2	4	37	−6·4
Tiverton M.B...	9,827	62	47	1	4	114	11·6	49	66	115	11·7	4	35	−0·1
Torquay M.B. ..	44,000	247	236	24	22	529	12·0	290	345	635	14·4	26	49	−2·4
Totnes M.B. ..	4,382	17	28	—	2	47	10·7	38	34	72	16·4	1	21	−5·7
RURAL DISTRICTS	226,500	1,494	1,396	66	49	3,005	13·3	1,470	1,409	2,879	12·7	143	48	0·6
Axminster ..	10,210	70	56	1	1	128	12·5	77	78	155	15·2	8	63	−2·7
Barnstaple ..	18,670	123	110	2	4	239	12·8	141	140	281	15·1	9	38	−2·3
Bideford ..	5,373	40	22	3	3	68	12·7	39	26	65	12·1	3	44	0·6
Broadwood Widger.	2,033	9	15	2	1	27	13·3	10	19	29	14·3	2	74	−1·0
Crediton ..	9,875	76	74	3	—	153	15·5	71	59	130	13·2	8	52	2·3
Culmstock ..	3,163	20	23	1	1	45	14·2	18	18	36	11·4	1	22	2·8
Holsworthy (part of).†	6,448	49	41	3	3	96	14·9	50	38	88	13·6	11	115	1·3
Honiton ..	9,588	69	60	4	2	135	14·1	57	59	116	12·1	3	22	2·0
Kingsbridge ..	10,920	67	61	3	2	133	12·2	69	62	131	12·0	6	45	0·2
Newton Abbot..	21,930	163	160	3	7	333	15·2	130	138	268	12·2	17	51	3·0
Okehampton ..	12,700	72	71	1	4	148	11·7	80	70	150	11·8	4	27	−0·1
Plympton St. Mary.	27,870	176	179	5	4	364	13·1	194	151	345	12·4	13	36	0·7
St. Thomas ..	28,300	177	152	12	4	345	12·2	175	163	338	11·9	13	38	0·3
South Molton ..	9,507	71	56	4	1	132	13·9	61	54	115	12·1	10	76	1·8
Tavistock ..	14,900	87	95	5	4	191	12·8	84	96	180	12·1	14	73	0·7
Tiverton ..	14,800	92	102	4	3	201	13·6	77	87	164	11·1	9	45	2·5
Torrington ..	7,783	48	48	3	—	99	12·7	50	71	121	15·5	4	40	−2·8
Totnes	12,430	85	71	7	5	168	13·5	87	80	167	13·4	8	48	0·1
DORSETSHIRE:														
ADMINISTRATIVE COUNTY.	241,900	1,620	1,561	62	68	3,311	13·7	1,417	1,456	2,873	11·9	150	45	1·8
URBAN DISTRICTS	145,760*	956	932	43	39	1,970	13·5	819	853	1,672	11·5	77	39	2·0
Blandford Forum M.B.	3,512	21	25	2	1	49	14·0	24	22	46	13·1	1	20	0·9
Bridport M.B.	5,900	33	35	—	1	69	11·7	37	54	91	15·4	2	29	−3·7
Dorchester M.B.	10,170*	76	63	2	1	142	14·0	49	51	100	9·8	2	14	4·2
Lyme Regis M.B.	2,562	9	13	—	—	22	8·6	11	23	34	13·3	1	45	−4·7
Poole M.B. ..	62,580*	430	450	25	20	925	14·8	366	372	738	11·8	46	50	3·0
Portland ..	11,110	72	85	1	4	162	14·6	53	52	105	9·5	3	19	5·1
Shaftesbury M.B.	2,953*	13	13	—	1	27	9·1	15	15	30	10·2	—	—	−1·1
Sherborne ..	6,526	46	24	—	2	72	11·0	28	35	63	9·7	1	14	1·3
Swanage ..	6,021*	43	29	3	2	77	12·8	36	27	63	10·5	3	39	2·3
Wareham M.B.	2,434	25	15	—	1	41	16·8	15	9	24	9·9	2	49	6·9
Weymouth and Melcombe Regis M.B.	27,950*	166	155	9	6	336	12·0	152	173	325	11·6	14	42	0·4
Wimborne Minster.	4,042*	22	25	1	—	48	11·9	33	20	53	13·1	2	42	−1·2
RURAL DISTRICTS	96,140*	664	629	19	29	1,341	13·9	598	603	1,201	12·5	73	54	1·4
Beaminster ..	7,852	51	51	2	1	105	13·4	60	43	103	13·1	13	124	0·3
Blandford ..	7,341	53	47	2	2	104	14·2	30	45	75	10·2	4	38	4·0

† The remainder of Holsworthy Rural District is in Cornwall.

TABLE 17—*continued.*

AREA.	Estimated Resident Population (Middle 1933).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	Total.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*
ORSETSHIRE —*cont.*														
URAL DISTRICTS —*cont.*														
Bridport ..	6,841*	36	33	2	3	74	10·8	58	58	116	17·0	6	81	−6·2
Cerne†	1,027*	8	11	—	—	19	18·5	6	4	10	9·7	—	—	8·8
Dorchester ..	14,300*	100	98	3	6	207	14·5	77	74	151	10·6	4	19	3·9
Poole†	1,450*	10	9	—	2	21	14·5	12	13	25	17·2	—	—	−2·7
Shaftesbury ..	8,582*	54	57	2	2	115	13·4	51	59	110	12·8	6	52	0·6
Sherborne ..	5,206*	35	39	—	1	75	14·4	31	33	64	12·3	5	67	2·1
Sturminster ..	8,171*	68	44	2	5	119	14·6	50	48	98	12·0	5	42	2·6
Wareham and Purbeck.	15,450*	112	114	4	5	235	15·2	84	94	178	11·5	15	64	3·7
Weymouth† ..	2,850*	18	24	—	—	42	14·7	19	21	40	14·0	3	71	0·7
Wimborne and Cranborne	17,070*	119	102	2	2	225	13·2	120	111	231	13·5	12	53	−0·3
URHAM	1,487 630	13,163	12,455	497	513	26,628	17·9	9,717	8,584	18,301	12·3	2,172	82	5·6
OUNTY BORO's ..	569,300*	4,973	4,839	187	212	10,211	17·9	3,923	3,600	7,523	13·2	852	83	4·7
Darlington ..	73,340	528	435	20	26	1,009	13·8	444	441	885	12·1	69	68	1·7
Gateshead ..	123,670*	1,087	1,062	48	41	2,238	18·1	910	738	1,648	13·3	171	76	4·8
South Shields ..	114,100	979	895	41	48	1,963	17·2	822	736	1,558	13·7	182	93	3·5
Sunderland ..	187,400	1,773	1,794	61	75	3,703	19·8	1,279	1,260	2,539	13·5	331	89	6·3
West Hartlepool	70,790	606	653	17	22	1,298	18·3	468	425	893	12·6	99	76	5·7
DMINISTRATIVE COUNTY.	918,330*	8,190	7,616	310	301	16,417	17·9	5,794	4,984	10,778	11·7	1,320	80	6·2
RBAN DISTRICTS	517,300*	4,654	4,260	174	171	9,259	17·9	3,416	2,912	6,328	12·2	764	83	5·7
Annfield Plain..	16,080	134	145	4	8	291	18·1	107	87	194	12·1	29	100	6·0
Barnard Castle..	4,030	20	23	—	3	46	11·4	27	18	45	11·2	1	22	0·2
Benfieldside ..	9,108	89	77	2	3	171	18·8	51	54	105	11·5	10	58	7·3
Billingham ..	18,520	206	193	7	3	409	22·1	80	69	149	8·0	23	56	14·1
Bishop Auckland	11,980	80	85	1	—	166	13·9	72	56	128	10·7	10	60	3·2
Blaydon ..	32,240	269	286	14	9	578	17·9	187	186	373	11·6	50	87	6·3
Brandon and Byshottles.	16,660	140	130	6	4	280	16·8	109	97	206	12·4	22	79	4·4
Chester-le-Street	16,620	131	108	3	6	248	14·9	113	97	210	12·6	24	97	2·3
Consett ..	12,300	101	106	4	5	216	17·6	84	58	142	11·5	21	97	6·1
Crook	11,250	84	68	3	4	159	14·1	77	62	139	12·4	6	38	1·7
Durham M.B. ..	16,630	134	99	6	10	249	15·0	99	96	195	11·7	20	80	3·3
Felling	26,830	246	239	7	2	494	18·4	184	171	355	13·2	38	77	5·2
Hartlepool M.B.	19,790	219	180	7	6	412	20·8	167	120	287	14·5	44	107	6·3
Hebburn ..	23,770	196	219	13	10	438	18·4	175	133	308	13·0	38	87	5·4
Hetton	18,090	198	169	5	9	381	21·1	118	79	197	10·9	33	87	10·2
Houghton-le-Spring.	11,010	125	99	3	3	230	20·9	65	52	117	10·6	18	78	10·3
Jarrow M.B. ..	31,580	291	253	7	10	561	17·8	227	234	461	14·6	54	96	3·2
Leadgate ..	6,293	59	70	3	—	132	21·0	36	43	79	12·6	13	98	8·4
Ryton	14,180	117	96	5	6	224	15·8	86	87	173	12·2	17	76	3·6
Seaham Harbour	20,090	253	214	6	7	480	23·9	120	95	215	10·7	33	69	13·2
Shildon ..	12,400	94	85	9	5	193	15·6	87	82	169	13·6	21	109	2·0
Spennymoor ..	16,010	141	135	3	5	284	17·7	114	97	211	13·2	24	85	4·5
Stanhope ..	1,672	8	9	—	—	17	10·2	7	11	18	10·8	1	59	−0·6
Stanley ..	24,260	204	200	10	6	420	17·3	174	133	307	12·7	36	86	4·6
Stockton-on-Tees M.B.	66,980	618	524	29	29	1,200	17·9	459	393	852	12·7	116	97	5·2

† Abolished 1st April, 1933.

TABLE 17—*continued.*

AREA.	Estimated Resident Population (Middle 1933).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	Total.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*
DURHAM—*cont.*														
URBAN DISTRICTS —*cont.*														
Tanfield ..	9,244	87	48	4	2	141	15·3	71	56	127	13·7	9	64	1·6
Tow Law ..	3,522	26	34	2	3	65	18·5	20	18	38	10·8	2	31	7·7
Washington ..	17,290	161	157	4	6	328	19·0	110	82	192	11·1	27	82	7·9
Whickham ..	20,050*	147	151	5	5	308	15·4	131	103	234	11·7	17	55	3·7
Willington ..	8,821	76	58	2	2	138	15·6	59	43	102	11·6	7	51	4·0
RURAL DISTRICTS	401,030*	3,536	3,356	136	130	7,158	17·8	2,378	2,072	4,450	11·1	556	78	6·7
Auckland ..	51,910	410	382	25	17	834	16·1	307	308	615	11·8	66	79	4·3
Barnard Castle	10,230	94	74	7	6	181	17·7	74	62	136	13·3	13	72	4·4
Chester-le-Street	51,180*	458	451	9	16	934	18·2	310	285	595	11·6	85	91	6·6
Darlington ..	8,874	51	62	3	2	118	13·3	51	53	104	11·7	5	42	1·6
Durham ..	31,280	265	234	18	15	532	17·0	229	152	381	12·2	43	81	4·8
Easington ..	89,680	958	893	35	22	1,908	21·3	501	400	901	10·0	149	78	11·3
Hartlepool ..	2,610	19	7	3	—	29	11·1	20	10	30	11·5	—	—	−0·4
Houghton-le-Spring.	27,470	238	246	5	6	495	18·0	161	142	303	11·0	38	77	7·0
Lanchester ..	33,230	277	250	8	12	547	16·5	160	161	321	9·7	34	62	6·8
Sedgefield ..	36,630	281	278	11	19	589	16·1	191	205	396	10·8	51	87	5·3
South Shields ..	21,000	165	155	—	2	322	15·3	125	107	232	11·0	15	47	4·3
Stockton ..	6,692	45	56	—	3	104	15·5	44	25	69	10·3	8	77	5·2
Sunderland ..	21,910	200	206	8	8	422	19·3	151	109	260	11·9	39	92	7·4
Weardale ..	8,334	75	62	4	2	143	17·2	54	53	107	12·8	10	70	4·4
ELY, ISLE OF:														
ADMINISTRATIVE COUNTY.	78,950	622	598	36	25	1,281	16·2	470	503	973	12·3	74	58	3·9
URBAN DISTRICTS	45,970*	365	337	21	14	737	16·0	284	310	594	12·9	36	49	3·1
Chatteris ..	5,191	47	36	2	1	86	16·6	34	39	73	14·1	6	70	2·5
Ely	8,627*	54	47	1	1	103	11·9	58	54	112	13·0	9	87	−1·1
March	11,920*	95	93	5	3	196	16·4	65	81	146	12·2	10	51	4·2
Whittlesey ..	8,362*	83	73	5	1	162	19·4	55	55	110	13·2	4	25	6·2
Wisbech M.B...	11,870*	86	88	8	8	190	16·0	72	81	153	12·9	7	37	3·1
RURAL DISTRICTS	32,980*	257	261	15	11	544	16·5	186	193	379	11·5	38	70	5·0
Ely	13,300*	110	101	9	6	226	17·0	74	87	161	12·1	17	75	4·9
North Witchford	5,212	41	37	2	—	80	15·3	37	30	67	12·9	6	75	2·4
Thorney ..	2,338*	18	23	—	—	41	17·5	10	5	15	6·4	2	49	11·1
Wisbech ..	12,130*	88	100	4	5	197	16·2	65	71	136	11·2	13	66	5·0
ESSEX	1,824,300	12,697	12,170	414	407	25,688	14·1	9,770	9,423	19,193	10·5	1,306	51	3·6
COUNTY BORO's:	547,220*	3,797	3,635	137	106	7,675	14·0	3,319	3,081	6,400	11·7	428	56	2·3
East Ham ..	139,500	974	903	23	22	1,922	13·8	771	733	1,504	10·8	87	45	3·0
Southend-on-Sea	124,820*	645	621	49	32	1,347	10·8	705	854	1,559	12·5	57	42	−1·7
West Ham ..	282,900	2,178	2,111	65	52	4,406	15·6	1,843	1,494	3,337	11·8	284	64	3·8
ADMINISTRATIVE COUNTY.	1,277,080*	8,900	8,535	277	301	18,013	14·1	6,451	6,342	12,793	10·0	878	49	4·1
URBAN DISTRICTS	985,670*	6,916	6,628	191	213	13,948	14·2	4,722	4,661	9,383	9·5	680	49	4·7
Barking M.B. ..	68,840	616	559	9	20	1,204	17·5	284	240	524	7·6	67	56	9·9
Benfleet ..	12,960	70	69	6	5	150	11·6	84	83	167	12·9	5	33	−1·3
Braintree ..	8,965	45	78	2	1	126	14·1	46	46	92	10·3	4	32	3·8

TABLE 17—*continued.*

AREA.	Estimated Resident Population (Middle 1933).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F									
Col. 1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*
ESSEX—*cont.*														
URBAN DISTRICTS —*cont.*														
Brentwood ..	7,302	37	36	—	3	76	10·4	25	40	65	8·9	3	39	1·5
Brightlingsea ..	4,173	12	23	—	—	35	8·4	34	35	69	16·5	—	—	−8·1
Buckhurst Hill†														
Burnham-on-Crouch.	3,382	25	31	1	1	58	17·2	17	35	52	15·4	1	17	1·8
Canvey Island ..	4,564	29	37	2	—	68	14·9	24	32	56	12·3	2	29	2·6
Chelmsford M.B	26,940	172	164	12	10	358	13·3	126	136	262	9·7	20	56	3·6
Chigwell‡ ..	14,602*	93	79	3	3	178	12·2	81	70	151	10·3	6	34	1·9
Chingford ..	26,630	186	208	6	5	405	15·2	108	110	218	8·2	20	49	7·0
Clacton	16,350	76	75	3	6	160	9·8	87	95	182	11·1	8	50	−1·3
Colchester M.B.	50,060	314	331	8	10	663	13·2	236	270	506	10·1	36	54	3·1
Dagenham ..	95,550	925	816	20	24	1,785	18·7	326	296	622	6·5	86	48	12·2
Epping	5,124	37	32	3	2	74	14·4	27	32	59	11·5	3	41	2·9
Frinton-on-Sea	2,030	8	3	—	2	13	6·4	7	14	21	10·3	2	154	−3·9
Grays Thurrock	18,780	140	142	2	2	286	15·2	107	70	177	9·4	6	21	5·8
Halstead ..	5,806	28	26	2	3	59	10·2	32	51	83	14·3	5	85	−4·1
Harwich M.B. ..	12,740	89	96	2	3	190	14·9	78	75	153	12·0	10	53	2·9
Hornchurch ..	38,650	338	359	7	10	714	18·5	151	154	305	7·9	37	52	10·6
Ilford M.B. ..	141,800	969	832	28	23	1,852	13·1	600	614	1,214	8·6	83	45	4·5
Loughton† ..														
Leyton M.B. ..	125,700	762	701	16	20	1,499	11·9	724	744	1,468	11·7	76	51	0·2
Maldon M.B. ..	6,654	45	50	3	—	98	14·7	39	52	91	13·7	3	31	1·0
Purfleet	8,807	94	60	6	—	160	18·2	51	37	88	10·0	8	50	8·2
Rayleigh ..	6,827	45	44	2	1	92	13·5	34	33	67	9·8	1	11	3·7
Romford ..	42,500	365	327	13	14	719	16·9	203	186	389	9·2	32	45	7·7
Saffron Walden M.B.	6,263	34	21	3	1	59	9·4	35	34	69	11·0	5	85	−1·6
Shoeburyness§..	5,304*	46	43	1	4	94	17·7	30	23	53	10·0	3	32	7·7
Tilbury	16,690	167	165	5	4	341	20·4	101	58	159	9·5	21	62	10·9
Waltham Holy Cross.	7,004	34	43	1	1	79	11·3	34	32	66	9·4	5	63	1·9
Walthamstow M.B.	135,600	782	842	17	29	1,670	12·3	687	670	1,357	10·0	89	53	2·3
Walton on the Naze.	2,946	17	17	—	1	35	11·9	25	20	45	15·3	1	29	−3·4
Wanstead ..	19,710	76	94	5	2	177	9·0	115	111	226	11·5	12	68	−2·5
West Mersea ..	2,199	15	12	—	—	27	12·3	16	10	26	11·8	1	37	0·5
Witham ..	5,137*	34	29	1	1	65	12·7	27	20	47	9·1	2	31	3·6
Wivenhoe ..	2,241	16	10	—	1	27	12·0	10	13	23	10·3	2	74	1·7
Woodford ..	26,840	175	174	2	1	352	13·1	111	120	231	8·6	15	43	4·5
RURAL DISTRICTS	291,410*	1,984	1,907	86	88	4,065	13·9	1,729	1,681	3,410	11·7	198	49	2·2
Belchamp ..	3,937	23	20	1	1	45	11·4	29	28	57	14·5	2	44	−3·1
Billericay ..	44,070	302	296	15	12	625	14·2	246	242	488	11·1	32	51	3·1
Braintree ..	21,290*	147	123	4	10	284	13·3	118	132	250	11·7	16	56	1·6
Bumpstead ..	2,321	12	14	—	—	26	11·2	14	12	26	11·2	1	38	—
Chelmsford ..	29,180	203	182	6	8	399	13·7	189	179	368	12·6	17	43	1·1
Dunmow ..	16,140	114	94	10	8	226	14·0	95	110	205	12·7	17	75	1·3
Epping	17,010*	126	103	1	5	235	13·8	86	101	187	11·0	16	68	2·8
Halstead ..	9,656	52	63	2	3	120	12·4	65	67	132	13·7	5	42	−1·3
Lexden and Winstree.	19,420	111	133	4	5	253	13·0	121	112	233	12·0	14	55	1·0
Maldon ..	16,580	113	90	6	4	213	12·8	106	108	214	12·9	5	23	−0·1
Ongar	12,170	82	90	7	6	185	15·2	80	55	135	11·1	14	76	4·1
Orsett	22,450	163	175	7	4	349	15·5	111	89	200	8·9	14	40	6·6
Rochford ..	17,230*	141	120	1	6	268	15·6	99	103	202	11·7	11	41	3·9
Romford ..	17,610	134	123	7	1	265	15·0	79	78	157	8·9	11	42	6·1
Saffron Walden	9,585	58	56	7	3	124	12·9	67	76	143	14·9	5	40	−2·0
Stansted ..	7,121	42	55	1	2	100	14·0	49	64	113	15·9	4	40	−1·9
Tendring ..	25,640	161	170	7	10	348	13·6	175	125	300	11·7	14	40	1·9

† Abolished 1st Oct., 1933. Figures included with those of the new area of Chigwell U.D. as from 1st Jan., 1933.
‡ Created 1st Oct., 1933. § Abolished 1st Oct., 1933.

TABLE 17—*continued.*

AREA.	Estimated Resident Population (Middle 1933).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*
GLOUCESTERSHIRE :	800,100*	5,309	5,128	211	210	10,858	13·6	4,872	5,173	10,045	12·6	555	51	1·
COUNTY BORO's :	462,400*	3,113	3,010	111	110	6,344	13·7	2,750	2,845	5,595	12·1	338	53	1·
Bristol	409,400*	2,759	2,639	98	96	5,592	13·7	2,412	2,517	4,929	12·0	306	55	1·
Gloucester ..	53,000	354	371	13	14	752	14·2	338	328	666	12·6	32	43	1·
ADMINISTRATIVE COUNTY.	337,700	2,196	2,118	100	100	4,514	13·4	2,122	2,328	4,450	13·2	217	48	0·
URBAN DISTRICTS	113,500	690	648	38	36	1,412	12·4	759	923	1,682	14·8	74	52	−2·
Awre	1,006	7	8	—	1	16	15·9	9	5	14	13·9	—	—	2·
Charlton Kings	4,634	26	21	1	—	48	10·4	41	34	75	16·2	4	83	−5·
Cheltenham M.B.	50,720	301	284	20	18	623	12·3	348	501	849	16·7	31	50	−4·
Cirencester ..	7,123	29	39	3	3	74	10·4	47	70	117	16·4	4	54	−6·
Coleford ..	2,853	22	30	2	4	58	20·3	25	14	39	13·7	3	52	6·
Kingswood ..	13,170	91	63	3	3	160	12·1	77	73	150	11·4	6	38	0·
Mangotsfield ..	11,740	65	71	3	2	141	12·0	68	61	129	11·0	10	71	1·
Nailsworth ..	3,201	20	22	1	—	43	13·4	16	30	46	14·4	6	140	−1·
Newnham ..	1,113	8	5	—	1	14	12·6	3	8	11	9·9	—	—	2·
Stow-on-the-Wold.	1,302	13	3	—	—	16	12·3	8	9	17	13·1	1	63	−0·
Stroud	8,420	59	56	3	2	120	14·3	52	58	110	13·1	6	50	1·
Tetbury ..	2,193	17	12	—	1	30	13·7	15	14	29	13·2	—	—	0·
Tewkesbury M.B.	4,331	25	25	1	1	52	12·0	34	33	67	15·5	2	38	−3·
Westbury-on-Severn.	1,694	7	9	1	—	17	10·0	16	13	29	17·1	1	59	−7·
RURAL DISTRICTS	224,200	1,506	1,470	62	64	3,102	13·8	1,363	1,405	2,768	12·3	143	46	1·
Campden ..	8,255	72	44	1	—	117	14·2	62	55	117	14·2	4	34	—
Cheltenham ..	5,823	33	34	2	1	70	12·0	32	39	71	12·2	3	43	−0·
Chipping Sodbury	25,150	171	158	4	6	339	13·5	157	158	315	12·5	17	50	1·
Cirencester ..	12,010	79	78	5	3	165	13·7	48	83	131	10·9	5	30	2·
Dursley.. ..	13,340	92	98	4	3	197	14·8	72	81	153	11·5	12	61	3·
East Dean and United Parishes	19,750	179	160	13	6	358	18·1	137	104	241	12·2	23	64	5·
Faringdon (part of).†	972	7	6	—	—	13	13·4	7	9	16	16·5	—	—	−3·
Gloucester ..	15,690	87	92	6	8	193	12·3	93	95	188	12·0	10	52	0·
Lydney ..	10,600	76	76	1	7	160	15·1	62	45	107	10·1	8	50	5·
Newent ..	7,331	54	45	2	4	105	14·3	50	57	107	14·6	1	10	−0·
Northleach ..	7,087	43	57	—	3	103	14·5	61	56	117	16·5	7	68	−2·
Stow-on-the Wold.	6,131	37	35	5	2	79	12·9	44	35	79	12·9	4	51	—
Stroud	27,200	154	152	3	3	312	11·5	153	206	359	13·2	11	35	−1·
Tetbury ..	3,785	17	23	—	—	40	10·6	15	16	31	8·2	4	100	2·
Tewkesbury (part of).‡	4,245	17	29	—	2	48	11·3	26	26	52	12·2	4	83	−0·
Thornbury ..	19,620	125	135	4	6	270	13·8	112	130	242	12·3	12	44	1·
Warmley ..	8,928	49	40	3	1	93	10·4	49	45	94	10·5	3	32	−0·
West Dean ..	14,030	113	108	7	3	231	16·5	96	68	164	11·7	7	30	4·
Wheatenhurst ..	6,031	49	49	1	3	102	16·9	46	49	95	15·8	6	59	1·
Winchcomb ..	8,222	52	51	1	3	107	13·0	41	48	89	10·8	2	19	2·

† The remainder of Faringdon Rural District is in Berkshire.
‡ The remainder of Tewkesbury Rural District is in Worcestershire.

TABLE 17—*continued.*

AREA.	Estimated Resident Population (Middle 1933).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*
HEREFORDSHIRE: ADMINISTRATIVE COUNTY.	111,320	744	760	46	51	1,601	14·4	729	746	1,475	13·3	85	53	1·1
URBAN DISTRICTS	41,900	262	281	13	11	567	13·5	277	308	585	14·0	36	63	−0·5
Bromyard ..	1,598	5	18	—	—	23	14·4	10	13	23	14·4	2	87	—
Hereford M.B...	24,660	141	161	7	7	316	12·8	160	188	348	14·1	21	66	−1·3
Kington ..	1,806	12	11	2	—	25	13·8	15	11	26	14·4	1	40	−0·6
Ledbury ..	3,416	25	19	1	—	45	13·2	18	28	46	13·5	3	67	−0·3
Leominster M.B.	5,700	41	45	2	3	91	16·0	36	41	77	13·5	6	66	2·5
Ross-on-Wye ..	4,720	38	27	1	1	67	14·2	38	27	65	13·8	3	45	0·4
RURAL DISTRICTS	69,420	482	479	33	40	1,034	14·9	452	438	890	12·8	49	47	2·1
Bredwardine ..	1,874	17	12	2	2	33	17·6	14	11	25	13·3	1	30	4·3
Bromyard ..	7,301	48	43	6	6	103	14·1	52	42	94	12·9	5	49	1·2
Dore	5,945	45	50	2	2	99	16·7	43	41	84	14·1	5	51	2·6
Hereford ..	13,140	75	91	5	8	179	13·6	70	75	145	11·0	12	67	2·6
Kington ..	4,603	31	35	—	1	67	14·6	45	33	78	16·9	4	60	−2·3
Ledbury ..	8,685	54	57	4	7	122	14·0	51	54	105	12·1	4	33	1·9
Leominster and Wigmore.	10,330	73	66	6	9	154	14·9	69	67	136	13·2	3	19	1·7
Ross and Whitchurch.	11,630	90	76	5	3	174	15·0	70	77	147	12·6	9	52	2·4
Weobley ..	5,912	49	49	3	2	103	17·4	38	38	76	12·9	6	58	4·5
HERTFORDSHIRE: ADMINISTRATIVE COUNTY.	421,200	2,784	2,744	95	112	5,735	13·6	2,316	2,235	4,551	10·8	243	42	2·8
URBAN DISTRICTS	293,900	1,915	1,943	67	88	4,013	13·7	1,602	1,582	3,184	10·8	179	45	2·9
Baldock ..	3,365	17	36	2	1	56	16·6	21	26	47	14·0	5	89	2·6
Barnet ..	16,020	81	107	3	5	196	12·2	81	82	163	10·2	11	56	2·0
Bishops Stortford	10,160	65	64	4	5	138	13·6	44	64	108	10·6	5	36	3·0
Bushey	11,700	60	70	3	1	134	11·5	54	60	114	9·7	9	67	1·8
Cheshunt ..	15,180	104	107	5	6	222	14·6	76	92	168	11·1	12	54	3·5
Chorleywood ..	3,418	8	17	—	—	25	7·3	13	10	23	6·7	2	80	0·6
East Barnet Valley.	20,360	142	134	3	9	288	14·1	90	82	172	8·4	14	49	5·7
Great Berkhampstead.	8,452	50	61	—	—	111	13·1	34	42	76	9·0	2	18	4·1
Harpenden ..	9,113	46	45	1	6	98	10·8	57	59	116	12·7	4	41	−1·9
Hemel Hempstead M.B.	15,520	111	91	2	3	207	13·3	89	90	179	11·5	7	34	1·8
Hertford M.B...	12,320	83	92	—	1	176	14·3	65	66	131	10·6	9	51	3·7
Hitchin.. ..	15,030	96	100	7	7	210	14·0	107	81	188	12·5	18	86	1·5
Hoddesdon ..	7,716	66	51	2	1	120	15·6	37	40	77	10·0	3	25	5·6
Letchworth ..	14,480	72	90	4	1	167	11·5	74	69	143	9·9	5	30	1·6
Rickmansworth	11,130	93	84	2	8	187	16·8	59	65	124	11·1	12	64	5·7
Royston ..	3,803	19	11	—	—	30	7·9	33	34	67	17·6	—	—	−9·7
St. Albans M.B.	30,160	188	179	10	13	390	12·9	177	176	353	11·7	9	23	1·2
Sawbridgeworth	2,799	20	27	1	1	49	17·5	19	19	38	13·6	1	20	3·9
Stevenage ..	5,552	38	30	—	—	68	12·2	30	36	66	11·9	1	15	0·3
Tring	4,465	33	27	2	—	62	13·9	27	35	62	13·9	4	65	—
Ware	6,501	45	54	1	—	100	15·4	49	36	85	13·1	6	60	2·3
Watford M.B. ..	57,370	385	390	15	19	809	14·1	340	289	629	11·0	36	44	3·1
Welwyn Garden City.	9,286	93	76	—	1	170	18·3	26	29	55	5·9	4	24	12·4

TABLE 17—*continued.*

AREA.	Estimated Resident Population (Middle 1933).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*
HERTFORDSHIRE —*cont.*														
RURAL DISTRICTS:	127,300	869	801	28	24	1,722	13·5	714	653	1,367	10·7	64	37	2·8
Ashwell.. ..	3,515	26	23	2	1	52	14·8	19	25	44	12·5	4	77	2·3
Barnet	6,808	60	63	2	—	125	18·4	38	32	70	10·3	8	64	8·1
Berkhampstead	5,230	32	30	2	1	65	12·4	36	21	57	10·9	—	—	1·5
Buntingford ..	4,685	30	31	1	1	63	13·4	26	39	65	13·9	5	79	−0·5
Hadham ..	5,497	30	29	2	2	63	11·5	49	40	89	16·2	5	79	−4·7
Hatfield ..	12,400	92	94	3	2	191	15·4	57	52	109	8·8	4	21	6·6
Hemel Hempstead.	8,640	71	48	3	1	123	14·2	52	44	96	11·1	5	41	3·1
Hertford ..	7,663	43	37	—	1	81	10·6	40	42	82	10·7	4	49	−0·1
Hitchin.. ..	14,700	96	87	1	1	185	12·6	82	89	171	11·6	7	38	1·0
St. Albans ..	21,090	134	117	4	10	265	12·6	104	88	192	9·1	8	30	3·5
Ware	13,300	77	100	2	1	180	13·5	91	69	160	12·0	7	39	1·5
Watford ..	19,810	147	120	5	2	274	13·8	106	99	205	10·3	7	26	3·5
Welwyn ..	3,962	31	22	1	1	55	13·9	14	13	27	6·8	—	—	7·1
HUNTINGDONSHIRE:														
ADMINISTRATIVE COUNTY.	56,250	406	407	23	19	855	15·2	349	361	710	12·6	45	53	2·6
URBAN DISTRICTS	25,960	207	185	11	9	412	15·9	176	158	334	12·9	29	70	3·0
Godmanchester M.B.	2,060	11	20	1	1	33	16·0	20	15	35	17·0	3	91	−1·0
Huntingdon M.B.	4,065	22	16	1	1	40	9·8	34	30	64	15·7	3	75	−5·9
Old Fletton ..	7,530	85	67	4	3	159	21·1	40	35	75	10·0	9	57	11·1
Ramsey ..	5,220	52	36	4	3	95	18·2	29	33	62	11·9	10	105	6·3
St. Ives M.B. ..	2,740	10	17	—	1	28	10·2	20	16	36	13·1	2	71	− 2·9
St. Neots ..	4,345	27	29	1	—	57	13·1	33	29	62	14·3	2	35	− 1·2
RURAL DISTRICTS	30,290	199	222	12	10	443	14·6	173	203	376	12·4	16	36	2·2
Huntingdon ..	6,290	34	39	2	5	80	12·7	44	38	82	13·0	2	25	−0·3
Norman Cross ..	5,749	47	55	2	1	105	18·3	35	42	77	13·4	2	19	4·9
Oundle (part of)†	930	5	12	1	—	18	19·4	4	8	12	12·9	1	56	6·5
St. Ives.. ..	9,402	62	67	5	2	136	14·5	51	64	115	12·2	5	37	2·3
St. Neots ..	6,738	46	44	2	2	94	14·0	34	43	77	11·4	5	53	2·6
Thrapston (part of).†	723	4	5	—	—	9	12·4	5	4	9	12·4	1	111	—
Civil Parish of Sibson cum Stibbington, administered by R.D.C. of Barnack (Soke of Peterborough.)	458	1	—	—	—	1	2·2	—	4	4	8·7	—	—	−6·5
KENT:	1,273,970	8,861	8,214	383	390	17,848	14·0	7,526	7,429	14,955	11·7	857	48	2·3
COUNTY BORO':														
Canterbury ..	23,970	155	160	7	12	334	13·9	173	182	355	14·8	13	39	−0·9
ADMINISTRATIVE COUNTY.	1,250,000	8,706	8,054	376	378	17,514	14·0	7,353	7,247	14,600	11·7	844	48	2·3

† The remainder of Oundle and Thrapston Rural Districts are in Northamptonshire.

TABLE 17—*continued.*

AREA.	Estimated Resident Population (Middle 1933).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Crude Rate per 1,000 Total Population.	DEATHS. M.	F.	Total.	Crude Rate per 1,000 Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*
KENT—*cont.*														
URBAN DISTRICTS	894,300	6,199	5,673	260	258	12,390	13·9	5,213	5,232	10,445	11·7	596	48	2·2
Ashford.. ..	15,340	103	84	1	3	191	12·5	95	106	201	13·1	7	37	−0·6
Beckenham ..	50,120	277	273	5	3	558	11·1	226	248	474	9·5	15	27	1·6
Bexley	44,860	375	339	5	5	724	16·1	196	175	371	8·3	35	48	7·8
Broadstairs and St. Peters.	13,080	48	51	2	1	102	7·8	63	77	140	10·7	3	29	−2·9
Bromley M.B. ..	48,270	297	267	19	15	598	12·4	244	245	489	10·1	25	42	2·3
Chatham M.B...	44,810	368	331	9	10	718	16·0	276	241	517	11·5	44	61	4·5
Cheriton ..	8,750	80	80	2	3	165	18·9	41	39	80	9·1	8	48	9·8
Chislehurst ..	10,700	75	67	—	1	143	13·4	50	55	105	9·8	5	35	3·6
Crayford ..	18,550	139	117	2	1	259	14·0	78	67	145	7·8	6	23	6·2
Dartford M.B...	30,210	212	197	11	8	428	14·2	146	137	283	9·4	18	42	4·8
Deal M.B. ..	15,390	137	120	5	8	270	17·5	95	102	197	12·8	16	59	4·7
Dover M.B. ..	41,250	323	239	23	23	608	14·7	264	247	511	12·4	33	54	2·3
Erith	34,950	229	248	11	4	492	14·1	226	161	387	11·1	35	71	3·0
Faversham M.B.	10,210	59	59	3	3	124	12·1	87	72	159	15·6	4	32	−3·5
Folkestone M.B.	35,000	204	190	18	17	429	12·3	223	241	464	13·3	24	56	−1·0
Gillingham M.B.	60,830	512	409	15	18	954	15·7	374	305	679	11·2	48	50	4·5
Gravesend M.B.	35,180	288	280	10	11	589	16·7	204	194	398	11·3	34	58	5·4
Herne Bay ..	10,980	47	43	2	2	94	8·6	79	83	162	14·8	5	53	−6·2
Hythe M.B. ..	8,390	49	39	4	6	98	11·7	31	52	83	9·9	2	20	1·8
Lydd M.B. ..	2,851	14	14	3	1	32	11·2	16	8	24	8·4	1	31	2·8
Maidstone M.B.	42,800	278	288	9	10	585	13·7	243	248	491	11·5	18	31	2·2
Margate M.B. ..	30,160	167	143	7	12	329	10·9	179	196	375	12·4	16	49	−1·5
New Romney M.B.	1,691	12	14	2	1	29	17·2	18	12	30	17·7	4	138	−0·5
Northfleet ..	17,250	153	140	3	5	301	17·4	107	106	213	12·3	10	33	5·1
Penge	27,210	216	180	17	14	427	15·7	152	167	319	11·7	16	37	4·0
Queenborough M.B.	3,061	21	22	2	1	46	15·0	18	11	29	9·5	6	130	5·5
Ramsgate M.B.	33,630	206	226	18	21	471	14·0	225	252	477	14·2	28	59	−0·2
Rochester M.B.	30,700	188	191	8	9	396	12·9	226	157	383	12·5	14	35	0·4
Royal Tunbridge Wells M.B.	34,470	215	172	5	9	401	11·6	225	305	530	15·4	14	35	−3·8
Sandgate ..	2,828	19	11	3	—	33	11·7	18	22	40	14·1	2	61	−2·4
Sandwich M.B.	3,367	24	16	1	—	41	12·2	19	27	46	13·7	3	73	−1·5
Sevenoaks ..	10,990	63	47	1	1	112	10·2	57	81	138	12·6	1	9	−2·4
Sheerness ..	16,160	104	108	4	5	221	13·7	96	95	191	11·8	7	32	1·9
Sidcup	22,300	177	166	7	6	356	16·0	115	116	231	10·4	18	51	5·6
Sittingbourne and Milton.	20,350	165	172	7	6	350	17·2	125	131	256	12·6	22	63	4·6
Southborough ..	7,459	53	37	—	2	92	12·3	51	79	130	17·4	4	43	−5·1
Swanscombe ..	8,498	67	57	4	—	128	15·1	62	45	107	12·6	12	94	2·5
Tenterden M.B.	3,353	22	15	—	2	39	11·6	18	32	50	14·9	6	154	−3·3
Tonbridge ..	16,940	100	97	7	4	208	12·3	104	107	211	12·5	12	58	−0·2
Walmer ..	5,178	31	34	2	—	67	12·9	37	58	95	18·3	5	75	−5·4
Whitstable ..	11,570	47	54	1	5	107	9·2	76	100	176	15·2	6	56	−6·0
Wrotham ..	4,614	35	36	2	2	75	16·3	28	30	58	12·6	4	53	3·7
RURAL DISTRICTS	355,700	2,507	2,381	116	120	5,124	14·4	2,140	2,015	4,155	11·7	248	48	2·7
Blean	11,780	79	80	3	6	168	14·3	74	57	131	11·1	11	65	3·2
Bridge	11,920	81	78	2	3	164	13·8	76	66	142	11·9	9	55	1·9
Bromley ..	48,550	389	355	22	20	786	16·2	190	232	422	8·7	26	33	7·5
Cranbrook ..	13,710	69	78	5	2	154	11·2	69	92	161	11·7	7	45	−0·5
Dartford ..	31,000	198	227	7	7	439	14·2	167	131	298	9·6	24	55	4·6

TABLE 17—*continued.*

AREA.	Estimated Resident Population (Middle 1933).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	Total.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population
Col. 1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*
KENT—*cont.*														
RURAL DISTRICTS —*cont.*														
Dover	9,100	52	43	4	5	104	11·4	59	40	99	10·9	5	48	0·
East Ashford ..	15,930	100	91	2	5	198	12·4	105	105	210	13·2	8	40	—0·
Eastry	18,660	166	139	4	15	324	17·4	114	102	216	11·6	22	68	5·
Elham	8,920	80	61	4	2	147	16·5	79	38	117	13·1	5	34	3·
Faversham ..	13,650	98	107	5	4	214	15·7	106	85	191	14·0	12	56	1·
Hollingbourne ..	14,530	106	84	6	7	203	14·0	108	91	199	13·7	9	44	0·
Hoo	4,597	39	33	1	2	75	16·3	26	32	58	12·6	4	53	3·
Isle of Thanet..	13,960	80	82	4	5	171	12·2	70	86	156	11·2	9	53	1·
Maidstone ..	17,750	129	104	5	5	243	13·7	104	118	222	12·5	14	58	1·
Malling	25,700	176	170	7	3	356	13·9	171	147	318	12·4	20	56	1·
Milton	7,207	45	51	1	1	98	13·6	54	34	88	12·2	6	61	1·
Romney Marsh	3,098	22	16	1	1	40	12·9	17	17	34	11·0	3	75	1·
Sevenoaks ..	27,350	170	180	10	7	367	13·4	141	167	308	11·3	9	25	2·
Sheppey ..	6,056	45	55	1	2	103	17·0	40	33	73	12·1	2	19	4·
Strood	18,090	142	149	7	6	304	16·8	123	114	237	13·1	23	76	3·
Tenterden ..	6,442	47	31	7	4	89	13·8	48	45	93	14·4	1	11	—0·
Tonbridge ..	19,320	144	121	5	3	273	14·1	136	126	262	13·6	10	37	0·
West Ashford ..	8,380	50	46	3	5	104	12·4	63	57	120	14·3	9	87	—1·
LANCASHIRE :	5,040,640*	35,850	34,646	1,527	1,551	73,574	14·6	34,895	34,443	69,338	13·8	5,912	80	0·
COUNTY BORO's ..	3,232,840*	24,439	23,540	1,150	1,130	50,259	15·5	23,195	22,461	45,656	14·1	4,305	86	1·
Barrow-in-Furness..	65,030	416	410	21	21	868	13·3	445	367	812	12·5	56	65	0·
Blackburn ..	121,400	710	687	23	37	1,457	12·0	842	911	1,753	14·4	104	71	—2·
Blackpool ..	104,100	502	424	44	49	1,019	9·8	716	829	1,545	14·8	70	69	—5·
Bolton	177,000	1,025	1,018	47	40	2,130	12·0	1,230	1,272	2,502	14·1	167	78	—2·
Bootle	77,210	821	777	27	27	1,652	21·4	574	497	1,071	13·9	147	89	7·
Burnley ..	95,900	538	566	33	28	1,165	12·1	672	754	1,426	14·9	87	75	—2·
Bury	59,200*	354	359	19	16	748	12·6	391	432	823	13·9	39	52	—1·
Liverpool ..	859,200	8,275	7,920	369	365	16,929	19·7	6,482	5,969	12,451	14·5	1,653	98	5·
Manchester ..	758,150*	5,278	5,304	298	276	11,156	14·7	5,257	5,088	10,345	13·6	834	75	1·
Oldham.. ..	136,700	800	750	54	57	1,661	12·1	1,003	1,044	2,047	15·0	119	72	—2·
Preston.. ..	117,800	845	791	50	34	1,720	14·6	811	766	1,577	13·4	152	88	1·
Rochdale ..	91,340*	487	507	22	28	1,044	11·4	671	700	1,371	15·0	93	89	—3·
St. Helens ..	107,600	997	898	23	21	1,939	18·0	823	680	1,503	14·0	224	116	4·
Salford	217,000	1,663	1,488	68	69	3,288	15·2	1,575	1,434	3,009	13·9	264	80	1·
Southport ..	78,980	368	349	22	30	769	9·7	517	672	1,189	15·1	45	59	—5·
Warrington ..	81,080*	643	622	17	17	1,299	16·0	562	445	1,007	12·4	95	73	3·
Wigan	85,150	717	670	13	15	1,415	16·6	624	601	1,225	14·4	156	110	2·
ADMINISTRATIVE COUNTY.	1,807,800*	11,411	11,106	377	421	23,315	12·9	11,700	11,982	23,682	13·1	1,607	69	—0·
URBAN DISTRICTS	1,557,480*	9,891	9,547	326	370	20,134	12·9	10,199	10,455	20,654	13·3	1,411	70	—0·
Abram	6,790	51	60	2	—	113	16·6	46	35	81	11·9	10	88	4·
Accrington M.B.	41,930	200	186	6	9	401	9·6	292	299	591	14·1	19	47	—4·
Adlington ..	4,221	18	37	—	—	55	13·0	21	30	51	12·1	5	91	0·
Ashton-in-Makerfield.	20,230*	156	147	1	2	306	15·1	149	120	269	13·3	33	108	1·
Ashton-under-Lyne M.B.	50,540	319	287	11	17	634	12·5	337	367	704	13·9	41	65	—1·
Aspull	6,929	52	62	—	5	119	17·2	51	45	96	13·9	12	101	3·
Atherton ..	20,430	131	139	3	7	280	13·7	120	122	242	11·8	20	71	1·

TABLE 17—*continued.*

AREA.	Estimated Resident Population (Middle) 1933).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	Total.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Deaths under 1 year. Rate per 1,000 births.	Natural Increase per 1,000 Population
Col. 1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*
LANCASHIRE—*cont.*														
URBAN DISTRICTS —*cont.*														
Audenshaw ..	9,126	53	57	—	2	112	12·3	42	60	102	11·2	4	36	1·1
Bacup M.B. ..	20,320	136	122	9	12	279	13·7	137	167	304	15·0	14	50	−1·3
Barrowford ..	5,172	35	32	1	1	69	13·3	47	47	94	18·2	7	101	−4·9
Billinge and Winstanley.	5,118	34	30	1	1	66	12·9	31	26	57	11·1	5	76	1·8
Blackrod ..	3,564	23	26	—	2	51	14·3	14	26	40	11·2	3	59	3·1
Brierfield ..	7,652	34	33	1	1	69	9·0	67	61	128	16·7	9	130	−7·7
Carnforth ..	3,229	22	21	—	1	44	13·6	21	15	36	11·1	2	45	2·5
Chadderton ..	27,650*	134	154	5	8	301	10·9	188	181	369	13·3	20	66	−2·4
Chorley M.B. ..	30,520	195	197	6	14	412	13·5	191	212	403	13·2	41	100	0·3
Church	6,030	33	33	1	1	68	11·3	48	45	93	15·4	4	59	−4·1
Clayton-le-Moors	7,650	42	47	—	1	90	11·8	53	54	107	14·0	8	89	−2·2
Clitheroe M.B...	11,870	74	70	—	5	149	12·6	70	87	157	13·2	5	34	−0·6
Colne M.B. ..	23,380	131	135	10	3	279	11·9	162	182	344	14·7	28	100	−2·8
Crompton ..	14,560	71	81	7	3	162	11·1	106	97	203	13·9	10	62	−2·8
Croston.. ..	1,878	8	8	—	—	16	8·5	12	17	29	15·4	—	—	−6·9
Dalton-in-Furness.	10,270	77	72	2	3	154	15·0	83	77	160	15·6	11	71	−0·6
Darwen M.B. ..	34,870	162	181	9	7	359	10·3	210	292	502	14·4	25	70	−4·1
Denton	17,870*	88	105	3	3	199	11·1	116	115	231	12·9	16	80	−1·8
Droylsden ..	15,100*	101	92	—	4	197	13·0	99	99	198	13·1	14	71	−0·1
Eccles M.B. ..	43,850*	253	266	9	8	536	12·2	250	236	486	11·1	28	52	1·1
Failsworth ..	15,800*	92	87	7	3	189	12·0	105	105	210	13·3	16	85	−1·3
Farnworth ..	28,300	141	175	7	5	328	11·6	187	217	404	14·3	32	98	−2·7
Fleetwood M.B.	23,430	225	191	6	6	428	18·3	135	107	242	10·3	35	82	−8·0
Formby ..	8,448	58	43	5	1	107	12·7	43	50	93	11·0	9	84	1·7
Fulwood ..	7,548	31	29	—	—	60	7·9	52	53	105	13·9	3	50	−6·0
Golborne ..	9,235*	75	87	1	—	163	17·7	50	43	93	10·1	7	43	7·6
Grange	2,332	5	3	—	—	8	3·4	24	18	42	18·0	—	—	−14·6
Great Crosby ..	22,170	132	129	4	5	270	12·2	113	119	232	10·5	20	74	1·7
Great Harwood	12,310	73	69	2	4	148	12·0	72	91	163	13·2	12	81	−1·2
Haslingden M.B.	16,280	66	89	2	3	160	9·8	115	140	255	15·7	15	94	−5·9
Haydock ..	10,290*	93	80	1	1	175	17·0	71	76	147	14·3	17	97	2·7
Heywood M.B.	25,870*	153	142	7	3	305	11·8	183	204	387	15·0	23	75	−3·2
Hindley ..	21,170	160	159	3	2	324	15·3	175	154	329	15·5	46	142	−0·2
Horwich ..	15,320	103	71	4	5	183	11·9	86	93	179	11·7	9	49	0·2
Huyton with Roby.	5,629	38	25	—	—	63	11·2	32	28	60	10·7	2	32	0·5
Ince in Makerfield.	22,240	243	207	4	6	460	20·7	200	146	346	15·6	57	124	5·1
Irlam	13,030*	108	95	2	—	205	15·7	79	69	148	11·4	10	49	4·3
Kearsley ..	10,740*	76	61	2	—	139	12·9	87	79	166	15·5	6	43	−2·6
Kirkham ..	4,084	31	34	1	2	68	16·7	26	27	53	13·0	4	59	3·7
Lancaster M.B.	44,470	325	264	14	25	628	14·1	297	267	564	12·7	42	67	1·4
Lees	4,602	24	25	—	—	49	10·6	37	31	68	14·8	4	82	−4·2
Leigh M.B. ..	45,190	335	301	10	11	657	14·5	329	295	624	13·8	51	78	0·7
Leyland ..	10,960	67	59	4	2	132	12·0	68	73	141	12·9	10	76	−0·9
Litherland ..	16,620	160	127	5	9	301	18·1	111	116	227	13·7	28	93	4·4
Littleborough ..	11,880	65	64	2	1	132	11·1	85	95	180	15·2	5	38	−4·1
Little Hulton†														
Little Lever ..	4,900	28	32	1	2	63	12·9	39	38	77	15·7	4	63	−2·8

† Abolished 1st April, 1933. Figures included in those of Worsley U.D. as from 1st Jan., 1933.

TABLE 17—*continued.*

AREA.	Estimated Resident Population (Middle 1933).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	Total.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*
LANCASHIRE—*cont.*														
URBAN DISTRICTS —*cont*														
Longridge ..	4,116	22	22	1	1	46	11·2	20	36	56	13·6	2	43	−2·4
Lytham St. Anne's M.B.	24,910	92	100	5	7	204	8·2	190	219	409	16·4	11	54	−8·2
Middleton M.B.	29,010*	181	179	7	6	373	12·9	205	207	412	14·2	23	62	−1·3
Milnrow ..	8,460	64	50	2	1	117	13·8	55	78	133	15·7	7	60	−1·9
Morecambe and Heysham M.B.	26,040	122	106	9	5	242	9·3	193	220	413	15·9	21	87	−6·6
Mossley M.B. ..	11,780	54	80	4	3	141	12·0	69	89	158	13·4	10	71	−1·4
Nelson M.B. ..	37,710	194	186	7	7	394	10·4	249	287	536	14·2	31	79	−3·8
Newton-in-Makerfield.	20,340	157	141	2	8	308	15·1	148	114	262	12·9	22	71	2·2
Norden† ..	3,335*	24	25	1	2	52	15·6	24	30	54	16·2	3	58	−0·6
Ormskirk ..	17,410	102	104	5	7	218	12·5	113	122	235	13·5	18	83	−1·0
Orrel	7,162	43	36	3	1	83	11·6	43	39	82	11·4	7	84	0·2
Oswaldtwistle ..	13,810	63	67	3	3	136	9·8	97	77	174	12·6	5	37	−2·8
Padiham ..	11,490	66	72	2	4	144	12·5	89	95	184	16·0	14	97	−3·5
Poulton le Fylde	3,246	11	16	—	1	28	8·6	17	23	40	12·3	1	36	−3·7
Freesall.. ..	2,103	13	12	—	—	25	11·9	14	15	29	13·8	—	—	−1·9
Prescot ..	11,490	77	84	2	1	164	14·3	65	68	133	11·6	10	61	2·7
Prestwich ..	26,100*	131	145	—	4	280	10·7	126	126	252	9·7	12	43	1·0
Radcliffe ..	25,220*	172	154	4	5	335	13·3	165	197	362	14·4	13	39	−1·1
Rainford ..	3,586	20	26	—	1	47	13·1	22	11	33	9·2	2	43	3·9
Ramsbottom ..	14,930*	85	80	6	5	176	11·8	94	106	200	13·4	11	63	−1·6
Rawtenstall M.B.	28,130	138	132	6	7	283	10·1	186	203	389	13·8	16	57	−3·7
Rishton ..	6,396	30	39	—	1	70	10·9	44	36	80	12·5	2	29	−1·6
Royton.. ..	16,670*	99	113	5	3	220	13·2	124	131	255	15·3	17	77	−2·1
Skelmersdale ..	6,109	47	57	1	2	107	17·5	44	39	83	13·6	4	37	3·9
Standish with Langtree.	7,461	49	45	—	1	95	12·7	38	35	73	9·8	7	74	2·9
Stretford M.B...	57,220*	342	333	18	14	707	12·4	319	348	667	11·7	33	47	0·7
Swinton and Pendlebury.	37,560*	288	226	3	5	522	13·9	223	203	426	11·3	28	54	2·6
Thornton Cleveleys.	10,400	50	61	2	2	115	11·1	68	66	134	12·9	6	52	−1·8
Tottington ..	6,275*	41	41	2	—	84	13·4	39	45	84	13·4	2	24	—
Trawden ..	2,508	18	4	—	1	23	9·2	14	19	33	13·2	2	87	−4·0
Turton	11,580	60	74	—	—	134	11·6	81	96	177	15·3	10	75	−3·7
Tyldesley ..	15,840*	139	112	2	4	257	16·2	98	97	195	12·3	16	62	3·9
Ulverston ..	9,323	63	54	1	—	118	12·7	63	53	116	12·4	5	42	0·3
Upholland ..	5,711	41	32	—	3	76	13·3	36	29	65	11·4	5	66	1·9
Urmston ..	21,440*	147	154	5	5	311	14·5	113	107	220	10·3	13	42	4·2
Walton le Dale	12,970	75	66	2	3	146	11·3	92	67	159	12·3	9	62	−1·0
Wardle	4,453	28	15	4	4	51	11·5	36	28	64	14·4	4	78	−2·9
Waterloo with Seaforth.	30,550	242	224	8	9	483	15·8	204	206	410	13·4	39	81	2·4
Westhoughton..	15,820	108	112	3	2	225	14·2	97	90	187	11·8	22	98	2·4
Whitefield ..	10,230*	59	60	2	3	124	12·1	51	57	108	10·6	5	40	1·5
Whitworth ..	8,206	54	58	2	3	117	14·3	62	71	133	16·2	13	111	−1·9
Widnes M.B. ..	41,380	378	385	10	6	779	18·8	244	239	483	11·7	49	63	7·1
Withnell ..	2,903	22	8	2	2	34	11·7	13	22	35	12·1	1	29	−0·4
Worsley ..	22,500*	140	129	4	2	275	12·2	148	161	309	13·7	19	69	−1·5

Abolished 1st Oct., 1933.

TABLE 17—*continued.*

AREA.	Estimated Resident Population (Middle 1933).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	Total.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Deaths under 1 year. Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*
LANCASHIRE—*cont.*														
RURAL DISTRICTS	250,320*	1,520	1,559	51	51	3,181	12·7	1,501	1,527	3,028	12·1	196	62	0·6
Barton-upon-Irwell†	4,690*	27	36	7	3	73	15·6	24	35	59	12·6	6	82	3·0
Blackburn ..	11,520	68	62	1	1	132	11·5	60	73	133	11·5	2	15	—
Burnley ..	17,660	141	97	3	3	244	13·8	112	116	228	12·9	11	45	0·9
Bury‡	4,522*	24	33	1	1	59	13·0	40	32	72	15·9	9	153	−2·9
Chorley.. ..	22,240	124	139	8	7	278	12·5	136	155	291	13·1	23	83	−0·6
Clitheroe ..	8,805	37	39	2	—	78	8·9	41	39	80	9·1	3	38	−0·2
Fylde	18,160	104	120	3	5	232	12·8	108	123	231	12·7	19	82	0·1
Garstang ..	11,640	61	73	1	4	139	11·9	77	65	142	12·2	8	58	−0·3
Lancaster ..	9,564	66	67	2	3	138	14·4	61	78	139	14·5	8	58	−0·1
Leigh‡	8,470*	51	50	2	—	103	12·2	45	39	84	9·9	6	58	2·3
Limehurst ..	8,536	52	42	1	3	98	11·5	46	57	103	12·1	5	51	−0·6
Lunesdale ..	6,574	48	38	1	2	89	13·5	46	37	83	12·6	9	101	0·9
Preston.. ..	31,710	204	214	4	7	429	13·5	172	194	366	11·5	22	51	2·0
Ulverston ..	16,430	108	96	5	3	212	12·9	117	112	229	13·9	11	52	−1·0
Warrington ..	15,670*	91	111	2	2	206	13·1	83	76	159	10·1	6	29	3·0
West Lancashire	26,190	145	162	4	4	315	12·0	171	142	313	12·0	28	89	—
Whiston ..	21,470	122	137	3	2	264	12·3	120	113	233	10·9	13	49	1·4
Wigan	6,469	47	43	1	1	92	14·2	42	41	83	12·8	7	76	1·4
LEICESTERSHIRE:	550,600	3,799	3,559	145	163	7,666	13·9	3,363	3,224	6,587	12·0	483	63	1·9
COUNTY BORO':														
Leicester ..	241,500	1,596	1,482	75	89	3,242	13·4	1,556	1,527	3,083	12·8	242	75	0·6
ADMINISTRATIVE COUNTY.	309,100	2,203	2,077	70	74	4,424	14·3	1,807	1,697	3,504	11·3	241	54	3·0
URBAN DISTRICTS	122,400	854	782	26	27	1,689	13·8	726	709	1,435	11·7	107	63	2·1
Ashby de la Zouch.	5,146	39	26	—	—	65	12·6	34	33	67	13·0	5	77	−0·4
Ashby Woulds..	3,267	24	13	—	2	39	11·9	26	17	43	13·2	3	77	−1·3
Coalville ..	21,920	172	148	7	6	333	15·2	137	114	251	11·5	23	69	3·7
Hinckley ..	16,620	112	121	2	3	238	14·3	102	99	201	12·1	14	59	2·2
Loughborough M.B.	27,300	174	174	10	6	364	13·3	177	162	339	12·4	28	77	0·9
Market Harborough	9,386	54	40	—	2	96	10·2	44	56	100	10·7	2	21	−0·5
Melton Mowbray	10,420	67	58	3	5	133	12·8	71	59	130	12·5	5	38	0·3
Oadby	4,858	28	36	1	—	65	13·4	21	24	45	9·3	2	31	4·1
Quorndon ..	2,560	12	12	—	—	24	9·4	20	22	42	16·4	4	167	−7·0
Shepshed ..	5,763	46	37	2	1	86	14·9	28	36	64	11·1	8	93	3·8
Thurmaston ..	3,840	37	42	—	1	80	20·8	16	23	39	10·2	7	88	10·6
Wigston Magna	11,320	89	75	1	1	166	14·7	50	64	114	10·1	6	36	4·6
RURAL DISTRICTS	186,700	1,349	1,295	44	47	2,735	14·6	1,081	988	2,069	11·1	134	49	3·5
Ashby de la Zouch.	17,720	145	125	2	4	276	15·6	105	72	177	10·0	19	69	5·6
Barrow upon Soar.	31,470	217	219	9	7	452	14·4	183	183	366	11·6	19	42	2·8
Belvoir ..	2,928	15	12	1	2	30	10·2	23	20	43	14·7	3	100	−4·5
Billesdon ..	11,560	74	83	1	1	159	13·8	68	57	125	10·8	4	25	3·0
Blaby	35,070	263	269	8	11	551	15·7	154	149	303	8·6	18	33	7·1
Castle Donington	6,558	44	43	1	3	91	13·9	37	46	83	12·7	5	55	1·2
Hallaton ..	1,562	12	9	1	1	23	14·7	19	8	27	17·3	—	—	−2·6
Hinckley ..	18,050	138	119	8	8	273	15·1	102	110	212	11·7	19	70	3·4

† Abolished 1st April, 1933.
‡ Abolished 1st Oct., 1933.

TABLE 17—*continued.*

AREA.	Estimated Resident Population (Middle 1933).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*
LEICESTERSHIRE —*cont.*														
RURAL DISTRICTS —*cont.*														
Loughborough..	4,914	39	29	1	—	69	14·0	31	31	62	12·6	4	58	1·4
Lutterworth ..	10,870	75	69	1	5	150	13·8	84	70	154	14·2	11	73	−0·4
Market Bosworth	24,020	179	163	6	3	351	14·6	141	112	253	10·5	20	57	4·1
Market Harboro'	7,328	47	56	2	—	105	14·3	38	41	79	10·8	5	48	3·5
Melton Mowbray	14,650	101	99	3	2	205	14·0	96	89	185	12·6	7	34	1·4
LINCOLNSHIRE : PARTS OF HOLLAND.														
ADMINISTRATIVE COUNTY.	93,590	789	771	49	42	1,651	17·6	507	625	1,132	12·1	80	48	5·5
URBAN DISTRICTS	35,210	270	290	20	20	600	17·0	209	246	455	12·9	29	48	4·1
Boston M.B. ..	22,470	166	171	6	10	353	15·7	129	159	288	12·8	19	54	2·9
Spalding ..	12,740	104	119	14	10	247	19·4	80	87	167	13·1	10	40	6·3
RURAL DISTRICTS	58,380	519	481	29	22	1,051	18·0	298	379	677	11·6	51	49	6·4
Boston	18,460	170	156	9	6	341	18·5	107	122	229	12·4	24	70	6·1
East Elloe ..	22,260	208	192	10	8	418	18·8	117	149	266	11·9	20	48	6·9
Spalding ..	17,660	141	133	10	8	292	16·5	74	108	182	10·3	7	24	6·2
LINCOLNSHIRE : PARTS OF KESTEVEN.														
ADMINISTRATIVE COUNTY.	109,880	720	690	46	44	1,500	13·7	678	706	1,384	12·6	78	52	1·1
URBAN DISTRICTS	41,410	270	273	16	14	573	13·8	252	288	540	13·0	33	58	0·8
Bourne ..	4,733	39	33	—	5	77	16·3	30	33	63	13·3	1	13	3·0
Grantham M.B.	19,550	132	136	10	7	285	14·6	125	137	262	13·4	20	70	1·2
Sleaford ..	7,097	52	40	2	2	96	13·5	35	46	81	11·4	6	63	2·1
Stamford M.B..	10,030	47	64	4	—	115	11·5	62	72	134	13·4	6	52	−1·9
RURAL DISTRICTS	68,470	450	417	30	30	927	13·5	426	418	844	12·3	45	49	1·2
East Kesteven..	18,770	112	119	7	6	244	13·0	116	93	209	11·1	6	25	1·9
North Kesteven	19,560	138	115	8	6	267	13·7	103	113	216	11·0	14	52	2·7
South Kesteven	14,160	89	88	5	9	191	13·5	112	113	225	15·9	10	52	−2·4
West Kesteven	15,980	111	95	10	9	225	14·1	95	99	194	12·1	15	67	2·0
LINCOLNSHIRE : PARTS OF LINDSEY.	424,110	3,083	3,019	202	189	6,493	15·3	2,634	2,550	5,184	12·2	361	56	3·1
COUNTY BORO'S.	158,410	1,139	1,159	82	76	2,456	15·5	1,001	972	1,973	12·5	149	61	3·0
Grimsby ..	93,090	768	795	54	54	1,671	18·0	599	566	1,165	12·5	116	69	5·5
Lincoln ..	65,320	371	364	28	22	785	12·0	402	406	808	12·4	33	42	−0·4
ADMINISTRATIVE COUNTY.	265,700	1,944	1,860	120	113	4,037	15·2	1,633	1,578	3,211	12·1	212	53	3·1

TABLE 17—*continued.*

AREA.	Estimated Resident Population (Middle 1933).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	Total.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Deaths under 1 year. Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*
LINCOLNSHIRE —*cont.*														
PTS. OF LINDSEY —*cont.*														
URBAN DISTRICTS	130,200	958	853	52	48	1,911	14·7	791	768	1,559	12·0	100	52	2·7
Alford	2,276	14	10	1	3	28	12·3	10	13	23	10·1	—	—	2·2
Barton-upon-Humber.	6,336	36	35	1	1	73	11·5	39	24	63	9·9	5	68	1·6
Brigg	3,974	33	27	5	—	65	16·4	13	13	26	6·5	2	31	9·9
Cleethorpes ..	29,440	248	218	13	6	485	16·5	173	163	336	11·4	23	47	5·1
Crowle	2,966	24	19	1	—	44	14·8	15	15	30	10·1	1	23	4·7
Gainsborough ..	18,250	117	97	5	6	225	12·3	128	127	255	14·0	14	62	−1·7
Horncastle ..	3,491	22	25	—	2	49	14·0	19	40	59	16·9	1	20	−2·9
Louth M.B. ..	9,700	67	60	7	4	138	14·2	74	88	162	16·7	6	43	−2·5
Mablethorpe and Sutton.	4,050	27	25	2	6	60	14·8	22	32	54	13·3	4	67	1·5
Market Rasen ..	2,079	14	19	—	2	35	16·8	20	24	44	21·2	3	86	−4·4
Roxby-cum-Risby.	520	2	5	—	—	7	13·5	2	1	3	5·8	1	143	7·7
Scunthorpe and Frodingham.	34,590	286	246	8	13	553	16·0	200	159	359	10·4	33	60	5·6
Skegness ..	8,978	48	44	9	5	106	11·8	54	49	103	11·5	4	38	0·3
Winterton ..	2,150	17	18	—	—	35	16·3	14	10	24	11·2	3	86	5·1
Woodhall Spa ..	1,400	3	5	—	—	8	5·7	8	10	18	12·9	—	—	−7·2
RURAL DISTRICTS	135,500	986	1,007	68	65	2,126	15·7	842	810	1,652	12·2	112	53	3·5
Caistor	12,560	90	97	6	3	196	15·6	74	83	157	12·5	17	87	3·1
Gainsborough ..	13,930	104	104	2	7	217	15·6	82	97	179	12·8	11	51	2·8
Glanford Brigg	28,500	233	248	10	11	502	17·6	146	157	303	10·6	27	54	7·0
Grimsby ..	11,080	85	84	4	6	179	16·2	58	67	125	11·3	11	61	4·9
Horncastle ..	11,600	79	86	9	4	178	15·3	97	70	167	14·4	7	39	0·9
Isle of Axholme	6,535	39	43	4	6	92	14·1	51	35	86	13·2	4	43	0·9
Louth	16,610	98	117	8	6	229	13·8	108	95	203	12·2	7	31	1·6
Sibsey	3,075	26	27	4	2	59	19·2	22	19	41	13·3	7	119	5·9
Spilsby	20,140	149	125	15	16	305	15·1	137	120	257	12·8	15	49	2·3
Welton	11,470	83	76	6	4	169	14·7	67	67	134	11·7	6	36	3·0
LONDON:	4,298,600	27,369	26,235	1,581	1,558	56,743	13·2	27,254	26,282	53,536	12·5	3,377	60	0·7
City of London	9,830	43	26	1	6	76	7·7	54	54	108	11·0	5	66	−3·3
Inner and Middle Temples.	370	1	—	—	—	1	2·7	—	1	1	2·7	—	—	—
METROPOLITAN BOROUGHS:														
Battersea ..	154,000	1,082	1,080	49	52	2,263	14·7	998	926	1,924	12·5	112	49	2·2
Bermondsey ..	107,300	727	740	17	16	1,500	14·0	712	622	1,334	12·4	93	62	1·6
Bethnal Green ..	104,200	758	692	19	25	1,494	14·3	693	613	1,306	12·5	99	66	1·8
Camberwell ..	243,700	1,589	1,559	52	47	3,247	13·3	1,486	1,519	3,005	12·3	160	49	1·0
Chelsea	58,850	291	286	24	24	625	10·6	402	399	801	13·6	49	78	−3·0

TABLE 17—*continued.*

AREA.	Estimated Resident Population (Middle) 1933).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000, Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000, Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*
LONDON—*cont.*														
METROPOLITAN BORO'S—*cont.*														
Deptford ..	102,800	784	685	31	20	1,520	14·8	665	582	1,247	12·1	82	54	2·
Finsbury ..	66,640	486	468	29	27	1,010	15·2	463	389	852	12·8	52	51	2·
Fulham.. ..	148,200	906	900	60	72	1,938	13·1	945	982	1,927	13·0	126	65	0·
Greenwich ..	97,830	649	643	27	20	1,339	13·7	608	557	1,165	11·9	89	66	1·
Hackney ..	214,300	1,564	1,334	48	58	3,004	14·0	1,285	1,189	2,474	11·5	152	51	2·
Hammersmith ..	131,400	865	841	63	58	1,827	13·9	849	841	1,690	12·9	119	65	1·
Hampstead ..	90,380	380	396	41	47	864	9·6	457	537	994	11·0	33	38	—1·
Holborn ..	36,050	137	151	28	26	342	9·5	269	217	486	13·5	24	70	—4·
Islington ..	314,200	2,203	2,142	121	105	4,571	14·5	1,992	1,977	3,969	12·6	289	63	1·
Kensington ..	181,100	1,016	948	96	105	2,165	12·0	1,025	1,311	2,336	12·9	157	73	—0·
Lambeth ..	289,000	1,875	1,828	120	119	3,942	13·6	1,925	1,864	3,789	13·1	249	63	0·
Lewisham ..	221,100	1,365	1,242	44	51	2,702	12·2	1,091	1,180	2,271	10·3	107	40	1·
Paddington ..	141,900	828	833	117	128	1,906	13·4	904	992	1,896	13·4	163	86	—
Poplar	149,300	1,159	1,077	32	27	2,295	15·4	1,033	826	1,859	12·5	125	54	2·
St. Marylebone	94,080	435	367	61	53	916	9·7	585	639	1,224	13·0	51	56	—3·
St. Pancras ..	190,900	1,190	1,169	133	99	2,591	13·6	1,425	1,183	2,608	13·7	151	58	—0·
Shoreditch ..	93,550	707	736	32	19	1,494	16·0	652	560	1,212	13·0	110	74	3·
Southwark ..	164,700	1,126	1,092	63	48	2,329	14·1	1,269	1,029	2,298	14·0	147	63	0·
Stepney ..	219,100	1,635	1,563	54	66	3,318	15·1	1,521	1,313	2,834	12·9	214	64	2·
Stoke Newington	51,120	316	297	17	16	646	12·6	293	335	628	12·3	30	46	0·
Wandsworth ..	350,200	1,891	1,741	102	113	3,847	11·0	1,940	2,147	4,087	11·7	198	51	—0·
Westminster ..	126,300	470	501	67	76	1,114	8·8	879	698	1,577	12·5	75	67	—3·
Woolwich ..	146,200	891	898	33	35	1,857	12·7	834	800	1,634	11·2	116	62	1·
MIDDLESEX: ADMINISTRATIVE COUNTY.	1,756,820	12,059	11,526	443	473	24,501	13·9	8,332	8,734	17,066	9·7	1,172	48	4·
URBAN DISTRICTS	1,690,800	11,559	11,046	430	459	23,494	13·9	8,097	8,481	16,578	9·8	1,128	48	4·
Acton M.B. ..	70,300	446	400	23	17	886	12·6	369	414	783	11·1	40	45	1·
Brentford and Chiswick M.B.	62,970	406	404	10	23	843	13·4	354	386	740	11·8	39	46	1·
Ealing M.B. ..	128,800	831	750	22	35	1,638	12·7	622	674	1,296	10·1	82	50	2·
Edmonton ..	86,540	678	670	18	23	1,389	16·1	451	431	882	10·2	89	64	5·
Enfield	71,790	505	492	20	15	1,032	14·4	354	354	708	9·9	53	51	4·
Feltham ..	17,890	143	143	8	6	300	16·8	73	81	154	8·6	10	33	8·
Finchley M.B. ..	61,140	328	320	10	13	671	11·0	281	311	592	9·7	27†	40	1·
Friern Barnet ..	23,990	136	157	4	2	299	12·5	96	121	217	9·0	17	57	3·
Hampton ..	13,330	75	92	4	3	174	13·1	64	70	134	10·1	8	46	3·
Hampton Wick	2,920	10	17	—	2	29	9·9	19	14	33	11·3	1	34	—1·
Harrow-on-the-Hill.	31,690	185	198	5	5	393	12·4	129	148	277	8·7	18	46	3·
Hayes and Harlington.	28,730	287	231	5	8	531	18·5	118	89	207	7·2	25	47	11·
Hendon M.B. ..	127,600	832	769	29	43	1,673	13·1	493	520	1,013	7·9	65	39	5·
Heston and Isleworth M.B.	84,460	700	640	21	19	1,380	16·3	423	369	792	9·4	60	43	6·
Hornsey M.B. ..	96,070	530	465	25	21	1,041	10·8	501	601	1,102	11·5	45	43	—0·
Kingsbury ..	24,830	242	246	9	6	503	20·3	84	75	159	6·4	36	72	13·
Ruislip Northwood.	18,760	135	117	2	7	261	13·9	93	66	159	8·5	13	50	5·
Southall Norwood	44,780	371	314	8	12	705	15·7	209	178	387	8·6	31	44	7·
Southgate M.B.	58,820	270	287	7	6	570	9·7	268	323	591	10·0	19	33	—0·
Staines	23,500	175	183	8	5	371	15·8	118	119	237	10·1	13	35	5·

† The 27 deaths under 1 year include 9 which occurred in a home for destitute children and which necessarily have to be assigned t the area where death occurred although the births presumably occurred elsewhere.

TABLE 17—*continued.*

AREA.	Estimated Resident Population (Middle 1933).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	Total.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Deaths under 1 year. Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*
IDDLESEX—*cont.*														
RBAN DISTRICTS —*cont.*														
Sunbury-on-Thames.	14,080	94	104	10	4	212	15·1	102	75	177	12·6	9	42	2·5
Teddington ..	23,210	137	146	5	8	296	12·8	108	127	235	10·1	17	57	2·7
Tottenham ..	154,700	1,050	1,014	39	35	2,138	13·8	771	848	1,619	10·5	118	55	3·3
Twickenham M.B.	41,550	273	289	13	16	591	14·2	217	250	467	11·2	31	52	3·0
Uxbridge ..	34,110	298	270	15	9	592	17·4	192	195	387	11·3	30	51	6·1
Wealdstone ..	29,680	275	232	10	14	531	17·9	103	112	215	7·2	21	40	10·7
Wembley ..	58,850	398	397	17	17	829	14·1	225	218	443	7·5	42	51	6·6
Willesden M.B.	186,900	1,308	1,291	64	71	2,734	14·6	924	966	1,890	10·1	123	45	4·5
Wood Green M.B.	54,210	302	275	13	11	601	11·1	276	289	565	10·4	32	53	0·7
Yiewsley and West Drayton.	14,600	139	133	6	3	281	19·2	60	57	117	8·0	14	50	11·2
RAL DISTRICTS	66,020	500	480	13	14	1,007	15·3	235	253	488	7·4	44	44	7·9
Hendon ..	58,560	451	418	8	12	889	15·2	189	213	402	6·9	37	42	8·3
South Mimms ..	7,460	49	62	5	2	118	15·8	46	40	86	11·5	7	59	4·3
RFOLK	504,420	3,485	3,336	210	196	7,227	14·3	3,250	3,322	6,572	13·0	404	56	1·3
UNTY BORO's :	182,520	1,218	1,181	63	67	2,529	13·9	1,158	1,225	2,383	13·1	153	60	0·8
Great Yarmouth	56,420	370	348	23	25	766	13·6	374	397	771	13·7	42	55	−0·1
Norwich ..	126,100	848	833	40	42	1,763	14·0	784	828	1,612	12·8	111	63	1·2
MINISTRATIVE OUNTY.	321,900	2,267	2,155	147	129	4,698	14·6	2,092	2,097	4,189	13·0	251	53	1·6
BAN DISTRICTS	60,500	409	385	34	29	857	14·2	377	418	795	13·1	41	48	1·1
romer	4,034	20	16	4	2	42	10·4	19	19	38	9·4	2	48	1·0
Diss	3,428	20	27	3	—	50	14·6	22	28	50	14·6	—	—	—
Downham Market	2,444	14	19	—	—	33	13·5	13	19	32	13·1	2	61	0·4
East Dereham ..	5,702	31	42	4	6	83	14·6	26	51	77	13·5	6	72	1·1
Kings Lynn M.B.	20,400	147	139	11	14	311	15·2	114	139	253	12·4	8	26	2·8
New Hunstanton	2,852	23	10	—	—	33	11·6	20	19	39	13·7	3	91	−2·1
North Walsham	4,208	29	26	3	3	61	14·5	32	31	63	15·0	4	66	−0·5
Wheringham ..	4,022	21	17	2	2	42	10·4	31	32	63	15·7	3	71	−5·3
Swaffham ..	2,706	20	13	—	—	33	12·2	23	24	47	17·4	3	91	−5·2
Thetford M.B. ..	4,041	27	24	2	1	54	13·4	31	21	52	12·9	4	74	0·5
Walsoken ..	4,183	41	42	3	1	87	20·8	28	17	45	10·8	4	46	10·0
Wells	2,480	16	10	2	—	28	11·3	18	18	36	14·5	2	71	−3·2
RAL DISTRICTS	261,400	1,858	1,770	113	100	3,841	14·7	1,715	1,679	3,394	13·0	210	55	1·7
Aylsham ..	16,040	102	123	4	9	238	14·8	109	140	249	15·5	18	76	−0·7
Blofield	15,010	94	89	8	11	202	13·5	80	75	155	10·3	9	45	3·2
Depwade ..	17,460	122	111	7	7	247	14·1	126	125	251	14·4	13	53	−0·3
Docking ..	16,320	125	108	6	7	246	15·1	107	106	213	13·1	7	28	2·0
Downham ..	15,500	143	106	7	2	258	16·6	112	87	199	12·8	14	54	3·8
East and West Flegg.	10,330	70	68	3	3	144	13·9	82	71	153	14·8	8	56	−0·9
Erpingham ..	16,710	114	118	5	5	242	14·5	111	98	209	12·5	5	21	2·0
Forehoe ..	13,120	90	103	5	8	206	15·7	81	73	154	11·7	8	39	4·0
Freebridge Lynn	12,560	87	70	6	6	169	13·5	111	88	199	15·8	11	65	−2·3
Henstead ..	11,010	97	67	3	3	170	15·4	59	66	125	11·4	14	82	4·0

TABLE 17—*continued.*

AREA.	Estimated Resident Population (Middle 1933).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	Total.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*
NORFOLK—*cont.*														
RURAL DISTRICTS —*cont.*														
Kings Lynn ..	986	2	5	—	—	7	7·1	6	2	8	8·1	1	143	−1·0
Loddon and Clavering.	11,750	91	98	5	3	197	16·8	60	64	124	10·6	8	41	6·2
Marshland ..	14,100	110	96	5	6	217	15·4	81	81	162	11·5	17	78	3·9
Mitford and Launditch.	16,780	115	123	7	7	252	15·0	112	118	230	13·7	15	60	1·3
St. Faiths ..	15,220	117	105	9	5	236	15·5	76	88	164	10·8	14	59	4·7
Smallburgh ..	14,070	81	105	10	7	203	14·4	96	110	206	14·6	13	64	−0·2
Swaffham ..	6,639	44	37	3	—	84	12·7	43	49	92	13·9	1	12	−1·2
Thetford ..	9,125	66	56	6	2	130	14·2	81	60	141	15·5	9	69	−1·3
Walsingham ..	15,640	94	98	9	7	208	13·3	87	95	182	11·6	11	53	1·7
Wayland ..	13,030	94	84	5	2	185	14·2	95	83	178	13·7	14	76	0·5
NORTHAMPTONSHIRE:	310,930	1,851	1,842	59	65	3,817	12·3	1,864	1,770	3,634	11·7	164	43	0·6
COUNTY BORO':														
Northampton ..	96,630	564	553	19	16	1,152	11·9	555	537	1,092	11·3	52	45	0·6
ADMINISTRATIVE COUNTY.	214,300	1,287	1,289	40	49	2,665	12·4	1,309	1,233	2,542	11·9	112	42	0·5
URBAN DISTRICTS	104,100	607	615	19	23	1,264	12·1	596	566	1,162	11·2	46	36	0·9
Brackley M.B...	2,378	15	15	1	—	31	13·0	14	17	31	13·0	—	—	—
Burton Latimer	3,465	18	19	—	1	38	11·0	17	19	36	10·4	3	79	0·6
Daventry M.B.	3,601	21	23	—	2	46	12·8	22	24	46	12·8	1	22	—
Desborough ..	4,433	33	19	—	2	54	12·2	19	19	38	8·6	—	—	3·6
Finedon ..	4,185	33	26	—	1	60	14·3	32	12	44	10·5	2	33	3·8
Higham Ferrers M.B.	2,944	16	24	1	1	42	14·3	13	20	33	11·2	1	24	3·1
Irthlingborough	4,679	31	28	1	3	63	13·5	34	27	61	13·0	1	16	0·5
Kettering ..	31,400	173	197	7	5	382	12·2	182	179	361	11·5	13	34	0·7
Oundle	2,810	14	11	1	—	26	9·3	18	13	31	11·0	1	38	−1·7
Raunds.. ..	3,561	21	24	—	1	46	12·9	20	28	48	13·5	2	43	−0·6
Rothwell ..	4,534	29	28	2	—	59	13·0	18	19	37	8·2	3	51	4·8
Rushden ..	14,370	82	77	3	6	168	11·7	79	80	159	11·1	8	48	0·6
Wellingborough	21,740	121	124	3	1	249	11·5	128	109	237	10·9	11	44	0·6
RURAL DISTRICTS	110,200	680	674	21	26	1,401	12·7	713	667	1,380	12·5	66	47	0·2
Brackley ..	6,135	34	36	2	—	72	11·7	53	35	88	14·3	4	56	−2·6
Brixworth ..	12,080	57	65	—	4	126	10·4	91	71	162	13·4	10	79	−3·0
Crick	2,369	13	16	1	—	30	12·7	12	7	19	8·0	—	—	4·7
Daventry ..	13,440	70	76	3	2	151	11·2	90	101	191	14·2	11	73	−3·0
Easton-on-the-Hill.	1,455	13	7	—	—	20	13·7	15	7	22	15·1	—	—	−1·4
Gretton.. ..	1,433	7	7	—	—	14	9·8	6	12	18	12·6	1	71	−2·8
Hardingstone ..	7,312	54	37	2	1	94	12·9	38	44	82	11·2	3	32	1·7
Kettering ..	9,738	60	70	1	3	134	13·8	73	58	131	13·5	6	45	0·3
Middleton Cheney	2,311	13	10	1	1	25	10·8	10	8	18	7·8	—	—	3·0
Northampton ..	7,467	38	47	2	2	89	11·9	44	28	72	9·6	—	—	2·3
Oundle (part of)†	6,030	46	34	—	2	82	13·6	51	38	89	14·8	2	24	−1·2
Oxendon ..	4,178	23	24	—	—	47	11·2	33	28	61	14·6	3	64	−3·4
Potterspury ..	4,646	35	38	—	2	75	16·1	29	30	59	12·7	4	53	3·4
Thrapston (part of)†.	9,805	54	54	1	2	111	11·3	57	72	129	13·2	3	27	−1·9
Towcester ..	9,271	76	61	5	5	147	15·9	46	50	96	10·4	4	27	5·5
Wellingborough	12,530	87	92	3	2	184	14·7	65	78	143	11·4	15	82	3·3

† The remainders of Oundle and Thrapston Rural Districts are in Huntingdonshire.

TABLE 17—*continued.*

AREA.	Estimated Resident Population (Middle 1933).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*
NORTHUMBERLAND :	762,470	6,044	5,555	296	255	12,150	15·9	4,907	4,508	9,415	12·3	906	75	3·6
COUNTY BORO's.	352,270	2,902	2,655	142	125	5,824	16·5	2,354	2,168	4,522	12·8	454	78	3·7
Newcastle-upon-Tyne.	286,500	2,348	2,149	112	103	4,712	16·4	1,888	1,757	3,645	12·7	358	76	3·7
Tynemouth ..	65,770	554	506	30	22	1,112	16·9	466	411	877	13·3	96	86	3·6
ADMINISTRATIVE COUNTY.	410,200	3,142	2,900	154	130	6,326	15·4	2,553	2,340	4,893	11·9	452	71	3·5
URBAN DISTRICTS	307,900	2,458	2,254	116	95	4,923	16·0	1,954	1,726	3,680	12·0	374	76	4·0
Alnwick ..	6,973	56	53	2	4	115	16·5	51	52	103	14·8	7	61	1·7
Amble	4,238	38	31	7	1	77	18·2	25	38	63	14·9	—	—	3·3
Ashington ..	29,760	291	257	19	14	581	19·5	161	149	310	10·4	51	88	9·1
Bedlingtonshire	27,500	259	235	14	8	516	18·8	196	156	352	12·8	53	103	6·0
Berwick-upon-Tweed M.B.	12,230	96	89	5	7	197	16·1	93	82	175	14·3	17	86	1·8
Blyth M.B. ..	33,080	265	285	12	12	574	17·4	229	193	422	12·8	45	78	4·6
Cramlington ..	8,128	63	62	3	1	129	15·9	39	44	83	10·2	8	62	5·7
Earsdon ..	13,040	116	86	5	3	210	16·1	86	74	160	12·3	23	110	3·8
Gosforth ..	18,290	106	99	6	5	216	11·8	94	94	188	10·3	6	28	1·5
Hexham ..	8,876	55	49	4	4	112	12·6	69	59	128	14·4	7	63	−1·8
Longbenton ..	14,670	100	90	6	3	199	13·6	80	72	152	10·4	10	50	3·2
Morpeth M.B. ..	7,529	66	60	5	5	136	18·1	59	50	109	14·5	16	118	3·6
Newbiggin by the Sea.	6,938	55	53	1	2	111	16·0	27	29	56	8·1	2	18	7·6
Newburn ..	19,670	175	148	5	5	333	16·9	134	121	255	13·0	29	87	3·9
Prudhoe ..	9,109	53	75	4	2	134	14·7	66	43	109	12·0	11	82	2·7
Rothbury ..	1,270	4	1	—	1	6	4·7	11	9	20	15·7	—	—	−11·0
Seaton Delaval	7,334	61	47	2	2	112	15·3	42	44	86	11·7	8	71	3·6
Seghill	2,687	24	24	2	1	51	19·0	22	12	34	12·7	7	137	6·3
Wallsend M.B...	43,950	362	333	9	13	717	16·3	283	228	511	11·6	56	78	4·7
Weetslade ..	7,708	76	63	3	1	143	18·6	50	34	84	10·9	12	84	7·7
Whitley and Monkseaton.	24,920	137	114	2	1	254	10·2	137	143	280	11·2	6	24	−1·0
RURAL DISTRICTS	102,300	684	646	38	35	1,403	13·7	599	614	1,213	11·9	78	56	1·8
Alnwick ..	12,360	73	70	4	1	148	12·0	76	87	163	13·2	10	68	−1·2
Belford	4,438	20	35	—	1	56	12·6	24	36	60	13·5	2	36	−0·9
Bellingham ..	5,228	31	37	2	5	75	14·3	33	32	65	12·4	8	107	1·9
Castle Ward ..	14,800	86	83	5	3	177	12·0	69	72	141	9·5	9	51	2·5
Glendale ..	7,760	48	49	5	2	104	13·4	59	44	103	13·3	5	48	0·1
Haltwhistle ..	8,466	51	59	3	5	118	13·9	66	49	115	13·6	6	51	0·3
Hexham ..	20,900	133	115	6	6	260	12·4	121	137	258	12·3	7	27	0·1
Morpeth ..	19,050	178	145	11	5	339	17·8	102	86	188	9·9	26	77	7·9
Newcastle-upon-Tyne (Moot Hall and precincts)	5	—	—	—	—	—	—	—	1	1	200·0	—	—	−200·0
Norham and Islandshires	4,936	36	29	—	5	70	14·2	29	38	67	13·6	4	57	0·6
Rothbury ..	4,357	28	24	2	2	56	12·9	20	32	52	11·9	1	18	1·0
NOTTINGHAMSHIRE :	728,000	5,617	5,245	289	224	11,375	15·6	4,399	4,249	8,648	11·9	848	75	3·7
COUNTY BORO':														
Nottingham ..	280,000*	2,177	1,991	134	128	4,430	15·8	1,872	1,867	3,739	13·4	375	85	2·4
ADMINISTRATIVE COUNTY.	448,000*	3,440	3,254	155	96	6,945	15·5	2,527	2,382	4,909	11·0	473	68	4·5

TABLE 17—*continued.*

AREA.	Estimated Resident Population (Middle 1933).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	Total.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*
NOTTINGHAMSHIRE —*cont.*														
URBAN DISTRICTS:	275,070*	2,033	2,009	98	61	4,201	15·3	1,527	1,467	2,994	10·9	299	71	4·4
Arnold	15,220*	117	101	11	5	234	15·4	92	81	173	11·4	20	85	4·0
Beeston.. ..	16,120*	125	103	5	4	237	14·7	81	89	170	10·5	16	68	4·2
Carlton	22,690	163	162	5	5	335	14·8	113	124	237	10·4	13	39	4·4
East Retford M.B.	14,590	85	103	6	7	201	13·8	91	88	179	12·3	17	85	1·5
Eastwood ..	5,584	41	49	—	1	91	16·3	34	33	67	12·0	7	77	4·3
Hucknall ..	17,430	131	127	7	6	271	15·6	97	101	198	11·4	27	100	4·2
Huthwaite ..	5,066	30	33	6	1	70	13·8	27	27	54	10·7	3	43	3·1
Kirkby-in-Ashfield.	18,280	156	156	6	5	323	17·7	102	76	178	9·7	28	87	8·0
Mansfield M.B.	46,100	324	324	17	7	672	14·6	264	236	500	10·8	48	71	3·8
Mansfield Woodhouse.	14,150	121	100	9	4	234	16·5	81	70	151	10·7	22	94	5·8
Newark M.B. ..	18,320	124	123	4	4	255	13·9	95	111	206	11·2	11	43	2·7
Sutton-in-Ashfield.	25,650	227	219	8	4	458	17·9	148	144	292	11·4	35	76	6·5
Warsop.. ..	10,840	87	98	2	1	188	17·3	51	33	84	7·7	13	69	9·6
West Bridgford	18,170	93	76	3	2	174	9·6	76	108	184	10·1	7	40	−0·5
Worksop M.B...	26,860	209	235	9	5	458	17·1	175	146	321	11·9	32	70	5·2
RURAL DISTRICTS	172,930*	1,407	1,245	57	35	2,744	15·9	1,000	915	1,915	11·1	174	63	4·8
Basford.. ..	49,030*	368	316	11	8	703	14·3	291	266	557	11·4	46	65	2·9
Bingham ..	15,570	110	109	2	2	223	14·3	97	98	195	12·5	8	36	1·8
East Retford ..	15,460	104	103	4	3	214	13·8	99	97	196	12·7	12	56	1·1
Leake	4,546	29	33	2	—	64	14·1	21	21	42	9·2	2	31	4·9
Misterton ..	4,038	37	27	1	1	66	16·3	26	26	52	12·9	6	91	3·4
Newark.. ..	9,522	61	58	7	3	129	13·5	62	46	108	11·3	9	70	2·2
Nottingham (Shire Hall)	4	—	—	—	—	—	—	—	—	—	—	—	—	—
Skegby	13,960	129	111	9	4	253	18·1	74	46	120	8·6	16	63	9·5
Southwell ..	32,640	285	244	16	8	553	16·9	173	179	352	10·8	40	72	6·1
Stapleford ..	13,420	117	104	4	3	228	17·0	75	69	144	10·7	11	48	6·3
Worksop ..	14,740	167	140	1	3	311	21·1	82	67	149	10·1	24	77	11·0
OXFORDSHIRE:	214,320*	1,431	1,444	58	62	2,995	14·0	1,223	1,350	2,573	12·0	113	38	2·0
COUNTY BORO':														
Oxford	83,410	526	564	23	27	1,140	13·7	439	486	925	11·1	37	32	2·6
ADMINISTRATIVE COUNTY.	130,910*	905	880	35	35	1,855	14·2	784	864	1,648	12·6	76	41	1·6
URBAN DISTRICTS:	38,110	278	254	9	8	549	14·4	221	261	482	12·6	22	40	1·8
Banbury M.B...	14,520	97	92	3	4	196	13·5	87	95	182	12·5	11	56	1·0
Bicester ..	3,158	35	27	—	3	65	20·6	23	22	45	14·2	1	15	6·4
Chipping Norton M.B.	3,497	22	30	3	—	55	15·7	21	22	43	12·3	3	55	3·4

TABLE 17—*continued.*

AREA.	Estimated Resident Population (Middle 1933).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	Total.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*
OXFORDSHIRE —*cont.*														
URBAN DISTRICTS —*cont.*														
Henley-on-Thames M.B.	7,187	52	40	2	—	94	13·1	40	52	92	12·8	2	21	0·3
Thame	3,114	16	17	—	—	33	10·6	15	23	38	12·2	1	30	−1·6
Witney	5,101	39	37	—	—	76	14·9	30	31	61	12·0	3	39	2·9
Woodstock M.B.	1,533	17	11	1	1	30	19·6	5	16	21	13·7	1	33	5·9
RURAL DISTRICTS:	92,800*	627	626	26	27	1,306	14·1	563	603	1,166	12·6	54	41	1·5
Banbury ..	12,880	85	88	3	1	177	13·7	84	100	184	14·3	10	56	−0·6
Bullingdon ..	22,080*	152	145	5	8	310	14·0	124	136	260	11·8	7	23	2·2
Chipping Norton	14,360	93	89	2	5	189	13·2	82	85	167	11·6	8	42	1·6
Henley	14,310	82	70	6	3	161	11·3	89	82	171	11·9	5	31	−0·6
Ploughley ..	13,250	118	111	6	6	241	18·2	85	90	175	13·2	10	41	5·0
Witney	15,920	97	123	4	4	228	14·3	99	110	209	13·1	14	61	1·2
PETERBOROUGH, SOKE OF: ADMINISTRATIVE COUNTY.	52,370	322	317	22	26	687	13·1	334	371	705	13·5	34	49	−0·4
URBAN DISTIRCT: Peterborough M.B.	44,030	269	267	19	21	576	13·1	269	305	574	13·0	24	42	0·1
RURAL DISTRICTS:	8,340	53	50	3	5	111	13·3	65	66	131	15·7	10	90	−2·4
Barnack ..	2,377	10	11	—	—	21	8·8	23	14	37	15·6	3	143	−6·8
Peterborough ..	5,963	43	39	3	5	90	15·1	42	52	94	15·8	7	78	−0·7
RUTLANDSHIRE: ADMINISTRATIVE COUNTY.	17,930	123	95	7	4	229	12·8	137	127	264	14·7	12	52	−1·9
URBAN DISTRICT: Oakham ..	3,290	24	11	3	—	38	11·6	29	22	51	15·5	3	79	−3·9
RURAL DISTRICTS:	14,640	99	84	4	4	191	13·0	108	105	213	14·5	9	47	−1·5
Ketton	2,717	18	16	2	—	36	13·2	19	20	39	14·4	1	28	−1·2
Oakham ..	6,038	47	39	1	3	90	14·9	39	47	86	14·2	2	22	0·7
Uppingham ..	5,885	34	29	1	1	65	11·0	50	38	88	15·0	6	92	−4·0
SHROPSHIRE: ADMINISTRATIVE COUNTY.	243,900	1,735	1,680	127	122	3,664	15·0	1,601	1,599	3,200	13·1	197	54	1·9
URBAN DISTRICTS:	117,000	808	757	56	57	1,678	14·3	761	791	1,552	13·3	96	57	1·0
Bishops Castle M.B.	1,383	7	5	1	1	14	10·1	13	7	20	14·5	1	71	−4·4
Bridgnorth M.B.	5,202	33	28	3	3	67	12·9	30	42	72	13·8	5	75	−0·9
Church Stretton	1,697	7	4	—	—	11	6·5	13	9	22	13·0	—	—	−6·5
Dawley	7,341	59	65	1	4	129	17·6	52	50	102	13·9	5	39	3·7
Ellesmere ..	1,971	6	9	1	4	20	10·1	12	15	27	13·7	1	50	−3·6

TABLE 17—*continued.*

AREA.	Estimated Resident Population (Middle 1933).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	Total.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*
SHROPSHIRE—*cont.*														
URBAN DISTRICTS —*cont.*														
Ludlow M.B. ..	5,613	32	42	—	2	76	13·5	32	38	70	12·5	5	66	1·0
Market Drayton	4,845	36	27	4	4	71	14·7	22	32	54	11·1	2	28	3·6
Newport ..	3,386	18	19	3	2	42	12·4	28	22	50	14·8	5	119	−2·4
Oakengates ..	11,060	73	69	3	3	148	13·4	77	64	141	12·7	7	47	0·7
Oswestry M.B...	9,936	71	70	7	2	150	15·1	53	71	124	12·5	9	60	2·6
Shrewsbury M.B.	33,220	239	234	12	13	498	15·0	177	228	405	12·2	22	44	2·8
Wellington ..	9,173	61	57	5	4	127	13·8	57	62	119	13·0	5	39	0·8
Wem	2,199	11	11	—	1	23	10·5	15	12	27	12·3	—	—	−1·8
Wenlock M.B. ..	13,830	108	78	11	7	204	14·8	125	95	220	15·9	22	108	−1·1
Whitchurch ..	6,144	47	39	5	7	98	16·0	55	44	99	16·1	7	71	−0·1
RURAL DISTRICTS:	126,900	927	923	71	65	1,986	15·7	840	808	1,648	13·0	101	51	2·7
Atcham.. ..	21,900	147	142	11	12	312	14·2	110	138	248	11·3	10	32	2·9
Bridgnorth ..	8,075	62	65	5	6	138	17·1	66	49	115	14·2	6	43	2·9
Burford.. ..	1,079	5	7	—	—	12	11·1	7	3	10	9·3	—	—	1·8
Chirbury ..	2,940	22	16	3	1	42	14·3	24	10	34	11·6	—	—	2·7
Church Stretton	4,408	26	34	3	4	67	15·2	28	39	67	15·2	3	45	—
Cleobury Mortimer	6,826	69	55	2	3	129	18·9	56	40	96	14·1	10	78	4·8
Clun	5,921	34	36	6	4	80	13·5	41	48	89	15·0	6	75	−1·5
Drayton ..	7,208	66	68	6	3	143	19·8	42	44	86	11·9	7	49	7·9
Ellesmere ..	7,455	77	59	9	5	150	20·1	46	52	98	13·1	11	73	7·0
Ludlow.. ..	8,535	64	81	2	7	154	18·0	59	58	117	13·7	8	52	4·3
Newport ..	5,406	31	39	2	2	74	13·7	49	57	106	19·6	3	41	−5·9
Oswestry ..	16,160	107	109	5	4	225	13·9	97	97	194	12·0	10	44	1·9
Shifnal	7,711	58	57	6	4	125	16·2	63	46	109	14·1	8	64	2·1
Teme	1,573	14	8	1	1	24	15·3	14	5	19	12·1	3	125	3·2
Wellington ..	11,220	83	84	4	7	178	15·9	74	56	130	11·6	8	45	4·3
Wem	8,446	51	50	5	2	108	12·8	49	59	108	12·8	7	65	—
Whitchurch ..	2,037	11	13	1	—	25	12·3	15	7	22	10·8	1	40	1·5
SOMERSETSHIRE:	473,700*	2,847	2,832	124	123	5,926	12·5	2,967	3,197	6,164	13·0	284	48	−0·5
COUNTY BORO':														
Bath	68,900	358	361	17	16	752	10·9	422	560	982	14·3	39	52	−3·4
ADMINISTRATIVE COUNTY.	404,800*	2,489	2,471	107	107	5,174	12·8	2,545	2,637	5,182	12·8	245	47	—
URBAN DISTRICTS	179,700*	996	1,009	51	51	2,107	11·7	1,085	1,251	2,336	13·0	105	50	−1·3
Bridgwater M.B.	17,870*	116	124	10	7	257	14·4	108	109	217	12·1	17	66	2·3
Burnham-on-Sea	7,881*	33	39	4	5	81	10·3	55	63	118	15·0	3	37	−4·7
Chard M.B. ..	4,315*	18	18	2	2	40	9·3	30	33	63	14·6	4	100	−5·3
Clevedon ..	7,350*	36	15	1	—	52	7·1	39	77	116	15·8	3	58	−8·7
Crewkerne ..	3,529	19	21	1	3	44	12·5	25	26	51	14·5	1	23	−2·0
Frome	10,500	54	58	—	5	117	11·1	73	78	151	14·4	6	51	−3·3
Glastonbury M.B.	4,578	22	31	2	—	55	12·0	26	27	53	11·6	5	91	0·4
Highbridge† ..														
Ilminster ..	2,301	8	10	1	—	19	8·3	11	14	25	10·9	1	53	−2·6
MidsomerNorton‡	1,946*	17	11	—	—	28	14·4	9	22	31	15·9	1	36	−1·5
Minehead ..	6,222	29	36	1	2	68	10·9	41	55	96	15·4	3	44	−4·5
Norton-Radstock§	9,197*	63	52	—	—	115	12·5	44	36	80	8·7	4	35	3·8
Portishead ..	3,933	22	30	1	2	55	14·0	34	28	62	15·8	1	18	−1·8

† Abolished 1st April 1933. Figures included in those of Burnham-on-Sea as from 1st Jan. 1933.
‡ Abolished 1st April 1933. § Created 1st April 1933.

TABLE 17—*continued.*

AREA.	Estimated Resident Population (Middle 1933).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	Total.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Deaths under 1 year. Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*
SOMERSETSHIRE —*cont.*														
URBAN DISTRICTS —*cont.*														
Radstock†														
Shepton Mallet	4,239*	35	26	—	—	61	14·4	30	32	62	14·6	3	49	−0·2
Street	4,436*	33	21	1	2	57	12·8	17	35	52	11·7	1	18	1·1
Taunton M.B. ..	26,270	156	168	9	9	342	13·0	159	166	325	12·4	16	47	0·6
Watchet ..	2,070	13	20	2	2	37	17·9	9	13	22	10·6	2	54	7·3
Wellington ..	6,949*	49	36	—	1	86	12·4	46	56	102	14·7	4	47	−2·3
Wells M.B. ..	5,254*	23	23	3	1	50	9·5	39	38	77	14·7	2	40	−5·2
Weston-super-Mare.	31,160*	124	142	7	7	280	9·0	195	247	442	14·2	14	50	−5·2
Wiveliscombe‡	320*	1	1	—	—	2	6·3	2	3	5	15·6	—	—	−9·3
Yeovil M.B. ..	19,380	125	127	6	3	261	13·5	93	93	186	9·6	14	54	3·9
RURAL DISTRICTS:	225,100*	1,493	1,462	56	56	3,067	13·6	1,460	1,386	2,846	12·6	140	46	1·0
Axbridge ..	22,950*	140	170	8	1	319	13·9	151	156	307	13·4	16	50	0·5
Bath‡	3,640*	24	22	2	1	49	13·5	42	38	80	22·0	5	102	−8·5
Bathavon§ ..	16,920*	113	104	4	7	228	13·5	91	85	176	10·4	11	48	3·1
Bridgwater ..	16,800*	111	99	4	4	218	13·0	127	118	245	14·6	9	41	−1·6
Chard	11,500*	83	65	3	3	154	13·4	72	59	131	11·4	7	45	2·0
Clutton ..	15,660*	116	99	3	2	220	14·0	80	85	165	10·5	9	41	3·5
Dulverton ..	4,613	39	42	1	2	84	18·2	28	32	60	13·0	4	48	5·2
Frome	9,860*	78	59	—	1	138	14·0	51	51	102	10·3	8	58	3·7
Keynsham‡ ..	3,210*	20	33	1	1	55	17·1	31	20	51	15·9	3	55	1·2
Langport ..	12,560	88	89	3	2	182	14·5	105	66	171	13·6	9	49	0·9
Long Ashton ..	19,480*	131	132	2	2	267	13·7	121	140	261	13·4	12	45	0·3
Shepton Mallet	9,838*	72	72	7	3	154	15·7	71	61	132	13·4	8	52	2·3
Taunton ..	16,950	110	112	4	6	232	13·7	121	100	221	13·0	13	56	0·7
Wellington ..	7,024*	37	28	3	2	70	10·0	58	51	109	15·5	2	29	−5·5
Wells	9,545*	64	62	1	2	129	13·5	58	54	112	11·7	4	31	1·8
Williton ..	12,110	68	72	5	4	149	12·3	54	59	113	9·3	5	34	3·0
Wincanton ..	16,010	93	98	3	6	200	12·5	87	100	187	11·7	8	40	0·8
Yeovil	16,430	106	104	2	7	219	13·3	112	111	223	13·6	7	32	−0·3
SOUTHAMPTON:	1,026,500	7,340	7,110	394	379	15,223	14·8	6,127	6,164	12,291	12·0	806	53	2·8
COUNTY BORO'S.	544,000	3,847	3,743	220	212	8,022	14·7	3,375	3,503	6,878	12·6	440	55	2·1
Bournemouth ..	115,200	605	600	39	40	1,284	11·1	717	901	1,618	14·0	69	54	−2·9
Portsmouth ..	251,200	1,830	1,810	116	108	3,864	15·4	1,552	1,573	3,125	12·4	203	53	3·0
Southampton ..	177,600	1,412	1,333	65	64	2,874	16·2	1,106	1,029	2,135	12·0	168	58	4·2
ADMINISTRATIVE COUNTY.	482,500	3,493	3,367	174	167	7,201	14·9	2,752	2,661	5,413	11·2	366	51	3·7
URBAN DISTRICTS:	268,400	1,985	1,896	106	89	4,076	15·2	1,535	1,498	3,033	11·3	207	51	3·9
Aldershot M.B.	34,330	323	271	17	18	629	18·3	160	151	311	9·1	40	64	9·2
Alton	7,230	66	53	1	2	122	16·9	45	43	88	12·2	4	33	4·7
Andover M.B. ..	10,670	79	65	3	3	150	14·1	49	65	114	10·7	6	40	3·4
Basingstoke M.B.	14,270	102	107	2	5	16	15·1	86	66	152	10·7	12	56	4·4
Christchurch M.B.	12,100	87	74	12	9	182	15·0	69	72	141	11·7	7	38	3·3
Eastleigh ..	24,220	154	166	7	8	335	13·8	139	123	262	10·8	21	63	3·0
Fareham ..	22,950	158	177	9	5	349	15·2	135	139	274	11·9	19	54	3·3
Farnborough ..	20,380	154	179	6	2	341	16·7	66	93	159	7·8	19	56	8·9

† Abolished 1st April 1933. Figures included in those of Norton Radstock U.D. as from 1st Jan. 1933.
‡ Abolished 1st April 1933. § Created 1st April 1933.

TABLE 17—*continued.*

AREA.	Estimated Resident Population (Middle 1933).	BIRTHS. Legitimate. M	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	Total.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*
SOUTHAMPTON —*cont.*														
URBAN DISTRICTS —*cont.*														
Fleet	7,654	45	36	5	4	90	11·8	48	48	96	12·5	7	78	−0·7
Gosport M.B. ..	39,570	347	322	14	19	702	17·7	222	214	436	11·0	28	40	6·7
Havant and Waterloo.	22,480	147	145	8	6	306	13·6	165	171	336	14·9	14	46	−1·3
Lymington M.B.	16,100	116	83	5	4	208	12·9	104	97	201	12·5	8	38	0·4
Petersfield ..	5,727	34	35	4	2	75	13·1	42	25	67	11·7	2	27	1·4
Romsey M.B. ..	5,809	29	30	4	—	63	10·8	30	29	59	10·2	5	79	0·6
Winchester M.B.	24,910	144	153	9	2	308	12·4	175	162	337	13·5	15	49	−1·1
RURAL DISTRICTS:	214,100	1,508	1,471	68	78	3,125	14·6	1,217	1,163	2,380	11·1	159	51	3·5
Alton	20,770	164	180	10	10	364	17·5	106	101	207	10·0	23	63	7·5
Andover ..	14,220	105	95	1	2	203	14·3	72	53	125	8·8	15	74	5·5
Basingstoke ..	14,340	96	82	4	8	190	13·2	78	69	147	10·3	9	47	2·9
Droxford ..	18,010	143	117	9	5	274	15·2	104	103	207	11·5	12	44	3·7
Hartley Wintney	16,190	99	96	2	8	205	12·7	85	94	179	11·1	11	54	1·6
Kingsclere and Whitchurch.	15,050	85	108	1	7	201	13·4	101	77	178	11·8	6	30	1·6
New Forest ..	32,290	261	252	15	7	535	16·6	158	172	330	10·2	23	43	6·4
Petersfield ..	15,170	97	97	4	7	205	13·5	106	84	190	12·5	12	59	1·0
Ringwood and Fordingbridge.	18,390	112	116	5	9	242	13·2	116	137	253	13·8	13	54	−0·6
Romsey and Stockbridge.	18,080	144	121	6	5	276	15·3	107	112	219	12·1	10	36	3·2
Winchester ..	31,590	202	207	11	10	430	13·6	184	161	345	10·9	25	58	2·7
STAFFORDSHIRE:	1,449,680	11,415	10,929	371	396	23,111	15·9	8,840	8,183	17,023	11·7	1,784	77	4·2
COUNTY BORO's:	734,550*	5,751	5,518	208	210	11,687	15·9	4,627	4,283	8,910	12·1	988	85	3·8
Burton-upon-Trent.	49,070	321	329	19	9	678	13·8	309	293	602	12·3	46	68	1·5
Smethwick ..	84,670	596	599	17	12	1,224	14·5	485	434	919	10·9	76	62	3·6
Stoke-on-Trent	275,100	2,189	2,074	97	103	4,463	16·2	1,851	1,723	3,574	13·0	396	89	3·2
Walsall	105,400	944	880	26	33	1,883	17·9	671	616	1,287	12·2	167	89	5·7
West Bromwich	81,840	685	670	18	24	1,397	17·1	531	447	978	12·0	142	102	5·1
Wolverhampton	138,470*	1,016	966	31	29	2,042	14·7	780	770	1,550	11·2	161	79	3·5
ADMINISTRATIVE COUNTY.	715,130*	5,664	5,411	163	186	11,424	16·0	4,213	3,900	8,113	11·3	796	70	4·7

TABLE 17—*continued.*

AREA.	Estimated Resident Population (Middle 1933).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	Total.	Crude rate per 1,000. Total Population.	Deaths under 1 year. Number.	Deaths under 1 year. Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*
STAFFORDSHIRE—*cont.*														
URBAN DISTRICTS:	495,510*	4,041	3,818	101	121	8,081	16·3	2,984	2,713	5,697	11·5	584	72	4·8
Amblecote ..	3,013	12	13	—	1	26	8·6	21	14	35	11·6	3	115	−3·0
Biddulph ..	8,363	75	69	3	—	147	17·6	44	39	83	9·9	10	68	7·7
Bilston M.B. ..	31,210	297	273	2	6	578	18·5	205	178	383	12·3	62	107	6·2
Brierley Hill ..	14,170	128	99	1	4	232	16·4	81	74	155	10·9	15	65	5·5
Brownhills ..	18,640	168	146	7	6	327	17·5	93	97	190	10·2	26	80	7·3
Cannock ..	34,700	333	271	13	10	627	18·1	193	171	364	10·5	45	72	7·6
Coseley	25,740	210	223	5	6	444	17·2	174	135	309	12·0	27	61	5·2
Darlaston ..	19,810	181	164	2	1	348	17·6	106	102	208	10·5	21	60	7·1
Kidsgrove ..	14,840	124	120	2	3	249	16·8	87	89	176	11·9	21	84	4·9
Leek	18,660	120	104	9	13	246	13·2	109	137	246	13·2	15	61	—
Lichfield M.B. ..	8,592	60	64	3	2	129	15·0	63	64	127	14·8	6	47	0·2
Newcastle-under-Lyme M.B.	57,640	415	465	7	21	908	15·8	337	328	665	11·5	57	63	4·3
Quarry Bank ..	8,447	71	71	1	—	143	16·9	56	35	91	10·8	9	63	6·1
Rowley Regis M.B.	41,470	306	287	5	11	609	14·7	216	188	404	9·7	32	53	5·0
Rugeley ..	5,485	36	46	1	1	84	15·3	30	33	63	11·5	3	36	3·8
Sedgley	19,440	126	120	4	1	251	12·9	100	107	207	10·6	13	52	2·3
Short Heath ..	5,320	56	48	—	2	106	19·9	40	27	67	12·6	9	85	7·3
Stafford M.B. ..	29,440	198	171	6	8	383	13·0	189	153	342	11·6	23	60	1·4
Stone	6,284	28	39	3	3	73	11·6	42	54	96	15·3	7	96	−3·7
Tamworth M.B.	11,990	84	100	4	3	191	15·9	63	59	122	10·2	8	42	5·7
Tettenhall ..	5,879	27	34	—	—	61	10·4	48	40	88	15·0	4	66	−4·6
Tipton ..	36,610	358	325	9	6	698	19·1	249	192	441	12·0	64	92	7·1
Uttoxeter ..	5,983	32	37	—	2	71	11·9	33	31	64	10·7	2	28	1·2
Wednesbury M.B.	32,080	299	267	7	6	579	18·0	205	195	400	12·5	61	105	5·5
Wednesfield ..	9,684*	83	71	1	2	157	16·2	47	48	95	9·8	7	45	6·4
Willenhall ..	22,020	214	191	6	3	414	18·8	153	123	276	12·5	34	82	6·3
RURAL DISTRICTS	219,620*	1,623	1,593	62	65	3,343	15·2	1,229	1,187	2,416	11·0	212	63	4·2
Cannock ..	20,620*	163	189	4	5	361	17·5	116	108	224	10·9	23	64	6·6
Cheadle	28,830	211	208	6	12	437	15·2	147	174	321	11·1	30	69	4·1
Gnosall	4,730	41	26	3	6	76	16·1	28	30	58	12·3	3	39	3·8
Kingswinford ..	22,540	169	164	6	6	345	15·3	137	130	267	11·8	17	49	3·5
Leek	15,980	106	83	7	2	198	12·4	101	84	185	11·6	22	111	0·8
Lichfield ..	29,990	232	227	10	8	477	15·9	150	131	281	9·4	23	48	6·5
Mayfield ..	3,586	29	19	1	1	50	13·9	26	24	50	13·9	6	120	—
Newcastle-under-Lyme.	16,720	102	110	5	9	226	13·5	98	105	203	12·1	15	66	1·4
Seisdon ..	15,310*	125	102	3	1	231	15·1	85	81	166	10·8	12	52	4·3
Stafford ..	9,872	79	73	3	3	158	16·0	50	41	91	9·2	4	25	6·8
Stone	11,940	74	72	3	6	155	13·0	69	73	142	11·9	7	45	1·1
Tamworth (part of)†	6,003	49	62	1	—	112	18·7	23	27	50	8·3	7	63	10·4

† The remainder of Tamworth Rural District is in Warwickshire.

TABLE 17—*continued.*

AREA.	Estimated Resident Population (Middle) 1933).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*
STAFFORDSHIRE —*cont.*														
RURAL DISTRICTS —*cont.*														
Tutbury ..	9,384	70	69	4	2	145	15·5	60	57	117	12·5	15	103	3·0
Uttoxeter ..	7,937	55	51	5	2	113	14·2	56	55	111	14·0	10	88	0·2
Walsall ..	15,520	109	134	1	2	246	15·9	79	63	142	9·1	17	69	6·8
Civil Parishes of Blymhill and Weston under Lizard, administered by R.D.C. of Shifnal (Shropshire).	658	9	4	—	—	13	19·8	4	4	8	12·2	1	77	7·6
SUFFOLK EAST:	298,390	1,984	1,905	128	110	4,127	13·8	1,701	1,796	3,497	11·7	183	44	2·1
COUNTY BORO':														
Ipswich	89,070	625	581	36	34	1,276	14·3	484	533	1,017	11·4	59	46	2·9
ADMINISTRATIVE COUNTY.	209,320	1,359	1,324	92	76	2,851	13·6	1,217	1,263	2,480	11·8	124	43	1·8
URBAN DISTRICTS	88,420	580	521	37	30	1,168	13·2	503	554	1,057	12 0	55	47	1·2
Aldeburgh M.B.	2,455	9	12	—	1	22	9·0	10	12	22	9·0	—	—	—
Beccles M.B. ..	6,735	46	24	4	4	78	11·6	36	53	89	13·2	2	26	—1·6
Bungay	3,151	24	22	1	1	48	15·2	14	23	37	11·7	3	63	3·5
Eye M.B. ..	1,731	6	14	—	—	20	11·6	14	14	28	16·2	1	50	—4·6
Felixstowe ..	12,260	65	63	5	3	136	11·1	54	76	130	10·6	6	44	0·5
Halesworth ..	2,119	17	24	—	2	43	20·3	10	12	22	10·4	3	70	9·9
Leiston cum Sizewell.	4,188	37	17	1	—	55	13·1	26	38	64	15·3	2	36	—2·2
Lowestoft M.B.	42,480	280	268	22	15	585	13·8	240	235	475	11·2	27	46	2·6
Saxmundham ..	1,404	14	12	—	1	27	19·2	8	7	15	10·7	1	37	8·5
Southwold M.B.	2,815	11	13	2	1	27	9·6	19	25	44	15·6	3	111	—6·0
Stowmarket ..	4,217	31	22	2	—	55	13·0	35	31	66	15·7	4	73	—2 7
Woodbridge ..	4,685	40	30	—	2	72	14·8	37	28	65	13·4	3	42	1·4
RURAL DISTRICTS:	120,900	779	803	55	46	1,683	13·9	714	709	1,423	11·8	69	41	2·1
Blything ..	16,350	111	120	4	12	247	15·1	106	120	226	13·8	13	53	1·3
Bosmere and Claydon.	14,100	103	104	8	4	219	15·5	100	81	181	12·8	9	41	2·7
East Stow ..	7,244	46	48	3	4	101	13·9	50	43	93	12·8	5	50	1·1
Hartismere ..	10,390	79	73	8	4	164	15·8	57	61	118	11·4	4	24	4·4
Hoxne	8,895	50	58	6	3	117	13·2	59	68	127	14·3	7	60	—1·1
Mutford and Lothingland.	12,630	88	88	2	3	181	14·3	71	81	152	12·0	8	44	2·3
Plomesgate ..	13,680	89	77	8	8	182	13·3	85	83	168	12·3	9	49	1·0
Samford ..	14,480	81	89	4	2	176	12·2	74	64	138	9·5	7	40	2·7
Wangford ..	4,391	34	41	2	3	80	18·2	17	20	37	8·4	—	—	9·8
Woodbridge ..	18,740	98	105	10	3	216	11·5	95	88	183	9·8	7	32	1·7

TABLE 17—*continued.*

AREA.	Estimated Resident Population (Middle 1933).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	Total.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*
SUFFOLK WEST:														
ADMINISTRATIVE COUNTY.	104,900	673	647	29	32	1,381	13·2	694	734	1,428	13·6	64	46	−0·4
URBAN DISTRICTS:	41,240	251	245	9	12	517	12·5	257	292	549	13·3	27	52	−0·8
Bury St. Edmunds M.B.	16,800	112	103	3	2	220	13·1	82	112	194	11·5	9	41	1·6
Glemsford ..	1,265	8	5	—	—	13	10·3	7	13	20	15·8	1	77	−5·5
Hadleigh ..	2,933	25	19	—	2	46	15·7	19	19	38	13·0	2	43	2·7
Haverhill ..	3,789	19	28	—	1	48	12·7	26	32	58	15·3	4	83	−2·6
Newmarket ..	9,609	50	51	4	6	111	11·6	68	57	125	13·0	7	63	−1·4
Sudbury M.B. ..	6,844	37	39	2	1	79	11·5	55	59	114	16·7	4	51	−5·2
RURAL DISTRICTS:	63,660	422	402	20	20	864	13·6	437	442	879	13·8	37	43	−0·2
Brandon ..	5,613	38	49	2	3	92	16·4	28	34	62	11·0	1	11	5·4
Clare	6,968	46	43	1	1	91	13·1	49	53	102	14·6	8	88	−1·5
Cosford	9,401	64	50	4	1	119	12·7	60	56	116	12·3	6	50	0·4
Melford	11,290	70	65	2	2	139	12·3	81	75	156	13·8	7	50	−1·5
Mildenhall ..	7,836	52	54	2	2	110	14·0	45	50	95	12·1	1	9	1·9
Moulton ..	1,904	13	8	—	1	22	11·6	8	11	19	10·0	—	—	1·6
Thedwastre ..	7,858	52	44	4	2	102	13·0	65	67	132	16·8	4	39	−3·8
Thingoe ..	12,790	87	89	5	8	189	14·8	101	96	197	15·4	10	53	−0·6
SURREY:	1,255,500	7,955	7,476	351	326	16,108	12·8	6,290	6,618	12,908	10·3	696	43	2·5
COUNTY BORO :														
Croydon ..	239,950*	1,556	1,459	74	58	3,147	13·1	1,276	1,430	2,706	11·3	149	47	1·8
ADMINISTRATIVE COUNTY.	1,015,550*	6,399	6,017	277	268	12,961	12·8	5,014	5,188	10,202	10·0	547	42	2·8
URBAN DISTRICTS:	880,510*	5,549	5,228	237	234	11,248	12·8	4,234	4,422	8,656	9·8	475	42	3·0
Banstead‡ ..	15,940*	88	99	3	4	194	12·2	48	50	98	6·1	8	41	6·1
Barnes, M.B. ..	42,590	187	181	5	13	386	9·1	201	235	436	10·2	16	41	−1·1
Beddington and Wallington.	27,850*	184	168	7	2	361	13·0	125	136	261	9·4	17	47	3·6
Carshalton ..	35,300*	259	257	11	1	528	15·0	170	149	319	9·0	34	64	6·0
Caterham and Warlingham.	22,680*	174	159	3	5	341	15·0	97	86	183	8·1	18	53	6·9
Chertsey ..	18,170*	98	111	8	7	224	12·3	98	101	199	11·0	11	49	1·3
Coulsdon and Purley.	43,730*	239	238	2	7	486	11·1	151	162	313	7·2	10	21	3·9
Dorking ..	14,370*	107	103	4	3	217	15·1	97	81	178	12·4	6	28	2·7
East and West Molesey §														
Egham	16,700*	116	116	3	5	240	14·4	84	81	165	9·9	5	21	4·5
Epsom† ..	36,980*	204	166	13	4	387	10·5	138	133	271	7·3	25	65	3·2
Esher	33,120*	205	203	10	8	426	12·9	164	168	332	10·0	17	40	2·9
Farnham ..	19,390*	137	115	6	5	263	13·6	104	113	217	11·2	6	23	2·4
Frimley and Camberley.	17,020	135	127	7	6	275	16·2	80	81	161	9·5	18	65	6·7
Godalming M.B.	12,090*	73	71	—	4	148	12·2	63	61	124	10·3	6	41	1·9
Guildford M.B.	35,070*	235	205	9	14	463	13·2	192	215	407	11·6	12	26	1·6
Ham‖	624*	6	5	1	—	12	19·2	3	4	7	11·2	1	83	8·0
Haslemere ..	8,050*	55	36	3	3	97	12·0	38	53	91	11·3	2	21	0·7
Kingston - on-Thames M.B.	38,450*	244	185	22	19	470	12·2	234	230	464	12·1	28	60	0·1
Leatherhead ..	15,920*	91	102	5	5	203	12·8	69	79	148	9·3	6	30	3·5
Merton and Morden.	52,130*	321	304	6	13	644	12·4	213	203	416	8·0	31	48	4·4

† A considerable proportion of the population of this area was enumerated in Mental Hospitals, the deaths in which are allocated to the areas in which the deceased patients had resided before admission.

‡ Created 1st April 1933.

§ Abolished 1st April 1933. Figures included in those of Esher U.D. as from 1st Jan. 1933.

‖ Abolished 1st April 1933.

TABLE 17—*continued.*

AREA.	Estimated Resident Population (Middle 1933).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	Total.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*
SURREY—*cont.*														
URBAN DISTRICTS —*cont.*														
Mitcham ..	60,060*	492	450	15	13	970	16·2	256	273	529	8·8	36	37	7·4
Reigate M.B. ..	34,290*	187	169	9	14	379	11·1	166	206	372	10·8	16	42	0·3
Richmond M.B.	38,380*	187	192	16	11	406	10·6	218	275	493	12·8	15	37	−2·2
Surbiton ..	34,870*	264	227	7	4	502	14·4	178	180	358	10·3	21	42	4·1
Sutton and Cheam.	57,290*	418	382	16	14	830	14·5	258	246	504	8·8	30	36	5·7
The Maldens and Coombe.	27,850*	171	182	5	6	364	13·1	152	117	269	9·7	22	60	3·4
Walton and Weybridge‡.	25,680*	159	168	9	7	343	13·4	157	146	303	11·8	8	23	1·6
Walton-upon-Thames†														
Weybridge†														
Wimbledon M.B.	58,770*	301	271	15	15	602	10·2	285	351	636	10·8	30	50	−0·6
Windlesham§ ..	1,316*	6	6	—	—	12	9·1	11	12	23	17·5	—	—	−8·4
Woking.. ..	35,830*	206	230	17	22	475	13·3	184	195	379	10·6	20	42	2·7
RURAL DISTRICTS:	135,040*	850	789	40	34	1,713	12·7	780	766	1,546	11·4	72	42	1·3
Bagshot‡ ..	8,320*	66	53	3	1	123	14·8	47	39	86	10·3	4	33	4·5
Chertsey§ ..	3,355*	15	18	—	—	33	9·8	26	29	55	16·4	3	91	−6·6
Dorking and Horley.	17,290*	119	101	8	4	232	13·4	115	96	211	12·2	6	26	1·2
Epsom§.. ..	12,280*	72	57	8	3	140	11·4	60	67	127	10·3	8	57	1·1
Farnham§ ..	4,220*	29	22	3	2	56	13·3	18	50	68	16·1	6	107	−2·8
Godstone ..	26,010*	153	162	2	8	325	12·5	131	133	264	10·1	10	31	2·4
Guildford ..	30,840*	213	203	8	10	434	14·1	170	170	340	11·0	24	55	3·1
Hambledon ..	25,020*	128	133	5	6	272	10·9	151	144	295	11·8	7	26	−0·9
Reigate§ ..	7,705*	55	40	3	—	98	12·7	62	38	100	13·0	4	41	−0·3
SUSSEX EAST:	550,840	3,145	2,953	214	193	6,505	11·8	3,505	4,110	7,615	13·8	301	46	−2·0
COUNTY BORO's:	266,740	1,507	1,465	124	105	3,201	12·0	1,741	2,154	3,895	14·6	152	47	−2·6
Brighton ..	146,700	856	843	83	66	1,848	12·6	995	1,138	2,133	14·5	86	47	−1·9
Eastbourne ..	56,550	303	300	18	19	640	11·3	320	421	741	13·1	32	50	−1·8
Hastings ..	63,490	348	322	23	20	713	11·2	426	595	1,021	16·1	34	48	−4·9
ADMINISTRATIVE COUNTY.	284,100	1,638	1,488	90	88	3,304	11·6	1,764	1,956	3,720	13·1	149	45	−1·5
URBAN DISTRICTS	147,700	782	718	40	52	1,592	10·8	917	1,173	2,090	14·2	87	55	−3·4
Battle	3,637	20	17	2	5	44	12·1	23	20	43	11·8	4	91	0·3
Bexhill M.B. ..	21,100	115	96	8	4	223	10·6	128	176	304	14·4	14	63	−3·8
Burgess Hill ..	6,265	48	44	1	7	100	16·0	55	45	100	16·0	9	90	—
Cuckfield ..	2,086	9	8	1	—	18	8·6	15	13	28	13·4	—	—	−4·8
East Grinstead	8,300	58	48	3	2	111	13·4	38	48	86	10·4	1	9	3·0
Haywards Heath	5,892	22	35	2	3	62	10·5	26	36	62	10·5	4	65	—
Hove M.B. ..	57,160	249	218	17	20	504	8·8	385	565	950	16·6	28	56	−7·8
Lewes M.B. ..	11,440	62	59	1	5	127	11·1	60	89	149	13·0	7	55	−1·9
Newhaven ..	6,481	37	53	—	2	92	14·2	52	45	97	15·0	4	43	−0·8
Portslade-by-Sea	9,885	64	70	3	2	139	14·1	56	54	110	11·1	8	58	3·0
Rye M.B. ..	4,005	34	19	—	—	53	13·2	17	26	43	10·7	1	19	2·5
Seaford.. ..	7,792	38	31	1	2	72	9·2	37	32	69	8·9	3	42	0·3
Uckfield ..	3,657	26	20	1	—	47	12·9	25	24	49	13·4	4	85	−0·5
RURAL DISTRICTS:	136,400	856	770	50	36	1,712	12·6	847	783	1,630	12·0	62	36	0·6
Battle	6,983	51	48	3	1	103	14·8	48	46	94	13·5	3	29	1·3
Chailey	13,980	90	82	3	6	181	12·9	80	78	158	11·3	6	33	1·6
Cuckfield ..	18,410	107	107	7	4	225	12·2	102	115	217	11·8	6	27	0·4

† Abolished 1st April 1933. Figures included in those for Walton and Weybridge U.D. as from 1st Jan. 1933.
‡ Created 1st April 1933. § Abolished 1st April 1933.

TABLE 17—*continued.*

Area.	Estimated Resident Population (Middle 1933).	Births.						Deaths.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		Total.	Crude Rate per 1,000. Total Population.	M.	F.	Total.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*
SUSSEX EAST —*cont.* RURAL DISTRICTS —*cont.*														
Eastbourne ..	7,034	52	36	—	—	88	12·5	34	30	64	9·1	2	23	3·4
East Grinstead	15,810	105	80	7	2	194	12·3	88	79	167	10·6	5	26	1·7
Hailsham ..	20,120	135	117	5	3	260	12·9	132	99	231	11·5	11	42	1·4
Hastings ..	2,712	13	19	2	1	35	12·9	18	15	33	12·2	2	57	0·7
Newhaven ..	5,837	34	29	5	2	70	12·0	32	34	66	11·3	3	43	0·7
Rye	7,584	46	42	7	1	96	12·7	59	34	93	12·3	2	21	0·4
Ticehurst ..	13,020	82	80	4	4	170	13·1	87	80	167	12·8	5	29	0·3
Uckfield ..	24,910	141	130	7	12	290	11·6	167	173	340	13·6	17	59	−2·0
SUSSEX WEST:														
ADMINISTRATIVE COUNTY.	231,100	1,430	1,359	68	78	2,935	12·7	1,444	1,519	2,963	12·8	141	48	−0·1
URBAN DISTRICTS	122,910*	723	673	30	38	1,464	11·9	764	916	1,680	13·7	74	51	−1·8
Arundel M.B. ..	2,537	15	14	2	2	33	13·0	15	26	41	16·2	—	—	−3·2
Bognor Regis ..	16,400*	102	84	8	8	202	12·3	94	110	204	12·4	13	64	−0·1
Chichester M.B.	15,240*	102	91	3	2	198	13·0	91	94	185	12·1	10	51	0·9
Horsham ..	14,000	97	78	4	5	184	13·1	94	105	199	14·2	13	71	−1·1
Littlehampton..	10,370*	62	67	2	3	134	12·9	56	68	124	12·0	4	30	0·9
Shoreham-by-Sea	9,120*	49	60	—	4	113	12·4	55	51	106	11·6	6	53	0·8
Southwick ..	6,873	58	43	2	3	106	15·4	58	48	106	15·4	10	94	—
Worthing M.B.	48,370*	238	236	9	11	494	10·2	301	414	715	14·8	18	36	−4·6
RURAL DISTRICTS	108,190*	707	686	38	40	1,471	13·6	680	603	1,283	11·9	67	46	1·7
Chanctonbury†	11,980*	73	89	4	3	169	14·1	65	65	130	10·9	9	53	3·2
Chichester† ..	24,751*	183	168	13	13	377	15·2	152	119	271	10·9	26	69	4·3
East Preston‡														
Horsham ..	21,760*	141	123	8	6	278	12·8	141	114	255	11·7	8	29	1·1
Midhurst ..	14,480*	87	96	4	4	191	13·2	105	90	195	13·5	5	26	−0·3
Petworth ..	8,315*	42	44	1	1	88	10·6	53	53	106	12·7	4	45	−2·1
Steyning West§	3,840*	29	18	1	1	49	12·8	24	41	65	16·9	4	82	−4·1
Thakeham§ ..	2,474*	10	14	—	1	25	10·1	24	13	37	15·0	1	40	−4·9
Westbourne‖														
Westhampnett§	6,140*	35	50	2	—	87	14·2	41	43	84	13·7	2	23	0·5
Worthing† ..	14,450*	107	84	5	11	207	14·3	75	65	140	9·7	8	39	4·6
WARWICKSHIRE ..	1,556,500	11,129	10,663	412	395	22,599	14·5	8,897	8,396	17,293	11·1	1,432	63	3·4
COUNTY BORO's.	1,194,300	8,678	8,309	332	313	17,632	14·8	6,867	6,288	13,155	11·0	1,161	66	3·8
Birmingham ..	1,011,500	7,457	7,140	281	273	15,151	15·0	5,913	5,411	11,324	11·2	1,002	66	3·8
Coventry ..	182,800	1,221	1,169	51	40	2,481	13·6	954	877	1,831	10·0	159	64	3·6
ADMINISTRATIVE COUNTY.	362,200	2,451	2,354	80	82	4,967	13·7	2,030	2,108	4,138	11·4	271	55	2·3
URBAN DISTRICTS	223,700	1,467	1,397	45	41	2,950	13·2	1,223	1,308	2,531	11·3	152	52	1·9
Bedworth ..	17,530	174	130	3	—	307	17·5	84	91	175	10·0	22	72	7·5
Kenilworth ..	7,830	49	49	2	1	101	12·9	49	47	96	12·3	7	69	0·6
Nuneaton M.B.	47,160	392	372	8	5	777	16·5	276	255	531	11·3	54	69	5·2
Royal Leamington Spa M.B.	30,160	168	171	11	10	360	11·9	185	248	433	14·4	15	42	−2·5
Rugby M.B. ..	35,070	179	187	4	9	379	10·8	190	202	392	11·2	17	45	−0·4
Solihull ..	29,290	198	184	5	5	392	13·4	127	140	267	9·1	15	38	4·3
Stratford-on-Avon M.B.	11,700	69	67	2	4	142	12·1	66	76	142	12·1	4	28	—

† Created 1st April 1933.
‡ Abolished 1st April 1933. Figures included in those of Worthing R.D. as from 1st Jan. 1933.
§ Abolished 1st April 1933.
‖ Abolished 1st April 1933. Figures included in those of Chichester R.D. as from 1st Jan. 1933.

TABLE 17—*continued.*

AREA.	Estimated Resident Population (Middle 1933).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*
WARWICKSHIRE —*cont.*														
URBAN DISTRICTS —*cont.*														
Sutton Coldfield M.B.	31,230	153	152	5	3	313	10·0	147	161	308	9·9	9	29	0·1
Warwick M.B...	13,730	85	85	5	4	179	13·0	99	88	187	13·6	9	50	−0·6
RURAL DISTRICTS	138,500	984	957	35	41	2,017	14·6	807	800	1,607	11·6	119	59	3·0
Alcester ..	11,640	67	75	4	2	148	12·7	72	73	145	12·5	12	81	0·2
Atherstone ..	22,050	186	165	5	14	370	16·8	112	121	233	10·6	31	84	6·2
Meriden ..	25,630	191	194	5	7	397	15·5	123	123	246	9·6	17	43	5·9
Rugby ..	18,300	131	138	2	4	275	15·0	99	89	188	10·3	14	51	4·7
Shipston-on-Stour.	7,630	38	59	—	1	98	12·8	47	54	101	13·2	6	61	−0·4
Southam ..	11,300	77	68	3	2	150	13·3	91	92	183	16·2	7	47	−2·9
Stratford-on-Avon.	14,350	97	86	6	4	193	13·4	90	108	198	13·8	8	41	−0·4
Tamworth (part of).†	13,990	121	103	4	6	234	16·7	97	69	166	11·9	15	64	4·8
Warwick ..	13,610	76	69	6	1	152	11·2	76	71	147	10·8	9	59	0·4
WESTMORLAND:														
ADMINISTRATIVE COUNTY.	64,360	404	395	46	26	871	13·5	463	474	937	14·6	63	72	−1·1
URBAN DISTRICTS:	28,960	188	165	20	14	387	13·4	218	231	449	15·5	32	83	−2·1
Ambleside ..	2,324	9	8	—	1	18	7·7	11	19	30	12·9	—	—	−5·2
Appleby M.B. ..	1,618	9	9	3	1	22	13·6	15	18	33	20·4	1	45	−6·8
Grasmere ..	784	3	2	—	—	5	6·4	6	4	10	12·8	1	200	−6·4
Kendal M.B. ..	16,040	121	108	13	11	253	15·8	112	132	244	15·2	25	99	0·6
Kirkby Lonsdale	1,446	10	5	1	—	16	11·1	12	7	19	13·1	1	63	−2·0
Shap	1,158	7	8	2	—	17	14·7	12	8	20	17·3	—	—	−2·6
Windermere ..	5,590	29	25	1	1	56	10·0	50	43	93	16·6	4	71	−6·6
RURAL DISTRICTS	35,400	216	230	26	12	484	13·7	245	243	488	13·8	31	64	−0·1
East Westmorland	10,480	61	73	8	6	148	14·1	73	82	155	14·8	7	47	−0·7
South Westmorland	18,610	109	110	10	3	232	12·5	126	127	253	13·6	16	69	−1·1
West Ward ..	6,310	46	47	8	3	104	16·5	46	34	80	12·7	8	77	3·8
WIGHT, ISLE OF: ADMINISTRATIVE COUNTY.	86,040	455	467	31	20	973	11·3	581	637	1,218	14·2	34	35	−2·9
URBAN DISTRICTS:	66,780*	358	338	23	14	733	11·0	439	504	943	14·1	28	38	−3·1
Cowes	15,082*	81	85	5	2	173	11·5	111	106	217	14·4	9	52	−2·9
East Cowes‡ Newport M.B...	17,510*	106	113	4	4	227	13·0	91	102	193	11·0	7	31	2·0

† The remainder of Tamworth Rural District is in Staffordshire.
‡ Abolished 1st April 1933. Figures included with those of Cowes U.D. as from 1st Jan. 1933.

TABLE 17—*continued.*

AREA.	Estimated Resident Population (Middle 1933).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	Total.	Crude rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*
WIGHT, ISLE OF —*cont.*														
URBAN DISTRICTS —*cont.*														
Ryde M.B. ..	16,040*	90	67	5	4	166	10·3	135	146	281	17·5	4	24	−7·2
St. Helens† ..	1,360*	10	11	2	—	23	16·9	12	13	25	18·4	—	—	−1·5
Sandown‡ ..														
Sandown-Shanklin§	10,878*	53	42	6	4	105	9·7	66	75	141	13·0	7	67	−3·3
Shanklin‡ ..														
Ventnor ..	5,910*	18	20	1	—	39	6·6	24	62	86	14·6	1	26	−8·0
RURAL DISTRICT: Isle of Wight ..	19,260*	97	129	8	6	240	12·5	142	133	275	14·3	6	25	−1·8
WILTSHIRE:														
ADMINISTRATIVE COUNTY.	305,800	2,116	1,965	83	96	4,260	13·9	1,823	1,820	3,643	11·9	227	53	2·0
URBAN DISTRICTS:	146,400	889	862	35	50	1,836	12·5	878	890	1,768	12·1	93	51	0·4
Bradford-on-Avon	4,730	25	22	1	1	49	10·4	35	37	72	15·2	7	143	−4·8
Calne M.B. ..	3,493	14	19	2	2	37	10·6	17	21	38	10·9	—	—	−0·3
Chippenham M.B.	8,862	53	52	3	4	112	12·6	53	36	89	10·0	1	9	2·6
Devizes M.B. ..	6,003	35	31	3	3	72	12·0	46	38	84	14·0	1	14	−2·0
Malmesbury M.B.	2,252	8	9	1	—	18	8·0	17	26	43	19·1	1	56	−11·1
Marlborough M.B.	4,500	34	29	—	1	64	14·2	25	29	54	12·0	3	47	2·2
Melksham ..	3,949	23	25	—	1	49	12·4	14	24	38	9·6	3	61	2·8
Salisbury M.B.	27,610	184	187	12	12	395	14·3	184	181	365	13·2	26	66	1·1
Swindon M.B. ..	61,390	379	357	9	21	766	12·5	350	329	679	11·1	40	52	1·4
Trowbridge ..	12,010	76	72	2	3	153	12·7	73	94	167	13·9	5	33	−1·2
Warminster ..	5,272	32	16	—	1	49	9·3	31	36	67	12·7	4	82	−3·4
Westbury ..	4,171	16	29	1	—	46	11·0	23	23	46	11·0	2	43	—
Wilton M.B. ..	2,158	10	14	1	1	26	12·0	10	16	26	12·0	—	—	—
RURAL DISTRICTS	159,400	1,227	1,103	48	46	2,424	15·2	945	930	1,875	11·8	134	55	3·4
Amesbury ..	17,610	160	165	3	4	332	18·9	87	61	148	8·4	17	51	10·5
Bradford-on-Avon.	5,354	31	40	4	—	75	14·0	25	36	61	11·4	5	67	2·6
Calne	4,988	49	38	1	—	88	17·6	33	32	65	13·0	2	23	4·6
Chippenham ..	14,260	87	83	4	5	179	12·6	99	107	206	14·4	12	67	−1·8
Cricklade and Wootton Bassett.	11,340	86	92	3	1	182	16·0	64	67	131	11·6	11	60	4·4
Devizes	12,700	93	78	6	4	181	14·3	71	73	144	11·3	9	50	3·0
Highworth ..	16,140	127	111	2	3	243	15·1	105	76	181	11·2	16	66	3·9
Malmesbury ..	8,423	66	50	2	3	121	14·4	50	43	93	11·0	6	50	3·4
Marlborough ..	4,186	45	26	6	2	79	18·9	22	18	40	9·6	6	76	9·3
Melksham ..	5,044	30	27	—	—	57	11·3	18	23	41	8·1	1	18	3·2
Mere	4,401	48	22	3	5	78	17·7	25	30	55	12·5	2	26	5·2
Pewsey	14,580	130	136	4	5	275	18·9	80	86	166	11·4	14	51	7·2
Ramsbury ..	6,114	53	36	1	1	91	14·9	44	38	82	13·4	1	11	1·5
Salisbury ..	10,120	64	65	3	2	134	13·2	64	72	136	13·4	9	67	−0·5

† Abolished 1st April 1933.
‡ Abolished 1st April 1933. Figures are included in those for Sandown–Shanklin U.D. as from 1st Jan. 1933.
§ Created 1st April 1933.

TABLE 17—*continued.*

AREA.	Estimated Resident Population (Middle 1933).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	Total.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*
WILTSHIRE—*cont.*														
RURAL DISTRICTS —*cont.*														
Tisbury.. ..	6,543	43	33	2	5	83	12·7	39	49	88	13·4	8	96	−0·7
Warminster ..	5,243	41	21	1	3	66	12·6	39	33	72	13·7	5	76	−1·1
Westbury and Whorwellsdown.	6,598	36	40	1	2	79	12·0	47	44	91	13·8	4	51	−1·8
Wilton	5,756	38	40	2	1	81	14·1	33	42	75	13·0	6	74	1·1
WORCESTERSHIRE	428,100	3,098	2,926	109	121	6,254	14·6	2,711	2,490	5,201	12·1	423	68	2·5
COUNTY BORO'S.	112,500	916	802	19	29	1,766	15·7	738	664	1,402	12·5	136	77	3·2
Dudley	60,140	575	463	7	11	1,056	17·6	421	288	709	11·8	91	86	5·8
Worcester ..	52,360	341	339	12	18	710	13·6	317	376	693	13·2	45	63	0·4
ADMINISTRATIVE COUNTY.	315,600	2,182	2,124	90	92	4,488	14·2	1,973	1,826	3,799	12·0	287	64	2·2
URBAN DISTRICTS	221,350*	1,502	1,525	52	62	3,141	14·2	1,317	1,266	2,583	11·7	219	70	2·5
Bewdley M.B. ..	3,963*	27	32	3	—	62	15·6	19	25	44	11·1	5	81	4·5
Bromsgrove ..	18,580*	124	155	3	4	286	15·4	121	96	217	11·7	11	38	3·7
Droitwich M.B.	4,394*	28	22	1	2	53	12·1	36	32	68	15·5	2	38	−3·4
Evesham M.B.	10,610*	86	82	3	2	173	16·3	65	77	142	13·4	4	23	2·9
Halesowen ..	31,910*	226	210	3	7	446	14·0	166	159	325	10·2	36	81	3·8
Kidderminster M.B.	29,990*	204	171	15	13	403	13·4	204	176	380	12·7	39	97	0·7
Lye and Wollescote†														
Malvern ..	17,450*	101	77	7	13	198	11·3	106	143	249	14·3	13	66	−3·0
North Bromsgrove.‡	2,725*	16	13	1	—	30	11·0	19	14	33	12·1	1	33	−1·1
Oldbury ..	39,360*	329	338	6	7	680	17·3	220	194	414	10·5	61	90	6·8
Redditch ..	21,320*	117	130	2	3	252	11·8	109	136	245	11·5	13	52	0·3
Stourbridge M.B.	34,133*	193	238	6	7	444	13·0	213	178	391	11·5	26	59	1·5
Stourport ..	6,915*	51	57	2	4	114	16·5	39	36	75	10·8	8	70	5·7
RURAL DISTRICTS	94,250*	680	599	38	30	1,347	14·3	656	560	1,216	12·9	68	50	1·4
Bromsgrove ..	17,770*	131	117	5	6	259	14·6	116	97	213	12·0	10	39	2·6
Droitwich ..	10,640*	65	76	6	2	149	14·0	66	65	131	12·3	4	27	1·7
Evesham ..	13,998*	94	78	7	1	180	12·9	88	60	148	10·6	11	61	2·3
Feckenham‡ ..	919*	6	1	—	—	7	7·6	8	21	29	31·6	—	—	−24·0
Kidderminster..	7,778*	62	51	3	3	119	15·3	61	36	97	12·5	13	109	2·8
Martley.. ..	11,040*	91	76	5	6	178	16·1	87	69	156	14·1	11	62	2·0
Pershore ..	13,250*	93	80	7	7	187	14·1	89	77	166	12·5	10	53	1·6
Rock‡	543*	4	4	—	1	9	16·6	4	4	8	14·7	—	—	1·9
Tenbury ..	5,170*	50	32	2	1	85	16·4	42	32	74	14·3	2	24	2·1
Tewkesbury (part of).‡§	532*	3	7	—	—	10	18·8	2	6	8	15·0	—	—	3·8
Upton on Severn	12,610*	81	77	3	3	164	13·0	93	93	186	14·8	7	43	−1·8
Winchcomb‖§ (part of).														

† Abolished 1st April, 1933. Figures included in those of Stourbridge M.B. as from 1st Jan., 1933.
‡ Abolished 1st April, 1933.
§ The remainders of Tewkesbury R.D. and Winchcomb R.D. are in Gloucestershire.
‖ Abolished 1st April, 1933. Figures included in those of Evesham R.D., as from 1st Jan., 1933.

TABLE 17—*continued.*

Area.	Estimated Resident Population (Middle 1933).	Births.						Deaths.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		Total.	Crude Rate per 1,000. Total population.	M.	F.	Total.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*
YORKSHIRE, EAST RIDING.	491,470	3,970	3,829	207	223	8,229	16·7	3,243	3,079	6,322	12·9	582	71	3·8
COUNTY BORO':														
Kingston-upon-Hull.	319,900	2,788	2,687	122	143	5,740	17·9	2,176	2,010	4,186	13·1	440	77	4·8
ADMINISTRATIVE COUNTY.	171,570	1,182	1,142	85	80	2,489	14·5	1,067	1,069	2,136	12·4	142	57	2·1
URBAN DISTRICTS:	74,030	478	457	32	24	991	13·4	489	522	1,011	13·7	52	52	−0·3
Beverley M.B. ..	14,090	106	117	7	2	232	16·5	110	98	208	14·8	12	52	1·7
Bridlington M.B.	19,860	111	118	4	8	241	12·1	129	148	277	13·9	16	66	−1·8
Cottingham ..	7,452	61	42	2	2	107	14·4	36	44	80	10·7	2	19	3·7
Filey	3,645	27	21	1	—	49	13·4	26	21	47	12·9	1	20	0·5
Great Driffield..	5,832	45	34	8	5	92	15·8	48	52	100	17·1	4	43	−1·3
Hedon M.B. ..	1,500	9	6	—	—	15	10·0	6	7	13	8·7	4	267	1·3
Hessle	6,422	27	37	1	4	69	10·7	35	47	82	12·8	2	29	−2·1
Hornsea ..	4,501	26	21	3	1	51	11·3	26	31	57	12·7	3	59	−1·4
Norton	4,031	26	26	2	—	54	13·4	18	26	44	10·9	2	37	2·5
Pocklington ..	2,678	12	15	2	2	31	11·6	19	15	34	12·7	1	32	−1·1
Withernsea ..	4,019	28	20	2	—	50	12·4	36	33	69	17·2	5	100	−4·8
RURAL DISTRICTS:	97,540	704	685	53	56	1,498	15·4	578	547	1,125	11·5	90	60	3·9
Beverley ..	12,070	73	82	8	9	172	14·3	73	62	135	11·2	8	47	3·1
Bridlington ..	7,896	53	51	6	7	117	14·8	39	45	84	10·6	1	9	4·2
Driffield ..	10,970	75	80	4	9	168	15·3	70	69	139	12·7	10	60	2·6
Escrick	5,846	50	37	3	2	92	15·7	34	34	68	11·6	6	65	4·1
Howden ..	12,330	95	99	9	3	206	16·7	71	71	142	11·5	11	53	5·2
Norton	5,112	50	40	3	8	101	19·8	37	33	70	13·7	9	89	6·1
Patrington ..	7,338	45	52	3	1	101	13·8	48	40	88	12·0	3	30	1·8
Pocklington ..	10,820	75	83	8	6	172	15·9	63	66	129	11·9	14	81	4·0
Riccall	5,138	42	28	1	3	74	14·4	26	31	57	11·1	6	81	3·3
Sculcoates ..	10,350	69	69	6	3	147	14·2	48	34	82	7·9	6	41	6·3
Sherburn ..	2,167	15	14	—	2	31	14·3	16	17	33	15·2	5	161	−0·9
Skirlaugh ..	7,503	62	50	2	3	117	15·6	53	45	98	13·1	11	94	2·5
YORKSHIRE, NORTH RIDING.	474,400	3,702	3,435	214	192	7,543	15·9	3,110	2,838	5,948	12·5	516	68	3·4
COUNTY BORO':														
Middlesbrough..	139,500	1,296	1,220	79	64	2,659	19·1	1,000	855	1,855	13·3	243	91	5·8
ADMINISTRATIVE COUNTY.	334,900	2,406	2,215	135	128	4,884	14·6	2,110	1,983	4,093	12·2	273	56	2·4
URBAN DISTRICTS:	186,300	1,379	1,276	76	66	2,797	15·0	1,204	1,165	2,369	12·7	165	59	2·3
Eston	31,070	284	276	6	7	573	18·4	232	167	399	12·8	39	68	5·6
Guisborough ..	8,053	71	51	2	5	129	16·0	58	54	112	13·9	10	78	2·1
Kirklington-cum-Upsland.	234	2	2	—	—	4	17·1	—	3	3	12·8	—	—	4·3
Loftus	8,116	58	67	—	1	126	15·5	52	41	93	11·5	5	40	4·0
Malton	4,332	21	26	5	2	54	12·5	26	32	58	13·4	2	37	−0·9
Masham ..	1,939	8	10	1	1	20	10·3	7	8	15	7·7	1	50	2·6
Northallerton ..	4,745	31	30	4	1	66	13·9	29	33	62	13·1	2	30	0·8
Pickering ..	3,766	28	14	1	2	45	11·9	34	26	60	15·9	3	67	−4·0
Redcar M.B. ..	21,400	141	125	7	8	281	13·1	141	118	259	12·1	16	57	1·0

TABLE 17—*continued.*

AREA.	Estimated Resident Population (Middle 1933).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*
YORKSHIRE, NORTH RIDING—*cont.*														
URBAN DISTRICTS —*cont.*														
Richmond M.B.	5,251	54	50	3	5	112	21·3	27	18	45	8·6	4	36	12·7
Saltburn and Marske by the Sea.	6,896	23	25	1	1	50	7·3	24	47	71	10·3	3	60	−3·0
Scalby	3,178	20	21	1	1	43	13·5	16	21	37	11·6	—	—	1·9
Scarborough M.B.	41,060	253	220	25	15	513	12·5	244	331	575	14·0	31	60	−1·5
Skelton and Brotton.	13,350	102	90	5	3	200	15·0	103	72	175	13·1	18	90	1·9
Thornaby-on-Tees M.B.	21,320	202	183	9	11	405	19·0	148	115	263	12·3	27	67	6·7
Whitby.. ..	11,590	81	86	6	3	176	15·2	63	79	142	12·3	4	23	2·9
RURAL DISTRICTS	148,600	1,027	939	59	62	2,087	14·0	906	818	1,724	11·6	108	52	2·4
Aysgarth ..	4,018	17	26	2	1	46	11·4	28	23	51	12·7	1	22	−1·3
Bedale	6,345	41	56	3	3	103	16·2	48	66	114	18·0	5	49	−1·8
Croft	2,127	16	14	—	2	32	15·0	9	10	19	8·9	1	31	6·1
Easingwold ..	9,564	56	61	3	5	125	13·1	64	52	116	12·1	8	64	1·0
Flaxton.. ..	16,540	112	108	2	3	225	13·6	73	67	140	8·5	17	76	5·1
Helmsley ..	5,132	38	34	1	4	77	15·0	32	27	59	11·5	4	52	3·5
Kirkby Moorside	4,851	44	23	5	3	75	15·5	43	30	73	15·0	7	93	0·5
Leyburn ..	7,133	30	37	1	3	71	10·0	45	51	96	13·5	3	42	−3·5
Malton	5,806	30	24	1	5	60	10·3	41	37	78	13·4	4	67	−3·1
Northallerton ..	7,595	54	45	2	4	105	13·8	53	39	92	12·1	3	29	1·7
Pickering ..	5,714	40	47	5	3	95	16·6	43	26	69	12·1	3	32	4·5
Reeth	2,228	20	21	—	—	41	18·4	17	24	41	18·4	2	49	—
Richmond ..	19,600	158	143	10	7	318	16·2	80	45	125	6·4	10	31	9·8
Scarborough ..	6,622	42	32	1	1	76	11·5	44	41	85	12·8	4	53	−1·3
Startforth ..	4,236	28	22	1	4	55	13·0	32	36	68	16·1	4	73	−3·1
Stokesley ..	14,920	99	80	4	5	188	12·6	84	99	183	12·3	4	21	0·3
Thirsk	12,280	105	83	15	6	209	17·0	77	66	143	11·6	16	77	5·4
Wath	2,059	18	7	1	2	28	13·6	7	6	13	6·3	2	71	7·3
Whitby.. ..	11,830	79	76	2	1	158	13·4	86	73	159	13·4	10	63	—
YORKSHIRE, WEST RIDING.	3,360,280	23,684	22,526	1,034	1,007	48,251	14·4	21,766	21,384	43,150	12·8	3,486	72	1·6
COUNTY BORO's:	1,824,180	12,367	11,666	582	552	25,167	13·8	12,420	11,962	24,382	13·4	1,871	74	0·4
Barnsley ..	71,600	637	580	33	24	1,274	17·8	492	459	951	13·3	119	93	4·5
Bradford ..	295,100	1,902	1,789	116	94	3,901	13·2	2,190	2,153	4,343	14·7	311	80	−1·5
Dewsbury ..	53,600	331	392	21	18	762	14·2	404	420	824	15·4	69	91	−1·2
Doncaster ..	66,380	463	450	24	29	966	14·6	409	323	732	11·0	51	53	3·6
Halifax.. ..	97,150	557	492	27	21	1,097	11·3	723	778	1,501	15·5	101	92	−4·2
Huddersfield ..	114,000	621	619	24	34	1,298	11·4	811	900	1,711	15·0	63	49	−3·6
Leeds	485,000	3,222	3,084	163	174	6,643	13·7	3,319	3,254	6,573	13·6	536	81	0·1
Rotherham ..	69,370	562	533	25	27	1,147	16·5	461	374	835	12·0	99	86	4·5
Sheffield ..	511,820	3,623	3,311	131	115	7,180	14·0	3,191	2,929	6,120	12·0	455	63	2·0
Wakefield ..	60,160	449	416	18	16	899	14·9	420	372	792	13·2	67	75	1·7
ADMINISTRATIVE COUNTY.	1,536,100	11,317	10,860	452	455	23,084	15·0	9,346	9,422	18,768	12·2	1,615	70	2·8

TABLE 17—*continued.*

AREA.	Estimated Resident Population (Middle 1933).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000 Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*
YORKSHIRE, WEST RIDING—*cont.*														
URBAN DISTRICTS:	1,087,700	7,694	7,373	292	294	15,653	14·4	6,905	7,033	13,938	12·8	1,083	69	1·6
Adwick-le-Street	20,170	197	205	10	10	422	20·9	87	81	168	8·3	38	90	12·6
Altofts	4,874	26	44	—	—	70	14·4	33	26	59	12·1	6	86	2·3
Ardsley East and West.	9,148	53	61	2	—	116	12·7	61	62	123	13·4	6	52	−0·7
Baildon	8,927	60	50	2	2	114	12·8	59	50	109	12·2	7	61	0·6
Barkisland	1,509	9	13	—	—	22	14·6	9	8	17	11·3	1	45	3·3
Barnoldswick	11,590	59	54	1	4	118	10·2	75	73	148	12·8	6	51	−2·6
Batley M.B.	34,040	211	214	7	15	447	13·1	235	268	503	14·8	25	56	−1·7
Bentley with Arksey.	16,440	147	129	6	3	285	17·3	87	61	148	9·0	16	56	8·3
Bingley	21,210	152	136	5	8	301	14·2	132	145	277	13·1	16	53	1·1
Birkenshaw	2,991	13	25	—	1	39	13·0	18	27	45	15·0	1	26	−2·0
Birstal	7,033	61	42	—	2	105	14·9	56	57	113	16·1	5	48	−1·2
Bolton-upon-Dearne.	14,090	125	117	4	5	251	17·8	71	65	136	9·7	15	60	8·1
Brighouse M.B.	19,670	105	94	3	3	205	10·4	128	150	278	14·1	10	49	−3·7
Burley in-Wharfedale.	4,028	15	8	—	—	23	5·7	20	30	50	12·4	2	87	−6·7
Calverley	3,572	16	18	—	—	34	9·5	19	30	49	13·7	2	59	−4·2
Castleford	21,320	191	167	7	8	373	17·5	148	132	280	13·1	26	70	4·4
Clayton West	1,807	2	7	—	1	10	5·5	13	12	25	13·8	2	200	−8·3
Conisbrough	18,140	190	179	7	6	382	21·1	138	89	227	12·5	50	131	8·6
Cudworth	9,576	105	84	4	5	198	20·7	61	46	107	11·2	17	86	9·5
Darfield	5,247	45	42	—	2	89	17·0	36	29	65	12·4	9	101	4·6
Darton	12,750	111	120	3	5	239	18·7	77	67	144	11·3	20	84	7·4
Denby and Cumberworth.	3,289	15	16	—	1	32	9·7	14	19	33	10·0	1	31	−0·3
Denholme	2,610	20	9	—	—	29	11·1	21	21	42	16·1	3	103	−5·0
Dodworth	4,227	50	40	—	4	94	22·2	19	24	43	10·2	9	96	12·0
Drighlington	4,174	23	39	1	1	64	15·3	31	24	55	13·2	3	47	2·1
Earby	5,344	32	23	—	—	55	10·3	35	52	87	16·3	3	55	−6·0
Elland	10,470	60	56	—	1	117	11·2	67	89	156	14·9	7	60	−3·7
Emley	1,610	4	5	—	—	9	5·6	8	6	14	8·7	1	111	−3·1
Farsley	6,441	35	37	—	1	73	11·3	37	44	81	12·6	3	41	−1·3
Featherstone	14,720	137	145	4	8	294	20·0	116	86	202	13·7	25	85	6·3
Flockton	1,519	12	11	—	—	23	15·1	9	6	15	9·9	—	—	5·2
Garforth	3,603	31	21	1	—	53	14·7	34	27	61	16·9	8	151	−2·2
Gildersome	3,028	28	12	1	—	41	13·5	21	27	48	15·9	4	98	−2·4
Golcar	9,632	63	38	—	—	101	10·5	69	62	131	13·6	6	59	−3·1
Goole M.B.	20,270	169	167	11	9	356	17·6	128	120	248	12·2	27	76	5·4
Greasbrough	3,611	18	22	1	—	41	11·4	20	17	37	10·2	1	24	1·2
Greetland	4,327	16	21	—	1	38	8·8	32	33	65	15·0	5	132	−6·2
Guiseley	5,777	42	51	1	6	100	17·3	43	42	85	14·7	4	40	2·6
Gunthwaite and Ingbirchworth.	327	2	2	—	—	4	12·2	4	4	8	24·5	1	250	−12·3
Harrogate M.B.	38,850	219	212	10	11	452	11·6	238	327	565	14·5	21	46	−2·9
Haworth	5,738	36	22	1	1	60	10·5	44	56	100	17·4	5	83	−6·9
Hebden Bridge	6,260	41	29	3	2	75	12·0	35	50	85	13·6	3	40	−1·6

TABLE 17—*continued.*

AREA.	Estimated Resident Population (Middle) 1933).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Crude Rate per 1,000, Total Population.	DEATHS. M.	F.	Total.	Crude Rate per 1,000, Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*
YORKSHIRE WEST RIDING—*cont.*														
URBAN DISTRICTS —*cont.*														
Heckmondwike	8,974	47	53	2	1	103	11·5	66	59	125	13·9	12	117	−2·4
Hemsworth ..	13,170	144	137	7	8	296	22·5	77	57	134	10·2	19	64	12·3
Hipperholme ..	5,348	34	25	—	—	59	11·0	40	40	80	15·0	3	51	−4·0
Holme	351	2	2	—	—	4	11·4	1	4	5	14·2	—	—	−2·8
Holmfirth ..	10,190	58	57	3	4	122	12·0	67	66	133	13·1	9	74	−1·1
Honley	4,501	24	30	—	—	54	12·0	33	37	70	15·6	—	—	−3·6
Horbury ..	7,811	50	60	—	1	111	14·2	42	54	96	12·3	12	108	1·9
Horsforth ..	12,010	80	71	3	—	154	12·8	68	66	134	11·2	7	45	1·6
Hoyland Nether	15,090	132	127	9	5	273	18·1	79	53	132	8·7	16	59	9·4
Hoyland Swaine	789	5	7	—	1	13	16·5	3	3	6	7·6	—	—	8·9
Hunsworth ..	1,320	6	3	—	—	9	6·8	9	6	15	11·4	1	111	−4·6
Ilkley	9,376	49	50	1	3	103	11·0	52	62	114	12·2	2	19	−1·2
Keighley M.B...	40,390	228	254	10	10	502	12·4	299	298	597	14·8	32	64	−2·4
Kirkburton ..	3,148	18	18	—	1	37	11·8	19	31	50	15·9	2	54	−4·1
Kirkheaton ..	2,604	20	13	—	—	33	12·7	23	9	32	12·3	1	30	0·4
Knaresborough	5,997	41	35	3	5	84	14·0	50	41	91	15·2	3	36	−1·2
Knottingley ..	7,024	56	77	5	3	141	20·1	40	44	84	12·0	18	128	8·1
Lepton	3,203	19	15	—	1	35	10·9	15	19	34	10·6	1	29	0·3
Linthwaite ..	9,409	34	46	1	2	83	8·8	52	62	114	12·1	8	96	−3·3
Luddenden Foot	2,859	23	19	—	1	43	15·0	13	20	33	11·5	2	47	3·5
Maltby	10,610	122	124	7	3	256	24·1	56	44	100	9·4	24	94	14·7
Marsden ..	5,594	28	26	1	1	56	10·0	31	31	62	11·1	3	54	−1·1
Meltham ..	4,866	32	22	1	1	56	11·5	33	41	74	15·2	3	54	−3·7
Methley ..	4,563	23	29	3	1	56	12·3	27	29	56	12·3	8	143	—
Mexborough ..	15,960	130	105	5	6	246	15·4	86	68	154	9·6	12	49	5·8
Midgley ..	1,812	11	10	—	—	21	11·6	9	12	21	11·6	—	—	—
Mirfield ..	11,910	79	70	2	1	152	12·8	75	92	167	14·0	10	66	−1·2
Morley M.B. ..	22,990	157	150	4	7	318	13·8	133	177	310	13·5	15	47	0·3
Mytholmroyd ..	4,413	20	22	—	1	43	9·7	36	44	80	18·1	2	47	−8·4
New Mill ..	4,347	24	18	1	1	44	10·1	22	25	47	10·8	3	68	−0·7
Normanton ..	15,430	135	117	8	1	261	16·9	121	79	200	13·0	30	115	3·9
Oakworth ..	3,897	21	19	1	—	41	10·5	21	24	45	11·5	2	49	−1·0
Ossett M.B. ..	14,320	93	95	7	4	199	13·9	94	103	197	13·8	9	45	0·1
Otley	10,890	67	79	3	1	150	13·8	79	83	162	14·9	8	53	−1·1
Oxenhope ..	2,235	9	10	—	3	22	9·8	10	19	29	13·0	2	91	−3·2
Penistone ..	3,239	19	17	1	1	38	11·7	17	16	33	10·2	—	—	1·5
Pontefract M.B.	19,150	178	188	6	7	379	19·8	120	111	231	12·1	27	71	7·7
Pudsey M.B. ..	14,920	92	77	6	3	178	11·9	105	99	204	13·7	12	67	−1·8
Queensbury ..	5,662	39	44	3	—	86	15·2	35	63	98	17·3	5	58	−2·1
Rawdon ..	4,726	25	23	—	—	48	10·2	27	32	59	12·5	3	63	−2·3
Rawmarsh ..	18,370	174	152	4	4	334	18·2	113	108	221	12·0	22	66	6·2
Ripon M.B. ..	8,453	59	50	5	5	119	14·1	61	73	134	15·9	10	84	−1·8
Rishworth ..	893	4	5	1	—	10	11·2	10	2	12	13·4	—	—	−2·2
Rothwell ..	15,390	97	73	2	5	177	11·5	81	88	169	11·0	14	79	0·5
Royston ..	7,775	60	74	2	1	137	17·6	45	39	84	10·8	9	66	6·8
Saddleworth ..	12,430	52	58	3	2	115	9·3	72	67	139	11·2	3	26	−1·9
Scammonden	365	1	2	—	—	3	8·2	7	3	10	27·4	—	—	−19·2
Selby	10,130	74	76	1	—	151	14·9	56	54	110	10·9	10	66	4·0

TABLE 17—*continued.*

AREA.	Estimated Resident Population (Middle 1933).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	Total.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*
ORKSHIRE, WEST RIDING—*cont.*														
URBAN DISTRICTS —*cont.*														
Shelf	2,665	11	18	1	1	31	11·6	26	23	49	18·4	3	97	−6·8
Shelley	1,535	11	3	1	1	16	10·4	9	13	22	14·3	1	63	−3·9
Shepley	1,661	11	11	—	1	23	13·8	17	14	31	18·7	3	130	−4·9
Shipley	30,460	199	204	10	5	418	13·7	197	198	395	13·0	34	81	0·7
Silsden	4,851	23	25	1	—	49	10·1	33	48	81	16·7	3	61	−6·6
Skelmanthorpe	3,642	18	13	—	—	31	8·5	22	25	47	12·9	3	97	−4·4
Skipton	12,810	104	64	5	8	181	14·1	84	86	170	13·3	12	66	0·8
Slaithwaite ..	4,978	24	28	2	1	55	11·0	35	41	76	15·3	1	18	−4·3
South Crosland	2,981	22	15	1	—	38	12·7	24	23	47	15·8	5	132	−3·1
Southowram ..	2,600	21	16	1	—	38	14·6	21	15	36	13·8	2	53	0·8
Sowerby ..	14,690	87	73	4	1	165	11·2	102	124	226	15·4	10	61	−4·2
Soyland ..	3,003	13	11	1	—	25	8·3	30	27	57	19·0	—	—	−10·7
Spenborough ..	30,490	210	171	10	5	396	13·0	174	224	398	13·1	15	38	−0·1
Springhead ..	4,844	31	23	1	2	57	11·8	41	34	75	15·5	1	18	−3·7
Stainland ..	4,156	27	25	—	—	52	12·5	42	35	77	18·5	7	135	−6·0
Stanley	14,390	101	93	1	1	196	13·6	64	76	140	9·7	11	56	3·9
Stocksbridge ..	9,436	55	53	3	3	114	12·1	59	52	111	11·8	13	114	0·3
Swinton ..	13,730	102	113	8	5	228	16·6	79	68	147	10·7	17	75	5·9
Thurlstone ..	2,550	10	21	1	1	33	12·9	15	10	25	9·8	1	30	3·1
Thurnscoe ..	10,890	104	112	6	6	228	20·9	41	61	102	9·4	20	88	11·5
Thurstonland and Farnley Tyas.‡	3,878	9	7	—	—	16	4·1	16	8	24	6·2	—	—	−2·1
Tickhill	2,313	18	19	2	—	39	16·9	19	17	36	15·6	5	128	1·3
Todmorden M.B.	21,770	123	107	4	2	236	10·8	162	186	348	16·0	10	42	−5·2
Wath-upon-Dearne.	13,630	113	116	3	4	236	17·3	82	72	154	11·3	25	106	6·0
Whitley Upper	869	6	4	—	—	10	11·5	2	5	7	8·1	—	—	3·4
Whitwood ..	7,087	67	64	1	3	135	19·0	55	38	93	13·1	15	111	5·9
Wombwell ..	18,230	159	168	3	6	336	18·4	105	87	192	10·5	28	83	7·9
Worsborough ..	12,910	121	126	5	5	257	19·9	78	61	139	10·8	15	58	9·1
Yeadon	7,788	53	49	1	2	105	13·5	53	61	114	14·6	9	86	−1·1
RURAL DISTRICTS	448,400	3,623	3,487	160	161	7,431	16·6	2,441	2,389	4,830	10·8	532	72	5·8
Barnsley	4,614	46	30	—	2	78	16·9	26	24	50	10·8	5	64	6·1
Bishopthorpe ..	3,147	22	17	—	—	39	12·4	24	16	40	12·7	2	51	−0·3
Bowland ..	5,235	40	29	—	—	69	13·2	28	31	59	11·3	3	43	1·9
Doncaster ..	50,290	503	473	21	17	1,014	20·2	213	220	433	8·6	74	73	11·6
Goole	8,880	85	67	2	6	160	18·0	47	41	88	9·9	4	25	8·1
Great Ouseburn	13,830	78	83	5	3	169	12·2	72	65	137	9·9	6	36	2·3
Halifax	5,824	31	32	—	—	63	10·8	30	44	74	12·7	1	16	−1·9
Hemsworth ..	48,930	484	475	24	27	1,010	20·6	253	215	468	9·6	64	63	11·0
Hunslet	4,354	36	27	1	2	66	15·2	22	28	50	11·5	3	45	3·7
Keighley ..	8,783	53	48	—	3	104	11·8	48	55	103	11·7	4	38	0·1
Kiveton Park ..	16,760	118	114	7	9	248	14·8	75	83	158	9·4	18	73	5·4
Knaresborough	9,916	43	65	6	3	117	11·8	60	63	123	12·4	5	43	−0·6
Pateley Bridge	6,521	31	40	1	1	73	11·2	50	49	99	15·2	7	96	−4·0
Penistone ..	5,329	57	39	2	1	99	18·6	27	24	51	9·6	5	51	9·0
Pontefract ..	24,610	211	240	12	9	472	19·2	124	137	261	10·6	36	76	8·6
Ripon	5,147	31	25	—	1	57	11·1	35	39	74	14·4	4	70	−3·3
Rotherham ..	41,160	380	353	18	20	771	18·7	227	216	443	10·8	69	89	7·9
Sedbergh ..	4,092	28	24	2	1	55	13·4	26	21	47	11·5	2	36	1·9

‡ A considerable proportion of the population of this Area was enumerated in a Mental Hospital, the deaths in which are allocated to the areas in which the deceased patients had resided before admission.

TABLE 17—*continued.*

Area.	Estimated Resident Population (Middle 1933).	Births.						Deaths.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		Total.	Crude Rate per 1,000. Total Population.	M.	F.	Total.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*
YORKSHIRE;														
WEST RIDING—*cont.*														
RURAL DISTRICTS—*cont.*														
Selby	5,828	38	37	—	—	75	12·9	37	32	69	11·8	3	40	1·1
Settle	14,470	98	89	1	5	193	13·3	92	89	181	12·5	6	31	0·8
Skipton.. ..	18,470	111	101	4	3	219	11·9	103	129	232	12·6	16	73	−0·7
Tadcaster ..	30,360	215	211	10	9	445	14·7	204	196	400	13·2	37	83	1·5
Thorne	32,420	347	360	23	19	749	23·1	180	159	339	10·5	79	105	12·6
Todmorden ..	4,650	30	15	—	1	46	9·9	32	26	58	12·5	5	109	−2·6
Wakefield ..	18,320	159	164	8	6	337	18·4	121	114	235	12·8	37	110	5·6
Wetherby ..	16,650	105	110	6	7	228	13·7	96	93	189	11·4	12	53	2·3
Wharfedale ..	10,360	54	64	2	1	121	11·7	49	53	102	9·8	9	74	1·9
Wortley ..	29,450	189	155	5	5	354	12·0	140	127	267	9·1	16	45	2·9
COUNTY BORO':														
York	84,720	596	570	37	39	1,242	14·7	479	532	1,011	11·9	70	56	2·8
WALES AND MONMOUTH.														
ANGLESEY:														
ADMINISTRATIVE COUNTY.	48,240	305	304	40	39	688	14·3	373	380	753	15·6	58	84	−1·3
URBAN DISTRICTS	18,170	125	120	12	13	270	14·9	143	134	277	15·2	30	111	−0·3
Amlwch ..	2,618	19	19	6	3	47	18·0	29	26	55	21·0	8	170	−3·0
Beaumaris M.B.	1,651	10	10	1	2	23	13·9	8	11	19	11·5	1	43	2·4
Holyhead ..	10,430	72	71	4	6	153	14·7	83	73	156	15·0	20	131	−0·3
Llangefni ..	1,763	15	11	—	2	28	15·9	13	12	25	14·2	1	36	1·7
Menai Bridge ..	1,708	9	9	1	—	19	11·1	10	12	22	12·9	—	—	−1·8
RURAL DISTRICTS	30,070	180	184	28	26	418	13·9	230	246	476	15·8	28	67	−1·9
Aethwy.. ..	10,573*	66	57	8	8	139	13·1	82	94	176	16·6	6	43	−3·5
Dwyran† ..														
Twrcelyn ..	8,627	45	48	6	6	105	12·2	64	72	136	15·8	6	57	−3·6
Valley	10,870	69	79	14	12	174	16·0	84	80	164	15·1	16	92	0·9
BRECKNOCKSHIRE:														
ADMINISTRATIVE COUNTY.	56,660	402	392	13	21	828	14·6	366	332	698	12·3	51	62	2·3
URBAN DISTRICTS	16,390	98	100	4	8	210	12·8	96	100	196	12·0	12	57	0·8
Brecknock M.B.	5,411	28	31	—	3	62	11·5	29	31	60	11·1	3	48	0·4
Brynmawr ..	7,210	49	46	4	1	100	13·9	40	38	78	10·8	8	80	3·1
Builth Wells ..	1,609	10	12	—	1	23	14·3	10	15	25	15·5	—	—	−1·2
Hay	1,451	10	7	—	3	20	13·8	9	10	19	13·1	1	50	0·7
Llanwrtyd ..	709	1	4	—	—	5	7·1	8	6	14	19·7	—	—	−12·6
RURAL DISTRICTS	40,270	304	292	9	13	618	15·3	270	232	502	12·5	39	63	2·8
Brecknock :—														
Defynnock & Llangorse Div.	5,991	49	37	1	1	88	14·7	34	41	75	12·5	3	34	2·2
Merthyr Cynog Div.	2,003	20	23	1	—	44	22·0	14	14	28	14·0	1	23	8·0
Builth	3,718	35	22	2	—	59	15·9	22	26	48	12·9	5	85	3·0
Crickhowell ..	7,053	55	50	1	4	110	15·6	38	35	73	10·4	6	55	5·2
Hay	3,670	21	27	1	2	51	13·9	27	19	46	12·5	2	39	1·4
Vaynor and Penderyn.	4,995	36	28	1	1	66	13·2	46	29	75	15·0	8	121	−1·8

† Abolished 1st Oct. 1933. Figures included with those of Aethwy R.D. as from 1st Jan. 1933.

TABLE 17—*continued.*

Area.	Estimated Resident Population (Middle 1933).	Births.						Deaths.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		Total.	Crude Rate per 1,000. Total Population.	M.	F.	Total.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*
BRECKNOCKSHIRE —*cont.*														
RURAL DISTRICTS —*cont.*														
Ystradgynlais ..	11,880	83	97	2	5	187	15·7	87	63	150	12·6	14	75	3·1
C.P. of Llanwrthwl administered by R.D.C. of Rhayader (Radnorshire).	345	1	3	—	—	4	11·6	—	2	2	5·8	—	—	5·8
C.P. of Ystradfellte administered by R.D.C. of Neath (Glam.).	615	4	5	—	—	9	14·6	2	3	5	8·1	—	—	6·5
CAERNARVONSHIRE: ADMINISTRATIVE COUNTY.	119,500	813	737	60	39	1,649	13·8	919	876	1,795	15·0	99	60	−1·2
URBAN DISTRICTS:	62,670	447	354	27	16	844	13·5	452	414	866	13·8	48	57	−0·3
Bangor M.B. ..	11,450	76	65	4	5	150	13·1	92	79	171	14·9	4	27	−1·8
Bethesda ..	4,497	41	30	2	—	73	16·2	34	33	67	14·9	5	68	1·3
Bettws y Coed..	821	3	3	—	1	7	8·5	10	8	18	21·9	1	143	−13·4
Caernarvon M.B.	8,450	67	54	2	3	126	14·9	73	46	119	14·1	8	63	0·8
Conway M.B. ..	8,441	79	45	3	3	130	15·4	55	42	97	11·5	5	38	3·9
Criccieth ..	1,400	8	5	—	—	13	9·3	9	19	28	20·0	1	77	−10·7
Llandudno ..	12,770	63	64	6	1	134	10·5	71	80	151	11·8	10	75	−1·3
Llanfairfechan..	3,214	23	23	2	1	49	15·2	19	23	42	13·1	3	61	2·1
Penmaenmawr..	3,969	29	21	2	—	52	13·1	21	25	46	11·6	5	96	1·5
Portmadoc ..	4,091	29	31	2	—	62	15·2	34	31	65	15·9	3	48	−0·7
Pwllheli M.B. ..	3,567	29	13	4	2	48	13·5	34	28	62	17·4	3	63	−3·9
RURAL DISTRICTS:	56,830	366	383	33	23	805	14·2	467	462	929	16·3	51	63	−2·1
Conway.. ..	4,556	22	26	—	1	49	10·8	29	30	59	12·9	1	20	−2·1
Geirionydd ..	4,004	26	36	3	—	65	16·2	25	35	60	15·0	2	31	1·2
Glaslyn.. ..	2,589	17	17	2	3	39	15·1	22	24	46	17·8	6	154	−2·7
Gwyrfai ..	23,830	168	167	9	12	356	14·9	223	196	419	17·6	23	65	−2·7
Lleyn	16,140	101	100	17	7	225	13·9	122	130	252	15·6	17	76	−1·7
Ogwen	5,711	32	37	2	—	71	12·4	46	47	93	16·3	2	28	−3·9
CARDIGANSHIRE: ADMINISTRATIVE COUNTY.	54,080	336	291	31	31	689	12·7	386	496	882	16·3	53	77	−3·6
URBAN DISTRICTS:	16,890	73	84	8	5	170	10·1	127	155	282	16·7	11	65	−6·6
Aberayron ..	1,195	2	4	1	—	7	5·9	14	15	29	24·3	—	—	−18·4
Aberystwyth M.B.	9,133	35	41	2	2	80	8·8	60	73	133	14·6	4	50	−5·8
Cardigan M.B...	3,323	18	21	5	2	46	13·8	37	33	70	21·1	6	130	−7·3
Lampeter M.B.	2,126	11	11	—	1	23	10·8	9	15	24	11·3	1	43	−0·5
New Quay ..	1,113	7	7	—	—	14	12·6	7	19	26	23·4	—	—	−10·8
RURAL DISTRICTS:	37,190	263	207	23	26	519	14·0	259	341	600	16·1	42	81	−2·1
Aberayron ..	6,552	45	30	6	2	83	12·7	44	53	97	14·8	9	108	−2·1
Aberystwyth:														
North ..	6,427	40	44	4	5	93	14·5	41	70	111	17·3	5	54	−2·8
South ..	4,540	29	20	3	5	57	12·6	29	39	68	15·0	4	70	−2·4
Cardigan ..	2,998	21	10	1	—	32	10·7	25	34	59	19·7	2	63	−9·0
Lampeter ..	3,091	22	21	4	2	49	15·9	23	21	44	14·2	5	102	1·7

TABLE 17—*continued.*

Area.	Estimated Resident Population (Middle 1933).	Births.						Deaths.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		Total.	Crude Rate per 1,000. Total Population.	M.	F.	Total.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*
CARDIGANSHIRE —*cont.*														
RURAL DISTRICTS —*cont.*														
Llandyssil ..	7,437	61	41	—	7	109	14·7	43	67	110	14·8	11	101	—0·1
Tregaron ..	5,785	40	40	4	5	89	15·4	50	54	104	18·0	4	45	—2·6
Civil Parish of Ysgubor-y-coed administered by R.D.C. of Machynlleth (Montgomeryshire).	360	5	1	1	—	7	19·4	4	3	7	19·4	2	286	—
CARMARTHENSHIRE: ADMINISTRATIVE COUNTY.	177,950	1,249	1,208	51	54	2,562	14·4	1,181	1,136	2,317	13·0	209	82	1·4
URBAN DISTRICTS	74,550	496	449	15	10	970	13·0	468	460	928	12·4	71	73	0·6
Ammanford ..	7,241	39	47	—	2	88	12·2	41	37	78	10·8	4	45	1·4
Burry Port ..	5,647	28	33	1	—	62	11·0	37	28	65	11·5	6	97	—0·5
Carmarthen M.B.	10,510	75	75	1	2	153	14·6	66	93	159	15·1	14	92	—0·3
Cwmamman ..	5,212	26	22	—	1	49	9·4	26	32	58	11·1	5	102	—1·7
Kidwelly M.B...	3,080	18	14	1	1	34	11·0	20	22	42	13·6	3	88	—2·6
Llandilo ..	1,931	7	8	1	—	16	8·3	14	14	28	14·5	—	—	—6·2
Llandovery M.B.	2,053	17	12	1	—	30	14·6	18	23	41	20·0	3	100	—5·4
Llanelly M.B. ..	38,100	281	234	10	4	529	13·9	241	204	445	11·7	35	66	2·2
Newcastle-in-Emlyn	776	5	4	—	—	9	11·6	5	7	12	15·5	1	111	—3·9
RURAL DISTRICTS:	103,400	753	759	36	44	1,592	15·4	713	676	1,389	13·4	138	87	2·0
Carmarthen ..	23,790	161	171	9	19	360	15·1	176	158	334	14·0	27	75	1·1
Llandilo Fawr ..	22,060	145	165	7	6	323	14·6	142	146	288	13·1	37	115	1·5
Llandovery ..	6,280	50	54	3	2	109	17·4	43	44	87	13·9	10	92	3·5
Llanelly ..	37,490	297	274	13	13	597	15·9	243	204	447	11·9	52	87	4·0
Llanybyther ..	3,200	22	21	1	3	47	14·7	27	23	50	15·6	4	85	—0·9
Newcastle-in-Emlyn	5,592	36	41	2	1	80	14·3	48	56	104	18·6	3	38	—4·3
Whitland ..	4,988	42	33	1	—	76	15·2	34	45	79	15·8	5	66	—0·6
DENBIGHSHIRE: ADMINISTRATIVE COUNTY.	156,500	1,102	1,024	72	44	2,242	14·3	1,038	1,037	2,075	13·3	161	72	1·0
URBAN DISTRICTS:	57,690	371	317	23	11	722	12·5	370	421	791	13·7	43	60	—1·2
Abergele and Pensarn.	2,649	26	14	2	1	43	16·2	22	23	45	17·0	6	140	—0·8
Colwyn Bay ..	19,950	100	90	5	3	198	9·9	117	155	272	13·6	9	45	—3·7
Denbigh M.B. ..	7,462	46	39	1	2	88	11·8	47	52	99	13·3	6	68	—1·5
Llangollen ..	2,941	15	16	2	—	33	11·2	22	24	46	15·6	2	61	—4·4
Llanrwst ..	2,323	13	16	2	—	31	13·3	18	21	39	16·8	1	32	—3·5
Ruthin M.B. ..	3,045	19	16	2	1	38	12·5	17	23	40	13·1	1	26	—0·6
Wrexham M.B.	19,320	152	126	9	4	291	15·1	127	123	250	12·9	18	62	2·2
RURAL DISTRICTS:	98,810	731	707	49	33	1,520	15·4	668	616	1,284	13·0	118	78	2·4
Chirk	4,707	36	33	5	—	74	15·7	25	32	57	12·1	2	27	3·6
Llangollen ..	3,407	23	12	—	—	35	10·3	17	15	32	9·4	3	86	0·9
Llanrwst ..	3,975	30	24	2	2	58	14·6	29	33	62	15·6	6	103	—1·0
Llansilin ..	2,617	19	16	1	2	38	14·5	20	20	40	15·3	3	79	—0·8

TABLE 17—*continued.*

AREA.	Estimated Resident Population (Middle 1933)	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	Total.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Deaths under 1 year. Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*
ENBIGHSHIRE —*cont.*														
URAL DISTRICTS —*cont.*														
Ruthin	8,811	55	65	3	4	127	14·4	71	58	129	14·6	9	71	−0·2
St. Asaph (Denbigh).	7,478	39	44	5	2	90	12·0	63	47	110	14·7	9	100	−2·7
Uwchaled ..	1,912	15	14	4	3	36	18·8	15	10	25	13·1	3	83	5·7
Wrexham ..	64,130	505	492	28	20	1,045	16·3	419	384	803	12·5	82	78	3·8
Civil Parishes of Llanelian-yn-Rhôs and Llansantffraid Glan Conway administered by R.D.C. of Conway (Caernarvonshire).	1,773	9	7	1	—	17	9·6	9	17	26	14·7	1	59	−5·1
INTSHIRE:														
DMINISTRATIVE COUNTY.	113,750	817	719	38	51	1,625	14·3	735	689	1,424	12·5	76	47	1·8
RBAN DISTRICTS:	47,870	312	270	26	24	632	13·2	258	278	536	11·2	23	36	2·0
Buckley ..	6,914	56	50	1	3	110	15·9	30	36	66	9·5	2	18	6·4
Connah's Quay	5,971	42	37	2	2	83	13·9	25	28	53	8·9	5	60	5·0
Flint M.B. ..	7,792	54	58	3	2	117	15·0	37	35	72	9·2	4	34	5·8
Holywell ..	3,405	31	25	3	4	63	18·5	26	21	47	13·8	2	32	4·7
Mold	5,191	39	27	4	2	72	13·9	28	24	52	10·0	4	56	3·9
Prestatyn ..	4,667	13	11	1	—	25	5·4	24	43	67	14·4	1	40	−9·0
Rhyl	13,930	77	62	12	11	162	11·6	88	91	179	12·8	5	31	−1·2
RAL DISTRICTS:	65,880	505	449	12	27	993	15·1	477	411	888	13·5	53	53	1·6
Hawarden ..	26,520	221	193	2	9	425	16·0	178	144	322	12·1	26	61	3·9
Holywell ..	26,680	201	178	5	13	397	14·9	209	184	393	14·7	24	60	0·2
Overton ..	4,563	32	24	3	2	61	13·4	30	25	55	12·1	2	33	1·3
St. Asaph (Flint)	8,117	51	54	2	3	110	13·6	60	58	118	14·5	1	9	−0·9
AMORGANSHIRE:	1,215,340	9,506	9,019	352	346	19,223	15·8	8,582	7,176	15,758	13·0	1,513	79	2·8
UNTY BORO'S:	457,180	3,508	3,343	127	138	7,116	15·6	3,318	2,838	6,156	13·5	555	78	2·1
Cardiff	222,000	1,668	1,612	77	85	3,442	15·5	1,629	1,384	3,013	13·6	265	77	1·9
Merthyr Tydfil	69,680	497	499	12	17	1,025	14·7	528	443	971	13·9	92	90	0·8
Swansea ..	165,500	1,343	1,232	38	36	2,649	16·0	1,161	1,011	2,172	13·1	198	75	2·9
MINISTRATIVE COUNTY.	758,160	5,998	5,676	225	208	12,107	16·0	5,264	4,338	9,602	12·7	958	79	3·3
BAN DISTRICTS:	577,460	4,674	4,363	173	165	9,375	16·2	4,159	3,350	7,509	13·0	760	81	3·2
Aberdare ..	47,910	340	290	9	12	651	13·6	345	325	670	14·0	51	78	−0·4
Barry	38,330	318	283	12	11	624	16·3	253	229	482	12·6	32	51	3·7
Bridgend ..	9,994	58	60	4	1	123	12·3	53	46	99	9·9	4	33	2·4
Caerphilly ..	35,000	321	331	12	17	681	19·5	283	186	469	13·4	58	85	6·1
Cowbridge M.B.	1,076	4	12	—	—	16	14·9	10	12	22	20·4	—	—	−5·5
Gelligaer ..	40,450	359	367	18	15	759	18·8	293	203	496	12·3	57	75	6·5
Glyncorwg ..	10,180	106	103	2	2	213	20·9	85	54	139	13·7	18	85	7·2
Llwchwr ..	26,590	195	198	5	4	402	15·1	145	137	282	10·6	34	85	4·5
Maesteg ..	24,340	206	207	9	2	424	17·4	179	133	312	12·8	30	71	4·6

TABLE 17—*continued.*

AREA.	Estimated Resident Population (Middle) 1933).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*
GLAMORGANSHIRE —*cont.*														
URBAN DISTRICTS —*cont.*														
Mountain Ash ..	38,040	346	319	18	12	695	18·3	289	227	516	13·6	48	69	4·7
Neath M.B. ..	32,590	224	206	3	7	440	13·5	249	200	449	13·8	42	95	−0·3
Ogmore and Garw	26,880	230	191	8	11	440	16·4	161	139	300	11·2	42	95	5·2
Penarth ..	17,480	96	89	5	4	194	11·1	106	93	199	11·4	9	46	−0·3
Pontypridd ..	42,580	356	372	15	15	758	17·8	311	234	545	12·8	63	83	5·0
Porthcawl ..	6,100	42	32	2	1	77	12·6	52	39	91	14·9	4	52	−2·3
Port Talbot M.B.	40,420	332	309	14	10	665	16·5	306	236	542	13·4	64	96	3·1
Rhondda ..	139,500	1,141	994	37	41	2,213	15·9	1,039	857	1,896	13·6	204	92	2·3
RURAL DISTRICTS	180,700	1,324	1,313	52	43	2,732	15·1	1,105	988	2,093	11·6	198	72	3·5
Cardiff	29,240	194	163	6	7	370	12·7	181	154	335	11·5	26	70	1·2
Cowbridge ..	10,420	66	83	2	4	155	14·9	57	58	115	11·0	7	45	3·9
Gower	9,580	53	54	2	1	110	11·5	56	56	112	11·7	8	73	−0·2
Llantrisant and Llantwitfardre.	26,150	235	239	7	8	489	18·7	164	131	295	11·3	33	67	7·4
Neath	40,550	314	306	8	8	636	15·7	235	225	460	11·3	50	79	4·4
Penybont ..	29,240	236	227	13	9	485	16·6	171	150	321	11·0	40	82	5·6
Pontardawe ..	35,520	226	241	14	6	487	13·7	241	214	455	12·8	34	70	0·9
MERIONETHSHIRE: ADMINISTRATIVE COUNTY.	41,760	284	252	24	19	579	13·9	318	310	628	15·0	32	55	−1·1
URBAN DISTRICTS	19,100	138	106	12	9	265	13·9	147	139	286	15·0	16	60	−1·1
Bala	1,426	15	7	1	1	24	16·8	8	11	19	13·3	5	208	3·5
Barmouth ..	2,111	12	13	2	—	27	12·8	12	11	23	10·9	1	37	1·9
Dolgelley ..	2,337	9	12	1	—	22	9·4	17	16	33	14·1	—	—	−4·7
Ffestiniog ..	8,971	77	54	4	4	139	15·5	79	63	142	15·8	7	50	−0·3
Mallwyd ..	635	2	3	—	—	5	7·9	7	7	14	22·0	3	600	−14·1
Towyn	3,620	23	17	4	4	48	13·3	24	31	55	15·2	—	—	−1·9
RURAL DISTRICTS	22,660	146	146	12	10	314	13·9	171	171	342	15·1	16	51	−1·2
Deudraeth ..	7,111	51	40	5	3	99	13·9	63	64	127	17·9	8	81	−4·0
Dolgelley ..	6,995	45	55	3	3	106	15·2	52	49	101	14·4	4	38	0·8
Edeirnion ..	4,646	26	19	2	2	49	10·5	24	31	55	11·8	1	20	−1·3
Penllyn.. ..	3,530	22	26	1	1	50	14·2	29	24	53	15·0	3	60	−0·8
Civil Parish of Pennal administered by R.D.C. of Machynlleth (Montgomeryshire).	378	2	6	1	1	10	26·5	3	3	6	15·9	—	—	10·6
MONMOUTHSHIRE	430,050	3,417	3,323	130	114	6,984	16·2	2,757	2,338	5,095	11·8	532	76	4·4
COUNTY BORO':														
Newport ..	88,560	713	657	25	26	1,421	16·0	605	563	1,168	13·2	133	94	2·8
ADMINISTRATIVE COUNTY.	341,490	2,704	2,666	105	88	5,563	16·3	2,152	1,775	3,927	11·5	399	72	4·8

TABLE 17—*continued.*

AREA.	Estimated Resident Population (Middle 1933).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*
MONMOUTHSHIRE —*cont.*														
URBAN DISTRICTS:	286,300	2,327	2,283	89	67	4,766	16·6	1,847	1,496	3,343	11·7	349	73	4·9
Abercarn ..	19,970	164	161	4	5	334	16·7	119	107	226	11·3	20	60	5·4
Abergavenny M.B.	8,375	54	56	4	4	118	14·1	71	63	134	16·0	6	51	−1·9
Abersychan ..	25,270	204	204	5	6	419	16·6	159	102	261	10·3	21	50	6·3
Abertillery ..	31,150	254	238	9	6	507	16·3	177	145	322	10·3	44	87	6·0
Bedwas and Machen.	8,878	73	75	3	2	153	17·2	66	56	122	13·7	9	59	3·5
Bedwellty ..	29,730	299	297	18	11	625	21·0	223	164	387	13·0	50	80	8·0
Blaenavon ..	10,940	71	73	1	2	147	13·4	82	79	161	14·7	13	88	−1·3
Caerleon ..	2,471	7	13	—	—	20	8·1	11	11	22	8·9	2	100	−0·8
Chepstow ..	4,121	32	35	2	—	69	16·7	44	30	74	18·0	4	58	−1·3
Ebbw Vale ..	31,120	230	258	14	7	509	16·4	205	173	378	12·1	33	65	4·3
Llanfrechfa Upper.	4,460	35	42	—	2	79	17·7	27	20	47	10·5	6	76	7·2
Llantarnam ..	7,187	62	49	1	1	113	15·7	58	32	90	12·5	6	53	3·2
Monmouth M.B.	4,789	37	23	5	2	67	14·0	29	26	55	11·5	7	104	2·5
Mynyddislwyn..	15,930	152	159	6	2	319	20·0	83	68	151	9·5	22	69	10·5
Nantyglo and Blaina.	13,030	108	90	2	2	202	15·5	82	75	157	12·0	18	89	3·5
Panteg	11,290	67	69	1	1	138	12·2	63	55	118	10·5	8	58	1·7
Pontypool ..	6,787	58	47	4	2	111	16·4	52	32	84	12·4	15	135	4·0
Rhymney ..	10,410	93	84	2	5	184	17·7	50	54	104	10·0	15	82	7·7
Risca	16,410	134	128	3	4	269	16·4	97	73	170	10·4	18	67	6·0
Tredegar ..	22,670	185	173	5	3	366	16·1	142	118	260	11·5	32	87	4·6
Usk	1,312	8	9	—	—	17	13·0	7	13	20	15·2	—	—	−2·2
RURAL DISTRICTS	55,190	377	383	16	21	797	14·4	305	279	584	10·6	50	63	3·8
Abergavenny ..	8,643	44	51	4	6	105	12·1	48	45	93	10·8	7	67	1·3
Chepstow ..	8,739	57	58	2	4	121	13·8	44	51	95	10·9	4	33	2·9
Magor	6,731	45	52	3	2	102	15·2	30	41	71	10·5	7	69	4·7
Monmouth ..	6,368	40	49	4	1	94	14·8	41	33	74	11·6	11	117	3·2
Pontypool ..	5,059	30	20	—	3	53	10·5	30	20	50	9·9	3	57	0·6
St. Mellons ..	19,650	161	153	3	5	322	16·4	112	89	201	10·2	18	56	6·2
MONTGOMERYSHIRE: ADMINISTRATIVE COUNTY.	47,380	343	313	18	26	700	14·8	328	350	678	14·3	40	57	0·5
URBAN DISTRICTS:	16,970	128	102	7	7	244	14·4	115	143	258	15·2	12	49	−0·8
Llanfyllin M.B.	1,382	18	14	—	1	33	23·9	7	9	16	11·6	—	—	12·3
Llanidloes M.B.	2,278	9	8	1	2	20	8·8	18	26	44	19·3	3	150	−10·5
Machynlleth ..	1,876	10	11	—	2	23	12·3	14	24	38	20·3	3	130	−8·0
Montgomery M.B.	887	11	6	—	1	18	20·3	4	8	12	13·5	—	—	6·8
Newtown and Llanllwchaiarn.	5,089	32	30	2	1	65	12·8	32	32	64	12·6	1	15	0·2
Welshpool M.B.	5,458	48	33	4	—	85	15·6	40	44	84	15·4	5	59	0·2
RURAL DISTRICTS:	30,410	215	211	11	19	456	15·0	213	207	420	13·8	28	61	1·2
Forden	5,112	39	41	4	3	87	17·0	32	26	58	11·3	3	34	5·7
Llanfyllin ..	11,530	79	74	1	9	163	14·1	86	83	169	14·7	9	55	−0·6
Machynlleth ..	3,518	25	16	2	2	45	12·8	32	23	55	15·6	6	133	−2·8
Newtown and Llanidloes	10,250	72	80	4	5	161	15·7	63	75	138	13·5	10	62	2·2

TABLE 17—*continued.*

AREA.	Estimated Resident Population (Middle 1933).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*
PEMBROKESHIRE: ADMINISTRATIVE COUNTY.	86,040	682	579	40	39	1,340	15·6	617	644	1,261	14·7	85	63	0·
URBAN DISTRICTS:	40,730	362	285	17	11	675	16·6	289	301	590	14·5	37	55	2·
Fishguard ..	2,923	22	7	2	1	32	10·9	25	24	49	16·8	2	63	−5·
Goodwick ..	2,320	22	15	—	—	37	15·9	9	14	23	9·9	3	81	6·
Haverfordwest M.B.	6,221	41	48	3	1	93	14·9	46	50	96	15·4	3	32	−0·
Milford Haven..	9,604	117	89	1	6	213	22·2	43	49	92	9·6	13	61	12·
Narberth ..	1,037	6	3	—	—	9	8·7	7	7	14	13·5	—	—	−4·
Neyland ..	2,228	18	14	1	—	33	14·8	25	20	45	20·2	1	30	−5·
Pembroke M.B.	12,290	104	90	7	2	203	16·5	108	102	210	17·1	11	54	−0·
Tenby M.B. ..	4,107	32	19	3	1	55	13·4	26	35	61	14·9	4	73	−1·
RURAL DISTRICTS	45,310	320	294	23	28	665	14·7	328	343	671	14·8	48	72	−0·
Haverfordwest	18,300	144	126	8	14	292	16·0	131	117	248	13·6	20	68	2·
Llanfyrnach ..	2,070	12	12	—	—	24	11·6	18	16	34	16·4	1	42	−4·
Narberth ..	10,250	64	66	8	9	147	14·3	90	88	178	17·4	16	109	−3·
Pembroke ..	7,427	54	46	3	4	107	14·4	36	55	91	12·3	5	47	2·
St. Dogmells ..	7,263	46	44	4	1	95	13·1	53	67	120	16·5	6	63	−3·
RADNORSHIRE:														
ADMINISTRATIVE COUNTY.	20,850	144	155	5	11	315	15·1	124	122	246	11·8	17	54	3·
URBAN DISTRICTS	5,730	34	28	2	4	68	11·9	42	43	85	14·8	4	59	−2·
Knighton ..	1,842	12	9	—	1	22	11·9	18	17	35	19·0	2	91	−7·
Llandrindod Wells.	2,737	14	11	—	—	25	9·1	15	17	32	11·7	—	—	−2·
Presteigne ..	1,151	8	8	2	3	21	18·2	9	9	18	15·6	2	95	2·
RURAL DISTRICTS	15,120	110	127	3	7	247	16·3	82	79	161	10·6	13	53	5·
Colwyn ..	1,934	14	17	1	—	32	16·5	11	8	19	9·8	3	94	6·
Knighton ..	3,788	25	36	—	1	62	16·4	22	16	38	10·0	2	32	6·
New Radnor ..	2,554	22	17	1	1	41	16·1	12	12	24	9·4	2	49	6·
Painscastle ..	2,112	11	16	1	3	31	14·7	9	20	29	13·7	2	65	1·
Rhayader ..	4,732	38	41	—	2	81	17·1	28	23	51	10·8	4	49	6·

TABLE 18. STILLBIRTHS (LEGITIMATE AND ILLEGITIMATE) (WITH RATIO PER 1,000 TOTAL BIRTHS), 1933.

England and Wales, Geographical Regions*.
London and Metropolitan Boroughs, and County Boroughs.
Aggregates of Urban and of Rural Districts in each Administrative County.

Note.—Stillbirths occurring away from home have been transferred to the area of usual residence of the mother.

Area.	Legitimate.		Illegitimate.		Total.	Stillbirths per 1,000 Total Births.
	M.	F.	M.	F.		
SUMMARY.						
ENGLAND AND WALES	12,814	10,838	762	670	25,084	41
SOUTH EAST	3,302	2,724	244	191	6,461	33
Greater London	1,994	1,595	145	113	3,847	33
Remainder of South East ..	1,308	1,129	99	78	2,614	34
Midland Section	1,172	949	64	55	2,240	33
Southern Section	2,130	1,775	180	136	4,221	34
NORTH	4,918	4,142	266	254	9,580	46
North I	851	737	49	43	1,680	42
North II	516	402	34	35	987	46
North III	1,283	1,057	71	58	2,469	48
North IV	2,268	1,946	112	118	4,444	48
MIDLAND	2,267	1,991	120	102	4,480	42
Midland I	1,496	1,305	83	59	2,943	41
Midland II	771	686	37	43	1,537	42
EAST	522	432	37	28	1,019	37
SOUTH WEST	606	531	38	36	1,211	42
WALES	1,199	1,018	57	59	2,333	56
Wales I	883	777	38	39	1,737	55
Wales II	316	241	19	20	596	57
Density summary of areas outside Greater London :—						
COUNTY BOROUGHS ..	4,532	3,736	248	237	8,753	44
OTHER URBAN DISTRICTS ..	3,837	3,369	192	182	7,580	44
RURAL DISTRICTS	2,451	2,138	177	138	4,904	42

* The counties included in the several Geographical Regions are shown on the first page of Table 17.

TABLE 18—*continued.*

Area.	Legitimate.		Illegitimate.		Total.	Still-births per 1,000 Total Births.
	M.	F.	M.	F.		
LONDON, METROPOLITAN BOROUGHS AND COUNTY BOROUGHS.						
London Ad. Co. ..	982	794	90	68	1,934	33
City of London ..	1	2	2	—	5	62
Inner and Middle Temples.	—	—	—	—	—	—
Metropolitan Boroughs:						
Battersea ..	27	28	6	4	65	28
Bermondsey ..	24	22	3	3	52	34
Bethnal Green ..	17	19	1	1	38	25
Camberwell ..	63	40	2	1	106	32
Chelsea	10	4	2	1	17	26
Deptford ..	31	23	—	2	56	36
Finsbury ..	15	8	1	—	24	23
Fulham	31	28	5	1	65	32
Greenwich ..	19	20	1	—	40	29
Hackney ..	62	42	4	5	113	36
Hammersmith ..	34	24	5	3	66	35
Hampstead ..	7	13	7	2	29	32
Holborn	8	7	2	1	18	50
Islington ..	86	61	3	9	159	34
Kensington ..	40	29	5	1	75	33
Lambeth ..	67	70	6	4	147	36
Lewisham ..	43	43	—	—	86	31
Paddington ..	44	35	10	6	95	47
Poplar	36	19	2	2	59	25
St. Marylebone ..	17	16	1	2	36	38
St. Pancras ..	41	32	8	7	88	33
Shoreditch ..	30	23	1	1	55	36
Southwark ..	44	36	1	4	85	35
Stepney	48	51	1	1	101	30
Stoke Newington	10	9	—	1	20	30
Wandsworth ..	74	58	8	2	142	36
Westminster ..	21	12	2	3	38	33
Woolwich ..	32	20	1	1	54	28
County Boroughs ..	4,697	3,866	258	261	9,072	43
Barnsley ..	32	27	—	—	59	44
Barrow-in-Furness	30	19	—	2	51	55
Bath	7	10	1	1	19	25
Birkenhead ..	64	48	—	2	114	44
Birmingham ..	322	263	16	15	616	39
Blackburn ..	41	34	4	1	80	52
Blackpool ..	24	22	4	3	53	49
Bolton	62	65	2	5	134	59
Bootle	42	31	—	3	76	44
Bournemouth ..	24	18	1	1	44	33
Bradford ..	100	65	8	13	186	46
Brighton ..	38	38	4	1	81	42
Bristol	125	120	6	9	260	44
Burnley	28	24	2	5	59	48
Burton-upon-Trent	15	15	1	1	32	45
Bury	23	17	1	2	43	54
Canterbury ..	5	5	1	1	12	35
Carlisle	19	21	4	2	46	52
Chester	10	17	2	2	31	50
Coventry.. ..	56	36	2	2	96	37
Croydon	42	40	5	5	92	28
Darlington ..	28	21	1	—	50	47
Derby	38	35	—	2	75	37
Dewsbury ..	20	23	3	4	50	62
Doncaster ..	25	14	1	1	41	41
County Boroughs —*contd.*						
Dudley	23	18	—	—	41	37
Eastbourne ..	11	10	—	3	24	36
East Ham ..	39	22	1	—	62	31
Exeter	18	16	1	1	36	37
Gateshead ..	58	58	1	2	119	50
Gloucester ..	20	13	2	—	35	44
Great Yarmouth	11	22	1	1	35	44
Grimsby	32	26	—	3	61	35
Halifax	32	30	5	3	70	60
Hastings	13	9	5	2	29	39
Huddersfield ..	30	33	1	—	64	47
Ipswich	24	25	1	—	50	38
Kingston-upon-Hull	139	90	7	8	244	41
Leeds	172	146	10	5	333	48
Leicester ..	69	70	2	3	144	43
Lincoln	24	11	2	—	37	45
Liverpool ..	346	299	15	20	680	39
Manchester ..	297	241	21	23	582	50
Middlesbrough ..	77	57	5	3	142	51
Newcastle-upon-Tyne.	89	77	8	6	180	37
Northampton ..	18	17	—	3	38	32
Norwich	33	21	2	2	58	32
Nottingham ..	115	77	8	6	206	44
Oldham	51	42	5	1	99	56
Oxford	13	15	2	1	31	26
Plymouth ..	72	51	2	1	126	38
Portsmouth ..	81	68	8	5	162	40
Preston	49	41	2	2	94	52
Reading	30	18	—	1	49	34
Rochdale ..	26	32	2	1	61	55
Rotherham ..	47	21	—	—	68	56
St. Helens ..	71	45	3	2	121	59
Salford	92	80	2	4	178	51
Sheffield	197	140	8	3	348	46
Smethwick ..	21	22	2	—	45	35
Southampton ..	58	49	4	6	117	39
Southend-on-Sea	22	22	—	—	44	32
Southport ..	13	10	—	1	24	30
South Shields ..	49	41	1	1	92	45
Stockport ..	39	41	3	4	87	53
Stoke-on-Trent ..	119	94	8	1	222	47
Sunderland ..	81	59	4	4	148	38
Tynemouth ..	31	23	2	1	57	49
Wakefield ..	23	21	1	—	45	48
Wallasey ..	30	18	2	1	51	39
Walsall	40	27	—	1	68	35
Warrington ..	28	38	2	2	70	51
West Bromwich..	27	28	2	—	57	39
West Ham ..	84	68	4	9	165	36
West Hartlepool	32	26	3	2	63	46
Wigan	42	33	1	1	77	52
Wolverhampton..	44	38	1	2	85	40
Worcester ..	19	14	—	—	33	44
York	34	24	2	2	62	48
Cardiff	88	73	6	9	176	49
Merthyr Tydfil ..	39	31	4	3	77	70
Newport, Mon. ..	21	40	2	—	63	42
Swansea	74	57	3	3	137	49

TABLE 18—*continued.*

Area.		Legitimate.		Illegitimate.		Total.	Still-births per 1,000 Total Births.	Area.		Legitimate.		Illegitimate.		Total.	Still-births per 1,000 Total Births.
		M.	F.	M.	F.					M.	F.	M.	F.		
ADMINISTRATIVE COUNTIES.															
Note.—The following figures relate to Aggregates of Urban Districts (including Municipal Boroughs but excluding County Boroughs) and of Rural Districts in each Administrative County.															
Bedford ..	U.D.	42	33	—	1	76	40	Salop ..	U.D.	35	31	—	2	68	39
	R.D.	18	19	2	1	40	33		R.D.	38	47	4	6	95	46
Berks ..	U.D.	18	18	3	—	39	39	Somerset ..	U.D.	54	51	3	2	110	50
	R.D.	34	42	4	1	81	37		R.D.	63	64	3	3	133	42
Bucks ..	U.D.	25	27	1	—	53	28	Southants ..	U.D.	64	63	5	2	134	32
	R.D.	31	20	2	4	57	28		R.D.	61	42	4	2	109	34
Cambs ..	U.D.	9	13	—	—	22	31	Staffs ..	U.D.	199	176	3	3	381	45
	R.D.	17	22	2	—	41	39		R.D.	83	62	6	4	155	44
Cheshire ..	U.D.	179	125	6	6	316	46	Suffolk, East	U.D.	24	14	2	1	41	34
	R.D.	49	53	4	2	108	42		R.D.	38	28	1	1	68	39
Cornwall ..	U.D.	61	39	6	5	111	56	Suffolk, West	U.D.	11	8	—	—	19	35
	R.D.	53	45	3	4	105	43		R.D.	11	10	—	1	22	25
Cumberland	U.D.	41	47	1	5	94	48	Surrey ..	U.D.	197	182	13	10	402	35
	R.D.	38	28	3	1	70	49		R.D.	21	27	2	3	53	30
Derby ..	U.D.	115	106	6	10	237	48	Sussex, East	U.D.	25	24	2	1	52	32
	R.D.	99	96	5	8	208	42		R.D.	29	18	3	3	53	30
Devon ..	U.D.	65	47	7	6	125	45	Sussex, West	U.D.	31	17	3	2	53	35
	R.D.	69	61	4	7	141	45		R.D.	31	20	2	2	55	36
Dorset ..	U.D.	39	43	2	2	86	42	Warwick ..	U.D.	45	55	4	2	106	35
	R.D.	31	25	2	2	60	43		R.D.	36	35	2	1	74	35
Durham ..	U.D.	209	181	8	15	413	43	Westmorland	U.D.	5	6	—	3	14	35
	R.D.	161	128	12	5	306	41		R.D.	12	8	1	1	22	43
Ely, I. of ..	U.D.	10	9	—	1	20	26	Wight, I. of..	U.D.	15	17	2	—	34	44
	R.D.	10	13	—	—	23	41		R.D.	3	5	—	1	9	36
Essex ..	U.D.	283	216	15	7	521	36	Wilts ..	U.D.	32	47	2	1	82	43
	R.D.	76	61	7	4	148	35		R.D.	42	32	2	1	77	31
Gloucester ..	U.D.	43	36	5	3	87	58	Worcester ..	U.D.	60	62	5	1	128	39
	R.D.	66	51	7	3	127	39		R.D.	28	30	2	2	62	44
Hereford ..	U.D.	12	8	1	—	21	36	Yorks, E.R.	U.D.	16	21	2	2	41	40
	R.D.	20	24	4	1	49	45		R.D.	43	21	1	—	65	42
Hertford ..	U.D.	65	47	2	6	120	29	Yorks, N.R...	U.D.	71	60	5	5	141	48
	R.D.	25	30	—	—	55	31		R.D.	55	43	5	5	108	49
Huntingdon	U.D.	8	4	—	—	12	28	Yorks, W.R.	U.D.	407	337	21	17	782	48
	R.D.	6	6	1	1	14	31		R.D.	164	176	11	10	361	46
Kent ..	U.D.	226	176	14	12	428	33								
	R.D.	91	75	5	4	175	33	Anglesey ..	U.D.	7	8	—	—	15	53
Lancs ..	U.D.	554	492	21	20	1,087	51		R.D.	13	12	1	1	27	61
	R.D.	78	79	8	3	168	50	Brecon ..	U.D.	5	5	—	—	10	45
Leicester ..	U.D.	29	28	1	—	58	33		R.D.	19	13	2	1	35	54
	R.D.	59	46	2	4	111	39	Caernarvon..	U.D.	17	22	2	2	43	48
Lincs, Holland	U.D.	15	12	1	—	28	45		R.D.	33	17	3	4	57	66
	R.D.	23	22	—	1	46	42	Cardigan ..	U.D.	4	5	—	1	10	56
Lincs, Kesteven	U.D.	17	11	1	2	31	51		R.D.	18	10	2	—	30	55
	R.D.	19	20	1	1	41	42	Carmarthen..	U.D.	37	19	—	2	58	56
Lincs, Lindsey	U.D.	40	30	4	3	77	39		R.D.	52	44	6	3	105	62
	R.D.	41	33	4	1	79	36	Denbigh ..	U.D.	25	21	—	—	46	60
Middlesex ..	U.D.	410	334	27	19	790	33		R.D.	56	37	1	3	97	60
	R.D.	19	13	—	—	32	31	Flint ..	U.D.	18	23	—	—	41	61
Norfolk ..	U.D.	9	12	1	1	23	26		R.D.	34	23	—	2	59	56
	R.D.	82	58	13	8	161	40	Glamorgan ..	U.D.	301	252	7	12	572	58
Northants ..	U.D.	25	18	2	—	45	34		R.D.	84	85	1	1	171	59
	R.D.	26	21	2	—	49	34	Merioneth ..	U.D.	7	11	1	—	19	67
Northumberland	U.D.	89	103	7	7	206	40		R.D.	13	13	—	1	27	79
	R.D.	24	20	2	—	46	32	Monmouth ..	U.D.	147	138	6	5	296	58
Notts ..	U.D.	101	93	3	4	201	46		R.D.	16	20	1	—	37	44
	R.D.	66	66	4	1	137	48	Montgomery	U.D.	4	8	—	1	13	51
Oxford ..	U.D.	8	4	—	—	12	21		R.D.	25	13	2	—	40	81
	R.D.	12	18	1	3	34	25	Pembroke ..	U.D.	18	6	3	—	27	38
Peterborough,	U.D.	10	11	1	1	23	38		R.D.	18	11	3	5	37	53
Soke of	R.D.	1	2	1	1	5	43	Radnor ..	U.D.	1	—	—	—	1	14
Rutland ..	U.D.	3	—	—	—	3	73		R.D.	5	1	1	—	7	28
	R.D.	5	2	—	—	7	35								

TABLE 19. DEATHS BY SEX AT EACH YEAR OF AGE (WITH THE MARITAL CONDITION FOR FEMALES), 1933. } England and Wales.

Note.—Included in this Table are 451 cases (259 Males and 192 Females) in which the age of deceased was not definitely stated; these have been allocated to particular ages in accordance with the best available information and with due regard to the circumstances and cause of death in each case.

The deaths of 103 divorced women are included with the deaths of widows.

Age last birthday.	Persons.	Males.	Females.			
			Total.	Single.	Married.	Widowed.
All Ages	**496,465**	**250,625**	**245,840**	**70,406**	**85,183**	**90,251**
0–4	**52,467**	**29,547**	**22,920**	**22,920**	—	—
0	36,960	21,311	15,649	15,649	—	—
1	7,597	4,087	3,510	3,510	—	—
2	3,482	1,847	1,635	1,635	—	—
3	2,430	1,252	1,178	1,178	—	—
4	1,998	1,050	948	948	—	—
5–9	**6,827**	**3,560**	**3,267**	**3,267**	—	—
5	1,883	1,004	879	879	—	—
6	1,593	824	769	769	—	—
7	1,256	655	601	601	—	—
8	1,124	562	562	562	—	—
9	971	515	456	456	—	—
10–14	**4,982**	**2,611**	**2,371**	**2,371**	—	—
10	896	495	401	401	—	—
11	985	524	461	461	—	—
12	1,028	519	509	509	—	—
13	1,171	607	564	564	—	—
14	902	466	436	436	—	—
15–19	**7,585**	**4,021**	**3,564**	**3,453**	**111**	—
15	1,064	551	513	513	—	—
16	1,266	676	590	588	2	—
17	1,545	845	700	688	12	—
18	1,793	942	851	826	25	—
19	1,917	1,007	910	838	72	—
20–24	**10,707**	**5,561**	**5,146**	**3,726**	**1,411**	**9**
20	2,065	1,088	977	856	121	—
21	2,121	1,100	1,021	833	186	2
22	2,135	1,126	1,009	734	274	1
23	2,143	1,131	1,012	651	357	4
24	2,243	1,116	1,127	652	473	2
25–29	**11,065**	**5,532**	**5,533**	**2,347**	**3,130**	**56**
25	2,182	1,109	1,073	573	492	8
26	2,141	1,065	1,076	506	563	7
27	2,225	1,141	1,084	452	618	14
28	2,260	1,105	1,155	437	707	11
29	2,257	1,112	1,145	379	750	16
30–34	**11,263**	**5,813**	**5,450**	**1,501**	**3,819**	**130**
30	2,163	1,091	1,072	346	703	23
31	2,129	1,094	1,035	292	724	19
32	2,325	1,253	1,072	282	766	24
33	2,405	1,207	1,198	314	855	29
34	2,241	1,168	1,073	267	771	35
35–39	**12,857**	**6,340**	**6,517**	**1,466**	**4,782**	**269**
35	2,371	1,192	1,179	285	859	35
36	2,459	1,158	1,301	293	956	52
37	2,472	1,229	1,243	271	922	50
38	2,691	1,299	1,392	310	1,006	76
39	2,864	1,462	1,402	307	1,039	56
40–44	**15,684**	**8,243**	**7,441**	**1,588**	**5,278**	**575**
40	2,945	1,528	1,417	308	1,031	78
41	2,764	1,452	1,312	294	934	84
42	3,444	1,769	1,675	349	1,194	132
43	3,219	1,688	1,531	317	1,072	142
44	3,312	1,806	1,506	320	1,047	139
45–49	**21,275**	**11,564**	**9,711**	**1,826**	**6,820**	**1,065**
45	3,722	2,002	1,720	329	1,224	167
46	3,942	2,175	1,767	337	1,262	168
47	4,244	2,343	1,901	360	1,313	228
48	4,579	2,435	2,144	399	1,485	260
49	4,788	2,609	2,179	401	1,536	242
50–54	**27,873**	**15,310**	**12,563**	**2,128**	**8,475**	**1,960**
50	4,926	2,693	2,233	388	1,533	312
51	4,743	2,626	2,117	350	1,456	311
52	5,847	3,118	2,729	480	1,847	402
53	6,126	3,459	2,667	432	1,783	452
54	6,231	3,414	2,817	478	1,856	483
55–59	**35,663**	**19,881**	**15,782**	**2,538**	**9,920**	**3,324**
55	5,981	3,382	2,599	466	1,641	492
56	6,863	3,845	3,018	451	1,998	569
57	7,244	3,997	3,247	533	2,045	669
58	7,751	4,321	3,430	539	2,122	769
59	7,824	4,336	3,488	549	2,114	825
60–64	**43,599**	**23,666**	**19,933**	**2,970**	**11,031**	**5,932**
60	7,957	4,344	3,613	567	2,142	904
61	7,912	4,330	3,582	538	2,043	1,001
62	8,709	4,753	3,956	610	2,176	1,170
63	9,503	5,115	4,388	638	2,359	1,391
64	9,518	5,124	4,394	617	2,311	1,466
65–69	**52,397**	**27,771**	**24,626**	**3,579**	**11,218**	**9,829**
65	9,954	5,332	4,622	689	2,310	1,623
66	9,643	5,110	4,533	662	2,229	1,642
67	10,497	5,557	4,940	706	2,255	1,979
68	11,015	5,862	5,153	734	2,256	2,163
69	11,288	5,910	5,378	788	2,168	2,422
70–74	**59,290**	**29,297**	**29,993**	**4,437**	**9,588**	**15,968**
70	11,689	5,919	5,770	889	2,105	2,776
71	10,915	5,433	5,482	799	1,908	2,775
72	12,177	6,019	6,158	923	1,958	3,277
73	12,445	6,094	6,351	878	1,929	3,546
74	12,064	5,832	6,232	948	1,688	3,596
75–79	**55,772**	**25,988**	**29,784**	**4,286**	**6,172**	**19,326**
75	11,767	5,674	6,093	891	1,523	3,679
76	11,951	5,636	6,315	870	1,475	3,970
77	11,157	5,201	5,956	895	1,217	3,844
78	10,951	4,942	6,009	853	1,073	4,083
79	9,946	4,535	5,411	777	884	3,750
80–84	**40,326**	**16,759**	**23,567**	**3,380**	**2,709**	**17,478**
80	9,377	4,125	5,252	747	739	3,766
81	8,203	3,551	4,652	645	615	3,392
82	8,627	3,557	5,070	756	530	3,784
83	7,526	3,000	4,526	643	450	3,433
84	6,593	2,526	4,067	589	375	3,103
85–89	**19,663**	**7,010**	**12,653**	**1,857**	**618**	**10,178**
85	5,381	2,003	3,378	486	215	2,677
86	4,591	1,707	2,884	406	170	2,308
87	3,944	1,373	2,571	396	110	2,065
88	3,206	1,091	2,115	309	68	1,738
89	2,541	836	1,705	260	55	1,390
90–94	**6,061**	**1,885**	**4,176**	**638**	**92**	**3,446**
90	1,942	639	1,303	196	30	1,077
91	1,449	453	996	135	23	838
92	1,172	349	823	142	15	666
93	899	271	628	102	18	508
94	599	173	426	63	6	357
95–99	**999**	**247**	**752**	**113**	**9**	**630**
95	393	102	291	34	5	252
96	263	70	193	31	1	161
97	172	36	136	21	—	115
98	104	24	80	15	2	63
99	67	15	52	12	1	39
100–	**110**	**19**	**91**	**15**	—	**76**
100	52	8	44	8	—	36
101	58	11	47	7	—	40

TABLE 20. DEATHS AT DIFFERENT AGES, 1933.
(Total Deaths Registered, including non-civilian deaths).

England and Wales, Geographical Regions.*
London and Metropolitan Boroughs, County Boroughs.
Aggregates of other Urban and of Rural Districts in each Administrative County.

Age.	Sex.	England and Wales.	South East.					North.				
			Total.	Greater London.	Remainder.	Part formerly in "Midlands."	Part formerly in "South."	Total.	North I.	North II.	North III.	North IV.
All Ages ..	M	250625	79249	47154	32095	24503	54746	87289	14624	8616	22245	41804
	F	245840	79421	46436	32985	24645	54776	84647	13092	8213	21916	41426
Under 4 weeks	M	10751	2872	1701	1171	1033	1839	4127	848	428	1009	1842
	F	7937	2102	1255	847	727	1375	3015	637	275	725	1378
4 weeks–3 months	M	3411	865	563	302	291	574	1404	255	139	314	696
	F	2352	573	382	191	175	398	969	173	109	252	435
3–6 months	M	2964	762	529	233	204	558	1309	277	116	318	598
	F	2129	615	450	165	181	434	928	217	81	219	411
6–12 months	M	4185	1064	743	321	299	765	1774	380	161	397	836
	F	3231	733	482	251	227	506	1452	291	148	322	691
Total under 1 year	M	21311	5563	3536	2027	1827	3736	8614	1760	844	2038	3972
	F	15649	4023	2569	1454	1310	2713	6364	1318	613	1518	2915
1—	M	4087	911	603	308	277	634	1890	461	188	370	871
	F	3510	771	507	264	216	555	1649	343	168	337	801
2—	M	1847	440	270	170	142	298	804	175	77	186	366
	F	1635	418	276	142	134	284	699	145	60	165	329
3—	M	1252	318	206	112	89	229	549	103	49	148	249
	F	1178	277	197	80	92	185	554	115	42	130	267
4—	M	1050	301	205	96	101	200	443	90	53	100	200
	F	948	226	155	71	84	142	458	73	51	130	204
Total under 5 years	M	29547	7533	4820	2713	2436	5097	12300	2589	1211	2842	5658
	F	22920	5715	3704	2011	1836	3879	9724	1994	934	2280	4516
5—	M	3560	1035	677	358	332	703	1434	267	137	383	647
	F	3267	908	586	322	290	618	1325	252	141	351	581
10—	M	2611	770	503	267	253	517	1000	219	89	233	459
	F	2371	635	412	223	208	427	933	191	92	240	410
15—	M	4021	1156	731	425	383	773	1493	334	146	351	662
	F	3564	940	637	303	323	617	1378	288	127	329	634
20—	M	5561	1678	1046	632	532	1146	1985	397	220	441	927
	F	5146	1546	1047	499	480	1066	1850	335	177	450	888
25—	M	5532	1808	1182	626	593	1215	1966	370	209	485	902
	F	5533	1733	1163	570	627	1106	1912	341	185	433	953
30—	M	5813	1868	1187	681	632	1236	2085	387	206	505	987
	F	5450	1651	1004	647	576	1075	2035	376	174	521	964
35—	M	6340	1932	1221	711	669	1263	2349	361	218	582	1188
	F	6517	1991	1263	728	685	1306	2444	404	233	610	1197
40—	M	8243	2581	1628	953	844	1737	3072	525	252	722	1573
	F	7441	2326	1451	875	741	1585	2765	455	243	673	1394
45—	M	11564	3667	2362	1305	1129	2538	4188	617	349	1037	2185
	F	9711	3103	1858	1245	955	2148	3464	558	297	884	1725
50—	M	15310	4959	3185	1774	1493	3466	5591	787	492	1427	2885
	F	12563	4092	2537	1555	1264	2828	4484	648	379	1182	2275
55—	M	19881	6478	4159	2319	1975	4503	7175	1010	618	1962	3585
	F	15782	4841	2885	1956	1475	3366	5944	840	551	1603	2950
60—	M	23666	7636	4722	2914	2302	5334	8446	1260	748	2242	4196
	F	19933	6305	3694	2611	1949	4356	7271	1067	639	1909	3656
65—	M	27771	8777	5195	3582	2684	6093	9663	1497	874	2686	4606
	F	24626	7785	4513	3272	2414	5371	8823	1251	778	2414	4380
70—	M	29297	9321	5212	4109	2762	6559	9837	1563	1015	2547	4712
	F	29993	9684	5556	4128	2923	6761	10349	1385	1003	2676	5285
75—	M	25988	8645	4695	3950	2601	6044	8069	1293	885	2130	3761
	F	29784	9987	5642	4345	3052	6935	9578	1317	991	2534	4736
80—	M	16759	5833	2904	2929	1780	4053	4607	796	608	1140	2063
	F	23567	8889	4729	4160	2730	6159	6486	841	758	1791	3096
85—	M	9161	3572	1725	1847	1103	2469	2029	352	339	530	808
	F	17672	7290	3755	3535	2117	5173	3882	549	511	1036	1786

* The Counties included in the several Geographical Regions are shown on the first page of Table 17.

TABLE 20—*contd.*

Age.	Sex.	Midland. Total.	Midland. Midland I.	Midland. Midland II.	East.	South West.	Wales. Total.	Wales. Wales I.	Wales. Wales II.	Aggregates of areas outside Greater London. County Boroughs.	Aggregates of areas outside Greater London. Other Urban Districts.	Aggregates of areas outside Greater London. Rural Districts.
All Ages ..	M	42065	27650	14415	11300	12998	17724	12886	4838	84384	71701	47386
	F	40348	26587	13761	11691	13847	15886	10982	4904	82147	71764	45493
Under 4 weeks	M	1947	1284	663	477	472	856	660	196	3775	3184	2091
	F	1503	1031	472	320	347	650	503	147	2832	2286	1564
4 weeks–3 months	M	621	410	211	113	128	280	217	63	1377	926	545
	F	443	299	144	81	77	209	166	43	924	612	434
3–6 months	M	501	330	171	80	80	232	180	52	1319	726	390
	F	321	220	101	69	52	144	117	27	864	532	283
6–12 months	M	775	505	270	140	120	312	266	46	1760	1085	597
	F	611	397	214	104	88	243	196	47	1456	837	456
Total under 1 year	M	3844	2529	1315	810	800	1680	1323	357	8231	5921	3623
	F	2878	1947	931	574	564	1246	982	264	6076	4267	2737
1—	M	733	485	248	127	121	305	256	49	1806	1109	569
	F	578	372	206	120	106	286	243	43	1589	907	507
2—	M	301	200	101	72	59	171	140	31	742	546	289
	F	286	186	100	53	51	128	104	24	660	438	261
3—	M	200	137	63	38	49	98	75	23	514	315	217
	F	172	105	67	46	41	88	69	19	493	307	181
4—	M	151	106	45	42	24	89	71	18	390	300	155
	F	125	93	32	28	34	77	63	14	395	266	132
Total under 5 years	M	5229	3457	1772	1089	1053	2343	1865	478	11683	8191	4853
	F	4039	2703	1336	821	796	1825	1461	364	9213	6185	3818
5—	M	552	362	190	135	104	300	241	59	1311	1015	557
	F	525	341	184	118	131	260	211	49	1234	960	487
10—	M	428	285	143	91	100	222	173	49	879	760	469
	F	387	272	115	116	97	203	161	42	857	702	400
15—	M	694	463	231	161	163	354	273	81	1372	1159	759
	F	702	490	212	131	110	303	240	63	1411	966	550
20—	M	956	609	347	228	267	447	331	116	1929	1554	1032
	F	905	584	321	194	224	427	344	83	1831	1457	811
25—	M	870	583	287	203	262	423	331	92	1809	1584	957
	F	947	652	295	217	252	472	354	118	1855	1581	934
30—	M	1029	689	340	216	219	396	304	92	2035	1597	994
	F	937	604	333	209	207	411	312	99	1917	1617	912
35—	M	1093	725	368	222	288	456	356	100	2291	1795	1033
	F	1071	715	356	262	277	472	354	118	2243	1865	1146
40—	M	1353	909	444	295	356	586	457	129	3030	2266	1319
	F	1165	754	411	303	351	531	394	137	2622	2153	1215
45—	M	1988	1342	646	397	496	828	661	167	4273	3178	1751
	F	1626	1052	574	419	472	627	445	182	3395	2816	1642
50—	M	2481	1670	811	559	626	1094	850	244	5572	4362	2191
	F	2036	1322	714	546	585	820	570	250	4313	3590	2123
55—	M	3258	2145	1113	709	860	1401	1062	339	7196	5502	3024
	F	2548	1676	872	622	812	1015	694	321	5543	4672	2682
60—	M	3890	2605	1285	898	1125	1671	1201	470	8231	6743	3970
	F	3168	2040	1128	837	1028	1324	931	393	6794	5870	3575
65—	M	4606	3032	1574	1199	1509	2017	1432	585	9254	8121	5201
	F	3916	2551	1365	1144	1422	1536	1029	507	8100	7464	4549
70—	M	4864	3220	1644	1504	1736	2035	1400	635	9265	8683	6137
	F	4831	3143	1688	1370	1866	1893	1248	645	9916	8983	5538
75—	M	4401	2831	1570	1534	1731	1608	1029	579	7678	7758	5957
	F	4922	3263	1659	1680	1954	1663	994	669	9428	8899	5815
80—	M	2856	1785	1071	1154	1252	1057	649	408	4502	4851	4402
	F	3820	2487	1333	1424	1719	1229	746	483	6816	6936	5086
85—	M	1517	938	579	706	851	486	271	215	2074	2582	2780
	F	2803	1938	865	1278	1544	875	494	381	4659	5048	4210

TABLE 20—*contd.*—METROPOLITAN BOROUGHS.

Age.	Sex.	London Administrative County.	City of London.	Inner and Middle Temples.	Battersea.	Bermondsey.	Bethnal Green.	Camberwell.	Chelsea.	Deptford.	Finsbury.	Fulham.	Greenwich.	Hackney.	Hammersmith.	Hampstead.
All Ages ..	M	27254	54	—	998	712	693	1486	402	665	463	945	608	1285	849	457
	F	26282	54	1	926	622	613	1519	399	582	389	982	557	1189	841	537
Under 4 weeks	M	817	1	—	26	26	18	39	10	23	16	29	21	50	20	5
	F	640	1	—	19	16	9	28	7	16	6	28	16	27	30	11
4 weeks–3 months	M	321	1	—	6	4	16	17	6	9	2	9	8	18	13	2
	F	213	—	—	8	7	3	14	4	5	4	11	3	5	6	2
3–6 months	M	333	—	—	9	4	10	17	4	5	8	15	9	12	14	2
	F	302	—	—	16	8	15	10	1	6	2	15	12	7	8	3
6–12 months	M	462	1	—	19	16	18	17	9	14	9	8	12	24	15	2
	F	289	1	—	9	12	10	18	8	4	5	11	8	9	13	6
Total under 1 year	M	1933	3	—	60	50	62	90	29	51	35	61	50	104	62	11
	F	1444	2	—	52	43	37	70	20	31	17	65	39	48	57	22
1—	M	355	—	—	15	10	13	26	2	5	5	12	11	9	7	1
	F	325	—	—	11	8	9	13	3	7	11	13	6	15	3	4
2—	M	150	—	—	3	5	7	8	—	5	2	5	2	7	7	4
	F	163	—	—	7	8	7	5	1	2	2	7	3	6	2	3
3—	M	121	—	—	9	4	6	8	2	3	4	3	3	7	4	—
	F	108	—	—	4	—	4	8	6	3	5	2	3	4	3	—
4—	M	107	—	—	4	5	3	6	—	3	2	2	4	9	3	1
	F	79	—	—	3	5	3	1	1	—	1	1	5	3	1	1
Total under 5 years	M	2666	3	—	91	74	91	138	33	67	48	83	70	136	83	17
	F	2119	2	—	77	64	60	97	31	43	36	88	56	76	66	30
5—	M	372	—	—	11	14	20	20	9	12	8	9	6	14	10	4
	F	326	—	—	13	7	11	16	1	7	4	14	12	12	8	2
10—	M	268	—	—	8	8	8	16	4	6	6	11	11	13	9	3
	F	250	—	—	9	14	11	10	2	5	3	3	7	18	6	6
15—	M	391	—	—	15	9	10	27	4	8	2	11	14	18	13	4
	F	337	—	—	12	7	18	24	1	5	3	16	10	19	16	2
20—	M	580	3	—	23	22	17	36	2	14	12	28	12	23	20	10
	F	613	1	—	17	17	19	37	6	17	6	24	11	40	21	10
25—	M	664	—	—	25	20	17	43	8	11	5	21	24	32	19	13
	F	602	—	—	26	17	7	34	9	14	13	23	17	34	21	4
30—	M	663	1	—	33	20	12	37	12	12	15	24	21	32	22	13
	F	539	1	—	13	15	11	30	4	13	8	14	7	23	21	11
35—	M	659	1	—	31	21	16	37	6	13	10	22	14	36	18	11
	F	649	2	1	22	18	19	38	14	21	12	26	19	24	19	12
40—	M	904	2	—	29	15	28	63	10	26	18	32	14	41	34	14
	F	796	2	—	21	17	14	40	7	15	15	36	18	30	24	16
45—	M	1364	4	—	38	44	45	61	14	32	22	62	34	62	45	25
	F	1074	5	—	29	20	28	56	20	18	13	42	21	50	28	27
50—	M	1934	6	—	65	46	46	104	19	31	33	70	41	108	55	26
	F	1460	3	—	46	26	40	71	23	23	20	60	36	64	41	29
55—	M	2483	4	—	88	65	63	114	24	66	47	85	43	122	88	40
	F	1650	1	—	66	33	43	93	31	37	29	60	40	77	40	32
60—	M	2853	4	—	116	68	61	135	37	67	46	100	51	123	95	39
	F	2124	3	—	72	62	46	115	33	47	24	76	42	83	69	57
65—	M	3084	4	—	114	77	78	189	65	78	58	103	59	136	89	63
	F	2603	8	—	94	61	80	149	50	57	37	83	43	124	80	52
70—	M	3077	10	—	100	72	72	195	49	80	44	96	75	152	92	50
	F	3206	5	—	114	80	62	214	44	71	48	128	51	149	115	66
75—	M	2708	6	—	116	77	53	134	52	80	50	92	55	124	80	53
	F	3220	9	—	131	69	66	187	44	78	46	103	71	138	110	77
80—	M	1671	4	—	60	41	41	84	28	41	27	60	34	73	54	40
	F	2656	8	—	103	59	53	180	40	50	41	106	53	126	86	55
85—	M	913	2	—	35	19	15	53	26	21	12	36	30	40	23	32
	F	2058	4	—	61	36	25	128	39	61	31	80	43	102	70	49

TABLE 20—*contd.*—METROPOLITAN BOROUGHS.

Age.	Sex.	Holborn.	Islington.	Kensington.	Lambeth.	Lewisham.	Paddington.	Poplar.	St. Marylebone.	St Pancras.	Shoreditch.	Southwark.	Stepney.	Stoke Newington.	Wandsworth.	Westminster.	Woolwich.
All Ages ..	M	269	1992	1025	1925	1091	904	1033	585	1425	652	1269	1521	293	1940	879	834
	F	217	1977	1311	1864	1180	992	826	639	1183	560	1029	1313	335	2147	698	800
Under 4 weeks	M	4	77	42	56	25	31	41	10	39	22	30	44	6	54	23	29
	F	7	53	26	49	25	32	27	9	30	14	25	32	7	46	10	34
4 weeks–3 months	M	5	28	16	30	16	15	16	3	11	8	8	16	4	17	7	10
	F	—	24	5	16	10	10	6	5	8	2	7	15	1	17	4	11
3–6 months	M	4	18	10	30	6	26	9	6	22	16	18	26	1	13	8	11
	F	2	18	16	14	10	14	5	6	14	18	16	29	4	16	6	11
6–12 months	M	—	47	27	41	8	22	11	6	18	20	29	31	5	17	11	5
	F	2	24	15	13	7	13	10	6	9	10	14	21	2	18	6	5
Total under 1 year	M	13	170	95	157	55	94	77	25	90	66	85	117	16	101	49	55
	F	11	119	62	92	52	69	48	26	61	44	62	97	14	97	26	61
1—	M	3	32	12	31	9	15	17	6	19	19	19	30	4	12	4	7
	F	1	39	11	21	7	10	21	2	17	11	18	31	2	19	6	6
2—	M	—	10	6	6	7	3	8	—	11	5	11	9	2	8	4	5
	F	1	13	9	8	5	5	9	2	4	5	7	13	4	10	6	9
3—	M	1	5	3	8	5	5	7	3	3	1	6	7	1	8	2	3
	F	—	12	4	8	3	4	8	4	2	2	4	6	—	6	3	—
4—	M	1	12	3	5	6	—	9	1	7	4	1	6	—	6	1	3
	F	1	7	8	4	2	2	2	2	3	4	3	8	2	2	—	4
Total under 5 years	M	18	229	119	207	82	117	118	35	130	95	122	169	23	135	60	73
	F	14	190	94	133	69	90	88	36	87	66	94	155	22	134	41	80
5—	M	3	25	12	26	18	14	20	3	17	12	19	22	6	21	5	12
	F	2	31	6	21	20	18	13	3	14	13	16	16	4	27	2	13
10—	M	3	15	9	21	8	8	17	5	16	5	13	17	3	17	3	5
	F	1	18	11	17	10	7	9	1	12	5	14	20	2	14	2	13
15—	M	4	30	11	23	26	9	16	6	16	11	18	29	4	27	8	18
	F	2	24	11	25	14	10	19	5	8	11	19	16	2	24	4	10
20—	M	5	28	20	39	28	21	15	4	24	21	25	32	6	45	15	30
	F	5	50	29	35	18	16	24	7	23	26	20	44	8	51	12	19
25—	M	10	61	24	46	27	18	27	14	27	19	26	38	6	51	17	15
	F	5	40	33	38	24	20	22	16	23	15	25	28	11	53	11	19
30—	M	4	49	16	40	18	23	25	18	36	12	24	42	11	48	22	21
	F	4	41	28	36	18	26	18	12	21	17	23	33	7	55	14	15
35—	M	6	52	21	46	32	13	24	14	43	16	40	36	2	37	22	19
	F	5	42	25	46	30	21	31	16	29	12	25	30	5	45	21	19
40—	M	19	67	28	52	25	27	30	24	54	21	38	55	9	69	28	32
	F	10	61	45	59	30	38	29	21	34	21	39	35	9	57	22	31
45—	M	16	99	50	106	58	49	58	27	75	38	50	79	12	87	38	34
	F	14	85	55	68	42	36	30	26	50	24	54	71	13	87	30	32
50—	M	23	157	64	133	68	66	77	57	108	49	92	109	20	125	85	51
	F	9	83	78	94	62	58	46	47	67	28	71	98	14	132	49	42
55—	M	30	183	87	156	107	79	85	56	136	55	117	152	26	195	95	75
	F	15	118	74	92	83	60	51	33	81	50	77	85	19	134	49	47
60—	M	28	197	97	212	125	91	96	73	161	70	131	174	24	210	113	109
	F	12	165	121	148	90	77	70	62	108	36	79	117	30	162	68	50
65—	M	23	216	119	227	130	98	116	69	172	71	137	187	35	194	88	89
	F	21	168	136	205	127	98	69	68	124	55	86	150	43	180	76	79
70—	M	32	208	147	200	108	101	120	67	158	57	171	154	34	235	108	90
	F	39	247	154	233	131	113	105	71	163	58	131	145	43	277	71	78
75—	M	22	185	95	207	118	90	98	55	140	47	137	113	37	227	90	75
	F	27	262	149	247	149	117	102	82	133	58	110	136	47	282	94	96
80—	M	16	129	77	120	71	50	58	38	64	40	75	77	18	131	56	64
	F	18	196	150	203	136	119	62	69	117	40	84	82	32	232	73	83
85—	M	7	62	29	64	42	30	33	20	48	13	34	36	17	86	26	22
	F	14	156	112	164	127	68	38	64	89	25	62	52	24	201	59	74

TABLE 20—*contd.*—COUNTY BOROUGHS.

Age.	Sex.	Barnsley.	Barrow-in-Furness.	Bath.	Birkenhead.	Birmingham.	Blackburn.	Blackpool.	Bolton.	Bootle.	Bournemouth.	Bradford.	Brighton.	Bristol.	Burnley.
All Ages ..	M	492	445	422	1040	5913	842	716	1230	574	717	2190	995	2412	672
	F	459	367	560	995	5411	911	829	1272	497	901	2153	1138	2517	754
Under 4 weeks	M	27	19	13	49	266	31	19	35	31	25	72	18	92	24
	F	19	14	5	37	203	21	21	35	26	22	56	17	78	24
4 weeks–3 months	M	13	4	7	34	95	4	6	19	19	5	33	9	21	6
	F	7	4	4	17	68	8	4	11	10	4	19	4	17	2
3–6 months	M	13	3	2	33	84	4	4	11	12	4	38	6	23	9
	F	9	2	2	13	51	7	4	15	9	2	23	8	11	4
6–12 months	M	16	3	2	39	133	14	8	19	22	4	42	14	34	14
	F	15	7	4	23	102	15	4	22	18	3	28	10	30	4
Total under 1 year	M	69	29	24	155	578	53	37	84	84	38	185	47	170	53
	F	50	27	15	90	424	51	33	83	63	31	126	39	136	34
1—	M	10	7	5	42	107	13	4	30	16	6	32	20	31	16
	F	7	1	3	35	76	11	5	19	24	7	34	14	23	17
2—	M	4	2	1	16	49	3	5	12	8	3	14	7	15	6
	F	9	—	2	15	30	3	2	10	6	2	15	7	15	6
3—	M	4	4	2	12	22	5	4	5	6	1	14	6	14	4
	F	3	1	2	8	27	6	—	7	7	1	9	—	9	1
4—	M	2	3	1	4	21	6	4	7	9	2	7	3	12	5
	F	5	2	—	12	21	2	2	3	3	—	11	3	9	2
Total under 5 years	M	89	45	33	229	777	80	54	138	123	50	252	83	242	84
	F	74	31	22	160	578	73	42	122	103	41	195	63	192	60
5—	M	14	7	3	16	89	11	5	18	11	5	30	9	28	9
	F	13	5	4	21	83	9	7	11	13	9	20	9	27	16
10—	M	10	4	—	19	52	6	6	18	4	7	18	7	25	5
	F	12	6	—	11	47	9	3	5	5	4	14	8	19	5
15—	M	12	5	7	12	99	14	8	11	8	7	22	11	29	7
	F	6	7	3	8	112	13	8	13	11	7	26	10	43	4
20—	M	7	13	10	24	134	20	9	25	19	6	26	13	54	11
	F	9	12	5	28	119	9	12	28	17	12	33	22	53	11
25—	M	16	15	7	17	124	14	6	17	14	8	37	13	48	15
	F	9	9	8	25	135	10	10	26	17	12	41	14	69	18
30—	M	9	9	9	16	141	19	10	25	22	10	44	19	58	16
	F	9	4	7	22	135	24	13	33	12	20	43	18	60	22
35—	M	16	11	8	37	150	27	18	27	15	12	59	25	63	21
	F	19	17	6	40	154	19	17	51	6	12	64	18	77	19
40—	M	10	18	14	39	209	25	23	50	14	20	63	23	67	25
	F	15	8	17	26	189	29	28	57	11	20	62	22	65	25
45—	M	25	25	16	47	329	42	31	51	23	21	114	43	130	36
	F	19	11	13	39	232	43	30	54	24	18	91	48	95	30
50—	M	35	34	18	66	394	55	59	82	35	36	153	60	161	47
	F	24	24	21	47	323	58	50	63	18	40	116	54	128	55
55—	M	30	31	29	77	519	57	73	113	51	53	205	80	215	59
	F	33	27	33	56	361	71	67	78	23	50	162	73	166	71
60—	M	40	40	33	97	648	90	86	142	37	66	241	113	208	73
	F	34	35	42	74	454	91	85	115	45	65	203	84	165	72
65—	M	56	56	60	103	624	105	90	149	64	101	290	116	259	73
	F	47	27	57	97	498	96	92	133	41	94	254	96	227	84
70—	M	61	53	50	89	636	117	105	164	58	103	271	125	306	90
	F	41	40	76	105	628	144	132	169	53	122	292	147	291	108
75—	M	45	48	52	84	544	81	68	121	38	83	203	129	242	70
	F	44	51	77	102	599	109	107	167	48	118	259	167	353	82
80—	M	13	26	47	51	296	60	45	61	27	82	106	72	187	25
	F	33	31	83	81	440	65	76	83	35	136	170	152	257	51
85—	M	4	5	26	17	148	19	20	18	11	47	56	54	90	6
	F	18	22	86	53	324	39	50	64	15	121	108	133	230	21

TABLE 20—*contd.*—COUNTY BOROUGHS.

Age.	Sex.	Burton-on-Trent.	Bury.	Canterbury.	Carlisle.	Chester.	Coventry.	Croydon.	Darlington.	Derby.	Dewsbury.	Doncaster.	Dudley.	Eastbourne.	East Ham.	Exeter.	Gateshead.	Gloucester.
All Ages ..	M	309	391	173	375	256	954	1276	444	869	404	409	421	320	771	424	910	338
	F	293	432	182	441	286	877	1430	441	845	420	323	288	421	733	461	738	328
Under 4 weeks	M	10	8	1	21	11	56	55	28	39	24	12	30	6	27	17	36	9
	F	12	11	5	10	18	39	29	12	25	14	9	15	9	17	7	32	7
4 weeks–3 months	M	6	5	2	8	3	19	9	3	13	6	7	10	1	12	5	17	2
	F	3	4	1	2	2	11	9	1	8	3	4	5	4	5	2	9	3
3–6 months	M	5	4	1	2	1	11	10	5	11	3	5	10	2	3	4	21	4
	F	1	3	—	7	1	7	6	5	6	6	2	1	1	8	2	16	1
6–12 months	M	3	2	2	10	2	8	19	6	13	6	6	14	5	9	5	25	3
	F	6	2	1	7	2	8	12	9	10	7	6	6	4	6	3	15	3
Total under 1 year	M	24	19	6	41	17	94	93	42	76	39	30	64	14	51	31	99	18
	F	22	20	7	26	23	65	56	27	49	30	21	27	18	36	14	72	14
1—	M	5	5	2	8	5	12	11	11	11	7	2	10	4	8	7	39	4
	F	2	3	—	6	4	10	8	12	8	5	2	7	4	2	6	26	3
2—	M	—	3	1	1	1	3	6	6	5	5	2	2	1	5	—	12	1
	F	1	—	2	4	1	5	3	—	6	4	2	5	—	—	2	14	1
3—	M	—	2	1	1	1	7	9	2	3	—	3	2	1	4	—	11	3
	F	2	—	—	1	2	—	3	4	1	3	3	2	1	3	1	7	—
4—	M	1	3	—	3	1	1	5	—	5	3	4	1	—	4	—	4	1
	F	2	—	—	4	1	5	3	1	2	2	2	1	1	4	—	5	—
Total under 5 years	M	30	32	10	54	25	117	124	61	100	54	41	79	20	72	38	165	27
	F	29	23	9	41	31	85	73	44	66	44	30	42	24	45	23	124	18
5—	M	3	6	—	10	1	10	23	6	10	6	7	8	1	20	4	14	3
	F	7	6	3	7	4	12	19	3	12	8	3	2	1	17	3	7	1
10—	M	6	3	2	5	2	11	15	4	9	3	3	4	2	15	2	7	2
	F	4	4	—	4	2	9	8	4	7	5	1	5	—	6	6	10	—
15—	M	4	6	4	6	3	25	21	9	10	4	6	10	5	16	4	21	6
	F	7	4	—	3	1	27	14	6	13	5	7	8	4	19	7	38	9
20—	M	8	12	4	8	1	16	26	14	20	10	6	11	5	17	14	24	7
	F	4	9	3	13	5	31	28	9	16	11	2	11	5	9	8	16	9
25—	M	5	5	2	8	6	16	31	13	15	7	11	10	6	19	10	25	5
	F	7	7	2	12	6	28	32	14	22	6	11	9	4	23	5	14	9
30—	M	6	5	1	10	12	24	18	12	13	6	11	10	7	18	9	21	15
	F	2	8	1	10	8	20	34	16	16	9	14	7	4	14	7	21	10
35—	M	10	6	1	12	6	31	30	8	23	13	9	15	7	26	11	22	7
	F	9	9	2	15	3	25	48	17	17	9	6	10	5	23	11	25	12
40—	M	9	18	5	9	12	43	51	17	28	9	18	10	8	26	14	20	13
	F	10	17	8	5	10	28	40	11	31	10	11	9	12	17	9	18	10
45—	M	14	26	13	18	19	67	72	25	41	22	23	23	11	28	18	40	14
	F	11	24	4	17	12	43	61	20	40	23	9	9	19	22	16	25	11
50—	M	14	33	12	23	27	72	82	33	61	27	24	22	18	51	26	68	21
	F	16	34	9	18	10	53	77	22	50	15	16	15	22	40	18	34	12
55—	M	19	40	11	29	19	93	101	34	82	43	42	36	21	81	23	88	25
	F	20	25	12	43	21	64	85	37	51	21	27	18	15	47	31	46	23
60—	M	35	37	7	38	19	93	124	41	95	38	49	42	41	66	40	92	35
	F	31	35	13	25	22	75	103	40	73	45	27	20	45	60	20	64	21
65—	M	43	53	21	35	33	84	133	52	95	62	54	40	46	84	49	82	39
	F	19	44	20	38	36	74	118	50	85	50	32	29	44	93	53	80	28
70—	M	40	41	22	39	24	106	140	41	96	47	30	43	29	73	51	86	37
	F	27	60	20	62	30	100	183	42	120	62	35	31	60	84	66	78	32
75—	M	37	40	25	39	25	80	135	42	80	36	50	35	46	94	58	67	42
	F	44	64	25	54	39	93	185	43	120	46	36	31	52	78	70	63	58
80—	M	18	24	16	22	14	47	79	24	63	10	19	18	31	41	30	46	25
	F	26	38	24	48	28	65	154	35	69	29	32	17	58	68	52	49	37
85—	M	8	4	17	10	8	19	71	8	28	7	6	5	16	24	23	22	15
	F	20	21	27	26	18	45	168	28	37	22	24	15	47	68	56	26	28

TABLE 20—*contd.*—COUNTY BOROUGHS.

Age.	Sex.	Great Yarmouth.	Grimsby.	Halifax.	Hastings.	Huddersfield.	Ipswich.	Kingston-upon-Hull.	Leeds.	Leicester.	Lincoln.	Liverpool.	Manchester.	Middlesbrough.	Newcastle-upon-Tyne.	Northampton.	Norwich.	Nottingham.
All Ages ..	M	374	599	723	426	811	484	2176	3319	1556	402	6482	5257	1000	1888	555	784	1872
	F	397	566	778	595	900	533	2010	3254	1527	406	5969	5088	855	1757	537	828	1867
Under 4 weeks	M	13	37	30	10	16	16	103	131	56	15	325	222	64	101	24	26	101
	F	10	23	22	10	20	18	72	112	47	6	249	163	42	73	9	23	58
4 weeks–3 months	M	8	6	7	1	1	4	38	56	22	3	164	105	25	24	3	16	36
	F	—	11	11	5	2	5	53	42	14	3	103	55	10	16	1	5	18
3–6 months	M	5	2	7	3	7	2	47	43	24	4	180	79	23	39	2	10	37
	F	2	4	6	—	6	1	30	36	5	2	143	45	11	27	5	5	22
6–12 months	M	2	14	7	3	5	8	49	65	39	—	257	93	35	45	3	7	55
	F	2	19	11	2	6	5	48	51	35	—	232	72	33	33	5	19	48
Total under 1 year	M	28	59	51	17	29	30	237	295	141	22	926	499	147	209	32	59	229
	F	14	57	50	17	34	29	203	241	101	11	727	335	96	149	20	52	146
1—	M	4	9	8	3	6	4	61	52	30	4	267	96	39	63	5	10	45
	F	2	13	9	1	8	4	63	53	25	3	259	89	34	48	1	11	42
2—	M	4	6	4	2	8	3	21	29	10	1	101	28	16	21	5	4	14
	F	1	4	4	1	5	—	12	30	14	2	102	36	12	22	1	2	11
3—	M	1	2	2	1	5	5	19	23	4	—	76	28	8	17	1	1	11
	F	—	6	1	—	5	5	19	19	18	4	56	42	6	20	1	3	8
4—	M	2	1	3	1	3	5	15	11	5	2	32	27	7	10	—	4	7
	F	3	4	5	—	4	4	18	18	7	1	55	28	6	7	1	—	4
Total under 5 years	M	39	77	68	24	51	47	353	410	190	29	1402	678	217	320	43	78	306
	F	20	84	69	19	56	42	315	361	165	21	1199	530	154	246	24	68	211
5—	M	4	10	11	3	24	9	47	61	24	5	137	76	22	24	7	6	26
	F	4	4	7	3	34	7	47	45	16	7	111	79	19	31	3	6	22
10—	M	2	7	4	1	14	5	26	34	12	5	74	55	15	32	2	4	16
	F	4	8	10	4	11	3	24	44	16	4	85	55	15	28	1	10	17
15—	M	6	12	12	6	10	10	36	64	21	2	120	89	15	39	7	14	28
	F	7	11	10	3	13	9	27	61	26	7	123	115	25	37	10	8	27
20—	M	10	17	11	6	17	10	65	71	26	13	164	129	28	47	16	21	39
	F	8	18	12	7	16	8	49	90	44	12	156	136	25	33	12	6	56
25—	M	9	11	8	9	19	10	64	78	25	9	159	140	31	40	12	14	28
	F	13	12	10	4	8	8	54	71	30	9	165	141	27	54	11	11	43
30—	M	8	13	17	9	20	10	66	79	46	10	161	145	27	47	6	20	43
	F	5	15	21	9	16	10	41	83	37	11	130	129	28	49	14	15	45
35—	M	10	11	16	7	19	12	47	92	46	6	184	172	35	57	17	19	42
	F	5	12	18	10	18	7	61	86	42	12	171	146	32	53	9	15	39
40—	M	11	23	19	7	23	7	83	122	45	9	261	213	25	72	26	32	63
	F	7	20	24	10	20	18	82	91	45	10	197	188	27	54	17	20	45
45—	M	13	28	27	9	45	15	98	155	85	22	347	304	52	85	21	34	97
	F	18	30	36	16	43	21	70	138	69	13	252	221	39	74	27	23	70
50—	M	24	52	44	20	59	22	159	229	91	28	448	398	61	113	32	41	113
	F	25	27	49	19	54	26	100	168	86	21	290	294	40	88	21	41	106
55—	M	24	43	83	35	81	24	182	314	117	36	496	544	81	139	41	42	167
	F	12	31	60	33	58	27	140	240	98	22	387	355	65	111	27	39	116
60—	M	27	39	81	41	112	50	192	312	145	41	560	525	92	186	48	71	162
	F	29	47	72	38	95	44	151	268	113	35	449	445	71	156	50	67	151
65—	M	42	62	101	48	111	54	204	401	195	39	572	566	100	209	64	95	205
	F	47	49	88	57	104	65	157	367	145	42	501	529	73	179	65	85	182
70—	M	42	83	91	58	94	62	218	357	165	51	594	543	91	210	70	83	206
	F	52	73	105	91	118	63	218	383	161	42	638	631	83	202	83	114	245
75—	M	46	56	71	62	64	69	158	319	165	55	464	376	59	150	73	97	189
	F	52	55	107	99	110	70	206	330	192	61	511	568	75	172	71	137	220
80—	M	38	36	45	49	34	43	119	162	106	30	255	226	37	82	48	85	99
	F	47	37	53	84	84	57	166	259	162	43	368	320	35	107	61	91	171
85—	M	19	19	14	32	14	25	59	59	52	12	84	78	12	36	22	28	43
	F	42	33	27	89	42	48	102	169	80	34	236	206	22	83	31	72	101

TABLE 20—*contd.*—COUNTY BOROUGHS.

Age.	Sex.	Oldham.	Oxford.	Plymouth.	Portsmouth.	Preston.	Reading.	Rochdale.	Rotherham.	St. Helens.	Salford.	Sheffield.	Smethwick.	Southampton.	Southend-on-Sea.	Southport.	Shouth Shields.	Stockport.
All Ages ..	M	1003	439	1327	1552	811	693	671	461	823	1575	3191	485	1106	705	517	822	855
	F	1044	486	1390	1573	766	665	700	374	680	1434	2929	434	1029	854	672	736	903
Under 4 weeks	M	43	12	63	55	49	34	24	38	60	69	139	24	51	18	20	51	39
	F	22	9	44	46	24	25	22	14	28	55	84	16	37	16	7	28	39
4 weeks–3 months	M	10	4	23	17	21	7	7	10	23	38	46	5	16	3	3	13	10
	F	8	1	13	10	12	2	7	5	15	17	23	4	14	1	3	13	4
3–6 months	M	8	1	10	15	11	10	10	8	21	19	48	9	18	8	3	16	13
	F	6	3	5	14	5	1	4	6	14	15	23	4	10	3	3	13	5
6–12 months	M	10	4	16	27	16	5	9	11	39	27	51	8	12	5	4	27	14
	F	12	3	13	19	14	3	10	7	24	24	41	6	10	3	2	21	5
Total under 1 year	M	71	21	112	114	97	56	50	67	143	153	284	46	97	34	30	107	76
	F	48	16	75	89	55	31	43	32	81	111	171	30	71	23	15	75	53
1—	M	12	5	24	28	14	8	5	11	41	29	45	5	10	5	3	37	9
	F	14	3	25	23	15	5	4	7	33	26	41	5	17	2	5	22	9
2—	M	7	2	11	11	6	6	4	6	15	16	25	4	6	1	—	14	5
	F	7	5	7	15	1	1	3	1	17	10	15	3	4	1	2	13	4
3—	M	4	2	11	7	4	2	—	2	11	9	15	2	5	1	1	10	1
	F	8	1	2	7	3	3	3	7	7	11	9	3	2	1	2	7	7
4—	M	4	1	3	7	2	1	2	3	4	12	9	1	1	2	1	3	5
	F	1	2	8	5	—	1	7	1	6	8	18	3	2	2	2	2	3
Total under 5 years	M	98	31	161	167	123	73	61	89	214	219	378	58	119	43	35	171	96
	F	78	27	117	139	74	41	60	48	144	166	254	44	96	29	26	119	76
5—	M	10	4	20	25	14	11	9	8	23	27	32	5	16	7	1	27	11
	F	15	5	20	22	8	6	7	5	14	17	52	8	16	6	3	16	14
10—	M	5	2	14	16	5	6	7	3	16	14	29	6	11	4	2	12	9
	F	5	6	15	16	5	3	8	5	9	17	29	1	7	8	3	16	8
15—	M	16	7	21	25	11	13	17	6	16	30	48	5	14	6	2	24	9
	F	18	8	10	16	10	10	9	6	16	29	46	6	14	7	9	14	10
20—	M	25	13	34	31	12	11	15	9	19	44	81	14	27	8	4	33	13
	F	19	9	42	25	20	10	13	8	15	42	57	5	17	15	4	30	16
25—	M	17	13	26	34	12	17	11	9	19	27	67	6	19	7	12	23	11
	F	18	9	20	38	12	6	5	5	12	45	61	12	15	17	8	18	20
30—	M	28	16	25	31	21	12	21	6	17	41	86	15	29	11	13	27	15
	F	27	15	30	23	20	12	20	9	20	29	67	7	28	19	16	19	17
35—	M	40	7	34	33	17	16	20	12	28	53	82	15	28	20	16	31	20
	F	45	11	32	41	29	17	16	8	22	48	88	10	23	17	16	21	23
40—	M	36	15	52	53	33	20	31	14	38	86	102	20	34	26	17	33	43
	F	39	11	37	48	26	24	20	17	27	54	91	13	30	28	19	29	30
45—	M	74	22	60	82	46	32	34	23	39	98	167	26	53	32	23	26	43
	F	46	17	65	65	35	33	26	19	28	58	114	20	49	45	26	39	35
50—	M	76	27	84	94	51	34	41	21	40	131	233	29	73	35	24	40	67
	F	49	14	76	90	38	30	35	26	40	82	180	27	54	47	25	36	50
55—	M	101	39	114	130	68	52	68	40	50	157	308	36	92	60	40	61	86
	F	91	32	97	118	52	30	52	33	41	115	239	31	64	45	48	47	81
60—	M	127	35	113	147	85	72	93	52	57	154	362	50	119	77	49	57	107
	F	115	41	114	118	79	56	82	30	52	122	278	39	79	75	61	67	77
65—	M	115	47	151	171	97	88	75	44	61	145	380	62	115	95	65	60	93
	F	122	42	139	143	80	62	77	28	57	145	319	51	117	81	70	64	109
70—	M	101	58	153	188	106	86	68	50	88	156	334	43	118	90	83	68	108
	F	144	59	182	151	104	98	106	40	74	189	341	45	120	113	95	80	108
75—	M	75	35	128	158	65	72	73	41	57	123	265	46	130	66	57	64	77
	F	119	55	166	207	87	75	92	40	49	141	342	45	116	130	107	61	118
80—	M	45	38	86	118	29	50	21	25	30	58	159	35	68	79	47	44	36
	F	64	71	110	183	60	83	48	30	44	97	254	46	96	97	70	36	80
85—	M	14	30	51	49	16	28	6	9	11	12	78	14	41	39	27	21	11
	F	30	54	118	130	27	69	24	17	16	38	117	24	88	75	66	24	31

TABLE 20—*contd.*—COUNTY BOROUGHS.

Age.	Sex.	Stoke-on-Trent.	Sunderland.	Tynemouth.	Wakefield.	Wallasey.	Walsall.	Warrington.	West Bromwich.	West Ham.	West Hartlepool.	Wigan.	Wolverhampton.	Worcester.	York.	Cardiff.	Merthyr Tydfil.	Newport (Mon.)	Swansea.
All Ages ..	M	1851	1279	466	420	612	671	562	531	1843	468	624	780	317	479	1629	528	605	1161
	F	1723	1260	411	372	692	616	445	447	1494	425	601	770	376	532	1384	443	563	1011
Under 4 weeks	M	122	78	23	25	20	54	37	27	67	18	27	43	9	15	50	20	42	57
	F	88	67	16	16	21	32	18	28	47	31	28	28	13	15	70	15	33	37
4 weeks–3 months	M	30	19	7	4	6	15	11	14	26	4	15	18	3	9	35	6	5	19
	F	26	20	10	3	1	8	5	12	17	7	10	9	7	5	13	11	12	18
3–6 months	M	35	35	12	4	5	13	8	12	25	14	18	13	1	6	25	10	9	22
	F	25	25	12	4	4	11	—	7	21	7	11	9	1	7	12	6	8	12
6–12 months	M	38	44	11	9	3	20	8	22	46	12	31	24	4	8	37	15	10	18
	F	32	43	5	2	8	14	8	20	35	6	16	17	7	5	23	9	14	15
Total under 1 year	M	225	176	53	42	34	102	64	75	164	48	91	98	17	38	147	51	66	116
	F	171	155	43	25	34	65	31	67	120	51	65	63	28	32	118	41	67	82
1—	M	45	47	15	9	10	18	13	27	30	22	15	17	6	11	33	11	16	23
	F	31	32	15	8	11	14	8	20	30	18	20	19	1	6	35	20	13	23
2—	M	10	22	3	5	5	9	7	6	18	6	6	3	1	2	26	6	7	14
	F	11	13	5	7	4	3	3	5	18	5	6	13	2	6	19	6	6	9
3—	M	11	10	3	4	—	2	3	7	6	3	4	5	2	2	11	3	8	5
	F	11	15	4	4	4	1	3	5	16	4	5	6	2	3	6	6	7	3
4—	M	11	13	1	1	2	—	2	2	9	9	2	4	2	3	12	8	1	8
	F	3	8	—	3	2	3	1	3	17	7	—	5	—	2	7	6	2	6
Total under 5 years	M	302	268	75	61	51	131	89	117	227	88	118	127	28	56	229	79	98	166
	F	227	223	67	47	55	86	46	100	201	85	96	106	33	49	185	79	95	123
5—	M	23	29	4	17	10	5	13	11	36	10	13	11	2	8	23	15	13	14
	F	20	27	7	14	12	9	12	9	30	8	15	11	3	10	27	17	15	13
10—	M	24	24	4	5	9	5	12	5	21	10	8	14	3	5	14	7	5	10
	F	21	27	2	2	6	8	5	9	18	10	4	5	5	3	18	6	7	10
15—	M	35	30	7	5	8	13	14	8	46	9	12	12	3	4	21	17	6	32
	F	43	30	12	2	7	15	11	7	35	4	9	14	5	6	34	16	12	17
20—	M	43	37	10	7	14	15	17	16	48	8	20	17	10	9	38	12	16	26
	F	59	26	5	10	8	15	11	12	41	5	13	13	5	9	34	12	11	26
25—	M	45	32	14	10	18	18	12	10	46	11	20	18	10	11	35	16	9	29
	F	49	26	10	10	7	17	17	10	35	11	19	17	7	11	36	15	11	31
30—	M	49	33	14	10	11	10	13	14	51	12	15	23	6	9	52	13	12	29
	F	40	39	10	8	15	22	14	9	41	11	21	28	2	11	31	12	14	19
35—	M	58	28	15	21	11	16	26	11	57	8	16	16	5	11	47	13	21	34
	F	50	40	13	14	15	18	19	15	38	9	26	17	13	13	36	9	11	28
40—	M	81	48	28	12	19	22	21	19	63	19	28	29	10	16	66	19	23	43
	F	72	46	18	14	22	22	14	14	47	13	24	12	12	13	59	13	19	44
45—	M	104	57	12	21	30	32	28	26	91	29	32	37	11	14	73	28	35	80
	F	78	44	13	11	25	36	20	20	58	21	19	28	15	25	47	14	20	49
50—	M	132	69	19	32	36	39	36	37	106	31	40	41	16	30	104	38	47	75
	F	99	56	22	28	34	31	23	17	74	17	28	28	22	18	69	24	33	45
55—	M	164	83	36	39	46	43	56	40	171	38	58	58	25	37	140	40	51	94
	F	113	71	23	24	46	34	27	26	84	26	42	56	22	43	92	31	32	73
60—	M	191	106	47	35	62	52	49	37	200	39	53	66	26	47	155	58	49	103
	F	145	90	32	21	54	36	29	30	119	37	52	59	24	42	89	30	39	99
65—	M	197	119	54	39	75	75	60	56	193	51	58	87	39	66	173	52	61	126
	F	179	89	36	45	76	58	48	39	133	38	58	68	39	44	142	48	52	75
70—	M	198	132	46	44	68	86	45	37	165	50	71	87	44	57	189	52	53	130
	F	201	132	44	46	91	76	58	37	168	47	68	91	42	65	170	50	60	114
75—	M	124	102	39	32	76	68	38	45	178	28	42	74	28	46	142	43	47	89
	F	162	146	41	32	87	63	49	42	167	43	60	93	62	87	145	27	57	125
80—	M	56	60	28	25	49	26	24	29	93	16	15	46	29	33	81	21	41	56
	F	108	96	35	30	82	43	25	33	129	24	34	66	34	50	91	26	49	76
85—	M	25	22	14	5	19	15	9	13	51	11	5	17	22	20	47	5	18	25
	F	57	52	21	14	50	27	17	18	76	16	13	58	31	33	79	14	26	44

TABLE 20—*contd.*—URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES.

Age.	Sex.	Bedfordshire.		Berkshire.		Buckinghamshire.		Cambridgeshire.		Cheshire.		Cornwall.		Cumberland.		Derbyshire.	
		U	R	U	R	U	R	U	R	U	R	U	R	U	R	U	R
All Ages ..	M	788	463	455	871	715	896	420	460	2996	1150	1003	1109	815	610	1835	1751
	F	925	440	502	850	693	845	454	513	3063	1044	1199	1187	760	621	1759	1543
Under 4 weeks	M	28	19	25	29	23	35	13	17	129	53	37	33	38	29	87	77
	F	20	15	14	19	17	17	8	12	89	39	26	26	20	29	80	55
4 weeks–3 months	M	13	—	2	8	10	12	3	1	21	12	11	14	21	11	24	28
	F	4	2	4	5	4	5	2	1	20	9	6	5	10	9	17	34
3–6 months	M	3	7	4	6	5	6	2	1	25	8	3	5	6	4	24	17
	F	5	4	4	5	3	2	3	3	16	1	5	5	8	3	13	14
6–12 months	M	5	2	5	10	10	6	3	9	32	10	14	14	17	4	38	28
	F	4	2	6	4	6	9	2	3	25	4	4	10	15	5	26	30
Total under 1 year	M	49	28	36	53	48	59	21	28	207	83	65	66	82	48	173	150
	F	33	23	28	33	30	33	15	19	150	53	41	46	53	46	136	133
1—	M	3	2	—	12	8	5	3	5	35	8	8	11	13	8	41	36
	F	9	4	3	6	5	7	1	4	27	9	9	5	16	4	28	19
2—	M	5	—	1	5	4	6	3	4	18	5	3	4	7	6	23	9
	F	5	4	2	4	1	3	—	1	14	6	3	1	6	7	13	11
3—	M	1	4	3	1	1	2	—	2	10	6	1	1	2	3	12	5
	F	1	2	—	2	—	3	2	—	17	4	4	4	4	—	10	6
4—	M	1	2	2	4	3	5	1	—	13	1	2	1	8	—	6	7
	F	1	—	2	4	3	4	1	—	12	3	1	—	2	2	4	2
Total under 5 years	M	59	36	42	75	64	77	28	39	283	103	79	83	112	65	255	207
	F	49	33	35	49	39	50	19	24	220	75	58	56	81	59	191	171
5—	M	9	5	5	12	7	7	2	3	34	18	5	10	9	6	20	26
	F	7	4	1	9	4	7	5	4	42	5	11	8	10	4	33	18
10—	M	14	2	1	12	10	8	—	5	36	14	9	9	10	7	23	25
	F	6	5	3	8	6	7	5	4	19	6	8	5	16	4	17	15
15—	M	13	3	3	12	9	12	5	5	37	16	12	10	17	10	42	37
	F	6	3	2	8	6	7	5	5	33	14	9	15	22	8	29	17
20—	M	18	7	7	20	14	11	8	5	48	24	13	26	21	7	50	40
	F	22	10	6	15	12	12	6	10	53	15	21	20	23	13	34	27
25—	M	25	8	8	20	25	15	8	3	69	24	19	30	18	15	37	39
	F	20	5	7	15	20	15	8	9	65	16	17	30	21	15	27	38
30—	M	15	10	9	22	15	21	9	5	57	44	22	11	23	14	48	35
	F	23	7	5	19	18	14	6	10	76	24	13	17	17	9	42	39
35—	M	25	13	8	18	14	20	11	8	73	24	15	26	25	11	52	45
	F	26	14	9	15	19	13	10	15	89	24	23	26	20	22	41	42
40—	M	37	11	18	24	19	25	15	9	117	33	30	21	22	18	49	52
	F	30	7	14	17	28	24	20	10	101	32	26	28	24	14	46	57
45—	M	34	17	9	31	25	30	20	10	153	52	42	35	34	18	76	76
	F	34	15	14	30	27	32	18	15	119	35	38	36	26	26	85	55
50—	M	50	17	25	39	53	35	29	12	226	51	57	41	49	24	114	83
	F	48	18	18	38	29	44	26	21	165	53	43	38	37	21	89	76
55—	M	54	29	26	47	55	60	25	23	254	81	55	74	63	38	148	135
	F	55	17	30	60	50	58	29	25	214	53	64	59	46	33	116	110
60—	M	77	37	40	67	74	73	38	43	333	111	108	83	64	59	171	143
	F	72	37	43	64	53	61	31	38	288	92	98	85	60	37	160	126
65—	M	84	51	57	88	79	114	47	55	332	125	115	125	79	69	181	192
	F	94	48	55	78	66	95	49	47	343	134	121	139	73	88	177	176
70—	M	103	65	67	123	79	125	56	77	349	141	152	159	102	78	208	223
	F	123	50	52	108	84	109	50	61	396	144	194	163	105	73	224	180
75—	M	99	67	65	117	92	121	53	61	339	140	121	165	85	80	189	191
	F	113	56	64	100	94	119	56	75	391	143	183	161	92	80	192	168
80—	M	46	55	34	83	58	88	43	58	166	90	91	124	61	52	119	141
	F	118	64	83	113	71	88	54	73	278	106	150	167	54	80	158	137
85—	M	26	30	31	61	23	54	23	39	90	59	58	77	21	39	53	61
	F	79	47	61	104	67	90	57	67	171	73	122	134	33	35	98	91

TABLE 20—*contd.*—URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES.

Age.	Sex.	Devonshire.		Dorsetshire.		Durham.		Ely, Isle of.		Essex.		Gloucestershire.		Herefordshire.		Hertfordshire.	
		U	R	U	R	U	R	U	R	U	R	U	R	U	R	U	R
All Ages ..	M	1458	1470	819	598	3416	2378	284	186	4722	1729	759	1363	277	452	1602	714
	F	1728	1409	853	603	2912	2072	310	193	4661	1681	923	1405	308	438	1582	653
Under 4 weeks	M	37	59	36	23	212	164	11	7	233	67	25	45	8	12	65	16
	F	26	46	16	24	169	123	9	9	160	49	23	46	12	17	56	16
4 weeks–3 months	M	13	5	1	5	82	43	—	3	54	21	5	10	5	9	10	9
	F	7	4	3	5	33	38	4	3	37	8	2	13	2	3	5	6
3–6 months	M	6	5	7	3	54	47	4	2	46	9	5	7	3	1	9	3
	F	6	5	1	4	46	31	4	6	45	8	5	6	1	—	10	1
6–12 months	M	8	12	6	7	100	63	4	8	58	18	5	11	2	6	11	10
	F	7	7	7	2	68	47	—	—	47	18	4	5	3	1	13	3
Total under 1 year	M	64	81	50	38	448	317	19	20	391	115	40	73	18	28	95	38
	F	46	62	27	35	316	239	17	18	289	83	34	70	18	21	84	26
1—	M	8	9	6	9	102	64	3	3	58	15	4	11	5	4	15	7
	F	7	9	5	5	76	50	5	2	47	14	3	10	4	2	10	4
2—	M	3	7	4	4	46	24	1	1	26	12	4	8	4	4	9	4
	F	8	8	3	2	32	29	—	—	27	3	7	8	1	—	10	2
3—	M	4	8	4	—	19	20	1	—	18	2	2	4	—	1	7	3
	F	5	3	2	1	20	19	—	—	22	1	—	3	2	1	4	4
4—	M	—	3	1	—	27	15	1	1	16	3	2	4	2	—	5	4
	F	4	5	1	—	20	10	1	—	20	6	1	1	—	—	2	2
Total under 5 years	M	79	108	65	51	642	440	25	25	509	147	52	100	29	37	131	56
	F	70	87	38	43	464	347	23	20	405	107	45	92	25	24	110	38
5—	M	11	10	12	2	78	38	6	1	66	14	5	8	5	6	33	8
	F	19	11	6	6	79	41	10	3	65	11	3	7	2	1	21	6
10—	M	5	12	8	7	53	39	6	2	55	9	2	10	3	3	16	8
	F	14	6	7	3	43	26	5	3	40	15	8	12	2	3	12	8
15—	M	24	20	5	9	82	60	3	6	83	20	7	19	6	7	19	8
	F	13	9	12	—	68	41	4	4	70	19	9	13	2	9	15	6
20—	M	31	33	19	9	88	74	8	3	117	22	11	25	7	10	31	11
	F	32	15	11	8	82	75	6	5	96	18	17	24	2	7	25	13
25—	M	25	28	15	3	93	61	7	3	105	28	11	20	5	7	36	17
	F	30	37	16	7	69	62	8	2	117	31	19	24	8	11	35	19
30—	M	27	30	11	9	88	49	5	2	138	37	22	36	3	6	34	16
	F	19	26	13	8	90	63	7	4	133	34	17	27	8	15	39	10
35—	M	26	36	20	15	92	51	5	5	141	39	20	31	6	10	43	10
	F	31	18	15	15	104	63	7	5	136	37	16	24	4	8	36	16
40—	M	38	30	22	15	119	92	6	4	182	50	24	38	6	8	51	24
	F	37	39	33	16	114	69	7	3	143	40	22	34	5	9	33	18
45—	M	61	45	34	14	150	99	13	7	237	61	33	50	9	16	77	29
	F	68	42	33	22	145	78	7	9	177	65	26	48	8	14	55	24
50—	M	63	67	43	27	170	97	11	8	279	90	39	67	14	20	108	31
	F	74	70	24	31	139	107	15	6	225	87	34	50	14	24	80	39
55—	M	92	100	44	30	239	121	24	14	383	111	65	86	23	32	133	68
	F	109	83	58	21	179	130	20	9	277	91	50	81	13	29	82	38
60—	M	149	126	77	44	261	201	22	13	450	162	67	107	20	42	136	65
	F	128	98	61	42	214	183	8	21	376	130	76	106	15	31	139	48
65—	M	183	178	96	73	346	248	30	17	512	205	89	195	43	50	160	74
	F	179	147	96	70	297	196	30	20	450	178	95	135	27	43	163	54
70—	M	170	193	110	81	368	262	36	37	525	222	91	188	33	60	185	80
	F	237	178	110	69	262	202	37	19	547	212	121	192	38	53	180	82
75—	M	202	200	127	93	294	241	35	20	468	215	110	177	29	64	189	88
	F	255	193	120	81	269	206	42	21	550	213	135	202	62	48	222	84
80—	M	142	147	62	70	190	142	21	11	290	172	69	124	26	47	137	73
	F	214	170	106	85	184	109	38	20	472	202	121	189	42	62	195	83
85—	M	130	107	49	46	63	63	21	8	182	125	42	82	10	27	83	48
	F	199	180	94	76	110	74	36	19	382	191	109	145	31	47	140	67

TABLE 20—*contd.*—URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES.

Age.	Sex.	Huntingdonshire.		Kent.		Lancashire.		Leicestershire.		Lincolnshire, Parts of Holland.		Lincolnshire: Parts of Kesteven.		Lincolnshire: Parts of Lindsey.		Middlesex.	
		U	R	U	R	U	R	U	R	U	R	U	R	U	R	U	R
All Ages ..	M	176	173	5213	2140	10199	1501	726	1081	209	298	252	426	791	842	8097	235
	F	158	203	5232	2015	10455	1527	709	988	246	379	288	418	768	810	8481	253
Under 4 weeks	M	8	7	195	86	422	76	30	43	9	19	10	8	36	56	375	18
	F	9	7	134	61	328	39	34	29	4	10	7	10	19	21	261	11
4 weeks–3 months	M	1	—	54	19	129	21	10	10	5	5	6	3	8	11	108	2
	F	2	1	35	14	91	13	1	9	2	5	—	4	7	3	75	3
3–6 months	M	2	—	48	16	100	9	8	16	1	4	1	3	6	5	73	3
	F	1	—	22	11	74	7	4	1	2	2	1	4	4	3	60	2
6–12 months	M	4	—	61	23	137	23	8	14	3	1	8	6	12	11	105	3
	F	2	1	47	18	130	8	12	12	3	5	—	7	8	2	71	2
Total under 1 year	M	15	7	358	144	788	129	56	83	18	29	25	20	62	83	661	26
	F	14	9	238	104	623	67	51	51	11	22	8	25	38	29	467	18
1—	M	2	1	57	16	158	18	9	15	4	4	2	9	12	10	112	2
	F	1	3	34	19	142	11	5	18	4	4	1	4	12	14	71	3
2—	M	3	1	25	14	81	6	3	9	3	2	—	—	10	8	49	1
	F	—	—	21	9	61	10	5	9	2	5	2	—	7	5	50	1
3—	M	1	—	19	13	43	6	2	10	—	3	1	1	3	1	29	4
	F	—	1	10	9	57	6	5	4	1	2	2	4	2	4	32	—
4—	M	1	—	15	6	43	6	—	4	—	3	—	1	5	1	38	4
	F	—	—	15	5	47	2	1	5	1	—	—	—	—	2	19	1
Total under 5 years	M	22	9	474	193	1113	165	70	121	25	41	28	31	92	103	889	37
	F	15	13	318	146	930	96	67	87	19	33	13	33	59	54	639	23
5—	M	1	1	59	24	147	20	7	10	3	4	3	4	18	11	105	5
	F	2	1	60	20	126	9	11	16	3	5	2	6	10	11	101	1
10—	M	3	1	59	19	111	15	7	9	2	4	—	3	6	6	82	4
	F	—	2	32	9	113	12	2	8	2	7	2	8	9	13	69	1
15—	M	—	1	71	27	162	29	12	13	5	8	2	8	19	14	124	5
	F	3	2	62	18	130	22	7	17	1	4	2	5	10	9	112	1
20—	M	3	4	102	51	213	32	18	28	4	8	6	14	22	14	191	4
	F	4	1	89	31	209	27	18	25	4	8	4	11	19	22	189	3
25—	M	6	3	108	38	216	26	13	27	3	9	3	7	17	13	221	14
	F	2	3	89	35	248	27	17	19	9	10	5	8	20	16	256	14
30—	M	3	2	107	54	217	34	11	28	3	8	5	11	7	11	233	3
	F	3	9	103	44	231	29	23	18	5	6	2	10	12	15	186	7
35—	M	6	5	124	45	280	40	11	33	5	5	5	10	22	12	225	6
	F	1	6	127	49	281	46	18	36	5	16	5	14	22	22	262	13
40—	M	1	3	163	67	327	46	27	34	6	2	5	9	18	22	290	10
	F	1	3	152	56	350	40	20	33	10	12	4	13	22	18	285	10
45—	M	4	7	245	82	513	69	32	34	6	11	5	14	33	22	407	9
	F	4	3	188	80	445	68	30	37	10	17	12	6	41	27	332	11
50—	M	11	8	323	99	710	72	50	60	9	11	14	19	52	34	554	12
	F	13	7	248	97	617	93	30	47	14	21	17	23	36	33	469	7
55—	M	10	6	390	143	857	103	57	67	17	19	26	23	68	51	668	20
	F	13	10	329	132	801	106	46	62	19	23	26	13	57	37	528	15
60—	M	13	13	442	173	1091	119	81	97	18	14	14	37	60	63	759	20
	F	11	14	392	168	932	153	50	67	19	16	20	27	70	45	665	11
65—	M	25	22	547	216	1232	209	87	112	17	34	28	42	74	81	884	17
	F	15	19	502	200	1222	159	63	88	18	29	21	34	93	77	810	29
70—	M	21	27	649	279	1260	190	78	136	32	26	40	54	102	110	852	25
	F	24	26	651	232	1387	211	104	115	22	41	29	38	73	104	972	24
75—	M	24	27	613	292	1015	169	89	117	22	41	22	64	92	125	785	21
	F	18	29	713	245	1242	203	89	116	38	53	48	68	97	117	1003	42
80—	M	18	21	444	189	523	116	54	96	16	32	28	53	61	93	506	13
	F	14	30	631	231	794	138	58	120	27	38	35	55	64	100	933	23
85—	M	5	13	293	149	212	47	22	59	16	21	18	23	28	57	322	10
	F	15	25	546	222	397	88	56	77	21	40	41	46	54	90	670	18

TABLE 20—*contd.*—URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES.

Age.	Sex.	Norfolk.		Northampton-shire.		Northumber-land.		Nottingham-shire.		Oxfordshire.		Peterborough, Soke of.		Rutland-shire.		Shropshire.	
		U	R	U	R	U	R	U	R	U	R	U	R	U	R	U	R
All Ages ..	M	377	1715	596	713	1954	599	1527	1000	221	563	269	65	29	108	761	840
	F	418	1679	566	667	1726	614	1467	915	261	603	305	66	22	105	791	808
Under 4 weeks	M	17	66	16	25	109	28	93	62	9	21	7	3	2	5	34	36
	F	11	59	11	20	66	20	54	43	8	8	6	1	—	1	28	32
4 weeks–3 months	M	—	17	6	6	37	6	33	14	3	4	5	1	—	2	6	10
	F	1	13	4	7	21	5	18	10	—	2	2	1	—	—	2	4
3–6 months	M	3	16	6	2	33	1	13	9	—	3	2	—	—	—	7	4
	F	2	10	—	1	31	4	16	11	2	4	1	2	—	—	5	2
6–12 months	M	5	18	3	2	39	8	45	19	—	7	1	2	1	1	6	8
	F	2	11	—	3	38	6	27	6	—	5	—	—	—	—	8	5
Total under 1 year	M	25	117	31	35	218	43	184	104	12	35	15	6	3	8	53	58
	F	16	93	15	31	156	35	115	70	10	19	9	4	—	1	43	43
1—	M	4	19	7	4	56	5	29	13	—	2	3	—	1	—	8	9
	F	4	16	6	4	40	4	31	16	2	3	2	1	—	2	5	7
2—	M	4	7	—	1	19	2	15	5	—	—	2	—	—	1	2	8
	F	2	15	5	2	11	1	9	11	3	1	3	—	—	—	4	2
3—	M	—	6	—	1	8	—	5	7	—	5	—	2	—	1	2	6
	F	—	6	—	2	11	4	4	6	—	2	2	—	—	1	1	2
4—	M	3	9	2	2	8	—	5	2	2	2	—	—	—	—	3	4
	F	1	5	1	—	10	3	3	2	1	—	—	—	—	—	3	1
Total under 5 years	M	36	158	40	43	309	50	238	131	14	44	20	8	4	10	68	85
	F	23	135	27	39	228	47	162	105	16	25	16	5	—	4	56	55
5—	M	6	17	8	6	29	8	21	18	2	4	5	2	—	—	7	7
	F	2	13	5	3	28	5	26	18	2	3	—	1	1	—	11	9
10—	M	1	13	6	4	26	8	13	14	—	3	2	1	—	3	6	11
	F	1	7	2	5	20	5	12	12	—	1	1	—	—	1	4	8
15—	M	2	16	6	10	40	13	22	19	5	7	3	1	1	3	9	11
	F	3	13	11	8	30	8	25	17	3	6	4	1	—	—	7	8
20—	M	6	19	22	7	50	12	35	34	7	13	7	5	—	3	20	15
	F	3	13	12	14	43	11	40	16	2	4	7	—	—	3	7	15
25—	M	11	20	15	12	42	16	37	22	4	10	4	1	1	—	16	16
	F	11	27	14	14	53	10	26	29	4	7	2	3	1	1	14	13
30—	M	7	34	22	14	71	13	42	24	4	10	8	—	—	2	18	19
	F	3	27	14	11	50	8	42	27	9	7	4	1	—	1	19	9
35—	M	7	25	13	11	40	9	37	29	8	15	9	—	—	2	11	21
	F	9	27	19	13	44	15	48	23	3	21	7	2	—	4	13	28
40—	M	13	40	15	20	62	15	41	37	5	10	7	—	1	3	20	25
	F	13	35	17	9	71	12	52	29	3	17	8	2	1	2	18	17
45—	M	11	56	21	25	66	28	74	48	9	21	12	4	—	2	37	32
	F	18	57	26	28	73	26	56	36	9	32	15	—	—	5	31	33
50—	M	21	64	28	32	112	35	79	52	13	32	13	3	2	4	55	24
	F	24	61	33	27	97	30	88	45	8	35	13	3	—	3	33	27
55—	M	28	83	31	53	139	32	130	60	10	33	19	6	1	7	51	42
	F	21	84	45	31	128	42	96	52	24	32	19	3	1	6	62	50
60—	M	26	125	59	45	185	45	136	77	22	49	22	4	3	8	82	76
	F	29	109	50	53	134	50	124	76	22	40	30	5	2	7	48	74
65—	M	42	167	70	83	209	67	169	82	24	61	33	6	2	14	77	92
	F	46	142	65	69	152	70	134	80	24	54	32	4	4	12	79	78
70—	M	44	228	80	94	216	84	151	99	34	81	30	8	4	17	102	113
	F	43	210	69	86	203	93	162	96	39	77	34	9	2	11	104	115
75—	M	51	273	81	102	190	76	150	105	26	57	35	4	3	16	94	111
	F	57	258	81	92	191	82	182	82	35	91	46	8	5	15	109	100
80—	M	29	221	57	89	119	45	84	85	20	71	25	5	5	11	61	82
	F	56	239	50	85	111	55	112	102	30	86	38	10	3	17	93	93
85—	M	36	156	22	63	49	43	68	64	14	42	15	7	2	3	27	58
	F	56	222	26	80	70	45	80	70	28	65	29	9	2	13	83	76

TABLE 20—*contd.*—URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES.

Age.	Sex.	Somerset-shire.		Southamp-ton.		Stafford-shire.		Suffolk, East.		Suffolk, West.		Surrey.		Sussex, East.		Sussex, West.	
		U	R	U	R	U	R	U	R	U	R	U	R	U	R	U	R
All Ages ..	M	1085	1460	1535	1217	2984	1229	503	714	257	437	4234	780	917	847	764	680
	F	1251	1386	1498	1163	2713	1187	554	709	292	442	4422	766	1173	783	916	603
Under 4 weeks	M	40	44	76	59	152	70	17	29	15	18	148	29	29	18	31	30
	F	29	31	46	45	110	66	15	15	4	10	125	16	24	17	13	12
4 weeks–3 months	M	10	8	18	9	53	12	4	4	1	2	45	2	8	5	7	8
	F	4	13	12	5	39	21	1	2	1	5	29	5	5	6	5	5
3–6 months	M	5	12	9	12	45	8	2	2	2	1	41	5	6	2	3	1
	F	5	5	8	9	38	9	5	3	2	—	17	4	2	1	4	3
6–12 months	M	9	13	22	12	84	10	6	8	1	—	48	5	8	5	5	4
	F	3	14	16	8	63	16	5	6	1	1	22	6	5	8	6	4
Total under 1 year	M	64	77	125	92	334	100	29	43	19	21	282	41	51	30	46	43
	F	41	63	82	67	250	112	26	26	8	16	193	31	36	32	28	24
1—	M	12	7	21	10	72	19	1	9	1	3	36	7	7	5	7	6
	F	4	13	14	13	58	18	2	5	—	3	34	8	5	5	1	8
2—	M	6	8	13	2	33	13	2	2	—	2	23	5	6	4	2	3
	F	3	7	10	4	31	8	3	1	1	—	19	2	3	—	4	5
3—	M	1	13	6	5	17	7	2	4	3	—	16	1	3	3	2	3
	F	4	3	5	5	15	3	—	3	—	—	17	7	1	1	1	1
4—	M	2	4	5	1	17	3	—	1	—	1	24	3	1	4	1	6
	F	5	3	4	3	13	4	—	3	—	2	11	1	—	1	—	2
Total under 5 years	M	85	109	170	110	473	142	34	59	23	27	381	57	68	46	58	61
	F	57	89	115	92	367	145	31	38	9	21	274	49	45	39	34	40
5—	M	6	7	20	8	54	19	9	6	3	3	58	10	8	11	11	5
	F	8	12	20	12	46	20	4	5	1	2	45	7	8	3	8	7
10—	M	11	13	7	10	38	17	2	7	4	—	48	4	5	8	5	3
	F	4	10	7	13	40	10	3	7	3	5	31	6	5	6	3	1
15—	M	12	22	26	18	63	23	6	8	—	5	65	8	10	9	8	15
	F	10	9	20	14	64	22	6	9	1	3	51	6	8	4	3	3
20—	M	11	32	35	37	64	32	13	7	2	8	103	12	12	17	11	18
	F	23	14	23	15	70	25	3	11	5	4	89	9	12	9	10	12
25—	M	19	30	28	36	86	32	7	15	9	5	110	7	15	11	14	8
	F	22	28	30	20	76	30	11	9	2	2	109	15	14	11	17	6
30—	M	11	17	36	28	90	30	11	19	2	9	96	12	17	20	15	8
	F	16	20	40	25	60	36	7	13	3	10	76	14	8	13	15	15
35—	M	27	25	36	28	90	32	10	14	1	6	99	13	20	12	17	16
	F	25	32	38	17	75	25	11	16	10	6	117	17	24	22	18	9
40—	M	42	35	41	39	94	36	25	15	6	10	146	16	28	19	20	17
	F	30	44	40	36	65	31	16	16	9	13	144	21	24	17	22	17
45—	M	40	52	66	36	136	49	26	20	5	13	199	38	23	28	19	37
	F	45	31	57	46	104	44	18	27	6	14	189	24	33	32	22	24
50—	M	44	82	80	58	187	58	33	27	10	13	248	36	47	55	41	32
	F	49	67	81	47	140	54	32	36	8	10	228	31	49	39	33	33
55—	M	74	110	118	65	203	81	31	34	25	25	335	56	63	65	53	42
	F	61	85	80	69	164	66	31	34	15	18	244	48	76	42	55	32
60—	M	94	118	139	102	266	111	30	64	26	40	404	77	83	63	68	54
	F	79	122	111	111	202	83	37	54	18	39	334	65	101	60	84	49
65—	M	116	169	173	141	299	133	51	79	38	42	440	88	106	92	84	79
	F	136	117	137	107	271	117	54	65	29	52	425	74	115	88	105	64
70—	M	187	188	177	149	342	142	63	113	32	64	525	125	123	109	116	83
	F	185	167	174	140	307	143	61	92	33	50	552	106	165	112	121	69
75—	M	143	192	176	157	274	137	71	109	31	71	449	97	138	117	104	85
	F	194	184	195	131	326	144	88	105	43	72	558	93	178	94	133	83
80—	M	109	151	130	125	154	103	46	74	24	57	326	77	86	90	75	82
	F	166	201	171	144	193	107	81	97	49	59	507	97	171	109	108	67
85—	M	54	108	77	70	71	52	35	44	16	39	202	47	65	75	45	35
	F	141	154	159	124	143	85	60	75	48	62	449	84	137	83	125	72

TABLE 20—*contd.*—URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES.

Age.	Sex.	Warwickshire.		Westmorland.		Wight, Isle of.		Wiltshire.		Worcestershire.		Yorkshire, East Riding.		Yorkshire. North Riding.	
		U	R	U	R	U	R	U	R	U	R	U	R	U	R
All Ages ..	M	1223	807	218	245	439	142	878	945	1317	656	489	578	1204	906
	F	1308	800	231	243	504	133	890	930	1266	560	522	547	1165	818
Under 4 weeks	M	45	30	18	13	12	—	27	43	64	21	20	29	53	40
	F	42	31	4	7	7	2	25	42	47	18	8	22	37	24
4 weeks–3 months	M	15	15	2	3	1	—	16	10	21	11	2	9	13	7
	F	15	6	—	3	2	—	3	8	15	4	2	4	8	8
3–6 months	M	9	9	1	1	2	1	10	8	11	1	4	7	15	6
	F	4	7	1	1	—	—	—	7	12	2	3	3	9	5
6–12 months	M	13	15	3	2	1	3	6	8	29	5	5	8	16	12
	F	9	6	3	1	3	—	6	8	20	6	8	8	14	6
Total under 1 year	M	82	69	24	19	16	4	59	69	125	38	31	53	97	65
	F	70	50	8	12	12	2	34	65	94	30	21	37	68	43
1—	M	27	12	3	3	3	—	10	5	15	12	5	9	30	9
	F	11	15	3	1	1	—	10	5	21	7	4	13	21	3
2—	M	8	5	—	—	2	—	2	6	7	1	1	2	15	8
	F	5	11	2	1	3	—	3	2	12	3	3	1	9	3
3—	M	11	7	—	1	—	—	2	2	3	—	1	4	5	5
	F	4	3	1	1	1	—	9	1	3	—	1	3	4	2
4—	M	7	1	—	—	1	—	5	2	6	—	3	4	8	5
	F	2	4	—	—	—	—	4	3	8	1	4	4	5	6
Total under 5 years	M	135	94	27	23	22	4	78	84	156	51	41	72	155	92
	F	92	83	14	15	17	2	60	76	138	41	33	58	107	57
5—	M	18	13	4	—	7	—	2	12	15	7	6	6	19	8
	F	14	14	2	7	4	—	13	10	17	5	8	7	18	12
10—	M	14	4	—	2	1	—	4	6	12	8	5	4	7	8
	F	16	10	3	2	3	—	11	8	21	5	3	5	13	3
15—	M	16	17	4	2	4	—	6	11	25	11	6	13	18	19
	F	17	13	3	1	2	1	4	9	20	10	6	6	16	10
20—	M	25	19	8	6	7	5	17	18	28	8	11	9	33	24
	F	27	13	7	3	2	2	13	12	33	8	5	5	22	12
25—	M	19	19	7	3	6	3	21	29	26	11	7	8	24	24
	F	31	17	—	1	8	1	17	15	29	11	10	12	26	7
30—	M	22	16	2	5	10	3	17	21	44	12	10	9	24	16
	F	25	12	7	5	10	—	14	17	24	10	9	4	33	11
35—	M	25	29	6	4	9	—	23	22	42	11	11	8	43	16
	F	42	29	6	7	14	5	18	25	27	14	12	13	27	18
40—	M	43	21	7	7	9	5	23	20	40	22	5	14	39	23
	F	39	24	6	9	13	2	19	16	20	14	16	13	29	18
45—	M	56	27	5	9	21	4	40	39	66	18	15	21	57	22
	F	55	30	5	9	17	5	35	28	45	16	15	15	45	30
50—	M	78	33	14	8	14	6	35	39	84	33	30	26	59	39
	F	52	45	9	12	25	6	35	39	50	28	18	31	59	34
55—	M	101	55	16	17	31	11	59	56	87	46	27	30	91	44
	F	75	49	17	11	28	11	50	61	74	29	31	33	85	47
60—	M	105	64	15	21	30	9	78	62	123	59	55	41	111	60
	F	108	68	22	18	42	7	81	58	91	39	40	51	107	57
65—	M	150	77	23	30	47	12	112	82	147	75	56	66	120	92
	F	144	64	22	23	55	12	76	92	134	55	54	52	107	91
70—	M	165	100	15	39	61	27	120	122	127	94	71	76	139	147
	F	153	78	41	36	68	13	119	120	165	73	73	60	140	112
75—	M	135	109	31	32	62	24	109	141	147	79	64	76	139	122
	F	166	96	29	36	64	20	137	133	157	73	65	79	136	139
80—	M	75	70	18	23	61	15	85	108	98	64	48	60	83	85
	F	149	85	21	24	84	17	112	103	121	60	75	56	119	80
85—	M	41	40	16	14	37	14	49	73	50	47	21	39	43	65
	F	103	70	17	24	48	29	76	108	100	69	49	47	76	80

TABLE 20—*contd.*—URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES.

Age.	Sex.	Yorkshire, West Riding.		Anglesey.		Brecknock-shire.		Caernarvon-shire.		Cardigan-shire.		Carmarthen-shire.		Denbigh-shire.	
		U	R	U	R	U	R	U	R	U	R	U	R	U	R
All Ages ..	M	6905	2441	143	230	96	270	452	467	127	259	468	713	370	668
	F	7033	2389	134	246	100	232	414	462	155	341	460	676	421	616
Under 4 weeks	M	324	156	7	11	4	11	14	18	4	12	27	38	11	36
	F	227	117	6	4	3	7	11	16	2	11	14	35	12	26
4 weeks–3 months	M	80	42	2	3	1	3	6	3	—	7	6	16	6	18
	F	91	37	3	3	1	4	2	5	—	3	9	8	3	5
3–6 months	M	96	40	5	—	—	5	3	4	1	1	3	9	4	7
	F	59	32	2	2	—	—	2	2	1	2	2	7	1	6
6–12 months	M	110	61	2	2	3	5	4	1	3	2	6	16	3	11
	F	96	47	3	3	—	4	6	2	—	4	4	9	3	9
Total under 1 year	M	610	299	16	16	8	24	27	26	8	22	42	79	24	72
	F	473	233	14	12	4	15	21	25	3	20	29	59	19	46
1—	M	127	50	1	4	2	1	4	6	2	2	7	7	5	10
	F	104	53	—	—	1	2	3	3	—	2	5	7	—	10
2—	M	55	27	—	1	—	1	6	5	1	—	5	5	5	4
	F	49	18	—	3	1	—	—	2	—	1	3	1	—	7
3—	M	57	17	—	—	—	2	1	1	—	—	2	3	5	4
	F	44	20	1	1	—	1	—	1	—	1	3	2	5	6
4—	M	38	13	—	1	—	1	2	3	—	1	3	1	3	2
	F	43	16	1	1	—	—	1	2	—	—	1	3	—	6
Total under 5 years	M	887	406	17	22	10	29	40	41	11	25	59	95	42	92
	F	713	340	16	17	6	18	25	33	3	24	41	72	24	75
5—	M	115	50	2	2	1	6	6	6	—	1	3	15	7	8
	F	95	45	—	2	—	1	6	4	2	—	5	11	4	11
10—	M	75	30	1	2	—	4	2	4	1	2	8	11	4	6
	F	73	31	1	—	—	1	3	4	2	4	8	7	3	2
15—	M	109	49	3	—	—	4	6	12	1	2	8	14	4	15
	F	109	32	2	7	2	6	4	5	2	4	8	16	5	12
20—	M	128	59	—	7	1	12	7	13	3	6	12	16	12	8
	F	130	63	2	5	2	6	8	4	3	2	17	16	8	16
25—	M	149	63	2	1	2	10	8	12	2	7	7	17	10	15
	F	131	59	3	2	3	6	10	12	4	8	15	26	11	17
30—	M	151	57	1	3	3	6	8	10	2	3	11	17	6	12
	F	185	46	4	4	4	3	10	12	3	5	14	18	11	8
35—	M	170	62	4	3	2	6	6	9	4	2	11	10	9	14
	F	193	74	3	8	—	7	8	9	3	8	13	17	10	23
40—	M	231	83	5	4	6	8	13	13	—	4	14	16	9	18
	F	233	72	2	10	3	4	10	13	4	6	19	19	10	22
45—	M	292	109	7	1	6	10	17	15	6	5	25	31	10	20
	F	269	87	6	12	3	11	19	25	5	7	19	32	12	26
50—	M	410	130	1	9	4	15	33	14	9	10	35	42	28	34
	F	373	115	8	5	8	11	23	17	12	15	23	33	17	39
55—	M	598	142	15	12	6	23	39	32	9	17	43	51	24	36
	F	518	145	11	21	7	20	32	33	5	22	35	47	29	42
60—	M	688	185	13	22	16	23	39	54	13	28	39	58	40	71
	F	618	176	4	22	9	39	32	31	10	26	41	54	44	51
65—	M	829	253	23	29	13	31	57	57	20	32	48	71	47	81
	F	796	240	11	18	6	25	43	42	28	31	43	60	45	69
70—	M	827	284	16	37	13	26	59	57	11	38	54	87	55	85
	F	904	244	20	28	19	22	46	71	24	57	66	88	55	61
75—	M	704	254	13	33	7	30	57	57	21	26	51	82	31	83
	F	822	279	17	34	12	19	65	68	16	43	38	66	50	61
80—	M	368	141	14	24	4	17	40	35	9	32	30	59	21	52
	F	556	211	16	25	11	14	42	50	18	49	33	53	49	51
85—	M	174	84	6	19	2	10	15	26	5	19	10	21	11	18
	F	315	130	8	26	5	19	28	29	11	30	22	41	34	30

TABLE 20—*contd.*—URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES.

Age.	Sex.	Flintshire.		Glamorganshire.		Merionethshire.		Monmouthshire.		Montgomeryshire.		Pembrokeshire.		Radnorshire.	
		U	R	U	R	U	R	U	R	U	R	U	R	U	R
All Ages ..	M	258	477	4159	1105	147	171	1847	305	115	213	289	328	42	82
	F	278	411	3350	988	139	171	1496	279	143	207	301	343	43	79
Under 4 weeks	M	8	17	229	59	7	5	108	15	2	13	13	14	—	4
	F	6	10	161	43	2	3	71	14	4	6	8	16	—	4
4 weeks–3 months	M	1	5	81	13	—	2	30	2	—	1	3	4	1	1
	F	—	5	44	19	1	1	21	6	3	2	3	1	1	2
3–6 months	M	1	8	58	10	4	3	25	4	—	—	5	5	1	—
	F	2	2	40	7	—	—	21	2	1	—	1	2	—	1
6–12 months	M	3	2	89	21	1	1	44	2	1	2	3	4	1	—
	F	2	4	58	26	1	1	29	5	1	4	1	2	—	1
Total under 1 year	M	13	32	457	103	12	11	207	23	3	16	24	27	3	5
	F	10	21	303	95	4	5	142	27	9	12	13	21	1	8
1—	M	3	4	86	26	2	—	39	5	2	2	—	1	—	1
	F	1	12	84	14	2	—	35	4	2	—	2	4	—	2
2—	M	—	4	41	11	2	—	21	3	—	—	2	1	—	—
	F	2	2	32	9	—	2	13	5	—	—	—	4	—	1
3—	M	4	5	24	6	1	—	10	1	—	—	1	1	—	—
	F	—	2	18	7	—	—	16	—	—	1	—	1	—	—
4—	M	2	—	17	6	—	—	14	—	—	—	2	2	—	—
	F	—	—	24	4	—	—	9	1	—	—	2	1	—	—
Total under 5 years	M	22	45	625	152	17	11	291	32	5	18	29	32	3	6
	F	13	37	461	129	6	7	215	37	11	13	17	31	1	11
5—	M	6	9	80	23	—	3	40	8	1	1	3	3	1	—
	F	4	4	72	17	1	1	32	1	1	3	4	2	—	—
10—	M	1	8	62	19	1	4	31	2	1	1	4	5	2	—
	F	1	6	62	18	1	2	23	1	1	1	4	7	—	—
15—	M	4	10	96	26	2	1	47	2	2	3	5	9	—	2
	F	3	1	75	19	—	3	32	3	4	2	2	5	1	1
20—	M	10	18	104	30	2	1	57	7	3	6	4	12	1	3
	F	2	3	125	39	5	3	49	7	1	3	6	8	1	3
25—	M	8	8	118	28	2	2	52	8	3	2	3	5	—	2
	F	10	8	115	33	4	5	57	6	3	4	6	10	—	1
30—	M	8	8	98	22	4	5	35	6	2	2	9	5	—	4
	F	8	5	101	37	1	6	50	9	1	5	7	7	—	2
35—	M	6	13	128	37	3	5	39	8	3	3	9	7	—	—
	F	5	10	139	41	3	6	46	7	3	2	6	7	3	1
40—	M	7	18	156	48	4	3	47	11	5	6	8	10	2	—
	F	9	11	126	32	2	4	49	7	3	8	10	12	1	—
45—	M	10	20	217	57	4	3	88	11	8	5	17	15	2	2
	F	8	10	152	38	5	5	48	12	7	8	14	5	6	2
50—	M	16	25	277	77	9	4	116	20	7	10	19	14	—	2
	F	23	22	186	41	5	14	78	19	3	12	15	14	1	5
55—	M	19	37	333	104	16	10	159	18	6	14	16	25	5	7
	F	12	32	196	64	13	16	81	16	3	9	17	19	—	5
60—	M	23	42	384	116	8	22	164	36	9	20	27	29	2	8
	F	23	39	299	96	11	15	117	19	10	18	20	34	—	3
65—	M	27	47	476	112	24	22	239	30	12	22	36	34	3	12
	F	27	54	326	89	14	11	133	30	17	24	26	34	7	6
70—	M	33	62	473	96	15	28	192	35	17	30	29	43	3	17
	F	39	46	345	90	20	18	193	31	17	25	53	52	4	9
75—	M	22	58	299	74	17	24	135	30	15	28	37	38	9	10
	F	36	58	261	84	24	26	129	31	25	33	50	41	10	12
80—	M	28	37	168	56	10	16	92	24	11	26	20	25	4	4
	F	28	31	187	79	9	12	99	28	14	13	25	34	5	12
85—	M	8	12	65	28	9	7	23	17	5	16	14	17	5	3
	F	27	34	122	42	15	17	65	15	19	24	19	21	3	6

TABLE 21. Causes of Death at Different Age-periods, 1933—England and Wales.

Note.—The sequence of causes of death followed in this table is that of the International List of Causes of Death (Fourth revision, 1929). Separate columns are not devoted to those causes to which, as a rule, few deaths are assigned. In order, however, to make the record complete, the list numbers of such causes are printed as nearly as possible to the places where they would occur. The deaths, if any, from these causes are shown in footnotes in which the heavy-faced figures preceding the cause express the International List number, and the figures following it indicate the sex and age-group of the decedent, roman type for males and italic type for females. Thus, **3** Typhus 5, 15, 20, *50*, would denote that the deaths of three males in age-groups 5–10, 15–20 and 20–25 and one female in age-group 50–55 are assigned to this cause. A dash (—) indicates that no deaths are assigned.

Causes of Death.	All Causes.		I. 1–44 Infectious and Parasitic Diseases.		1 and 2 Typhoid and paraty-phoid fevers.		1 Typhoid fever.		2 Paraty-phoid fevers.		3, 4, 5* 6 Small-pox.		7 Measles.		8 Scarlet fever.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	250625	245840	36826	32909	124	98	105	78	19	20	2	—	1018	919	340	389
0—	21311	15649	1777	1517	1	1	—	—	1	1	—	—	200	163	9	7
1—	8236	7271	3240	3096	1	—	—	—	1	—	1	—	700	650	147	159
5—	3560	3267	1368	1407	4	4	3	3	1	1	—	—	101	90	95	118
10—	2611	2371	744	895	7	4	7	4	—	—	—	—	7	7	33	37
15—	4021	3564	1438	1874	12	6	9	4	3	2	—	—	3	2	14	13
20—	5561	5146	2413	2679	16	12	14	10	2	2	—	—	—	3	12	14
25—	5532	5533	2391	2471	20	9	17	7	3	2	—	—	1	—	8	9
30—	5813	5450	2358	2059	10	8	9	5	1	3	—	—	1	1	3	9
35—	6340	6517	2338	1916	9	10	9	8	—	2	—	—	1	2	4	7
40—	8243	7441	2630	1719	10	10	7	9	3	1	—	—	2	—	8	2
45—	11564	9711	2963	1580	7	6	6	6	1	—	—	—	—	—	3	3
50—	15310	12563	3005	1567	6	8	5	5	1	3	1	—	1	1	2	5
55—	19881	15782	2712	1614	4	3	4	2	—	1	—	—	—	—	2	3
60—	23666	19933	2153	1436	5	4	5	3	—	1	—	—	1	—	—	—
65—	27771	24626	1622	1502	10	7	8	6	2	1	—	—	—	—	—	1
70—	29297	29993	1322	1664	1	6	1	6	—	—	—	—	—	—	—	1
75—	25988	29784	1142	1644	1	—	1	—	—	—	—	—	—	—	—	1
80—	25920	41239	1210	2269	—	—	—	—	—	—	—	—	—	—	—	—

* **3,** Typhus fever —; **4,** Relapsing fever (" Spirillum obermeieri ") —; **5,** Undulant fever 35, 50, 60, 60, *55*.

Causes of Death.	9 Whooping cough.		10 Diphtheria.		11 Influenza.		11 (*a*) With respiratory complica-tions.		11 (*a*) 1 With pneumonic complications.		11 (*a*) 2 With other respiratory complications.		11 (*b*) Without respiratory complica-tions.		11 (*b*) 1 With non-respiratory complica-tions.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	991	1279	1291	1355	10926	11964	8350	8637	5694	5419	2656	3218	2576	3327	1696	2137
0—	478	532	38	32	304	215	199	149	145	116	54	33	105	66	73	36
1—	484	683	504	428	372	297	293	222	260	201	33	21	79	75	66	66
5—	24	52	543	630	93	83	61	49	56	41	5	8	32	34	25	24
10—	4	5	150	162	78	82	54	51	44	45	10	6	24	31	19	25
15—	—	1	20	16	190	154	138	109	120	98	18	11	52	45	41	36
20—	—	1	6	8	233	240	172	178	146	157	26	21	61	62	51	52
25—	—	1	8	10	290	279	222	208	198	173	24	35	68	71	48	59
30—	—	1	4	3	399	355	329	274	288	228	41	46	70	81	51	58
35—	—	—	6	12	547	477	463	381	388	308	75	73	84	96	57	77
40—	—	—	2	11	733	581	620	451	487	346	133	105	113	130	79	98
45—	—	—	3	13	949	631	795	488	601	392	194	96	154	143	117	107
50—	—	1	3	11	982	735	801	565	533	403	268	162	181	170	127	133
55—	—	—	2	8	973	904	797	663	543	465	254	198	176	241	126	173
60—	—	1	1	3	917	860	690	634	461	411	229	223	227	226	171	169
65—	—	—	1	3	840	1015	621	724	402	426	219	298	219	291	154	205
70—	—	—	—	4	929	1391	662	1002	369	529	293	473	267	389	175	260
75—	—	—	—	—	973	1512	698	1075	328	509	370	566	275	437	155	243
80—	1	1	—	1	1124	2153	735	1414	325	571	410	843	389	739	161	316

Causes of Death.	11 (*b*) 2. Without stated complications.		12* 13 Dysentery.		13 (*a*) Amœbic.		13 (*b*) Bacillary.		13 (*c*) Other or unspecified.		14* 15 Erysipelas.		16 Acute poliomyelitis.		16 (1) Acute poliomyelitis.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	880	1190	56	36	5	1	29	15	22	20	624	567	119	83	84	51
0—	32	30	2	5	—	—	1	2	1	3	125	110	6	6	2	5
1—	13	9	7	2	—	—	6	1	1	1	26	35	28	24	15	14
5—	7	10	2	1	1	—	1	—	—	1	7	5	18	15	14	10
10—	5	6	4	—	—	—	2	—	2	—	3	4	19	11	14	5
15—	11	9	1	—	—	—	—	—	1	—	9	5	17	8	14	7
20—	10	10	1	—	—	—	1	—	—	—	12	11	8	2	6	1
25—	20	12	3	1	—	—	1	1	2	—	13	6	6	5	4	3
30—	19	23	5	7	2	1	3	4	—	2	10	20	5	2	5	2
35—	27	19	5	—	—	—	2	—	3	—	10	13	5	2	4	1
40—	34	32	4	3	1	—	2	2	1	1	25	14	3	3	3	3
45—	37	36	2	1	—	—	1	1	1	—	37	29	—	1	—	—
50—	54	37	5	2	1	—	1	1	3	1	45	34	1	—	—	—
55—	50	68	6	4	—	—	2	—	4	4	53	45	1	2	1	—
60—	56	57	4	6	—	—	2	3	2	3	48	40	—	2	—	—
65—	65	86	3	3	—	—	2	—	1	3	63	55	1	—	1	—
70—	92	129	1	1	—	—	1	—	—	1	59	45	1	—	1	—
75—	120	194	—	—	—	—	—	—	—	—	45	45	—	—	—	—
80—	228	423	1	—	—	—	1	—	—	—	34	51	—	—	—	—

* **12,** Cholera —; **14,** Plague —.

Causes of Death.	16 (2) Acute polioencephalitis.		17 Encephalitis lethargica.		18 Cerebro-spinal fever.		19* 20 Anthrax.		21* 22 Tetanus.		Tuberculosis. 23–32 All forms.		23 Respiratory system.		24 Central nervous system.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	35	32	428	387	530	412	3	1	76	28	18734	14525	15862	11992	1106	1037
0—	4	1	1	1	121	89	—	—	2	2	283	199	36	28	131	98
1—	13	10	13	9	136	113	—	—	5	5	759	647	96	75	442	399
5—	4	5	11	6	52	48	—	—	10	2	371	326	60	67	195	173
10—	5	6	14	12	37	42	—	—	17	6	331	496	135	280	99	119
15—	3	1	19	17	50	24	—	—	4	2	1063	1601	795	1379	88	78
20—	2	1	34	29	43	19	—	—	5	1	2013	2313	1787	2110	41	64
25—	2	2	51	24	22	16	—	—	5	—	1914	2078	1741	1891	32	41
30—	—	—	29	30	24	11	—	—	5	2	1808	1569	1665	1427	31	26
35—	1	1	26	29	18	12	—	—	5	1	1637	1305	1524	1213	14	12
40—	—	—	18	32	6	9	1	—	4	1	1702	996	1611	914	7	9
45—	—	1	33	35	6	10	—	—	3	1	1785	772	1701	690	11	5
50—	1	—	36	26	7	13	—	—	2	2	1735	668	1647	608	4	4
55—	—	2	48	34	6	6	—	—	—	1	1454	537	1365	476	7	2
60—	—	2	32	41	1	—	2	1	4	1	968	407	892	350	3	4
65—	—	—	37	39	1	—	—	—	2	—	544	331	489	276	1	2
70—	—	—	17	17	—	—	—	—	3	1	255	162	225	129	—	—
75—	—	—	8	4	—	—	—	—	—	—	77	67	65	44	—	1
80—	—	—	1	2	—	—	—	—	—	—	35	51	28	35	—	—

* **19,** Glanders —; **21,** Rabies —.

Causes of Death.	Tuberculosis—*continued.* 25 Intestines and peritoneum.		26 Vertebral column.		27 Other bones and joints.		28 Skin and subcutaneous tissues.		29 Lymphatic system (abdominal and bronchial glands excptd).		30 Genito-urinary system.		31 Other organs.		31 (1) Adrenals.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	440	518	278	185	142	95	13	33	41	24	172	88	22	10	12	6
0—	54	27	1	1	1	—	—	—	5	2	—	—	2	—	1	—
1—	99	63	5	6	—	4	—	—	12	1	1	1	—	1	—	—
5—	30	35	6	5	8	1	—	—	2	3	3	1	2	1	—	—
10—	29	33	14	7	4	2	—	—	—	—	3	1	—	—	—	—
15—	50	61	24	10	11	10	—	—	2	1	21	3	—	—	—	—
20—	34	57	38	13	16	8	—	2	1	—	29	6	3	—	1	—
25—	29	56	23	19	16	4	2	3	—	—	15	14	3	1	2	1
30—	23	46	29	14	9	4	—	—	1	—	18	17	1	—	1	—
35—	22	23	24	19	8	6	—	—	2	—	15	10	1	2	1	2
40—	6	25	21	14	8	2	2	2	—	—	12	7	3	1	3	1
45—	18	22	14	17	6	6	—	2	—	—	11	11	—	1	—	1
50—	13	17	15	11	11	6	2	1	3	1	13	6	2	1	1	—
55—	13	17	20	18	8	8	1	2	2	1	7	1	—	—	—	—
60—	10	10	18	12	13	7	1	6	2	4	12	3	1	1	—	1
65—	7	15	14	10	11	8	—	4	3	4	8	5	2	—	2	—
70—	3	5	6	4	8	8	1	5	4	3	4	2	1	—	—	—
75—	—	4	6	4	2	6	—	2	2	2	—	—	—	1	—	—
80—	—	2	—	1	2	5	4	4	—	2	—	—	1	—	—	—

Causes of Death.	Tuberculosis—*continued.* 31 (2) Other sites included under 31.		32 Disseminated tuberculosis.		32 (*a*) Acute.		32 (*b*) Chronic.		32 (*c*) Not distinguished as acute or chronic.		33 Leprosy.		34 Syphilis.		34 (*a*) Congenital syphilis.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	10	4	658	543	315	288	3	1	340	254	2	1	870	451	162	134
0—	1	—	53	43	35	26	1	—	17	17	—	—	129	103	129	103
1—	—	1	104	97	67	71	—	—	37	26	—	—	10	7	10	7
5—	2	1	65	40	37	27	—	—	28	13	—	—	3	5	3	5
10—	—	—	47	54	20	25	—	—	27	29	—	—	9	5	8	5
15—	—	—	72	59	29	40	—	—	43	19	—	—	10	8	7	4
20—	2	—	64	53	20	29	—	—	44	24	—	—	5	9	1	3
25—	1	—	53	49	21	18	—	—	32	31	—	—	20	11	2	1
30—	—	—	31	35	10	12	—	—	21	23	—	—	19	18	1	1
35—	—	—	27	20	15	7	1	—	11	13	—	—	30	24	—	—
40—	—	—	32	22	13	9	—	—	19	13	—	—	66	31	—	1
45—	—	—	24	18	12	7	—	1	12	10	—	—	86	52	1	2
50—	1	1	25	13	8	6	—	—	17	7	1	—	114	40	—	—
55—	—	—	31	12	16	5	—	—	15	7	1	1	115	38	—	—
60—	1	—	16	10	7	4	1	—	8	6	—	—	109	40	—	1
65—	—	—	9	7	3	1	—	—	6	6	—	—	82	32	—	1
70—	1	—	3	6	1	1	—	—	2	5	—	—	30	21	—	—
75—	—	1	2	3	1	—	—	—	1	3	—	—	28	6	—	—
80—	1	—	—	2	—	—	—	—	—	2	—	—	5	1	—	—

Causes of Death.	34 (*b*) & (*c*). Acquired or unspecified.		35 Other venereal diseases.		35 (1) Gonorrhœal or purulent ophthalmia.		35 (2) Other diseases included under 35.		36 Purulent infection, Septicæmia.		36 (*a*) Septicæmia.		36 (*b*) Pyæmia.		36 (*c*) Gas gangrene.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	708	317	44	14	9	6	35	8	462	287	413	255	46	31	3	1
0—	—	—	9	6	9	6	—	—	25	15	22	12	3	3	—	—
1—	—	—	—	1	—	—	—	1	15	13	12	12	3	1	—	—
5—	—	—	—	1	—	—	—	1	23	16	20	16	3	—	—	—
10—	1	—	—	—	—	—	—	—	28	18	23	18	5	—	—	—
15—	3	4	—	—	—	—	—	—	24	12	19	10	5	2	—	—
20—	4	6	1	1	—	—	1	1	16	13	16	8	—	4	—	1
25—	18	10	—	1	—	—	—	1	26	19	23	16	3	3	—	—
30—	18	17	2	1	—	—	2	1	22	16	20	15	1	1	1	—
35—	30	24	1	1	—	—	1	1	25	16	25	13	—	3	—	—
40—	66	30	4	—	—	—	4	—	32	21	28	17	4	4	—	—
45—	85	50	4	—	—	—	4	—	36	21	32	18	4	3	—	—
50—	114	40	10	1	—	—	10	1	44	18	41	17	2	1	1	—
55—	115	38	1	1	—	—	1	1	40	22	34	22	5	—	1	—
60—	109	39	8	—	—	—	8	—	41	26	37	23	4	3	—	—
65—	82	31	1	—	—	—	1	—	28	13	27	13	1	—	—	—
70—	30	21	3	—	—	—	3	—	20	13	18	12	2	1	—	—
75—	28	6	—	—	—	—	—	—	10	8	10	6	—	2	—	—
80—	5	1	—	—	—	—	—	—	7	7	6	7	1	—	—	—

Causes of Death.	37* 38 Malaria.		39 Other diseases due to protozoa.		40* 41 Hydatid Cysts.		41 (*a*) Liver.		41 (*b*) Other organs.		42 Other diseases due to helminths.		43 Mycoses.		43 (1) Actino-mycosis.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	18	4	1	1	15	8	11	7	4	1	5	4	63	40	39	22
0—	—	—	—	—	—	—	—	—	—	—	—	—	5	7	—	—
1—	—	1	—	—	—	—	—	—	—	—	2	4	4	1	1	—
5—	1	—	—	—	—	—	—	—	—	—	2	—	—	2	—	2
10—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	2	—
15—	—	—	—	1	—	—	—	—	—	—	—	—	1	3	1	3
20—	—	—	—	—	1	—	—	—	1	—	—	—	6	3	6	3
25—	1	—	—	—	—	1	—	1	—	—	—	—	3	1	2	1
30—	1	1	1	—	3	1	2	1	1	—	—	—	6	3	6	2
35—	3	—	—	—	1	—	1	—	—	—	—	—	2	4	2	4
40—	5	1	—	—	—	2	—	1	—	1	—	—	5	1	5	1
45—	4	1	—	—	1	—	1	—	—	—	—	—	4	3	3	2
50—	1	—	—	—	3	—	2	—	1	—	—	—	5	2	3	1
55—	—	—	—	—	1	1	—	1	1	—	1	—	4	2	2	2
60—	2	—	—	—	1	2	1	2	—	—	—	—	7	2	3	—
65—	—	—	—	—	2	1	2	1	—	—	—	—	6	1	3	—
70—	—	—	—	—	2	—	2	—	—	—	—	—	1	2	—	—
75—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
80—	—	—	—	—	—	—	—	—	—	—	—	—	2	2	—	1

* **37,** Yellow fever —; **40,** Ankylostomiasis —.

Causes of Death.	43 (2) Other mycoses.		44 Other infectious or parasitic diseases.		44 (1) Vaccinia.		44 (2) Other sequelæ of vaccination.		44 (3) German measles.		44 (4) Varicella.		44 (5) Mumps.		44 (6) Other diseases included under 44.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	24	18	80	55	3	1	—	1	5	6	27	16	13	5	32	26
0—	5	7	39	24	3	—	—	1	1	4	15	5	2	—	18	14
1—	3	1	26	17	—	—	—	—	3	1	6	5	6	—	11	11
5—	—	—	8	3	—	—	—	—	—	1	5	2	3	—	—	—
10—	—	—	1	4	—	—	—	—	—	—	—	2	1	2	—	—
15—	—	—	1	1	—	1	—	—	—	—	—	—	1	—	—	—
20—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—
25—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30—	—	1	1	1	—	—	—	—	1	—	—	1	—	—	—	—
35—	—	—	2	1	—	—	—	—	—	—	1	—	—	1	1	—
40—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—
45—	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—	1
50—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
55—	2	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—
60—	4	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
65—	3	1	1	1	—	—	—	—	—	—	—	—	—	1	1	—
70—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
75—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
80—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Causes of Death.	II. 45–55 Cancer and other Tumours.		Cancer, Malignant Disease.											
			45–53 Total.		45 Buccal cavity and pharynx.		46 Digestive organs and peritoneum.		47 Respiratory organs.		48 Uterus.	49 Other female genital organs.	50 Breast.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	F.	F.	M.	F.
All Ages	29925	34446	28837	32735	2812	537	17704	15958	2971	953	4313	1868	55	6551
0—	19	18	8	11	—	—	2	2	1	2	—	—	—	—
1—	77	60	46	37	2	—	4	5	—	—	—	1	—	—
5—	75	58	42	29	3	2	4	3	1	5	—	1	—	—
10—	53	55	36	32	3	—	6	1	1	—	1	3	—	—
15—	75	95	57	57	—	3	7	12	10	1	—	9	—	1
20—	112	139	78	90	3	2	18	22	7	6	7	12	—	3
25—	168	212	140	156	8	5	60	51	19	7	18	21	—	14
30—	274	433	232	361	10	3	111	117	42	16	81	37	—	65
35—	473	933	420	794	18	13	208	228	96	26	190	63	1	213
40—	830	1569	734	1408	31	22	415	419	151	50	309	121	2	391
45—	1506	2572	1404	2340	75	30	792	700	314	90	513	196	1	676
50—	2504	3363	2384	3176	204	60	1444	1100	409	103	629	233	8	837
55—	3791	4101	3666	3959	392	65	2224	1672	513	143	637	261	7	941
60—	4912	4743	4781	4590	520	72	3006	2251	512	156	609	254	8	937
65—	5459	4908	5359	4796	591	81	3431	2731	425	152	520	241	11	716
70—	4634	4776	4565	4665	460	72	2933	2871	265	96	407	186	7	688
75—	3196	3565	3150	3479	310	52	2013	2187	137	59	244	124	6	546
80—	1767	2846	1735	2755	182	55	1026	1586	68	41	148	105	4	523

Causes of Death.	Cancer, Malignant Disease—*contd.* 51 Male genito-urinary organs.	52 Skin.		53 Other or unspecified organs.		54 Non-malignant tumours.		54 (*a*) Female genital organs.	54 (*b*) Other sites.		55 Tumours of undetermined nature.		55 (*a*) Female genital organs.
Ages at Death.	M.	M.	F.	M.	F.	M.	F.	F.	M.	F.	M.	F.	F.
All Ages	3277	618	500	1400	2055	420	1096	722	420	374	668	615	22
0—	2	—	1	3	6	5	7	—	5	7	6	—	—
1—	23	—	—	17	31	16	13	1	16	12	15	10	—
5—	8	—	—	26	18	10	11	—	10	11	23	18	—
10—	6	—	1	20	26	4	11	—	4	11	13	12	—
15—	2	2	1	36	30	5	21	5	5	16	13	17	—
20—	12	3	1	35	37	14	25	7	14	18	20	24	1
25—	16	2	3	35	37	20	27	14	20	13	8	29	—
30—	22	3	3	44	39	19	54	33	19	21	23	18	—
35—	45	6	8	46	53	24	93	67	24	26	29	46	1
40—	67	6	5	62	91	27	121	89	27	32	69	40	1
45—	108	19	17	95	118	34	180	146	34	34	68	52	1
50—	166	19	26	134	188	44	121	87	44	34	76	66	1
55—	305	46	28	179	212	40	72	44	40	28	85	70	1
60—	455	76	46	204	265	52	89	59	52	30	79	64	1
65—	619	94	52	188	303	39	65	41	39	24	61	47	3
70—	639	116	75	145	270	25	69	47	25	22	44	42	5
75—	492	98	83	94	184	22	55	42	22	13	24	31	3
80—	290	128	150	37	147	20	62	40	20	22	12	29	4

Causes of Death.	55 (*b*) Other sites.		III. 56-69 Rheumatism, Diseases of Nutrition and of Endocrine Glands, and other General Diseases.		56 Rheumatic fever.		57 Chronic rheumatism, Osteo-arthritis.		57 (1) Chronic rheumatism.		57 (2) Rheumatoid arthritis, Osteo-arthritis.		58 Gout.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	668	593	4806	8898	589	718	924	2291	44	85	880	2206	200	45
0—	6	—	142	88	—	—	—	—	—	—	—	—	—	—
1—	15	10	129	102	35	23	—	—	—	—	—	—	—	—
5—	23	18	125	136	88	108	—	—	—	—	—	—	—	—
10—	13	12	166	163	123	116	—	4	—	—	—	4	—	—
15—	13	17	131	172	66	92	2	3	—	—	2	3	—	—
20—	20	23	109	194	50	84	3	3	—	—	3	3	—	—
25—	8	29	106	182	36	48	6	3	—	—	6	3	—	—
30—	23	18	121	182	39	32	5	7	—	—	5	7	1	—
35—	29	45	107	237	25	42	13	17	—	—	13	17	1	—
40—	69	39	123	285	18	31	15	35	—	1	15	34	3	—
45—	68	51	158	420	27	27	20	61	—	1	20	60	1	—
50—	76	65	224	595	23	33	39	115	—	2	39	113	9	—
55—	85	69	403	808	18	27	86	184	3	3	83	181	20	5
60—	79	63	568	1102	17	16	119	259	3	4	116	255	24	4
65—	61	44	722	1295	17	20	161	347	7	10	154	337	38	6
70—	44	37	684	1320	5	12	188	447	6	12	182	435	43	9
75—	24	28	493	955	1	4	162	437	12	22	150	415	42	13
80—	12	25	295	662	1	3	105	369	13	30	92	339	18	8

Causes of Death.	59 Diabetes.		60 Scurvy.		61* / 62 Pellagra.		63 Rickets.		63 (1) Rickets.		63 (2) Spinal Curvatures of undetermined nature.		64 Osteo-malacia.		65 Diseases of the pituitary gland.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	2460	3818	6	10	2	5	130	98	123	90	7	8	1	7	25	24
0—	2	1	3	3	—	—	66	44	66	44	—	—	—	—	—	—
1—	7	6	2	4	—	—	53	43	53	43	—	—	—	—	—	2
5—	22	17	—	—	—	—	4	1	4	1	—	—	—	—	1	—
10—	30	32	—	—	—	—	—	3	—	2	—	1	—	—	2	1
15—	46	41	—	—	—	—	1	—	—	—	1	—	—	—	2	—
20—	38	43	—	—	—	1	—	—	—	—	—	—	—	—	1	4
25—	46	51	—	—	—	—	—	2	—	—	—	2	—	—	1	1
30—	52	51	—	—	—	1	—	2	—	—	—	2	1	—	—	3
35—	45	75	—	—	—	—	2	—	—	—	2	—	—	—	2	1
40—	47	71	—	—	—	1	1	1	—	—	1	1	—	—	1	1
45—	72	123	—	—	—	—	1	1	—	—	1	1	—	1	3	2
50—	113	193	—	2	—	1	—	—	—	—	—	—	—	2	3	3
55—	231	354	—	—	—	1	1	—	—	—	1	—	—	2	1	1
60—	366	617	—	1	2	—	—	—	—	—	—	—	—	—	1	2
65—	465	732	—	—	—	—	—	—	—	—	—	—	—	—	3	—
70—	429	730	1	—	—	—	1	—	—	—	1	—	—	—	3	3
75—	280	435	—	—	—	—	—	—	—	—	—	—	—	—	1	—
80—	169	246	—	—	—	—	—	1	—	—	—	1	—	2	—	—

*61, Beri-beri 25.

Causes of Death.	65 (1) Infantilism.		65 (2) Other diseases of the pituitary gland.		66 Diseases of the thyroid and parathyroid glands.		66 (*a*) Simple goitre.		66 (*b*) Exophthalmic goitre.		66 (*c*) Myxœdema, Cretinism.		66 (*d*) Tetany.		66 (*e*) Other diseases included under 66.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	4	4	21	20	243	1624	31	167	168	1244	37	197	4	5	3	11
0—	—	—	—	—	7	5	—	—	—	—	5	3	2	1	—	1
1—	—	—	—	2	7	10	—	—	—	—	4	6	2	4	1	—
5—	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—
10—	—	1	2	—	4	4	1	1	1	2	2	1	—	—	—	—
15—	2	—	—	—	7	30	4	1	3	28	—	1	—	—	—	—
20—	—	2	1	2	11	50	—	2	11	46	—	2	—	—	—	—
25—	1	—	—	1	11	66	—	4	9	57	2	3	—	—	—	2
30—	—	—	—	3	13	74	1	6	11	60	1	7	—	—	—	1
35—	—	1	2	—	15	87	4	5	10	78	—	4	—	—	1	—
40—	—	—	1	1	23	131	1	11	20	110	2	8	—	—	—	2
45—	—	—	3	2	23	187	3	8	19	169	1	10	—	—	—	—
50—	—	—	3	3	20	227	2	14	18	204	—	9	—	—	—	—
55—	—	—	1	1	28	209	1	20	20	164	6	23	—	—	1	2
60—	—	—	1	2	32	182	5	22	24	129	3	30	—	—	—	1
65—	—	—	3	—	30	171	7	19	18	115	5	36	—	—	—	1
70—	—	—	3	3	7	101	1	24	1	54	5	22	—	—	—	1
75—	—	—	1	—	3	62	—	17	3	24	—	21	—	—	—	—
80—	—	—	—	—	2	27	1	13	—	3	1	11	—	—	—	—

Causes of Death.	67 Diseases of the thymus.		68 Diseases of the adrenals.		69 Other general diseases.		69 (1) Amyloid disease of unstated origin.		69 (2) Other diseases included under 69.		IV. 70–74 Diseases of the Blood and Blood-forming Organs.		70 Hæmorrhagic conditions.		70 (*a*) Purpura.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	100	53	88	137	37	68	2	5	35	63	2098	2482	193	210	125	164
0—	61	32	3	—	—	3	—	—	—	3	74	82	63	65	25	26
1—	16	8	1	—	8	6	—	—	8	6	69	48	19	11	10	11
5—	6	6	—	—	4	3	—	—	4	3	73	46	12	14	11	12
10—	6	1	1	2	—	—	—	—	—	—	61	44	12	8	8	8
15—	5	2	2	3	—	1	—	—	—	1	78	42	10	10	7	10
20—	1	4	4	3	1	2	—	—	1	2	66	55	9	10	8	10
25—	1	—	1	9	3	2	1	—	2	2	76	73	5	8	3	8
30—	3	—	6	10	1	2	—	—	1	2	60	88	5	9	2	9
35—	—	—	4	14	—	1	—	—	—	1	74	97	5	1	4	1
40—	—	—	11	11	4	3	—	—	4	3	87	145	5	7	2	6
45—	—	—	9	13	2	5	—	—	2	5	122	168	6	8	6	8
50—	—	—	15	18	2	1	—	—	2	1	164	207	7	9	7	8
55—	1	—	15	16	2	9	—	2	2	7	230	269	5	11	5	10
60—	—	—	4	14	3	7	1	—	2	7	249	320	7	14	7	13
65—	—	—	4	8	4	11	—	2	4	9	257	321	9	12	8	11
70—	—	—	5	10	2	8	—	—	2	8	211	250	8	4	6	4
75—	—	—	3	2	1	2	—	1	1	1	108	159	4	6	4	6
80—	—	—	—	4	—	2	—	—	—	2	39	68	2	3	2	3

Causes of Death.	70 (*b*) Hæmophilia.		71 Anæmia, Chlorosis.		71 (*a*) Pernicious anæmia.		71 (*b*) Other anæmias and chlorosis.		71 (*b*) (1) Splenic anæmia.		71 (*b*) (2) Other diseases included under 71 (*b*).		72 Leukæmia, Aleukæmia.		72 (*a*) Leukæmia.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	68	46	1075	1641	963	1465	112	176	75	107	37	69	751	554	407	369
0—	38	39	7	11	1	3	6	8	1	—	5	8	3	5	3	5
1—	9	—	15	13	4	2	11	11	6	3	5	8	35	22	32	21
5—	1	2	12	7	5	4	7	3	6	2	1	1	47	22	31	18
10—	4	—	8	7	3	6	5	1	5	1	—	—	40	27	29	23
15—	3	—	10	11	5	6	5	5	3	3	2	2	52	17	31	12
20—	1	—	16	16	9	10	7	6	6	3	1	3	39	27	16	19
25—	2	—	18	28	9	21	9	7	9	4	—	3	51	35	17	18
30—	3	—	11	49	9	48	2	1	2	—	—	1	41	28	17	21
35—	1	—	25	64	21	52	4	12	4	9	—	3	38	32	13	15
40—	3	1	41	83	39	70	2	13	2	9	—	4	34	49	19	29
45—	—	—	63	115	55	100	8	15	7	12	1	3	46	35	23	22
50—	—	1	90	140	84	119	6	21	4	15	2	6	60	49	29	30
55—	—	1	129	196	124	175	5	21	3	15	2	6	86	54	46	37
60—	—	1	178	234	167	220	11	14	7	7	4	7	52	62	30	42
65—	1	1	178	260	173	251	5	9	3	7	2	2	62	44	41	34
70—	2	—	155	215	146	204	9	11	5	8	4	3	45	27	23	12
75—	—	—	92	134	84	121	8	13	2	7	6	6	11	14	6	7
80—	—	—	27	58	25	53	2	5	—	2	2	3	9	5	1	4

Causes of Death.	72 (*b*) Aleukæmia (Lymph-adenoma.)		73 Diseases of the spleen.		73 (1) Banti's disease.		73 (2) Other diseases of the spleen.		74 Other diseases of the blood and blood-forming organs.		V. 75–77 Chronic Poisoning.		75 Alcoholism (acute or chronic).		76 Chronic poisoning by other organic substances.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	344	185	56	60	37	32	19	28	23	17	76	37	43	30	3	3
0—	—	—	1	1	1	—	—	1	—	—	—	—	—	—	—	—
1—	3	1	—	1	—	1	—	—	—	1	—	—	—	—	—	—
5—	16	4	2	3	2	1	—	2	—	—	—	—	—	—	—	—
10—	11	4	1	2	—	1	1	1	—	—	—	—	—	—	—	—
15—	21	5	5	1	5	—	—	1	1	3	—	—	—	—	—	—
20—	23	8	1	2	1	1	—	1	1	—	—	1	—	—	—	—
25—	34	17	2	1	1	1	1	—	—	1	4	1	2	1	—	—
30—	24	7	2	2	1	—	1	2	1	—	4	—	4	—	—	—
35—	25	17	4	—	2	—	2	—	2	—	4	1	3	—	—	—
40—	15	20	6	6	4	5	2	1	1	—	9	5	4	5	—	—
45—	23	13	4	10	4	6	—	4	3	—	7	3	4	2	1	—
50—	31	19	5	6	3	6	2	—	2	3	7	9	3	8	—	—
55—	40	17	5	5	3	3	2	2	5	3	11	7	6	7	—	—
60—	22	20	6	5	4	3	2	2	6	5	10	2	6	1	1	1
65—	21	10	7	5	2	1	5	4	1	—	11	4	5	3	1	1
70—	22	15	3	4	2	1	1	3	—	—	8	4	5	3	—	1
75—	5	7	1	4	1	2	—	2	—	1	—	—	—	—	—	—
80—	8	1	1	2	1	—	—	2	—	—	1	—	1	—	—	—

Causes of Death.	77 Chronic poisoning by mineral substances.		77 (1) Occupational lead poisoning.		77 (2) Other chronic poisoning by mineral substances.		VI. 78–89 Diseases of the Nervous System and Sense Organs.		78 Encephalitis.		78 (*a*) Cerebral abscess.		78 (*b*) Other diseases included under 78.		79 Meningitis.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	30	4	26	2	4	2	18669	20399	158	123	84	64	74	59	615	390
0—	—	—	—	—	—	—	958	632	8	4	1	1	7	3	152	81
1—	—	—	—	—	—	—	416	365	12	14	4	4	8	10	150	101
5—	—	—	—	—	—	—	251	242	11	10	6	7	5	3	69	56
10—	—	—	—	—	—	—	231	213	7	11	5	8	2	3	51	27
15—	—	—	—	—	—	—	256	180	21	8	11	4	10	4	25	19
20—	—	1	—	—	—	1	273	190	12	8	9	5	3	3	27	9
25—	2	—	1	—	1	—	268	231	10	9	3	7	7	2	21	8
30—	—	—	—	—	—	—	315	251	8	11	7	8	1	3	16	6
35—	1	1	1	—	—	1	359	364	9	5	4	3	5	2	18	11
40—	5	—	3	—	2	—	547	469	8	4	2	2	6	2	13	7
45—	2	1	2	1	—	—	711	783	15	8	10	6	5	2	21	15
50—	4	1	3	1	1	—	1064	1161	11	7	7	2	4	5	13	9
55—	5	—	5	—	—	—	1553	1501	11	8	7	3	4	5	16	14
60—	3	—	3	—	—	—	2031	2029	10	1	4	—	6	1	11	7
65—	5	—	5	—	—	—	2618	2694	5	7	4	1	1	6	7	7
70—	3	—	3	—	—	—	2754	3157	—	4	—	2	—	2	5	7
75—	—	—	—	—	—	—	2212	2763	—	2	—	1	—	1	—	4
80—	—	—	—	—	—	—	1852	3174	—	2	—	—	—	2	—	2

Causes of Death.	80 Tabes dorsalis (Locomotor ataxy).		81 Other diseases of the spinal cord.		81 (1) Progressive muscular atrophy.		81 (2) Sub-acute combined sclerosis.		81 (3) Myelitis of unstated origin.		81 (4) Other diseases included under 81.		82 Cerebral hæmorrhage, Apoplexy, etc.		82 (*a*) Cerebral hæmorrhage.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	592	141	684	582	304	244	43	56	159	141	178	141	11215	14505	8106	10566
0—	—	—	1	1	—	1	—	—	1	—	—	—	1	2	—	1
1—	—	—	2	2	1	—	—	—	—	—	1	2	4	1	1	—
5—	—	—	4	—	1	—	—	—	—	—	3	—	4	3	4	1
10—	—	—	8	3	2	—	—	—	1	1	5	2	3	4	1	3
15—	—	—	22	6	9	1	—	—	10	3	3	2	7	3	6	3
20—	2	1	12	7	2	1	—	—	3	5	7	1	8	6	5	4
25—	—	—	15	14	5	1	—	—	4	5	6	8	16	16	14	13
30—	3	2	14	15	7	6	—	—	3	2	4	7	34	45	25	40
35—	8	3	17	21	7	7	—	1	5	11	5	2	63	63	52	49
40—	25	9	26	33	10	10	1	5	10	11	5	7	145	165	119	135
45—	45	14	52	47	17	17	3	4	20	10	12	16	236	402	192	328
50—	75	21	74	53	33	23	7	5	19	11	15	14	550	753	450	614
55—	121	33	87	83	45	40	6	10	16	15	20	18	911	1036	710	822
60—	134	21	124	87	60	40	7	12	22	12	35	23	1348	1567	985	1235
65—	94	16	96	74	46	29	10	12	18	21	22	12	1986	2232	1487	1676
70—	45	13	88	82	42	37	8	4	16	25	22	16	2264	2697	1618	1969
75—	26	8	33	26	13	16	1	2	7	4	12	4	1916	2527	1292	1725
80—	14	—	9	28	4	15	—	1	4	5	1	7	1719	2983	1145	1948

Causes of Death.	82 (*a*) (1) Cerebral hæmorrhage so returned.		82 (*a*) (2) Apoplexy (lesion unstated).		82 (*b*) Cerebral embolism and thrombosis.		82 (*b*) (1) Cerebral embolism.		82 (*b*) (2) Cerebral thrombosis.		82 (*b*) 3 Cerebral softening.		82 (*c*) Hemiplegia and other paralyses of unstated origin.		82 (*c*) 1 Hemiplegia	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	7647	9998	459	568	2577	3316	206	297	2266	2857	105	162	532	623	488	568
0—	—	1	—	—	1	—	—	—	1	—	—	—	—	1	—	1
1—	1	—	—	—	—	—	—	—	—	—	—	—	3	1	1	—
5—	3	1	1	—	—	—	—	—	—	—	—	—	—	2	—	—
10—	1	3	—	—	1	—	—	—	1	—	—	—	1	1	—	—
15—	6	3	—	—	1	—	—	—	1	—	—	—	—	—	—	—
20—	5	3	—	1	2	1	1	—	1	—	—	1	1	1	—	1
25—	14	12	—	1	2	2	1	—	1	2	—	—	—	1	—	—
30—	25	37	—	3	8	5	2	1	6	3	—	1	1	—	—	—
35—	51	48	1	1	7	12	2	2	2	10	3	—	4	2	4	2
40—	113	130	6	5	21	25	3	2	15	22	3	1	5	5	4	4
45—	183	318	9	10	35	60	2	6	31	47	2	7	9	14	8	11
50—	429	596	21	18	91	112	11	15	79	92	1	5	9	27	9	23
55—	676	787	34	35	170	190	24	20	142	161	4	9	31	24	26	20
60—	943	1170	42	65	293	280	27	37	257	230	9	13	70	52	65	50
65—	1423	1585	64	91	412	468	33	46	367	402	12	20	87	88	82	86
70—	1517	1859	101	110	535	608	31	46	486	536	18	26	111	120	106	109
75—	1206	1618	86	107	505	671	43	56	442	584	20	31	119	131	107	119
80—	1051	1827	94	121	493	882	26	66	434	768	33	48	81	153	76	142

TABLE 21—*contd.*

Causes of Death.	82 (*c*) 2 Other paralyses of unstated origin.		83 General paralysis of the insane.		84 Other forms of insanity.		84 (*a*) Dementia præcox.		84 (*b*) Other conditions included under 84.		85 Epilepsy.		86 Infantile convulsions (age under 5 years).		87 Other diseases of the nervous system.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	44	55	771	239	384	625	33	33	351	592	1105	1054	750	515	1484	1515
0—	—	—	—	—	—	—	—	—	—	—	13	14	656	428	24	24
1—	2	1	—	—	—	—	—	—	—	—	25	35	94	87	49	48
5—	—	2	—	1	—	—	—	—	—	—	21	26	—	—	25	33
10—	1	1	1	3	1	—	1	—	—	—	41	27	—	—	18	32
15—	—	—	4	3	5	3	1	1	4	2	64	51	—	—	28	25
20—	1	—	5	4	13	15	3	4	10	11	103	77	—	—	19	26
25—	—	1	5	5	20	30	8	11	12	19	100	93	—	—	27	29
30—	1	—	39	12	17	29	5	4	12	25	96	72	—	—	32	35
35—	—	—	73	31	19	34	8	3	11	31	76	89	—	—	37	76
40—	1	1	143	38	26	47	1	2	25	45	70	75	—	—	48	72
45—	1	3	138	42	39	84	1	3	38	81	68	71	—	—	62	79
50—	—	4	133	46	46	93	1	—	45	93	51	74	—	—	77	84
55—	5	4	109	28	59	85	2	2	57	83	83	72	—	—	127	123
60—	5	2	66	17	68	79	—	2	68	77	78	86	—	—	175	144
65—	5	2	40	7	42	64	1	—	41	64	80	63	—	—	253	208
70—	5	11	11	2	19	39	1	1	18	38	57	55	—	—	254	238
75—	12	12	4	—	9	9	—	—	9	9	53	43	—	—	159	136
80—	5	11	—	—	1	14	—	—	1	14	26	31	—	—	70	103

Causes of Death.	87 (*a*) Chorea.		87 (*b*) Neuritis, Neuralgia.		87 (*c*) Paralysis agitans.		87 (*d*) Dissem-inated sclerosis.		87 (*e*) Other diseases included under 87.		88 Diseases of the eye and annexa.		89 Diseases of the ear and mastoid sinus.		89 (*a*) Otitis, and other diseases of the ear.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	14	48	53	60	780	658	390	458	247	291	45	47	866	663	517	409
0—	—	—	—	—	—	—	—	—	24	24	7	8	96	70	63	46
1—	—	3	—	—	—	—	—	—	49	45	4	4	76	73	42	51
5—	2	10	—	—	—	—	—	—	23	23	1	1	116	112	62	65
10—	6	20	—	—	—	—	—	—	12	12	2	—	99	106	55	56
15—	4	9	1	1	—	—	4	—	19	15	1	5	79	57	39	29
20—	—	3	1	1	—	—	9	11	9	11	—	—	72	37	44	21
25—	1	1	1	1	2	1	15	14	8	12	—	2	54	25	36	17
30—	1	1	2	2	1	—	18	23	10	9	1	—	55	24	34	10
35—	—	—	2	4	1	5	29	55	5	12	1	2	38	29	22	14
40—	—	—	2	5	6	3	36	50	4	14	2	1	41	18	21	13
45—	—	—	4	2	8	7	42	56	8	14	1	—	34	21	25	13
50—	—	—	6	6	13	16	47	56	11	6	2	1	32	20	22	15
55—	—	1	9	5	48	38	49	57	21	22	1	1	28	18	21	14
60—	—	—	10	5	109	73	43	49	13	17	2	6	15	14	8	13
65—	—	—	6	10	178	138	50	37	19	23	3	3	12	13	8	11
70—	—	—	6	9	213	177	24	35	11	17	1	5	10	15	7	13
75—	—	—	2	4	136	116	21	8	—	8	7	2	5	6	5	4
80—	—	—	1	5	65	84	3	7	1	7	9	6	4	5	3	4

Causes of Death.	89 (*b*) Diseases of the mastoid sinus.		VII. 90–103 Diseases of the Circulatory System.		90–95 Heart diseases.		90 Peri-carditis.		91 Acute endo-carditis.		91 (1) Malignant endo-carditis.		91 (2) Other acute endo-carditis.		92 Chronic endocarditis, valvular disease.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	349	254	64569	68755	51412	56675	198	115	605	651	545	578	60	73	10857	14062
0—	33	24	18	15	2	6	1	5	1	1	1	1	—	—	—	—
1—	34	22	25	33	19	22	9	2	7	9	2	6	5	3	2	10
5—	54	47	126	125	120	117	6	13	20	16	16	11	4	5	86	82
10—	44	50	220	284	209	276	11	7	43	38	38	30	5	8	132	200
15—	40	28	300	363	294	351	8	6	36	69	35	64	1	5	202	235
20—	28	16	344	477	324	463	12	9	53	95	49	87	4	8	202	289
25—	18	8	397	542	378	527	10	2	86	100	79	97	7	3	201	341
30—	21	14	456	591	427	570	7	3	68	50	65	46	3	4	228	384
35—	16	15	635	802	593	745	8	5	55	49	50	46	5	3	284	449
40—	20	5	1031	1138	911	1060	12	5	42	35	38	33	4	2	381	613
45—	9	8	1924	1745	1685	1530	16	6	43	37	41	32	2	5	571	723
50—	10	5	3220	2637	2719	2275	17	4	49	40	47	35	2	5	747	910
55—	7	4	5120	3883	4226	3303	21	10	29	39	25	34	4	5	1119	1085
60—	7	1	7164	5957	5830	4967	14	5	29	23	25	17	4	6	1346	1421
65—	4	2	9926	8724	7927	7193	15	13	24	22	18	18	6	4	1735	1855
70—	3	2	11874	11865	9311	9668	20	10	12	13	10	11	2	2	1587	2057
75—	—	2	11026	12527	8373	10097	3	6	3	11	3	8	—	3	1181	1796
80—	1	1	10763	17047	8064	13505	8	4	5	4	3	2	2	2	853	1612

Causes of Death.	92 (1) Aortic valve disease.		92 (2) Mitral valve disease.		92 (3) Aortic and mitral valve disease.		92 (4) Endocarditis, not returned as acute or chronic.		92 (5) Other or unspecified valve disease.		93 Diseases of the myocardium.		93 (*a*) Acute myocarditis.		93(*b*) Myocardial degeneration.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	2133	1095	3456	6217	578	553	502	755	4188	5442	30143	34606	91	90	23778	27212
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—	—	—	—	6	—	2	2	1	—	1	—	1	—	—	—	1
5—	4	1	42	39	2	4	5	3	33	35	6	4	—	—	6	4
10—	2	3	52	92	18	20	7	9	53	76	16	20	—	—	13	18
15—	12	6	91	122	22	18	11	19	66	70	28	27	—	—	22	22
20—	15	5	91	170	18	17	7	12	71	85	31	46	1	—	15	33
25—	18	9	77	193	23	14	11	15	72	110	56	49	1	4	37	19
30—	25	6	98	230	24	13	8	22	73	113	83	87	3	1	63	51
35—	50	13	100	222	26	20	17	32	91	162	153	164	4	5	97	114
40—	75	33	141	300	29	30	18	28	118	222	276	292	2	5	181	190
45—	138	51	165	366	34	35	32	33	202	238	623	565	11	6	430	376
50—	169	73	227	407	43	42	38	46	270	342	1154	985	10	5	787	707
55—	261	87	347	506	60	38	41	74	410	380	1955	1666	16	8	1445	1201
60—	314	124	395	585	65	58	72	79	500	575	2984	2624	8	10	2227	1923
65—	388	204	518	759	72	72	72	88	685	732	4422	4119	12	15	3451	3154
70—	306	172	487	848	68	63	71	114	655	860	6016	6234	10	10	4790	4899
75—	212	171	373	715	47	61	43	93	506	756	5974	7099	6	11	4883	5673
80—	144	137	252	657	27	46	47	87	383	685	6366	10624	7	10	5331	8827

Causes of Death.	93 (*b*) 1 Fatty heart.		93 (*b*) 2 Cardio-vascular degeneration.		93 (*b*) 3 Other diseases included under 93 (*b*).		93 (*c*) Myocarditis, not distinguished as acute or chronic.		94. Diseases of the coronary arteries, Angina pectoris.		95 Other diseases of the heart.		95 (*a*) Disordered action of heart.		95 (*b*) Other diseases included under 95.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	1128	1431	6905	6267	15745	19514	6274	7304	6325	2905	3284	4336	1031	1638	2253	2698
0—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	1	—
5—	—	—	—	—	6	4	—	—	—	—	2	2	—	—	2	2
10—	—	1	—	—	13	17	3	2	1	—	6	11	1	1	5	10
15—	1	1	—	—	21	21	6	5	—	—	20	14	—	2	20	12
20—	2	6	—	3	13	24	15	13	2	—	24	24	7	3	17	21
25—	3	3	—	—	34	16	18	26	6	2	19	33	7	10	12	23
30—	11	14	2	2	50	35	17	35	13	9	28	37	7	14	21	23
35—	15	19	6	6	76	89	52	45	55	16	38	62	11	27	27	35
40—	31	45	13	6	137	139	93	97	127	37	73	78	23	35	50	43
45—	77	77	46	29	307	270	182	183	317	75	115	124	39	53	76	71
50—	115	116	123	90	549	501	357	273	582	140	170	196	51	93	119	103
55—	160	180	288	170	997	851	494	457	836	200	266	303	93	117	173	186
60—	176	214	582	391	1469	1318	749	691	1048	447	409	447	140	189	269	258
65—	201	267	1083	709	2167	2178	959	950	1197	538	534	646	171	251	363	395
70—	174	217	1572	1169	3044	3513	1216	1325	1066	577	610	777	188	279	422	498
75—	103	163	1582	1438	3198	4072	1085	1415	690	463	522	722	162	265	360	457
80—	59	108	1608	2254	3664	6465	1028	1787	385	401	447	860	131	299	316	561

Causes of Death.	95 (*b*) 1 Dilation of heart (cause unspecified).		95 (*b*) 2 Heart disease (undefined).		96 Aneurysm.		97 Arterio-sclerosis.		97 (1) Arterio-sclerosis, with cerebral hæmorrhage.		97 (2) Arterio-sclerosis with record of other cerebral vascular lesion.		97 (3) Arterio-sclerosis without record of cerebral vascular lesion.		98 Gangrene.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	133	119	2120	2579	931	414	11271	10580	4154	4370	2116	2221	5001	3989	396	341
0—	—	—	—	—	5	—	—	—	—	—	—	—	—	—	1	1
1—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	2
5—	—	—	2	2	—	3	—	—	—	—	—	—	—	—	1	—
10—	1	—	4	10	7	6	—	—	—	—	—	—	—	—	—	1
15—	1	—	19	12	4	9	—	—	—	—	—	—	—	—	—	2
20—	1	1	16	20	10	9	2	2	2	1	—	—	—	1	1	—
25—	1	—	11	23	13	6	—	2	—	1	—	—	—	1	—	2
30—	3	—	18	23	15	3	1	3	1	2	—	1	—	—	—	1
35—	5	3	22	32	24	20	7	13	3	8	—	1	4	4	2	2
40—	6	—	44	43	43	17	46	31	29	21	9	4	8	6	1	2
45—	6	4	70	67	75	28	124	116	78	81	14	17	32	18	1	2
50—	8	5	111	98	117	43	316	254	166	182	68	39	82	33	9	4
55—	18	7	155	179	173	47	649	453	341	285	125	98	183	70	6	3
60—	13	13	256	245	156	52	1085	834	532	479	217	187	336	168	30	15
65—	23	20	340	375	131	58	1749	1342	752	684	347	288	650	370	43	36
70—	19	16	403	482	83	43	2343	1994	856	903	479	451	1008	640	63	51
75—	12	13	348	444	41	41	2460	2240	780	816	477	489	1203	935	96	85
80—	16	37	300	524	33	29	2489	3296	614	907	380	646	1495	1743	142	132

Causes of Death.	98 (*a*) Senile gangrene.		98 (*b*) Other gangrene.		99 Other diseases of the arteries.		100 Diseases of the veins (varix, hæmorrhoids, phlebitis, etc.).		100 (1) Varix.		100 (2) Other diseases of the veins.		101 Diseases of the lymphatic system (lymphangitis, etc.).		102 Abnormalities of blood-pressure.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	362	310	34	31	169	183	176	353	63	152	113	201	38	49	173	153
0—	—	—	1	1	—	1	—	—	—	—	—	—	10	7	—	—
1—	—	—	—	2	—	—	—	—	—	—	—	—	4	9	—	—
5—	—	—	1	—	—	1	1	—	—	—	1	—	3	4	1	—
10—	—	—	—	1	1	—	—	—	—	—	—	—	3	1	—	—
15—	—	—	—	2	2	—	—	1	—	—	—	1	—	—	—	—
20—	—	—	1	—	1	—	2	—	1	—	1	—	3	1	1	1
25—	—	—	—	2	1	2	2	2	1	—	1	2	1	1	2	—
30—	—	—	—	1	5	5	5	4	—	—	5	4	—	4	3	—
35—	—	—	2	2	2	4	6	14	4	7	2	7	1	2	—	2
40—	—	—	1	2	9	8	17	14	7	3	10	11	—	5	4	1
45—	—	—	1	2	9	17	16	41	6	22	10	19	—	—	13	10
50—	1	—	8	4	16	8	20	37	4	19	16	18	3	—	20	16
55—	—	—	6	3	17	10	22	54	8	17	14	37	—	—	27	13
60—	27	13	3	2	18	14	21	42	5	16	16	26	4	4	20	28
65—	39	32	4	4	25	26	15	45	6	22	9	23	4	4	32	20
70—	61	50	2	1	27	28	25	49	9	22	16	27	—	2	22	29
75—	92	84	4	1	21	23	12	21	7	11	5	10	1	4	21	15
80—	142	131	—	1	15	36	12	29	5	13	7	16	1	1	7	18

Causes of Death.	103 Other diseases of the circulatory system.		VIII. 104–114 Diseases of the Respiratory System.		104 Diseases of the nasal fossæ and annexa.		104 (1) Diseases of the nose.		104 (2) Diseases of the accessory nasal sinuses.		105 Diseases of the larynx.		105 (1) Laryngismus stridulus.		105 (2) Laryngitis.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	3	7	30269	25971	158	121	14	17	144	104	119	103	20	11	96	87
0—	—	—	4124	2968	3	3	1	2	2	1	22	14	9	4	13	10
1—	1	—	2590	2292	4	11	—	4	4	7	43	33	10	7	33	26
5—	—	—	466	377	4	4	2	—	2	4	10	8	1	—	9	7
10—	—	—	231	205	17	17	—	4	17	13	4	1	—	—	4	1
15—	—	—	315	208	21	11	1	—	20	11	—	1	—	—	—	1
20—	—	1	422	263	21	7	—	1	21	6	—	1	—	—	—	1
25—	—	—	448	334	15	14	2	—	13	14	—	1	—	—	—	1
30—	—	1	630	383	12	8	1	1	11	7	1	1	—	—	—	1
35—	—	—	882	549	10	5	—	2	10	3	2	2	—	—	2	1
40—	—	—	1124	639	10	1	1	—	9	1	2	5	—	—	2	5
45—	1	1	1624	751	11	7	1	—	10	7	4	2	—	—	4	2
50—	—	—	2035	932	13	11	1	1	12	10	7	4	—	—	7	4
55—	—	—	2274	1233	8	6	1	—	7	6	9	5	—	—	7	5
60—	—	1	2269	1563	3	4	2	—	1	4	—	5	—	—	—	3
65—	—	—	2454	1993	3	5	—	—	3	5	7	9	—	—	7	8
70—	—	1	2655	2764	2	5	—	2	2	3	1	3	—	—	1	3
75—	1	1	2613	3217	1	1	1	—	—	1	1	3	—	—	1	3
80—	—	1	3113	5300	—	1	—	—	—	1	6	5	—	—	6	5

Causes of Death.	105 (3) Other diseases of the larynx.		106 Bronchitis.		106 (*a*) Acute bronchitis.		106 (*b*) Chronic bronchitis.		106 (*c*) Bronchitis, not distinguished as acute or chronic.		107-109 Pneumonia (all forms).		107 Broncho-pneumonia.		108 Lobar pneumonia.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F
All Ages	3	5	10494	10581	2457	3258	4371	3051	3666	4272	16965	13094	8758	7723	6056	3796
0—	—	—	840	645	441	331	4	4	395	310	3216	2268	2751	1936	224	134
1—	—	—	217	215	117	121	13	11	87	83	2278	1987	1763	1555	304	249
5—	—	1	27	34	8	19	7	5	12	10	390	318	193	195	130	86
10—	—	—	21	18	5	6	12	9	4	3	174	160	60	60	76	76
15—	—	—	32	33	10	7	15	20	7	6	241	150	50	41	157	88
20—	—	—	44	30	7	7	30	15	7	8	314	188	56	56	206	108
25—	—	—	51	45	6	10	36	23	9	12	336	236	67	62	214	137
30—	1	—	75	44	11	13	51	22	13	9	488	281	87	75	312	156
35—	—	1	125	79	29	24	65	36	31	19	659	401	148	114	410	225
40—	—	—	207	106	34	30	133	46	40	30	753	441	209	125	432	244
45—	—	—	409	156	65	53	231	68	113	35	983	497	304	187	542	243
50—	—	—	591	260	108	69	342	132	141	59	1154	534	361	204	618	248
55—	2	—	726	383	128	109	416	171	182	103	1262	695	431	284	654	331
60—	—	2	843	592	152	157	461	258	230	177	1160	771	438	362	554	320
65—	—	1	1148	861	212	213	578	337	358	311	1040	895	422	425	469	342
70—	—	—	1410	1516	272	440	664	517	474	559	990	1045	506	593	354	304
75—	—	—	1622	2000	343	613	644	562	635	825	783	989	453	587	221	280
80—	—	—	2106	3564	509	1036	669	815	928	1713	744	1238	459	862	179	225

Causes of Death.	109 Pneumonia (not otherwise defined.)		110 Pleurisy.		110 (1) Empyema.		110 (2) Other pleurisy.		111 Congestion and hæmorrhagic infarct of lung, etc.		111 (1) Hypostatic congestion of lungs.		111 (2) Other diseases included under 111.		112 Asthma.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	2151	1575	588	359	302	140	286	219	584	794	523	748	61	46	975	820
0—	241	198	15	6	7	5	8	1	24	24	24	24	—	—	1	3
1—	211	183	33	31	31	28	2	3	7	8	7	8	—	—	6	7
5—	67	37	24	11	19	6	5	5	3	—	2	—	1	—	8	2
10—	38	24	8	8	6	6	2	2	4	1	3	1	1	—	3	—
15—	34	21	14	10	9	8	5	2	4	—	4	—	—	—	1	2
20—	52	24	25	18	18	17	7	1	3	3	2	2	1	1	8	13
25—	55	37	26	10	13	7	13	3	4	4	1	3	3	1	8	20
30—	89	50	22	16	13	7	9	9	5	5	5	4	—	1	20	26
35—	101	62	30	15	21	5	9	10	3	4	2	3	1	1	36	35
40—	112	72	52	18	33	9	19	9	7	5	5	4	2	1	55	56
45—	137	67	71	18	39	7	32	11	11	11	6	11	5	—	85	52
50—	175	82	47	18	24	6	23	12	21	13	14	6	7	7	140	81
55—	177	80	52	27	22	9	30	18	29	23	20	18	9	5	132	79
60—	168	89	53	24	24	7	29	17	31	38	26	31	5	7	124	119
65—	149	128	41	43	12	8	29	35	41	53	35	47	6	6	128	115
70—	130	148	36	32	8	1	28	31	79	76	71	74	8	2	116	83
75—	109	122	20	20	2	1	18	19	114	133	108	127	6	6	62	66
80—	106	151	19	34	1	3	18	31	194	393	188	385	6	8	42	61

Causes of Death.	113 Pulmonary emphysema.		114 Other diseases of the respiratory system.		114 (*a*) Chronic interstitial pneumonia, including occupational diseases of the lung.		114 (*b*) Other diseases included under 114.		114 (*b*) 1 Gangrene of the lung.		114 (*b*) 2 Other diseases included under 114 (*b*).		IX. 115-129 Diseases of the Digestive System.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	47	12	339	87	252	53	87	34	16	4	71	30	14004	11946
0—	—	—	3	5	—	1	3	4	—	—	3	4	2560	1660
1—	—	—	2	—	—	—	2	—	1	—	1	—	720	633
5—	—	—	—	—	—	—	—	—	—	—	—	—	321	384
10—	—	—	—	—	—	—	—	—	—	—	—	—	240	194
15—	—	—	2	1	—	—	2	1	—	1	2	—	246	175
20—	1	—	6	3	3	1	3	2	—	—	3	2	306	206
25—	1	—	7	4	3	2	4	2	1	1	3	1	332	233
30—	1	—	6	2	4	1	2	1	—	—	2	1	411	280
35—	1	—	16	8	10	2	6	6	2	—	4	6	415	365
40—	2	—	36	7	27	3	9	4	1	—	8	4	595	446
45—	3	1	47	7	41	5	6	2	—	1	6	1	932	657
50—	7	2	55	9	43	4	12	5	1	—	11	5	1065	860
55—	5	2	51	13	42	11	9	2	2	—	7	2	1225	879
60—	9	2	46	8	34	6	12	2	4	1	8	1	1287	1085
65—	8	3	38	9	27	7	11	2	4	—	7	2	1191	1123
70—	4	—	17	4	12	4	5	—	—	—	5	—	962	1061
75—	5	1	5	4	4	3	1	1	—	—	1	1	673	837
80—	—	1	2	3	2	3	—	—	—	—	—	—	523	868

Causes of Death.	115 Diseases of the buccal cavity, pharynx, etc.		115 (1) Diseases of the teeth and gums.		115 (2) Ludwig's angina.		115 (3) Diseases of the tonsils.		115 (4) Other diseases included under 115.		116 Diseases of the œsophagus		117 Ulcer of the stomach or duodenum.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	907	1056	221	204	45	30	488	621	153	201	27	15	3134	1000
0—	37	32	7	8	6	3	10	12	14	9	—	—	2	—
1—	112	89	7	3	—	3	88	70	17	13	—	1	—	—
5—	99	96	10	3	2	1	78	82	9	10	—	—	—	1
10—	36	41	5	2	—	1	24	31	7	7	—	—	4	2
15—	40	26	5	6	2	—	27	18	6	2	1	—	18	6
20—	42	35	6	9	5	1	25	22	6	3	1	—	48	8
25—	47	37	14	11	2	—	26	23	5	3	—	—	74	16
30—	52	64	8	17	3	4	37	37	4	6	—	—	149	22
35—	27	61	4	17	1	1	17	39	5	4	1	1	181	43
40—	29	56	9	17	3	2	11	29	6	8	—	1	295	66
45—	57	70	14	15	4	1	27	39	12	15	2	—	430	108
50—	56	80	23	20	2	1	20	42	11	17	—	2	480	114
55—	54	84	25	19	1	1	23	45	5	19	1	2	450	138
60—	60	68	27	11	4	2	19	38	10	17	5	—	387	136
65—	57	80	21	14	2	2	25	37	9	27	2	2	288	131
70—	40	58	16	13	4	5	10	27	10	13	8	3	186	84
75—	37	37	12	6	3	1	15	18	7	12	4	1	79	80
80—	25	42	8	13	1	1	6	12	10	16	2	2	63	45

Causes of Death.	117 (*a*) Ulcer of the stomach.		117 (*b*) Ulcer of the duodenum.		118 Other diseases of the stomach.		118 (1) Inflammation of the stomach.		118 (2) Other diseases included under 118.		119 & 120 Diarrhœa and enteritis.		119 & 120 (*a*) (1) Colitis.		119 & 120(*a*)(2) Other diarrhœa and enteritis.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	2012	814	1122	186	493	525	394	458	99	67	3084	2532	130	165	2791	2104
0—	1	—	1	—	108	94	101	88	7	6	2150	1408	31	29	2118	1376
1—	—	—	—	—	20	30	18	27	2	3	377	332	9	7	367	322
5—	—	1	—	—	5	5	4	5	1	—	35	49	2	4	31	43
10—	3	2	1	—	4	4	4	3	—	1	23	17	1	—	19	12
15—	11	3	7	3	4	1	3	—	1	1	9	18	1	5	8	3
20—	30	6	18	2	6	2	3	2	3	—	21	41	2	2	4	8
25—	49	12	25	4	6	1	1	1	5	—	22	35	3	5	7	5
30—	93	16	56	6	8	4	5	2	3	2	28	36	4	3	8	6
35—	115	35	66	8	9	8	7	4	2	4	18	33	1	6	6	10
40—	184	52	111	14	8	10	4	8	4	2	18	35	3	5	6	14
45—	280	93	150	15	33	12	18	6	15	6	31	45	6	10	9	13
50—	310	101	170	13	23	18	15	13	8	5	44	43	7	9	13	12
55—	297	119	153	19	32	15	25	9	7	6	42	52	9	11	17	21
60—	243	107	144	29	38	35	28	27	10	8	41	50	9	3	24	32
65—	189	107	99	24	44	45	31	39	13	6	68	65	12	11	42	39
70—	119	72	67	12	51	85	44	79	7	6	54	88	15	25	32	49
75—	53	53	26	27	50	54	44	50	6	4	48	80	8	11	36	60
80—	35	35	28	10	44	102	39	95	5	7	55	105	7	19	44	79

Causes of Death.	119 & 120 (*b*) Ulceration of intestines.		121 Appendicitis.		122 Hernia, intestinal obstruction.		122 (*a*) Hernia.		122 (*a*) 1 Strangulated hernia.		122 (*a*) 2 Hernia not returned as strangulated.		122 (*b*) Intestinal obstruction.		123 Other diseases of the intestines.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	163	263	1650	1404	2447	2318	1019	1076	729	832	290	244	1428	1242	349	327
0—	1	3	3	2	237	103	44	9	14	1	30	8	193	94	9	9
1—	1	3	91	65	87	47	19	1	5	—	14	1	68	46	9	4
5—	2	2	115	117	44	22	4	—	3	—	1	—	40	22	5	3
10—	3	5	120	90	42	15	4	1	2	1	2	—	38	14	—	1
15—	—	10	118	90	42	18	5	1	3	—	2	1	37	17	1	2
20—	15	31	108	60	52	30	8	2	6	1	2	1	44	28	7	2
25—	12	25	101	57	51	34	8	3	5	3	3	—	43	31	6	2
30—	16	27	72	51	65	44	14	4	11	4	3	—	51	40	5	6
35—	11	17	58	62	57	72	19	12	11	6	8	6	38	60	13	5
40—	9	16	92	67	75	99	23	35	18	24	5	11	52	64	14	14
45—	16	22	124	119	109	127	38	49	23	39	15	10	71	78	25	21
50—	24	22	113	152	130	167	47	80	31	60	16	20	83	87	32	31
55—	16	20	157	116	205	174	84	96	59	71	25	25	121	78	36	20
60—	8	15	142	117	256	271	135	174	106	138	29	36	121	97	37	44
65—	14	15	108	93	269	281	133	158	107	124	26	34	136	123	54	46
70—	7	14	64	77	285	296	162	175	128	140	34	35	123	121	49	40
75—	4	9	45	40	245	264	147	151	102	114	45	37	98	113	27	35
80—	4	7	19	29	196	254	125	125	95	106	30	19	71	129	20	42

Causes of Death.	123 (1) Constipation, Intestinal stasis.		123 (2) Diverticulitis.		123 (3) Other diseases included under 123.		124 Cirrhosis of the liver.		124 (*a*) Returned as alcoholic.		124 (*b*) Not returned as alcoholic.		125 Other diseases of the liver.		125 (1) Acute yellow atrophy.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	41	64	206	183	102	80	817	424	115	77	702	347	87	114	22	54
0—	5	9	3	—	1	—	—	—	—	—	—	—	—	—	—	—
1—	3	2	4	1	2	1	1	—	—	—	1	—	1	4	1	1
5—	2	—	3	2	—	1	3	4	—	—	3	4	1	2	—	2
10—	—	—	—	—	—	1	2	2	—	—	2	2	3	—	—	—
15—	—	—	1	1	—	1	1	2	—	—	1	2	2	3	—	3
20—	1	—	2	—	4	2	3	1	—	—	3	1	6	12	4	11
25—	1	—	3	—	2	2	—	2	—	—	—	2	6	16	1	14
30—	1	—	2	3	2	3	10	7	2	—	8	7	3	7	2	5
35—	—	—	8	3	5	2	21	12	2	2	19	10	7	13	2	11
40—	—	1	8	6	6	7	24	18	5	5	19	13	7	2	2	2
45—	1	—	16	16	8	5	58	39	14	8	44	31	9	6	4	2
50—	—	4	23	21	9	6	89	61	17	12	72	49	6	5	2	—
55—	1	1	22	13	13	6	140	55	17	10	123	45	7	9	3	2
60—	3	2	23	33	11	9	158	80	20	19	138	61	9	7	1	1
65—	6	4	37	32	11	10	153	62	24	12	129	50	7	8	—	—
70—	5	4	30	25	14	11	85	33	7	3	78	30	3	9	—	—
75—	4	10	14	15	9	10	45	19	5	2	40	17	7	4	—	—
80—	8	27	7	12	5	3	24	27	2	4	22	23	3	7	—	—

Causes of Death.	125 (2) Other diseases included under 125.		126 Biliary calculi.		126 (1) With cholecystitis.		126 (2) Without mention of cholecystitis.		127 Other diseases of the gall bladder and ducts.		127 (1) Cholecystitis, without record of biliary calculi.		127 (2) Other diseases included under 127.		128 Diseases of the pancreas.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	65	60	301	884	95	323	206	561	337	791	308	731	29	60	234	265
0—	—	—	—	—	—	—	—	—	3	1	2	—	1	1	—	1
1—	—	3	—	—	—	—	—	—	4	2	—	—	4	2	—	1
5—	1	—	—	—	—	—	—	—	2	1	1	—	1	1	2	1
10—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
15—	2	—	1	—	—	—	1	—	—	1	—	1	—	—	2	—
20—	2	1	1	—	1	—	—	—	3	4	3	2	—	2	5	2
25—	5	2	1	11	—	5	1	6	6	7	4	4	2	3	7	4
30—	1	2	3	15	—	4	3	11	7	8	3	5	4	3	5	6
35—	5	2	3	20	1	2	2	18	8	15	8	13	—	2	8	9
40—	5	—	8	22	3	9	5	13	9	31	9	29	—	2	11	15
45—	5	4	15	38	6	12	9	26	9	35	9	32	—	3	21	26
50—	4	5	26	86	7	24	19	62	24	47	23	43	1	4	30	41
55—	4	7	30	89	9	34	21	55	32	75	32	67	—	8	29	42
60—	8	6	48	137	15	43	33	94	57	88	55	82	2	6	34	44
65—	7	8	54	148	15	56	39	92	47	127	41	121	6	6	36	28
70—	3	9	51	132	19	55	32	77	56	124	51	120	5	4	23	27
75—	7	4	32	108	12	50	20	58	36	103	36	97	—	6	14	10
80—	3	7	28	78	7	29	21	49	34	122	31	115	3	7	6	8

Causes of Death.	129 Peritonitis, without stated cause.		X. 130–139 Non-Venereal Diseases of the Genito-Urinary System and Annexa.		130-132 Nephritis.		130 Acute nephritis.		131 Chronic nephritis.		132 Nephritis, not stated to be acute or chronic.		133 Other diseases of the kidney and annexa.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	137	291	13790	9293	7687	7786	536	520	6302	6421	849	845	412	538
0—	11	10	65	49	18	13	14	8	—	—	4	5	25	27
1—	18	58	67	71	49	47	40	27	5	10	4	10	12	19
5—	10	83	56	55	52	48	29	29	18	14	5	5	1	5
10—	5	22	75	88	65	81	36	27	23	38	6	16	8	5
15—	7	8	111	96	98	86	31	25	58	47	9	14	9	2
20—	3	9	156	191	137	148	40	36	81	94	16	18	9	11
25—	5	11	163	215	135	153	38	20	86	114	11	19	16	21
30—	4	10	196	257	158	164	32	28	103	124	23	12	13	24
35—	4	11	211	340	164	223	18	25	127	173	19	25	14	22
40—	5	10	321	413	246	299	26	31	187	229	33	39	27	28
45—	9	11	501	559	406	412	39	38	315	331	52	43	29	44
50—	12	13	760	702	572	575	50	32	463	489	59	54	37	53
55—	10	8	1139	857	805	735	33	49	667	603	105	83	45	55
60—	15	8	1620	1023	991	914	26	48	853	780	112	86	41	49
65—	4	7	2155	1194	1150	1085	30	45	999	925	121	115	45	50
70—	7	5	2314	1224	1086	1095	27	23	939	960	120	112	25	49
75—	4	2	2070	1019	869	910	16	20	773	792	80	98	36	34
80—	4	5	1810	940	686	798	11	9	605	698	70	91	20	40

Causes of Death.	133 (*a*) Pyelitis.		133 (*b*) Other diseases included under 133.		134 Calculi of the urinary passages.		134 (*a*) Calculi of kidney and ureter.		134 (*b*) Calculi of the bladder.		134 (*c*) Calculi of unstated site.		135 Diseases of the bladder.		135 (*a*) Cystitis.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	293	420	119	118	273	152	194	140	79	11	—	1	484	335	436	313
0—	16	24	9	3	—	—	—	—	—	—	—	—	1	1	—	1
1—	6	17	6	2	—	—	—	—	—	—	—	—	—	—	—	—
5—	1	3	—	2	3	—	3	—	—	—	—	—	—	1	—	1
10—	5	5	3	—	1	—	—	—	1	—	—	—	1	—	—	—
15—	5	2	4	—	2	1	1	1	1	—	—	—	—	—	—	—
20—	5	11	4	—	2	6	2	6	—	—	—	—	2	4	1	3
25—	11	17	5	4	8	1	7	1	1	—	—	—	—	1	—	1
30—	8	19	5	5	14	7	12	7	2	—	—	—	5	10	3	10
35—	6	16	8	6	17	12	13	10	4	1	—	1	4	13	3	11
40—	13	22	14	6	19	12	17	12	2	—	—	—	5	13	4	12
45—	13	27	16	17	16	21	14	21	2	—	—	—	4	16	3	13
50—	24	38	13	15	31	23	28	21	3	2	—	—	21	13	21	12
55—	34	43	11	12	30	15	20	14	10	1	—	—	31	24	29	23
60—	36	38	5	11	34	13	23	13	11	—	—	—	55	27	46	24
65—	38	37	7	13	27	11	22	10	5	1	—	—	65	29	55	28
70—	24	44	1	5	29	12	18	10	11	2	—	—	84	53	75	50
75—	31	24	5	10	22	10	10	9	12	1	—	—	86	50	83	46
80—	17	33	3	7	18	8	4	5	14	3	—	—	120	80	113	78

Causes of Death.	135 (*b*) Other diseases of the bladder.		136 Diseases of the urethra, urinary abscess, etc.		136 (*a*) Stricture of the urethra.		136 (*b*) Other diseases of the urethra, etc.		137 Diseases of the prostate.	138 Diseases of the male genital organs.	139 Diseases of the female genital organs.
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	M.	F.
All Ages	48	22	359	4	341	—	18	4	4498	77	478
0—	1	—	—	—	—	—	—	—	—	21	8
1—	—	—	—	—	—	—	—	—	—	6	5
5—	—	—	—	—	—	—	—	—	—	—	1
10—	1	—	—	—	—	—	—	—	—	—	2
15—	—	—	1	—	—	—	1	—	—	1	7
20—	1	1	3	—	3	—	—	—	—	3	22
25—	—	—	2	—	1	—	1	—	1	1	39
30—	2	—	3	—	3	—	—	—	1	2	52
35—	1	2	7	—	7	—	—	—	3	2	70
40—	1	1	18	—	18	—	—	—	5	1	61
45—	1	3	25	—	22	—	3	—	15	6	66
50—	—	1	40	—	39	—	1	—	55	4	38
55—	2	1	57	—	54	—	3	—	169	2	28
60—	9	3	60	—	56	—	4	—	429	10	20
65—	10	1	53	2	48	—	5	2	810	5	17
70—	9	3	42	2	42	—	—	2	1042	6	13
75—	3	4	29	—	29	—	—	—	1023	5	15
80—	7	2	19	—	19	—	—	—	945	2	14

Causes of Death.	139 (*a*) Diseases of the ovary, Fallopian tube and parametrium.	139 (*a*) 1 Diseases of the ovary.	139 (*a*) 2 Diseases of the Fallopian tube.	139 (*a*) 3 Diseases of the parametrium.	139 (*b*) Diseases of the uterus.	139 (*c*) Diseases of the breast.	139 (*d*) Other diseases of the female genital organs.
Ages at Death.	F.	F.	F.	F.	F.	F.	F.
All Ages	227	10	186	31	216	13	22
0—	—	—	—	—	—	5	3
1—	1	—	1	—	—	—	4
5—	1	—	1	—	—	—	—
10—	1	1	—	—	1	—	—
15—	6	—	6	—	1	—	—
20—	17	2	14	1	5	—	—
25—	32	3	27	2	6	1	—
30—	41	2	35	4	10	1	—
35—	44	1	37	6	25	—	1
40—	32	—	29	3	27	—	2
45—	23	—	19	4	41	1	1
50—	10	1	7	2	22	2	4
55—	9	—	5	4	17	2	—
60—	2	—	1	1	16	—	2
65—	3	—	2	1	14	—	—
70—	2	—	—	2	9	—	2
75—	3	—	2	1	11	—	1
80—	—	—	—	—	11	1	2

Causes of Death.	XI. 140–150. Diseases of Pregnancy, Childbirth and the Puerperal State.	140 & 145 Puerperal sepsis.	140 Post-abortive sepsis.	141 Abortion not returned as septic.	141 (1) Hæmorrhage following abortion.	141 (2) Without record of hæmorrhage.	142 Ectopic gestation.	143 Other accidents of pregnancy.
Ages at Death.	F.	F.	F.	F.	F.	F.	F.	F.
All Ages	2618	1061	257	121	108	13	90	22
0—	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—
10—	1	—	—	—	—	—	—	—
15—	69	33	7	1	1	—	2	—
20—	410	171	34	10	9	1	5	7
25—	687	292	51	19	16	3	22	2
30—	596	255	69	26	23	3	30	6
35—	573	229	73	45	40	5	22	2
40—	254	74	21	18	17	1	8	1
45—	26	7	2	2	2	—	1	4
50—	2	—	—	—	—	—	—	—
55—	—	—	—	—	—	—	—	—
60—	—	—	—	—	—	—	—	—
65—	—	—	—	—	—	—	—	—
70—	—	—	—	—	—	—	—	—
75—	—	—	—	—	—	—	—	—
80—	—	—	—	—	—	—	—	—

Causes of Death.	144 Puerperal hæmorrhage.	144 (*a*) Placenta prævia.	144 (*b*) Other puerperal hæmorrhage.	145 Puerperal sepsis not returned as post-abortive.	145 (*a*) Puerperal septicæmia and pyæmia.	145 (*b*) Puerperal tetanus.	146 Puerperal albuminuria and convulsions.	147 Other toxæmias of pregnancy.
Ages at Death.	F.	F.	F.	F.	F.	F.	F.	F.
All Ages	269	137	132	804	803	1	372	140
0—	—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	1	—
15—	2	—	2	26	26	—	15	2
20—	23	9	14	137	137	—	76	41
25—	65	29	36	241	240	1	106	34
30—	67	31	36	186	186	—	69	27
35—	68	38	30	156	156	—	61	21
40—	41	27	14	53	53	—	40	14
45—	3	3	—	5	5	—	4	1
50—	—	—	—	—	—	—	—	—
55—	—	—	—	—	—	—	—	—
60—	—	—	—	—	—	—	—	—
65—	—	—	—	—	—	—	—	—
70—	—	—	—	—	—	—	—	—
75—	—	—	—	—	—	—	—	—
80—	—	—	—	—	—	—	—	—

Causes of Death.	148 Puerperal phlegmasia alba dolens, embolism, and sudden death.	148 (*a*) Puerperal phlegmasia alba dolens not returned as septic.	148 (*b*) Puerperal embolism and sudden death.	149 Other accidents of childbirth.	150 Other or unspecified conditions of the puerperal state.	150 (1) Puerperal insanity.	150 (2) Puerperal diseases of the breast.
Ages at Death.	F.	F.	F.	F.	F.	F.	F.
All Ages	175	55	120	311	57	11	17
0—	—	—	—	—	—	—	—
1—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—
15—	3	—	3	9	2	—	1
20—	20	6	14	49	8	3	1
25—	44	14	30	86	17	5	8
30—	35	11	24	71	10	2	3
35—	38	10	28	74	13	1	1
40—	33	12	21	20	5	—	2
45—	1	1	—	1	2	—	1
50—	1	1	—	1	—	—	—
55—	—	—	—	—	—	—	—
60—	—	—	—	—	—	—	—
65—	—	—	—	—	—	—	—
70—	—	—	—	—	—	—	—
75—	—	—	—	—	—	—	—
80—	—	—	—	—	—	—	—

Causes of Death.	150 (3) Childbirth (unqualified).	XII. 151–153 Diseases of the Skin and Cellular Tissue.		151 Carbuncle, Boil.		152 Cellulitis, Acute abscess.		152 (1) Cellulitis.		152 (2) Acute abscess.		153 Other diseases of the skin and its annexa.	
Ages at Death.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	29	1084	895	383	230	426	330	335	267	91	63	275	335
0—	—	131	88	8	6	46	29	27	15	19	14	77	53
1—	—	31	27	1	2	16	15	7	10	9	5	14	10
5—	—	11	14	3	5	5	7	3	6	2	1	3	2
10—	—	22	14	11	9	9	5	5	4	4	1	2	—
15—	1	36	25	22	15	12	6	8	4	4	2	2	4
20—	4	28	25	12	10	14	10	10	9	4	1	2	5
25—	4	38	39	27	21	9	13	9	8	—	5	2	5
30—	5	49	24	23	9	21	11	16	8	5	3	5	4
35—	11	38	35	20	19	17	12	12	11	5	1	1	4
40—	3	45	29	20	8	22	14	16	11	6	3	3	7
45—	1	51	41	18	15	26	19	25	15	1	4	7	7
50—	—	80	61	32	24	33	17	23	14	10	3	15	20
55—	—	82	62	32	19	36	31	34	27	2	4	14	12
60—	—	95	68	41	18	34	29	30	27	4	2	20	21
65—	—	101	63	35	10	47	25	43	24	4	1	19	28
70—	—	100	83	35	19	33	26	28	25	5	1	32	38
75—	—	77	74	26	12	25	22	20	18	5	4	26	40
80—	—	69	123	17	9	21	39	19	31	2	8	31	75

Causes of Death.	XIII. 154–156 Diseases of the Bones and Organs of Locomotion.		154 Acute infective osteomyelitis and periostitis.		155 Other diseases of the bones.		156 Diseases of the joints and other organs of locomotion.		156 (*a*) Diseases of the joints.		156 (*b*) Diseases of other organs of locomotion.		XIV. 157 Congenital Malformations.		157 (*a*) Congenital hydrocephalus.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	534	359	279	175	115	76	140	108	110	76	30	32	2161	1716	151	115
0—	23	18	14	8	1	1	8	9	8	8	—	1	1919	1498	108	78
1—	64	30	49	24	2	2	13	4	11	4	2	—	125	104	33	29
5—	66	53	54	44	3	3	9	6	6	6	3	—	25	20	2	3
10—	91	54	69	41	5	5	17	8	10	7	7	1	33	25	3	1
15—	48	23	36	18	8	3	4	2	4	—	—	2	23	14	—	1
20—	19	10	7	5	9	—	3	5	2	3	1	2	11	13	2	1
25—	21	9	11	4	6	—	4	5	3	3	1	2	7	15	1	—
30—	17	15	8	12	5	—	4	3	2	1	2	2	4	4	1	—
35—	21	8	12	4	4	1	5	3	5	1	—	2	6	2	—	—
40—	15	4	3	—	5	1	7	3	5	3	2	—	1	5	—	—
45—	18	10	3	4	8	2	7	4	7	4	—	—	3	5	—	—
50—	14	13	4	4	4	4	6	5	4	3	2	2	1	1	1	1
55—	23	15	6	1	4	8	13	6	11	4	2	2	—	3	—	—
60—	24	24	2	—	11	6	11	18	9	10	2	8	1	6	—	—
65—	25	14	1	4	14	7	10	3	7	3	3	—	1	—	—	—
70—	28	22	—	1	15	11	13	10	10	7	3	3	1	1	—	1
75—	11	20	—	1	7	12	4	7	4	4	—	3	—	—	—	—
80—	6	17	—	—	4	10	2	7	2	5	—	2	—	—	—	—

Causes of Death.	157 (*b*) Spina bifida and meningocele.		157 (*c*) Congenital malformation of heart.		157 (*d*) Monstrosities.		157 (*e*) Other congenital malformations.		157 (*e*) 1 Congenital pyloric stenosis.		157 (*e*) 2 Cleft palate, Harelip.		157 (*e*) 3 Imperforate anus.		157 (*e*) 4 Other stated Congenital malformations.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	418	601	812	566	38	55	742	379	247	70	81	45	54	10	320	229
0—	408	580	687	449	38	55	678	336	247	69	71	40	52	10	269	193
1—	9	15	52	40	—	—	31	20	—	1	10	5	2	—	18	13
5—	—	2	15	10	—	—	8	5	—	—	—	—	—	—	8	5
10—	—	3	23	20	—	—	7	1	—	—	—	—	—	—	7	1
15—	—	—	16	12	—	—	7	1	—	—	—	—	—	—	7	1
20—	1	—	7	8	—	—	1	4	—	—	—	—	—	—	1	4
25—	—	—	3	10	—	—	3	5	—	—	—	—	—	—	3	5
30—	—	—	2	3	—	—	1	1	—	—	—	—	—	—	1	1
35—	—	—	5	2	—	—	1	—	—	—	—	—	—	—	1	—
40—	—	—	—	5	—	—	1	—	—	—	—	—	—	—	1	—
45—	—	1	1	3	—	—	2	1	—	—	—	—	—	—	2	1
50—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
55—	—	—	—	2	—	—	—	1	—	—	—	—	—	—	—	1
60—	—	—	—	2	—	—	1	4	—	—	—	—	—	—	1	4
65—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
70—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—
75—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
80—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Causes of Death.	157 (*e*) 5 Congenital malformation, unspecified.		XV. 158–161 Diseases of Early Infancy.		158 Congenital debility.		159 Premature birth.		160 Injury at birth.		160 (*a*) With mention of Cæsarean section.		160 (*b*) Without mention of Cæsarean section.		161 Other diseases peculiar to early infancy.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	40	25	9085	6712	1082	728	6138	4747	813	508	7	5	806	503	1052	729
0—	39	24	9085	6712	1082	728	6138	4747	813	508	7	5	806	503	1052	729
1—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
20—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
35—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
40—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
45—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
50—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
55—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
60—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
65—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
70—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
75—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
80—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Causes of Death.	161 (*a*) Atelectasis.		161 (*b*) Icterus neonatorum		161 (*c*) Other diseases included under 161.		161 (*c*) 1 Diseases of the Umbilicus.		161 (*c*) 2 Pemphigus neonatorum		161 (*c*) 3 Other diseases included under 161 (*c*).		XVI. 162 Old Age.		162 (*a*) Senile dementia.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	657	422	193	107	202	200	43	26	28	24	131	150	6703	10435	449	514
0—	657	422	193	107	202	200	43	26	28	24	131	150	—	—	—	—
1—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
20—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
35—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
40—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
45—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
50—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
55—	—	—	—	—	—	—	—	—	—	—	—	—	4	13	1	4
60—	—	—	—	—	—	—	—	—	—	—	—	—	63	63	24	22
65—	—	—	—	—	—	—	—	—	—	—	—	—	200	220	53	47
70—	—	—	—	—	—	—	—	—	—	—	—	—	891	1091	112	101
75—	—	—	—	—	—	—	—	—	—	—	—	—	1702	2285	132	139
80—	—	—	—	—	—	—	—	—	—	—	—	—	3842	6763	127	201

Causes of Death.	162 (*b*) Other forms of senile decay.		XVII. 163–198 Deaths from Violence.		Suicide.											
					163–171 Total.		163 By solid or liquid poisons and corrosive substances.		164 By poisonous gas.		165 By hanging or strangulation.		166 By drowning.		167 By firearms.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	6254	9921	15295	7385	3893	1761	468	348	1091	641	704	168	561	324	283	5
0—	—	—	393	291	—	—	—	—	—	—	—	—	—	—	—	—
1—	—	—	662	391	—	—	—	—	—	—	—	—	—	—	—	—
5—	—	—	591	348	—	—	—	—	—	—	—	—	—	—	—	—
10—	—	—	443	132	3	1	—	—	—	1	3	—	—	—	—	—
15—	—	—	963	227	76	32	9	6	26	8	20	1	4	10	5	1
20—	—	—	1296	289	165	97	23	24	47	33	27	5	20	19	25	1
25—	—	—	1105	288	241	126	32	28	73	41	34	10	27	19	29	—
30—	—	—	908	283	271	146	39	38	76	44	47	10	40	23	26	1
35—	—	—	770	291	239	171	45	40	70	57	36	13	25	32	12	1
40—	—	—	875	315	296	179	33	45	95	63	39	20	43	29	23	—
45—	—	—	1012	375	409	204	47	37	117	85	75	21	60	35	30	—
50—	1	—	1115	423	473	212	67	48	125	71	82	20	73	45	27	—
55—	3	9	1249	494	551	226	61	36	152	88	104	30	97	37	32	1
60—	39	41	1132	447	473	143	54	22	127	65	100	15	60	23	23	—
65—	147	173	913	495	324	110	29	12	93	45	70	11	53	23	18	—
70—	779	990	730	600	207	72	17	7	54	26	37	9	33	19	16	—
75—	1570	2146	592	633	109	35	8	4	27	14	17	2	19	7	12	—
80—	3715	6562	546	1063	56	7	4	1	9	—	13	1	7	3	5	—

Causes of Death.	Suicide—*continued.*								Homicide.								176–194 Accidental deaths.	
	168 By cutting or piercing instruments.		169 By jumping from high places.		170 By crushing.		171 By other means.		172–175 Total.		172* 173 By firearms.		174 By cutting or piercing instruments.		175 By other means.			
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	455	97	102	64	218	44	11	70	87	123	6	12	15	23	66	88	10465	5202
0—	—	—	—	—	—	—	—	—	13	21	—	—	1	3	12	18	355	234
1—	—	—	—	—	—	—	—	—	10	12	—	—	4	3	6	9	642	374
5—	—	—	—	—	—	—	—	—	3	7	—	—	1	1	2	6	578	338
10—	—	—	—	—	—	—	—	—	4	4	—	—	2	1	2	3	429	126
15—	—	1	1	—	10	5	1	—	3	9	—	1	—	—	3	8	852	179
20—	4	1	5	2	12	2	2	10	12	11	1	—	2	4	9	7	1078	162
25—	17	4	5	6	23	4	1	14	4	8	1	2	—	1	3	5	811	125
30—	16	7	7	4	18	2	2	17	6	9	—	1	1	3	5	5	587	105
35—	28	5	4	4	18	7	1	12	3	8	1	1	1	2	1	5	460	91
40—	34	9	5	2	23	7	1	4	8	8	2	3	1	1	5	4	487	104
45—	50	11	10	7	20	3	—	5	4	6	—	2	1	2	3	2	518	140
50—	57	12	15	9	25	5	2	2	4	5	—	1	—	—	4	4	548	188
55—	75	17	13	11	17	4	—	2	4	4	—	—	1	2	3	2	602	240
60—	76	7	13	5	20	3	—	3	2	4	—	—	—	—	2	4	569	283
65—	39	14	5	4	17	1	—	—	2	2	—	—	—	—	2	2	526	371
70—	35	4	8	5	7	1	—	1	2	1	—	—	—	—	2	1	485	511
75—	13	5	6	3	6	—	1	—	2	2	1	1	—	—	1	1	459	588
80—	11	—	5	2	2	—	—	—	1	2	—	—	—	—	1	2	479	1043

* **172,** Infanticide. Deaths from this cause are included under Nos. 173–175.

Causes of Death.	176 Attack by venomous animals.		177 Food poisoning.		178 Accidental absorption of irrespirable or poisonous gas.		179 Other acute accidental poisoning (not by gas).		180 Conflagration.		181 Accidental burns (conflagration excepted).		182 Accidental mechanical suffocation.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	25	19	12	6	106	58	57	49	30	16	534	783	248	144
0—	—	—	—	—	—	—	—	—	—	—	50	21	185	120
1—	3	—	—	—	2	1	7	5	2	3	252	171	12	5
5—	—	2	—	—	1	—	—	—	1	3	16	64	—	1
10—	1	2	—	1	1	1	—	—	2	—	7	33	2	2
15—	—	2	1	—	5	4	—	1	—	—	18	47	3	—
20—	4	1	—	—	10	2	3	3	4	—	20	39	3	—
25—	1	—	1	—	8	4	1	3	2	—	12	21	4	1
30—	2	3	—	—	5	—	3	4	—	—	19	18	4	1
35—	2	—	—	—	5	2	7	4	—	—	9	11	5	2
40—	2	1	1	1	6	3	3	3	1	1	8	15	1	2
45—	1	1	2	1	7	2	2	7	1	—	15	20	4	1
50—	2	2	—	1	9	6	5	4	—	—	9	21	11	1
55—	2	1	2	—	8	2	5	3	1	—	9	25	5	2
60—	2	2	1	—	13	3	4	6	5	1	11	29	2	2
65—	1	—	1	1	8	4	7	—	5	1	18	46	2	1
70—	1	2	2	—	9	8	4	2	1	1	16	60	2	2
75—	1	—	1	—	4	8	4	1	2	4	28	67	1	1
80—	—	—	—	1	5	8	2	3	3	2	17	75	2	—

Causes of Death.	183 Accidental drowning.		184 Accidental injury by firearms.		185 Accidental injury by cutting or piercing instruments.		186 Accidental injury by fall, crushing, etc.		187* 188. Injury by animals (poisoning by venomous animals excepted).		189 Hunger or thirst.		190 Excessive cold.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	810	115	67	3	10	4	7980	3784	37	4	9	2	30	7
0—	2	2	—	—	1	—	16	8	—	—	1	—	—	—
1—	69	25	1	—	—	—	266	145	3	1	—	—	1	—
5—	106	12	1	—	—	—	434	244	—	—	—	—	—	—
10—	97	15	3	—	—	—	286	65	1	—	—	—	—	—
15—	158	9	9	2	1	2	618	106	2	—	—	—	—	—
20—	130	8	8	—	1	—	854	103	3	—	—	—	—	—
25—	72	10	8	—	2	—	668	78	—	—	—	—	—	—
30—	25	4	3	—	—	—	497	70	1	—	—	—	2	—
35—	29	3	4	—	—	—	373	67	—	—	—	—	1	—
40—	25	2	3	—	1	—	407	73	4	—	—	—	—	—
45—	17	1	9	1	1	1	428	103	2	1	—	—	1	—
50—	19	8	8	—	1	—	453	131	2	—	3	—	1	1
55—	22	3	4	—	—	—	502	193	5	—	—	—	7	—
60—	16	2	4	—	—	—	483	229	6	—	—	—	—	1
65—	12	6	1	—	—	—	438	304	2	—	1	1	8	1
70—	3	2	1	—	1	—	427	425	3	—	2	1	4	1
75—	5	2	—	—	1	—	394	498	2	2	1	—	1	—
80—	3	1	—	—	—	1	436	942	1	—	1	—	4	3

* Cataclysm—.

Causes of Death.	191 Excessive heat.		192 Lightning.		193 Electricity (lightning excepted).		194 Other and unstated forms of accidental violence.		194 (1) Inattention at birth.		194 (2) Other causes included under 194.		195 Violent deaths of unstated nature (i.e., accidental, suicidal, etc.).		196 Wounds of war.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	93	53	13	2	63	7	341	146	87	78	254	68	757	299	84	—
0—	6	2	—	—	—	—	94	81	87	78	7	3	25	36	—	—
1—	3	6	—	—	2	—	19	12	—	—	19	12	10	5	—	—
5—	1	5	—	—	2	—	16	7	—	—	16	7	10	3	—	—
10—	4	3	1	—	4	—	20	4	—	—	20	4	7	1	—	—
15—	2	1	2	—	5	2	28	3	—	—	28	3	32	7	—	—
20—	3	1	1	1	10	1	24	3	—	—	24	3	40	19	—	—
25—	3	3	1	—	13	1	15	4	—	—	15	4	47	29	—	—
30—	3	1	2	—	8	1	13	3	—	—	13	3	41	23	—	—
35—	1	—	1	1	5	—	18	1	—	—	18	1	34	21	33	—
40—	3	—	1	—	5	—	16	3	—	—	16	3	62	24	22	—
45—	6	1	—	—	3	—	19	—	—	—	19	—	66	25	13	—
50—	7	6	—	—	3	2	15	5	—	—	15	5	80	18	10	—
55—	12	6	1	—	2	—	15	5	—	—	15	5	88	24	4	—
60—	8	2	1	—	1	—	12	6	—	—	12	6	86	17	2	—
65—	11	4	2	—	—	—	9	2	—	—	9	2	61	12	—	—
70—	6	4	—	—	—	—	3	3	—	—	3	3	36	16	—	—
75—	11	3	—	—	—	—	3	2	—	—	3	2	22	8	—	—
80—	3	5	—	—	—	—	2	2	—	—	2	2	10	11	—	—

Causes of Death.	197* 198 Execution.		XVIII. 199–200 Ill-defined Diseases.		199 Sudden death.		200 Cause of death unstated or ill-defined.		200 (1) Heart failure.		200 (2) Other ill-defined. causes.		200 (3) Cause not specified.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	9	—	731	584	194	143	537	441	463	367	50	58	24	16
0—	—	—	23	13	1	1	22	12	6	—	6	4	10	8
1—	—	—	21	19	1	—	20	19	1	—	19	18	—	1
5—	—	—	6	2	—	1	6	1	2	1	4	—	—	—
10—	—	—	1	4	1	1	—	3	—	2	—	1	—	—
15—	—	—	1	1	—	—	1	1	1	1	—	—	—	—
20—	1	—	6	4	4	2	2	2	2	2	—	—	—	—
25—	2	—	8	1	4	—	4	1	4	1	—	—	—	—
30—	3	—	10	4	2	2	8	2	7	2	—	—	1	—
35—	1	—	7	4	1	2	6	2	5	1	1	1	—	—
40—	—	—	10	6	6	—	4	6	4	4	—	—	—	2
45—	2	—	32	16	10	4	22	12	20	12	—	—	2	—
50—	—	—	51	30	26	8	25	22	22	18	1	2	2	2
55—	—	—	65	43	24	12	41	31	34	30	6	1	1	—
60—	—	—	88	65	26	15	62	50	58	40	2	9	2	1
65—	—	—	116	76	33	23	83	53	74	46	6	6	3	1
70—	—	—	129	111	31	33	98	78	93	71	3	6	2	1
75—	—	—	73	86	13	20	60	66	58	64	1	2	1	—
80—	—	—	84	99	11	19	73	80	72	72	1	8	—	—

* **197.** Execution of civilians by belligerent armies —.

TABLE 22.—CAUSES OF DEATH OF CHILDREN UNDER FIVE AT DIFFERENT AGE-PERIODS, 1933. } {ENGLAND AND WALES.

International List Number	Causes of Death.		Total under 5 years.	Under 4 weeks	4 wks–3 m'ths	3–6 m'ths	6–12 m'ths	1 year.	2 years.	3 years.	4–5 years.
	ALL CAUSES	M.	29,547	10,751	3,411	2,964	4,185	4,087	1,847	1,252	1,050
		F.	22,920	7,937	2,352	2,129	3,231	3,510	1,635	1,178	948
7	Measles	M.	900	2	5	6	187	400	159	88	53
		F.	813	1	8	6	148	373	145	83	49
8	Scarlet Fever	M.	156	—	—	1	8	36	46	27	38
		F.	166	—	—	—	7	33	43	47	36
9	Whooping Cough	M.	962	18	90	116	254	297	103	53	31
		F.	1,215	22	101	123	286	363	183	86	51
10	Diphtheria	M.	542	1	5	2	30	80	120	132	172
		F.	460	2	2	5	23	54	97	121	156
11	Influenza	M.	676	27	64	63	150	190	101	53	28
		F.	512	25	32	46	112	152	63	39	43
15	Erysipelas	M.	151	14	39	33	39	20	2	2	2
		F.	145	15	26	27	42	25	3	2	5
16	Acute poliomyelitis	M.	34	—	—	—	6	17	3	5	3
		F.	30	1	—	—	5	7	8	5	4
	1. Acute poliomyelitis	M.	17	—	—	—	2	8	2	2	3
		F.	19	1	—	—	4	2	5	5	2
	2. Acute polioencephalitis	M.	17	—	—	—	4	9	1	3	—
		F.	11	—	—	—	1	5	3	—	2
17	Encephalitis lethargica	M.	14	—	—	—	1	4	3	3	3
		F.	10	—	—	1	—	2	2	2	3
18	Cerebro-spinal fever	M.	257	—	14	35	72	70	30	24	12
		F.	202	—	6	27	56	47	23	20	23
23–32	Tuberculosis, all forms	M.	1,042	2	19	72	190	307	199	150	103
		F.	846	2	9	51	137	262	138	147	100
23	Tuberculosis, respiratory system.	M.	132	1	1	9	25	43	18	21	14
		F.	103	1	2	8	17	38	9	16	12
24	Tuberculosis, nervous system	M.	573	—	5	32	94	170	128	84	60
		F.	497	—	4	21	73	155	91	97	56
25	Tuberculosis, intestines and peritoneum.	M.	153	1	8	15	30	46	26	18	9
		F.	90	1	1	6	19	28	19	13	3
26–31	Tuberculosis, other organs	M.	27	—	2	1	6	6	4	5	3
		F.	16	—	1	—	2	1	2	5	5
32	Disseminated tuberculosis	M.	157	—	3	15	35	42	23	22	17
		F.	140	—	1	16	26	40	17	16	24
	(*a*) Acute	M.	102	—	2	9	24	28	17	13	9
		F.	97	—	—	13	13	32	11	13	15
	(*b*) and (*c*) Others included under 32.	M.	55	—	1	6	11	14	6	9	8
		F.	43	—	1	3	13	8	6	3	9
34	(*a*) Congenital syphilis	M.	139	51	44	23	11	8	1	1	—
		F.	110	41	38	18	6	6	—	—	1
35	1. Gonorrhœal or purulent ophthalmia.	M.	9	5	2	1	1	—	—	—	—
		F.	6	4	2	—	—	—	—	—	—
36	Purulent infection, Septicæmia	M.	40	9	6	5	5	6	3	2	4
		F.	28	3	7	1	4	6	2	—	5
44	1. Vaccinia	M.	3	—	—	3	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—
	2. Other sequelæ of vaccination.	M.	—	—	—	—	—	—	—	—	—
		F.	1	—	—	—	1	—	—	—	—
	3. German measles	M.	4	—	—	—	1	2	—	—	1
		F.	5	—	—	1	3	1	—	—	—
	. Varicella	M.	21	—	1	3	11	1	2	2	1
		F.	10	—	—	2	3	3	1	1	—

TABLE 22—*continued.*

International List Number	Causes of Death.		Total under 5 years.	Under 4 weeks	4 wks–3 m'ths	3–6 m'ths	6–12 m'ths	1 year.	2 years.	3 years.	4–5 years.
44	5. Mumps	M.	8	—	—	—	2	2	—	3	1
		F.	—	—	—	—	—	—	—	—	—
45–53	Cancer, malignant disease ..	M.	54	1	2	1	4	9	12	15	10
		F.	48	2	1	4	4	11	8	13	5
56	Rheumatic fever	M.	35	—	—	—	—	—	2	11	22
		F.	23	—	—	—	—	—	3	5	15
60	Scurvy	M.	5	—	—	—	3	1	1	—	—
		F.	7	—	1	—	2	3	1	—	—
63	1. Rickets	M.	119	2	6	15	43	39	8	3	3
		F.	87	—	1	6	37	34	4	3	2
67	Diseases of the thymus ..	M.	77	8	23	28	2	9	4	2	1
		F.	40	6	9	10	7	4	—	2	2
70	(*a*) Purpura	M.	35	17	2	1	5	3	3	3	1
		F.	37	9	7	3	7	5	1	3	2
	(*b*) Hæmophilia	M.	47	35	2	1	—	3	1	4	1
		F.	39	37	2	—	—	—	—	—	—
72	(*a*) Leukæmia	M.	35	—	1	—	2	7	13	7	5
		F.	26	1	—	1	3	5	5	3	8
79	Meningitis	M.	302	12	21	39	80	73	37	25	15
		F.	182	4	15	27	35	47	20	12	22
85	Epilepsy	M.	38	5	4	1	3	7	10	4	4
		F.	49	1	5	3	5	12	8	7	8
86	Infantile convulsions	M.	750	380	97	85	94	60	20	7	7
		F.	515	220	85	54	69	54	26	6	1
87	Other diseases of nervous system.	M.	73	5	4	4	11	22	17	6	4
		F.	72	7	2	7	8	21	12	7	8
89	Diseases of the ear and mastoid sinus.	M.	172	4	7	39	46	28	19	10	19
		F.	143	2	8	22	38	27	23	9	14
	(*a*) Otitis and other diseases of the ear.	M.	105	3	4	23	33	19	11	3	9
		F.	97	2	6	15	23	22	15	6	8
	(*b*) Diseases of the mastoid sinus.	M.	67	1	3	16	13	9	8	7	10
		F.	46	—	2	7	15	5	8	3	6
90–95	Heart diseases	M.	21	—	—	—	2	5	4	5	5
		F.	28	1	3	—	2	4	1	4	13
105	1. Laryngismus stridulus ..	M.	19	3	1	2	3	4	3	2	1
		F.	11	—	—	—	4	3	1	1	2
	2. Laryngitis	M.	46	2	5	1	5	18	4	4	7
		F.	36	3	1	3	3	7	7	7	5
106	Bronchitis	M.	1,057	125	257	223	235	153	38	13	13
		F.	860	91	173	167	214	146	40	15	14
107–109	Pneumonia (all forms) ..	M.	5,494	274	625	829	1,488	1,420	475	228	155
		F.	4,255	183	441	559	1,085	1,198	431	230	128
107	Broncho-pneumonia ..	M.	4,514	225	548	718	1,260	1,136	369	168	90
		F.	3,491	158	377	483	918	970	333	176	76
108	Lobar pneumonia	M.	528	17	36	49	122	159	60	39	46
		F.	383	6	22	33	73	119	52	37	41
109	Pneumonia (not otherwise defined).	M.	452	32	41	62	106	125	46	21	19
		F.	381	19	42	43	94	109	46	17	11
110	Pleurisy	M.	48	1	1	6	7	16	8	4	5
		F.	37	2	1	—	3	9	13	6	3
	1. Empyema	M.	38	—	—	4	3	15	7	4	5
		F.	33	2	—	—	3	7	12	6	3
	2. Other pleurisy	M.	10	1	1	2	4	1	1	—	—
		F.	4	—	1	—	—	2	1	—	—
111	Congestion and hæmorrhagic infarct of lung, etc.	M.	31	6	11	4	3	3	3	1	—
		F.	32	9	8	5	2	7	—	1	—

TABLE 22—*continued.*

International List Number	Causes of Death.		Total under 5 years.	Under 4 weeks	4 wks–3 m'ths	3–6 m'ths	6–12 m'ths	1 year.	2 years.	3 years.	4–5 years.
104, 105 (3) 112–114	Other respiratory diseases ..	M.	19	1	1	3	2	6	4	—	2
		F.	29	1	—	6	4	6	4	2	6
115	1. Diseases of the teeth and gums.	M.	14	1	3	1	2	4	1	1	1
		F.	11	1	4	—	3	1	2	—	—
	3. Diseases of the tonsils ..	M.	98	1	1	2	6	22	13	31	22
		F.	82	1	—	2	9	18	11	21	20
118	1. Inflammation of the stomach	M.	119	26	26	36	13	9	4	2	3
		F.	115	20	30	19	19	14	8	2	3
119–120	Diarrhœa and enteritis ..	M.	2,527	183	606	697	664	271	44	40	22
		F.	1,740	109	331	511	457	222	51	36	23
121	Appendicitis	M.	94	1	—	—	2	5	24	26	36
		F.	67	—	1	—	1	4	13	21	27
122	Hernia, intestinal obstruction	M.	324	37	19	76	105	43	17	12	15
		F.	150	14	6	32	51	22	13	7	5
	(*a*) Hernia	M.	63	6	10	19	9	8	6	3	2
		F.	10	2	3	1	3	1	—	—	—
	(*b*) Intestinal obstruction ..	M.	261	31	9	57	96	35	11	9	13
		F.	140	12	3	31	48	21	13	7	5
129	Peritonitis, without stated cause.	M.	29	3	2	2	4	3	5	4	6
		F.	68	1	1	2	6	8	10	18	22
130–132	Nephritis	M.	67	6	3	1	8	13	12	17	7
		F.	60	1	1	2	9	11	10	16	10
133	(*a*) Pyelitis	M.	22	3	6	3	4	4	1	—	1
		F.	41	—	3	6	15	7	6	2	2
152	Cellulitis, Acute abscess ..	M.	62	17	12	6	11	6	5	4	1
		F.	44	6	10	10	3	6	3	5	1
	1. Cellulitis	M.	34	10	10	3	4	3	3	—	1
		F.	25	2	7	4	2	6	—	3	1
	2. Acute abscess	M.	28	7	2	3	7	3	2	4	—
		F.	19	4	3	6	1	—	3	2	—
151, 153	Other diseases of the skin ..	M.	100	14	17	25	29	12	3	—	—
		F.	71	10	11	16	22	9	3	—	—
154	Acute infective osteomyelitis and periostitis.	M.	63	—	9	2	3	11	9	18	11
		F.	32	—	4	—	4	3	7	8	6
157	Congenital malformations ..	M.	2,044	1,154	455	185	125	72	25	16	12
		F.	1,602	939	305	141	113	62	19	13	10
	(*a*) Congenital hydrocephalus.	M.	141	41	17	22	28	23	5	4	1
		F.	107	27	18	16	17	17	5	6	1
	(*b*) Spina bifida and meningocele.	M.	417	275	85	27	21	7	1	—	1
		F.	595	364	128	56	32	9	3	1	2
	(*c*) Congenital malformation of heart.	M.	739	484	98	66	39	29	10	6	7
		F.	489	297	70	38	44	23	7	6	4
	(*d*) Monstrosities	M.	38	38	—	—	—	—	—	—	—
		F.	55	55	—	—	—	—	—	—	—
	(*e*) Other congenital malformations.	M.	709	316	255	70	37	13	9	6	3
		F.	356	196	89	31	20	13	4	—	3
	1. Congenital pyloric stenosis.	M.	247	25	181	35	6	—	—	—	—
		F.	70	11	41	11	6	1	—	—	—
	2. Cleft palate, Harelip ..	M.	81	32	23	9	7	4	3	2	1
		F.	45	18	13	6	3	3	1	—	1
	3. Imperforate anus ..	M.	54	43	6	2	1	1	—	1	—
		F.	10	6	3	—	1	—	—	—	—
	4. Other stated congenital malformations.	M.	287	187	40	21	21	8	5	3	2
		F.	206	139	31	13	10	9	2	—	2
	5. Congenital malformation, unspecified.	M.	40	29	5	3	2	—	1	—	—
		F.	25	22	1	1	—	—	1	—	—

TABLE 22—*continued.*

International List Number	Causes of Death.		Total under 5 years.	Under 4 weeks	4 wks–3 m'ths	3–6 m'ths	6–12 m'ths	1 year.	2 years.	3 years.	4–5 years.
158	Congenital debility	M.	1,082	615	283	140	44	—	—	—	—
		F.	728	413	168	99	48	—	—	—	—
159	Premature birth	M.	6,138	5,638	443	52	5	—	—	—	—
		F.	4,747	4,339	368	34	6	—	—	—	—
160	Injury at birth	M.	813	792	15	—	6	—	—	—	—
		F.	508	495	11	—	2	—	—	—	—
	(*a*) With mention of Cæsarean section.	M.	7	7	—	—	—	—	—	—	—
		F.	5	5	—	—	—	—	—	—	—
	(*b*) Without mention of Cæsarean section.	M.	806	785	15	—	6	—	—	—	—
		F.	503	490	11	—	2	—	—	—	—
161	Other diseases peculiar to early infancy.	M.	1,052	997	55	—	—	—	—	—	—
		F.	729	692	37	—	—	—	—	—	—
	(*a*) Atelectasis	M.	657	638	19	—	—	—	—	—	—
		F.	422	410	12	—	—	—	—	—	—
	(*b*) Icterus neonatorum ..	M.	193	176	17	—	—	—	—	—	—
		F.	107	96	11	—	—	—	—	—	—
	(*c*) Other diseases under 161	M.	202	183	19	—	—	—	—	—	—
		F.	200	186	14	—	—	—	—	—	—
	1. Diseases of the Umbilicus.	M.	43	38	5	—	—	—	—	—	—
		F.	26	21	5	—	—	—	—	—	—
	2. Pemphigus neonatorum	M.	28	19	9	—	—	—	—	—	—
		F.	24	19	5	—	—	—	—	—	—
	3. Other diseases under 161 (*c*).	M.	131	126	5	—	—	—	—	—	—
		F.	150	146	4	—	—	—	—	—	—
163–198	Violent deaths	M.	1,055	196	55	63	79	193	171	151	147
		F.	682	168	42	41	40	117	105	109	60
173–175	Homicide*	M.	23	12	1	—	—	5	2	1	2
		F.	33	17	1	1	2	6	2	4	—
181	Accidental burns (conflagration excepted).	M.	302	3	2	3	42	127	73	34	18
		F.	192	2	1	4	14	71	52	31	17
	1. By clothing	M.	14	—	—	1	2	3	4	2	2
		F.	34	—	—	—	2	9	9	10	4
	2. Otherwise (or not stated how).	M.	30	2	1	1	5	8	3	6	4
		F.	36	1	—	1	1	12	9	6	6
	3. Scalds	M.	258	1	1	1	35	116	66	26	12
		F.	122	1	1	3	11	50	34	15	7
182	Accidental mechanical suffocation.	M.	197	66	48	55	16	7	2	1	2
		F.	125	44	33	28	15	5	—	—	—
	1. In bed or not stated how	M.	160	60	41	42	15	1	—	—	1
		F.	100	34	27	23	13	3	—	—	—
	2. Otherwise than in 1 ..	M.	37	6	7	13	1	6	2	1	1
		F.	25	10	6	5	2	2	—	—	—
183	Accidental drowning	M.	71	1	—	1	—	8	20	21	20
		F.	27	2	—	—	—	8	9	5	3
186	Accidental injury by fall, crushing, etc.	M.	282	1	1	1	13	31	56	80	99
		F.	153	—	1	3	4	17	34	60	34
	1. Road vehicles	M.	217	—	—	1	3	14	42	70	87
		F.	120	—	—	2	1	9	26	54	28
	2. Otherwise	M.	65	1	1	—	10	17	14	10	12
		F.	33	—	1	1	3	8	8	6	6
	Other violence, including inattention at birth.	M.	180	113	3	3	8	15	18	14	6
		F.	152	103	6	5	5	10	8	9	6
	Other causes	M.	409	57	42	28	69	93	55	31	34
		F.	328	33	25	29	58	69	58	31	25

* 172 Infanticide. Deaths from this cause are included under Nos. 173–175.

TABLE 23.—Deaths by Month of Occurrence and Cause, 1932–1933. } { England and Wales.

Note.—(*a*) The figures for the last three months of 1933 are not available at the time of going to press.

(*b*) Totals for any period made up from this table will differ from the corresponding figures shown in other tables which are tabulated according to date of *registration*.

International List No.	Causes of Death.		1932.			1933.								
			Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
	ALL CAUSES	M	18506	18816	22196	34482	27078	22408	19575	18368	17343	16595	16325	16220
		F	17817	17985	21866	35834	27780	21732	18940	17693	16379	15989	15655	15271
1-44	**I.—Infectious and Parasitic Diseases .. .. ..**	M	2108	2006	2748	8455	5887	3207	2607	2361	2042	1791	1734	1669
		F	1679	1785	2356	8499	5950	2570	2131	1870	1635	1602	1429	1470
1 & 2	Typhoid and paratyphoid fevers	M	17	18	12	10	6	5	10	6	5	11	11	16
		F	13	26	13	7	7	9	7	12	8	8	2	11
1	Typhoid fever	M	14	18	12	8	6	3	9	6	4	10	7	12
		F	10	21	12	6	7	9	7	11	5	5	1	5
2	Paratyphoid fevers	M	3	—	—	2	—	2	1	—	1	1	4	4
		F	3	5	1	1	—	—	—	1	3	3	1	6
3	Typhus fever	M	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—
4	Relapsing fever ("Spirillum obermeieri")	M	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—
5	Undulant fever	M	—	1	—	1	—	—	1	—	—	1	—	—
		F	1	—	—	—	—	—	—	—	—	—	—	—
6	Small-pox	M	—	—	—	—	—	1	—	—	—	—	—	1
		F	—	—	—	—	—	—	—	—	—	—	—	—
7	Measles	M	28	64	96	108	86	140	150	127	94	49	48	19
		F	35	37	59	76	81	124	133	110	89	56	38	24
8	Scarlet fever	M	20	26	27	33	18	19	21	24	27	30	17	20
		F	19	25	40	38	28	26	39	24	19	21	18	29
9	Whooping cough	M	62	54	86	185	168	111	72	80	50	65	53	52
		F	49	75	95	224	224	159	115	87	62	69	65	76
10	Diphtheria	M	110	102	111	137	90	84	66	78	95	73	85	97
		F	81	108	127	129	96	87	95	98	80	106	105	96
11	Influenza	M	208	190	594	5393	3273	629	298	183	95	70	56	73
		F	174	199	645	6109	3862	583	285	115	78	59	60	63
	(*a*) With respiratory complications	M	122	110	423	4309	2568	429	179	110	62	45	35	45
		F	110	102	431	4633	2866	354	168	52	37	23	25	32
	1. With pneumonic complications	M	86	63	287	2903	1726	292	126	85	45	31	23	36
		F	75	62	299	2944	1760	209	105	33	18	16	11	22
	2. With other respiratory complications	M	36	47	136	1406	842	137	53	25	17	14	12	9
		F	35	40	132	1689	1106	145	63	19	19	7	14	10
	(*b*) Without respiratory complications	M	86	80	171	1084	705	200	119	73	33	25	21	28
		F	64	97	214	1476	996	229	117	63	41	36	35	31
	1. With non-respiratory complications	M	66	66	113	632	449	160	95	64	26	19	18	22
		F	47	77	144	848	612	179	96	58	35	31	29	24
	2. Without stated complications	M	20	14	58	452	256	40	24	9	7	6	3	6
		F	17	20	70	628	384	50	21	5	6	5	6	7
12	Cholera	M	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—
13	Dysentery	M	9	5	6	4	9	5	—	3	3	2	4	10
		F	5	3	1	2	7	5	2	3	1	—	1	4
	(*a*) Amœbic	M	1	1	—	1	—	—	—	1	—	—	—	—
		F	—	—	—	—	—	—	—	—	1	—	—	—
	(*b*) Bacillary	M	2	—	3	1	4	4	—	1	—	2	3	7
		F	4	2	—	2	3	1	1	2	—	—	1	2
	(*c*) Other or unspecified ..	M	6	4	3	2	5	1	—	1	3	—	1	3
		F	1	1	1	—	4	4	1	1	—	—	—	2

TABLE 23—*continued.*

International List No.	Causes of Death.		1932. Oct.	1932. Nov.	1932. Dec.	1933. Jan.	1933. Feb.	1933. Mar.	1933. Apr.	1933. May	1933. June	1933. July	1933. Aug.	1933. Sept.
14	Plague	M	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—
	(*a*) Bubonic	M	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—
	(*b*) Pneumonic	M	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—
	(*c*) Septicæmic	M	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—
	(*d*) Not otherwise defined	M	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—
15	Erysipelas	M	41	36	51	69	61	74	77	52	39	23	19	38
		F	32	43	63	56	40	57	68	56	43	36	23	35
16	Acute poliomyelitis	M	16	13	3	7	9	6	7	7	13	9	18	15
		F	8	4	12	9	9	3	3	6	8	7	8	10
	(1) Acute poliomyelitis	M	11	5	3	4	8	2	4	5	9	7	10	12
		F	5	1	12	5	6	2	2	1	7	3	5	7
	(2) Acute polioencephalitis	M	5	8	—	3	1	4	3	2	4	2	8	3
		F	3	3	—	4	3	1	1	5	1	4	3	3
17	Encephalitis lethargica	M	28	29	30	61	38	37	31	24	41	35	39	27
		F	22	34	31	50	30	44	24	34	26	33	24	22
18	Cerebro-spinal fever	M	44	29	47	79	67	58	65	58	35	36	29	23
		F	29	25	23	40	72	69	53	36	27	19	24	17
19	Glanders	M	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—
20	Anthrax	M	2	—	—	—	—	—	—	—	1	1	—	—
		F	—	—	—	—	—	—	—	1	—	—	—	—
21	Rabies	M	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—
22	Tetanus	M	10	6	5	2	5	1	5	9	8	7	11	16
		F	1	—	—	2	—	1	3	6	3	2	3	4
23–32	Tuberculosis (all forms)	M	1394	1297	1550	2225	1922	1888	1687	1595	1424	1270	1222	1133
		F	1130	1135	1165	1656	1419	1330	1246	1218	1118	1126	986	1025
23	Respiratory system	M	1161	1098	1334	1968	1669	1572	1381	1329	1159	1027	1009	953
		F	928	958	969	1432	1193	1078	1031	955	891	904	802	838
24	Central nervous system	M	81	67	85	81	104	128	134	107	110	100	78	63
		F	77	68	77	87	80	113	101	105	94	91	87	75
25	Intestines and peritoneum	M	39	32	41	42	29	47	52	33	38	38	35	35
		F	39	35	37	42	48	47	47	52	39	52	30	39
26	Vertebral column	M	31	19	12	36	30	33	19	22	19	15	23	19
		F	14	12	25	26	15	13	10	28	15	13	10	17
27	Other bones and joints	M	18	11	8	13	9	18	11	15	7	14	9	8
		F	7	7	3	7	7	9	5	10	10	6	7	10
28	Skin and subcutaneous tissues	M	—	1	1	1	—	3	—	—	2	1	2	—
		F	3	3	2	3	5	3	—	4	8	1	2	1
29	Lymphatic system (abdominal and bronchial glands excepted).	M	1	1	—	6	3	3	1	4	4	5	5	3
		F	3	3	3	3	2	1	2	1	4	3	1	3
30	Genito-urinary system	M	11	14	10	11	18	12	16	12	13	18	17	17
		F	8	8	5	7	7	6	4	12	5	8	10	6
31	Other organs	M	1	—	—	4	1	2	4	—	—	3	2	—
		F	—	1	1	—	1	—	—	1	1	—	2	1
	(1) Adrenals	M	—	—	—	1	—	1	3	—	—	3	1	—
		F	—	1	1	—	1	—	—	1	1	—	1	1
	(2) Other sites included under 31	M	1	—	—	3	1	1	1	—	—	—	1	—
		F	—	—	—	—	—	—	—	—	—	—	1	—

TABLE 23—*continued.*

International List No.	Causes of Death.		1932.			1933.								
			Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
32	Disseminated tuberculosis	M	51	54	59	63	59	70	69	73	72	49	42	35
		F	51	40	43	49	61	60	46	50	51	48	35	35
	(*a*) Acute	M	18	16	29	29	21	34	39	39	35	21	20	19
		F	22	23	19	26	32	33	22	30	27	28	18	22
	(*b*) Chronic	M	—	—	—	1	—	—	—	—	—	—	—	2
		F	—	—	—	—	—	—	—	—	—	—	—	1
	(*c*) Not distinguished as acute or chronic	M	33	38	30	33	38	36	30	34	37	28	22	14
		F	29	17	24	23	29	27	24	20	24	20	17	12
33	Leprosy	M	—	1	—	—	1	—	1	—	—	—	—	—
		F	—	—	—	1	—	—	—	—	—	—	—	—
34	Syphilis	M	78	80	65	82	86	93	65	62	59	55	58	80
		F	44	30	42	45	43	39	33	37	32	36	35	35
	(*a*) Congenital syphilis	M	20	18	16	19	25	11	13	10	12	10	14	9
		F	21	10	10	13	16	17	10	10	11	8	10	11
	(*b* & *c*) Acquired or unspecified	M	58	62	49	63	61	82	52	52	47	45	44	71
		F	23	20	32	32	27	22	23	27	21	28	25	24
35	Other venereal diseases	M	5	3	3	5	5	6	3	2	3	5	5	4
		F	4	2	2	1	—	1	—	1	1	—	1	1
	(1) Gonorrhœal or purulent ophthalmia	M	2	—	—	2	1	—	1	1	—	—	2	—
		F	—	1	1	—	—	1	—	—	—	—	—	1
	(2) Other diseases included under 35	M	3	3	3	3	4	6	2	1	3	5	3	4
		F	4	1	1	1	—	—	—	1	1	—	1	—
3	Purulent infection, Septicæmia	M	24	41	48	34	34	34	31	31	37	35	44	29
		F	26	31	25	40	22	24	15	21	29	17	28	12
	(*a*) Septicæmia	M	23	38	44	29	31	29	26	27	33	31	40	29
		F	21	28	22	39	17	20	15	16	25	15	27	9
	(*b*) Pyæmia	M	1	3	4	5	3	5	3	4	3	4	4	—
		F	5	3	3	1	5	3	—	5	4	2	1	3
	(*c*) Gas gangrene	M	—	—	—	—	—	—	2	—	1	—	—	—
		F	—	—	—	—	—	1	—	—	—	—	—	—
37	Yellow fever	M	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	1	—	—	—	—
38	Malaria	M	1	—	1	3	1	2	1	2	2	1	1	—
		F	1	—	—	—	—	—	1	—	1	—	1	—
39	Other diseases due to protozoa	M	1	1	—	—	—	—	—	—	—	1	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—
40	Ankylostomiasis	M	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—
41	Hydatid cysts	M	1	2	2	2	1	1	2	1	—	2	—	1
		F	1	1	1	1	—	—	1	—	1	1	—	—
	(*a*) Liver	M	—	2	2	2	1	1	—	1	—	2	—	1
		F	1	1	1	1	—	—	1	—	1	—	—	—
	(*b*) Other organs	M	1	—	—	—	—	—	2	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	1	—	—
42	Other diseases due to helminths	M	1	—	—	1	—	—	1	—	—	—	—	—
		F	—	1	3	1	1	—	—	—	—	—	—	—
43	Mycoses	M	2	4	6	7	4	3	4	5	5	5	10	8
		F	1	3	4	5	5	2	2	1	2	1	2	4
	(1) Actinomycosis	M	1	4	5	4	2	2	2	3	1	5	7	6
		F	—	2	3	4	3	1	1	1	1	1	1	1
	(2) Other mycoses	M	1	—	1	3	2	1	2	2	4	—	3	2
		F	1	1	1	1	2	1	1	—	1	—	1	3
44	Other infectious or parasitic diseases	M	6	4	5	7	3	10	9	12	6	5	4	7
		F	3	3	5	7	4	7	6	4	7	5	5	2
	(1) Vaccinia	M	—	—	1	—	—	1	—	1	—	—	—	—
		F	1	—	1	—	—	1	—	—	—	—	—	—

TABLE 23—*continued.*

International List No.	Causes of Death.		1932. Oct.	1932. Nov.	1932. Dec.	1933. Jan.	1933. Feb.	1933. Mar.	1933. Apr.	1933. May	1933. June	1933. July	1933. Aug.	1933. Sept.
44	Other infectious or parasitic diseases—*cont.*													
	(2) Other sequelæ of vaccination	M	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	1	1	—	—	—	—	—	—	—	—
	3) German measles ..	M	—	—	1	—	1	2	—	1	1	—	—	—
		F	—	—	—	—	—	1	—	1	3	1	—	—
	(4) Varicella	M	2	1	1	5	1	2	2	3	2	4	—	3
		F	1	1	—	1	3	2	2	1	1	—	3	1
	(5) Mumps	M	2	—	1	—	—	3	2	3	2	1	1	—
		F	—	—	1	—	—	1	—	—	1	1	—	—
	(6) Other diseases included under 44	M	2	3	1	2	1	2	5	4	1	—	3	4
		F	1	2	2	5	1	2	4	2	2	3	2	1
45–55	**II.—Cancer and other Tumours**	M	**2609**	**2437**	**2560**	**2654**	**2296**	**2532**	**2399**	**2510**	**2448**	**2477**	**2479**	**2458**
		F	**2890**	**2748**	**2873**	**3116**	**2631**	**2848**	**2808**	**2826**	**2787**	**2934**	**3011**	**2708**
45–53	Cancer, Malignant disease ..	M	2515	2336	2461	2565	2227	2449	2302	2426	2365	2384	2378	2373
		F	2739	2608	2734	2959	2503	2701	2676	2658	2671	2806	2871	2590
45	Buccal cavity and pharynx	M	246	244	257	257	222	244	240	242	231	229	200	240
		F	44	43	50	55	48	49	38	43	28	59	51	40
46	Digestive organs and peritoneum	M	1574	1383	1484	1574	1384	1515	1427	1524	1479	1490	1481	1457
		F	1321	1231	1283	1430	1178	1272	1364	1312	1336	1349	1415	1273
47	Respiratory organs.. ..	M	224	243	244	272	216	244	235	234	206	240	249	252
		F	84	86	76	93	77	63	76	76	92	79	85	91
48	Uterus	F	373	365	380	368	352	352	352	334	341	368	390	364
49	Other female genital organs	F	163	137	173	157	144	151	145	164	169	171	164	140
50	Breast	M	6	2	8	4	6	5	3	3	4	3	4	5
		F	548	521	554	621	513	594	509	521	508	565	535	476
51	Male genito-urinary organs	M	280	291	289	281	245	288	245	262	272	247	268	250
52	Skin	M	60	48	50	58	47	42	43	64	54	58	54	49
		F	37	44	46	47	36	37	41	39	35	37	35	48
53	Other or unspecified organs	M	125	125	129	119	107	111	109	97	119	117	122	120
		F	169	181	172	188	155	183	151	169	162	178	196	158
54	Non-malignant tumours ..	M	43	48	41	33	25	34	33	37	30	31	35	30
		F	88	89	90	96	79	90	89	93	76	91	87	79
	(*a*) Female genital organs..	F	60	63	55	56	53	61	60	61	47	55	55	53
	(*b*) Other Sites	M	43	48	41	33	25	34	33	37	30	31	35	30
		F	28	26	35	40	26	29	29	32	29	36	32	26
55	Tumours of undetermined nature	M	51	53	58	56	44	49	64	47	53	62	66	55
		F	63	51	49	61	49	57	43	75	40	37	53	39
	(*a*) Female genital organs ..	F	4	3	3	3	1	2	3	2	4	—	3	—
	(*b*) Other sites	M	51	53	58	56	44	49	64	47	53	62	66	55
		F	59	48	46	58	48	55	40	73	36	37	50	39
56–69	**III.—Rheumatism, Diseases of Nutrition and of Endocrine Glands and other General Diseases.**	M	**370**	**393**	**430**	**539**	**445**	**460**	**415**	**369**	**340**	**362**	**299**	**326**
		F	**654**	**618**	**834**	**931**	**824**	**792**	**698**	**705**	**647**	**674**	**620**	**621**
56	Rheumatic fever	M	36	40	44	55	48	50	57	43	47	38	46	39
		F	51	53	73	78	63	66	57	55	48	58	45	52
57	Chronic rheumatism, Osteo-arthritis	M	78	71	81	100	88	84	81	70	64	73	53	67
		F	173	145	227	244	217	208	188	187	182	169	142	144
	(1) Chronic rheumatism ..	M	3	1	13	8	4	4	5	4	3	3	4	1
		F	10	2	11	9	8	8	4	4	9	7	5	12
	(2) Rheumatoid arthritis, Osteo-arthritis	M	75	70	68	92	84	80	76	66	61	70	49	66
		F	163	143	216	235	209	200	184	183	173	162	137	132
58	Gout	M	17	18	28	22	17	26	16	20	14	11	20	5
		F	1	1	4	4	8	5	6	1	2	2	5	—

TABLE 23—*continued.*

International List No.	Causes of Death.		1932. Oct.	1932. Nov.	1932. Dec.	1933. Jan.	1933. Feb.	1933. Mar.	1933. Apr.	1933. May	1933. June	1933. July	1933. Aug.	1933. Sept.
59	Diabetes	M	195	216	229	297	226	237	205	199	164	189	142	168
		F	291	285	346	414	364	338	287	300	269	259	270	283
60	Scurvy	M	—	2	—	—	—	—	1	1	—	—	—	2
		F	1	—	—	—	1	2	—	—	1	1	—	1
61	Beri-beri	M	—	—	—	—	—	—	—	1	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—
62	Pellagra	M	—	—	—	—	—	—	—	—	—	—	2	—
		F	—	—	—	—	1	—	—	1	—	1	—	1
63	Rickets	M	11	12	16	20	19	17	12	4	9	8	3	10
		F	6	12	6	6	11	14	10	7	8	5	3	6
	(1) Rickets	M	10	8	15	19	16	16	12	4	9	8	3	9
		F	6	11	5	5	10	14	9	7	6	5	2	5
	(2) Spinal curvatures of undetermined nature	M	1	4	1	1	3	1	—	—	—	—	—	1
		F	—	1	1	1	1	—	1	—	2	—	1	1
64	Osteomalacia	M	—	—	—	—	—	—	—	—	—	1	—	—
		F	1	—	—	1	1	1	—	—	—	—	—	—
65	Diseases of the pituitary gland	M	—	—	—	—	2	3	5	—	2	1	3	2
		F	2	1	3	2	1	2	1	1	5	2	1	1
	(1) Infantilism	M	—	—	—	—	2	1	—	—	—	—	—	1
		F	—	1	1	1	—	—	—	—	1	—	—	1
	(2) Other diseases of the pituitary gland	M	—	—	—	—	—	2	5	—	2	1	3	1
		F	2	—	2	1	1	2	1	1	4	2	1	—
66	Diseases of the thyroid and parathyroid glands	M	22	19	14	23	22	19	19	15	24	18	18	17
		F	110	102	151	156	135	140	123	130	113	152	140	115
	(*a*) Simple goitre	M	1	3	—	5	—	2	5	1	2	4	2	2
		F	8	7	17	10	18	21	17	7	9	10	13	14
	(*b*) Exophthalmic goitre	M	18	13	11	14	15	13	10	11	19	12	14	13
		F	86	80	105	118	85	99	90	111	92	127	117	84
	(*c*) Myxœdema, Cretinism	M	1	2	—	3	7	3	3	2	3	2	1	2
		F	15	13	28	28	29	20	14	10	12	14	6	4
	(*d*) Tetany	M	2	—	2	1	—	1	—	1	—	—	1	—
		F	—	2	1	—	1	—	1	1	—	—	—	1
	(*e*) Other diseases included under 66	M	—	1	1	—	—	—	1	—	—	—	—	—
		F	1	—	—	—	2	—	1	1	—	1	4	2
67	Diseases of the thymus	M	7	7	6	5	15	8	6	6	6	13	6	10
		F	4	2	5	10	4	3	9	6	4	2	—	3
68	Diseases of the adrenals	M	3	5	6	12	6	12	6	5	7	10	6	3
		F	9	11	13	8	9	7	12	15	10	17	10	11
69	Other general diseases	M	1	3	6	5	2	4	7	5	3	—	—	3
		F	5	6	6	8	9	6	5	2	5	6	4	4
	(1) Amyloid disease of unstated origin	M	—	—	—	—	—	1	—	1	—	—	—	—
		F	1	1	—	—	—	—	—	—	1	1	—	—
	(2) Other diseases included under 69	M	1	3	6	5	2	3	7	4	3	—	—	3
		F	4	5	6	8	9	6	5	2	4	5	4	4
70–74	**IV.—Diseases of the Blood and Blood-forming Organs**	M	**180**	**149**	**175**	**206**	**144**	**169**	**199**	**152**	**179**	**137**	**168**	**156**
		F	**203**	**199**	**204**	**271**	**197**	**209**	**205**	**210**	**193**	**174**	**227**	**195**
70	Hæmorrhagic conditions	M	12	8	18	15	11	21	20	18	21	11	16	11
		F	17	7	9	22	20	24	19	14	17	8	16	18
	(*a*) Purpura	M	5	6	10	8	8	14	12	9	16	6	7	8
		F	15	7	9	16	17	19	16	11	14	5	13	12
	(*b*) Hæmophilia	M	7	2	8	7	3	7	8	9	5	5	9	3
		F	2	—	—	6	3	5	3	3	3	3	3	6
71	Anæmia, Chlorosis	M	103	87	95	111	70	80	114	70	84	62	81	98
		F	136	145	134	189	141	135	126	149	129	122	146	121
	(*a*) Pernicious anæmia	M	91	75	80	97	63	73	104	61	76	59	72	92
		F	118	135	123	172	125	124	113	136	113	109	132	105

TABLE 23—*continued.*

International List No.	Causes of Death.		1932. Oct.	1932. Nov.	1932. Dec.	1933. Jan.	1933. Feb.	1933. Mar.	1933. Apr.	1933. May	1933. June	1933. July	1933. Aug.	1933. Sept.
71	Anæmia, Chlorosis—*contd.*													
	(*b*) Other anæmias and chlorosis	M	12	12	15	14	7	7	10	9	8	3	9	6
		F	18	10	11	17	16	11	13	13	16	13	14	16
	(1) Splenic anæmia ..	M	7	6	14	7	4	6	7	5	2	2	8	6
		F	10	5	6	11	9	7	7	8	11	9	12	8
	(2) Other diseases included under 71*b* ..	M	5	6	1	7	3	1	3	4	6	1	1	—
		F	8	5	5	6	7	4	6	5	5	4	2	8
72	Leukæmia, Aleukæmia ..	M	61	52	57	73	58	58	56	59	64	54	66	45
		F	47	42	54	54	30	46	54	44	38	41	54	50
	(*a*) Leukæmia	M	38	27	31	35	33	30	27	40	36	32	32	24
		F	25	27	30	33	19	33	37	31	25	28	35	34
	(*b*) Aleukæmia (Lymphadenoma) ..	M	23	25	26	38	25	28	29	19	28	22	34	21
		F	22	15	24	21	11	13	17	13	13	13	19	16
73	Diseases of the spleen.. ..	M	3	2	5	3	4	8	8	4	7	7	4	2
		F	1	3	7	4	5	3	6	3	7	3	10	4
	(1) Banti's disease	M	1	1	3	1	3	8	7	3	2	3	4	1
		F	1	2	3	2	2	2	5	2	1	2	5	3
	(2) Other diseases of the spleen	M	2	1	2	2	1	—	1	1	5	4	—	1
		F	—	1	4	2	3	1	1	1	6	1	5	1
74	Other diseases of the blood and blood-forming organs ..	M	1	—	—	4	1	2	1	1	3	3	1	—
		F	2	2	—	2	1	1	—	—	2	—	1	2
75–77	**V.—Chronic Poisoning** ..	M	**12**	**11**	**13**	**8**	**4**	**4**	**7**	**4**	**5**	**14**	**6**	**3**
		F	**4**	**3**	**6**	**3**	**4**	**4**	—	**2**	**3**	**3**	**6**	**3**
75	Alcoholism (acute or chronic)	M	1	—	1	6	2	—	7	4	3	7	2	1
		F	3	3	3	2	3	3	—	2	3	2	4	3
76	Chronic poisoning by other organic substances	M	7	7	5	1	1	1	—	—	—	—	—	—
		F	—	—	1	—	—	—	—	—	—	—	2	—
77	Chronic poisoning by mineral substances	M	4	4	7	1	1	3	—	—	2	7	4	2
		F	1	—	2	1	1	1	—	—	—	1	—	—
	(1) Occupational lead poisoning	M	1	1	4	1	1	3	—	—	2	7	1	1
		F	1	—	—	1	—	1	—	—	—	—	—	—
	(2) Other chronic poisoning by mineral substances ..	M	3	3	3	—	—	—	—	—	—	—	3	1
		F	—	—	2	—	1	—	—	—	—	1	—	—
78–89	**VI.—Diseases of the Nervous System and Sense Organs**	M	**1463**	**1578**	**1729**	**2013**	**1888**	**1748**	**1551**	**1433**	**1346**	**1360**	**1320**	**1337**
		F	**1665**	**1637**	**1934**	**2259**	**2002**	**1850**	**1665**	**1636**	**1579**	**1456**	**1400**	**1369**
78	Encephalitis	M	17	13	10	12	13	16	5	10	14	13	12	15
		F	12	11	5	8	11	10	6	14	12	11	11	12
	(*a*) Cerebral abscess ..	M	14	10	5	6	8	11	4	3	9	6	8	5
		F	5	8	3	4	6	5	4	4	6	6	6	7
	(*b*) Other diseases included under 78	M	3	3	5	6	5	5	1	7	5	7	4	10
		F	7	3	2	4	5	5	2	10	6	5	5	5
79	Meningitis	M	45	48	43	56	69	83	52	49	40	47	42	36
		F	26	27	47	38	40	44	34	29	31	29	33	21
80	Tabes dorsalis (locomotor ataxy)	M	44	62	56	59	54	53	62	43	38	44	50	44
		F	8	8	20	8	18	6	12	12	11	11	13	12
81	Other diseases of the spinal cord	M	63	55	57	66	70	70	54	61	46	48	50	50
		F	48	38	43	65	57	45	48	57	50	26	41	47
	(1) Progressive muscular atrophy	M	24	21	22	28	32	36	23	31	16	27	13	18
		F	16	11	22	27	22	22	21	27	22	5	24	16
	(2) Subacute combined sclerosis	M	7	2	4	5	3	6	—	3	4	3	5	5
		F	3	5	2	10	3	7	2	4	1	2	3	8
	(3) Myelitis of unstated origin	M	16	12	9	18	19	12	20	10	14	9	11	7
		F	14	10	5	15	19	6	13	12	14	10	9	8
	(4) Other diseases included under 81	M	16	20	22	15	16	16	11	17	12	9	21	20
		F	15	12	14	13	13	10	12	14	13	9	5	15

TABLE 23—*continued.*

International List No.	Causes of Death.		1932. Oct.	1932. Nov.	1932. Dec.	1933. Jan.	1933. Feb.	1933. Mar.	1933. Apr.	1933. May	1933. June	1933. July	1933. Aug.	1933. Sept.
82	Cerebral hæmorrhage, Apoplexy, etc.	M	896	943	1060	1234	1114	1042	941	873	819	808	770	791
		F	1188	1208	1404	1670	1442	1287	1182	1145	1080	1005	991	972
	(*a*) Cerebral hæmorrhage	M	659	707	798	878	784	758	682	644	615	591	560	584
		F	861	904	1072	1206	1054	969	857	828	781	742	695	697
	(1) Cerebral hæmorrhage so returned	M	617	665	746	814	742	715	634	609	580	556	529	548
		F	808	851	1003	1112	1004	913	813	787	741	702	663	664
	(2) Apoplexy (lesion unstated)	M	42	42	52	64	42	43	48	35	35	35	31	36
		F	53	53	69	94	50	56	44	41	40	40	32	33
	(*b*) Cerebral embolism and thrombosis	M	179	193	223	279	263	241	217	189	173	179	175	184
		F	267	246	264	376	330	265	280	267	256	226	249	226
	(1) Cerebral embolism	M	10	17	20	27	26	13	14	17	19	12	14	12
		F	21	23	21	39	28	25	25	25	18	19	26	20
	(2) Cerebral thrombosis	M	161	161	190	236	224	221	195	164	148	156	155	170
		F	231	209	223	309	285	227	239	235	225	193	216	192
	(3) Cerebral softening	M	8	15	13	16	13	7	8	8	6	11	6	2
		F	15	14	20	28	17	13	16	7	13	14	7	14
	(*c*) Hemiplegia and other paralyses of unstated origin.	M	58	43	39	77	67	43	42	40	31	38	35	23
		F	60	58	68	88	58	53	45	50	43	37	47	49
	(1) Hemiplegia	M	54	41	35	70	61	40	38	34	31	32	34	20
		F	56	55	60	78	54	48	41	42	38	34	44	44
	(2) Other paralyses of unstated origin	M	4	2	4	7	6	3	4	6	—	6	1	3
		F	4	3	8	10	4	5	4	8	5	3	3	5
83	General paralysis of the insane	M	58	84	80	90	84	71	85	40	60	45	54	50
		F	20	13	22	30	28	31	14	18	16	21	8	19
84	Other forms of insanity	M	35	34	34	41	27	36	28	30	36	34	35	24
		F	51	54	56	57	63	57	49	53	54	62	52	36
	(*a*) Dementia præcox	M	2	5	2	5	4	1	2	6	4	3	1	—
		F	2	1	2	—	1	2	4	5	5	5	2	—
	(*b*) Other conditions included under 84	M	33	29	32	36	23	35	26	24	32	31	34	24
		F	49	53	54	57	62	55	45	48	49	57	50	36
85	Epilepsy	M	82	86	96	109	129	89	70	90	80	92	77	69
		F	84	80	99	108	88	99	88	89	97	78	77	71
86	Infantile convulsions (under 5 years of age)	M	49	50	84	84	69	79	62	54	50	52	66	60
		F	52	38	42	60	42	57	39	34	46	44	39	33
87	Other diseases of the nervous system	M	112	118	139	171	166	135	120	106	99	110	98	116
		F	127	121	140	152	138	141	129	125	127	126	87	111
	(*a*) Chorea	M	—	1	1	2	2	—	1	2	2	1	1	1
		F	3	4	5	5	1	3	5	3	8	6	3	3
	(*b*) Neuritis, Neuralgia	M	5	5	4	4	6	3	3	5	2	3	7	7
		F	2	6	10	4	5	5	2	6	1	14	5	5
	(*c*) Paralysis agitans	M	51	67	69	93	82	67	57	57	62	63	49	63
		F	51	42	61	70	50	68	53	54	62	48	41	45
	(*d*) Disseminated sclerosis	M	27	29	40	44	42	40	45	27	18	24	27	27
		F	40	40	41	49	52	44	47	35	33	33	19	35
	(*e*) Other diseases included under 87	M	29	16	25	28	34	25	14	15	15	19	14	18
		F	31	29	23	24	30	21	22	27	23	25	19	23
88	Diseases of the eye and annexa	M	4	3	4	8	4	2	3	5	1	4	3	5
		F	5	2	3	2	3	4	6	4	3	4	9	1
89	Diseases of the ear and mastoid sinus	M	58	82	66	83	89	72	69	72	63	63	63	77
		F	44	37	53	61	72	69	58	56	52	39	39	34
	(*a*) Otitis, and other diseases of the ear	M	36	45	35	52	55	44	46	41	35	41	29	40
		F	28	29	27	35	43	52	35	40	29	20	22	22
	(*b*) Diseases of the mastoid sinus	M	22	37	31	31	34	28	23	31	28	22	34	37
		F	16	8	26	26	29	17	23	16	23	19	17	12

TABLE 23—*continued.*

International List No.	Causes of Death.		1932. Oct.	1932. Nov.	1932. Dec.	1933. Jan.	1933. Feb.	1933. Mar.	1933. Apr.	1933. May	1933. June	1933. July	1933. Aug.	1933. Sept.
90–103	**VII.—Diseases of the Circulatory System**	M	**4832**	**5056**	**5964**	**8002**	**6611**	**5910**	**5113**	**4784**	**4593**	**4268**	**4033**	**4130**
		F	**5149**	**5251**	**6194**	**9151**	**7260**	**6370**	**5403**	**5030**	**4565**	**4466**	**4203**	**4246**
90–95	Heart diseases	M	3827	4014	4740	6511	5359	4731	4054	3761	3542	3308	3131	3275
		F	4227	4291	5016	7760	6073	5277	4441	4052	3703	3614	3430	3422
90	Pericarditis	M	24	10	21	22	14	20	20	18	8	16	10	10
		F	6	12	10	14	7	13	15	8	13	3	5	7
91	Acute endocarditis	M	46	49	38	45	40	57	49	47	43	45	50	65
		F	53	39	50	52	36	56	55	47	49	61	54	48
	(1) Malignant endocarditis	M	38	45	35	41	34	47	46	43	37	38	46	60
		F	51	36	43	48	35	46	49	40	42	52	49	45
	(2) Other acute endocarditis	M	8	4	3	4	6	10	3	4	6	7	4	5
		F	2	3	7	4	1	10	6	7	7	9	5	3
92	Chronic endocarditis, valvular disease	M	924	921	1090	1305	1102	978	908	807	798	711	680	725
		F	1126	1126	1295	1894	1394	1309	1082	1067	960	972	835	909
	(1) Aortic valve disease	M	187	178	234	237	222	185	167	166	158	121	145	165
		F	95	107	106	144	88	97	73	77	76	71	74	77
	(2) Mitral valve disease	M	330	305	347	413	344	331	290	259	268	232	218	229
		F	504	495	595	848	644	567	479	470	422	414	372	405
	(3) Aortic and mitral valve disease	M	41	49	60	76	53	51	39	40	35	41	39	42
		F	45	46	51	58	57	51	49	51	40	44	38	29
	(4) Endocarditis, not returned as acute or chronic	M	35	36	44	49	41	58	49	41	48	27	34	31
		F	45	72	60	99	75	83	47	78	45	50	42	53
	(5) Other or unspecified valve disease	M	331	353	405	530	442	353	363	301	289	290	244	258
		F	437	406	483	745	530	511	434	391	377	393	309	345
93	Diseases of the myocardium	M	2131	2269	2723	4066	3292	2819	2323	2165	2012	1857	1820	1813
		F	2510	2507	2983	4894	3955	3197	2714	2424	2197	2118	2099	1974
	(*a*) Acute myocarditis	M	10	8	12	13	8	8	8	9	4	3	5	5
		F	6	4	11	11	15	3	13	7	7	5	3	7
	(*b*) Myocardial degeneration	M	1735	1799	2147	3160	2601	2223	1834	1715	1604	1453	1486	1441
		F	2001	1984	2364	3718	3062	2519	2166	1919	1739	1717	1695	1581
	(1) Fatty heart	M	88	101	122	109	98	96	93	86	98	80	74	80
		F	128	129	143	193	140	127	121	89	110	84	98	90
	(2) Cardio vascular degeneration	M	500	516	598	870	689	647	529	479	472	450	432	468
		F	449	463	535	751	652	605	503	465	413	428	413	416
	(3) Other diseases included under 93 (*b*)	M	1147	1182	1427	2181	1814	1480	1212	1150	1034	923	980	893
		F	1424	1392	1686	2774	2270	1787	1542	1365	1216	1205	1184	1075
	(*c*) Myocarditis, not distinguished as acute or chronic.	M	386	462	564	893	683	588	481	441	404	401	329	367
		F	503	519	608	1165	878	675	535	498	451	396	401	386
94	Diseases of the coronary arteries, Angina pectoris	M	447	483	549	609	563	551	486	498	465	459	381	453
		F	224	237	263	293	230	286	208	214	209	200	192	211
95	Other diseases of the heart	M	255	282	319	464	348	306	268	226	216	220	190	209
		F	308	370	415	613	451	416	367	292	275	260	245	273
	(*a*) Disordered action of heart	M	84	68	102	152	120	99	84	63	60	73	65	60
		F	101	137	138	209	181	149	137	117	112	99	101	101
	(*b*) Other diseases included under 95	M	171	214	217	312	228	207	184	163	156	147	125	149
		F	207	233	277	404	270	267	230	175	163	161	144	172
	(1) Dilatation of heart (cause unspecified)	M	9	18	19	13	9	13	18	4	10	11	9	10
		F	10	7	10	22	13	13	11	6	6	2	6	8
	(2) Heart disease (undefined)	M	162	196	198	299	219	194	166	159	146	136	116	139
		F	197	226	267	382	257	254	219	169	157	159	138	164
96	Aneurysm	M	85	76	80	88	87	93	90	63	63	65	55	68
		F	36	29	34	37	38	34	33	30	27	27	26	34
97	Arterio-sclerosis	M	853	871	1053	1303	1090	988	882	890	908	818	777	727
		F	811	835	1037	1236	1052	951	835	867	752	733	675	718

TABLE 23—*continued.*

International List No.	Causes of Death.		1932. Oct.	1932. Nov.	1932. Dec.	1933. Jan.	1933. Feb.	1933. Mar.	1933. Apr.	1933. May	1933. June	1933. July	1933. Aug.	1933. Sept.
97	Arterio-sclerosis—*contd.*													
	(1) With cerebral hæmorrhage	M	336	333	376	418	357	337	330	353	376	339	304	269
		F	334	329	451	476	397	376	356	384	310	294	312	303
	(2) With record of other cerebral vascular lesion	M	156	163	197	239	217	175	150	180	154	150	144	141
		F	165	169	209	222	227	208	167	182	179	160	136	163
	(3) Without record of cerebral vascular lesion	M	361	375	480	646	516	476	402	357	378	329	329	317
		F	312	337	377	538	428	367	312	301	263	279	227	252
98	Gangrene	M	26	37	40	43	33	41	41	35	31	39	32	21
		F	21	33	39	31	29	42	34	27	30	27	23	21
	(*a*) Senile gangrene	M	23	35	36	41	32	37	41	34	30	36	25	18
		F	16	30	35	30	24	40	32	25	26	27	22	18
	(*b*) Other gangrene	M	3	2	4	2	1	4	—	1	1	3	7	3
		F	5	3	4	1	5	2	2	2	4	—	1	3
99	Other diseases of the arteries	M	13	15	17	16	13	18	11	11	16	11	14	13
		F	10	16	15	24	18	26	13	14	8	20	8	9
100	Diseases of the veins (Varix, hæmorrhoids, phlebitis, etc.)	M	15	18	18	20	15	21	16	10	10	11	11	10
		F	28	33	34	43	35	28	29	24	25	28	27	23
	(1) Varix	M	7	5	6	6	2	8	8	4	1	3	7	4
		F	13	13	14	23	13	14	14	9	10	14	12	8
	(2) Other diseases of the veins	M	8	13	12	14	13	13	8	6	9	8	4	6
		F	15	20	20	20	22	14	15	15	15	14	15	15
101	Diseases of the lymphatic system (lymphangitis, etc.)	M	2	9	4	4	2	3	6	4	2	1	6	—
		F	6	4	6	4	4	3	2	2	8	2	6	4
102	Abnormalities of blood pressure	M	11	16	12	17	12	15	13	10	20	15	7	15
		F	10	8	12	15	11	8	16	14	12	13	8	14
03	Other diseases of the circulatory system	M	—	—	—	—	—	—	—	—	1	—	—	1
		F	—	2	1	1	—	1	—	—	—	2	—	1
104–114	**VIII.—Diseases of the Respiratory System**	M	**1871**	**2007**	**2992**	**6259**	**4398**	**2926**	**2259**	**1778**	**1515**	**1198**	**1105**	**1239**
		F	**1482**	**1623**	**2777**	**6248**	**4221**	**2406**	**1817**	**1307**	**1078**	**844**	**784**	**900**
104	Diseases of the nasal fossæ and annexa	M	14	13	11	11	11	16	10	15	11	9	19	8
		F	5	7	5	10	6	12	11	6	17	5	8	11
	(1) Diseases of the nose	M	1	—	2	1	1	1	3	—	1	—	2	1
		F	—	3	—	1	2	—	1	1	4	—	1	2
	(2) Diseases of the accessory nasal sinuses	M	13	13	9	10	10	15	7	15	10	9	17	7
		F	5	4	5	9	4	12	10	5	13	5	7	9
105	Diseases of the larynx	M	8	5	9	12	11	9	11	9	6	6	6	6
		F	11	7	11	11	9	13	10	6	3	6	7	4
	(1) Laryngismus stridulus	M	2	1	2	—	3	2	4	3	—	—	1	2
		F	—	2	5	1	1	2	2	—	—	1	—	1
	(2) Laryngitis	M	5	4	6	12	8	7	7	6	6	5	4	3
		F	11	4	6	10	8	9	8	6	3	4	7	3
	(3) Other diseases of the larynx	M	1	—	1	—	—	—	—	—	—	1	1	1
		F	—	1	—	—	—	2	—	—	—	1	—	—
106	Bronchitis	M	593	664	999	2494	1777	990	672	531	443	378	320	345
		F	531	622	1108	2981	1974	963	636	454	323	244	228	272
	(*a*) Acute bronchitis	M	127	146	234	693	458	235	133	99	72	64	60	57
		F	140	157	327	1071	633	254	164	117	86	47	40	55
	(*b*) Chronic bronchitis	M	258	296	399	913	634	424	302	245	226	197	164	187
		F	181	212	306	742	472	277	225	150	118	99	96	108
	(*c*) Bronchitis, not distinguished as acute or chronic	M	208	222	366	888	685	331	237	187	145	117	96	101
		F	210	253	475	1168	869	432	247	187	119	98	92	109
107–109	Pneumonia (all forms)	M	1050	1162	1735	3279	2291	1695	1383	1065	920	675	625	750
		F	791	833	1427	2877	1965	1253	1002	720	602	489	440	512
107	Broncho-pneumonia	M	452	558	882	1997	1423	903	603	461	371	311	274	346
		F	404	472	861	1857	1269	756	529	401	299	252	236	270
108	Lobar pneumonia	M	464	451	624	915	622	549	573	446	397	284	271	307
		F	281	246	412	688	477	349	349	235	219	179	138	180

TABLE 23—*continued.*

International List No.	Causes of Death.		1932. Oct.	1932. Nov.	1932. Dec.	1933. Jan.	1933. Feb.	1933. Mar.	1933. Apr.	1933. May	1933. June	1933. July	1933. Aug.	1933. Sept.
109	Pneumonia (not otherwise defined)	M	134	153	229	367	246	243	207	158	152	80	80	97
		F	106	115	154	332	219	148	124	84	84	58	66	62
110	Pleurisy	M	46	33	55	61	55	58	61	43	46	36	37	35
		F	27	22	42	38	36	39	35	27	25	19	19	23
	(1) Empyema	M	24	15	30	24	31	32	37	23	22	18	23	14
		F	7	8	11	10	21	16	15	10	9	12	7	12
	(2) Other pleurisy	M	22	18	25	37	24	26	24	20	24	18	14	21
		F	20	14	31	28	15	23	20	17	16	7	12	11
111	Congestion and hæmorrhagic infarct of lung, etc... ..	M	48	41	63	81	77	41	44	33	37	38	41	30
		F	52	63	81	120	103	63	67	40	60	56	38	43
	(1) Hypostatic congestion of lungs	M	44	36	57	75	71	37	41	29	30	34	35	25
		F	50	60	72	112	100	60	65	38	55	49	35	41
	(2) Other diseases included under 111	M	4	5	6	6	6	4	3	4	7	4	6	5
		F	2	3	9	8	3	3	2	2	5	7	3	
112	Asthma..	M	75	66	90	264	130	81	54	55	35	27	39	39
		F	54	58	88	196	116	55	46	47	40	21	36	31
113	Pulmonary emphysema ..	M	7	5	4	7	6	1	2	7	2	2	2	6
		F	1	2	2	1	2	—	2	2	—	1	—	2
114	Other diseases of the respiratory system	M	30	18	26	50	40	35	22	20	15	27	16	20
		F	10	9	13	14	10	8	8	5	8	3	8	2
	(*a*) Chronic interstitial pneumonia, including occupational diseases of the lung.	M	23	16	16	40	34	32	15	13	10	16	11	12
		F	7	6	8	12	6	5	3	3	7	—	5	1
	(*b*) Other diseases included under 114	M	7	2	10	10	6	3	7	7	5	11	5	8
		F	3	3	5	2	4	3	5	2	1	3	3	1
	(1) Gangrene of the lung	M	1	—	1	1	3	—	—	1	2	4	1	1
		F	—	—	—	1	2	—	—	—	—	—	—	—
	(2) Other diseases included under 114 (*b*)	M	6	2	9	9	3	3	7	6	3	7	4	7
		F	3	3	5	1	2	3	5	2	1	3	3	1
115–129	**IX.—Diseases of the Digestive System .. .. ..**	M	**1185**	**1119**	**1218**	**1252**	**1104**	**1136**	**1024**	**1035**	**1081**	**1078**	**1292**	**1270**
		F	**1022**	**964**	**1003**	**987**	**855**	**1006**	**951**	**952**	**943**	**983**	**1054**	**1090**
115	Diseases of the buccal cavity, pharynx, etc.	M	61	79	59	67	68	78	77	62	81	78	74	62
		F	70	75	81	63	74	86	85	97	85	86	84	97
	(1) Diseases of the teeth and gums	M	16	17	10	15	19	18	25	11	18	21	19	9
		F	14	17	18	12	20	14	16	18	14	20	23	21
	(2) Ludwig's angina ..	M	2	5	2	2	4	5	7	5	3	3	5	4
		F	3	3	4	4	3	4	2	3	2	1	2	—
	(3) Diseases of the tonsils	M	37	42	33	39	32	41	35	28	45	45	32	42
		F	37	49	45	35	40	57	51	59	56	47	38	58
	(4) Other diseases included under 115	M	6	15	14	11	13	14	10	18	15	9	18	7
		F	16	6	14	12	11	11	16	17	13	18	21	18
116	Diseases of the œsophagus ..	M	4	1	3	5	—	2	2	1	2	2	3	2
		F	—	2	2	1	1	1	1	2	2	—	3	—
117	Ulcer of the stomach or duodenum	M	227	211	281	318	247	261	224	258	254	238	258	207
		F	86	78	119	112	67	81	90	70	76	69	80	73
	(*a*) Ulcer of the stomach ..	M	147	140	189	214	157	147	141	156	160	154	179	137
		F	69	61	88	82	55	67	72	56	62	58	66	59
	(*b*) Ulcer of the duodenum	M	80	71	92	104	90	114	83	102	94	84	79	70
		F	17	17	31	30	12	14	18	14	14	11	14	14
118	Other diseases of the stomach	M	48	49	52	48	45	47	48	34	36	44	34	30
		F	45	43	55	52	42	50	46	44	43	49	48	37
	(1) Inflammation of the stomach	M	39	45	46	39	38	36	39	30	29	37	26	23
		F	41	41	48	42	37	43	44	35	40	46	43	34
	(2) Other diseases included under 118	M	9	4	6	9	7	11	9	4	7	7	8	7
		F	4	2	7	10	5	7	2	9	3	3	5	3

TABLE 23—*continued.*

International List No.	Causes of Death.		1932. Oct.	1932. Nov.	1932. Dec.	1933. Jan.	1933. Feb.	1933. Mar.	1933. Apr.	1933. May	1933. June	1933. July	1933. Aug.	1933. Sept.
119 & 120	Diarrhœa and enteritis ..	M	290	216	245	221	190	198	206	170	200	201	383	469
		F	271	218	207	166	150	172	158	166	159	186	293	381
	(*a*) (1) Colitis	M	19	8	15	16	12	12	7	9	8	11	10	16
		F	11	16	18	8	11	17	4	14	11	11	17	22
	(*a*) (2) Other diarrhœa and enteritis	M	259	194	217	196	164	176	185	143	174	180	357	440
		F	240	174	164	135	119	131	138	136	130	154	253	339
	(*b*) Ulceration of intestines	M	12	14	13	9	14	10	14	18	18	10	16	13
		F	20	28	25	23	20	24	16	16	18	21	23	20
121	Appendicitis	M	160	136	137	162	131	150	115	145	131	146	136	139
		F	101	107	87	130	89	122	130	121	122	121	120	108
122	Hernia, intestinal obstruction	M	193	223	234	222	224	197	183	183	188	206	218	181
		F	174	200	202	222	211	185	202	180	206	188	156	170
	(*a*) Hernia	M	84	93	103	111	104	87	78	78	79	72	67	68
		F	74	100	104	111	111	93	84	79	88	88	62	73
	(1) Strangulated hernia ..	M	56	61	81	82	66	55	51	53	62	53	55	52
		F	53	80	83	87	79	74	63	62	72	68	49	60
	(2) Hernia not returned as strangulated	M	28	32	22	29	38	32	27	25	17	19	12	16
		F	21	20	21	24	32	19	21	17	16	20	13	13
	(*b*) Intestinal obstruction ..	M	109	130	131	111	120	110	105	105	109	134	151	113
		F	100	100	98	111	100	92	118	101	118	100	94	97
123	Other diseases of the intestines	M	30	24	31	32	30	24	27	33	25	30	28	24
		F	26	24	22	30	34	30	19	28	31	26	38	29
	(1) Constipation, Intestinal stasis	M	4	3	3	4	3	4	11	1	—	3	1	2
		F	9	5	4	6	9	5	4	7	6	5	6	4
	(2) Diverticulitis	M	18	15	21	15	16	14	10	22	19	18	19	12
		F	14	11	11	16	17	16	11	17	17	14	20	19
	(3) Other diseases included under 123	M	8	6	7	13	11	6	6	10	6	9	8	10
		F	3	8	7	8	8	9	4	4	8	7	12	6
124	Cirrhosis of the liver	M	73	71	62	81	71	75	72	57	61	64	72	67
		F	37	32	41	35	26	45	30	38	35	32	49	30
	(*a*) Returned as alcoholic ..	M	11	11	7	15	9	10	8	7	13	5	7	9
		F	4	4	3	4	6	5	8	5	8	6	7	7
	(*b*) Not returned as alcoholic	M	62	60	55	66	62	65	64	50	48	59	65	58
		F	33	28	38	31	20	40	22	33	27	26	42	23
125	Other diseases of the liver ..	M	9	9	11	11	5	6	2	2	7	5	9	6
		F	14	9	9	17	8	11	8	14	13	11	4	7
	(1) Acute yellow atrophy..	M	1	3	4	3	1	—	1	1	1	—	3	4
		F	4	4	5	6	3	6	3	5	8	5	1	6
	(2) Other diseases included under 125..	M	8	6	7	8	4	6	1	1	6	5	6	2
		F	10	5	4	11	5	5	5	9	5	6	3	1
126	Biliary calculi	M	42	35	28	27	37	25	13	35	33	15	22	21
		F	82	81	71	65	66	84	65	60	78	101	64	58
	(1) With cholecystitis ..	M	16	13	9	6	11	12	4	13	11	6	6	6
		F	30	38	23	23	27	30	24	24	20	38	28	17
	(2) Without mention of cholecystitis	M	26	22	19	21	26	13	9	22	22	9	16	15
		F	52	43	48	42	39	54	41	36	58	63	36	41
127	Other diseases of the gall bladder and ducts	M	26	29	30	27	25	36	25	26	34	25	26	28
		F	62	49	68	60	58	77	66	72	57	63	65	63
	(1) Cholecystitis, without record of biliary calculi..	M	21	25	24	25	18	36	22	26	29	22	24	25
		F	57	46	64	56	53	71	59	65	55	54	58	59
	(2) Other diseases included under 127	M	5	4	6	2	7	—	3	—	5	3	2	3
		F	5	3	4	4	5	6	7	7	2	9	7	4
128	Diseases of the pancreas ..	M	15	23	29	17	23	22	18	21	17	11	19	24
		F	27	25	21	22	18	32	25	20	11	27	28	15
129	Peritonitis, without stated cause	M	7	13	16	14	8	15	12	8	12	13	10	10
		F	27	21	18	12	11	30	26	40	25	24	22	22

TABLE 23—*continued.*

International List No.	Causes of Death.		1932. Oct.	1932. Nov.	1932. Dec.	1933. Jan.	1933. Feb.	1933. Mar.	1933. Apr.	1933. May	1933. June	1933. July	1933. Aug.	1933. Sept.
130–139	**X.—Non-venereal Diseases of the Genito-urinary System and annexa.**	M	**1106**	**1126**	**1200**	**1422**	**1197**	**1217**	**1113**	**1101**	**1060**	**1004**	**1018**	**987**
		F	**747**	**761**	**888**	**946**	**783**	**861**	**798**	**730**	**740**	**635**	**672**	**632**
130–132	Nephritis	M	640	620	710	847	661	713	657	619	618	538	526	524
		F	633	635	760	827	667	749	667	618	603	514	548	515
130	Acute nephritis	M	39	42	51	54	46	54	50	44	50	38	30	31
		F	38	38	52	45	44	56	48	40	43	32	35	34
131	Chronic nephritis	M	531	518	564	699	539	590	528	517	497	437	442	433
		F	536	517	622	687	547	607	529	510	500	431	460	429
132	Nephritis not stated to be acute or chronic	M	70	60	95	94	76	69	79	58	71	63	54	60
		F	59	80	86	95	76	86	90	68	60	51	53	52
133	Other diseases of the kidney and annexa	M	42	41	36	26	47	29	31	34	25	39	37	28
		F	42	45	46	55	45	40	53	42	41	42	44	43
	(*a*) Pyelitis	M	27	35	24	15	32	20	18	22	17	32	30	20
		F	32	33	34	44	37	30	41	31	33	31	32	32
	(*b*) Other diseases included under 133..	M	15	6	12	11	15	9	13	12	8	7	7	8
		F	10	12	12	11	8	10	12	11	8	11	12	11
134	Calculi of the urinary passages	M	12	35	15	25	20	29	24	25	24	20	19	14
		F	14	18	13	9	16	15	10	10	11	10	10	11
	(*a*) Calculi of kidney and ureter	M	5	24	11	18	15	19	13	19	18	13	14	9
		F	14	18	13	9	16	14	10	8	9	9	10	8
	(*b*) Calculi of the bladder ..	M	7	11	4	7	5	10	11	6	6	7	5	5
		F	—	—	—	—	—	1	—	2	2	1	—	3
	(*c*) Calculi of unstated site	M	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—
135	Diseases of the bladder ..	M	46	47	42	41	40	47	47	38	30	30	38	32
		F	20	28	34	24	30	20	22	26	28	28	33	24
	(*a*) Cystitis	M	44	45	39	39	38	40	41	36	24	27	34	29
		F	18	28	33	24	26	18	20	25	28	28	32	21
	(*b*) Other diseases of the bladder	M	2	2	3	2	2	7	6	2	6	3	4	3
		F	2	—	1	—	4	2	2	1	—	—	1	3
136	Diseases of the urethra, urinary abscess, etc...	M	34	34	33	27	35	36	18	31	31	27	21	34
		F	—	1	—	—	—	1	—	—	—	2	—	1
	(*a*) Stricture of the urethra	M	32	32	30	27	33	35	16	31	28	25	20	33
		F	—	—	—	—	—	—	—	—	—	—	—	—
	(*b*) Other diseases of the urethra, etc.	M	2	2	3	—	2	1	2	—	3	2	1	1
		F	—	1	—	—	—	1	—	—	—	2	—	1
137	Diseases of the prostate ..	M	322	345	357	448	389	358	324	349	327	343	368	348
138	Diseases of the male genital organs.	M	10	4	7	8	5	5	12	5	5	7	9	7
139	Diseases of the female genital organs.	F	38	34	35	31	25	36	46	34	57	39	37	38
	(*a*) Diseases of the ovary, Fallopian tube and parametrium.	F	19	14	22	17	13	17	18	15	26	23	15	19
	(1) Diseases of the ovary	F	—	1	—	—	1	—	—	2	1	—	3	1
	(2) Diseases of the Fallopian tube.	F	18	12	20	14	10	15	16	7	21	22	11	14
	(3) Diseases of the parametrium.	F	1	1	2	3	2	2	2	6	4	1	1	4
	(*b*) Diseases of the uterus ..	F	17	17	10	13	12	16	26	14	28	16	18	10
	(*c*) Diseases of the breast ..	F	1	—	1	1	—	1	1	3	2	—	—	2
	(*d*) Other diseases of the female genital organs.	F	1	3	2	—	—	2	1	2	1	—	4	7

TABLE 23—*continued.*

International List No.	Causes of Death.		1932. Oct.	1932. Nov.	1932. Dec.	1933. Jan.	1933. Feb.	1933. Mar.	1933. Apr.	1933. May	1933. June	1933. July	1933. Aug.	1933. Sept.
140–150	**XI.—Diseases of Pregnancy, Childbirth and the Puerperal State.**	F	**208**	**213**	**221**	**222**	**221**	**224**	**224**	**232**	**195**	**214**	**240**	**199**
140 & 145	Puerperal sepsis	F	82	75	85	92	86	98	96	93	76	76	91	77
140	Post-abortive sepsis	F	24	28	18	17	20	22	20	27	18	20	22	23
141	Abortion not returned as septic	F	4	13	7	6	9	15	8	12	7	14	13	13
	(1) Hæmorrhage following abortion.	F	4	9	5	5	9	12	8	10	6	14	11	12
	(2) Without record of hæmorrhage.	F	—	4	2	1	—	3	—	2	1	—	2	1
142	Ectopic gestation	F	7	15	7	9	10	3	7	6	6	11	10	4
143	Other accidents of pregnancy	F	1	1	4	1	1	3	1	3	2	1	2	3
144	Puerperal hæmorrhage ..	F	23	23	25	28	27	22	26	26	16	17	23	22
	(*a*) Placenta prævia ..	F	11	15	13	9	14	11	12	16	10	8	8	14
	(*b*) Other puerperal hæmorrhage.	F	12	8	12	19	13	11	14	10	6	9	15	8
145	Puerperal sepsis not returned as post-abortive.	F	58	47	67	75	66	76	76	66	58	56	69	54
	(*a*) Puerperal septicæmia and pyæmia.	F	58	47	67	75	66	76	76	66	58	56	69	54
	(*b*) Puerperal tetanus ..	F	—	—	—	—	—	—	—	—	—	—	—	—
146	Puerperal albuminuria and convulsions.	F	30	27	31	26	25	26	37	28	31	33	35	28
147	Other toxæmias of pregnancy	F	17	12	15	15	14	12	6	8	9	19	19	12
148	Puerperal phlegmasia alba dolens, embolism, and sudden death.	F	13	16	15	16	25	18	17	17	16	9	11	6
	(*a*) Puerperal phlegmasia alba dolens not returned as septic.	F	1	6	6	4	8	6	6	4	6	5	3	1
	(*b*) Puerperal embolism and sudden death.	F	12	10	9	12	17	12	11	13	10	4	8	5
149	Other accidents of childbirth	F	24	22	31	21	17	24	22	32	27	29	32	29
150	Other or unspecified conditions of the puerperal state.	F	7	9	1	8	7	3	4	7	5	5	4	5
	(1) Puerperal insanity ..	F	2	1	—	1	—	1	—	—	1	2	2	2
	(2) Puerperal diseases of the breast.	F	—	2	—	3	1	1	3	3	1	1	—	2
	(3) Childbirth (unqualified)	F	5	6	1	4	6	1	1	4	3	2	2	1
151–153	**XII.—Diseases of the Skin and Cellular Tissue .. ..**	M	**76**	**76**	**84**	**97**	**94**	**106**	**86**	**85**	**76**	**67**	**92**	**83**
		F	**75**	**72**	**77**	**83**	**77**	**69**	**87**	**63**	**69**	**71**	**85**	**66**
151	Carbuncle, Boil	M	24	30	26	26	22	28	31	32	29	29	36	32
		F	20	18	21	24	13	9	19	17	14	26	25	21
152	Cellulitis, Acute abscess ..	M	27	26	37	46	37	43	34	34	30	24	39	24
		F	19	29	33	27	32	30	37	20	27	24	26	20
	(1) Cellulitis	M	20	17	29	35	27	33	29	26	25	19	31	18
		F	13	21	25	26	29	24	29	16	21	19	16	15
	(2) Acute abscess	M	7	9	8	11	10	10	5	8	5	5	8	6
		F	6	8	8	1	3	6	8	4	6	5	10	5
153	Other diseases of the skin and its annexa	M	25	20	21	25	35	35	21	19	17	14	17	27
		F	36	25	23	32	32	30	31	26	28	21	34	25
154–156	**XIII.—Diseases of the Bones and Organs of Locomotion.**	M	**48**	**46**	**52**	**39**	**47**	**45**	**38**	**46**	**37**	**51**	**40**	**50**
		F	**20**	**20**	[illegible]	**27**	**34**	**27**	**26**	**28**	**36**	**33**	**33**	**29**
154	Acute infective osteomyelitis and periostitis	M	24	28		20	24	25	22	25	21	29	25	25
		F	8	12	16	13	15	13	16	13	17	14	19	12

TABLE 23—*continued.*

International List No.	Causes of Death.		1932. Oct.	1932. Nov.	1932. Dec.	1933. Jan.	1933. Feb.	1933. Mar.	1933. Apr.	1933. May	1933. June	1933. July	1933. Aug.	1933. Sept.
155	Other diseases of the bones ..	M	13	5	9	13	9	6	7	9	8	10	8	13
		F	3	2	5	3	10	4	4	8	7	7	8	5
156	Diseases of the joints and other organs of locomotion ..	M	11	13	9	6	14	14	9	12	8	12	7	12
		F	9	6	12	11	9	10	6	7	12	12	6	12
	(*a*) Diseases of the joints ..	M	8	11	5	6	11	9	7	9	6	10	5	11
		F	7	2	10	6	6	8	4	5	9	8	3	8
	(*b*) Diseases of other organs of locomotion	M	3	2	4	—	3	5	2	3	2	2	2	1
		F	2	4	2	5	3	2	2	2	3	4	3	4
157	**XIV.—Congenital Malformations .. .. ..**	M	**190**	**207**	**183**	**210**	**185**	**213**	**181**	**189**	**159**	**181**	**146**	**144**
		F	**148**	**129**	**170**	**140**	**135**	**152**	**136**	**146**	**131**	**130**	**150**	**132**
	(*a*) Congenital hydrocephalus	M	12	20	19	14	18	16	16	13	7	9	12	7
		F	14	14	11	8	11	11	8	8	8	6	13	10
	(*b*) Spina bifida and meningocele	M	37	44	30	32	44	42	27	34	34	33	40	26
		F	48	42	63	50	44	54	46	53	47	48	61	45
	(*c*) Congenital malformation of heart	M	74	61	78	86	67	77	76	60	60	80	40	54
		F	46	42	63	48	45	53	42	47	42	38	35	51
	(*d*) Monstrosities	M	3	2	—	2	2	3	2	5	3	4	4	3
		F	3	3	10	4	3	7	7	6	3	2	7	4
	(*e*) Other congenital malformations	M	64	80	56	76	54	75	60	77	55	55	50	54
		F	37	28	23	30	32	27	33	32	31	36	34	22
	(1) Congenital pyloric stenosis	M	20	25	19	25	23	23	22	23	30	17	16	20
		F	4	2	2	6	4	4	3	4	3	5	9	7
	(2) Cleft palate, Hare-lip	M	10	17	8	8	2	6	8	8	5	8	6	10
		F	7	3	1	3	4	3	2	4	4	9	4	2
	(3) Imperforate anus ..	M	2	6	4	5	2	4	2	7	5	5	4	3
		F	3	2	3	—	—	—	—	1	1	1	—	1
	(4) Other stated congenital malformations	M	25	26	23	31	24	39	24	34	14	20	20	20
		F	21	17	14	18	23	18	24	22	21	18	20	9
	(5) Congenital malformation, unspecified ..	M	7	6	2	7	3	3	4	5	1	5	4	1
		F	2	4	3	3	1	2	4	1	2	3	1	3
158-161	**XV.—Diseases of Early Infancy**	M	**681**	**758**	**832**	**1058**	**855**	**807**	**787**	**714**	**686**	**652**	**608**	**632**
		F	**497**	**496**	**595**	**740**	**598**	**661**	**554**	**558**	**508**	**475**	**486**	**414**
158	Congenital debility	M	89	83	87	133	129	104	91	90	71	63	65	70
		F	44	55	74	88	64	69	61	58	55	46	51	38
159	Premature birth	M	438	521	595	741	588	535	522	471	479	426	390	410
		F	362	363	416	553	431	470	379	379	351	340	335	278
160	Injury at birth	M	67	73	60	69	63	71	84	62	59	69	66	68
		F	34	27	42	46	46	41	47	43	42	44	43	41
	(*a*) With mention of Cæsarean section	M	2	—	1	—	—	1	—	1	—	1	1	—
		F	1	—	2	—	1	2	—	1	—	—	—	—
	(*b*) Without mention of Cæsarean section.. ..	M	65	73	59	69	63	70	84	61	59	68	65	68
		F	33	27	40	46	45	39	47	42	42	44	43	41
161	Other diseases peculiar to early infancy	M	87	81	90	115	75	97	90	91	77	94	87	84
		F	57	51	63	53	57	81	67	78	60	45	57	57
	(*a*) Atelectasis	M	56	51	53	77	43	63	53	52	41	61	52	60
		F	29	32	41	33	31	42	25	44	43	28	36	27
	(*b*) Icterus neonatorum ..	M	16	11	16	16	15	10	20	21	18	18	21	14
		F	10	5	7	2	8	16	18	10	5	4	12	14
	(*c*) Other diseases included under 161..	M	15	19	21	22	17	24	17	18	18	15	14	10
		F	18	14	15	18	18	23	24	24	12	13	9	16
	(1) Diseases of the umbilicus	M	2	2	3	6	4	6	1	1	7	4	2	2
		F	5	4	2	2	5	2	3	4	2	2	1	1

TABLE 23—*continued.*

International List No.	Causes of Death.		1932. Oct.	1932. Nov.	1932. Dec.	1933. Jan.	1933. Feb.	1933. Mar.	1933. Apr.	1933. May	1933. June	1933. July	1933. Aug.	1933. Sept.
161	Other diseases peculiar to early infancy—*contd.*													
	(2) Pemphigus neonatorum	M	—	3	—	3	5	1	2	2	—	2	3	—
		F	2	2	3	4	1	4	2	1	1	3	—	4
	(3) Other diseases included under 161 (*c*)	M	13	14	18	13	8	17	14	15	11	9	9	8
		F	11	8	10	12	12	17	19	19	9	8	8	11
162	**XVI.—Old Age**	M	**544**	**597**	**714**	**968**	**811**	**622**	**551**	**497**	**420**	**415**	**397**	**389**
		F	**795**	**807**	**1004**	**1411**	**1305**	**1007**	**819**	**764**	**691**	**634**	**609**	**605**
	(*a*) Senile dementia	M	37	50	53	68	57	57	39	31	27	25	22	23
		F	45	59	67	65	64	66	37	47	37	35	23	32
	(*b*) Other forms of senile decay	M	507	547	661	900	754	565	512	466	393	390	375	366
		F	750	748	937	1346	1241	941	782	717	654	599	586	573
163–198	**XVII.—Deaths from Violence**	M	**1169**	**1189**	**1234**	**1219**	**1037**	**1247**	**1188**	**1269**	**1313**	**1496**	**1541**	**1286**
		F	**528**	**617**	**635**	**721**	**632**	**625**	**580**	**601**	**543**	**621**	**605**	**550**
163–171	Suicide	M	270	294	324	335	285	379	361	360	338	364	314	295
		F	132	135	132	152	138	146	158	164	155	171	142	137
163	By solid or liquid poisons and corrosive substances	M	33	24	38	43	43	38	36	40	41	41	32	42
		F	24	28	28	35	31	27	25	28	32	40	26	33
164	By poisonous gas	M	85	85	94	100	83	95	92	91	108	98	92	72
		F	47	48	53	51	49	49	68	53	60	60	47	47
165	By hanging or strangulation	M	45	56	66	56	46	70	67	52	59	76	64	67
		F	11	14	9	9	9	13	13	18	14	22	16	13
166	By drowning	M	45	35	51	40	44	57	54	67	55	58	43	42
		F	31	26	28	40	23	36	26	36	28	24	30	21
167	By firearms	M	14	19	18	28	22	27	42	37	21	18	21	18
		F	—	2	3	—	1	—	1	1	—	—	—	1
168	By cutting or piercing instruments	M	31	42	31	41	30	53	45	44	27	40	37	33
		F	4	6	4	6	9	5	7	12	10	11	7	8
169	By jumping from high places	M	7	13	9	11	6	14	4	12	10	11	4	7
		F	7	7	3	5	5	6	4	8	7	6	4	5
170	By crushing	M	10	18	16	15	11	24	21	15	16	21	21	12
		F	4	2	2	—	2	4	6	2	3	1	7	3
171	By other means	M	—	2	1	1	—	1	—	2	1	1	—	2
		F	4	2	2	6	9	6	8	6	1	7	5	6
172–175	Homicide	M	7	4	7	7	2	12	12	9	6	8	12	7
		F	6	10	13	3	13	12	9	9	9	14	14	8
172*	Infanticide (under 1 year)	M												
		F												
173	By firearms	M	1	—	—	1	1	—	1	1	—	1	—	—
		F	1	—	—	1	3	1	2	1	1	1	—	—
174	By cutting or piercing instruments	M	—	—	1	1	1	2	2	1	1	—	3	2
		F	1	—	4	—	2	4	2	2	1	—	4	1
175	By other means	M	6	4	6	5	—	10	9	7	5	7	9	5
		F	4	10	9	2	8	7	5	6	7	13	10	7
176–194	Accidental deaths	M	835	822	824	807	679	782	746	825	899	1057	1136	903
		F	359	443	466	542	456	436	378	397	357	410	417	387
176	Attack by venomous animals	M	2	3	1	—	—	—	—	1	4	7	3	7
		F	2	1	—	—	—	—	1	1	1	3	7	6
177	Food poisoning	M	2	—	1	—	—	—	2	—	6	—	—	1
		F	1	2	—	—	—	—	—	—	1	2	—	3
178	Accidental absorption of irrespirable or poisonous gas.	M	9	32	10	14	11	8	6	4	9	4	12	4
		F	2	5	7	6	4	4	2	1	2	6	4	4
179	Other acute accidental poisoning (not by gas)	M	2	3	5	4	4	3	3	4	3	11	6	4
		F	7	3	2	5	5	7	5	—	1	2	2	9

* Deaths from this cause are included under Nos. 173–175.

TABLE 23—*continued.*

International List No.	Causes of Death.		1932. Oct.	1932. Nov.	1932. Dec.	1933. Jan.	1933. Feb.	1933. Mar.	1933. Apr.	1933. May	1933. June	1933. July	1933. Aug.	1933. Sept.
180	Conflagration	M	2	5	6	5	1	2	1	2	—	—	3	4
		F	1	6	8	3	—	1	—	1	—	1	1	1
181	Accidental burns (conflagration excepted)	M	47	52	66	63	57	37	37	39	48	36	29	33
		F	47	7	91	119	88	79	53	49	43	25	40	32
182	Accidental mechanical suffocation	M	21	18	28	30	28	28	28	12	14	10	17	9
		F	8	20	19	12	20	17	7	11	8	4	11	6
183	Accidental drowning	M	49	18	20	20	16	38	35	51	134	197	192	64
		F	5	1	4	7	6	6	3	9	12	25	26	8
184	Accidental injury by firearms	M	4	5	6	7	7	5	6	3	5	5	7	9
		F	—	—	—	—	—	—	—	—	—	1	1	—
185	Accidental injury by cutting or piercing instruments	M	—	—	1	—	—	—	1	2	1	1	2	—
		F	—	—	2	—	1	1	—	—	—	—	1	—
186	Accidental injury by fall, crushing, etc.	M	663	647	649	614	511	614	589	657	608	719	799	732
		F	274	314	317	377	317	301	294	307	259	311	299	306
187	Cataclysm	M	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—
188	Injury by animals (poisoning by venomous animals excepted).	M	4	1	1	3	1	5	3	8	2	2	4	2
		F	—	1	—	—	—	1	1	1	—	1	—	—
189	Hunger or thirst	M	—	1	—	2	1	3	—	—	1	—	—	—
		F	1	—	—	—	—	—	—	—	—	—	—	—
190	Excessive cold	M	2	—	3	7	5	5	1	—	—	—	—	—
		F	—	1	—	—	—	1	—	—	—	—	—	—
191	Excessive heat	M	—	—	—	—	—	—	1	1	32	28	29	2
		F	—	—	—	—	—	—	—	1	16	17	16	3
192	Lightning	M	—	—	—	—	—	—	—	2	7	3	1	—
		F	—	—	—	—	—	—	—	—	—	2	—	—
193	Electricity (lightning excepted)	M	5	3	2	4	5	4	8	5	4	6	6	4
		F	—	—	—	2	2	—	—	—	—	1	—	1
194	Other and unstated forms of accidental violence	M	23	34	25	34	32	30	25	34	21	28	26	28
		F	11	15	16	11	13	18	12	16	14	9	9	8
	(1) Inattention at birth	M	8	7	14	10	9	4	5	12	5	8	4	8
		F	6	9	9	5	8	6	12	12	9	3	4	3
	(2) Other causes included under 194	M	15	27	11	24	23	26	20	22	16	20	22	20
		F	5	6	7	6	5	12	—	4	5	6	5	5
195	Violent deaths of unstated nature (*i.e.*, accidental, suicidal, etc.).	M	55	58	72	58	65	72	64	67	65	61	75	68
		F	31	29	24	24	25	31	35	31	22	26	32	18
196	Wounds of war	M	2	10	7	12	5	2	5	8	3	5	3	13
		F	—	—	—	—	—	—	—	—	—	—	—	—
197	Execution of civilians by belligerent armies	M	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—
198	Execution	M	—	1	—	—	1	—	—	—	2	1	1	—
		F	—	—	—	—	—	—	—	—	—	—	—	—
199–200	**XVIII.—Ill-defined Diseaess**	M	**62**	**61**	**68**	**81**	**75**	**59**	**57**	**41**	**43**	**44**	**47**	**61**
		F	**51**	**42**	**62**	**79**	**51**	**51**	**38**	**33**	**36**	**40**	**41**	**42**
199	Sudden death	M	18	21	16	15	20	13	25	15	9	10	14	15
		F	13	16	15	23	16	12	7	9	9	13	10	8
200	Cause of death unstated or ill-defined	M	44	40	52	66	55	46	32	26	34	34	33	46
		F	38	26	47	56	35	39	31	24	27	27	31	34
	(1) Heart failure	M	38	34	46	60	40	40	27	25	26	30	28	42
		F	33	24	41	48	26	33	25	20	21	22	25	27
	(2) Other ill-defined causes	M	4	4	4	5	14	4	3	1	7	2	1	3
		F	3	2	4	8	7	4	5	3	4	4	4	5
	(3) Cause not specified	M	2	2	2	1	1	2	2	—	1	2	4	1
		F	2	—	2	—	2	2	1	1	2	1	2	2

TABLE 24.—CAUSES OF DEATH, 1933, classified in accordance with the Abridged List (*see* statement below) AT DIFFERENT PERIODS OF LIFE.

England and Wales, Geographical Region.‡ London and Metropolitan Boroughs, County Boroughs. Aggregates of other Urban and of Rural Districts in each Administrative County.

(TOTAL DEATHS REGISTERED, INCLUDING NON-CIVILIAN DEATHS.)

THE ABRIDGED LIST OF CAUSES OF DEATH adopted by the Registrar-General in consultation with the Ministry of Health, and its relation to the detailed International List.

No.	*Registrar-General's Abridged List.*	*Corresponding number in the Detailed International List.*
1.	Typhoid and paratyphoid fevers	1 and 2.
2.	Measles	7.
3.	Scarlet fever	8.
4.	Whooping cough	9.
5.	Diphtheria	10.
6.	Influenza	11.
7.	Encephalitis lethargica	17.
8.	Cerebro-spinal fever	18.
9.	Tuberculosis of respiratory system	23.
10.	Other tuberculous diseases	24–32.
11.	Syphilis	34.
12.	General paralysis of the insane, tabes dorsalis	80 and 83.
13.	Cancer, malignant disease	45–53.
14.	Diabetes	59.
15.	Cerebral hæmorrhage, etc.	82.
16.	Heart disease	90–95.
17.	Aneurysm	96.
18.	Other circulatory diseases	97–103.
19.	Bronchitis	106.
20.	Pneumonia (all forms)	107–109.
21.	Other respiratory diseases	104, 105 and 110–114.
22.	Peptic ulcer	117.
23.	Diarrhœa, etc. (under 2 years)	119.
24.	Appendicitis	121.
25.	Cirrhosis of liver	124.
26.	Other diseases of liver, etc.	125–127.
27.	Other digestive diseases	115, 116, 118, 120,* 122, 123, 128 and 129.
28.	Acute and chronic nephritis	130–132.
29.	Puerperal sepsis	140 and 145.
30.	Other puerperal causes	141–144 and 146–150.
31.	Congenital debility, premature birth, malformations, etc.	157–161.
32.	Senility	162.
33.	Suicide	163–171.
34.	Other violence	172–198.
35.	Other defined causes†	All numbers not included in other headings.
36.	Causes ill-defined, or unknown	199 and 200.

* In tables of deaths by ages this heading (No. 120 of the detailed list) is included under No. 23 of the abridged list.
† Deaths from Smallpox, if any, are shown in a footnote to this line.
‡ The Counties included in the several Geographical Regions are shown on the first page of Table 17.

	Causes of Death *See* first page of Table.		All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
	All Causes	M	250,625	21,311	4,087	4,149	6,171	9,582	11,345	14,583	26,874	43,547	57,068	51,908
		F	245,840	15,649	3,510	3,761	5,638	8,710	10,983	13,958	22,274	35,715	54,619	71,023
1	Typhoid fever, etc.	M	124	1	–	1	11	28	30	19	13	9	11	1
		F	98	1	–	–	8	18	17	20	14	7	13	–
2	Measles	M	1,018	200	400	300	108	3	2	3	1	1	–	–
		F	919	163	373	277	97	5	1	2	1	–	–	–
3	Scarlet fever	M	340	9	36	111	128	26	11	12	5	2	–	–
		F	389	7	33	126	155	27	18	9	8	3	2	1
4	Whooping cough	M	991	478	297	187	28	–	–	–	–	–	–	1
		F	1,279	532	363	320	57	2	2	–	1	1	–	1
5	Diphtheria	M	1,291	38	80	424	693	26	12	8	6	3	1	–
		F	1,355	32	54	374	792	24	13	23	24	11	7	1
6	Influenza	M	10,926	304	190	182	171	423	689	1,280	1,931	1,890	1,769	2,097
		F	11,964	215	152	145	165	394	634	1,058	1,366	1,764	2,406	3,665
7	Encephalitis lethargica	M	428	1	4	9	25	53	80	44	69	80	54	9
		F	387	1	2	7	18	46	54	61	61	75	56	6
8	Cerebro-spinal fever	M	530	121	70	66	89	93	46	24	13	7	1	–
		F	412	89	47	66	90	43	27	21	23	6	–	–
9	Respiratory tuberculosis	M	15,862	36	43	53	195	2,582	3,406	3,135	3,348	2,257	714	93
		F	11,992	28	38	37	347	3,489	3,318	2,127	1,298	826	405	79
10	Other tuberculosis	M	2,872	247	264	399	507	494	316	204	172	165	85	19
		F	2,533	171	224	348	475	425	329	174	142	118	88	39
11	Syphilis	M	870	129	8	2	12	15	39	96	200	224	112	33
		F	451	103	6	1	10	17	29	55	92	78	53	7
12	Gen. paralysis of insane, etc.	M	1,363	–	–	–	1	11	47	249	391	430	190	44
		F	380	–	–	–	4	8	19	81	123	99	38	8
13	Cancer	M	28,837	8	9	37	78	135	372	1,154	3,788	8,447	9,924	4,885
		F	32,735	11	11	26	61	147	517	2,202	5,516	8,549	9,461	6,234
14	Diabetes	M	2,460	2	1	6	52	84	98	92	185	597	894	449
		F	3,818	1	3	3	49	84	102	146	316	971	1,462	681
15	Cerebral hæmorrhage	M	11,215	1	1	3	7	15	50	208	786	2,259	4,250	3,635
		F	14,505	2	1	–	7	9	61	228	1,155	2,603	4,929	5,510
16	Heart disease	M	51,412	2	5	14	329	618	805	1,504	4,404	10,056	17,238	16,437
		F	56,675	6	4	18	393	814	1,097	1,805	3,805	8,270	16,861	23,602
17	Aneurysm	M	931	5	1	–	7	14	28	67	192	329	214	74
		F	414	–	–	–	9	18	9	37	71	99	101	70
18	Other circulatory	M	12,226	11	3	2	10	12	20	95	548	1,899	4,348	5,278
		F	11,666	9	8	3	7	8	27	98	506	1,471	3,627	5,902
19	Bronchitis	M	10,494	840	153	64	48	76	126	332	1,000	1,569	2,558	3,728
		F	10,581	645	146	69	52	63	89	185	416	975	2,377	5,564
20	Pneumonia	M	16,965	3,216	1,420	858	564	555	824	1,412	2,137	2,422	2,030	1,527
		F	13,094	2,268	1,198	789	478	338	517	842	1,031	1,466	1,940	2,227
21	Other respiratory	M	2,810	68	47	48	85	106	128	262	522	552	521	471
		F	2,296	55	32	58	52	71	111	161	236	355	440	725
22	Peptic ulcer	M	3,134	2	–	–	4	66	223	476	910	837	474	142
		F	1,000	–	–	–	3	14	38	109	222	274	215	125
23	Diarrhœa	M	3,084	2,150	271	106	58	30	50	36	75	83	122	103
		F	2,532	1,408	222	110	66	59	71	68	88	102	153	185
24	Appendicitis	M	1,650	3	5	86	235	226	173	150	237	299	172	64
		F	1,404	2	4	61	207	150	108	129	271	233	170	69
25	Cirrhosis of liver	M	817	–	1	–	5	4	10	45	147	298	238	69
		F	424	–	–	–	6	3	9	30	100	135	95	46
26	Other liver diseases	M	725	3	1	4	6	13	26	42	89	183	218	140
		F	1,789	1	2	4	3	20	64	103	217	405	548	422
27	Other digestive	M	4,594	402	97	149	253	213	261	261	539	812	929	678
		F	4,797	249	70	160	293	135	223	372	619	815	1,003	858
28	Nephritis	M	7,687	18	13	36	117	235	293	410	978	1,796	2,236	1,555
		F	7,786	13	11	36	129	234	317	522	987	1,649	2,180	1,708
29	Puerperal sepsis	F	1,061	–	–	–	–	204	547	303	7	–	–	–
30	Other puerperal	F	1,557	–	–	–	1	275	736	524	21	–	–	–
31	Congenital causes, etc.	M	11,246	11,004	72	53	58	34	11	7	4	1	2	–
		F	8,428	8,210	62	42	45	27	19	7	6	9	1	–
32	Senility	M	6,703	–	–	–	–	–	–	–	1	67	1,091	5,544
		F	10,435	–	–	–	–	–	–	–	–	76	1,311	9,048
33	Suicide	M	3,893	–	–	–	3	241	512	535	882	1,024	531	165
		F	1,761	–	–	–	1	129	272	350	416	369	182	42
34	Other violence	M	11,402	393	193	469	1,031	2,018	1,501	1,110	1,245	1,357	1,112	973
		F	5,624	291	117	274	479	387	299	256	382	572	913	1,654
35	Other defined causes†	M	20,994	1,596	388	473	1,246	1,126	1,138	1,294	1,973	3,439	4,784	3,537
		F	18,715	1,123	316	399	1,073	1,018	1,284	1,840	2,687	3,221	3,395	2,359
36	Ill-defined causes	M	731	23	14	7	7	7	18	17	83	153	245	157
		F	584	13	11	8	6	5	5	10	46	108	187	185
†Including Smallpox		M	2	–	–	1	–	–	–	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–

Causes of Death *See* first page of Table.		All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
All Causes	M	79,249	5,563	911	1,059	1,805	2,834	3,676	4,513	8,626	14,114	18,098	18,050
	F	79,421	4,023	771	921	1,543	2,486	3,384	4,317	7,195	11,146	17,469	26,166
1 Typhoid fever, etc.	M	28	1	–	1	3	10	8	2	1	–	2	–
	F	26	1	–	–	2	2	4	7	5	1	4	–
2 Measles	M	122	17	42	38	23	–	–	2	–	–	–	–
	F	95	14	29	35	16	1	–	–	–	–	–	–
3 Scarlet fever	M	118	4	9	29	54	12	2	4	2	2	–	–
	F	115	4	8	34	45	8	7	2	4	1	1	1
4 Whooping cough	M	328	162	100	55	11	–	–	–	–	–	–	–
	F	441	184	124	107	22	1	1	–	–	1	–	1
5 Diphtheria	M	407	14	27	130	220	8	3	2	2	1	–	–
	F	399	12	19	118	229	4	2	6	6	1	2	–
6 Influenza	M	3,152	58	35	37	44	102	150	359	581	570	516	700
	F	3,611	45	24	34	43	100	171	296	411	473	708	1,306
7 Encephalitis lethargica	M	91	–	2	3	7	8	15	8	11	18	13	6
	F	97	–	–	4	5	10	11	11	12	24	16	4
8 Cerebro-spinal fever	M	142	37	25	15	23	22	10	7	2	–	1	–
	F	94	21	9	15	15	11	9	5	8	1	–	–
9 Respiratory tuberculosis	M	5,433	13	9	9	45	761	1,191	1,064	1,166	837	292	46
	F	3,735	9	7	11	59	991	1,077	695	426	266	156	38
10 Other tuberculosis	M	794	65	71	119	122	131	76	54	60	60	27	9
	F	701	51	72	101	123	102	84	47	36	42	30	13
11 Syphilis	M	312	32	2	–	4	7	8	28	79	92	42	18
	F	147	29	3	–	–	7	7	14	32	31	18	6
12 Gen. paralysis of insane, etc.	M	464	–	–	–	–	5	12	67	133	155	74	18
	F	126	–	–	–	1	3	3	24	43	34	14	4
13 Cancer	M	10,119	1	2	13	21	56	141	391	1,305	2,872	3,453	1,864
	F	11,649	6	3	10	19	55	186	758	1,955	2,877	3,282	2,498
14 Diabetes	M	755	1	1	2	16	21	23	16	60	178	272	165
	F	1,166	–	1	–	16	20	19	45	86	281	445	253
15 Cerebral hæmorrhage	M	2,953	–	–	–	3	2	15	60	202	554	1,052	1,065
	F	4,151	1	–	–	3	5	19	71	304	705	1,318	1,725
16 Heart disease	M	17,385	1	3	5	99	147	243	463	1,341	3,204	5,544	6,335
	F	19,832	1	1	5	90	217	312	524	1,136	2,488	5,560	9,498
17 Aneurysm	M	446	2	–	–	4	5	18	21	85	156	110	45
	F	203	–	–	–	4	9	3	18	30	47	59	33
18 Other circulatory	M	3,509	2	1	–	4	6	9	37	195	563	1,214	1,478
	F	3,723	3	1	–	4	1	11	32	203	460	1,078	1,930
19 Bronchitis	M	2,954	138	20	9	9	18	43	94	271	443	700	1,209
	F	3,035	93	16	13	8	12	23	45	92	244	584	1,905
20 Pneumonia	M	4,990	732	290	181	115	134	221	391	660	842	759	665
	F	4,239	504	260	147	112	103	149	282	355	522	756	1,049
21 Other respiratory	M	897	13	10	12	29	37	48	76	166	166	159	181
	F	813	16	6	14	15	20	33	45	78	107	153	326
22 Peptic ulcer	M	1,202	–	–	–	1	24	68	154	340	348	204	63
	F	411	–	–	–	1	4	11	37	85	108	107	58
23 Diarrhœa	M	889	660	67	14	10	9	16	10	19	23	35	26
	F	763	434	43	19	11	25	25	23	40	23	49	71
24 Appendicitis	M	598	–	2	32	61	74	53	67	82	115	86	26
	F	523	–	3	27	56	42	46	37	107	90	75	40
25 Cirrhosis of liver	M	311	–	–	–	1	1	5	18	60	106	93	27
	F	199	–	–	–	2	–	2	17	41	64	47	26
26 Other liver diseases	M	212	1	1	1	3	4	6	13	25	54	59	45
	F	527	1	2	1	1	4	18	20	50	126	153	151
27 Other digestive	M	1,551	101	24	55	85	80	92	99	194	276	316	229
	F	1,626	68	19	43	84	47	63	115	237	281	343	326
28 Nephritis	M	2,455	8	–	17	35	59	94	115	295	554	700	578
	F	2,416	2	1	6	24	59	85	145	277	490	686	641
29 Puerperal sepsis	F	310	–	–	–	–	45	174	88	3	–	–	
30 Other puerperal	F	410	–	–	–	–	74	216	116	4	–	–	–
31 Congenital causes, etc.	M	3,066	2,985	19	19	20	12	6	3	1	–	1	–
	F	2,228	2,168	15	7	15	9	4	2	4	4	–	–
32 Senility	M	1,663	–	–	–	–	–	–	–	–	15	203	1,445
	F	3,004	–	–	–	–	–	–	–	–	25	321	2,658
33 Suicide	M	1,356	–	–	–	1	77	200	181	299	362	173	63
	F	669	–	–	–	1	46	106	128	164	140	69	15
34 Other violence	M	3,644	156	53	124	330	641	489	306	359	424	390	372
	F	1,988	104	27	64	148	140	93	89	147	218	316	642
35 Other defined causes†	M	6,779	352	91	137	400	358	409	400	617	1,101	1,579	1,335
	F	5,845	248	76	106	369	308	410	572	805	958	1,088	905
36 Ill-defined causes	M	124	7	5	2	2	3	2	1	13	23	29	37
	F	104	4	2	–	–	1	–	1	9	13	31	43

† Including 1 death from Smallpox (1 Male—aged 2 years.)

	Causes of Death *See* first page of Table.		All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
	All Causes	M	47,154	3,536	603	681	1,180	1,777	2,369	2,849	5,547	8,881	10,407	9,324
		F	46,436	2,569	507	628	998	1,684	2,167	2,714	4,395	6,579	10,069	14,126
1	Typhoid fever, etc.	M	19	1	–	1	3	4	7	1	1	–	1	–
		F	14	1	–	–	2	1	1	3	2	1	3	–
2	Measles	M	76	12	30	19	15	–	–	–	–	–	–	–
		F	53	9	16	21	7	–	–	–	–	–	–	–
	Scarlet fever	M	77	4	5	20	33	8	2	1	2	2	–	–
		F	74	4	7	20	30	4	2	2	4	–	1	–
4	Whooping cough	M	231	106	78	38	9	–	–	–	–	–	–	–
		F	300	118	90	73	16	1	–	–	–	1	–	1
5	Diphtheria	M	318	11	23	109	164	6	1	2	2	–	–	–
		F	311	10	16	103	172	1	1	4	4	–	–	–
6	Influenza	M	1,832	24	20	19	29	59	101	227	360	375	291	327
		F	2,053	21	18	24	23	63	107	170	247	289	397	694
7	Encephalitis lethargica	M	49	–	–	1	4	5	9	5	5	9	7	4
		F	53	–	–	2	1	7	7	6	6	14	7	3
8	Cerebro-spinal fever	M	104	30	19	11	15	14	9	4	2	–	–	–
		F	64	16	5	12	8	8	6	2	6	1	–	–
9	Respiratory tuberculosis	M	3,626	11	5	8	35	517	786	669	799	566	203	27
		F	2,451	8	5	5	36	705	709	440	272	160	89	22
10	Other tuberculosis	M	449	44	37	53	70	86	42	32	34	31	19	1
		F	418	34	42	56	79	68	49	29	19	23	16	3
11	Syphilis	M	205	20	2	–	2	3	5	16	56	62	26	13
		F	92	21	3	–	–	4	4	8	18	18	11	5
12	Gen. paralysis of insane, etc.	M	302	–	–	–	–	2	8	40	93	104	48	7
		F	82	–	–	–	1	2	3	15	30	23	4	4
13	Cancer	M	5,989	1	–	7	12	36	90	252	827	1,831	1,942	991
		F	6,652	4	2	4	13	32	129	477	1,175	1,670	1,823	1,323
14	Diabetes	M	404	–	1	1	7	12	15	10	39	106	137	76
		F	661	–	1	–	8	7	10	28	41	165	268	133
15	Cerebral hæmorrhage	M	1,498	–	–	–	2	1	5	36	119	307	547	481
		F	2,066	–	–	–	1	5	9	37	165	374	678	797
16	Heart disease	M	10,300	1	2	4	77	97	175	308	862	1,971	3,248	3,555
		F	11,919	1	–	5	71	165	228	361	723	1,467	3,303	5,595
17	Aneurysm	M	294	1	–	–	4	5	14	18	55	102	69	26
		F	154	–	–	–	2	7	2	16	20	40	42	25
18	Other circulatory	M	1,893	2	–	–	3	6	9	25	122	347	671	708
		F	2,006	3	1	–	1	1	10	19	129	288	604	950
19	Bronchitis	M	1,738	85	9	5	4	10	31	66	190	310	423	605
		F	1,703	54	7	7	6	6	14	35	59	170	343	1,002
20	Pneumonia	M	3,353	475	197	127	72	87	157	269	453	602	511	403
		F	2,804	332	176	100	63	67	82	180	245	349	511	699
21	Other respiratory	M	540	8	6	8	15	25	30	45	100	98	98	107
		F	530	9	3	8	11	15	23	27	53	64	100	217
22	Peptic ulcer	M	785	–	–	–	1	18	44	99	232	230	122	39
		F	269	–	–	–	–	4	10	24	61	66	75	29
23	Diarrhœa	M	682	542	50	9	4	7	13	5	10	13	18	11
		F	558	361	35	13	4	16	14	13	27	11	29	35
24	Appendicitis	M	339	–	1	21	39	43	30	34	43	68	42	18
		F	311	–	3	19	42	29	28	21	64	49	40	16
25	Cirrhosis of liver	M	165	–	–	–	1	1	4	9	27	62	53	8
		F	124	–	–	–	2	–	2	14	23	41	28	14
26	Other liver diseases	M	124	–	1	1	2	1	4	6	16	34	37	22
		F	278	1	1	1	1	2	10	10	31	72	81	68
27	Other digestive	M	906	57	18	31	56	44	47	59	130	179	174	111
		F	946	44	6	28	52	27	35	75	145	151	198	185
28	Nephritis	M	1,428	6	–	11	26	44	61	69	194	319	390	308
		F	1,404	2	–	3	19	41	62	90	161	309	386	331
29	Puerperal sepsis	F	200	–	–	–	–	34	109	56	1	–	–	–
30	Other puerperal	F	232	–	–	–	–	44	131	54	3	–	–	–
31	Congenital causes, etc.	M	1,835	1,780	13	13	11	8	5	3	1	–	1	–
		F	1,340	1,305	10	5	9	5	3	1	2	–	–	–
32	Senility	M	616	–	–	–	–	–	–	–	–	4	75	537
		F	1,267	–	–	–	–	–	–	–	–	13	163	1,091
33	Suicide	M	844	–	–	–	1	47	128	111	184	227	106	40
		F	441	–	–	–	–	32	76	91	102	91	41	8
34	Other violence	M	2,134	90	32	73	208	356	268	174	205	263	254	211
		F	1,258	63	17	48	87	84	63	57	90	153	214	382
35	Other defined causes†	M	3,974	222	52	90	256	222	267	254	383	655	892	681
		F	3,328	147	43	71	231	197	228	348	464	503	606	490
36	Ill-defined causes	M	25	3	2	1	–	3	2	–	1	4	2	7
		F	20	1	–	–	–	–	–	1	3	3	8	4

† Including 1 death from Smallpox (1 Male—aged 2 years).

	Causes of Death *See* first page of Table.		All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
	All Causes	M	32,095	2,027	308	378	625	1,057	1,307	1,664	3,079	5,233	7,691	8,726
		F	32,985	1,454	264	293	545	802	1,217	1,603	2,800	4,567	7,400	12,040
1	Typhoid fever, etc.	M	9	–	–	–	–	6	1	1	–	–	1	–
		F	12	–	–	–	–	1	3	4	3	–	1	–
2	Measles	M	46	5	12	19	8	–	–	2	–	–	–	
		F	42	5	13	14	9	1	–	–	–	–	–	–
3	Scarlet fever	M	41	–	4	9	21	4	–	3	–	–	–	–
		F	41	–	1	14	15	4	5	–	–	1	–	1
4	Whooping cough	M	97	56	22	17	2	–	–	–	–	–	–	–
		F	141	66	34	34	6	–	1	–	–	–	–	–
5	Diphtheria	M	89	3	4	21	56	2	2	–	–	1	–	–
		F	88	2	3	15	57	3	1	2	2	1	2	–
6	Influenza	M	1,320	34	15	18	15	43	49	132	221	195	225	373
		F	1,558	24	6	10	20	37	64	126	164	184	311	612
7	Encephalitis lethargica	M	42	–	2	2	3	3	6	3	6	9	6	2
		F	44	–	–	2	4	3	4	5	6	10	9	1
8	Cerebro-spinal fever	M	38	7	6	4	8	8	1	3	–	–	1	–
		F	30	5	4	3	7	3	3	3	2	–	–	–
9	Respiratory tuberculosis	M	1,807	2	4	1	10	244	405	395	367	271	89	19
		F	1,284	1	2	6	23	286	368	255	154	106	67	16
10	Other tuberculosis	M	345	21	34	66	52	45	34	22	26	29	8	8
		F	283	17	30	45	44	34	35	18	17	19	14	10
11	Syphilis	M	107	12	–	–	2	4	3	12	23	30	16	5
		F	55	8	–	–	–	3	3	6	14	13	7	1
12	Gen. paralysis of insane, etc.	M	162	–	–	–	–	3	4	27	40	51	26	11
		F	44	–	–	–	–	1	–	9	13	11	10	–
13	Cancer	M	4,130	–	2	6	9	20	51	139	478	1,041	1,511	873
		F	4,997	2	1	6	6	23	57	281	780	1,207	1,459	1,175
14	Diabetes	M	351	1	–	1	9	9	8	6	21	72	135	89
		F	505	–	–	–	8	13	9	17	45	116	177	120
15	Cerebral hæmorrhage	M	1,455	–	–	–	1	1	10	24	83	247	505	584
		F	2,085	1	–	–	2	–	10	34	139	331	640	928
16	Heart disease	M	7,085	–	1	1	22	50	68	155	479	1,233	2,296	2,780
		F	7,913	–	1	–	19	52	84	163	413	1,021	2,257	3,903
17	Aneurysm	M	152	1	–	–	–	–	4	3	30	54	41	19
		F	49	–	–	–	2	2	1	2	10	7	17	8
18	Other circulatory	M	1,616	–	1	–	1	–	–	12	73	216	543	770
		F	1,717	–	–	–	3	–	1	13	74	172	474	980
19	Bronchitis	M	1,216	53	11	4	5	8	12	28	81	133	277	604
		F	1,332	39	9	6	2	6	9	10	33	74	241	903
20	Pneumonia	M	1,637	257	93	54	43	47	64	122	207	240	248	262
		F	1,435	172	84	47	49	36	67	102	110	173	245	350
21	Other respiratory	M	357	5	4	4	14	12	18	31	66	68	61	74
		F	283	7	3	6	4	5	10	18	25	43	53	109
22	Peptic ulcer	M	417	–	–	–	–	6	24	55	108	118	82	24
		F	142	–	–	–	1	–	1	13	24	42	32	29
23	Diarrhœa	M	207	118	17	5	6	2	3	5	9	10	17	15
		F	205	73	8	6	7	9	11	10	13	12	20	36
24	Appendicitis	M	259	–	1	11	22	31	23	33	39	47	44	8
		F	212	–	–	8	14	13	18	16	43	41	35	24
25	Cirrhosis of liver	M	146	–	–	–	–	–	1	9	33	44	40	19
		F	75	–	–	–	–	–	–	3	18	23	19	12
26	Other liver diseases	M	88	1	–	–	1	3	2	7	9	20	22	23
		F	249	–	1	–	–	2	8	10	19	54	72	83
27	Other digestive	M	645	44	6	24	29	36	45	40	64	97	142	118
		F	680	24	13	15	32	20	28	40	92	130	145	141
28	Nephritis	M	1,027	2	–	6	9	15	33	46	101	235	310	270
		F	1,012	–	1	3	5	18	23	55	116	181	300	310
29	Puerperal sepsis	F	110	–	–	–	–	11	65	32	2	–	–	–
30	Other puerperal	F	178	–	–	–	–	30	85	62	1	–	–	–
31	Congenital causes, etc.	M	1,231	1,205	6	6	9	4	1	–	–	–	–	–
		F	888	863	5	2	6	4	1	1	2	4	–	–
32	Senility	M	1,047	–	–	–	–	–	–	–	–	11	128	908
		F	1,737	–	–	–	–	–	–	–	–	12	158	1,567
33	Suicide	M	512	–	–	–	–	30	72	70	115	135	67	23
		F	228	–	–	–	1	14	30	37	62	49	28	7
34	Other violence	M	1,510	66	21	51	122	285	221	132	154	161	136	161
		F	730	41	10	16	61	56	30	32	57	65	102	260
35	Other defined causes	M	2,805	130	39	47	144	136	142	146	234	446	687	654
		F	2,517	101	33	35	138	111	182	224	341	455	482	415
36	Ill-defined causes	M	99	4	3	1	2	–	–	1	12	19	27	30
		F	84	3	2	–	–	1	–	–	6	10	23	39

TABLE 24—*contd.* **Aggregate of South Eastern Region** (Part formerly included in "Midlands").

	Causes of Death *See* first page of Table.		All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
	All Causes	M	24,503	1,827	277	332	585	915	1,225	1,513	2,622	4,277	5,446	5,484
		F	24,645	1,310	216	310	498	803	1,203	1,426	2,219	3,424	5,337	7,899
1	Typhoid fever, etc.	M	7	–	–	1	1	1	3	–	–	–	1	–
		F	9	–	–	–	–	–	3	4	1	1	–	–
2	Measles	M	12	–	1	4	6	–	–	1	–	–	–	–
		F	13	3	2	3	5	–	–	–	–	–	–	–
3	Scarlet fever	M	44	3	4	11	20	3	1	2	–	–	–	–
		F	41	1	1	15	15	2	3	2	–	–	1	1
4	Whooping cough	M	106	47	37	18	4	–	–	–	–	–	–	–
		F	131	55	38	31	3	1	1	–	–	1	–	1
5	Diphtheria	M	135	6	6	48	71	2	1	1	–	–	–	–
		F	139	2	7	39	83	4	–	2	2	–	–	–
6	Influenza	M	990	18	17	11	18	37	47	117	193	176	139	217
		F	1,144	12	7	15	17	31	54	99	123	150	215	421
7	Encephalitis lethargica	M	28	–	–	–	3	3	6	1	1	7	4	3
		F	39	–	–	1	1	4	5	4	6	7	9	2
8	Cerebro-spinal fever	M	33	11	4	5	5	5	2	1	–	–	–	–
		F	32	7	4	4	3	5	4	3	2	–	–	–
9	Respiratory tuberculosis	M	1,564	2	3	3	8	241	383	317	323	200	71	13
		F	1,222	4	2	1	16	310	380	229	138	80	50	12
10	Other tuberculosis	M	248	19	26	39	48	36	20	14	21	13	9	3
		F	244	19	23	34	41	31	34	17	15	16	12	2
11	Syphilis	M	76	9	1	–	2	2	3	7	16	24	9	3
		F	24	2	2	–	–	1	2	3	5	3	5	1
12	Gen. paralysis of insane, etc.	M	129	–	–	–	–	1	5	26	33	39	20	5
		F	34	–	–	–	–	2	2	6	11	9	2	2
13	Cancer	M	3,189	–	1	6	6	16	46	155	406	893	1,067	593
		F	3,679	1	–	4	6	10	62	240	645	917	1,013	781
14	Diabetes	M	260	–	–	–	7	3	15	5	16	57	105	52
		F	348	–	–	–	3	10	5	19	33	80	132	66
15	Cerebral hæmorrhage	M	1,122	–	–	–	1	–	6	25	87	212	387	404
		F	1,473	–	–	–	2	2	3	22	105	262	470	607
16	Heart disease	M	5,030	–	1	1	37	39	84	167	412	967	1,555	1,767
		F	5,726	1	–	2	29	79	99	163	316	768	1,613	2,656
17	Aneurysm	M	115	–	–	–	–	–	3	5	21	38	35	13
		F	58	–	–	–	–	5	1	5	8	11	19	9
18	Other circulatory	M	1,036	1	–	–	–	–	5	13	53	180	346	438
		F	1,137	2	–	–	2	1	5	10	62	127	318	610
19	Bronchitis	M	936	43	5	5	4	5	14	40	83	119	230	388
		F	980	34	5	3	3	3	11	11	29	61	194	626
20	Pneumonia	M	1,491	207	79	58	32	43	69	131	228	231	227	186
		F	1,325	159	67	51	32	34	49	103	95	163	235	337
21	Other respiratory	M	290	4	1	4	12	18	19	32	53	50	56	41
		F	215	6	1	8	4	6	14	11	22	32	41	70
22	Peptic ulcer	M	346	–	–	–	–	7	17	51	92	107	56	16
		F	105	–	–	–	–	1	3	11	21	22	32	15
23	Diarrhœa	M	248	171	18	6	2	4	8	3	4	6	11	15
		F	224	116	7	9	1	6	8	10	17	9	21	20
24	Appendicitis	M	196	–	–	15	14	27	23	21	23	38	26	9
		F	162	–	1	11	16	16	18	14	33	25	19	9
25	Cirrhosis of liver	M	94	–	–	–	–	–	–	7	20	26	31	10
		F	51	–	–	–	1	–	–	–	14	19	13	4
26	Other liver diseases	M	63	1	–	–	2	–	3	5	6	18	14	14
		F	161	–	–	–	1	1	6	5	11	39	50	48
27	Other digestive	M	495	31	11	17	32	28	35	29	55	79	109	69
		F	498	27	7	15	25	18	24	29	73	77	100	103
28	Nephritis	M	740	6	–	4	13	21	28	32	96	168	201	171
		F	687	2	–	4	9	15	20	51	89	144	201	152
29	Puerperal sepsis	F	116	–	–	–	–	18	63	34	1	–	–	–
30	Other puerperal	F	151	–	–	–	–	22	82	45	2	–	–	–
31	Congenital causes, etc.	M	1,115	1,088	7	6	8	5	1	–	–	–	–	–
		F	766	743	6	4	3	4	1	–	3	2	–	–
32	Senility	M	548	–	–	–	–	–	–	–	–	5	62	481
		F	1,009	–	–	–	–	–	–	–	–	18	130	861
33	Suicide	M	418	–	–	–	–	24	69	60	78	110	55	22
		F	224	–	–	–	1	14	47	53	45	38	21	5
34	Other violence	M	1,203	44	22	39	99	230	169	110	116	152	109	113
		F	586	33	10	15	50	55	31	27	39	52	93	181
35	Other defined causes	M	2,129	114	31	31	129	114	140	134	177	352	491	416
		F	1,841	80	26	41	126	91	163	194	248	286	311	275
36	Ill-defined causes	M	67	2	2	–	1	–	–	1	9	10	20	22
		F	51	1	–	–	–	1	–	–	5	5	17	22

TABLE 24—*contd.* **Aggregate of South Eastern Region** (Part formerly included in "South").

	Causes of Death *See* first page of Table.		All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
	All Causes	M	54,746	3,736	634	727	1,220	1,919	2,451	3,000	6,004	9,837	12,652	12,566
		F	54,776	2,713	555	611	1,045	1,683	2,181	2,891	4,976	7,722	12,132	18,267
1	Typhoid fever, etc.	M	21	1	–	–	2	9	5	2	1	–	1	–
		F	17	1	–	–	2	2	1	3	4	–	4	–
2	Measles	M	110	17	41	34	17	–	–	1	–	–	–	–
		F	82	11	27	32	11	1	–	–	–	–	–	–
3	Scarlet fever	M	74	1	5	18	34	9	1	2	2	2	–	–
		F	74	3	7	19	30	6	4	–	4	1	–	–
4	Whooping cough	M	222	115	63	37	7	–	–	–	–	–	–	–
		F	310	129	86	76	19	–	–	–	–	–	–	–
5	Diphtheria	M	272	8	21	82	149	6	2	1	2	1	–	–
		F	260	10	12	79	146	–	2	4	4	1	2	–
6	Influenza	M	2,162	40	18	26	26	65	103	242	388	394	377	483
		F	2,467	33	17	19	26	69	117	197	288	323	493	885
7	Encephalitis lethargica	M	63	–	2	3	4	5	9	7	10	11	9	3
		F	58	–	–	3	4	6	6	7	6	17	7	2
8	Cerebro-spinal fever	M	109	26	21	10	18	17	8	6	2	–	1	–
		F	62	14	5	11	12	6	5	2	6	1	–	–
9	Respiratory tuberculosis	M	3,869	11	6	6	37	520	808	747	843	637	221	33
		F	2,513	5	5	10	43	681	697	466	288	186	106	26
10	Other tuberculosis	M	546	46	45	80	74	95	56	40	39	47	18	6
		F	457	32	49	67	82	71	50	30	21	26	18	11
11	Syphilis	M	236	23	1	–	2	5	5	21	63	68	33	15
		F	123	27	1	–	–	6	5	11	27	28	13	5
12	Gen. paralysis of insane, etc.	M	335	–	–	–	–	4	7	41	100	116	54	13
		F	92	–	–	–	1	1	1	18	32	25	12	2
13	Cancer	M	6,930	1	1	7	15	40	95	236	899	1,979	2,386	1,271
		F	7,970	5	3	6	13	45	124	518	1,310	1,960	2,269	1,717
14	Diabetes	M	495	1	1	2	9	18	8	11	44	121	167	113
		F	818	–	1	–	13	10	14	26	53	201	313	187
15	Cerebral hæmorrhage	M	1,831	–	–	–	2	2	9	35	115	342	665	661
		F	2,678	1	–	–	1	3	16	49	199	443	848	1,118
16	Heart disease	M	12,355	1	2	4	62	108	159	296	929	2,237	3,989	4,568
		F	14,106	–	1	3	61	138	213	361	820	1,720	3,947	6,842
17	Aneurysm	M	331	2	–	–	4	5	15	16	64	118	75	32
		F	145	–	–	–	4	4	2	13	22	36	40	24
18	Other circulatory	M	2,473	1	1	–	4	6	4	24	142	383	868	1,040
		F	2,586	1	1	–	2	–	6	22	141	333	760	1,320
19	Bronchitis	M	2,018	95	15	4	5	13	29	54	188	324	470	821
		F	2,055	59	11	10	5	9	12	34	63	183	390	1,279
20	Pneumonia	M	3,499	525	211	123	83	91	152	260	432	611	532	479
		F	2,914	345	193	96	80	69	100	179	260	359	521	712
21	Other respiratory	M	607	9	9	8	17	19	29	44	113	116	103	140
		F	598	10	5	6	11	14	19	34	56	75	112	256
22	Peptic ulcer	M	856	–	–	–	1	17	51	103	248	241	148	47
		F	306	–	–	–	1	3	8	26	64	86	75	43
23	Diarrhœa	M	641	489	49	8	8	5	8	7	15	17	24	11
		F	539	318	36	10	10	19	17	13	23	14	28	51
24	Appendicitis	M	402	–	2	17	47	47	30	46	59	77	60	17
		F	361	–	2	16	40	26	28	23	74	65	56	31
25	Cirrhosis of liver	M	217	–	–	–	1	1	5	11	40	80	62	17
		F	148	–	–	–	1	–	2	17	27	45	34	22
26	Other liver diseases	M	149	–	1	1	1	4	3	8	19	36	45	31
		F	366	1	2	1	–	3	12	15	39	87	103	103
27	Other digestive	M	1,056	70	13	38	53	52	57	70	139	197	207	160
		F	1,128	41	12	28	59	29	39	86	164	204	243	223
28	Nephritis	M	1,715	2	–	13	22	38	66	83	199	386	499	407
		F	1,729	–	1	2	15	44	65	94	188	346	485	489
29	Puerperal sepsis	F	194	–	–	–	–	27	111	54	2	–	–	–
30	Other puerperal	F	259	–	–	–	–	52	134	71	2	–	–	–
31	Congenital causes, etc.	M	1,951	1,897	12	13	12	7	5	3	1	–	1	–
		F	1,462	1,425	9	3	12	5	3	2	1	2	–	–
32	Senility	M	1,115	–	–	–	–	–	–	–	–	10	141	964
		F	1,995	–	–	–	–	–	–	–	–	7	191	1,797
33	Suicide	M	938	–	–	–	1	53	131	121	221	252	118	41
		F	445	–	–	–	–	32	59	75	119	102	48	10
34	Other violence	M	2,441	112	31	85	231	411	320	196	243	272	281	259
		F	1,402	71	17	49	98	85	62	62	108	166	223	461
35	Other defined causes†	M	4,650	238	60	106	271	244	269	266	440	749	1,088	919
		F	4,004	168	50	65	243	217	247	378	557	672	777	630
36	Ill-defined causes	M	57	5	3	2	1	3	2	–	4	13	9	15
		F	53	3	2	–	–	–	–	1	4	8	14	21

† Including 1 death from Smallpox (1 Male—aged 2 years).

Causes of Death *See* first page of Table.		All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
All Causes	M	87,289	8,614	1,890	1,796	2,434	3,478	4,051	5,421	9,779	15,621	19,500	14,705
	F	84,647	6,364	1,649	1,711	2,258	3,228	3,947	5,209	7,948	13,215	19,172	19,946
1 Typhoid fever, etc.	M	41	–	–	–	4	8	11	5	4	3	5	1
	F	39	–	–	–	4	10	8	3	7	3	4	–
2 Measles	M	493	100	208	146	38	–	1	–	–	–	–	–
	F	507	86	218	155	47	–	1	–	–	–	–	–
3 Scarlet fever	M	155	4	21	59	46	12	5	6	2	–	–	–
	F	179	1	21	65	71	9	6	4	1	1	–	–
4 Whooping cough	M	351	151	114	78	8	–	–	–	–	–	–	–
	F	448	177	140	113	17	–	–	–	1	–	–	–
5 Diphtheria	M	552	9	34	188	304	8	4	2	1	1	1	–
	F	631	14	23	178	376	7	6	11	8	6	2	–
6 Influenza	M	3,887	136	85	87	83	173	287	496	728	663	607	542
	F	4,126	90	64	67	72	173	241	440	477	708	826	968
7 Encephalitis lethargica	M	198	1	1	5	9	26	40	24	27	42	22	1
	F	154	–	1	3	7	19	24	25	20	30	25	–
8 Cerebro-spinal fever	M	263	59	30	28	49	47	25	12	7	6	–	–
	F	210	47	28	37	50	17	12	6	11	2	–	–
9 Respiratory tuberculosis	M	5,503	12	23	28	99	936	1,160	1,102	1,148	781	194	20
	F	4,056	10	22	17	171	1,248	1,052	715	407	275	121	18
10 Other tuberculosis	M	1,092	96	98	149	204	192	130	86	50	53	29	5
	F	995	62	81	142	190	179	134	66	56	45	29	11
11 Syphilis	M	292	50	6	1	6	3	12	44	58	71	37	4
	F	173	42	1	–	5	5	14	26	35	27	18	–
12 Gen. paralysis of insane, etc.	M	487	–	–	–	1	4	17	107	147	147	56	8
	F	152	–	–	–	–	3	7	35	50	39	16	2
13 Cancer	M	9,197	3	3	9	27	39	128	411	1,334	2,943	3,112	1,188
	F	10,293	5	6	11	12	47	155	738	1,827	2,871	3,063	1,558
14 Diabetes	M	808	1	–	3	16	34	43	42	60	206	287	116
	F	1,387	1	1	2	19	34	47	60	122	378	526	197
15 Cerebral hæmorrhage	M	4,039	–	1	3	1	6	16	78	292	947	1,610	1,085
	F	4,997	–	–	–	–	3	23	83	433	1,022	1,815	1,618
16 Heart disease	M	16,926	–	2	8	118	269	293	574	1,710	3,669	5,820	4,463
	F	18,561	3	2	8	167	331	464	712	1,528	3,197	5,742	6,407
17 Aneurysm	M	224	1	1	–	–	4	8	23	51	79	44	13
	F	92	–	–	–	1	3	1	13	19	23	17	15
18 Other circulatory	M	4,810	6	1	1	4	1	4	36	205	762	1,820	1,970
	F	4,325	3	4	3	1	5	10	34	166	569	1,445	2,085
19 Bronchitis	M	3,889	397	86	30	20	33	53	152	436	637	981	1,064
	F	3,898	301	72	29	25	32	45	92	193	445	1,031	1,633
20 Pneumonia	M	6,713	1,434	678	431	292	253	350	585	827	852	631	380
	F	5,057	1,038	598	419	222	127	219	344	378	569	644	499
21 Other respiratory	M	913	24	23	21	28	36	40	92	179	184	169	117
	F	731	18	14	23	21	16	44	66	83	125	139	182
22 Peptic ulcer	M	988	1	–	–	2	22	84	179	303	249	115	33
	F	272	–	–	–	2	4	16	35	63	84	47	21
23 Diarrhœa	M	1,360	944	138	58	37	11	20	14	32	34	40	32
	F	1,087	629	116	56	32	17	24	20	23	43	67	60
24 Appendicitis	M	528	1	1	29	93	81	70	44	68	94	36	11
	F	443	1	–	16	67	51	34	48	94	72	49	11
25 Cirrhosis of liver	M	221	–	1	–	2	3	2	14	38	95	54	12
	F	117	–	–	–	4	1	4	7	32	41	21	7
26 Other liver diseases	M	276	2	–	2	1	5	14	18	34	78	81	41
	F	707	–	–	2	–	11	20	46	98	154	242	134
27 Other digestive	M	1,483	189	43	43	89	70	74	75	172	269	285	174
	F	1,567	108	22	73	100	43	80	132	213	285	310	201
28 Nephritis	M	2,704	5	8	10	45	85	113	153	373	680	807	425
	F	2,836	3	7	18	54	95	113	231	410	635	814	456
29 Puerperal sepsis	F	399	–	–	–	–	82	204	112	1	–	–	–
30 Other puerperal	F	629	–	–	–	1	117	293	212	6	–	–	–
31 Congenital causes, etc.	M	4,271	4,192	27	14	21	9	3	2	2	–	1	–
	F	3,223	3,145	28	16	11	9	8	2	–	3	1	–
32 Senility	M	2,341	–	–	–	–	–	–	–	1	39	549	1,752
	F	3,249	–	–	–	–	–	–	–	–	32	530	2,687
33 Suicide	M	1,223	–	–	–	1	75	153	191	296	309	160	38
	F	545	–	–	–	–	37	86	118	125	114	54	11
34 Other violence	M	3,770	132	93	186	363	633	483	385	427	440	349	279
	F	1,828	93	52	101	164	126	105	90	109	185	327	476
35 Other defined causes†	M	6,951	657	158	178	419	396	398	461	727	1,199	1,480	878
	F	6,482	482	125	151	339	364	445	679	933	1,179	1,160	625
36 Ill-defined causes	M	340	7	6	1	4	4	10	8	40	89	118	53
	F	252	5	3	6	6	3	2	4	19	53	87	64

† Including 1 death from Smallpox (1 Male—aged 52 years).

	Causes of Death *See* first page of Table.		All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
	All Causes	M	14,624	1,760	461	368	486	731	757	886	1,404	2,270	3,060	2,441
		F	13,092	1,318	343	333	443	623	717	859	1,206	1,907	2,636	2,707
1	Typhoid	M	7	–	–	–	1	–	4	–	–	1	1	–
	fever, etc.	F	11	–	–	–	1	4	2	1	2	–	1	–
2	Measles	M	117	18	52	35	12	–	–	–	–	–	–	–
		F	114	20	41	42	11	–	–	–	–	–	–	–
3	Scarlet	M	65	2	10	26	19	6	1	–	1	–	–	–
	fever	F	70	1	8	28	25	3	4	1	–	–	–	–
4	Whooping	M	51	22	19	10	–	–	–	–	–	–	–	–
	cough	F	66	35	19	11	1	–	–	–	–	–	–	–
5	Diphtheria	M	42	–	9	15	17	–	–	–	–	1	–	–
		F	44	3	–	15	23	1	–	2	–	–	–	–
6	Influenza	M	534	34	21	19	14	29	31	48	93	81	82	82
		F	539	16	10	12	21	30	44	61	55	73	96	121
7	Encephalitis	M	34	1	–	–	–	5	10	4	3	6	4	1
	lethargica	F	27	–	–	2	1	2	6	5	4	5	2	–
8	Cerebro-spinal	M	76	14	10	10	16	11	6	4	2	3	–	–
	fever	F	55	11	9	11	10	7	5	–	1	1	–	–
9	Respiratory	M	978	6	6	7	39	222	254	199	136	88	18	3
	tuberculosis	F	842	–	8	3	55	277	210	146	71	57	15	–
10	Other	M	242	19	23	34	58	52	18	21	9	5	3	–
	tuberculosis	F	235	14	13	34	59	48	31	9	9	9	7	
11	Syphilis	M	62	16	–	–	3	–	2	13	14	7	7	–
		F	28	10	–	–	–	1	1	4	5	5	2	–
12	Gen. paralysis	M	74	–	–	–	–	–	2	22	24	22	4	–
	of insane, etc.	F	15	–	–	–	–	1	–	4	5	5	–	–
13	Cancer	M	1,411	–	–	–	3	10	15	67	205	454	475	182
		F	1,547	–	1	1	4	6	31	111	292	419	444	238
14	Diabetes	M	119	–	–	1	2	3	7	9	11	29	40	17
		F	206	1	–	–	2	6	9	17	12	54	74	31
15	Cerebral	M	720	–	–	–	–	2	2	11	33	166	325	181
	hæmorrhage	F	794	–	–	–	–	–	4	12	70	152	297	259
16	Heart	M	2,459	–	1	2	19	47	50	107	229	509	830	665
	disease	F	2,420	–	–	1	30	45	77	109	216	463	736	743
17	Aneurysm	M	37	1	1	–	–	2	1	5	11	10	6	–
		F	8	–	–	–	–	–	–	2	2	2	1	1
18	Other	M	876	3	–	–	1	–	–	3	37	136	315	381
	circulatory	F	683	–	3	1	–	–	2	6	31	103	213	324
19	Bronchitis	M	635	104	26	9	6	5	15	18	60	70	158	164
		F	524	71	23	8	7	4	4	12	22	48	123	202
20	Pneumonia	M	963	224	143	79	64	37	41	64	94	92	66	59
		F	725	172	114	79	33	21	26	49	47	59	76	49
21	Other	M	165	1	5	4	5	7	11	18	27	14	47	26
	respiratory	F	115	9	3	3	2	2	6	10	11	19	24	26
22	Peptic	M	139	–	–	–	–	6	16	32	25	39	15	6
	ulcer	F	44	–	–	–	–	1	3	12	9	13	5	1
23	Diarrhœa	M	382	254	48	22	13	1	3	4	6	7	11	13
		F	286	161	36	14	13	6	5	5	6	10	19	11
24	Appendicitis	M	95	–	1	3	24	9	15	12	14	12	5	–
		F	47	–	–	1	4	10	4	4	9	8	5	2
25	Cirrhosis of	M	30	–	1	–	–	2	2	–	6	12	6	1
	liver	F	20	–	–	–	2	–	2	2	2	6	5	1
26	Other liver	M	33	–	–	–	–	2	1	1	6	10	8	5
	diseases	F	92	–	–	1	–	2	4	10	19	17	27	12
27	Other	M	258	39	9	9	15	17	11	12	32	38	53	23
	digestive	F	238	23	7	8	14	6	14	18	29	49	40	30
28	Nephritis	M	467	1	1	5	10	15	24	26	57	106	144	78
		F	471	1	1	6	11	11	17	42	84	107	114	77
29	Puerperal sepsis	F	88	–	–	–	–	20	49	19	–	–	–	–
30	Other puerperal	F	105	–	–	–	–	26	43	35	1	–	–	–
31	Congenital	M	830	814	6	3	3	3	–	1	–	–	–	–
	causes, etc.	F	670	652	7	2	4	3	1	–	–	1	–	–
32	Senility	M	434	–	–	–	–	–	–	–	–	4	100	330
		F	522	–	–	–	–	–	–	–	–	5	93	424
33	Suicide	M	196	–	–	–	1	12	29	28	50	47	24	5
		F	73	–	–	–	–	6	11	16	26	9	3	2
34	Other	M	712	21	19	30	68	142	101	80	73	78	51	49
	violence	F	291	16	14	17	47	12	13	24	18	23	45	62
35	Other defined	M	1,252	160	50	45	73	83	79	72	130	181	223	156
	causes	F	998	101	26	30	59	60	88	110	141	164	141	78
36	Ill-defined	M	129	6	–	–	–	1	6	5	16	42	39	14
	causes	F	79	1	–	3	4	2	1	1	7	21	28	11

	Causes of Death *See* first page of Table.		All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
	All Causes	M	8,616	844	188	179	226	366	415	470	841	1,366	1,889	1,832
		F	8,213	613	168	153	233	304	359	476	676	1,190	1,781	2,260
1	Typhoid fever, etc.	M	4	–	–	–	1	1	1	–	–	–	1	–
		F	7	–	–	–	1	1	2	–	2	1	–	–
2	Measles	M	24	5	6	7	6	–	–	–	–	–	–	–
		F	28	7	14	2	4	–	1	–	–	–	–	–
3	Scarlet fever	M	7	–	–	3	3	–	–	1	–	–	–	–
		F	5	–	1	–	4	–	–	–	–	–	–	–
4	Whooping cough	M	30	14	10	5	1	–	–	–	–	–	–	–
		F	51	24	12	12	3	–	–	–	–	–	–	–
5	Diphtheria	M	69	2	5	29	31	–	1	1	–	–	–	–
		F	81	2	5	25	42	2	–	3	1	1	–	–
6	Influenza	M	373	12	11	7	11	14	27	40	52	52	56	91
		F	436	9	7	4	5	15	22	46	40	61	90	137
7	Encephalitis lethargica	M	10	–	–	1	1	3	1	–	2	1	1	–
		F	17	–	1	1	1	1	3	1	3	3	3	–
8	Cerebro-spinal fever	M	16	2	1	2	2	7	1	1	–	–	–	–
		F	16	2	2	3	5	1	1	–	2	–	–	–
9	Respiratory tuberculosis	M	539	2	3	4	11	95	126	100	105	66	23	4
		F	405	5	3	–	20	106	110	67	46	27	19	2
10	Other tuberculosis	M	125	12	13	12	24	21	20	8	5	5	5	–
		F	120	10	11	19	20	22	10	7	12	6	1	2
11	Syphilis	M	30	3	1	–	–	1	–	4	7	8	5	1
		F	27	2	1	–	1	1	1	5	5	6	5	–
12	Gen. paralysis of insane, etc.	M	48	–	–	–	–	2	1	12	15	11	5	2
		F	17	–	–	–	–	1	–	2	4	6	4	–
13	Cancer	M	915	–	2	1	–	4	10	29	123	270	328	148
		F	1,023	–	1	1	4	5	17	70	152	278	294	201
14	Diabetes	M	75	–	–	–	2	6	1	1	8	11	25	21
		F	126	–	–	–	2	4	4	7	9	30	51	19
15	Cerebral hæmorrhage	M	464	–	–	–	–	1	1	6	32	69	178	177
		F	568	–	–	–	–	–	–	11	46	106	180	225
16	Heart disease	M	1,707	–	–	–	17	20	25	42	145	324	577	557
		F	1,784	–	–	–	8	27	36	48	106	260	537	762
17	Aneurysm	M	19	–	–	–	–	–	–	3	4	9	2	1
		F	6	–	–	–	–	–	–	1	–	2	2	1
18	Other circulatory	M	488	–	–	–	–	1	1	3	14	66	150	253
		F	376	–	–	–	–	–	–	5	11	39	116	205
19	Bronchitis	M	333	35	11	3	–	2	2	9	28	46	76	121
		F	310	22	9	2	3	3	1	8	7	32	74	149
20	Pneumonia	M	606	131	72	36	22	13	32	40	67	77	72	44
		F	491	104	64	42	24	12	19	23	34	50	61	58
21	Other respiratory	M	100	3	4	6	2	4	4	9	16	25	16	11
		F	77	2	3	1	–	1	3	6	11	9	16	25
22	Peptic ulcer	M	93	–	–	–	–	3	13	19	20	20	14	4
		F	26	–	–	–	–	–	2	4	6	11	–	3
23	Diarrhœa	M	125	87	11	8	3	2	2	–	2	1	5	4
		F	108	65	8	8	3	2	3	2	1	3	7	6
24	Appendicitis	M	59	–	–	6	6	13	7	2	5	14	3	3
		F	41	–	–	3	9	2	4	7	7	4	5	–
25	Cirrhosis of liver	M	25	–	–	–	1	–	–	3	4	6	11	–
		F	7	–	–	–	–	–	–	1	3	2	1	–
26	Other liver diseases	M	26	1	–	–	1	–	2	2	2	8	4	6
		F	70	–	–	–	–	3	2	3	7	15	21	19
27	Other digestive	M	144	18	–	3	9	12	13	8	11	19	29	22
		F	149	4	2	1	8	5	8	16	23	30	33	19
28	Nephritis	M	213	–	2	1	5	10	8	8	23	56	60	40
		F	214	–	1	2	3	9	6	12	24	42	71	44
29	Puerperal sepsis	F	48	–	–	–	–	11	21	16	–	–	–	–
30	Other puerperal	F	73	–	–	–	1	15	31	26	–	–	–	–
31	Congenital causes, etc.	M	439	430	3	1	2	2	–	–	1	–	–	–
		F	307	299	3	3	–	–	2	–	–	–	–	–
32	Senility	M	189	–	–	–	–	–	–	–	–	1	36	152
		F	292	–	–	–	–	–	–	–	–	2	31	259
33	Suicide	M	116	–	–	–	–	9	22	17	29	19	13	7
		F	52	–	–	–	–	4	5	15	9	9	9	1
34	Other violence	M	421	15	14	25	28	78	57	48	45	47	31	33
		F	187	9	8	9	20	13	6	15	10	16	25	56
35	Other defined cause	M	733	72	18	19	36	41	36	53	67	122	145	124
		F	633	47	10	15	42	38	38	48	91	134	114	56
36	Ill-defined causes	M	51	–	1	–	1	1	1	1	9	13	18	6
		F	35	–	2	–	–	–	1	1	4	5	11	11

	Causes of Death *See* first page of Table.		All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
	All Causes	M	22,245	2,038	370	434	616	792	990	1,304	2,464	4,204	5,233	3,800
		F	21,916	1,518	337	425	591	779	954	1,283	2,066	3,512	5,090	5,361
1	Typhoid fever, etc.	M	9	–	–	–	–	2	2	2	1	–	1	1
		F	8	–	–	–	1	2	2	1	1	1	–	–
2	Measles	M	63	11	26	22	4	–	–	–	–	–	–	–
		F	62	12	20	21	9	–	–	–	–	–	–	–
3	Scarlet fever	M	35	–	3	13	11	2	3	2	1	–	–	–
		F	37	–	2	14	19	–	1	1	–	–	–	–
4	Whooping cough	M	75	34	22	17	2	–	–	–	–	–	–	–
		F	124	38	43	39	4	–	–	–	–	–	–	–
5	Diphtheria	M	166	3	4	42	113	3	1	–	–	–	–	–
		F	209	4	5	48	144	2	1	2	1	2	–	–
6	Influenza	M	1,016	39	20	29	21	36	68	118	178	182	179	146
		F	1,080	37	22	22	24	48	48	121	118	187	210	243
7	Encephalitis lethargica	M	38	–	–	1	6	3	6	7	7	5	3	–
		F	28	–	–	–	1	2	5	4	5	8	3	–
8	Cerebro-spinal fever	M	88	16	12	10	16	14	9	5	4	2	–	–
		F	76	13	7	15	22	8	2	4	5	–	–	–
9	Respiratory tuberculosis	M	1,231	3	6	9	9	189	259	219	286	199	50	2
		F	904	1	3	8	34	277	238	156	87	69	27	4
10	Other tuberculosis	M	274	24	24	39	45	42	32	23	15	17	11	2
		F	212	12	24	29	34	34	39	10	10	8	11	1
11	Syphilis	M	75	13	1	–	–	–	4	7	12	22	16	–
		F	37	11	–	–	1	–	4	3	9	5	4	–
12	Gen. paralysis of insane, etc.	M	138	–	–	–	–	–	1	37	40	43	15	2
		F	54	–	–	–	–	1	1	13	16	14	8	1
13	Cancer	M	2,382	2	–	3	10	12	44	103	340	778	794	296
		F	2,716	1	4	2	2	11	35	191	490	793	794	393
14	Diabetes	M	232	–	–	2	1	11	15	6	18	62	88	29
		F	378	–	1	–	6	12	7	14	34	109	144	51
15	Cerebral hæmorrhage	M	1,095	–	–	2	–	1	10	22	71	262	418	309
		F	1,389	–	–	–	–	1	9	20	106	274	514	465
16	Heart disease	M	4,571	–	1	2	33	64	61	149	431	1,042	1,627	1,161
		F	4,973	1	–	1	47	93	121	188	387	827	1,548	1,760
17	Aneurysm	M	71	–	–	–	–	2	4	9	12	23	16	5
		F	36	–	–	–	1	1	1	4	6	8	7	8
18	Other circulatory	M	1,399	2	1	1	2	–	1	7	46	190	553	596
		F	1,344	2	1	–	–	–	2	5	42	173	435	684
19	Bronchitis	M	964	82	15	7	5	8	11	33	110	180	238	275
		F	933	72	14	7	4	7	10	21	50	104	224	420
20	Pneumonia	M	1,615	349	137	118	56	52	87	140	179	219	172	106
		F	1,261	256	118	103	59	38	51	87	106	141	165	137
21	Other respiratory	M	216	7	8	2	9	7	7	21	50	48	30	27
		F	164	–	3	7	5	8	9	14	17	32	27	42
22	Peptic ulcer	M	284	–	–	–	1	2	24	46	93	68	39	11
		F	78	–	–	–	2	1	4	8	14	26	16	7
23	Diarrhœa	M	279	198	19	10	9	2	3	3	15	9	5	6
		F	235	131	21	13	4	4	2	3	7	11	16	23
24	Appendicitis	M	138	–	–	4	25	19	19	10	19	26	12	4
		F	117	1	–	3	13	12	5	11	31	21	17	3
25	Cirrhosis of liver	M	55	–	–	–	–	–	–	2	9	25	14	5
		F	30	–	–	–	–	–	–	2	8	11	6	3
26	Other liver diseases	M	88	–	–	–	–	1	5	11	14	18	28	11
		F	206	–	–	–	–	–	7	13	29	45	75	37
27	Other digestive	M	370	43	15	11	28	16	23	13	40	76	63	42
		F	394	26	2	23	27	12	23	30	54	76	69	52
28	Nephritis	M	731	1	2	2	14	24	34	41	108	190	214	101
		F	788	1	1	5	15	18	29	55	125	178	231	130
29	Puerperal sepsis	F	110	–	–	–	–	23	56	31	–	–	–	–
30	Other puerperal	F	173	–	–	–	–	33	81	55	4	–	–	–
31	Congenital causes, etc.	M	1,034	1,014	8	3	5	2	1	1	–	–	–	–
		F	776	755	8	4	4	2	–	–	–	2	1	–
32	Senility	M	451	–	–	–	–	–	–	–	–	2	88	361
		F	695	–	–	–	–	–	–	–	–	1	91	603
33	Suicide	M	304	–	–	–	–	17	25	47	72	88	43	12
		F	134	–	–	–	–	8	19	30	31	28	15	3
34	Other violence	M	1,010	39	19	51	96	171	134	106	125	117	87	65
		F	434	27	8	27	30	33	31	11	30	52	74	111
35	Other defined causes†	M	1,706	157	23	34	94	90	97	113	166	301	414	217
		F	1,682	117	30	34	79	88	111	174	239	301	342	167
36	Ill-defined causes	M	42	1	4	–	1	–	–	1	2	10	15	8
		F	39	–	–	–	–	–	–	1	4	5	16	13

† Including 1 death from Smallpox (1 Male aged 52 years).

	Causes of Death *See* first page of Table.		All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
	All Causes	M	41,804	3,972	871	815	1,106	1,589	1,889	2,761	5,070	7,781	9,318	6,632
		F	41,426	2,915	801	800	991	1,522	1,917	2,591	4,000	6,606	9,665	9,618
1	Typhoid	M	21	–	–	–	2	5	4	3	3	2	2	–
	fever, etc.	F	13	–	–	–	1	3	2	1	2	1	3	–
2	Measles	M	289	66	124	82	16	–	1	–	–	–	–	–
		F	303	47	143	90	23	–	–	–	–	–	–	–
3	Scarlet	M	48	2	8	17	13	4	1	3	–	–	–	–
	fever	F	67	–	10	23	23	6	1	2	1	1	–	–
4	Whooping	M	195	81	63	46	5	–	–	–	–	–	–	–
	cough	F	207	80	66	51	9	–	–	–	1	–	–	–
5	Diphtheria	M	275	4	16	102	143	5	2	1	1	–	1	–
		F	297	5	13	90	167	2	5	4	6	3	2	–
6	Influenza	M	1,964	51	33	32	37	94	161	290	405	348	290	223
		F	2,071	28	25	29	22	80	127	212	264	387	430	467
7	Encephalitis	M	116	–	1	3	2	15	23	13	15	30	14	–
	lethargica	F	82	–	–	–	4	14	10	15	8	14	17	–
8	Cerebro-spinal	M	83	27	7	6	15	15	9	2	1	1	–	–
	fever	F	63	21	10	8	13	1	4	2	3	1	–	–
9	Respiratory	M	2,755	1	8	8	40	430	521	584	621	428	103	11
	tuberculosis	F	1,905	4	8	6	62	588	494	346	203	122	60	12
10	Other	M	451	41	38	64	77	77	60	34	21	26	10	3
	tuberculosis	F	428	26	33	60	77	75	54	40	25	22	10	6
11	Syphilis	M	125	18	4	1	3	2	6	20	25	34	9	3
		F	81	19	–	–	3	3	8	14	16	11	7	–
12	Gen. paralysis	M	227	–	–	–	1	2	13	36	68	71	32	4
	of insane, etc.	F	66	–	–	–	–	–	6	16	25	14	4	1
13	Cancer	M	4,489	1	1	5	14	13	59	212	666	1,441	1,515	562
		F	5,007	4	–	7	2	25	72	366	893	1,381	1,531	726
14	Diabetes	M	382	1	–	–	11	14	20	26	23	104	134	49
		F	677	–	–	2	9	12	27	22	67	185	257	96
15	Cerebral	M	1,760	–	1	1	1	2	3	39	156	450	689	418
	hæmorrhage	F	2,246	–	–	–	–	2	10	40	211	490	824	669
16	Heart	M	8,189	–	–	4	49	138	157	276	905	1,794	2,786	2,080
	disease	F	9,384	2	2	6	82	166	230	367	819	1,647	2,921	3,142
17	Aneurysm	M	97	–	–	–	–	–	3	6	24	37	20	7
		F	42	–	–	–	–	2	–	6	11	11	7	5
18	Other	M	2,047	1	–	–	1	–	2	23	108	370	802	740
	circulatory	F	1,922	1	–	2	1	5	6	18	82	254	681	872
19	Bronchitis	M	1,957	176	34	11	9	18	25	92	238	341	509	504
		F	2,131	136	26	12	11	18	30	51	114	261	610	862
20	Pneumonia	M	3,529	730	326	198	150	151	190	341	487	464	321	171
		F	2,580	506	302	195	106	56	123	185	191	319	342	255
21	Other	M	432	13	6	9	12	18	18	44	86	97	76	53
	respiratory	F	375	7	5	12	14	5	26	36	44	65	72	89
22	Peptic	M	472	1	–	–	1	11	31	82	165	122	47	12
	ulcer	F	124	–	–	–	–	2	7	11	34	34	26	10
23	Diarrhœa	M	574	405	60	18	12	6	12	7	9	17	19	9
		F	458	272	51	21	12	5	14	10	9	19	25	20
24	Appendicitis	M	236	1	–	16	38	40	29	20	30	42	16	4
		F	238	–	–	9	41	27	21	26	47	39	22	6
25	Cirrhosis of	M	111	–	–	–	1	1	–	9	19	52	23	6
	liver	F	60	–	–	–	2	1	2	2	19	22	9	3
26	Other liver	M	129	1	–	2	–	2	6	4	12	42	41	19
	diseases	F	339	–	–	1	–	6	7	20	43	77	119	66
27	Other	M	711	89	19	20	37	25	27	42	89	136	140	87
	digestive	F	786	55	11	41	51	20	35	68	107	130	168	100
28	Nephritis	M	1,293	3	3	2	16	36	47	78	185	328	389	206
		F	1,363	1	4	5	25	57	61	122	177	308	398	205
29	Puerperal sepsis	F	153	–	–	–	–	28	78	46	1	–	–	–
30	Other puerperal	F	278	–	–	–	–	43	138	96	1	–	–	–
31	Congenital	M	1,968	1,934	10	7	11	2	2	–	1	–	1	–
	causes, etc.	F	1,470	1,439	10	7	3	4	5	2	–	–	–	–
32	Senility	M	1,267	–	–	–	–	–	–	–	1	32	325	909
		F	1,740	–	–	–	–	–	–	–	–	24	315	1,401
33	Suicide	M	607	–	–	–	–	37	77	99	145	155	80	14
		F	286	–	–	–	–	19	51	57	59	68	27	5
34	Other	M	1,627	57	41	80	171	242	191	151	184	198	180	132
	violence	F	916	41	22	48	67	68	55	40	51	94	183	247
35	Other defined	M	3,260	268	67	80	216	182	186	223	364	595	698	381
	causes	F	3,169	217	59	72	159	178	208	347	462	580	563	324
36	Ill-defined	M	118	–	1	1	2	2	3	1	13	24	46	25
	causes	F	99	4	1	3	2	1	–	1	4	22	32	29

	Causes of Death *See* first page of Table.		All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
	All Causes	M	42,065	3,844	733	652	980	1,650	1,899	2,446	4,469	7,148	9,470	8,774
		F	40,348	2,878	578	583	912	1,607	1,884	2,236	3,662	5,716	8,747	11,545
1	Typhoid fever, etc.	M	41	–	–	–	3	6	9	9	8	3	3	–
		F	21	–	–	–	–	3	5	6	1	1	5	–
2	Measles	M	228	49	93	60	22	1	1	1	1	–	–	–
		F	171	38	69	40	22	1	–	1	–	–	–	–
3	Scarlet fever	M	33	–	5	10	13	1	2	2	–	–	–	–
		F	47	–	2	17	14	8	3	1	2	–	–	–
4	Whooping cough	M	134	72	32	23	6	–	–	–	–	–	–	1
		F	186	78	51	52	4	–	1	–	–	–	–	–
5	Diphtheria	M	121	9	9	42	51	4	2	3	–	1	–	–
		F	121	5	4	24	69	7	3	1	6	2	–	–
6	Influenza	M	1,904	60	43	30	20	72	121	218	328	326	300	386
		F	2,074	35	40	18	28	61	118	164	248	287	430	645
7	Encephalitis lethargica	M	73	–	–	–	3	15	13	7	15	8	11	1
		F	69	–	1	–	–	10	9	13	14	13	8	1
8	Cerebro-spinal fever	M	74	17	11	12	8	12	8	2	3	1	–	–
		F	79	18	8	7	17	11	6	7	2	3	–	–
9	Respiratory tuberculosis	M	2,678	6	9	10	20	453	556	528	600	359	125	12
		F	2,156	4	5	6	51	650	590	385	251	141	65	8
10	Other tuberculosis	M	485	48	53	63	101	65	49	33	30	26	15	2
		F	389	30	34	52	80	72	46	26	18	10	14	7
11	Syphilis	M	158	29	–	1	1	1	12	13	40	37	19	5
		F	76	21	1	1	3	3	5	7	13	13	9	–
12	Gen. paralysis of insane, etc.	M	211	–	–	–	–	2	12	32	57	69	28	11
		F	64	–	–	–	1	2	4	14	23	16	3	1
13	Cancer	M	4,822	2	3	5	20	25	61	211	610	1,432	1,640	813
		F	5,222	–	1	2	15	23	100	357	854	1,402	1,484	984
14	Diabetes	M	447	–	–	–	10	16	13	20	30	111	168	79
		F	650	–	–	1	7	16	19	17	61	166	248	115
15	Cerebral hæmorrhage	M	2,077	1	–	–	2	4	14	34	148	402	792	680
		F	2,592	1	–	–	2	1	11	41	234	467	881	954
16	Heart disease	M	8,370	–	–	–	52	106	144	223	659	1,578	2,916	2,692
		F	9,012	1	1	2	73	148	181	294	581	1,277	2,742	3,712
17	Aneurysm	M	144	1	–	–	1	3	1	14	27	59	29	9
		F	68	–	–	–	3	5	5	3	13	16	13	10
18	Other circulatory	M	1,828	1	1	1	2	5	3	10	80	294	607	824
		F	1,735	3	–	–	2	2	3	16	74	210	534	891
19	Bronchitis	M	1,776	151	21	11	10	16	23	48	149	275	421	651
		F	1,773	138	23	16	6	9	14	28	69	172	381	917
20	Pneumonia	M	3,064	623	262	148	90	105	165	263	406	439	334	229
		F	2,082	428	186	130	81	55	81	103	181	217	280	340
21	Other respiratory	M	456	10	9	7	14	18	19	35	74	87	90	93
		F	372	6	8	13	5	23	19	26	42	59	64	107
22	Peptic ulcer	M	527	1	–	–	–	9	39	76	163	135	83	21
		F	177	–	–	–	–	1	7	21	52	42	28	26
23	Diarrhœa	M	493	354	36	15	7	3	4	6	13	14	24	17
		F	406	228	42	18	8	9	10	13	14	19	23	22
24	Appendicitis	M	263	–	2	12	42	27	22	21	44	54	29	10
		F	222	1	–	10	42	29	12	16	36	41	24	11
25	Cirrhosis of liver	M	133	–	–	–	1	–	2	7	29	39	43	12
		F	61	–	–	–	–	1	2	5	19	13	15	6
26	Other liver diseases	M	102	–	–	–	1	2	4	2	16	21	36	20
		F	260	–	–	1	1	4	13	15	34	51	69	72
27	Other digestive	M	752	57	17	32	36	41	47	38	88	123	165	108
		F	837	35	18	24	58	27	39	66	97	122	176	175
28	Nephritis	M	1,097	4	2	4	20	49	39	69	149	254	307	200
		F	1,158	4	1	6	25	46	66	80	141	252	293	244
29	Puerperal sepsis	F	189	–	–	–	–	38	91	57	3	–	–	–
30	Other puerperal	F	223	–	–	–	–	31	103	84	5	–	–	–
31	Congenital causes, etc.	M	2,022	1,984	16	10	7	3	1	1	–	–	–	–
		F	1,592	1,560	7	10	6	4	1	1	1	2	–	–
32	Senility	M	1,252	–	–	–	–	–	–	–	–	6	154	1,092
		F	1,857	–	–	–	–	–	–	–	–	7	216	1,634
33	Suicide	M	720	–	–	–	1	48	83	93	158	198	104	35
		F	291	–	–	–	–	30	39	51	64	58	39	10
34	Other violence	M	1,987	53	25	87	197	351	263	201	213	246	181	170
		F	945	49	17	62	98	74	50	35	64	100	149	247
35	Other defined causes	M	3,459	309	83	69	219	187	163	223	314	527	794	571
		F	3,059	193	58	70	191	202	226	281	437	515	517	369
36	Ill-defined causes	M	134	3	1	–	–	–	4	3	17	24	52	30
		F	112	2	1	1	–	1	2	1	8	22	37	37

	Causes of Death *See* first page of Table.		All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
	All Causes	M	27,650	2,529	485	443	647	1,072	1,272	1,634	3,012	4,750	6,252	5,554
		F	26,587	1,947	372	384	613	1,074	1,256	1,469	2,374	3,716	5,694	7,688
1	Typhoid fever, etc.	M	10	–	–	–	2	2	3	2	1	–	–	–
		F	11	–	–	–	–	2	3	1	1	–	4	–
2	Measles	M	146	25	62	43	15	–	–	1	–	–	–	–
		F	123	25	46	31	19	1	–	1	–	–	–	–
3	Scarlet fever	M	29	–	5	9	11	1	1	2	–	–	–	–
		F	32	–	1	12	11	5	2	–	1	–	–	–
4	Whooping cough	M	93	47	23	20	2	–	–	–	–	–	–	1
		F	107	46	27	31	3	–	–	–	–	–	–	–
5	Diphtheria	M	81	7	3	28	36	4	1	2	–	–	–	–
		F	83	2	2	15	50	7	2	1	3	1	–	–
6	Influenza	M	1,284	33	30	16	13	43	82	147	230	215	212	263
		F	1,386	25	25	10	19	36	82	112	174	183	287	433
7	Encephalitis lethargica	M	49	–	–	–	2	10	7	4	12	6	8	–
		F	47	–	1	–	–	4	8	10	10	9	4	1
8	Cerebro-spinal fever	M	41	12	4	7	5	7	3	–	3	–	–	–
		F	45	15	6	5	5	8	1	4	–	1	–	–
9	Respiratory tuberculosis	M	1,856	3	9	6	14	306	376	368	426	254	87	7
		F	1,465	3	3	4	31	436	390	273	178	97	43	7
10	Other tuberculosis	M	317	31	39	45	62	45	27	25	16	16	9	2
		F	240	17	22	27	49	47	30	18	11	6	10	3
11	Syphilis	M	114	17	–	1	1	1	9	7	32	30	13	3
		F	52	15	1	1	1	2	3	6	9	7	7	–
12	Gen. paralysis of insane, etc.	M	140	–	–	–	–	2	8	17	38	46	21	8
		F	36	–	–	–	1	1	3	7	15	6	2	1
13	Cancer	M	3,210	2	2	3	14	14	44	142	413	961	1,094	521
		F	3,437	–	1	1	14	15	70	225	554	927	977	653
14	Diabetes	M	279	–	–	–	3	12	9	12	20	68	112	43
		F	403	–	–	1	5	9	12	9	36	104	147	80
15	Cerebral hæmorrhage	M	1,292	1	–	–	1	3	7	19	103	255	502	401
		F	1,669	1	–	–	1	1	7	27	147	292	566	627
16	Heart disease	M	5,564	–	–	–	33	70	99	153	422	1,047	1,944	1,796
		F	6,031	1	1	2	46	109	119	176	357	831	1,791	2,598
17	Aneurysm	M	109	1	–	–	1	2	–	14	19	42	22	8
		F	53	–	–	–	3	4	5	3	9	12	11	6
18	Other circulatory	M	1,240	–	1	–	2	2	3	7	52	189	441	543
		F	1,141	2	–	–	–	1	3	10	45	141	353	586
19	Bronchitis	M	1,137	92	13	5	5	8	11	34	105	193	269	402
		F	1,131	90	14	8	3	8	11	19	47	104	233	594
20	Pneumonia	M	2,089	414	170	93	67	76	114	180	293	306	229	147
		F	1,414	282	124	90	53	34	59	66	129	151	190	236
21	Other respiratory	M	315	9	4	5	9	11	11	22	56	58	61	69
		F	252	4	7	6	3	17	10	20	28	33	45	79
22	Peptic ulcer	M	339	–	–	–	–	5	27	50	106	89	48	14
		F	122	–	–	–	–	1	6	11	39	25	19	21
23	Diarrhœa	M	333	244	29	11	3	1	4	5	7	6	13	10
		F	269	163	24	11	6	8	8	7	6	12	10	14
24	Appendicitis	M	181	–	–	9	28	20	17	14	34	36	18	5
		F	162	–	–	9	31	22	9	12	22	33	18	6
25	Cirrhosis of liver	M	84	–	–	–	1	–	1	2	15	28	28	9
		F	45	–	–	–	–	1	2	3	13	11	12	3
26	Other liver diseases	M	70	–	–	–	1	1	2	1	9	16	24	16
		F	175	–	–	–	1	1	10	9	21	30	43	60
27	Other digestive	M	485	40	12	23	24	24	32	28	57	80	97	68
		F	553	27	9	14	42	16	24	51	63	80	114	113
28	Nephritis	M	746	2	1	4	15	31	27	49	104	174	212	127
		F	755	3	1	5	16	28	43	55	91	156	189	168
29	Puerperal sepsis	F	132	–	–	–	–	29	61	40	2	–	–	–
30	Other puerperal	F	139	–	–	–	–	22	59	55	3	–	–	–
31	Congenital causes, etc.	M	1,347	1,320	12	7	5	3	–	–	–	–	–	–
		F	1,087	1,064	5	7	4	3	–	1	1	2	–	–
32	Senility	M	648	–	–	–	–	–	–	–	–	2	76	570
		F	1,082	–	–	–	–	–	–	–	–	4	119	959
33	Suicide	M	456	–	–	–	–	28	53	62	104	122	64	23
		F	204	–	–	–	–	24	34	32	39	38	32	5
34	Other violence	M	1,274	39	16	61	137	219	182	120	125	145	123	107
		F	642	31	13	42	61	43	40	24	39	73	100	176
35	Other defined causes	M	2,247	190	49	47	135	121	110	144	205	357	509	380
		F	2,017	130	39	52	135	128	139	180	279	339	352	244
36	Ill-defined causes	M	45	–	1	–	–	–	2	1	5	9	16	11
		F	45	1	–	–	–	1	1	1	2	8	16	15

	Causes of Death *See* first page of Table.		All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
	All Causes	M	14,415	1,315	248	209	333	578	627	812	1,457	2,398	3,218	3,220
		F	13,761	931	206	199	299	533	628	767	1,288	2,000	3,053	3,857
1	Typhoid	M	31	–	–	–	1	4	6	7	7	3	3	–
	fever, etc.	F	10	–	–	–	–	1	2	5	–	1	1	–
2	Measles	M	82	24	31	17	7	1	1	–	1	–	–	–
		F	48	13	23	9	3	–	–	–	–	–	–	–
3	Scarlet	M	4	–	–	1	2	–	1	–	–	–	–	–
	fever	F	15	–	1	5	3	3	1	1	1	–	–	–
4	Whooping	M	41	25	9	3	4	–	–	–	–	–	–	–
	cough	F	79	32	24	21	1	–	1	–	–	–	–	–
5	Diphtheria	M	40	2	6	14	15	–	1	1	–	1	–	–
		F	38	3	2	9	19	–	1	–	3	1	–	–
6	Influenza	M	620	27	13	14	7	29	39	71	98	111	88	123
		F	688	10	15	8	9	25	36	52	74	104	143	212
7	Encephalitis	M	24	–	–	–	1	5	6	3	3	2	3	1
	lethargica	F	22	–	–	–	–	6	1	3	4	4	4	–
8	Cerebro-spinal	M	33	5	7	5	3	5	5	2	–	1	–	–
	fever	F	34	3	2	2	12	3	5	3	2	2	–	–
9	Respiratory	M	822	3	–	4	6	147	180	160	174	105	38	5
	tuberculosis	F	691	1	2	2	20	214	200	112	73	44	22	1
10	Other	M	168	17	14	18	39	20	22	8	14	10	6	–
	tuberculosis	F	149	13	12	25	31	25	16	8	7	4	4	4
11	Syphilis	M	44	12	–	–	–	–	3	6	8	7	6	2
		F	24	6	–	–	2	1	2	1	4	6	2	–
12	Gen. paralysis	M	71	–	–	–	–	–	4	15	19	23	7	3
	of insane, etc.	F	28	–	–	–	–	1	1	7	8	10	1	–
13	Cancer	M	1,612	–	1	2	6	11	17	69	197	471	546	292
		F	1,785	–	–	1	1	8	30	132	300	475	507	331
14	Diabetes	M	168	–	–	–	7	4	4	8	10	43	56	36
		F	247	–	–	–	2	7	7	8	25	62	101	35
15	Cerebral	M	785	–	–	–	1	1	7	15	45	147	290	279
	hæmorrhage	F	923	–	–	–	1	–	4	14	87	175	315	327
16	Heart	M	2,806	–	–	–	19	36	45	70	237	531	972	896
	disease	F	2,981	–	–	–	27	39	62	118	224	446	951	1,114
17	Aneurysm	M	35	–	–	–	–	1	1	–	8	17	7	1
		F	15	–	–	–	–	1	–	–	4	4	2	4
18	Other	M	588	1	–	1	–	3	–	3	28	105	166	281
	circulatory	F	594	1	–	–	2	1	–	6	29	69	181	305
19	Bronchitis	M	639	59	8	6	5	8	12	14	44	82	152	249
		F	642	48	9	8	3	1	3	9	22	68	148	323
20	Pneumonia	M	975	209	92	55	23	29	51	83	113	133	105	82
		F	668	146	62	40	28	21	22	37	52	66	90	104
21	Other	M	141	1	5	2	5	7	8	13	18	29	29	24
	respiratory	F	120	2	1	7	2	6	9	6	14	26	19	28
22	Peptic	M	188	1	–	–	–	4	12	26	57	46	35	7
	ulcer	F	55	–	–	–	–	–	1	10	13	17	9	5
23	Diarrhœa	M	160	110	7	4	4	2	–	1	6	8	11	7
		F	137	65	18	7	2	1	2	6	8	7	13	8
24	Appendicitis	M	82	–	2	3	14	7	5	7	10	18	11	5
		F	60	1	–	1	11	7	3	4	14	8	6	5
25	Cirrhosis of	M	49	–	–	–	–	–	1	5	14	11	15	3
	liver	F	16	–	–	–	–	–	–	2	6	2	3	3
26	Other liver	M	32	–	–	–	–	1	2	1	7	5	12	4
	diseases	F	85	–	–	1	–	3	3	6	13	21	26	12
27	Other	M	267	17	5	9	12	17	15	10	31	43	68	40
	digestive	F	284	8	9	10	16	11	15	15	34	42	62	62
28	Nephritis	M	351	2	1	–	5	18	12	20	45	80	95	73
		F	403	1	–	1	9	18	23	25	50	96	104	76
29	Puerperal sepsis	F	57	–	–	–	–	9	30	17	1	–	–	–
30	Other puerperal	F	84	–	–	–	–	9	44	29	2	–	–	–
31	Congenital	M	675	664	4	3	2	–	1	1	–	–	–	–
	causes, etc.	F	505	496	2	3	2	1	1	–	–	–	–	–
32	Senility	M	604	–	–	–	–	–	–	–	–	4	78	522
		F	775	–	–	–	–	–	–	–	–	3	97	675
33	Suicide	M	264	–	–	–	1	20	30	31	54	76	40	12
		F	87	–	–	–	–	6	5	19	25	20	7	5
34	Other	M	713	14	9	26	60	132	81	81	88	101	58	63
	violence	F	303	18	4	20	37	31	10	11	25	27	49	71
35	Other defined	M	1,212	119	34	22	84	66	53	79	109	170	285	191
	causes	F	1,042	63	19	18	56	74	87	101	158	176	165	125
36	Ill-defined	M	89	3	–	–	–	–	2	2	12	15	36	19
	causes	F	67	1	1	1	–	–	1	–	6	14	21	22

	Causes of Death *See* first page of Table.		All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
	All Causes	M	11,300	810	127	152	226	389	419	517	956	1,607	2,703	3,394
		F	11,691	574	120	127	234	325	426	565	965	1,459	2,514	4,382
1	Typhoid fever, etc.	M	7	–	–	–	1	1	1	2	–	2	–	–
		F	4	–	–	–	2	2	–	–	–	–	–	–
2	Measles	M	25	2	8	9	5	1	–	–	–	–	–	–
		F	17	3	5	6	3	–	–	–	–	–	–	–
3	Scarlet fever	M	3	–	–	2	–	–	–	–	1	–	–	–
		F	9	2	–	1	4	–	1	–	1	–	–	–
4	Whooping cough	M	44	20	16	8	–	–	–	–	–	–	–	–
		F	54	19	13	18	4	–	–	–	–	–	–	–
5	Diphtheria	M	42	1	–	7	30	2	–	–	2	–	–	–
		F	40	1	2	9	23	1	1	–	2	–	1	–
6	Influenza	M	542	11	3	9	7	15	30	50	75	86	99	157
		F	676	10	6	7	8	17	27	41	71	83	119	287
7	Encephalitis lethargica	M	30	–	1	1	5	4	2	1	6	4	6	–
		F	30	–	–	–	2	1	4	5	8	5	4	1
8	Cerebro-spinal fever	M	13	3	–	3	2	4	–	–	1	–	–	–
		F	8	–	1	1	2	2	–	1	1	–	–	–
9	Respiratory tuberculosis	M	535	–	–	2	10	94	122	105	104	65	27	6
		F	503	1	1	1	20	128	138	87	58	41	24	4
10	Other tuberculosis	M	136	16	15	17	19	17	20	9	12	4	6	1
		F	105	5	12	12	18	16	11	12	6	5	5	3
11	Syphilis	M	41	6	–	–	1	–	3	3	10	7	6	5
		F	18	3	–	–	–	1	–	5	3	2	4	–
12	Gen. paralysis of insane, etc.	M	61	–	–	–	–	–	2	11	17	15	13	3
		F	12	–	–	–	1	–	3	5	3	–	–	–
13	Cancer	M	1,422	2	–	2	1	3	12	33	138	322	529	380
		F	1,743	–	1	3	5	5	19	93	277	393	518	429
14	Diabetes	M	130	–	–	–	5	3	7	–	12	30	39	34
		F	170	–	–	–	3	5	4	5	12	38	63	40
15	Cerebral hæmorrhage	M	574	–	–	–	–	–	1	8	24	81	204	256
		F	784	–	–	–	–	–	4	10	46	105	228	391
16	Heart disease	M	2,294	–	–	–	10	20	19	45	152	361	728	959
		F	2,576	–	–	–	9	24	33	57	117	318	720	1,298
17	Aneurysm	M	42	1	–	–	2	–	1	3	13	13	7	2
		F	18	–	–	–	1	–	–	1	4	2	4	6
18	Other circulatory	M	646	2	–	–	–	–	1	4	18	70	191	360
		F	570	–	1	–	–	–	1	1	17	58	148	344
19	Bronchitis	M	445	28	8	2	2	3	–	4	30	26	96	246
		F	547	18	6	1	2	–	–	4	15	19	102	380
20	Pneumonia	M	531	92	38	27	11	14	11	50	55	73	77	83
		F	427	77	35	20	12	8	13	25	20	41	78	98
21	Other respiratory	M	136	8	3	1	3	6	5	13	23	17	33	24
		F	98	4	1	–	3	6	3	8	7	16	19	31
22	Peptic ulcer	M	117	–	–	–	1	3	9	19	26	30	21	8
		F	49	–	–	–	–	2	–	4	11	11	11	10
23	Diarrhœa	M	80	39	7	5	–	3	3	1	3	2	9	8
		F	60	24	6	1	7	2	1	6	3	2	3	5
24	Appendicitis	M	71	1	–	3	5	6	10	5	12	20	5	4
		F	71	–	–	2	14	9	6	8	13	7	7	5
25	Cirrhosis of liver	M	52	–	–	–	1	–	–	2	7	17	17	8
		F	22	–	–	–	–	–	–	–	3	9	7	3
26	Other liver diseases	M	33	–	–	–	1	–	–	3	2	3	11	13
		F	82	–	–	–	–	1	1	8	10	14	24	24
27	Other digestive	M	241	10	5	6	14	3	14	13	23	37	57	59
		F	235	9	1	3	13	4	15	22	25	33	52	58
28	Nephritis	M	308	1	–	–	1	10	15	12	23	60	94	92
		F	310	3	–	–	8	11	13	17	31	51	80	96
29	Puerperal sepsis	F	37	–	–	–	–	11	15	11	–	–	–	–
30	Other puerperal	F	65	–	–	–	–	15	26	21	3	–	–	–
31	Congenital causes, etc.	M	505	497	1	2	2	3	–	–	–	–	–	–
		F	362	348	2	3	4	3	1	1	–	–	–	–
32	Senility	M	410	–	–	–	–	–	–	–	–	3	41	366
		F	654	–	–	–	–	–	–	–	–	–	47	607
33	Suicide	M	196	–	–	–	–	12	34	21	38	44	34	13
		F	83	–	–	–	–	7	11	19	21	20	5	–
34	Other violence	M	503	12	6	20	35	117	49	51	51	60	54	48
		F	258	7	3	8	19	15	17	14	22	17	40	96
35	Other defined causes	M	1,042	55	15	25	52	45	48	49	76	150	282	245
		F	964	40	22	30	47	29	58	73	155	166	188	156
36	Ill-defined causes	M	43	3	1	1	–	–	–	–	2	5	17	14
		F	30	–	2	1	–	–	–	1	–	3	13	10

	Causes of Death *See* first page of Table.		All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
	All Causes	M	12,998	800	121	132	204	430	481	644	1,122	1,985	3,245	3,834
		F	13,847	564	106	126	228	334	459	628	1,057	1,840	3,288	5,217
1	Typhoid	M	4	–	–	–	–	3	–	–	–	–	1	–
	fever, etc.	F	7	–	–	–	–	1	–	3	1	2	–	–
2	Measles	M	28	6	9	5	8	–	–	–	–	–	–	–
		F	23	4	7	8	1	2	–	1	–	–	–	–
3	Scarlet	M	7	–	–	1	6	–	–	–	–	–	–	–
	fever	F	11	–	1	2	5	–	–	1	–	1	1	–
4	Whooping	M	49	30	10	8	1	–	–	–	–	–	–	–
	cough	F	44	21	11	10	2	–	–	–	–	–	–	–
5	Diphtheria	M	47	–	4	17	22	1	2	–	1	–	–	–
		F	42	–	2	13	23	1	–	1	1	–	1	–
6	Influenza	M	565	13	8	7	4	23	33	49	66	83	111	168
		F	656	11	7	7	4	18	29	35	56	77	159	253
7	Encephalitis	M	19	–	–	–	–	–	7	3	5	2	2	–
	lethargica	F	14	1	–	–	2	33	3	1	3	–	1	–
8	Cerebro-spinal	M	12	3	2	2	–	3	2	–	–	–	–	–
	fever	F	8	1	–	3	2	2	–	–	–	–	–	–
9	Respiratory	M	660	2	–	1	5	103	136	157	137	78	34	7
	tuberculosis	F	522	2	1	–	9	130	155	86	61	52	18	8
10	Other	M	130	14	12	17	18	27	12	11	8	7	3	1
	tuberculosis	F	121	5	10	16	18	17	18	10	11	7	7	2
11	Syphilis	M	37	6	–	–	–	1	2	4	7	11	5	1
		F	19	2	1	–	2	1	–	3	2	3	4	1
12	Gen. paralysis	M	55	–	–	–	–	–	2	14	15	16	6	2
	of insane, etc.	F	12	–	–	–	1	–	2	1	–	5	3	–
13	Cancer	M	1,523	–	1	1	1	6	14	37	149	379	571	364
		F	1,949	–	–	–	2	7	22	102	265	505	566	480
14	Diabetes	M	162	–	–	1	4	4	3	7	10	31	69	33
		F	228	–	1	–	2	3	3	7	14	50	108	40
15	Cerebral	M	716	–	–	–	–	1	3	12	41	108	250	301
	hæmorrhage	F	1,006	–	1	–	–	–	3	8	62	122	312	498
16	Heart	M	2,832	–	–	–	6	17	36	62	183	459	947	1,122
	disease	F	3,295	1	–	–	18	26	28	60	178	403	1,027	1,554
17	Aneurysm	M	40	–	–	–	–	1	–	–	10	11	15	3
		F	19	–	–	–	–	–	–	2	4	7	2	4
18	Other	M	666	–	–	–	–	–	1	4	19	86	214	342
	circulatory	F	726	–	–	–	–	–	1	9	18	86	223	389
19	Bronchitis	M	561	26	4	3	2	2	1	10	29	52	134	298
		F	649	25	4	–	4	3	–	6	18	36	131	422
20	Pneumonia	M	572	77	32	15	18	16	30	42	60	89	93	100
		F	564	66	27	26	16	15	22	42	48	58	101	143
21	Other	M	156	3	–	3	4	3	6	20	27	40	26	24
	respiratory	F	121	2	–	1	4	4	8	7	10	22	25	38
22	Peptic	M	137	–	–	–	–	3	11	22	26	33	31	11
	ulcer	F	39	–	–	–	–	1	–	6	6	12	9	5
23	Diarrhœa	M	83	35	7	3	1	2	3	2	5	4	10	11
		F	67	18	4	5	2	3	1	3	3	5	7	16
24	Appendicitis	M	71	–	–	4	9	11	6	2	16	9	7	7
		F	64	–	–	3	11	5	3	8	11	13	8	2
25	Cirrhosis of	M	56	–	–	–	–	–	–	3	10	21	16	6
	liver	F	10	–	–	–	–	–	1	–	1	4	3	1
26	Other liver	M	47	–	–	–	–	2	–	2	5	8	16	14
	diseases	F	83	–	–	–	–	–	3	2	4	29	20	25
27	Other	M	243	10	1	5	9	7	16	9	28	44	49	65
	digestive	F	262	9	6	4	14	5	14	18	25	38	64	65
28	Nephritis	M	503	–	1	1	3	12	9	20	60	99	160	138
		F	470	–	–	2	7	5	15	16	49	78	147	151
29	Puerperal sepsis	F	40	–	–	–	–	5	21	14	–	–	–	–
30	Other puerperal	F	76	–	–	–	–	12	25	39	–	–	–	–
31	Congenital	M	502	490	5	3	1	1	–	–	1	1	–	–
	causes, etc.	F	369	351	4	3	5	1	5	–	–	–	–	–
32	Senility	M	509	–	–	–	–	–	–	–	–	2	53	454
		F	908	–	–	–	–	–	–	–	–	6	93	809
33	Suicide	M	204	–	–	–	–	18	21	29	36	57	31	12
		F	86	–	–	–	–	4	14	13	22	17	12	4
34	Other	M	596	21	8	16	37	111	85	57	76	68	69	48
	violence	F	285	16	5	10	22	14	16	16	20	23	35	108
35	Other defined	M	1,175	62	17	19	45	52	40	65	88	184	310	293
	causes	F	1,018	29	13	13	52	46	47	107	160	175	195	181
36	Ill-defined	M	31	2	–	–	–	–	–	1	4	3	12	9
	causes	F	34	–	1	–	–	–	–	1	4	4	6	18

	Causes of Death *See* first page of Table.		All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
	All Causes	M	17,724	1,680	305	358	522	801	819	1,042	1,922	3,072	4,052	3,151
		F	15,886	1,246	286	293	463	730	883	1,003	1,447	2,339	3,429	3,767
1	Typhoid	M	3	–	–	–	–	–	1	1	–	1	–	–
	fever, etc.	F	1	–	–	–	–	–	–	1	–	–	–	–
2	Measles	M	122	26	40	42	12	1	–	–	–	1	–	–
		F	106	18	45	33	8	1	–	–	1	–	–	–
3	Scarlet	M	24	1	1	10	9	1	2	–	–	–	–	–
	fever	F	28	–	1	7	16	2	1	1	–	–	–	–
4	Whooping	M	85	43	25	15	2	–	–	–	–	–	–	–
	cough	F	106	53	24	20	8	1	–	–	–	–	–	–
5	Diphtheria	M	122	5	6	40	66	3	1	1	–	–	–	–
		F	122	–	4	32	72	4	1	4	1	2	1	1
6	Influenza	M	876	28	16	12	13	38	68	108	153	162	136	144
		F	821	24	11	12	10	25	48	82	103	136	164	208
7	Encephalitis	M	17	–	–	–	1	–	3	1	5	6	–	1
	lethargica	F	23	–	–	–	2	3	3	6	4	3	2	–
8	Cerebro-spinal	M	26	2	2	6	7	5	1	3	–	–	–	–
	fever	F	13	2	1	3	4	–	–	2	1	–	–	–
9	Respiratory	M	1,053	3	2	3	16	235	241	179	193	137	42	2
	tuberculosis	F	1,020	2	2	2	37	342	306	159	95	51	21	3
10	Other	M	235	8	15	34	43	62	29	11	12	15	5	1
	tuberculosis	F	222	18	15	25	46	39	36	13	15	9	3	3
11	Syphilis	M	30	6	–	–	–	3	2	4	6	6	3	–
		F	18	6	–	–	–	–	3	–	7	2	–	–
12	Gen. paralysis	M	85	–	–	–	–	–	2	18	22	28	13	2
	of insane, etc.	F	14	–	–	–	–	–	–	2	4	5	2	1
13	Cancer	M	1,754	–	–	7	8	6	16	71	252	499	619	276
		F	1,879	–	–	–	8	10	35	154	338	501	548	285
14	Diabetes	M	158	–	–	–	1	6	9	7	13	41	59	22
		F	217	–	–	–	2	6	10	12	21	58	72	36
15	Cerebral	M	856	–	–	–	1	2	1	16	79	167	342	248
	hæmorrhage	F	975	–	–	–	2	–	1	15	76	182	375	324
16	Heart	M	3,605	1	–	1	44	59	70	137	359	785	1,283	866
	disease	F	3,399	–	–	3	36	68	79	158	265	587	1,070	1,133
17	Aneurysm	M	35	–	–	–	–	1	–	6	6	11	9	2
		F	14	–	–	–	–	1	–	–	1	4	6	2
18	Other	M	767	–	–	–	–	–	2	4	31	124	302	304
	circulatory	F	587	–	2	–	–	–	1	6	28	88	199	263
19	Bronchitis	M	869	100	14	9	5	4	6	24	85	136	226	260
		F	679	70	25	10	7	7	7	10	29	59	148	307
20	Pneumonia	M	1,095	258	120	56	38	33	47	81	129	127	136	70
		F	725	155	92	47	35	30	33	46	49	59	81	98
21	Other	M	252	10	2	4	7	6	10	26	53	58	44	32
	respiratory	F	161	9	3	7	4	2	4	9	16	26	40	41
22	Peptic	M	163	–	–	–	–	5	12	26	52	42	20	6
	ulcer	F	52	–	–	–	–	2	4	6	5	17	13	5
23	Diarrhœa	M	179	118	16	11	3	2	4	3	3	6	4	9
		F	149	75	11	11	6	3	10	3	5	10	4	11
24	Appendicitis	M	119	1	–	6	25	27	12	11	15	7	9	6
		F	81	–	1	3	17	14	7	12	10	10	7	–
25	Cirrhosis of	M	44	–	–	–	–	–	1	1	3	20	15	4
	liver	F	15	–	–	–	–	1	–	1	4	4	2	3
26	Other liver	M	55	–	–	1	–	–	2	4	7	19	15	7
	diseases	F	130	–	–	–	1	–	9	12	21	31	40	16
27	Other	M	324	35	7	8	20	12	18	27	34	63	57	43
	digestive	F	270	20	4	13	24	9	12	19	22	56	58	33
28	Nephritis	M	620	–	2	4	13	20	23	41	78	149	168	122
		F	596	1	2	4	11	18	25	33	79	143	160	120
29	Puerperal sepsis	F	86	–	–	–	–	23	42	21	–	–	–	–
30	Other puerperal	F	154	–	–	–	–	26	73	52	3	–	–	–
31	Congenital	M	880	856	4	5	7	6	1	1	–	–	–	–
	causes, etc.	F	654	638	6	3	4	1	–	1	1	–	–	–
32	Senility	M	528	–	–	–	–	–	–	–	–	2	91	435
		F	763	–	–	–	–	–	–	–	–	6	104	653
33	Suicide	M	194	–	–	–	–	11	21	20	55	54	29	4
		F	87	–	–	–	–	5	16	21	20	20	3	2
34	Other	M	902	19	8	36	69	165	132	110	119	119	69	56
	violence	F	320	22	13	29	28	18	18	12	20	29	46	85
35	Other defined	M	1,588	161	24	45	111	88	80	96	151	278	339	215
	causes	F	1,347	131	22	29	75	69	98	128	197	228	247	123
36	Ill-defined	M	59	1	1	3	1	–	2	4	7	9	17	14
	causes	F	52	2	2	–	–	–	1	2	6	13	13	13

	Causes of Death *See* first page of Table.		All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
	All Causes	M	12,886	1,323	256	286	414	604	635	813	1,511	2,263	2,832	1,949
		F	10,982	982	243	236	372	584	666	748	1,015	1,625	2,277	2,234
1	Typhoid fever, etc.	M	2	–	–	–	–	–	–	1	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–
2	Measles	M	106	23	37	35	9	1	–	–	–	1	–	–
		F	90	15	41	28	6	–	–	–	–	–	–	–
3	Scarlet fever	M	18	1	1	8	6	1	1	–	–	–	–	–
		F	25	–	1	6	14	2	1	1	–	–	–	–
4	Whooping cough	M	73	37	22	12	2	–	–	–	–	–	–	–
		F	86	39	22	18	7	–	–	–	–	–	–	–
5	Diphtheria	M	86	5	5	32	44	–	–	–	–	–	–	–
		F	96	–	3	30	53	3	1	3	1	1	1	–
6	Influenza	M	649	22	12	10	10	32	53	81	127	123	95	84
		F	596	19	11	12	9	22	39	65	74	105	118	122
7	Encephalitis lethargica	M	12	–	–	–	1	–	3	1	4	3	–	–
		F	17	–	–	–	2	2	2	4	4	2	1	–
8	Cerebro-spinal fever	M	18	1	2	4	3	4	1	3	–	–	–	–
		F	9	1	1	3	2	–	–	1	1	–	–	–
9	Respiratory tuberculosis	M	785	1	1	2	12	181	188	138	145	91	25	1
		F	756	1	2	2	27	268	226	118	72	29	10	1
10	Other tuberculosis	M	168	4	12	23	38	45	22	5	8	7	3	1
		F	166	17	9	17	40	31	29	9	7	5	2	–
11	Syphilis	M	24	5	–	–	–	2	2	4	4	6	1	–
		F	15	6	–	–	–	–	2	–	6	1	–	–
12	Gen. paralysis of insane, etc.	M	72	–	–	–	–	–	2	14	21	23	10	2
		F	11	–	–	–	–	–	–	2	3	4	1	1
13	Cancer	M	1,159	–	–	4	5	4	12	58	185	349	395	147
		F	1,177	–	–	–	8	6	29	110	219	307	349	149
14	Diabetes	M	112	–	–	–	1	4	8	4	9	32	44	10
		F	147	–	–	–	2	6	8	7	12	46	47	19
15	Cerebral hæmorrhage	M	570	–	–	–	1	1	1	12	60	120	236	139
		F	612	–	–	–	2	–	–	12	51	131	238	178
16	Heart disease	M	2,627	–	–	1	38	49	54	108	294	610	919	554
		F	2,325	–	–	3	33	58	61	124	209	441	723	673
17	Aneurysm	M	32	–	–	–	–	1	–	5	6	10	8	2
		F	10	–	–	–	–	1	–	–	1	2	4	2
18	Other circulatory	M	532	–	–	–	–	–	1	4	24	96	221	186
		F	374	–	2	–	–	–	1	2	22	59	132	156
19	Bronchitis	M	672	84	13	9	5	4	5	21	71	109	177	174
		F	485	61	23	9	6	7	5	7	24	41	114	188
20	Pneumonia	M	857	213	101	47	32	25	35	63	106	96	94	45
		F	544	127	78	31	29	27	23	35	33	46	53	62
21	Other respiratory	M	198	8	–	3	6	6	7	25	45	49	29	20
		F	106	7	3	4	2	1	3	7	10	18	27	24
22	Peptic ulcer	M	124	–	–	–	–	2	9	20	44	30	16	3
		F	36	–	–	–	–	2	3	5	3	13	7	3
23	Diarrhœa	M	140	93	13	7	2	2	4	3	2	3	4	7
		F	122	63	10	8	4	3	9	3	3	9	–	10
24	Appendicitis	M	93	1	–	5	23	22	10	7	12	5	6	2
		F	64	–	1	2	13	12	5	9	9	9	4	–
25	Cirrhosis of liver	M	31	–	–	–	–	–	1	1	2	13	10	4
		F	10	–	–	–	–	–	–	1	2	2	2	3
26	Other liver diseases	M	39	–	–	–	–	–	2	2	4	14	13	4
		F	87	–	–	–	1	–	5	6	13	26	25	11
27	Other digestive	M	233	30	6	6	15	8	11	20	22	44	39	32
		F	189	18	4	12	16	6	7	14	15	36	38	23
28	Nephritis	M	428	–	2	4	12	17	19	32	60	101	111	70
		F	396	1	–	3	9	14	19	26	52	99	113	60
29	Puerperal sepsis	F	65	–	–	–	–	18	33	14	–	–	–	–
30	Other puerperal	F	114	–	–	–	–	23	52	37	2	–	–	–
31	Congenital causes, etc.	M	679	661	4	3	5	4	1	1	–	–	–	–
		F	504	492	4	2	4	1	–	–	1	–	–	–
32	Senility	M	362	–	–	–	–	–	–	–	–	1	75	286
		F	513	–	–	–	–	–	–	–	–	3	83	427
33	Suicide	M	140	–	–	–	–	7	15	15	46	36	17	4
		F	61	–	–	–	–	4	12	16	14	12	3	–
34	Other violence	M	682	11	6	29	53	117	104	92	99	93	39	39
		F	232	15	9	25	25	14	16	9	17	20	30	52
35	Other defined causes	M	1,139	123	18	39	91	65	64	72	107	194	240	126
		F	924	99	17	21	58	53	75	101	132	154	147	67
36	Ill-defined causes	M	24	–	1	3	–	–	–	1	4	3	5	7
		F	18	1	2	–	–	–	–	–	3	4	5	3

	Causes of Death *See* first page of Table.		All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
	All Causes	M	4,838	357	49	72	108	197	184	229	411	809	1,220	1,202
		F	4,904	264	43	57	91	146	217	255	432	714	1,152	1,533
1	Typhoid	M	1	–	–	–	–	–	1	–	–	–	–	–
	fever, etc.	F	1	–	–	–	–	–	–	1	–	–	–	–
2	Measles	M	16	3	3	7	3	–	–	–	–	–	–	–
		F	16	3	4	5	2	1	–	–	1	–	–	–
3	Scarlet	M	6	–	–	2	3	–	1	–	–	–	–	–
	fever	F	3	–	–	1	2	–	–	–	–	–	–	–
4	Whooping	M	12	6	3	3	–	–	–	–	–	–	–	–
	cough	F	20	14	2	2	1	1	–	–	–	–	–	–
5	Diphtheria	M	36	–	1	8	22	3	1	1	–	–	–	–
		F	26	–	1	2	19	1	–	1	–	1	–	1
6	Influenza	M	227	4	4	2	3	6	15	27	26	39	41	60
		F	225	5	–	–	1	3	9	17	29	31	46	84
7	Encephalitis	M	5	–	–	–	–	–	–	–	1	3	–	1
	lethargica	F	6	–	–	–	–	1	1	2	–	1	1	–
8	Cerebro-spinal	M	8	1	–	2	4	1	–	–	–	–	–	–
	fever	F	4	1	–	–	2	–	–	1	–	–	–	–
9	Respiratory	M	268	2	1	1	4	54	53	41	48	46	17	1
	tuberculosis	F	264	1	–	–	10	74	80	41	23	22	11	2
10	Other	M	67	4	3	11	5	17	7	6	4	8	2	–
	tuberculosis	F	56	1	6	8	6	8	7	4	8	4	1	3
11	Syphilis	M	6	1	–	–	–	1	–	–	2	–	2	–
		F	3	–	–	–	–	–	1	–	1	1	–	–
12	Gen. paralysis	M	13	–	–	–	–	–	–	4	1	5	3	–
	of insane, etc.	F	3	–	–	–	–	–	–	–	1	1	1	–
13	Cancer	M	595	–	–	3	3	2	4	13	67	150	224	129
		F	702	–	–	–	–	4	6	44	119	194	199	136
14	Diabetes	M	46	–	–	–	–	2	1	3	4	9	15	12
		F	70	–	–	–	–	–	2	5	9	12	25	17
15	Cerebral	M	286	–	–	–	–	1	–	4	19	47	106	109
	hæmorrhage	F	363	–	–	–	–	–	1	3	25	51	137	146
16	Heart	M	978	1	–	–	6	10	16	29	65	175	364	312
	disease	F	1,074	–	–	–	3	10	18	34	56	146	347	460
17	Aneurysm	M	3	–	–	–	–	–	–	1	–	1	1	–
		F	4	–	–	–	–	–	–	–	–	2	2	–
18	Other	M	235	–	–	–	–	–	1	–	7	28	81	118
	circulatory	F	213	–	–	–	–	–	–	4	6	29	67	107
19	Bronchitis	M	197	16	1	–	–	–	1	3	14	27	49	86
		F	194	9	2	1	1	–	2	3	5	18	34	119
20	Pneumonia	M	238	45	19	9	6	8	12	18	23	31	42	25
		F	181	28	14	16	6	3	10	11	16	13	28	36
21	Other	M	54	2	2	1	1	–	3	1	8	9	15	12
	respiratory	F	55	2	–	3	2	1	1	2	6	8	13	17
22	Peptic	M	39	–	–	–	–	3	3	6	8	12	4	3
	ulcer	F	16	–	–	–	–	–	1	1	2	4	6	2
23	Diarrhœa	M	39	25	3	4	1	–	–	–	1	3	–	2
		F	27	12	1	3	2	–	1	–	2	1	4	1
24	Appendicitis	M	26	–	–	1	2	5	2	4	3	2	3	4
		F	17	–	–	1	4	2	2	3	1	1	3	–
25	Cirrhosis of	M	13	–	–	–	–	–	–	–	1	7	5	–
	liver	F	5	–	–	–	–	1	–	–	2	2	–	–
26	Other liver	M	16	–	–	1	–	–	–	2	3	5	2	3
	diseases	F	43	–	–	–	–	–	4	6	8	5	15	5
27	Other	M	91	5	1	2	5	4	7	7	12	19	18	11
	digestive	F	81	2	–	1	8	3	5	5	7	20	20	10
28	Nephritis	M	192	–	–	–	1	3	4	9	18	48	57	52
		F	200	–	2	1	2	4	6	7	27	44	47	60
29	Puerperal sepsis	F	21	–	–	–	–	5	9	7	–	–	–	–
30	Other puerperal	F	40	–	–	–	–	3	21	15	1	–	–	–
31	Congenital	M	201	195	–	2	2	2	–	–	–	–	–	–
	causes, etc.	F	150	146	2	1	–	–	–	1	–	–	–	–
32	Senility	M	166	–	–	–	–	–	–	–	–	1	16	149
		F	250	–	–	–	–	–	–	–	–	3	21	226
33	Suicide	M	54	–	–	–	–	4	6	5	9	18	12	–
		F	26	–	–	–	–	1	4	5	6	8	–	2
34	Other	M	220	8	2	7	16	48	28	18	20	26	30	17
	violence	F	88	7	4	4	3	4	2	3	3	9	16	33
35	Other defined	M	449	38	6	6	20	23	16	24	44	84	99	89
	causes	F	423	32	5	8	17	16	23	27	65	74	100	56
36	Ill-defined	M	35	1	–	–	1	–	2	3	3	6	12	7
	causes	F	34	1	–	–	–	–	1	2	3	9	8	10

	Causes of Death *See* first page of Table.		All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
	All Causes	M	84,384	8,231	1,806	1,646	2,190	3,301	3,844	5,321	9,845	15,427	18,519	14,254
		F	82,147	6,076	1,589	1,548	2,091	3,242	3,772	4,865	7,708	12,337	18,016	20.903
1	Typhoid	M	35	–	–	–	3	7	9	7	3	4	2	–
	fever, etc.	F	21	–	–	–	1	6	2	3	4	1	4	–
2	Measles	M	594	125	259	163	46	–	–	–	–	1	–	–
		F	569	103	247	170	48	–	1	–	–	–	–	–
3	Scarlet	M	126	3	18	44	37	10	6	6	2	–	–	–
	fever	F	136	1	13	53	51	8	4	3	2	1	–	–
4	Whooping	M	348	152	111	76	8	–	–	–	–	–	–	1
	cough	F	432	169	130	114	18	–	–	–	1	–	–	–
5	Diphtheria	M	511	11	32	179	273	4	4	3	2	2	1	–
		F	574	14	19	161	346	8	2	7	8	6	3	–
6	Influenza	M	3,530	101	82	65	56	142	251	444	701	624	522	542
		F	3,914	81	52	46	62	152	208	368	481	629	803	1,032
7	Encephalitis	M	150	–	–	4	5	23	27	15	25	26	24	1
	lethargica	F	138	1	1	1	6	17	19	21	24	26	21	1
8	Cerebro-spinal	M	210	61	28	20	29	39	18	4	8	2	1	–
	fever	F	182	44	31	35	40	11	6	4	8	3	–	–
9	Respiratory	M	6,269	15	23	25	85	1,013	1,278	1,260	1,377	910	260	23
	tuberculosis	F	4,574	9	19	17	155	1,408	1,194	804	503	311	132	22
10	Other	M	1,025	88	99	148	188	188	100	80	54	52	22	6
	tuberculosis	F	887	66	80	141	174	145	110	55	44	37	22	13
11	Syphilis	M	373	61	3	1	5	4	18	41	78	101	50	11
		F	196	43	2	1	3	6	13	27	42	32	27	–
12	Gen. paralysis	M	532	–	–	–	1	6	31	99	171	156	55	13
	of insane, etc.	F	171	–	–	–	1	3	9	34	57	46	18	3
13	Cancer	M	9,230	5	6	10	37	44	123	442	1,328	2,939	3,117	1,179
		F	10,180	4	3	9	20	50	166	694	1,840	2,784	2,937	1,673
14	Diabetes	M	769	1	–	1	18	20	36	40	52	207	280	114
		F	1,250	–	1	–	13	24	32	48	110	350	462	210
15	Cerebral	M	3,537	1	1	2	2	5	17	65	283	847	1,361	953
	hæmorrhage	F	4,483	–	–	–	2	3	18	84	373	917	1,567	1,519
16	Heart	M	16,651	–	–	6	114	244	292	531	1,634	3,598	5,617	4,615
	disease	F	18,570	1	4	8	162	317	400	659	1,393	2,884	5,604	7,138
17	Aneurysm	M	316	2	1	–	1	3	9	29	64	121	61	25
		F	136	–	–	–	4	8	5	15	26	31	30	17
18	Other	M	4,101	5	1	2	2	1	5	41	218	714	1,516	1,596
	circulatory	F	4,014	3	2	1	2	4	5	33	167	533	1,325	1,939
19	Bronchitis	M	3,765	341	73	26	14	32	48	155	443	654	924	1,055
		F	3,800	255	65	20	28	30	32	81	173	404	929	1,783
20	Pneumonia	M	6,867	1,504	629	396	265	228	321	603	874	956	666	425
		F	5,071	1,047	571	327	201	115	207	328	409	556	678	632
21	Other	M	913	29	23	16	30	36	38	79	177	186	158	141
	respiratory	F	727	13	17	19	10	24	39	59	81	136	139	190
22	Peptic	M	1,019	–	–	–	1	18	69	161	326	265	142	37
	ulcer	F	315	–	–	–	2	4	14	33	74	93	57	38
23	Diarrhœa	M	1,286	937	123	48	22	6	17	13	27	25	41	27
		F	977	615	106	39	19	14	22	19	18	38	45	42
24	Appendicitis	M	487	1	1	23	77	78	47	47	69	79	49	16
		F	437	1	–	18	65	51	31	43	77	77	57	17
25	Cirrhosis of	M	241	–	1	–	3	2	–	12	51	88	66	18
	liver	F	105	–	–	–	3	1	1	7	29	34	22	8
26	Other liver	M	227	2	–	2	1	5	9	14	36	56	66	36
	diseases	F	598	–	–	1	1	8	20	45	75	126	195	127
27	Other	M	1,411	171	42	50	83	65	78	75	163	250	273	161
	digestive	F	1,594	96	28	68	100	46	85	122	198	277	326	248
28	Nephritis	M	2,543	7	6	11	37	87	106	135	351	614	755	434
		F	2,609	6	4	13	42	95	115	202	349	581	721	481
29	Puerperal sepsis	F	361	–	–	–	–	75	179	104	3	–	–	–
30	Other puerperal	F	493	–	–	–	1	95	217	174	6	–	–	–
31	Congenital	M	3,986	3,922	19	11	19	8	3	2	2	–	–	–
	causes, etc.	F	3,032	2,967	23	11	12	7	3	1	2	6	–	–
32	Senility	M	1,993	–	–	–	–	–	–	–	1	40	430	1,522
		F	2,957	–	–	–	–	–	–	–	–	25	438	2,494
33	Suicide	M	1,203	–	–	–	1	74	139	177	299	311	172	30
		F	598	–	–	–	1	39	89	121	143	129	62	14
34	Other	M	3,300	122	69	148	317	538	365	323	346	406	362	304
	violence	F	1,833	90	41	110	144	125	85	71	114	177	320	556
35	Other defined	M	6,649	561	148	167	408	369	378	413	662	1,144	1,465	934
	causes	F	6,060	442	126	160	351	340	438	593	864	1,062	1,024	660
36	Ill-defined	M	187	3	8	2	2	2	2	5	18	49	61	35
	causes	F	153	5	4	5	3	3	1	3	10	25	48	46

	Causes of Death *See* first page of Table.		All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
	All Causes	M	71,701	5,921	1,109	1,161	1,775	2,713	3,181	4,061	7,540	12,245	16,804	15,191
		F	71,764	4,267	907	1,011	1,662	2,423	3,198	4,018	6,406	10,542	16,447	20,883
1	Typhoid	M	40	–	–	–	3	7	9	8	5	3	4	1
	fever, etc.	F	33	–	–	–	1	7	5	7	4	3	6	–
2	Measles	M	269	51	92	92	29	1	2	1	1	–	–	–
		F	223	41	92	58	27	3	–	2	–	–	–	–
3	Scarlet	M	98	2	8	33	45	3	3	3	1	–	–	–
	fever	F	126	1	13	34	54	10	8	3	1	2	–	–
4	Whooping	M	238	125	61	47	5	–	–	–	–	–	–	–
	cough	F	303	140	77	77	6	1	2	–	–	–	–	–
5	Diphtheria	M	282	8	13	84	166	7	3	1	–	–	–	–
		F	319	2	12	84	180	10	8	8	9	4	2	–
6	Influenza	M	3,325	101	62	54	54	147	230	381	586	570	555	585
		F	3,557	74	49	49	55	117	204	337	398	520	705	1,049
7	Encephalitis	M	134	1	2	1	10	14	25	11	24	30	13	3
	lethargica	F	124	–	–	1	8	15	18	24	21	24	13	–
8	Cerebro-spinal	M	145	18	16	28	26	25	15	11	2	4	–	–
	fever	F	99	19	6	14	26	12	9	9	3	1	–	–
9	Respiratory	M	3,923	6	9	11	51	665	875	790	814	535	145	22
	tuberculosis	F	3,182	8	11	6	103	921	916	557	325	211	104	20
10	Other	M	856	71	78	121	166	133	115	48	45	45	28	6
	tuberculosis	F	741	43	54	86	148	137	104	51	48	30	30	10
11	Syphilis	M	208	32	3	1	4	6	11	27	49	39	28	8
		F	109	26	1	–	6	6	8	10	21	22	9	–
12	Gen. paralysis	M	363	–	–	–	–	2	3	80	88	119	56	15
	of insane, etc.	F	94	–	–	–	–	2	4	24	28	24	11	1
13	Cancer	M	8,159	1	2	14	15	36	99	293	1,048	2,314	2,864	1,473
		F	9,565	3	3	8	18	38	141	670	1,549	2,476	2,817	1,842
14	Diabetes	M	779	–	–	2	15	26	35	26	52	174	306	143
		F	1,205	1	1	3	15	33	36	41	100	293	467	215
15	Cerebral	M	3,800	–	–	1	1	4	16	70	262	769	1,448	1,229
	hæmorrhage	F	4,969	1	–	–	3	–	22	73	398	883	1,723	1,866
16	Heart	M	14,523	1	3	3	92	195	229	454	1,312	2,808	5,003	4,423
	disease	F	15,866	1	–	4	113	227	317	520	1,102	2,447	4,911	6,224
17	Aneurysm	M	223	2	–	–	1	6	4	13	53	72	58	14
		F	78	–	–	–	2	3	1	4	16	19	15	18
18	Other	M	3,625	3	2	–	4	4	3	18	141	543	1,317	1,590
	circulatory	F	3,416	2	4	2	3	2	9	30	143	405	1,047	1,769
19	Bronchitis	M	3,063	273	48	17	18	24	32	81	272	425	764	1,109
		F	3,215	215	47	31	10	13	32	51	135	302	749	1,630
20	Pneumonia	M	4,371	819	417	239	161	168	222	365	542	559	500	379
		F	3,363	602	302	254	154	106	147	216	235	360	468	519
21	Other	M	806	20	11	16	24	24	37	83	154	174	143	120
	respiratory	F	640	16	7	17	22	18	34	42	64	95	130	195
22	Peptic	M	837	1	–	–	1	14	76	134	230	219	127	35
	ulcer	F	248	–	–	–	–	4	8	33	53	74	44	32
23	Diarrhœa	M	715	446	58	31	22	11	10	10	26	30	35	36
		F	626	277	59	39	24	18	23	17	27	33	48	61
24	Appendicitis	M	492	1	1	25	76	65	55	43	70	92	47	17
		F	408	–	1	15	60	44	23	41	88	66	44	26
25	Cirrhosis of	M	249	–	–	–	–	1	3	16	39	94	73	23
	liver	F	126	–	–	–	1	1	4	3	34	42	28	13
26	Other liver	M	220	1	–	1	3	4	7	9	21	65	68	41
	diseases	F	574	–	–	1	–	8	25	28	76	125	179	132
27	Other	M	1,354	117	23	44	68	69	80	84	159	241	267	202
	digestive	F	1,364	66	21	37	92	33	68	98	169	242	299	239
28	Nephritis	M	2,210	2	4	9	35	59	88	128	297	537	647	404
		F	2,329	3	4	9	40	61	81	158	297	486	653	537
29	Puerperal sepsis	F	303	–	–	–	–	56	164	81	2	–	–	–
30	Other puerperal	F	493	–	–	–	–	75	246	167	5	–	–	–
31	Congenital	M	3,283	3,208	27	21	12	10	2	–	1	1	1	–
	causes, etc.	F	2,386	2,323	14	15	16	6	7	3	–	2	–	–
32	Senility	M	2,311	–	–	–	–	–	–	–	–	18	383	1,910
		F	3,744	–	–	–	–	–	–	–	–	22	478	3,244
33	Suicide	M	1,134	–	–	–	1	79	140	155	241	310	157	51
		F	466	–	–	–	–	41	67	97	99	103	47	12
34	Other	M	3,240	112	49	125	292	565	450	343	390	405	263	246
	violence	F	1,523	79	35	62	162	92	92	72	101	145	250	433
35	Other defined	M	6,146	493	117	139	373	337	291	369	572	1,001	1,406	1,048
	causes†	F	5,705	319	90	103	312	303	363	538	837	1,034	1,093	713
36	Ill-defined	M	280	6	3	2	2	2	11	6	43	49	98	58
	causes	F	242	5	4	2	1	–	2	3	18	47	77	83

† Including 1 death from Smallpox (1 Male aged 52 years).

Causes of Death *See* first page of Table.		All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
All Causes	M	47,386	3,623	569	661	1,026	1,791	1,951	2,352	3,942	6,994	11,338	13,139
	F	45,493	2,737	507	574	887	1,361	1,846	2,361	3,765	6,257	10,087	15,111
1 Typhoid fever, etc.	M	30	–	–	–	2	10	5	3	4	2	4	–
	F	30	–	–	–	4	4	9	7	4	2	–	–
2 Measles	M	79	12	19	26	18	2	–	2	–	–	–	–
	F	74	10	18	28	15	2	–	–	1	–	–	–
3 Scarlet fever	M	39	–	5	14	13	5	–	2	–	–	–	–
	F	53	1	–	19	20	5	4	1	1	–	1	1
4 Whooping cough	M	174	95	47	26	6	–	–	–	–	–	–	–
	F	244	105	66	56	17	–	–	–	–	–	–	–
5 Diphtheria	M	180	8	12	52	90	9	4	2	2	1	–	–
	F	151	6	7	26	94	5	2	4	3	1	2	1
6 Influenza	M	2,239	78	26	44	32	75	107	228	284	321	401	643
	F	2,440	39	33	26	25	62	115	183	240	326	501	890
7 Encephalitis lethargica	M	95	–	2	3	6	11	19	13	15	15	10	1
	F	72	–	1	3	3	7	10	10	10	11	15	2
8 Cerebro-spinal fever	M	71	12	7	7	19	15	4	5	1	1	–	–
	F	67	10	5	5	16	12	6	6	6	1	–	–
9 Respiratory tuberculosis	M	2,044	4	6	9	24	387	467	416	358	246	106	21
	F	1,785	3	3	9	53	455	499	326	198	144	80	15
10 Other tuberculosis	M	542	44	50	77	83	87	59	44	39	37	16	6
	F	487	28	48	65	74	75	66	39	31	28	20	13
11 Syphilis	M	84	16	–	–	1	2	5	12	17	22	8	1
	F	54	13	–	–	1	1	4	10	11	6	6	2
12 Gen. paralysis of insane, etc.	M	166	–	–	–	–	1	5	30	39	51	31	9
	F	33	–	–	–	2	1	3	8	8	6	5	–
13 Cancer	M	5,459	1	1	6	14	19	60	167	585	1,363	2,001	1,242
	F	6,338	–	3	5	10	27	81	361	952	1,619	1,884	1,396
14 Diabetes	M	508	1	–	2	12	26	12	16	42	110	171	116
	F	702	–	–	–	13	20	24	29	65	163	265	123
15 Cerebral hæmorrhage	M	2,380	–	–	–	2	5	12	37	122	336	894	972
	F	2,987	1	1	–	1	1	12	34	219	429	961	1,328
16 Heart disease	M	9,938	–	–	1	46	82	109	211	596	1,679	3,370	3,844
	F	10,320	3	–	1	47	105	152	265	587	1,472	3,043	4,645
17 Aneurysm	M	98	–	–	–	1	–	1	7	20	34	26	9
	F	46	–	–	–	1	–	1	2	9	9	14	10
18 Other circulatory	M	2,607	1	–	–	1	1	3	11	67	295	844	1,384
	F	2,230	1	1	–	1	1	3	16	67	245	651	1,244
19 Bronchitis	M	1,928	141	23	16	12	10	15	30	95	180	447	959
	F	1,863	121	27	11	8	14	11	18	49	99	356	1,149
20 Pneumonia	M	2,374	418	177	96	66	72	124	175	268	305	353	320
	F	1,856	287	149	108	60	50	81	118	142	201	283	377
21 Other respiratory	M	551	11	7	8	16	21	23	55	91	94	122	103
	F	399	17	5	14	9	14	15	33	38	60	71	123
22 Peptic ulcer	M	493	1	–	–	1	16	34	82	122	123	83	31
	F	168	–	–	–	1	2	6	19	34	41	39	26
23 Diarrhœa	M	401	225	40	18	10	6	10	8	12	15	28	29
	F	371	155	22	19	19	11	12	19	16	20	31	47
24 Appendicitis	M	332	1	2	17	43	40	41	26	55	60	34	13
	F	248	1	–	9	40	26	26	24	42	41	29	10
25 Cirrhosis of liver	M	162	–	–	–	1	–	3	8	30	54	46	20
	F	69	–	–	–	–	1	2	6	14	18	17	11
26 Other liver diseases	M	154	–	–	–	–	3	6	13	16	28	47	41
	F	339	–	1	1	1	2	9	20	35	82	93	95
27 Other digestive	M	923	57	14	24	46	35	56	43	87	142	215	204
	F	893	43	15	27	49	29	35	77	107	145	180	186
28 Nephritis	M	1,506	3	3	5	19	45	38	78	136	326	444	409
	F	1,444	2	3	11	28	37	59	72	180	273	420	359
29 Puerperal sepsis	F	197	–	–	–	–	39	95	62	1	–	–	–
30 Other puerperal	F	339	–	–	–	–	61	142	129	7	–	–	–
31 Congenital causes, etc.	M	2,142	2,094	13	8	16	8	1	2	–	–	–	–
	F	1,670	1,615	15	11	8	9	6	2	2	1	1	–
32 Senility	M	1,783		–	–	–	–	–	–	–	5	203	1,575
	F	2,467	–	–	–	–	–	–	–	–	16	232	2,219
33 Suicide	M	712	–	–	–	–	41	105	92	158	176	96	44
	F	256	–	–	–	–	17	40	41	72	46	32	8
34 Other violence	M	2,728	69	43	123	214	559	418	270	304	283	233	212
	F	1,010	59	24	54	86	86	59	56	77	97	129	283
35 Other defined causes	M	4,225	320	71	77	209	198	202	258	356	639	1,021	874
	F	3,622	215	57	65	179	178	255	361	522	622	672	496
36 Ill-defined causes	M	239	11	1	2	3	–	3	6	21	51	84	57
	F	169	2	3	1	2	2	2	3	15	33	54	52

	Causes of Death *See* first page of Table.		All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
	All Causes	M	27,254	1,933	355	378	640	971	1,327	1,563	3,298	5,336	6,161	5,292
		F	26,282	1,444	325	350	576	950	1,141	1,445	2,534	3,774	5,809	7,934
1	Typhoid fever, etc.	M	13	1	–	–	2	4	4	1	1	–	–	–
		F	12	1	–	–	2	1	1	2	2	–	3	–
2	Measles	M	58	10	25	15	8	–	–	–	–	–	–	–
		F	43	6	14	18	5	–	–	–	–	–	–	–
3	Scarlet fever	M	39	1	2	13	15	5	1	–	1	1	–	–
		F	45	3	6	10	19	2	1	–	4	–	–	–
4	Whooping cough	M	141	64	49	22	6	–	–	–	–	–	–	–
		F	188	75	59	44	10	–	–	–	–	–	–	–
5	Diphtheria	M	180	4	17	63	92	2	1	1	–	–	–	–
		F	182	8	10	61	99	–	1	2	1	–	–	–
6	Influenza	M	1,042	13	7	12	16	34	61	122	214	223	174	166
		F	1,192	13	9	12	7	37	62	96	152	175	240	389
7	Encephalitis lethargica	M	29	–	–	–	2	4	4	4	4	5	4	2
		F	24	–	–	1	–	4	3	2	3	6	4	1
8	Cerebro-spinal fever	M	73	20	15	7	11	10	5	3	2	–	–	–
		F	43	10	4	8	7	4	4	1	4	1	–	–
9	Respiratory tuberculosis	M	2,197	9	1	4	23	288	441	386	498	393	137	17
		F	1,333	4	4	4	22	401	380	214	144	96	52	12
10	Other tuberculosis	M	237	22	14	24	31	54	27	20	16	19	10	–
		F	229	12	24	29	49	41	23	14	8	15	11	3
11	Syphilis	M	146	14	1	–	–	2	3	11	39	45	20	11
		F	77	17	1	–	–	3	3	8	15	16	10	4
12	Gen. paralysis of insane, etc.	M	197	–	–	–	–	2	5	25	60	72	29	4
		F	55	–	–	–	1	1	1	11	23	15	2	1
13	Cancer	M	3,453	1	–	4	6	22	53	113	494	1,090	1,130	540
		F	3,640	2	2	3	6	23	61	265	647	931	1,023	677
14	Diabetes	M	223	–	1	1	2	7	5	6	26	63	66	46
		F	384	–	–	–	6	1	4	13	22	95	165	78
15	Cerebral hæmorrhage	M	726	–	–	–	1	1	5	13	46	164	278	218
		F	1,050	–	–	–	–	3	8	23	84	188	345	399
16	Heart disease	M	6,091	1	2	2	38	66	99	166	505	1,158	1,966	2,088
		F	7,070	–	–	3	43	94	131	208	454	831	1,965	3,341
17	Aneurysm	M	181	1	–	–	4	4	10	13	36	61	37	15
		F	95	–	–	–	2	3	2	10	15	24	24	15
18	Other circulatory	M	1,113	1	–	–	2	5	4	15	66	206	408	406
		F	1,129	1	1	–	–	–	3	10	75	165	363	511
19	Bronchitis	M	1,044	53	6	–	1	6	23	38	121	206	245	345
		F	963	32	4	6	3	3	7	26	36	118	202	526
20	Pneumonia	M	2,012	283	126	71	42	46	97	150	262	386	306	243
		F	1,572	186	118	49	37	40	43	89	160	204	284	362
21	Other respiratory	M	321	4	4	4	7	13	14	21	48	64	60	82
		F	343	4	3	2	7	8	10	14	31	38	67	159
22	Peptic ulcer	M	476	–	–	–	1	11	26	57	143	137	77	24
		F	180	–	–	–	–	3	6	15	37	48	49	22
23	Diarrhœa	M	441	359	32	5	1	3	5	3	8	11	11	3
		F	362	248	27	4	3	9	8	6	15	7	14	21
24	Appendicitis	M	171	–	1	9	26	18	12	16	23	38	19	9
		F	164	–	1	9	22	16	14	11	40	25	20	6
25	Cirrhosis of liver	M	102	–	–	–	1	1	4	4	18	37	31	6
		F	80	–	–	–	1	–	2	12	14	26	15	10
26	Other liver diseases	M	71	–	1	1	1	1	2	4	7	19	26	9
		F	138	1	–	1	–	2	5	8	15	40	38	28
27	Other digestive	M	518	40	7	20	23	26	28	35	77	99	91	72
		F	514	25	2	15	22	14	16	40	80	87	113	100
28	Nephritis	M	865	2	–	8	14	28	37	41	113	186	256	180
		F	845	–	–	–	11	26	41	46	89	182	234	216
29	Puerperal sepsis	F	96	–	–	–	–	17	50	29	–	–	–	–
30	Other puerperal	F	112	–	–	–	–	21	63	26	2	–	–	–
31	Congenital causes, etc.	M	881	858	3	6	8	3	3	–	–	–	–	–
		F	702	680	5	2	6	4	3	1	1	–	–	–
32	Senility	M	325	–	–	–	–	–	–	–	–	1	45	279
		F	614	–	–	–	–	–	–	–	–	2	70	542
33	Suicide	M	505	–	–	–	1	22	75	67	115	134	69	22
		F	256	–	–	–	–	17	38	44	67	61	23	6
34	Other violence	M	1,157	54	15	37	126	166	129	93	116	144	150	127
		F	744	34	10	31	53	39	30	30	54	95	133	235
35	Other defined causes†	M	2,213	116	25	49	129	114	142	135	239	372	515	377
		F	1,796	82	21	38	133	113	117	168	240	282	334	268
36	Ill-defined causes	M	13	2	1	1	–	3	2	–	–	2	1	1
		F	10	–	–	–	–	–		1	–	1	6	2

† Including 1 death from Smallpox (1 Male aged 2 years).

Causes of Death. See first page of Table.		CITY OF LONDON. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	THE INNER AND MIDDLE TEMPLES. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
All Causes	M	54	3	–	–	–	3	1	3	10	8	14	12	–	–	–	–	–	–	–	–	–	–	–	–
	F	54	2	–	–	–	1	1	4	8	4	13	21	1	–	–	–	–	–	–	1	–	–	–	–
1 Typhoid fever, etc.	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2 Measles	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
3 Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
4 Whooping cough	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
5 Diphtheria	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
6 Influenza	M	2	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	4	–	–	–	–	–	–	1	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
7 Encephalitis lethargica	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
8 Cerebro-spinal fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9 Respiratory tuberculosis	M	4	–	–	–	–	–	–	–	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	3	–	–	–	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
10 Other tuberculosis	M	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
11 Syphilis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
12 Gen. paralysis of insane, etc.	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13 Cancer	M	4	–	–	–	–	–	–	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	8	–	–	–	–	–	–	1	2	–	4	1	–	–	–	–	–	–	–	–	–	–	–	–
14 Diabetes	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
15 Cerebral hæmorrhage	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	3	–	–	–	–	–	–	–	–	–	1	2	1	–	–	–	–	–	–	–	1	–	–	–
16 Heart disease	M	12	–	–	–	–	1	–	–	1	1	4	5	–	–	–	–	–	–	–	–	–	–	–	–
	F	18	–	–	–	–	–	–	–	3	2	3	10	–	–	–	–	–	–	–	–	–	–	–	–
17 Aneurysm	M	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
18 Other circulatory	M	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	2	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
19 Bronchitis	M	2	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	F	3	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–
20 Pneumonia	M	6	1	–	–	–	1	–	1	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	F	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
21 Other respiratory	M	3	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
22 Peptic ulcer	M	2	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	F	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
23 Diarrhœa	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	2	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
24 Appendicitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
25 Cirrhosis of liver	M	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
26 Other liver diseases	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
27 Other digestive	M	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
28 Nephritis	M	5	–	–	–	–	–	–	–	3	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
29 Puerperal sepsis	F	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
30 Other puerperal	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
31 Congenital causes, etc.	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
32 Senility	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	2	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
33 Suicide	M	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34 Other violence	M	3	1	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
35 Other defined causes	M	4	–	–	–	–	–	–	–	–	–	3	1	–	–	–	–	–	–	–	–	–	–	–	–
	F	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
36 Ill-defined causes	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Causes of Death. *See* first page of Table.		BATTERSEA. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	BERMONDSEY. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
All Causes	M	998	60	15	16	19	38	58	60	103	204	214	211	712	50	10	14	22	31	40	36	90	133	149	13
	F	926	52	11	14	22	29	39	43	75	138	208	295	622	43	8	13	21	24	32	35	46	95	141	16
1 Typhoid fever, etc.	M	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2 Measles	M	1	1	–	–	–	–	–	–	–	–	–	–	5	–	2	2	1	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	3	–	–	–	–	–	–	–	–
3 Scarlet fever	M	4	–	–	1	2	1	–	–	–	–	–	–	2	–	–	–	2	–	–	–	–	–	–	–
	F	2	–	–	1	1	–	–	–	–	–	–	–	2	1	1	–	–	–	–	–	–	–	–	–
4 Whooping cough	M	4	1	2	1	–	–	–	–	–	–	–	–	3	2	1	–	–	–	–	–	–	–	–	–
	F	8	3	2	2	1	–	–	–	–	–	–	–	2	1	1	–	–	–	–	–	–	–	–	–
5 Diphtheria	M	5	–	–	2	3	–	–	–	–	–	–	–	7	–	–	5	2	–	–	–	–	–	–	–
	F	7	1	1	–	4	–	–	1	–	–	–	–	7	–	–	4	3	–	–	–	–	–	–	–
6 Influenza	M	28	–	1	–	–	1	1	4	4	8	3	6	20	–	–	–	–	–	1	1	3	8	3	
	F	43	1	–	1	–	2	3	3	4	5	12	12	31	–	–	1	–	1	2	2	5	7	5	
7 Encephalitis lethargica	M	1	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
8 Cerebro-spinal fever	M	2	–	–	1	–	–	–	1	–	–	–	–	2	1	–	–	–	1	–	–	–	–	–	–
	F	2	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9 Respiratory tuberculosis	M	75	2	–	–	–	14	17	13	12	14	3	–	57	1	–	–	1	11	7	8	16	7	6	–
	F	50	–	–	–	1	11	17	10	3	5	3	–	41	–	–	–	2	7	13	7	6	2	3	
10 Other tuberculosis	M	11	1	–	2	–	5	1	–	–	2	–	–	12	1	1	1	1	2	–	1	3	2	–	–
	F	10	1	3	1	2	2	–	–	–	–	1	–	8	1	1	1	2	1	1	–	–	–	1	–
11 Syphilis	M	3	–	–	–	–	–	–	–	1	–	–	2	4	–	–	–	–	–	–	–	2	2	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	1	–	–
12 Gen. paralysis of insane, etc.	M	7	–	–	–	–	–	–	1	1	3	1	1	2	–	–	–	–	–	–	–	1	1	–	–
	F	1	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
13 Cancer	M	138	1	–	1	1	1	2	10	12	46	33	31	91	–	–	–	–	–	1	3	12	36	23	1
	F	151	–	–	–	–	–	–	13	23	41	43	31	70	–	–	–	–	1	1	9	9	19	20	1
14 Diabetes	M	7	–	–	–	–	–	–	–	–	1	2	4	5	–	–	–	–	–	–	–	1	2	1	
	F	15	–	–	–	1	–	–	1	–	2	9	2	13	–	–	–	–	–	1	1	–	–	6	
15 Cerebral hæmorrhage	M	19	–	–	–	–	1	–	–	2	4	7	5	32	–	–	–	–	–	–	–	1	8	9	1
	F	35	–	–	–	–	–	–	1	3	5	8	18	32	–	–	–	–	–	–	–	2	7	13	1
16 Heart disease	M	240	–	–	–	1	2	5	4	19	44	77	88	136	–	–	–	3	2	5	2	18	27	37	4
	F	270	–	–	1	1	2	3	2	17	28	73	143	147	–	–	–	4	6	4	6	10	22	52	4
17 Aneurysm	M	9	–	–	–	–	1	1	–	1	4	1	1	5	–	–	–	–	1	2	1	–	–	1	–
	F	5	–	–	–	–	–	1	–	–	2	1	1	1	–	–	–	1	–	–	–	–	–	–	
18 Other circulatory	M	42	–	–	–	–	–	–	3	2	6	18	13	14	–	–	–	–	–	–	–	–	2	7	
	F	33	–	–	–	–	–	–	–	1	3	14	15	13	–	–	–	–	–	–	–	–	1	4	
19 Bronchitis	M	40	–	1	–	1	1	1	1	4	12	9	10	29	2	–	–	–	–	–	1	4	8	8	
	F	40	1	–	2	–	–	–	2	2	6	4	23	28	1	–	1	–	–	–	–	–	4	5	1
20 Pneumonia	M	67	14	5	4	–	–	8	3	14	10	4	5	51	5	3	3	4	2	5	5	4	9	5	
	F	33	2	3	2	2	1	1	1	4	5	6	6	40	8	4	1	2	–	–	–	4	7	7	
21 Other respiratory	M	8	–	–	–	–	–	–	–	3	2	2	1	9	–	–	–	–	1	2	–	2	2	1	
	F	6	1	–	–	–	1	–	–	1	1	1	1	3	–	–	–	–	–	–	–	1	1	–	
22 Peptic ulcer	M	16	–	–	–	–	–	–	3	5	4	4	–	17	–	–	–	–	1	4	2	4	3	3	
	F	2	–	–	–	–	–	–	–	–	–	1	1	8	–	–	–	–	–	1	1	1	2	1	
23 Diarrhœa	M	9	7	1	–	–	–	1	–	–	–	–	–	8	6	1	–	–	–	–	–	–	–	1	
	F	16	14	–	–	–	1	1	–	–	–	–	–	8	7	–	1	–	–	–	–	–	–	–	
24 Appendicitis	M	6	–	–	–	1	1	–	–	–	2	2	–	4	–	–	–	–	1	–	1	1	1	–	
	F	1	–	–	–	–	1	–	–	–	–	–	–	5	–	–	–	–	1	1	–	–	2	1	
25 Cirrhosis of liver	M	3	–	–	–	–	1	–	–	1	1	–	–	4	–	–	–	–	–	–	1	–	2	1	
	F	2	–	–	–	–	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–	1	–	–	
26 Other liver diseases	M	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	1	1	–	1	
	F	8	–	–	–	–	–	2	–	1	2	2	1	6	–	–	–	–	1	–	–	–	4	1	
27 Other digestive	M	14	–	1	1	–	1	–	2	2	2	1	4	13	2	–	–	–	1	2	1	2	–	2	
	F	11	1	–	–	1	–	–	–	–	2	3	4	11	2	–	1	1	–	–	1	–	3	2	
28 Nephritis	M	41	–	–	–	–	–	1	3	4	11	15	7	46	–	–	–	–	–	3	1	4	5	17	1
	F	31	–	–	–	1	1	3	2	1	10	9	4	51	–	–	–	1	1	–	–	3	8	14	2
29 Puerperal sepsis	F	4	–	–	–	–	2	2	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	
30 Other puerperal	F	1	–	–	–	–	–	1	–	–	–	–	–	4	–	–	–	–	–	3	1	–	–	–	
31 Congenital causes, etc.	M	30	29	–	–	–	1	–	–	–	–	–	–	28	27	–	–	1	–	–	–	–	–	–	
	F	21	20	–	–	–	1	–	–	–	–	–	–	21	21	–	–	–	–	–	–	–	–	–	
32 Senility	M	17	–	–	–	–	–	–	–	–	–	1	16	16	–	–	–	–	–	–	–	–	–	3	1
	F	17	–	–	–	–	–	–	–	–	–	2	15	20	–	–	–	–	–	–	–	–	–	1	1
38 Suicide	M	13	–	–	–	–	–	3	3	4	3	–	–	11	–	–	–	–	–	2	1	4	2	2	–
	F	8	–	–	–	–	–	1	1	2	4	–	–	3	–	–	–	–	–	1	–	–	1	1	–
34 Other violence	M	48	1	1	–	6	5	10	6	3	8	3	5	26	2	–	2	4	4	3	1	2	5	2	
	F	19	3	1	–	2	1	–	1	–	2	4	5	9	–	–	–	2	1	–	1	–	–	–	
35 Other defined causes	M	89	2	3	3	4	1	7	3	9	17	28	12	49	1	2	1	3	4	3	5	5	1	15	
	F	72	4	1	3	4	2	3	5	12	14	11	13	29	1	1	–	3	4	3	6	2	3	4	
36 Ill-defined causes	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–

Causes of Death. (see first page of Table.)		BETHNAL GREEN. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	CAMBERWELL. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
All Causes	M	693	62	13	16	28	27	29	44	91	124	150	109	1,486	90	26	22	36	63	80	100	165	249	384	271
	F	613	37	9	14	22	37	18	33	68	89	142	144	1,519	70	13	14	26	61	64	78	127	208	363	495
1 Typhoid fever, etc.	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2 Measles	M	5	2	2	1	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
	F	1	–	1	–	–	–	–	–	–	–	–	–	3	–	1	2	–	–	–	–	–	–	–	–
3 Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	5	–	–	3	–	1	1	–	–	–	–	–
	F	3	–	1	–	2	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
4 Whooping cough	M	6	1	3	2	–	–	–	–	–	–	–	–	13	7	5	1	–	–	–	–	–	–	–	–
	F	5	2	–	3	–	–	–	–	–	–	–	–	7	3	3	1	–	–	–	–	–	–	–	–
5 Diphtheria	M	4	–	–	–	4	–	–	–	–	–	–	–	11	–	2	4	4	–	–	1	–	–	–	–
	F	5	–	–	3	2	–	–	–	–	–	–	–	9	2	–	3	4	–	–	–	–	–	–	–
6 Influenza	M	35	–	–	1	2	–	3	5	8	8	8	–	44	–	1	1	–	2	4	8	9	9	5	5
	F	40	–	–	–	–	2	1	–	7	7	12	11	54	1	1	–	–	1	3	1	8	5	14	20
7 Encephalitis lethargica	M	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	1	–	–	–	2	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	1	1	–	–	–	–
8 Cerebro-spinal fever	M	6	–	–	2	1	–	2	–	1	–	–	–	3	2	–	–	–	–	1	–	–	–	–	–
	F	4	–	–	1	1	1	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
9 Respiratory tuberculosis	M	50	–	–	–	1	5	8	10	13	10	3	–	132	–	1	1	2	20	36	26	26	12	8	–
	F	24	–	–	–	1	9	4	4	2	1	2	1	91	–	–	–	1	35	23	13	12	3	3	1
10 Other tuberculosis	M	5	–	1	1	–	1	2	–	–	–	–	–	13	–	2	1	2	4	1	1	–	2	–	–
	F	9	1	–	–	1	4	–	1	1	–	1	–	9	1	–	1	4	–	1	–	1	–	1	–
11 Syphilis	M	3	1	–	–	–	1	–	–	–	–	1	–	9	–	1	–	–	–	–	1	4	1	2	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	4	1	1	–	–	–	–	–	1	–	1	–
12 Gen. paralysis of insane, etc.	M	2	–	–	–	–	–	–	1	–	1	–	–	13	–	–	–	–	–	–	1	5	4	3	–
	F	2	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13 Cancer	M	78	–	–	–	1	–	1	4	10	24	28	10	211	–	–	–	–	–	–	11	34	57	74	35
	F	66	–	–	–	–	–	2	6	11	18	17	12	240	–	–	1	1	2	6	13	33	62	72	50
14 Diabetes	M	8	–	–	–	1	–	–	–	2	4	–	1	10	–	–	–	–	–	–	–	1	2	5	2
	F	14	–	–	–	–	–	–	–	4	2	7	1	19	–	–	–	–	–	–	–	2	5	10	2
15 Cerebral hæmorrhage	M	19	–	–	–	–	–	–	–	2	3	5	9	50	–	–	–	–	–	–	1	–	11	24	14
	F	19	–	–	–	–	–	1	1	3	7	5	2	72	–	–	–	–	–	1	2	1	20	25	23
16 Heart disease	M	171	–	–	–	2	2	3	5	17	30	64	48	332	–	–	–	–	6	5	14	22	61	120	104
	F	159	–	–	1	2	7	4	6	16	23	50	50	457	–	–	–	3	6	6	18	23	58	137	206
17 Aneurysm	M	3	–	–	–	–	–	–	1	1	1	–	–	16	1	–	–	1	–	1	–	2	3	7	1
	F	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
18 Other circulatory	M	13	–	–	–	–	–	–	2	–	3	3	5	35	–	–	–	–	–	1	–	1	6	16	11
	F	18	–	–	–	–	–	–	–	2	2	9	5	41	–	–	–	–	–	–	–	2	3	15	21
19 Bronchitis	M	22	1	–	–	–	–	–	2	3	3	4	9	65	4	1	–	–	1	3	4	4	7	18	23
	F	17	2	–	–	1	–	–	1	2	2	2	7	67	1	1	–	–	–	–	2	1	6	15	41
20 Pneumonia	M	65	12	5	4	3	6	1	6	7	10	5	6	90	6	6	6	5	6	3	7	12	16	15	8
	F	62	10	4	4	4	1	3	3	7	6	11	9	78	8	5	2	1	–	3	8	9	9	14	19
21 Other respiratory	M	22	–	–	–	–	–	–	1	–	3	8	10	21	–	–	1	–	1	2	2	1	5	4	5
	F	58	–	–	–	–	1	–	–	1	4	16	36	16	–	–	–	–	–	–	–	2	2	3	9
22 Peptic ulcer	M	9	–	–	–	–	–	1	2	2	2	2	–	29	–	–	–	–	–	2	6	6	9	5	1
	F	–	–	–	–	–	–	–	–	–	–	–	–	5	–	–	–	–	–	–	–	2	1	1	1
23 Diarrhœa	M	19	18	–	–	–	–	–	–	–	1	–	–	23	18	2	1	–	–	–	–	1	1	–	–
	F	14	11	2	–	–	–	–	–	1	–	–	–	17	13	–	–	–	–	–	–	1	–	–	3
24 Appendicitis	M	6	–	1	1	2	–	–	–	–	1	1	–	9	–	–	–	1	–	–	–	1	4	2	1
	F	5	–	–	–	–	2	–	1	1	1	–	–	4	–	–	–	2	–	–	–	1	–	1	–
25 Cirrhosis of liver	M	3	–	–	–	–	–	–	–	–	2	1	–	4	–	–	–	–	–	–	–	–	–	4	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
26 Other liver diseases	M	–	–	–	–	–	–	–	–	–	–	–	–	5	–	–	1	–	1	–	–	–	1	2	–
	F	2	–	–	–	–	–	–	–	–	1	–	1	6	–	–	–	–	–	–	1	2	1	1	1
27 Other digestive	M	12	2	–	1	–	–	–	1	2	1	3	2	25	2	1	–	1	–	2	2	5	3	6	3
	F	10	–	–	1	–	–	–	2	2	2	2	1	21	3	–	1	–	2	–	–	3	2	6	4
28 Nephritis	M	18	–	–	1	1	1	–	1	7	5	1	1	56	–	–	–	2	–	–	–	10	11	19	14
	F	10	–	–	–	–	1	–	1	1	3	2	2	52	–	–	–	–	–	2	2	7	10	16	15
29 Puerperal sepsis	F	2	–	–	–	–	1	–	1	–	–	–	–	6	–	–	–	–	–	4	2	–	–	–	–
30 Other puerperal	F	–	–	–	–	–	–	–	–	–	–	–	–	10	–	–	–	–	2	5	2	1	–	–	–
31 Congenital causes, etc.	M	22	21	–	–	1	–	–	–	–	–	–	–	45	43	–	–	1	–	1	–	–	–	–	–
	F	9	9	–	–	–	–	–	–	–	–	–	–	29	26	–	–	2	1	–	–	–	–	–	–
32 Senility	M	1	–	–	–	–	–	–	–	–	–	–	1	20	–	–	–	–	–	–	–	–	–	3	17
	F	2	–	–	–	–	–	–	–	–	–	–	2	59	–	–	–	–	–	–	–	–	–	4	55
33 Suicide	M	14	–	–	–	–	–	3	–	4	6	1	–	22	–	–	–	–	–	1	2	5	6	7	1
	F	5	–	–	–	–	1	–	1	1	1	1	–	10	–	–	–	–	1	1	2	5	1	–	–
34 Other violence	M	23	1	–	1	4	6	3	1	2	1	4	–	60	2	2	2	6	14	4	6	5	5	8	6
	F	12	1	–	1	2	2	–	–	–	2	2	2	35	1	–	2	4	1	2	2	3	3	8	9
35 Other defined causes	M	49	3	1	1	5	5	2	2	10	5	8	7	111	5	2	–	10	7	11	7	11	13	25	20
	F	34	1	1	–	6	5	3	3	5	6	2	2	94	9	1	–	4	10	6	9	7	17	16	15
36 Ill-defined causes	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Causes of Death. *See* first page of Table.		CHELSEA. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	DEPTFORD. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75
All Causes	M	402	29	2	2	13	6	20	16	33	61	114	106	665	51	5	11	18	22	23	39	63	133	158	14
	F	399	20	3	8	3	7	13	21	43	64	94	123	582	31	7	5	12	22	27	36	41	84	128	18
1 Typhoid fever, etc.	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2 Measles	M	2	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
3 Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
4 Whooping cough	M	–	–	–	–	–	–	–	–	–	–	–	–	6	2	1	2	1	–	–	–	–	–	–	–
	F	4	3	1	–	–	–	–	–	–	–	–	–	3	1	1	–	1	–	–	–	–	–	–	–
5 Diphtheria	M	2	–	–	–	2	–	–	–	–	–	–	–	3	–	–	1	2	–	–	–	–	–	–	–
	F	5	1	–	4	–	–	–	–	–	–	–	–	2	–	–	2	–	–	–	–	–	–	–	–
6 Influenza	M	12	–	–	1	–	–	–	–	2	3	–	6	25	1	–	–	1	–	2	4	5	3	5	
	F	13	–	–	–	1	–	–	–	1	4	3	4	27	–	–	1	1	1	–	2	2	5	7	
7 Encephalitis lethargica	M	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	2	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
8 Cerebro-spinal fever	M	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	1	–	–	–	–	–	–	–	–
	F	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9 Respiratory tuberculosis	M	25	–	–	–	1	–	7	7	2	4	4	–	52	1	–	–	–	8	7	10	11	12	2	
	F	11	–	–	–	–	3	4	1	3	–	–	–	42	–	–	–	1	15	11	6	5	2	2	–
10 Other tuberculosis	M	1	–	–	1	–	–	–	–	–	–	–	–	8	–	–	1	2	2	–	1	–	2	–	–
	F	2	1	–	–	–	1	–	–	–	–	–	–	2	–	–	–	–	–	–	–	2	–	–	–
11 Syphilis	M	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	3	–	–
	F	2	–	–	–	–	–	–	–	1	–	1	–	2	–	–	–	–	–	–	1	–	–	–	
12 Gen. paralysis of insane, etc.	M	4	–	–	–	–	–	1	–	2	1	–	–	4	–	–	–	–	–	–	1	–	1	2	–
	F	2	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
13 Cancer	M	54	–	–	–	–	–	1	1	6	13	24	9	76	–	–	–	–	1	–	4	10	23	24	1
	F	61	–	–	1	–	1	–	5	13	17	15	9	61	–	–	–	–	–	3	1	9	21	13	1
14 Diabetes	M	1	–	–	–	–	–	–	–	–	–	–	1	5	–	–	–	–	–	–	–	–	1	3	
	F	3	–	–	–	–	–	–	–	–	1	1	1	11	–	–	–	–	–	–	1	–	2	4	
15 Cerebral hæmorrhage	M	12	–	–	–	–	–	–	–	–	3	3	6	29	–	–	–	–	–	–	1	1	7	12	
	F	23	–	–	–	–	–	–	–	3	1	10	9	28	–	–	–	–	–	–	–	–	9	9	1
16 Heart disease	M	97	–	–	–	–	1	–	2	6	14	31	43	135	–	–	–	–	1	2	4	8	26	44	5
	F	112	–	–	–	–	1	2	4	7	15	30	53	146	–	–	–	1	1	2	5	6	13	47	7
17 Aneurysm	M	3	–	–	–	–	–	–	–	–	–	2	1	2	–	–	–	–	–	–	–	–	2	–	
	F	1	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–	1	
18 Other circulatory	M	18	–	–	–	–	–	–	–	–	6	6	6	39	–	–	–	–	–	–	–	1	7	17	1
	F	18	–	1	–	–	–	1	2	–	5	4	5	22	–	–	–	–	–	–	–	1	1	8	1
19 Bronchitis	M	12	–	–	–	–	–	–	1	1	–	5	5	35	1	–	–	–	–	1	–	3	7	8	1
	F	12	–	1	–	–	–	–	–	–	–	3	8	17	–	–	–	–	–	–	2	1	2	4	
20 Pneumonia	M	26	4	1	–	2	–	3	–	1	2	6	7	46	5	2	2	1	–	1	2	4	15	8	
	F	18	1	–	–	–	–	1	–	3	5	5	3	38	4	6	1	2	–	1	–	4	4	6	1
21 Other respiratory	M	3	–	–	–	–	–	–	–	–	1	2	–	13	1	–	2	1	2	–	–	1	4	1	
	F	7	–	–	1	–	–	–	–	–	2	1	3	2	1	–	–	–	–	–	–	–	–	–	
22 Peptic ulcer	M	5	–	–	–	–	–	1	–	2	–	2	–	19	–	–	–	–	–	1	2	5	4	2	
	F	6	–	–	–	–	–	1	–	2	–	2	1	4	–	–	–	–	–	–	–	–	2	1	
23 Diarrhœa	M	14	11	1	–	–	–	–	–	–	–	2	–	8	6	2	–	–	–	–	–	–	–	–	
	F	4	3	–	–	–	–	1	–	–	–	–	–	10	7	–	–	–	–	–	–	1	–	1	
24 Appendicitis	M	3	–	–	–	–	–	1	1	–	1	–	–	6	–	–	1	1	–	1	1	1	–	–	
	F	5	–	–	–	1	–	1	–	1	2	–	–	4	–	–	–	–	1	1	–	–	1	1	
25 Cirrhosis of liver	M	2	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	F	1	–	–	–	–	–	–	–	–	–	1	–	4	–	–	–	–	–	–	1	–	1	–	
26 Other liver diseases	M	2	–	–	–	–	–	–	–	–	–	1	1	3	–	–	–	–	–	–	–	1	1	1	
	F	2	–	–	–	–	–	–	–	–	–	2	–	3	–	–	–	–	–	–	1	–	–	2	
27 Other digestive	M	9	1	–	–	2	–	–	–	2	1	–	3	12	2	–	–	1	–	1	1	1	2	3	
	F	12	–	–	–	–	–	–	–	1	3	5	3	15	1	–	–	–	1	–	–	2	7	3	
28 Nephritis	M	9	–	–	–	–	–	–	–	–	2	5	2	19	–	–	–	–	2	–	–	–	6	6	
	F	8	–	–	–	–	–	–	2	–	1	2	3	13	–	–	–	–	1	–	–	1	3	4	
29 Puerperal sepsis	F	–	–	–	–	–	–	–	–	–	–	–	–	6	–	–	–	–	–	2	4	–	–	–	
30 Other puerperal	F	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	2	1	–	–	–	
31 Congenital causes, etc.	M	11	11	–	–	–	–	–	–	–	–	–	–	28	28	–	–	–	–	–	–	–	–	–	
	F	9	9	–	–	–	–	–	–	–	–	–	–	17	17	–	–	–	–	–	–	–	–	–	
32 Senility	M	8	–	–	–	–	–	–	–	–	–	1	7	9	–	–	–	–	–	–	–	–	–	1	
	F	13	–	–	–	–	–	–	–	–	–	1	12	28	–	–	–	–	–	–	–	–	–	2	2
33 Suicide	M	6	–	–	–	–	–	–	–	2	3	1	–	12	–	–	–	1	–	2	1	6	2	–	
	F	4	–	–	–	–	–	1	2	–	1	–	–	9	–	–	–	–	2	2	2	2	–	1	
34 Other violence	M	23	1	–	–	5	1	2	3	1	–	5	5	18	–	–	1	5	1	1	2	1	2	4	
	F	17	1	–	1	–	–	–	1	3	1	4	6	19	–	–	–	3	–	–	1	1	5	2	
35 Other defined causes	M	37	–	–	–	–	4	2	1	5	7	14	4	45	3	–	–	2	5	3	5	2	3	15	
	F	23	1	–	1	1	1	1	4	2	5	4	3	39	–	–	–	3	–	3	8	3	6	9	
36 Ill-defined causes	M	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	

Causes of Death. (see first page of Table.)		FINSBURY. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	FULHAM. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
All Causes	M	463	35	5	8	14	14	20	28	55	93	102	89	945	61	12	10	20	39	45	54	132	185	199	188
	F	389	17	11	8	7	9	21	27	33	53	85	118	982	65	13	10	17	40	37	62	102	136	211	289
Typhoid fever, etc.	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	M	2	–	1	1	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
	F	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	1	–	–	–	–	–	–	–
	F	1	1	–	–	–	–	–	–	–	–	–	–	4	–	1	1	2	–	–	–	–	–	–	–
Whooping cough	M	3	2	1	–	–	–	–	–	–	–	–	–	4	1	1	1	1	–	–	–	–	–	–	–
	F	4	1	2	1	–	–	–	–	–	–	–	–	10	6	1	2	1	–	–	–	–	–	–	–
Diphtheria	M	4	–	–	1	3	–	–	–	–	–	–	–	4	–	2	1	1	–	–	–	–	–	–	–
	F	3	–	1	1	1	–	–	–	–	–	–	–	4	–	–	2	2	–	–	–	–	–	–	–
Influenza	M	24	–	–	–	–	–	–	5	4	5	7	3	37	1	–	1	2	3	–	5	4	8	5	8
	F	18	–	–	–	–	–	–	2	4	1	2	9	40	–	–	–	–	2	4	3	5	5	10	11
Encephalitis lethargica	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
	F	2	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cerebro-spinal fever	M	2	1	1	–	–	–	–	–	–	–	–	–	4	–	1	–	2	–	–	1	–	–	–	–
	F	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Respiratory tuberculosis	M	47	–	–	–	–	9	7	10	11	9	1	–	78	–	–	–	1	15	11	14	22	12	3	–
	F	28	–	1	–	–	6	10	6	2	2	1	–	50	–	–	–	–	16	11	11	4	6	2	–
Other tuberculosis	M	6	–	–	1	–	1	–	1	1	2	–	–	7	–	–	1	–	4	1	–	–	–	1	–
	F	3	–	–	1	–	–	2	–	–	–	–	–	6	–	–	–	2	1	2	–	–	–	–	1
Syphilis	M	5	–	–	–	–	–	–	1	2	1	–	1	7	–	–	–	–	–	–	–	1	6	–	–
	F	4	–	–	–	–	–	–	1	1	2	–	–	3	1	–	–	–	–	1	–	–	–	1	–
Gen. paralysis of insane, etc.	M	6	–	–	–	–	–	–	1	3	2	–	–	11	–	–	–	–	–	–	1	1	4	4	1
	F	1	–	–	–	–	–	–	1	–	–	–	–	3	–	–	–	–	–	–	1	2	–	–	–
Cancer	M	58	–	–	–	–	–	3	3	6	15	23	8	123	–	–	1	–	1	2	2	22	47	37	11
	F	45	1	–	–	–	–	–	5	6	7	15	11	128	–	–	–	–	–	1	9	25	36	32	25
Diabetes	M	3	–	–	–	–	–	–	–	–	–	1	2	8	–	–	–	–	–	–	–	1	3	2	2
	F	6	–	–	–	–	–	–	–	1	1	4	–	13	–	–	–	1	–	–	–	3	4	4	1
Cerebral hæmorrhage	M	5	–	–	–	–	–	–	–	–	1	3	1	22	–	–	–	–	–	–	–	2	3	9	8
	F	14	–	–	–	–	–	–	–	1	2	6	5	31	–	–	–	–	–	–	–	3	9	7	12
Heart disease	M	93	–	–	–	1	–	–	1	5	16	33	37	218	–	–	–	2	2	2	5	24	31	62	90
	F	104	–	–	–	–	2	2	3	6	15	25	51	275	–	–	–	–	5	2	15	12	25	76	140
Aneurysm	M	6	–	–	–	1	–	–	–	–	3	1	1	1	–	–	–	–	–	–	1	–	–	–	–
	F	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Other circulatory	M	21	–	–	–	–	–	1	–	–	7	7	6	49	–	–	–	–	–	–	–	–	14	18	17
	F	21	–	–	–	–	–	–	1	1	3	5	11	56	1	–	–	–	–	1	1	2	6	21	24
Bronchitis	M	21	–	–	–	–	–	–	–	2	4	6	9	38	5	1	–	–	–	1	2	5	7	9	8
	F	20	–	–	1	–	–	1	–	1	4	5	8	30	4	1	–	–	–	–	3	1	1	5	15
Pneumonia	M	31	7	1	2	1	–	1	1	4	4	4	6	55	6	3	2	–	–	3	2	15	12	5	7
	F	21	–	4	–	–	–	–	–	2	4	8	3	62	8	6	1	2	2	3	3	8	4	15	10
Other respiratory	M	2	–	–	–	–	–	–	–	1	–	–	1	4	–	–	–	–	1	1	–	–	–	1	1
	F	4	–	–	–	–	–	–	–	–	–	2	2	6	–	–	–	–	–	–	–	–	2	2	2
Peptic ulcer	M	7	–	–	–	–	–	–	–	4	2	1	–	14	–	–	–	–	–	–	3	4	4	3	–
	F	1	–	–	–	–	–	–	–	–	–	–	1	3	–	–	–	–	–	–	–	–	1	2	–
Diarrhœa	M	4	4	–	–	–	–	–	–	–	–	–	–	19	14	1	–	1	1	–	–	–	–	–	2
	F	2	2	–	–	–	–	–	–	–	–	–	–	12	7	3	–	–	–	1	–	–	–	1	–
Appendicitis	M	3	–	–	–	–	–	–	–	1	1	1	–	8	–	–	–	–	–	2	1	1	1	3	–
	F	3	–	–	1	1	–	–	–	1	–	–	–	9	–	–	1	1	–	–	1	3	2	1	–
Cirrhosis of liver	M	2	–	–	–	–	–	1	–	–	1	–	–	7	–	–	–	–	–	–	1	2	–	2	2
	F	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	2	–	–
Other liver diseases	M	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	1	1	1	–
	F	1	–	–	–	–	–	–	–	–	–	–	1	7	–	–	–	–	–	–	–	1	2	1	3
Other digestive	M	10	1	–	–	–	–	–	–	2	2	3	2	19	3	–	–	1	2	–	4	2	5	1	1
	F	4	–	–	–	–	–	1	2	–	1	–	–	23	1	1	–	–	1	–	2	4	3	7	4
Nephritis	M	11	–	–	–	–	–	1	1	1	4	1	3	35	–	–	–	2	–	2	2	3	11	9	6
	F	14	–	–	–	–	–	2	–	1	4	4	3	26	–	–	–	–	–	2	1	6	9	6	2
Puerperal sepsis	F	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	1	1	2	–	–	–	–
Other puerperal	F	2	–	–	–	–	–	1	1	–	–	–	–	5	–	–	–	–	1	3	1	–	–	–	–
Congenital causes, etc.	M	16	16	–	–	–	–	–	–	–	–	–	–	33	30	1	–	–	–	2	–	–	–	–	–
	F	8	8	–	–	–	–	–	–	–	–	–	–	32	32	–	–	–	–	–	–	–	–	–	–
Senility	M	1	–	–	–	–	–	–	–	–	–	–	1	11	–	–	–	–	–	–	–	–	–	2	9
	F	4	–	–	–	–	–	–	–	–	–	–	4	17	–	–	–	–	–	–	–	–	1	2	14
Suicide	M	6	–	–	–	–	1	1	1	1	1	1	–	17	–	–	–	–	2	6	2	2	2	2	1
	F	5	–	–	–	–	–	–	–	2	2	1	–	5	–	–	–	–	–	–	2	1	1	1	–
Other violence	M	21	1	–	2	4	2	2	–	1	3	2	4	47	–	1	2	2	4	8	5	6	6	8	5
	F	11	–	1	1	2	–	–	–	–	–	1	6	28	1	–	2	1	4	1	–	3	1	6	9
Other defined causes	M	43	3	1	1	4	1	3	3	6	10	7	4	58	1	1	–	2	4	4	3	14	8	12	9
	F	32	4	–	1	3	1	1	5	4	4	6	3	86	4	–	–	4	7	4	7	19	16	9	16
Ill-defined causes	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Causes of Death. *See* first page of Table.		GREENWICH. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	HACKNEY. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75
All Causes	M	608	50	11	9	17	26	45	28	75	94	134	119	1,285	104	9	23	27	41	64	77	170	245	288	2
	F	557	39	6	11	19	21	24	37	57	82	94	167	1,189	48	15	13	30	59	57	54	114	160	273	3
1 Typhoid fever, etc.	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	
2 Measles	M	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	1	–	–	–	–	–	–	
	F	2	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	
3 Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	1	2	–	–	–	–	–	–	
	F	3	–	–	1	2	–	–	–	–	–	–	–	3	–	1	1	1	–	–	–	–	–	–	
4 Whooping cough	M	3	1	–	2	–	–	–	–	–	–	–	–	6	4	2	–	–	–	–	–	–	–	–	
	F	5	4	1	–	–	–	–	–	–	–	–	–	4	2	2	–	–	–	–	–	–	–	–	
5 Diphtheria	M	8	–	–	3	5	–	–	–	–	–	–	–	14	–	–	7	6	–	1	–	–	–	–	
	F	6	–	–	2	4	–	–	–	–	–	–	–	5	1	–	–	4	–	–	–	–	–	–	
6 Influenza	M	31	–	1	1	–	–	4	1	11	4	2	7	56	–	–	–	2	1	4	12	11	8	8	
	F	32	1	1	–	–	1	3	–	5	8	4	9	53	1	–	–	–	2	3	5	8	5	11	
7 Encephalitis lethargica	M	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	1	–	–	1	–	
	F	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	1	–	–	–	–	1	
8 Cerebro-spinal fever	M	3	1	–	–	2	–	–	–	–	–	–	–	2	–	–	1	–	1	–	–	–	–	–	
	F	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	1	–	1	–	–	1	–	–	
9 Respiratory tuberculosis	M	62	–	–	–	1	10	24	6	11	8	2	–	113	1	–	–	1	14	24	26	26	17	4	
	F	34	2	–	–	–	10	8	9	2	2	1	–	58	–	–	–	2	19	14	11	9	2	–	
10 Other tuberculosis	M	8	3	–	1	2	1	–	–	–	–	1	–	8	1	–	–	–	1	2	1	1	1	1	
	F	4	–	1	–	1	–	2	–	–	–	–	–	17	–	1	3	4	4	2	1	–	1	–	
11 Syphilis	M	1	–	–	–	–	–	–	–	1	–	–	–	5	–	–	–	–	–	–	–	2	1	1	
	F	1	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	2	–	–	
12 Gen. paralysis of insane, etc.	M	2	–	–	–	–	–	–	–	–	1	1	–	6	–	–	–	–	–	–	–	2	3	1	
	F	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	1	2	1	
13 Cancer	M	82	–	–	–	–	–	–	2	16	19	33	12	160	–	–	–	2	–	5	2	30	50	48	
	F	86	–	–	–	1	2	–	5	17	27	20	14	166	–	–	–	–	2	3	9	24	42	51	
14 Diabetes	M	5	–	–	–	–	1	1	–	–	–	3	–	13	–	–	–	1	–	–	1	1	2	6	
	F	10	–	–	–	–	–	–	–	1	1	2	6	23	–	–	–	–	–	–	1	1	5	13	
15 Cerebral hæmorrhage	M	20	–	–	–	–	–	–	–	2	4	10	4	28	–	–	–	–	–	–	1	3	5	11	
	F	25	–	–	–	–	–	–	1	2	4	7	11	41	–	–	–	–	–	1	–	3	3	17	
16 Heart disease	M	97	–	–	–	1	3	2	3	10	12	24	42	280	–	–	–	1	4	3	11	31	50	92	
	F	132	–	–	–	3	2	2	8	14	14	27	62	320	–	–	1	1	6	7	9	26	36	83	1
17 Aneurysm	M	9	–	–	–	–	–	1	–	1	4	3	–	7	–	–	–	–	–	–	–	2	2	2	
	F	–	–	–	–	–	–	–	–	–	–	–	–	6	–	–	–	–	1	–	–	1	3	1	
18 Other circulatory	M	18	–	–	–	–	–	–	1	1	–	1	15	84	–	–	–	–	–	–	–	5	10	32	
	F	19	–	–	–	–	–	–	–	2	2	4	11	70	–	–	–	–	–	–	–	2	10	20	
19 Bronchitis	M	23	–	–	–	–	–	1	1	1	2	9	9	50	3	–	–	–	–	1	3	7	7	7	
	F	22	–	–	–	–	1	–	1	2	1	5	12	41	–	–	–	–	–	–	–	2	6	10	
20 Pneumonia	M	42	9	5	–	1	1	1	4	4	8	6	3	94	13	4	4	1	2	5	11	9	20	15	
	F	30	4	3	3	–	–	–	2	1	2	6	9	73	5	8	2	3	3	4	2	5	9	15	
21 Other respiratory	M	9	–	2	–	1	–	–	1	1	2	2	–	15	–	–	–	–	2	1	–	1	3	6	
	F	1	–	–	–	–	–	–	–	–	–	–	1	14	–	–	–	–	–	–	1	2	2	1	
22 Peptic ulcer	M	14	–	–	–	–	1	1	1	2	5	3	1	28	–	–	–	–	1	1	–	17	7	2	
	F	5	–	–	–	–	–	–	–	–	3	2	–	9	–	–	–	–	1	1	2	1	2	2	
23 Diarrhœa	M	14	9	3	–	–	1	–	–	–	1	–	–	23	18	–	2	–	–	–	–	–	–	3	
	F	5	4	–	–	–	–	–	–	–	–	1	–	10	6	–	–	–	1	1	–	–	–	2	
24 Appendicitis	M	8	–	–	–	–	1	1	3	1	1	–	1	5	–	–	1	1	1	1	–	–	–	1	
	F	4	–	–	–	3	–	–	–	–	1	–	–	10	–	–	1	–	3	2	1	1	–	2	
25 Cirrhosis of liver	M	4	–	–	–	–	–	–	–	1	1	2	–	1	–	–	–	–	–	–	–	–	1	–	
	F	4	–	–	–	–	–	–	1	2	–	–	1	1	–	–	–	–	–	–	–	1	–	–	
26 Other liver diseases	M	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	1	
	F	4	–	–	–	–	–	–	–	–	1	2	1	7	–	–	–	–	–	1	–	1	1	2	
27 Other digestive	M	10	–	–	1	–	–	1	1	1	4	1	1	19	–	–	1	–	1	–	–	2	7	6	
	F	13	2	–	1	2	1	–	–	1	2	1	3	27	–	–	–	–	–	2	–	6	8	4	
28 Nephritis	M	25	–	–	–	–	–	1	1	3	2	7	11	23	–	–	1	–	–	1	1	3	9	6	
	F	18	–	–	–	–	–	2	1	–	7	3	5	25	–	–	–	–	2	1	–	2	7	8	
29 Puerperal sepsis	F	3	–	–	–	–	–	2	1	–	–	–	–	6	–	–	–	–	1	4	1	–	–	–	
30 Other puerperal	F	4	–	–	–	–	1	1	1	1	–	–	–	4	–	–	–	–	–	2	2	–	–	–	
31 Congenital causes, etc.	M	26	26	–	–	–	–	–	–	–	–	–	–	57	57	–	–	–	–	–	–	–	–	–	
	F	19	19	–	–	–	–	–	–	–	–	–	–	31	29	–	2	–	–	–	–	–	–	–	
32 Senility	M	3	–	–	–	–	–	–	–	–	–	–	3	6	–	–	–	–	–	–	–	–	–	3	
	F	17	–	–	–	–	–	–	–	–	–	3	14	12	–	–	–	–	–	–	–	–	–	2	
33 Suicide	M	6	–	–	–	–	–	1	1	–	2	2	–	29	–	–	–	–	–	1	2	6	13	5	
	F	6	–	–	–	–	1	–	1	2	1	–	1	9	–	–	–	–	1	1	1	3	–	3	
34 Other violence	M	27	1	–	–	1	6	5	1	2	3	5	3	42	1	1	3	3	4	5	2	4	9	7	
	F	14	1	–	1	1	1	1	–	–	2	3	4	35	1	1	1	3	2	–	2	2	3	8	
35 Other defined causes	M	47	–	–	1	3	1	1	1	6	10	17	7	103	6	1	2	6	9	8	4	7	19	20	
	F	29	1	–	2	2	1	3	6	5	4	3	2	96	3	2	1	11	8	8	6	10	13	16	
36 Ill-defined causes	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

Causes of Death. See first page of Table.		HAMMERSMITH. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	HAMPSTEAD. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
All Causes	M	849	62	7	14	19	33	41	52	100	183	181	157	457	11	1	5	7	14	26	25	51	79	113	125
	F	841	57	3	6	14	37	42	43	69	109	195	266	537	22	4	4	8	12	15	28	56	89	118	181
1 Typhoid fever, etc.	M	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2 Measles	M	3	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
3 Scarlet fever	M	2	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	2	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
4 Whooping cough	M	2	2	–	–	–	–	–	–	–	–	–	–	2	–	1	1	–	–	–	–	–	–	–	–
	F	3	2	–	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
5 Diphtheria	M	6	–	–	3	3	–	–	–	–	–	–	–	2	–	–	1	1	–	–	–	–	–	–	–
	F	8	–	–	3	5	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
6 Influenza	M	26	–	–	–	1	–	2	–	3	7	6	7	26	–	–	1	2	1	3	1	5	3	7	3
	F	38	–	–	–	–	–	–	4	4	3	10	17	28	–	–	–	–	1	1	3	2	4	2	15
7 Encephalitis lethargica	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
8 Cerebro-spinal fever	M	2	1	–	1	–	–	–	–	–	–	–	–	2	–	–	–	1	–	–	1	–	–	–	–
	F	2	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9 Respiratory tuberculosis	M	82	–	–	–	1	7	13	19	23	15	4	–	22	–	–	–	–	4	3	6	3	3	2	1
	F	56	–	–	–	–	16	20	8	2	6	2	2	15	–	–	–	–	6	4	2	1	1	1	–
0 Other tuberculosis	M	9	2	1	1	2	1	1	–	1	–	–	–	2	–	–	–	1	–	1	–	–	–	–	–
	F	3	–	–	–	–	2	–	1	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
1 Syphilis	M	4	–	–	–	–	–	–	–	2	2	–	–	3	–	–	–	–	–	1	–	–	–	2	–
	F	3	1	–	–	–	1	–	–	1	–	–	–	2	–	–	–	–	–	–	–	1	–	1	–
2 Gen. paralysis of insane, etc.	M	9	–	–	–	–	–	–	1	3	5	–	–	5	–	–	–	–	–	–	1	2	1	1	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
3 Cancer	M	114	–	–	–	–	2	3	5	13	33	38	20	65	–	–	–	–	–	1	2	9	17	16	20
	F	117	–	–	–	–	1	2	9	19	27	29	30	82	–	–	–	–	–	–	7	14	19	26	16
4 Diabetes	M	4	–	–	–	–	1	–	–	–	1	–	2	5	–	–	–	–	–	–	–	–	1	–	4
	F	11	–	–	–	–	–	–	–	1	4	5	1	16	–	–	–	1	–	–	–	–	4	4	7
5 Cerebral hæmorrhage	M	18	–	–	–	–	–	–	1	2	5	5	5	7	–	–	–	–	–	1	–	–	1	3	2
	F	38	–	–	–	–	–	–	3	3	7	11	14	12	–	–	–	–	–	–	–	2	3	4	3
6 Heart disease	M	199	1	–	–	1	2	2	5	20	44	62	62	117	–	–	–	–	–	1	5	10	19	36	46
	F	210	–	–	–	–	3	8	4	7	18	66	104	138	–	–	–	–	–	3	2	11	15	34	73
7 Aneurysm	M	10	–	–	–	–	–	–	–	2	6	2	–	2	–	–	–	–	–	–	–	–	1	–	1
	F	2	–	–	–	–	–	–	–	–	–	2	–	3	–	–	–	–	1	–	–	–	2	–	–
8 Other circulatory	M	44	–	–	–	–	–	–	–	2	10	19	13	31	–	–	–	–	–	–	1	1	6	13	10
	F	37	–	–	–	–	–	–	–	3	9	9	16	27	–	–	–	–	–	–	–	3	1	10	13
9 Bronchitis	M	24	–	–	–	–	1	–	1	2	7	3	10	11	1	–	–	–	–	–	–	–	2	5	3
	F	33	–	–	–	–	–	–	–	2	2	4	25	16	–	–	–	–	–	–	–	–	3	2	11
0 Pneumonia	M	60	15	3	3	–	2	7	2	2	10	12	4	23	2	–	–	1	–	2	1	2	9	4	2
	F	53	7	1	1	1	–	1	3	4	9	9	17	26	3	1	2	1	1	1	2	1	1	6	7
1 Other respiratory	M	7	–	–	–	–	–	–	–	2	3	1	1	3	–	–	–	–	–	1	–	–	1	–	1
	F	15	1	–	–	–	2	1	1	1	3	3	3	10	–	–	–	1	–	–	1	1	1	2	4
2 Peptic ulcer	M	13	–	–	–	–	–	1	2	4	4	2	–	9	–	–	–	–	–	–	–	4	2	2	1
	F	11	–	–	–	–	–	–	–	1	1	6	3	7	–	–	–	–	–	–	–	2	4	1	–
3 Diarrhœa	M	9	7	–	–	–	–	1	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–
	F	18	12	1	–	1	–	1	–	1	–	1	1	7	5	–	–	–	–	–	1	–	–	–	1
4 Appendicitis	M	5	–	–	–	–	–	1	1	1	2	–	–	5	–	–	1	–	2	1	–	1	–	–	–
	F	3	–	–	–	–	1	1	–	1	–	–	–	8	–	1	–	1	–	–	–	2	2	2	–
5 Cirrhosis of liver	M	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	4	–	–	–	–	–	–	1	–	3	–	–	3	–	–	–	–	–	–	–	1	1	–	1
6 Other liver diseases	M	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–
	F	3	–	–	–	–	–	–	–	–	–	3	–	2	–	–	–	–	–	–	–	–	1	1	–
6 Other digestive	M	22	5	1	3	2	1	2	–	1	1	5	1	15	1	–	–	1	–	2	–	4	1	1	5
	F	14	1	–	–	1	1	–	1	1	1	5	3	14	–	–	–	1	1	–	–	2	7	3	–
8 Nephritis	M	25	1	–	–	–	2	2	–	5	4	7	4	16	–	–	–	–	–	2	–	3	5	4	2
	F	18	–	–	–	–	1	2	1	3	3	4	4	20	–	–	–	–	–	–	–	2	4	7	7
0 Puerperal sepsis	F	6	–	–	–	–	3	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
0 Other puerperal	F	2	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Congenital causes, etc.	M	24	24	–	–	–	–	–	–	–	–	–	–	6	6	–	–	–	–	–	–	–	–	–	–
	F	31	30	–	–	–	1	–	–	–	–	–	–	11	11	–	–	–	–	–	–	–	–	–	–
2 Senility	M	11	–	–	–	–	–	–	–	–	–	1	10	–	–	–	–	–	–	–	–	–	–	–	–
	F	21	–	–	–	–	–	–	–	–	–	4	17	6	–	–	–	–	–	–	–	–	–	1	5
3 Suicide	M	11	–	–	–	–	–	1	1	2	3	2	2	10	–	–	–	–	1	1	2	2	2	1	1
	F	12	–	–	–	–	–	2	2	4	3	1	–	12	–	–	–	–	2	1	3	1	5	–	–
Other violence	M	42	–	–	1	6	9	4	6	5	4	5	2	18	–	–	–	–	4	3	3	3	1	3	1
	F	20	–	–	1	–	–	1	2	1	2	7	6	21	2	1	–	–	–	1	2	2	4	2	7
Other defined causes	M	59	4	1	1	1	3	1	8	5	15	6	14	47	–	–	1	–	1	3	2	2	3	13	22
	F	46	3	1	–	3	4	1	1	9	8	13	3	47	1	1	1	2	–	3	5	7	7	9	11
Ill-defined causes	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
	F	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–

Causes of Death. *See* first page of Table.		HOLBORN. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	ISLINGTON. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75
All Causes	M	269	13	3	2	6	9	14	25	39	58	55	45	1,992	170	32	27	40	58	110	119	256	380	424	37
	F	217	11	1	2	3	7	9	15	23	27	60	59	1,977	119	39	32	49	74	81	103	168	283	415	61
1 Typhoid fever, etc.	M	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	1	1	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–	1	–	–	–
2 Measles	M	1	–	1	–	–	–	–	–	–	–	–	–	8	2	6	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	8	1	4	2	1	–	–	–	–	–	–	–
3 Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
	F	2	1	–	–	1	–	–	–	–	–	–	–	3	–	–	2	1	–	–	–	–	–	–	–
4 Whooping cough	M	–	–	–	–	–	–	–	–	–	–	–	–	16	9	5	1	1	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	10	5	2	3	–	–	–	–	–	–	–	–
5 Diphtheria	M	2	–	1	1	–	–	–	–	–	–	–	–	18	–	4	4	9	1	–	–	–	–	–	–
	F	1	1	–	–	–	–	–	–	–	–	–	–	14	–	2	3	9	–	–	–	–	–	–	–
6 Influenza	M	11	–	–	–	–	–	–	3	2	1	–	5	97	–	–	1	–	2	6	13	22	20	20	1
	F	14	–	–	–	–	–	1	2	2	1	4	4	76	1	1	1	–	1	4	11	6	13	13	2
7 Encephalitis lethargica	M	1	–	–	–	–	1	–	–	–	–	–	–	3	–	–	–	–	–	–	1	–	1	1	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	1	–	–	–	1	–	–
8 Cerebro-spinal fever	M	1	–	–	–	–	1	–	–	–	–	–	–	3	–	3	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	3	–	1	1	1	–	–	–	–	–	–	–
9 Respiratory tuberculosis	M	16	–	–	–	–	1	3	5	–	6	1	–	165	1	–	–	3	16	35	24	42	33	8	
	F	10	–	–	–	–	1	4	2	1	1	1	–	112	–	–	–	2	35	29	16	13	10	5	
10 Other tuberculosis	M	2	–	–	–	–	1	1	–	–	–	–	–	14	1	1	2	2	3	1	1	1	1	1	–
	F	1	–	1	–	–	–	–	–	–	–	–	–	25	4	3	5	3	6	2	1	–	–	1	–
11 Syphilis	M	2	–	–	–	–	–	–	–	–	2	–	–	20	4	–	–	–	–	1	2	4	2	4	
	F	–	–	–	–	–	–	–	–	–	–	–	–	4	1	–	–	–	1	–	–	1	1	–	–
12 Gen. paralysis of insane, etc.	M	2	–	–	–	–	–	–	1	1	–	–	–	16	–	–	–	–	–	1	3	5	6	1	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	5	–	–	–	–	–	–	–	1	3	1	–
13 Cancer	M	30	–	–	–	–	–	–	–	4	12	9	5	259	–	–	1	1	2	6	9	34	92	76	3
	F	31	–	–	–	–	–	1	3	8	2	12	5	261	–	1	–	–	–	4	14	55	69	73	4
14 Diabetes	M	–	–	–	–	–	–	–	–	–	–	–	–	10	–	–	–	–	–	–	1	1	5	2	
	F	6	–	–	–	–	–	–	–	–	1	4	1	23	–	–	–	–	–	1	–	1	6	10	
15 Cerebral hæmorrhage	M	10	–	–	–	–	–	–	1	–	1	4	4	68	–	–	–	–	–	1	1	1	15	29	2
	F	11	–	–	–	–	–	–	–	2	1	5	3	91	–	–	–	–	–	1	2	2	10	33	4
16 Heart disease	M	53	–	–	–	–	–	–	3	13	9	16	12	356	–	–	–	2	5	10	21	30	66	122	10
	F	60	–	–	–	–	1	1	–	4	8	20	26	439	–	–	–	8	1	10	16	22	62	123	19
17 Aneurysm	M	2	–	–	–	–	–	–	–	–	1	1	–	8	–	–	–	1	–	–	1	3	1	–	
	F	2	–	–	–	–	–	1	1	–	–	–	–	11	–	–	–	–	–	–	2	–	2	2	
18 Other circulatory	M	19	–	–	–	–	–	–	–	–	2	10	7	73	–	–	–	–	1	–	–	2	9	27	3
	F	12	–	–	–	–	–	–	–	1	3	1	7	70	–	–	–	–	–	–	–	8	11	20	3
19 Bronchitis	M	5	–	–	–	–	–	1	1	2	–	1	–	88	3	–	–	–	1	2	3	12	22	19	2
	F	7	–	–	–	–	–	–	–	–	4	2	1	82	2	–	–	–	–	–	3	4	11	16	4
20 Pneumonia	M	19	1	1	1	–	–	3	–	2	4	2	5	179	26	7	4	1	3	5	17	30	26	29	3
	F	9	2	–	–	–	1	–	1	1	1	1	2	162	16	19	5	3	6	2	11	16	19	23	4
21 Other respiratory	M	–	–	–	–	–	–	–	–	–	–	–	–	40	–	–	–	1	–	–	1	3	6	2	2
	F	1	–	–	1	–	–	–	–	–	–	–	–	58	–	–	–	–	–	–	–	–	2	9	4
22 Peptic ulcer	M	9	–	–	–	–	1	–	4	2	2	–	–	32	–	–	–	–	–	3	3	11	9	3	
	F	2	–	–	–	–	–	–	–	–	1	–	1	7	–	–	–	–	–	1	2	1	2	1	–
23 Diarrhœa	M	6	5	–	–	–	–	–	1	–	–	–	–	43	36	2	1	–	–	–	–	2	1	1	–
	F	1	1	–	–	–	–	–	–	–	–	–	–	28	18	3	–	–	1	–	–	–	–	3	
24 Appendicitis	M	4	–	–	–	1	1	–	–	1	1	–	–	9	–	–	1	–	3	–	2	–	2	–	
	F	1	–	–	–	–	–	–	–	1	–	–	–	12	–	–	3	2	–	2	–	3	1	1	–
25 Cirrhosis of liver	M	2	–	–	–	–	–	–	–	1	–	1	–	12	–	–	–	–	–	1	–	2	4	5	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	8	–	–	–	1	–	1	–	1	2	2	
26 Other liver diseases	M	1	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	1	–	–	1	–	–
	F	1	–	–	–	–	–	–	–	–	–	1	–	8	–	–	–	–	–	–	2	1	–	2	
27 Other digestive	M	6	–	–	–	1	–	1	–	1	1	1	1	32	2	–	3	1	2	–	2	4	5	7	
	F	4	–	–	–	–	–	–	–	–	–	1	3	37	3	–	1	3	1	–	3	4	2	11	
28 Nephritis	M	10	–	–	–	–	–	–	1	3	4	1	1	56	–	–	–	2	1	3	2	6	11	16	1
	F	2	–	–	–	–	–	–	–	–	–	–	2	55	–	–	–	–	1	1	4	3	18	18	1
29 Puerperal sepsis	F	1	–	–	–	–	1	–	–	–	–	–	–	8	–	–	–	–	2	4	2	–	–	–	
30 Other puerperal	F	2	–	–	–	–	–	–	2	–	–	–	–	9	–	–	–	–	3	6	–	–	–	–	
31 Congenital causes, etc.	M	5	5	–	–	–	–	–	–	–	–	–	–	77	75	1	–	–	1	–	–	–	–	–	
	F	4	4	–	–	–	–	–	–	–	–	–	–	60	58	–	–	–	–	2	–	–	–	–	
32 Senility	M	1	–	–	–	–	–	–	–	–	–	–	1	12	–	–	–	–	–	–	–	–	–	1	1
	F	2	–	–	–	–	–	–	–	–	–	1	1	45	–	–	–	–	–	–	–	–	–	2	4
33 Suicide	M	8	–	–	–	–	1	1	2	1	3	–	–	31	–	–	–	–	1	5	4	13	7	–	
	F	5	–	–	–	–	–	–	2	–	2	1	–	17	–	–	–	–	2	1	2	5	4	2	
34 Other violence	M	9	–	–	–	2	–	2	–	2	1	–	2	77	3	3	4	4	11	16	2	9	12	5	
	F	10	1	–	–	–	2	–	–	2	–	3	2	62	2	2	1	5	3	1	2	1	10	10	2
35 Other defined causes	M	32	2	–	–	2	2	2	3	4	8	7	2	162	8	–	5	11	3	12	6	19	21	45	3
	F	14	1	–	1	2	1	1	1	1	2	3	1	159	8	1	5	9	10	9	10	19	24	33	3
36 Ill-defined causes	M	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	1	–	–	–	2	–	
	F	1	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	

Causes of Death. (*see* first page of Table.)		KENSINGTON. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	LAMBETH. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
All Causes	M	1,025	95	12	12	21	31	40	49	114	184	266	201	1,925	157	31	19	47	62	86	98	239	368	427	391
	F	1,311	62	11	21	17	40	61	70	133	195	290	411	1,864	92	21	20	38	60	74	105	162	240	438	614
1 Typhoid fever, etc.	M	1	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
	F	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
2 Measles	M	1	–	1	–	–	–	–	–	–	–	–	–	7	2	1	4	–	–	–	–	–	–	–	–
	F	2	–	–	2	–	–	–	–	–	–	–	–	4	1	1	1	1	–	–	–	–	–	–	–
3 Scarlet fever	M	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	1	1	–	1	–	–	–	–	–
4 Whooping cough	M	4	1	1	1	1	–	–	–	–	–	–	–	9	4	4	1	–	–	–	–	–	–	–	–
	F	6	3	3	–	–	–	–	–	–	–	–	–	12	4	4	3	1	–	–	–	–	–	–	–
5 Diphtheria	M	11	1	1	3	6	–	–	–	–	–	–	–	14	2	2	4	6	–	–	–	–	–	–	–
	F	11	–	–	6	5	–	–	–	–	–	–	–	12	–	2	3	7	–	–	–	–	–	–	–
6 Influenza	M	34	–	–	1	–	2	2	1	6	7	9	6	73	1	1	–	–	1	7	8	14	18	14	9
	F	58	–	–	1	1	3	2	5	7	10	10	19	77	2	1	1	–	1	2	8	11	11	17	23
Encephalitis lethargica	M	1	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	1	1	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	1	–
7 Cerebro-spinal fever	M	2	1	1	–	–	–	–	–	–	–	–	–	3	–	1	–	–	2	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	1	–	–	–	–	–	–	–	–
Respiratory tuberculosis	M	66	1	–	–	1	8	12	12	12	11	8	1	154	1	–	–	2	20	30	21	42	29	5	4
	F	58	1	–	–	2	15	18	8	7	4	3	–	91	–	–	2	2	33	16	16	11	9	2	–
Other tuberculosis	M	5	1	–	–	–	–	–	3	–	1	–	–	18	1	–	1	4	–	1	2	2	3	4	–
	F	9	1	1	2	–	1	2	–	–	1	1	–	11	–	1	1	2	3	1	1	–	2	–	–
Syphilis	M	4	–	–	–	–	–	–	–	2	1	1	–	15	1	–	–	–	–	–	2	5	5	1	1
	F	3	1	–	–	–	–	–	–	1	1	–	–	6	–	–	–	–	–	1	1	1	1	2	–
Gen. paralysis of insane, etc.	M	6	–	–	–	–	–	–	1	2	2	1	–	13	–	–	–	–	1	–	1	5	5	1	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	2	1	1	–	–
Cancer	M	124	–	–	1	–	–	3	3	19	39	41	18	224	–	–	–	–	–	4	10	39	73	71	27
	F	186	–	–	1	2	–	3	11	28	57	54	30	253	–	–	–	–	3	4	18	38	56	80	54
Diabetes	M	9	–	1	–	–	–	–	–	1	3	3	1	15	–	–	–	–	–	–	–	–	7	7	1
	F	14	–	–	–	–	–	–	–	–	4	5	5	20	–	–	–	1	–	–	3	–	4	10	2
Cerebral hæmorrhage	M	28	–	–	–	–	–	–	2	2	9	8	7	56	–	–	–	–	–	–	–	2	10	25	19
	F	41	–	–	–	–	–	–	1	4	3	16	17	86	–	–	–	–	–	–	2	6	18	31	29
Heart disease	M	223	–	–	–	2	2	3	2	18	27	93	76	451	–	1	–	1	4	6	7	39	85	143	165
	F	365	–	–	–	1	3	2	10	26	30	96	197	530	–	–	–	1	3	10	11	33	46	158	268
Aneurysm	M	8	–	–	–	–	1	–	1	4	1	1	–	11	–	–	–	–	–	2	1	2	2	4	–
	F	8	–	–	–	–	–	–	3	–	–	4	1	5	–	–	–	–	–	–	1	1	1	1	1
Other circulatory	M	43	–	–	–	–	–	–	1	5	7	19	11	57	–	–	–	–	1	–	–	5	11	17	23
	F	75	–	–	–	–	–	–	–	4	13	28	30	77	–	–	–	–	–	–	1	6	12	31	27
Bronchitis	M	41	1	–	–	–	–	1	–	4	6	13	16	72	4	–	–	–	1	2	3	11	13	13	25
	F	32	2	–	–	–	–	1	1	1	7	4	16	67	–	–	–	–	–	–	–	8	4	10	45
Pneumonia	M	87	9	5	1	–	1	4	6	14	18	14	15	131	23	9	3	1	3	6	9	12	22	27	16
	F	104	10	5	6	–	3	5	5	11	16	16	27	121	11	9	–	4	3	4	8	10	13	23	36
Other respiratory	M	15	–	–	–	1	–	–	2	1	5	5	1	21	1	–	1	2	–	–	1	5	3	6	2
	F	9	–	–	–	1	–	–	–	1	3	2	2	12	–	–	–	–	–	2	2	3	2	1	2
Peptic ulcer	M	12	–	–	–	–	–	–	–	3	5	2	2	36	–	–	–	–	2	1	5	12	11	4	1
	F	12	–	–	–	–	–	–	1	2	3	4	2	12	–	–	–	–	–	1	1	3	3	2	2
Diarrhœa	M	30	30	–	–	–	–	–	–	–	–	–	–	42	30	7	1	–	–	–	–	1	3	–	–
	F	22	12	1	1	–	–	2	–	–	1	1	4	19	10	2	1	–	1	–	–	2	1	–	2
Appendicitis	M	7	–	–	1	–	1	–	–	–	3	2	–	16	–	–	–	3	1	–	–	2	6	2	2
	F	5	–	–	–	1	–	–	–	–	2	1	1	12	–	–	–	1	–	1	–	5	3	1	1
Cirrhosis of liver	M	6	–	–	–	–	–	1	–	2	–	2	1	5	–	–	–	–	–	–	–	1	3	1	–
	F	5	–	–	–	–	–	–	–	1	3	1	–	3	–	–	–	–	–	–	2	–	–	1	–
Other liver diseases	M	4	–	–	–	–	–	–	–	–	4	–	–	3	–	–	–	–	–	–	–	1	2	–	–
	F	8	–	–	–	–	–	–	1	–	2	2	3	16	1	–	–	–	–	1	2	2	3	5	2
Other digestive	M	19	2	–	–	–	2	–	–	2	4	6	3	39	2	2	–	1	2	6	4	2	7	7	6
	F	26	–	–	–	1	–	2	2	8	4	4	5	37	1	–	1	1	1	4	5	3	8	4	9
Nephritis	M	22	–	–	–	1	1	2	–	1	9	4	4	52	–	–	–	2	1	1	3	7	5	20	13
	F	33	–	–	–	–	1	3	5	4	5	5	10	76	–	–	–	3	4	6	3	3	13	25	19
Puerperal sepsis	F	3	–	–	–	–	1	1	1	–	–	–	–	5	–	–	–	–	1	3	1	–	–	–	–
Other puerperal	F	5	–	–	–	–	1	3	1	–	–	–	–	2	–	–	–	–	–	1	1	–	–	–	–
Congenital causes, etc.	M	45	43	1	1	–	–	–	–	–	–	–	–	66	66	–	–	–	–	–	–	–	–	–	–
	F	30	29	1	–	–	–	–	–	–	–	–	–	56	55	–	–	–	–	–	1	–	–	–	–
Senility	M	11	–	–	–	–	–	–	–	–	–	4	7	43	–	–	–	–	–	–	–	–	–	3	40
	F	20	–	–	–	–	–	–	–	–	–	3	17	77	–	–	–	–	–	–	–	–	–	8	69
Suicide	M	26	–	–	–	–	3	2	7	4	3	4	3	41	–	–	–	–	1	5	5	10	11	9	–
	F	24	–	–	–	–	2	3	3	10	6	–	–	9	–	–	–	–	1	3	2	2	1	–	–
Other violence	M	37	3	–	–	4	5	2	2	–	5	5	11	71	3	1	–	9	10	9	5	5	14	10	5
	F	50	–	–	2	1	6	5	2	4	8	9	13	44	5	1	2	2	–	4	5	3	5	8	9
Other defined causes	M	91	2	–	3	5	5	7	6	12	14	21	16	162	16	2	3	14	12	6	10	14	20	33	32
	F	86	3	–	–	2	4	9	10	14	12	20	12	100	1	–	3	11	6	9	8	10	22	16	14
Ill-defined causes	M	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–

Causes of Death. *See* first page of Table.		LEWISHAM. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	PADDINGTON. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–
All Causes	M	1,091	55	9	18	26	54	45	57	126	232	238	231	904	94	15	8	22	30	41	40	115	170	199
	F	1,180	52	7	10	30	32	42	60	104	173	258	412	992	69	10	11	25	26	46	59	94	137	211
1 Typhoid fever, etc.	M	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2 Measles	M	1	–	–	–	1	–	–	–	–	–	–	–	5	2	2	1	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	1	–	–	–	–	–	–
3 Scarlet fever	M	2	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	1	–	–	–	–	–	–
	F	3	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
4 Whooping cough	M	5	2	1	2	–	–	–	–	–	–	–	–	3	1	1	1	–	–	–	–	–	–	–
	F	3	1	1	1	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–
5 Diphtheria	M	9	–	1	3	5	–	–	–	–	–	–	–	9	–	–	2	7	–	–	–	–	–	–
	F	11	–	–	5	5	–	1	–	–	–	–	–	10	–	–	–	10	–	–	–	–	–	–
6 Influenza	M	38	1	1	–	–	1	3	5	7	9	6	5	30	1	–	1	–	1	2	2	5	7	4
	F	55	–	1	–	–	1	1	3	6	10	9	24	58	–	–	–	1	2	4	4	5	13	10
7 Encephalitis lethargica	M	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	1	–	1	–
	F	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
8 Cerebro-spinal fever	M	2	–	–	–	1	–	1	–	–	–	–	–	2	1	1	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–
9 Respiratory tuberculosis	M	86	–	–	–	–	10	12	18	23	19	4	–	57	–	–	–	1	8	8	11	17	9	3
	F	56	–	–	–	2	18	13	10	5	5	3	–	33	1	–	–	–	7	14	6	2	1	2
10 Other tuberculosis	M	6	–	–	–	1	3	–	1	–	–	1	–	7	1	1	–	2	1	1	1	–	–	–
	F	12	–	–	2	3	3	–	1	–	2	1	–	7	–	–	2	–	1	–	2	–	1	1
11 Syphilis	M	2	–	–	–	–	–	–	1	1	–	–	–	5	1	–	–	–	–	–	–	1	2	1
	F	2	–	–	–	–	–	–	1	1	–	–	–	5	3	–	–	–	1	–	1	–	–	–
12 Gen. paralysis of insane, etc.	M	5	–	–	–	–	–	–	–	3	1	1	–	9	–	–	–	–	–	–	–	3	2	4
	F	–	–	–	–	–	–	–	–	–	–	–	–	5	–	–	–	–	–	–	1	1	2	–
13 Cancer	M	142	–	–	–	1	1	–	5	20	38	54	23	107	–	–	–	–	3	–	1	22	28	39
	F	159	–	–	–	2	–	2	7	23	45	55	25	124	–	–	–	–	1	3	8	27	33	29
14 Diabetes	M	13	–	–	–	–	3	1	1	–	4	3	1	4	–	–	–	–	–	–	–	–	1	2
	F	20	–	–	–	–	–	–	–	1	7	8	4	11	–	–	–	1	–	–	3	–	2	4
15 Cerebral hæmorrhage	M	30	–	–	–	–	–	1	1	2	10	9	7	25	–	–	–	–	–	1	–	5	3	8
	F	72	–	–	–	–	1	–	2	5	11	24	29	31	–	–	–	–	–	–	1	5	4	12
16 Heart disease	M	213	–	–	–	–	4	10	4	16	49	62	68	233	–	–	1	3	–	3	3	18	56	75
	F	292	–	–	–	1	1	10	5	17	41	74	143	269	–	–	–	1	1	4	8	17	29	81
17 Aneurysm	M	8	–	–	–	–	–	–	–	3	4	1	–	7	–	–	–	–	–	–	–	1	3	1
	F	3	–	–	–	–	–	–	–	2	–	1	–	4	–	–	–	–	–	–	1	1	1	1
18 Other circulatory	M	68	–	–	–	–	–	–	–	2	20	31	15	27	–	–	–	–	1	1	–	4	4	9
	F	49	–	–	–	–	–	–	1	2	6	14	26	52	–	–	–	–	–	–	1	5	4	14
19 Bronchitis	M	34	4	–	–	–	–	3	–	–	7	3	17	25	5	–	–	–	–	–	2	1	4	7
	F	42	1	–	–	–	–	–	2	1	6	7	25	35	–	–	1	1	–	1	1	–	5	7
20 Pneumonia	M	67	10	3	4	2	4	1	5	6	11	8	13	66	15	6	–	–	–	4	3	10	11	6
	F	50	9	1	–	–	–	–	8	6	4	5	17	72	12	4	1	2	2	1	4	8	7	12
21 Other respiratory	M	10	–	–	–	1	–	–	–	3	1	2	3	9	–	–	–	–	1	–	–	3	1	2
	F	20	1	–	–	–	1	1	1	3	1	3	9	9	–	2	–	–	1	1	–	1	–	2
22 Peptic ulcer	M	16	–	–	–	–	–	1	–	3	6	5	1	14	–	–	–	–	1	2	–	5	2	2
	F	8	–	–	–	–	–	–	2	3	1	1	1	8	–	–	–	–	–	–	–	2	3	2
23 Diarrhœa	M	7	4	1	–	–	1	–	–	1	–	–	–	21	20	1	–	–	–	–	–	–	–	–
	F	11	9	–	–	–	1	–	–	–	–	–	1	15	10	2	–	–	–	–	–	2	–	–
24 Appendicitis	M	3	–	–	–	1	–	–	–	–	2	–	–	5	–	–	–	1	–	–	1	2	1	–
	F	8	–	–	–	2	–	–	1	1	2	1	1	5	–	–	–	–	–	–	2	1	1	–
25 Cirrhosis of liver	M	3	–	–	–	–	–	–	–	–	2	–	1	2	–	–	–	–	–	–	–	1	1	–
	F	3	–	–	–	–	–	–	–	–	2	–	1	5	–	–	–	–	–	–	–	1	2	1
26 Other liver diseases	M	6	–	1	–	–	–	–	–	–	1	2	2	1	–	–	–	–	–	–	–	–	–	–
	F	6	–	–	–	–	–	–	–	1	3	1	1	4	–	–	–	–	1	–	–	1	–	1
27 Other digestive	M	26	–	1	3	1	1	1	3	5	7	2	2	7	1	–	–	–	–	1	–	1	2	2
	F	21	–	1	–	1	–	–	–	5	2	5	7	21	1	–	1	–	1	1	3	6	2	5
28 Nephritis	M	44	–	–	1	2	2	–	1	6	10	12	10	30	–	–	–	–	4	1	2	2	6	9
	F	40	–	–	–	2	1	3	3	4	4	13	10	15	–	–	–	1	–	–	2	2	2	6
29 Puerperal sepsis	F	3	–	–	–	–	–	1	2	–	–	–	–	4	–	–	–	–	2	2	–	–	–	–
30 Other puerperal	F	4	–	–	–	–	1	3	–	–	–	–	–	6	–	–	–	–	–	4	2	–	–	–
31 Congenital causes, etc.	M	31	29	–	1	1	–	–	–	–	–	–	–	31	31	–	–	–	–	–	–	–	–	–
	F	33	31	–	–	1	–	1	–	–	–	–	–	36	35	1	–	–	–	–	–	–	–	–
32 Senility	M	39	–	–	–	–	–	–	–	–	–	4	35	10	–	–	–	–	–	–	–	–	–	–
	F	69	–	–	–	–	–	–	–	–	–	8	61	26	–	–	–	–	–	–	–	–	–	5
33 Suicide	M	23	–	–	–	–	1	–	3	3	8	6	2	22	–	–	–	–	2	5	5	4	4	1
	F	4	–	–	–	–	2	–	–	1	–	1	–	17	–	–	–	–	–	4	2	1	9	1
34 Other violence	M	52	3	–	1	6	17	4	1	8	3	4	5	47	6	1	1	3	5	7	4	3	8	7
	F	32	–	–	–	–	1	1	2	4	6	3	15	40	1	1	4	3	1	4	1	–	6	5
35 Other defined causes	M	97	2	–	3	3	5	7	8	12	19	17	21	81	9	2	1	4	3	5	4	7	14	17
	F	86	–	2	2	10	–	5	8	13	15	20	11	59	2	–	1	4	5	3	6	6	10	10
36 Ill-defined causes	M	2	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Causes of Death. (see first page of Table.)		POPLAR.												ST. MARYLEBONE.											
		All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
All Causes	M	1,033	77	17	24	37	31	52	54	135	181	236	189	585	25	6	4	8	10	32	38	84	129	136	113
	F	826	48	21	19	22	43	40	60	76	121	174	202	639	26	2	8	4	12	28	37	73	95	139	215
Typhoid fever, etc.	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	M	2	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet fever	M	4	–	–	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	2	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Whooping cough	M	1	–	–	1	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–
	F	13	2	5	6	–	–	–	–	–	–	–	–	4	1	1	2	–	–	–	–	–	–	–	–
Diphtheria	M	10	–	1	5	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	8	–	–	4	4	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Influenza	M	41	–	–	–	–	3	1	5	12	8	7	5	14	–	–	–	–	1	1	1	4	5	–	2
	F	36	1	1	–	–	2	2	3	5	2	7	13	27	1	–	–	–	–	2	2	4	3	5	10
Encephalitis lethargica	M	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	1	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
Cerebro-spinal fever	M	2	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	2	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Respiratory tuberculosis	M	82	–	–	–	–	8	20	14	21	13	6	–	41	–	–	–	–	1	11	6	10	10	3	–
	F	51	–	1	–	–	21	14	9	4	2	–	–	15	–	–	–	–	3	5	2	3	1	1	–
Other tuberculosis	M	8	1	2	1	2	2	–	–	–	–	–	–	7	1	2	–	–	–	1	1	1	1	–	–
	F	6	1	1	1	–	2	–	1	–	–	–	–	5	–	–	1	2	1	–	–	–	1	–	–
Syphilis	M	1	–	–	–	–	–	–	–	–	–	1	–	8	–	–	–	–	–	1	1	–	5	1	–
	F	1	–	–	–	–	–	–	–	–	1	–	–	4	–	–	–	–	–	–	1	1	1	–	1
Gen. paralysis of insane, etc.	M	5	–	–	–	–	–	–	2	1	2	–	–	5	–	–	–	–	–	–	1	2	2	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	2	–	1	–	–
Cancer	M	116	–	–	–	–	2	3	3	17	29	40	22	82	–	–	–	–	–	2	1	10	24	30	15
	F	89	–	–	–	–	1	1	12	17	19	27	12	113	–	–	–	–	–	2	11	21	24	32	23
Diabetes	M	7	–	–	–	–	1	1	–	1	3	1	–	3	–	–	–	–	–	–	–	–	1	1	1
	F	13	–	–	–	–	–	–	1	–	7	3	2	11	–	–	–	–	–	–	–	–	5	5	1
Cerebral hæmorrhage	M	23	–	–	–	–	–	–	–	1	6	11	5	13	–	–	–	1	–	–	–	2	1	5	4
	F	23	–	–	–	–	–	–	–	–	8	8	7	22	–	–	–	–	–	1	–	2	4	8	7
Heart disease	M	266	–	–	–	3	3	3	3	13	51	89	101	135	–	–	1	1	–	1	–	12	26	49	45
	F	272	–	–	–	5	6	9	13	19	36	74	110	182	–	–	–	1	–	3	2	12	21	42	101
Aneurysm	M	2	–	–	–	–	–	–	–	1	1	–	–	6	–	–	–	–	–	–	1	1	2	2	–
	F	3	–	–	–	–	–	–	–	1	1	–	1	5	–	–	–	–	–	–	–	2	1	–	2
Other circulatory	M	48	–	–	–	1	–	–	–	7	9	20	11	18	–	–	–	–	–	–	–	2	6	3	7
	F	30	–	–	–	–	–	–	2	2	2	10	14	32	–	–	–	–	–	–	–	1	8	9	14
Bronchitis	M	65	7	–	–	–	–	2	–	14	12	15	15	20	–	–	–	–	1	–	4	3	4	3	5
	F	54	9	–	–	–	–	2	1	2	11	18	11	13	1	–	–	–	–	–	1	–	2	1	8
Pneumonia	M	83	13	10	4	3	1	5	8	13	10	11	5	54	1	2	–	1	1	2	5	12	10	14	6
	F	42	4	7	3	2	1	1	4	2	5	5	8	29	3	–	–	–	1	–	–	5	5	9	6
Other respiratory	M	8	–	–	–	–	–	–	1	2	2	1	2	9	–	–	–	–	1	1	1	2	3	–	1
	F	11	–	–	–	1	–	1	2	2	2	1	2	10	–	–	–	–	–	–	1	2	1	1	5
Peptic ulcer	M	15	–	–	–	–	–	–	1	8	4	1	1	15	–	–	–	–	–	1	4	4	4	–	2
	F	1	–	–	–	–	–	1	–	–	–	–	–	3	–	–	–	–	–	–	–	2	1	–	–
Diarrhœa	M	4	3	–	–	–	–	–	1	–	–	–	–	5	5	–	–	–	–	–	–	–	–	–	–
	F	8	5	2	–	–	–	–	1	–	–	–	–	9	7	–	–	–	1	1	–	–	–	–	–
Appendicitis	M	4	–	–	1	2	–	–	–	1	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
	F	4	–	–	–	–	1	–	–	3	–	–	–	3	–	–	–	–	–	–	–	2	–	1	–
Cirrhosis of liver	M	4	–	–	–	1	–	–	–	–	1	2	–	5	–	–	–	–	–	–	–	2	1	2	–
	F	2	–	–	–	–	–	–	–	1	–	1	–	5	–	–	–	–	–	–	1	–	2	2	–
Other liver diseases	M	2	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	4	–	–	–	–	–	–	–	1	2	1	–	3	–	–	–	–	–	–	–	–	3	–	–
Other digestive	M	17	2	–	1	1	1	–	2	3	2	2	3	16	1	–	–	–	1	1	4	2	2	–	5
	F	10	–	–	2	1	1	1	1	1	–	2	1	9	–	–	–	–	–	1	3	3	–	–	2
Nephritis	M	29	1	–	1	–	2	–	3	6	5	8	3	15	–	–	1	–	–	–	1	2	3	8	–
	F	24	–	–	–	–	3	1	2	4	8	3	3	22	–	–	–	–	1	1	1	3	4	4	8
Puerperal sepsis	F	4	–	–	–	–	–	2	2	–	–	–	–	3	–	–	–	–	–	2	1	–	–	–	–
Other puerperal	F	–	–	–	–	–	–	–	–	–	–	–	–	5	–	–	–	–	–	4	1	–	–	–	–
Congenital causes, etc.	M	46	44	–	1	1	–	–	–	–	–	–	–	12	12	–	–	–	–	–	–	–	–	–	–
	F	23	22	1	–	–	–	–	–	–	–	–	–	9	8	–	–	–	–	–	–	1	–	–	–
Senility	M	3	–	–	–	–	–	–	–	–	–	–	3	8	–	–	–	–	–	–	–	–	–	–	8
	F	6	–	–	–	–	–	–	–	–	–	1	5	14	–	–	–	–	–	–	–	–	–	3	11
Suicide	M	11	–	–	–	–	–	3	1	2	3	2	–	13	–	–	–	–	1	4	–	2	5	1	–
	F	7	–	–	–	–	–	–	1	2	3	1	–	6	–	–	–	–	–	2	–	1	2	1	–
Other violence	M	41	2	2	1	8	1	2	4	6	3	5	7	24	1	2	2	2	3	3	3	2	1	2	3
	F	21	2	–	2	3	–	–	–	1	4	2	7	15	1	–	–	–	–	1	1	1	–	3	8
Other defined causes†	M	82	3	1	5	10	5	12	4	6	17	13	6	54	2	–	–	2	–	3	4	9	13	12	9
	F	54	2	1	–	6	5	4	4	9	8	9	6	55	4	1	4	1	5	2	7	7	5	12	7
Ill-defined causes	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1

† Including 1 death from Smallpox at Poplar (a male aged 2 years).

Causes of Death. *See* first page of Table.		ST. PANCRAS. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	SHOREDITCH. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	7
All Causes	M	1,425	90	19	21	33	40	63	97	183	297	330	252	652	66	19	10	17	32	31	37	87	125	128	1
	F	1,183	61	17	9	26	31	44	63	117	189	287	339	560	44	11	11	18	37	32	33	52	86	113	1
1 Typhoid fever, etc.	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
2 Measles	M	1	–	–	1	–	–	–	–	–	–	–	–	2	–	2	–	–	–	–	–	–	–	–	
	F	3	–	2	1	–	–	–	–	–	–	–	–	5	1	2	2	–	–	–	–	–	–	–	
3 Scarlet fever	M	3	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	F	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
4 Whooping cough	M	8	2	5	1	–	–	–	–	–	–	–	–	3	1	2	–	–	–	–	–	–	–	–	
	F	7	2	4	–	1	–	–	–	–	–	–	–	11	5	4	2	–	–	–	–	–	–	–	
5 Diphtheria	M	6	1	1	2	2	–	–	–	–	–	–	–	7	–	1	3	3	–	–	–	–	–	–	
	F	7	–	–	2	5	–	–	–	–	–	–	–	8	–	1	2	5	–	–	–	–	–	–	
6 Influenza	M	64	1	–	1	1	2	4	11	14	14	12	4	20	–	1	2	–	2	–	3	3	4	1	
	F	57	–	1	–	–	2	2	4	8	11	11	18	25	1	–	2	–	2	1	2	4	5	4	
7 Encephalitis lethargica	M	2	–	–	–		1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
	F	4	–	–	–	–	–	–	–	1	3	–	–	1	–	–	–	–	–	–	–	–	–	1	
8 Cerebro-spinal fever	M	4	3	1	–	–	–	–	–	–	–	–	–	2	–	1	–	1	–	–	–	–	–	–	
	F	2	–	–	–	1	–	–	–	1	–	–	–	4	2	–	–	–	1	1	–	–	–	–	
9 Respiratory tuberculosis	M	128	–	–	–	2	13	23	25	27	25	12	1	52	–	–	2	–	9	12	7	13	7	2	
	F	44	–	–	–	1	12	10	3	6	6	4	2	38	–	–	–	1	14	12	3	5	3	–	
10 Other tuberculosis	M	8	1	–	4	3	–	–	–	–	–	–	–	6	1	1	–	1	1	1	–	1	–	–	
	F	15	–	1	2	4	1	2	1	2	1	1	–	2	–	1	–	1	–	–	–	–	–	–	
11 Syphilis	M	7	1	–	–	–	1	–	1	1	3	–	–	3	–	–	–	–	–	–	–	1	–	1	
	F	–	–	–	–	–	–	–	–	–	–	–	–	4	1	–	–	–	–	–	1	1	–	1	
12 Gen. paralysis of insane, etc.	M	12	–	–	–	–	1	–	1	4	5	1	–	2	–	–	–	–	–	–	–	–	2	–	
	F	4	–	–	–	–	–	–	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
13 Cancer	M	184	–	–	–	–	1	3	6	20	60	61	33	84	–	–	–	–	1	2	3	15	31	24	
	F	182	–	–	–	–	2	5	13	32	46	53	31	51	1	–	–	–	–	2	5	10	16	13	
14 Diabetes	M	9	–	–	–	–	–	–	1	4	1	2	1	6	–	–	–	–	–	–	1	1	3	1	
	F	11	–	–	–	–	–	–	–	1	1	7	2	4	–	–	–	–	–	–	–	–	1	3	
15 Cerebral hæmorrhage	M	29	–	–	–	–	–	–	1	3	5	13	7	21	–	–	–	–	–	1	–	–	2	11	
	F	25	–	–	–	–	–	–	–	2	4	7	12	18	–	–	–	–	–	1	1	4	4	4	
16 Heart disease	M	308	–	1	–	5	1	7	6	30	61	95	102	132	–	–	–	–	5	4	6	14	25	42	
	F	332	–	–	–	–	4	5	8	20	41	100	154	144	–	–	–	–	8	1	8	10	18	41	
17 Aneurysm	M	8	–	–	–	–	–	1	1	1	2	1	2	4	–	–	–	–	–	–	–	–	1	2	
	F	8	–	–	–	–	–	–	–	1	3	4	–	2	–	–	–	–	1	–	1	–	–	–	
18 Other circulatory	M	68	–	–	–	–	–	–	1	7	6	24	30	33	1	–	–	–	–	–	–	–	5	12	
	F	76	–	–	–	–	–	–	–	4	15	20	37	31	–	–	–	–	–	–	–	4	6	8	
19 Bronchitis	M	47	3	–	–	–	–	–	2	8	10	13	11	34	2	–	–	–	–	–	3	6	6	7	
	F	36	3	1	–	1	–	–	2	–	4	10	15	22	1	–	–	–	–	–	–	–	6	4	
20 Pneumonia	M	111	10	7	4	2	2	4	9	12	29	19	13	68	14	7	–	–	1	3	4	12	16	10	
	F	62	5	5	–	2	3	1	2	8	10	12	14	37	7	–	2	–	2	2	3	–	1	10	
21 Other respiratory	M	18	1	1	–	–	–	1	2	6	3	2	2	3	1	–	–	–	–	–	–	1	–	1	
	F	7	–	–	–	–	–	–	1	1	1	2	2	3	–	–	–	–	1	1	1	–	–	–	
22 Peptic ulcer	M	26	–	–	–	1		2	4	8	7	2	2	9	–	–	–	–	–	–	1	3	2	3	
	F	9	–	–	–	–	–	–	1	2	1	4	1	5	–	–	–	–	–	–	–	1	2	2	
23 Diarrhœa	M	18	14	1	–	–	–	1	–	–	1	1	–	16	14	1	–	–	–	–	–	–	1	–	
	F	19	14	1	–	1	–	–	1	1	–	1	–	9	7	–	–	–	1	–	–	–	1	–	
24 Appendicitis	M	5	–	–	–	1	1	–	1	1	1	–	–	1	–	–	–	–	–	–	–	1	–	–	
	F	7	–	–	1	–	–	1	–	2	1	2	–	2	–	–	–	–	1	–	–	–	1	–	
25 Cirrhosis of liver	M	8	–	–	–	–	–	–	1	1	4	2	–	1	–	–	–	–	–	–	–	–	–	1	
	F	6	–	–	–	–	–	–	1	2	2	–	1	2	–	–	–	–	–	–	–	–	–	2	
26 Other liver diseases	M	2	–	–	–	–	–	–	–	–	–	1	1	2	–	–	–	1	–	–	–	–	–	1	
	F	4	–	–	–	–	–	1	–	–	1	1	1	4	–	–	–	–	–	–	–	–	4	–	
27 Other digestive	M	30	3	–	1	2	2	1	2	4	6	8	1	9	1	1	–	2	1	–	–	2	2	–	
	F	26	1	–	–	1	–	–	3	1	7	6	7	15	–	–	–	2	–	1	–	5	1	5	
28 Nephritis	M	40	–	–	–	–	2	2	3	7	9	10	7	15	–	–	–	1	–	1	2	1	4	5	
	F	35	–	–	–	1	1	–	2	6	7	10	8	19	–	–	–	–	2	–	–	3	4	5	
29 Puerperal sepsis	F	5	–	–	–	–	–	3	2	–	–	–	–	4	–	–	–	–	–	4	–	–	–	–	
30 Other puerperal	F	5	–	–	–	–	–	3	2	–	–	–	–	2	–	–	–	–	1	1	–	–	–	–	
31 Congenital causes, etc.	M	39	37	–	1	1	–	–	–	–	–	–	–	25	24	–	–	1	–	–	–	–	–	–	
	F	27	26	–	–	1	–	–	–	–	–	–	–	15	15	–	–	–	–	–	–	–	–	–	
32 Senility	M	15	–	–	–	–	–	–	–	–	1	3	11	10	–	–	–	–	–	–	–	–	–	–	
	F	15	–	–	–	–	–	–	–	–	–	4	11	6	–	–	–	–	–	–	–	–	1	–	
33 Suicide	M	47	–	–	–	–	3	5	7	10	13	8	1	9	–	–	–	–	–	–	3	6	–	–	
	F	14	–	–	–	–	–	4	2	3	3	2	–	5	–	–	–	–	–	1	2	–	2	–	
34 Other violence	M	61	3	–	2	7	4	4	6	4	7	15	9	28	4	1	1	5	7	2	1	1	5	–	
	F	39	3	–	2	2	1	1	2	3	8	8	9	19	2	–	–	4	–	–	1	2	3	4	
35 Other defined causes	M	109	9	2	3	6	5	5	6	11	23	25	14	45	3	1	2	2	5	5	3	6	9	4	
	F	89	7	2	1	5	5	6	12	7	12	18	14	42	1	3	1	5	3	4	5	3	7	5	
36 Ill-defined causes	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	

Causes of Death. See first page of Table.		SOUTHWARK. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	STEPNEY. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
All Causes	M	1,269	85	19	18	32	43	50	78	142	248	308	246	1,521	117	30	22	39	61	80	91	188	326	341	226
	F	1,029	62	18	14	30	39	48	64	125	156	217	256	1,313	97	31	27	36	60	61	65	169	202	295	270
1 Typhoid fever, etc.	M	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	1	–	1	–	–	–	–
	F	3	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2 Measles	M	2	–	1	1	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
	F	4	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
3 Scarlet fever	M	3	–	1	2	–	–	–	–	–	–	–	–	2	–	–	1	1	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	1	–	–	–	–	–	–	–
4 Whooping cough	M	9	6	3	–	–	–	–	–	–	–	–	–	15	6	7	2	–	–	–	–	–	–	–	–
	F	14	6	6	–	2	–	–	–	–	–	–	–	16	5	5	6	–	–	–	–	–	–	–	–
5 Diphtheria	M	3	–	–	1	2	–	–	–	–	–	–	–	4	–	–	3	1	–	–	–	–	–	–	–
	F	9	1	1	4	3	–	–	–	–	–	–	–	9	1	1	3	4	–	–	–	–	–	–	–
6 Influenza	M	43	2	–	–	1	2	–	7	12	9	5	5	51	1	1	–	–	3	3	3	19	9	5	7
	F	55	–	–	–	1	2	5	8	10	9	10	10	66	–	1	1	–	1	4	5	7	7	13	27
7 Encephalitis lethargica	M	1	–	–	–	–	–	1	–	–	–	–	–	2	–	–	–	–	1	–	–	–	1	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	1	–	–	1	–	–	–
8 Cerebro-spinal fever	M	10	4	1	1	–	2	1	–	1	–	–	–	4	1	3	–	–	–	–	–	–	–	–	–
	F	5	1	–	1	–	1	2	–	–	–	–	–	6	1	–	2	2	–	–	–	1	–	–	–
9 Respiratory tuberculosis	M	118	–	–	–	1	13	14	21	31	24	14	–	142	1	–	–	1	18	30	21	30	29	11	1
	F	54	–	–	1	1	13	15	9	8	6	1	–	65	–	1	–	1	18	20	9	7	5	3	1
0 Other tuberculosis	M	9	–	–	3	1	4	–	1	–	–	–	–	18	2	1	1	3	4	4	2	1	–	–	–
	F	12	–	1	2	6	2	–	–	–	–	–	1	10	1	3	–	2	4	–	–	–	–	–	–
1 Syphilis	M	6	1	–	–	–	–	–	–	2	2	1	–	7	2	–	–	–	–	–	1	–	2	2	–
	F	4	–	–	–	–	–	–	–	1	3	–	–	12	4	–	–	–	–	1	–	–	4	3	–
2 Gen. paralysis of insane, etc.	M	7	–	–	–	–	–	–	1	–	5	1	–	12	–	–	–	–	–	1	3	2	3	2	1
	F	4	–	–	–	–	–	–	–	4	–	–	–	4	–	–	–	–	–	1	–	3	–	–	–
3 Cancer	M	140	–	–	–	–	1	–	5	15	49	56	14	196	–	–	–	–	2	6	5	25	63	71	24
	F	148	–	–	–	–	2	5	19	27	38	38	19	153	–	–	–	–	1	5	10	43	40	37	17
4 Diabetes	M	11	–	–	1	–	–	1	1	2	1	4	1	19	–	–	–	–	–	–	–	2	5	6	6
	F	9	–	–	–	–	–	–	–	1	2	4	2	36	–	–	–	–	1	1	1	4	16	13	–
5 Cerebral hæmorrhage	M	27	–	–	–	–	–	–	–	2	12	8	5	23	–	–	–	–	–	–	–	1	6	9	7
	F	36	–	–	–	–	1	–	1	4	6	14	10	42	–	–	–	–	–	–	–	8	11	13	10
6 Heart disease	M	320	–	–	–	3	4	4	13	13	50	100	133	344	–	–	–	5	4	4	15	30	80	109	97
	F	295	–	–	–	2	7	7	9	19	39	79	133	350	–	–	–	6	11	6	12	32	53	110	120
Aneurysm	M	11	–	–	–	–	–	–	1	3	5	1	1	9	–	–	–	–	–	1	1	3	2	2	–
	F	2	–	–	–	–	–	–	–	1	1	–	–	5	–	–	–	–	–	–	–	3	–	2	–
Other circulatory	M	34	–	–	–	–	–	–	–	3	3	13	15	62	–	–	–	1	1	–	3	5	10	26	16
	F	27	–	–	–	–	–	–	–	2	6	8	11	53	–	–	–	–	–	–	–	4	7	24	18
Bronchitis	M	60	2	1	–	–	–	–	3	9	16	14	15	52	3	–	–	–	–	1	–	5	18	14	11
	F	27	–	–	–	–	–	1	–	1	5	8	12	35	1	–	–	–	–	–	1	3	2	12	16
Pneumonia	M	103	13	8	3	2	3	6	5	15	23	16	9	154	22	11	7	6	2	4	10	14	32	29	17
	F	67	9	7	4	2	1	1	1	11	11	8	12	114	18	12	3	2	4	5	5	11	17	21	16
Other respiratory	M	5	–	–	–	–	–	1	1	1	1	–	1	24	–	1	–	–	–	4	3	4	4	3	5
	F	5	–	–	–	–	–	–	2	1	2	–	–	12	–	–	–	–	–	–	–	1	2	5	4
Peptic ulcer	M	21	–	–	–	–	–	1	3	3	10	4	–	20	–	–	–	–	–	1	2	6	7	4	–
	F	7	–	–	–	–	1	–	–	3	–	3	–	6	–	–	–	–	1	–	–	–	4	1	–
Diarrhœa	M	22	19	2	–	–	–	–	–	–	–	1	–	29	24	3	–	–	–	–	1	1	–	–	–
	F	14	10	1	–	–	1	–	–	1	1	–	–	40	27	5	–	1	–	–	1	1	1	2	2
Appendicitis	M	8	–	–	–	3	1	1	–	1	–	2	–	6	–	–	1	1	–	–	–	2	1	1	–
	F	6	–	–	–	–	1	1	1	3	–	–	–	7	–	–	–	4	1	1	–	–	–	1	–
Cirrhosis of liver	M	4	–	–	–	–	–	–	–	1	3	–	–	2	–	–	–	–	–	–	–	1	1	–	–
	F	5	–	–	–	–	–	–	1	–	1	3	–	2	–	–	–	–	–	–	2	–	–	–	–
Other liver diseases	M	6	–	–	–	–	–	1	–	–	1	4	–	4	–	–	–	–	–	–	–	1	1	1	1
	F	1	–	–	–	–	–	–	–	–	–	–	1	6	–	–	1	–	–	–	–	2	2	1	–
Other digestive	M	21	1	–	–	2	1	–	–	3	4	6	4	31	2	–	1	–	3	–	1	7	10	2	5
	F	18	2	–	–	2	–	–	2	–	4	4	4	26	4	–	3	2	–	1	2	6	3	3	2
Nephritis	M	45	–	–	1	–	1	5	2	5	2	16	13	43	–	–	1	1	2	4	4	4	7	12	8
	F	60	–	–	–	1	1	2	–	6	9	18	23	61	–	–	–	–	2	1	4	14	12	13	15
Puerperal sepsis	F	3	–	–	–	–	–	1	2	–	–	–	–	3	–	–	–	–	1	1	1	–	–	–	–
Other puerperal	F	3	–	–	–	–	–	2	1	–	–	–	–	8	–	–	–	–	2	5	1	–	–	–	–
Congenital causes, etc.	M	29	29	–	–	–	–	–	–	–	–	–	–	44	41	–	1	1	1	–	–	–	–	–	–
	F	27	27	–	–	–	–	–	–	–	–	–	–	34	32	1	–	1	–	–	–	–	–	–	–
Senility	M	8	–	–	–	–	–	–	–	–	–	2	6	6	–	–	–	–	–	–	–	–	–	2	4
	F	9	–	–	–	–	–	–	–	–	–	2	7	7	–	–	–	–	–	–	–	–	–	2	5
Suicide	M	20	–	–	–	–	–	3	2	5	8	2	–	21	–	–	–	–	1	6	3	4	4	2	1
	F	15	–	–	–	–	–	4	2	7	1	–	1	12	–	–	–	–	2	1	2	3	2	1	1
Other violence	M	65	–	–	3	9	6	7	6	7	6	13	8	54	3	–	2	10	9	4	2	9	7	4	4
	F	25	–	–	2	3	2	1	1	2	5	5	4	31	–	1	3	3	2	1	–	3	3	6	9
Other defined causes	M	96	7	1	2	8	5	4	6	8	14	25	16	117	8	2	2	8	9	7	10	12	24	24	11
	F	56	3	–	–	6	4	1	4	13	7	12	6	77	3	1	4	7	8	7	9	12	11	9	6
Ill-defined causes	M	2	1	1	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1

Causes of Death. *See* first page of Table.		STOKE NEWINGTON. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	WANDSWORTH. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75
All Causes	M	293	16	4	3	9	10	17	11	32	50	69	72	1,940	101	12	22	38	72	99	106	212	405	429	44
	F	335	14	2	6	6	10	18	14	27	49	86	103	2,147	97	19	18	41	75	108	102	219	296	457	71
1 Typhoid fever, etc.	M	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	1	–	–	–	–	–	–
	F	1	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
2 Measles	M	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	1	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
3 Scarlet fever	M	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	6	–	–	–	4	1	–	–	1	–	–	–
4 Whooping cough	M	1	1	–	–	–	–	–	–	–	–	–	–	9	3	2	2	2	–	–	–	–	–	–	–
	F	4	1	–	1	2	–	–	–	–	–	–	–	19	7	7	4	1	–	–	–	–	–	–	–
5 Diphtheria	M	5	–	1	1	3	–	–	–	–	–	–	–	7	–	–	3	4	–	–	–	–	–	–	–
	F	1	–	–	–	1	–	–	–	–	–	–	–	7	–	–	2	4	–	–	1	–	–	–	–
6 Influenza	M	10	–	–	–	–	–	1	–	1	3	1	4	90	2	–	–	4	2	3	9	13	25	17	
	F	13	–	–	–	–	1	–	1	2	1	4	4	105	2	1	2	2	5	11	8	14	11	20	
7 Encephalitis lethargica	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	F	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
8 Cerebro-spinal fever	M	1	–	–	–	1	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9 Respiratory tuberculosis	M	13	–	–	–	–	–	6	1	3	2	1	–	147	–	–	–	2	27	31	21	27	30	7	
	F	17	–	–	–	–	6	5	2	–	2	2	–	110	–	1	–	–	35	38	14	13	6	3	
10 Other tuberculosis	M	–	–	–	–	–	–	–	–	–	–	–	–	21	3	1	–	1	7	3	3	2	1	–	
	F	3	–	1	–	1	–	1	–	–	–	–	–	24	–	4	2	6	2	3	1	–	4	2	
11 Syphilis	M	–	–	–	–	–	–	–	–	–	–	–	–	6	1	–	–	–	–	–	1	2	2	–	
	F	1	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	1	–	1	–	
12 Gen. paralysis of insane, etc.	M	3	–	–	–	–	–	1	–	–	1	1	–	17	–	–	–	–	–	1	1	8	5	1	
	F	–	–	–	–	–	–	–	–	–	–	–	–	5	–	–	–	1	–	–	–	2	2	–	
13 Cancer	M	42	–	–	–	–	–	–	1	5	13	13	10	247	–	–	–	–	–	3	6	36	81	81	
	F	45	–	–	–	–	–	1	5	8	9	14	8	353	–	1	–	–	1	2	20	64	90	98	
14 Diabetes	M	4	–	–	–	–	–	–	–	–	1	1	2	22	–	–	–	–	1	–	–	4	3	8	
	F	7	–	–	–	–	–	–	–	–	1	6	–	27	–	–	–	–	–	–	–	1	4	9	
15 Cerebral hæmorrhage	M	6	–	–	–	–	–	–	1	–	2	1	2	42	–	–	–	–	–	–	–	4	9	18	
	F	12	–	–	–	–	–	–	–	–	3	4	5	71	–	–	–	–	–	–	1	7	9	23	
16 Heart disease	M	67	–	–	–	1	2	2	3	5	8	23	23	465	–	–	–	–	3	7	12	30	91	138	1
	F	100	–	–	–	–	–	1	2	5	17	30	45	573	–	–	–	–	3	13	10	34	59	137	3
17 Aneurysm	M	1	–	–	–	–	1	–	–	–	–	–	–	9	–	–	–	1	–	–	–	3	3	1	
	F	1	–	–	–	–	–	–	–	–	1	–	–	8	–	–	–	–	–	–	1	–	3	2	
18 Other circulatory	M	18	–	–	–	–	–	–	1	3	5	1	8	63	–	–	–	–	–	–	1	4	16	17	
	F	26	–	–	–	–	–	1	–	2	3	7	13	77	–	–	–	–	–	–	–	5	13	26	
19 Bronchitis	M	13	–	1	–	–	–	1	–	–	3	3	5	66	1	–	–	–	–	1	–	6	14	13	
	F	8	1	–	–	–	–	–	–	–	–	3	4	91	1	–	–	–	2	1	2	2	9	20	
20 Pneumonia	M	15	1	–	–	–	1	–	1	2	1	4	5	113	7	6	5	3	1	9	16	15	21	17	
	F	20	3	1	2	–	1	–	–	2	3	3	5	69	5	1	2	2	2	1	7	7	13	13	
21 Other respiratory	M	3	–	–	–	–	–	–	–	1	1	–	1	21	–	–	–	–	4	–	2	1	3	4	
	F	3	–	–	–	–	–	–	–	–	1	–	2	26	–	1	–	2	1	2	1	4	1	8	
22 Peptic ulcer	M	3	–	–	–	–	1	–	–	–	1	1	–	32	–	–	–	–	–	1	4	7	11	8	
	F	2	–	–	–	–	–	–	–	2	–	–	–	21	–	–	–	–	–	–	3	4	6	4	
23 Diarrhœa	M	7	6	1	–	–	–	–	–	–	–	–	–	23	17	1	–	–	–	1	–	1	2	–	
	F	2	2	–	–	–	–	–	–	–	–	–	–	27	18	1	–	–	1	–	1	3	2	1	
24 Appendicitis	M	4	–	–	–	2	1	–	–	–	–	–	1	18	–	–	1	2	1	2	2	3	4	1	
	F	4	–	–	1	–	–	–	2	–	–	1	–	16	–	–	–	1	1	1	1	6	3	1	
25 Cirrhosis of liver	M	3	–	–	–	–	–	–	–	–	–	3	–	7	–	–	–	–	–	–	–	–	4	1	
	F	–	–	–	–	–	–	–	–	–	–	–	–	6	–	–	–	–	–	–	2	1	2	–	
26 Other liver diseases	M	3	–	–	–	–	–	–	–	2	–	1	–	9	–	–	–	–	–	–	1	–	–	6	
	F	–	–	–	–	–	–	–	–	–	–	–	–	11	–	–	–	–	–	–	–	1	4	4	
27 Other digestive	M	7	1	–	–	–	1	–	–	1	2	1	1	46	–	–	2	2	2	4	2	7	13	8	
	F	10	–	–	–	–	–	–	–	3	–	3	4	42	–	–	1	2	1	2	3	8	6	9	
28 Nephritis	M	11	–	–	–	–	1	–	–	2	1	5	2	77	–	–	–	–	3	4	4	7	24	20	
	F	8	–	–	–	–	–	1	–	–	3	3	1	76	–	–	–	1	2	4	6	10	15	23	
29 Puerperal sepsis	F	–	–	–	–	–	–	–	–	–	–	–	–	8	–	–	–	–	1	6	1	–	–	–	
30 Other puerperal	F	6	–	–	–	–	1	4	1	–	–	–	–	13	–	–	–	–	4	6	3	–	–	–	
31 Congenital causes, etc.	M	6	6	–	–	–	–	–	–	–	–	–	–	55	54	–	1	–	–	–	–	–	–	–	
	F	6	6	–	–	–	–	–	–	–	–	–	–	54	53	–	–	1	–	–	–	–	–	–	
32 Senility	M	5	–	–	–	–	–	–	–	–	–	–	5	35	–	–	–	–	–	–	–	–	–	6	
	F	5	–	–	–	–	–	–	–	–	–	–	5	58	–	–	–	–	–	–	–	–	–	4	
33 Suicide	M	6	–	–	–	–	1	1	–	2	2	–	–	29	–	–	–	–	1	9	4	6	5	3	
	F	4	–	–	–	–	–	1	–	1	1	1	–	16	–	–	–	–	–	3	4	4	2	2	
34 Other violence	M	14	–	–	1	1	1	3	–	2	1	3	2	82	3	–	2	7	13	6	10	8	9	11	
	F	4	–	–	–	–	–	–	–	2	–	1	1	58	2	1	1	2	3	3	1	4	5	12	
35 Other defined causes	M	21	1	1	1	–	–	2	3	3	3	6	1	175	9	1	5	9	6	13	7	18	29	43	
	F	21	1	–	2	2	–	2	1	–	4	4	5	166	9	1	3	12	10	12	10	24	26	35	
36 Ill-defined causes	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

Causes of Death. (see first page of Table.)		WESTMINSTER. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	WOOLWICH. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
All Causes	M	879	49	4	7	8	23	39	50	123	208	196	172	834	55	7	11	17	48	36	51	85	184	179	161
	F	698	26	6	9	4	16	25	43	79	117	147	226	800	61	6	13	26	29	34	50	74	97	157	253
1 Typhoid fever, etc.	M	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2 Measles	M	3	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
3 Scarlet fever	M	2	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	2	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
4 Whooping cough	M	3	2	1	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
	F	3	–	2	1	–	–	–	–	–	–	–	–	8	3	1	4	–	–	–	–	–	–	–	–
5 Diphtheria	M	–	–	–	–	–	–	–	–	–	–	–	–	5	–	–	–	4	1	–	–	–	–	–	–
	F	1	–	–	–	1	–	–	–	–	–	–	–	10	–	1	2	6	–	–	–	1	–	–	–
6 Influenza	M	40	2	–	–	–	–	3	2	8	10	8	7	20	–	–	–	–	3	1	3	3	–	5	5
	F	29	1	–	–	–	1	1	2	4	6	3	11	20	–	–	1	–	–	–	2	2	2	6	7
7 Encephalitis lethargica	M	1	–	–	–	1	–	–	–	–	–	–	–	2	–	–	–	–	–	1	–	1	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
8 Cerebro-spinal fever	M	3	1	–	–	1	1	–	–	–	–	–	–	3	–	1	–	1	1	–	–	–	–	–	–
	F	1	1	–	–	–	–	–	–	–	–	–	–	2	1	1	–	–	–	–	–	–	–	–	–
9 Respiratory tuberculosis	M	69	–	–	–	1	7	16	12	14	11	6	2	62	–	–	1	–	12	14	12	9	11	2	1
	F	22	–	–	–	1	4	7	7	–	1	2	–	54	–	–	1	1	12	20	10	8	2	–	–
10 Other tuberculosis	M	5	–	–	–	–	2	1	–	1	1	–	–	12	–	–	1	1	4	4	–	1	–	1	–
	F	6	–	–	–	1	–	1	2	1	1	–	–	7	–	–	2	2	–	–	1	1	1	–	–
11 Syphilis	M	10	2	–	–	–	–	–	–	4	3	–	1	3	–	–	–	–	–	–	–	1	–	1	1
	F	2	2	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–
12 Gen. paralysis of insane, etc.	M	5	–	–	–	–	–	–	1	2	2	–	–	7	–	–	–	–	–	–	1	2	2	2	–
	F	2	–	–	–	–	–	–	1	–	1	–	–	2	–	–	–	–	–	–	1	–	1	–	–
13 Cancer	M	117	–	–	–	–	2	2	1	18	40	34	20	105	–	–	–	–	2	–	4	14	37	28	20
	F	108	–	–	–	–	1	3	8	20	30	25	21	103	–	–	–	–	2	–	9	21	21	26	24
14 Diabetes	M	10	–	–	–	–	–	–	–	3	5	1	1	7	–	–	–	–	–	1	–	1	3	1	1
	F	8	–	–	–	–	–	–	1	–	2	1	4	9	–	–	–	1	–	1	–	–	1	3	3
15 Cerebral hæmorrhage	M	33	–	–	–	–	–	–	1	4	12	8	8	31	–	–	–	–	–	–	1	2	6	10	12
	F	40	–	–	–	–	–	2	–	3	8	8	19	55	–	–	–	–	1	–	3	4	7	12	28
16 Heart disease	M	197	–	–	–	–	1	–	1	17	46	64	68	201	–	–	–	–	2	5	6	16	53	60	59
	F	183	–	–	–	–	3	1	5	14	23	49	88	196	–	–	–	2	1	3	7	12	24	48	99
17 Aneurysm	M	5	–	–	–	–	–	–	2	1	1	1	–	8	–	–	–	–	–	–	1	1	6	–	–
	F	4	–	–	–	–	–	–	–	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
18 Other circulatory	M	43	–	–	–	–	–	1	–	1	10	13	18	29	–	–	–	–	1	–	1	2	5	9	11
	F	31	–	–	–	–	–	–	–	2	4	8	17	34	–	–	–	–	–	–	1	3	6	12	12
19 Bronchitis	M	25	–	1	–	–	–	–	–	2	3	12	7	25	1	–	–	–	–	1	1	1	2	4	15
	F	39	–	–	1	–	–	–	–	–	4	9	25	27	1	–	–	–	–	–	1	–	1	6	18
20 Pneumonia	M	54	7	1	3	–	–	–	4	9	15	6	9	52	12	5	2	2	3	1	3	5	11	5	3
	F	45	5	1	1	–	–	1	5	7	10	6	9	34	7	1	1	–	2	1	1	3	3	9	6
21 Other respiratory	M	6	–	–	–	–	–	–	2	1	–	–	3	10	–	–	–	–	–	–	–	2	4	3	1
	F	8	–	–	–	–	–	–	–	3	1	1	3	6	–	–	–	2	–	1	–	–	1	1	1
22 Peptic ulcer	M	18	–	–	–	–	–	1	4	3	5	5	–	16	–	–	–	–	3	–	1	6	4	2	–
	F	10	–	–	–	–	–	–	1	1	4	4	–	5	–	–	–	–	–	–	–	2	1	2	–
23 Diarrhœa	M	9	8	–	–	–	–	–	–	–	–	1	–	8	5	1	–	–	–	1	–	1	–	–	–
	F	7	3	1	1	–	–	–	1	–	–	–	1	6	3	2	–	–	–	–	–	–	–	–	1
24 Appendicitis	M	3	–	–	–	–	–	–	1	–	1	1	–	9	–	–	–	2	2	1	1	1	2	–	–
	F	4	–	–	1	–	–	1	1	1	–	–	–	7	–	–	–	2	2	–	–	1	–	2	–
25 Cirrhosis of liver	M	4	–	–	–	–	–	–	–	1	2	1	–	2	–	–	–	–	–	–	1	–	1	–	–
	F	4	–	–	–	–	–	–	–	2	2	–	–	2	–	–	–	–	–	–	–	–	–	1	1
26 Other liver diseases	M	2	–	–	–	–	–	–	–	–	1	–	1	4	–	–	–	–	–	–	1	–	2	1	–
	F	7	–	–	–	–	–	–	1	1	1	2	2	4	–	–	–	–	–	–	–	–	2	–	2
27 Other digestive	M	14	1	–	–	–	1	2	2	5	1	2	–	17	2	–	2	2	–	1	1	2	2	4	1
	F	18	–	–	2	–	1	–	1	3	4	6	1	19	2	–	–	–	1	–	4	2	3	4	3
28 Nephritis	M	26	–	–	–	–	1	–	1	6	6	8	4	21	–	–	1	–	2	1	2	2	5	5	3
	F	13	–	–	–	–	–	1	1	–	3	4	4	20	–	–	–	–	–	3	3	–	6	5	3
29 Puerperal sepsis	F	1	–	–	–	–	–	1	–	–	–	–	–	2	–	–	–	–	–	2	–	–	–	–	–
30 Other puerperal	F	3	–	–	–	–	1	1	1	–	–	–	–	4	–	–	–	–	2	1	1	–	–	–	–
31 Congenital causes, etc.	M	16	16	–	–	–	–	–	–	–	–	–	–	28	28	–	–	–	–	–	–	–	–	–	–
	F	12	11	1	–	–	–	–	–	–	–	–	–	37	36	–	–	–	1	–	–	–	–	–	–
32 Senility	M	3	–	–	–	–	–	–	–	–	–	1	2	13	–	–	–	–	–	–	–	–	–	4	9
	F	5	–	–	–	–	–	–	–	–	–	–	5	32	–	–	–	–	–	–	–	–	–	5	27
33 Suicide	M	32	–	–	–	–	2	4	5	5	11	3	2	8	–	–	–	–	–	–	–	–	2	4	2
	F	4	–	–	–	–	–	1	–	2	1	–	–	9	–	–	–	–	–	–	3	2	2	1	1
34 Other violence	M	51	5	–	2	2	4	5	4	10	8	5	6	46	4	–	1	1	10	3	7	4	7	4	5
	F	29	2	–	1	1	5	2	–	3	4	5	6	24	2	–	1	4	1	–	–	4	3	2	7
35 Other defined causes	M	69	5	–	–	1	2	3	7	8	14	16	13	79	2	–	3	4	2	1	4	8	19	24	12
	F	47	1	1	1	–	–	2	5	9	6	13	9	57	4	–	1	5	4	2	3	8	8	12	10
36 Ill-defined causes	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–

Causes of Death. *See* first page of Table.		BARNSLEY. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	BARROW-IN-FURNESS. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75
All Causes	M	492	69	10	10	24	19	25	26	60	70	117	62	445	29	7	9	11	18	24	29	59	71	109	7
	F	459	50	7	17	25	15	18	34	43	67	88	95	367	27	1	3	11	19	13	25	35	62	67	10
1 Typhoid fever, etc.	M	1	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
	F	1	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–	1	–	–	–	1	–	–
2 Measles	M	–	–	–	–	–	–	–	–	–	–	–	–	9	1	1	3	4	–	–	–	–	–	–	–
	F	1	1	–	–	–	–	–	–	–	–	–	–	8	2	1	2	3	–	–	–	–	–	–	–
3 Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
4 Whooping cough	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
	F	3	–	–	2	1	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
5 Diphtheria	M	5	–	–	–	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	9	–	–	4	5	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
6 Influenza	M	23	1	–	–	1	2	–	–	5	5	4	5	16	–	–	–	–	–	1	4	4	2	2	
	F	29	2	1	1	1	2	1	2	3	4	8	4	23	2	–	–	–	3	2	2	6	2	2	
7 Encephalitis lethargica	M	1	–	–	–	–	1	–	–	–	–	–	–	3	–	–	1	–	–	–	–	2	–	–	
	F	2	–	–	–	–	–	1	–	–	1	–	–	2	–	–	–	1	–	–	–	1	–	–	
8 Cerebro-spinal fever	M	4	–	1	–	2	–	1	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	
	F	5	1	–	–	4	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	
9 Respiratory tuberculosis	M	40	–	–	–	–	6	11	6	12	3	2	–	38	–	–	–	–	4	10	7	11	6	–	
	F	18	–	–	–	1	3	7	6	1	–	–	–	14	–	–	–	1	3	4	5	–	1	–	
10 Other tuberculosis	M	6	2	–	2	2	–	–	–	–	–	–	–	7	2	–	1	–	1	–	–	2	1	–	
	F	6	–	2	1	1	–	1	–	1	–	–	–	2	–	–	–	1	1	–	–	–	–	–	
11 Syphilis	M	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
12 Gen. paralysis of insane, etc.	M	2	–	–	–	–	–	–	–	2	–	–	–	2	–	–	–	–	–	–	–	1	–	1	
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
13 Cancer	M	46	–	–	–	2	–	2	4	7	13	13	5	48	–	–	–	1	–	1	2	5	10	23	
	F	54	–	–	1	–	–	–	4	12	17	10	10	44	–	–	–	–	2	–	5	6	12	10	
14 Diabetes	M	3	–	–	–	–	–	–	–	–	–	3	–	2	–	–	–	–	1	–	–	–	1	–	
	F	6	–	–	–	–	–	–	–	–	2	3	1	7	–	–	–	–	–	–	–	1	4	2	
15 Cerebral hæmorrhage	M	28	–	–	–	–	–	–	–	1	4	13	10	18	–	–	–	–	–	–	1	–	3	9	
	F	23	–	–	–	–	–	–	1	3	4	9	6	24	–	–	–	–	–	–	–	2	4	8	
16 Heart disease	M	87	–	–	–	1	–	–	4	11	24	34	13	89	–	–	–	–	3	1	2	9	13	40	
	F	96	–	–	1	3	4	3	10	8	13	28	26	88	–	–	–	1	3	1	1	9	18	21	
17 Aneurysm	M	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	1	–	
	F	1	–	–	–	–	–	–	–	–	1	–	–	3	–	–	–	–	–	–	–	–	2	1	
18 Other circulatory	M	28	–	–	–	–	–	–	–	1	4	11	12	29	–	–	–	–	–	–	2	2	8	7	
	F	25	–	–	–	–	–	–	–	1	3	6	15	18	–	–	–	–	–	–	–	–	4	5	
19 Bronchitis	M	34	8	1	–	–	1	–	–	3	4	12	5	34	1	1	1	1	1	2	1	4	6	4	
	F	20	7	–	–	–	1	–	1	–	4	3	4	22	1	–	–	–	–	1	–	–	3	5	
20 Pneumonia	M	50	21	5	5	2	1	2	2	2	1	7	2	35	1	4	2	1	1	2	5	7	4	3	
	F	41	14	4	2	3	1	–	2	1	4	3	7	16	3	–	–	–	–	–	2	4	2	3	
21 Other respiratory	M	2	1	–	–	–	1	–	–	–	–	–	–	4	–	–	–	–	–	–	–	1	1	2	
	F	6	–	–	1	1	–	1	1	–	1	–	1	3	–	–	–	–	–	–	–	1	–	1	
22 Peptic ulcer	M	5	–	–	–	–	–	1	1	2	1	–	–	5	–	–	–	–	1	1	–	3	–	–	
	F	1	–	–	–	–	–	–	1	–	–	–	–	3	–	–	–	–	–	2	–	–	–	1	
23 Diarrhœa	M	4	2	–	1	–	–	–	–	–	–	1	–	2	2	–	–	–	–	–	–	–	–	–	
	F	6	4	–	1	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	
24 Appendicitis	M	4	–	–	–	–	1	1	–	–	2	–	–	2	–	–	–	–	–	–	–	–	–	2	
	F	2	–	–	–	–	–	–	–	2	–	–	–	2	–	–	–	–	1	–	–	–	1	–	
25 Cirrhosis of liver	M	2	–	–	–	–	–	–	–	–	–	2	–	2	–	–	–	–	–	–	–	1	–	1	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
26 Other liver diseases	M	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	F	4	–	–	–	–	–	–	–	–	1	2	1	2	–	–	–	–	–	–	–	–	–	–	1
27 Other digestive	M	7	1	1	–	2	–	–	1	1	–	1	–	6	1	–	–	1	–	–	–	1	1	1	
	F	10	–	–	1	1	–	–	–	1	1	4	2	5	1	–	–	–	–	–	–	–	2	1	
28 Nephritis	M	11	–	1	–	–	–	1	–	2	1	5	1	5	–	–	–	–	–	–	–	1	1	3	
	F	18	–	–	–	–	2	–	1	3	5	3	4	9	–	–	–	1	1	–	2	1	2	2	
29 Puerperal sepsis	F	1	–	–	–	–	–	1	–	–	–	–	–	2	–	–	–	–	–	–	2	–	–	–	
30 Other puerperal	F	4	–	–	–	–	1	2	1	–	–	–	–	5	–	–	–	–	2	–	3	–	–	–	
31 Congenital causes, etc.	M	26	26	–	–	–	–	–	–	–	–	–	–	17	17	–	–	–	–	–	–	–	–	–	
	F	18	18	–	–	–	–	–	–	–	–	–	–	13	13	–	–	–	–	–	–	–	–	–	
32 Senility	M	6	–	–	–	–	–	–	–	–	–	2	4	14	–	–	–	–	–	–	–	–	–	3	
	F	12	–	–	–	–	–	–	–	–	–	2	10	16	–	–	–	–	–	–	–	–	–	1	
33 Suicide	M	3	–	–	–	–	–	–	1	–	2	–	–	10	–	–	–	–	–	1	1	3	3	2	
	F	1	–	–	–	–	–	–	1	–	–	–	–	3	–	–	–	–	1	1	1	–	–	–	
34 Other violence	M	21	–	–	1	2	3	2	5	5	1	2	–	9	–	–	–	–	–	1	3	2	–	–	2
	F	8	–	–	–	1	–	1	–	2	–	3	1	3	–	–	–	–	–	–	–	–	2	–	
35 Other defined causes	M	40	5	1	1	6	2	4	2	5	5	5	4	32	4	–	–	2	5	2	–	1	9	5	
	F	26	1	–	2	3	1	–	2	5	5	4	3	22	3	–	1	1	1	2	2	4	2	3	
36 Ill-defined causes	M	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	1	–	–	
	F	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	

Causes of Death. (see first page of Table.)		BATH. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	BIRKENHEAD. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
All Causes	M	422	24	5	4	3	17	16	22	34	62	110	125	1040	155	42	32	35	36	33	76	113	174	192	152
	F	560	15	3	4	4	8	15	23	34	75	133	246	995	90	35	35	32	36	47	66	86	130	202	236
1 Typhoid fever, etc.	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2 Measles	M	1	–	1	–	–	–	–	–	–	–	–	–	25	7	14	3	1	–	–	–	–	–	–	–
	F	2	1	1	–	–	–	–	–	–	–	–	–	19	4	8	5	2	–	–	–	–	–	–	–
3 Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
4 Whooping cough	M	–	–	–	–	–	–	–	–	–	–	–	–	8	1	4	3	–	–	–	–	–	–	–	–
	F	1	1	–	–	–	–	–	–	–	–	–	–	5	4	–	1	–	–	–	–	–	–	–	–
5 Diphtheria	M	3	–	–	1	1	–	–	–	1	–	–	–	5	–	–	5	–	–	–	–	–	–	–	–
	F	1	–	–	–	1	–	–	–	–	–	–	–	10	–	1	4	5	–	–	–	–	–	–	–
6 Influenza	M	25	1	–	–	–	1	1	3	5	3	5	6	43	3	1	2	2	1	3	7	7	8	6	3
	F	40	1	–	–	–	–	–	1	4	3	17	14	47	–	–	1	–	1	9	3	5	7	7	14
7 Encephalitis lethargica	M	1	–	–	–	–	–	1	–	–	–	–	–	4	–	–	–	–	–	1	1	1	1	–	–
	F	1	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
8 Cerebro-spinal fever	M	2	–	1	–	–	1	–	–	–	–	–	–	2	1	–	–	–	–	–	1	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–
9 Respiratory tuberculosis	M	23	–	–	–	–	4	4	6	2	3	4	–	83	–	–	–	6	12	9	20	23	9	4	–
	F	14	–	–	–	–	2	3	4	3	1	1	–	53	1	–	–	2	16	13	17	–	1	3	–
10 Other tuberculosis	M	6	–	2	1	–	2	–	–	–	–	1	–	12	–	–	3	3	2	–	2	1	–	–	1
	F	7	1	–	2	1	–	–	–	1	2	–	–	12	–	2	3	4	1	2	–	–	–	–	–
11 Syphilis	M	3	2	–	–	–	–	–	–	1	–	–	–	4	–	–	–	–	–	–	2	1	1	–	–
	F	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
12 Gen. paralysis of insane, etc.	M	1	–	–	–	–	–	–	–	–	1	–	–	7	–	–	–	–	–	–	3	1	3	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
13 Cancer	M	48	–	–	–	1	–	1	1	3	18	12	12	116	–	–	1	–	–	–	6	17	39	35	18
	F	86	–	–	–	–	–	1	7	6	19	24	29	103	–	–	1	–	–	–	9	20	31	31	11
14 Diabetes	M	4	–	–	–	–	–	–	1	–	1	1	1	6	–	–	–	–	–	–	–	–	3	1	2
	F	8	–	–	–	–	–	–	1	–	2	4	1	13	–	–	–	–	–	–	–	1	4	7	1
15 Cerebral hæmorrhage	M	12	–	–	–	–	–	–	–	–	–	5	7	36	–	–	–	–	–	–	1	4	7	17	7
	F	37	–	–	–	–	–	–	–	4	4	9	20	46	–	–	–	–	–	–	–	3	15	13	15
16 Heart disease	M	95	–	–	–	–	1	2	1	9	10	28	44	191	–	–	–	6	5	5	9	19	43	57	47
	F	125	–	–	–	1	–	2	1	6	6	29	80	218	–	1	1	4	5	4	8	17	30	65	83
17 Aneurysm	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
18 Other circulatory	M	23	–	–	–	–	–	–	–	2	1	11	9	37	–	–	–	–	–	–	–	2	4	14	17
	F	29	–	–	–	–	–	–	–	–	6	9	14	49	–	–	–	–	–	–	–	1	6	12	30
19 Bronchitis	M	13	–	–	–	–	–	–	1	–	2	3	7	36	8	1	–	–	1	–	3	3	5	8	7
	F	23	1	–	–	–	–	–	–	–	1	3	18	36	7	1	–	–	1	–	–	–	4	8	15
20 Pneumonia	M	20	5	–	–	–	–	1	1	1	1	5	6	105	35	14	7	6	5	3	4	7	12	5	7
	F	30	2	1	–	1	–	1	–	1	4	6	14	93	13	17	9	1	1	1	8	7	10	16	10
21 Other respiratory	M	5	1	–	–	–	–	–	–	1	1	2	–	9	–	–	1	–	1	–	–	1	3	1	2
	F	6	–	–	–	–	–	1	–	–	1	1	3	8	1	–	–	–	–	1	–	3	–	1	2
22 Peptic ulcer	M	8	–	–	–	–	–	–	1	1	2	4	–	12	–	–	–	–	–	1	1	3	2	3	2
	F	3	–	–	–	–	–	–	–	1	1	1	–	3	–	–	–	–	–	–	–	2	–	1	–
23 Diarrhœa	M	6	4	1	–	–	–	1	–	–	–	–	–	30	24	2	–	–	–	1	1	1	–	1	–
	F	2	–	–	–	–	–	–	–	–	1	1	–	18	10	2	2	–	–	1	1	–	1	1	–
24 Appendicitis	M	–	–	–	–	–	–	–	–	–	–	–	–	5	–	–	1	1	–	1	–	1	1	–	–
	F	4	–	–	–	–	1	–	–	–	2	1	–	3	–	–	–	–	1	1	–	–	–	–	1
25 Cirrhosis of liver	M	4	–	–	–	–	–	–	–	–	1	2	1	3	–	–	–	–	–	–	1	1	–	1	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	2	1	–
26 Other liver diseases	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
	F	1	–	–	–	–	–	–	–	–	1	–	–	6	–	–	–	–	–	–	–	3	2	1	–
27 Other digestive	M	6	–	–	–	1	–	2	1	1	–	1	–	22	2	1	3	–	–	1	–	4	3	3	5
	F	11	–	–	2	–	–	–	–	1	3	3	2	25	–	1	–	4	1	1	3	9	–	5	1
28 Nephritis	M	19	–	–	–	–	–	–	2	2	3	8	4	40	–	–	–	2	1	1	1	–	9	12	14
	F	28	–	–	–	–	1	–	2	1	7	8	9	42	–	–	–	1	2	1	5	3	5	11	14
29 Puerperal sepsis	F	1	–	–	–	–	–	1	–	–	–	–	–	2	–	–	–	–	1	–	1	–	–	–	–
30 Other puerperal	F	3		–	–	–	1	1	1	–	–	–	–	11	–	–	–	–	1	6	4	–	–	–	–
31 Congenital causes, etc.	M	11	11	–	–	–	–	–	–	–	–	–	–	61	61	–	–	–	–	–	–	–	–	–	–
	F	7	7	–	–	–	–	–	–	–	–	–	–	41	40	1	–	–	–	–	–	–	–	–	–
32 Senility	M	12	–	–	–	–	–	–	–	–	–	2	10	15	–	–	–	–	–	–	–	–	–	3	12
	F	25	–	–	–	–	–	–	–	–	–	3	22	25	–	–	–	–	–	–	–	–	–	1	24
33 Suicide	M	7	–	–	–	–	1	1	1	1	1	1	1	9	–	–	–	–	–	–	2	3	1	3	–
	F	5	–	–	–	–	–	2	–	–	3	–	–	7	–	–	–	–	1	–	2	4	–	–	–
34 Other violence	M	22	–	–	1	–	4	2	1	2	7	3	2	35	2	2	–	4	4	5	6	4	3	3	2
	F	13	–	–	–	–	–	–	1	1	1	2	8	21	2	–	1	3	1	–	–	1	2	6	5
35 Other defined causes	M	41	–	–	1	–	3	–	2	2	7	12	14	76	11	3	3	4	4	1	5	8	17	15	5
	F	45	1	1	–	–	3	2	5	5	7	10	11	69	6	1	6	6	3	7	5	6	10	10	9
36 Ill-defined causes	M	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	F	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	1

Causes of Death. *See* first page of Table.		BIRMINGHAM. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	BLACKBURN. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
All Causes	M	5913	578	107	92	141	233	265	359	723	1167	1260	988	842	53	13	14	17	34	33	52	97	147	222	160
	F	5411	424	76	78	130	231	270	343	555	815	1126	1363	911	51	11	11	18	22	34	48	101	162	240	213
1 Typhoid fever, etc.	M	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2 Measles	M	43	10	21	9	3	–	–	–	–	–	–	–	7	2	4	–	1	–	–	–	–	–	–	–
	F	35	9	16	7	3	–	–	–	–	–	–	–	14	4	3	5	2	–	–	–	–	–	–	–
3 Scarlet fever	M	10	–	1	2	4	–	1	2	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
	F	9	–	–	1	6	–	1	–	1	–	–	–	2	–	–	1	1	–	–	–	–	–	–	–
4 Whooping cough	M	15	6	6	3	–	–	–	–	–	–	–	–	2	1	–	1	–	–	–	–	–	–	–	–
	F	20	7	8	3	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
5 Diphtheria	M	13	1	1	5	6	–	–	–	–	–	–	–	3	–	–	1	2	–	–	–	–	–	–	–
	F	19	1	–	5	9	2	–	–	1	1	–	–	2	1	–	–	1	–	–	–	–	–	–	–
6 Influenza	M	215	3	2	2	3	7	13	24	46	41	36	38	36	–	–	–	1	–	7	4	4	9	5	6
	F	256	5	3	5	3	6	14	23	35	24	67	71	44	–	–	–	–	–	3	5	4	9	11	12
7 Encephalitis lethargica	M	11	–	–	–	–	2	3	1	3	1	1	–	5	–	–	–	–	2	–	–	1	2	–	–
	F	12	–	–	–	–	1	3	1	2	3	1	1	1	–	–	–	–	–	–	–	1	–	–	–
8 Cerebro-spinal fever	M	12	6	–	3	–	1	1	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
	F	8	3	1	–	1	1	–	1	–	1	–	–		–	–	–	–	–	–	–	–	–	–	–
9 Respiratory tuberculosis	M	511	2	–	2	1	66	100	96	131	87	23	3	44	–	1	–	–	13	10	10	6	3	1	–
	F	358	1	–	1	6	96	84	85	47	31	5	2	36	–	–	–	1	9	9	7	3	5	2	–
10 Other tuberculosis	M	64	4	7	11	15	10	5	2	2	6	2	–	7	1	–	1	1	2	–	–	1	1	–	–
	F	49	7	4	10	9	9	1	1	2	2	2	2	10	–	–	–	4	3	–	1	2	–	–	–
11 Syphilis	M	32	3	–	–	1	–	1	2	9	12	3	1	3	1	–	–	–	–	–	–	–	–	2	–
	F	13	2	–	1	–	–	1	2	3	1	3	–	2	–	–	–	–	–	1	1	–	–	–	–
12 Gen. paralysis of insane, etc.	M	27	–	–	–	–	–	1	4	8	8	5	1	5	–	–	–	–	–	–	–	2	3	–	–
	F	6	–	–	–	–	–	–	–	4	2	–	–	2	–	–	–	–	–	–	–	1	1	–	–
13 Cancer	M	733	1	2	–	5	5	6	33	101	234	257	89	93	–	–	–	–	1	–	2	11	32	37	10
	F	724	–	–	–	3	4	16	42	142	194	202	121	115	–	–	–	–	–	2	5	27	32	34	15
14 Diabetes	M	57	–	–	–	–	3	1	1	3	15	29	5	8	–	–	–	–	–	1	1	2	3	1	–
	F	86	–	–	–	1	3	2	1	8	29	27	15	20	–	–	–	–	–	2	1	1	5	7	4
15 Cerebral hæmorrhage	M	252	1	–	–	–	1	–	2	21	62	101	64	32	–	–	–	–	–	–	1	5	5	15	6
	F	290	–	–	–	–	–	2	6	28	69	93	92	42	–	–	–	–	–	–	2	4	5	17	14
16 Heart disease	M	1166	–	–	–	5	13	21	34	98	247	376	372	172	–	–	–	1	3	3	8	14	33	71	39
	F	1262	1	1	1	9	25	28	40	87	175	366	529	188	–	–	–	2	1	6	6	21	36	58	58
17 Aneurysm	M	28	–	–	–	–	–	–	5	4	11	7	1	1	–	–	–	–	–	–	–	1	–	–	–
	F	20	–	–	–	1	4	2	1	4	4	3	1	–	–	–	–	–	–	–	–	–	–	–	–
18 Other circulatory	M	231	–	–	–	–	–	1	2	15	56	66	91	66	–	–	–	–	–	–	1	3	8	30	24
	F	218	–	–	–	–	–	1	4	17	42	71	83	58	–	–	1	–	–	–	–	6	8	21	22
19 Bronchitis	M	216	25	1	1	1	2	2	10	19	49	47	59	30	3	–	–	–	–	–	1	3	2	13	8
	F	206	14	2	2	–	3	1	7	9	25	48	95	39	3	1	–	1	1	–	1	3	4	15	10
20 Pneumonia	M	546	109	39	17	14	15	28	49	89	85	56	45	63	7	4	6	3	4	6	3	6	13	5	6
	F	315	77	25	9	6	8	10	19	32	34	52	43	49	8	2	1	2	1	2	1	7	7	11	7
21 Other respiratory	M	47	3	–	–	2	4	2	4	7	9	8	8	13	–	–	–	–	1	–	1	4	4	2	1
	F	48	1	1	2	2	2	5	7	4	5	9	10	21	–	1	–	1	–	–	1	4	4	3	7
22 Peptic ulcer	M	91	–	–	–	–	2	7	7	33	29	12	1	8	–	–	–	–	–	–	2	3	2	1	–
	F	40	–	–	–	–	–	2	3	12	11	5	7	3	–	–	–	–	–	–	–	1	–	2	–
23 Diarrhœa	M	82	58	7	5	1	–	1	1	–	1	7	1	6	3	–	1	–	–	–	–	–	–	2	–
	F	65	43	6	–	1	1	2	3	2	2	2	3	4	3	1	–	–	–	–	–	–	–	–	–
24 Appendicitis	M	39	–	–	2	7	4	3	5	6	6	4	2	4	–	–	–	–	2	–	–	1	1	–	–
	F	34	–	–	1	5	3	3	5	4	8	3	2	4	–	–	–	–	2	–	–	–	1	–	1
25 Cirrhosis of liver	M	16	–	–	–	–	–	–	–	3	7	3	3	–	–	–	–	–	–	–	–	–	–	–	–
	F	6	–	–	–	–	–	–	–	2	3	1	–	1	–	–	–	–	–	–	1	–	–	–	–
26 Other liver diseases	M	21	–	–	–	–	–	1	–	4	2	7	7	3	–	–	–	–	–	–	1	1	–	–	1
	F	35	–	–	–	–	–	4	2	3	5	8	13	8	–	–	–	–	–	–	1	–	4	2	1
27 Other digestive	M	92	9	6	6	4	5	5	6	8	21	10	12	17	–	1	–	–	–	1	1	5	2	3	4
	F	119	4	2	6	9	3	6	12	14	16	27	20	12	4	–	2	–	1	–	–	–	2	3	–
28 Nephritis	M	161	1	1	1	2	8	7	9	25	44	39	24	38	–	–	–	1	1	–	3	9	8	11	5
	F	110	1	–	–	4	8	8	11	11	18	26	23	43	–	–	–	–	–	1	1	7	13	16	5
29 Puerperal sepsis	F	22	–	–	–	–	3	11	7	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
30 Other puerperal	F	27	–	–	–	–	1	16	10	–	–	–	–	4	–	–	–	–	–	3	1	–	–	–	–
31 Congenital causes, etc.	M	285	281	1	–	3	–	–	–	–	–	–	–	31	31	–	–	–	–	–	–	–	–	–	–
	F	228	223	–	2	1	1	–	–	–	1	–	–	21	21	–	–	–	–	–	–	–	–	–	–
32 Senility	M	72	–	–	–	–	–	–	–	–	1	8	63	38	–	–	–	–	–	–	–	–	–	2	36
	F	151	–	–	–	–	–	–	–	–	1	16	134	50	–	–	–	–	–	–	–	–	–	10	40
33 Suicide	M	101	–	–	–	–	9	6	13	27	24	18	4	16	–	–	–	–	–	–	8	4	2	2	–
	F	64	–	–	–	–	7	13	7	17	11	9	–	15	–	–	–	–	1	2	2	1	4	4	1
34 Other violence	M	251	10	1	12	28	41	25	21	19	38	31	25	23	1	1	3	1	3	1	2	1	4	2	4
	F	156	7	1	13	20	12	7	6	10	25	20	35	16	1	–	1	1	–	2	1	–	1	3	6
35 Other defined causes	M	472	45	11	11	35	35	24	26	41	71	104	69	64	2	1	1	6	2	4	3	10	9	17	9
	F	396	18	6	9	29	28	27	37	52	72	60	58	83	5	3	–	2	3	1	10	8	21	20	10
36 Ill-defined causes	M	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	–	1
	F	4	–	–	–	–	–	–	–	1	–	–	3	1	–	–	–	–	–	–	–	–	–	1	–

Causes of Death. *See* first page of Table.		BLACKPOOL. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	BOLTON. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
All Causes	M	716	37	4	13	11	17	16	41	90	159	195	133	1230	84	30	24	36	36	42	77	133	255	313	200
	F	829	33	5	4	10	20	23	45	80	152	224	233	1272	83	19	20	16	41	59	108	117	193	302	314
1 Typhoid fever, etc.	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
	F	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2 Measles	M	2	1	–	1	–	–	–	–	–	–	–	–	7	1	2	4	–	–	–	–	–	–	–	–
	F	1	–	1	–	–	–	–	–	–	–	–	–	7	2	2	3	–	–	–	–	–	–	–	–
3 Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	7	–	2	3	–	1	1	–	–	–	–	–
	F	1	–	–	–	1	–	–	–	–	–	–	–	3	–	1	1	1	–	–	–	–	–	–	–
4 Whooping cough	M	3	1	1	1	–	–	–	–	–	–	–	–	4	3	1	–	–	–	–	–	–	–	–	–
	F	2	1	–	1	–	–	–	–	–	–	–	–	7	3	1	1	2	–	–	–	–	–	–	–
5 Diphtheria	M	2	–	–	–	2	–	–	–	–	–	–	–	5	–	–	2	3	–	–	–	–	–	–	–
	F	1	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
6 Influenza	M	22	–	–	1	–	–	1	3	6	3	4	4	76	1	2	3	2	3	6	10	12	13	9	15
	F	42	–	–	–	1	1	2	2	3	6	10	17	93	2	–	–	1	2	4	16	16	19	11	22
7 Encephalitis lethargica	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
	F	2	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	1	–	–	–	–	–	–
8 Cerebro-spinal fever	M	1	–	–	1	–	–	–	–	–	–	–	–	3	1	–	–	1	1	–	–	–	–	–	–
	F	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9 Respiratory tuberculosis	M	34	–	–	–	–	5	3	9	10	6	1	–	53	–	–	–	–	7	11	13	8	12	2	–
	F	29	–	–	–	–	4	3	7	7	6	2	–	41	–	–	–	–	13	13	8	3	3	1	–
10 Other tuberculosis	M	11	2	–	4	–	1	1	–	2	1	–	–	12	2	1	1	3	1	3	1	–	–	–	–
	F	3	–	1	–	1	–	–	–	–	–	1	–	14	2	1	1	–	4	2	3	–	1	–	–
11 Syphilis	M	2	–	–	–	–	–	–	1	1	–	–	–	3	1	–	–	–	–	–	–	2	–	–	–
	F	3	–	–	–	–	–	–	1	–	1	1	–	2	–	–	–	–	1	–	–	–	–	1	–
12 Gen. paralysis of insane, etc.	M	3	–	–	–	–	–	–	–	1	1	1	–	9	–	–	–	–	–	–	1	3	3	2	–
	F	1	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
13 Cancer	M	82	–	–	–	–	–	–	3	12	27	29	11	120	–	–	–	–	–	–	4	10	18	36	45	7
	F	132	–	–	–	–	–	1	9	20	43	40	19	122	1	–	–	1	1	4	10	22	33	33	17
14 Diabetes	M	9	–	–	–	1	–	–	–	1	4	2	1	19	–	–	–	–	1	–	1	1	6	7	3
	F	17	–	–	–	–	–	–	1	3	4	5	4	24	–	–	–	–	–	–	1	2	8	9	4
15 Cerebral hæmorrhage	M	34	–	–	–	–	–	–	1	1	10	14	8	65	–	–	–	–	–	–	3	5	20	27	10
	F	66	–	–	–	–	–	–	–	4	14	27	21	76	–	–	–	–	1	–	5	7	17	28	18
16 Heart disease	M	189	–	–	–	–	1	–	5	21	48	65	49	247	–	–	–	3	4	5	9	32	51	90	53
	F	188	–	–	–	1	1	1	8	13	30	53	81	289	–	–	1	1	4	11	24	26	45	101	76
17 Aneurysm	M	1	–	–	–	–	–	–	–	–	1	–	–	6	–	–	–	–	–	–	–	4	2	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
18 Other circulatory	M	48	–	–	–	–	–	1	2	1	7	21	16	67	–	–	–	–	–	–	–	1	13	24	29
	F	45	–	–	–	–	–	–	1	1	6	18	19	87	–	–	–	–	–	–	–	1	8	41	37
19 Bronchitis	M	27	1	–	2	–	1	–	3	4	5	4	7	54	6	1	–	–	–	–	–	2	8	21	16
	F	33	1	–	–	1	1	1	–	2	2	8	17	71	6	2	–	–	–	1	2	4	10	16	30
20 Pneumonia	M	39	5	1	3	–	1	2	2	10	3	6	6	72	13	15	4	3	2	–	7	6	12	7	3
	F	33	9	1	1	1	2	2	1	1	5	8	2	69	18	10	7	2	1	2	5	3	9	5	7
21 Other respiratory	M	4	–	–	–	–	–	–	–	1	1	2	–	14	–	–	–	–	1	–	2	4	4	2	1
	F	10	1	–	–	–	–	1	1	1	1	3	2	10	–	–	–	1	–	–	2	–	4	–	3
22 Peptic ulcer	M	13	–	–	–	–	–	2	2	4	2	2	1	17	–	–	–	–	–	1	2	9	3	2	–
	F	4	–	–	–	–	–	–	–	2	1	–	1	1	–	–	–	–	–	–	–	–	1	–	–
23 Diarrhœa	M	6	1	1	–	2	–	–	1	–	–	1	–	17	9	1	1	1	1	–	–	–	3	–	1
	F	2	1	–	–	–	–	–	–	1	–	–	–	8	7	–	–	–	–	–	–	–	1	–	–
24 Appendicitis	M	3	–	–	–	–	1	–	1	–	1	–	–	3	–	–	–	1	–	–	1	–	1	–	–
	F	8	–	–	–	1	1	–	3	1	1	1	–	8	–	–	–	1	1	–	1	2	3	–	–
25 Cirrhosis of liver	M	2	–	–	–	–	–	–	–	1	1	–	–	6	–	–	–	–	–	–	1	1	3	1	–
	F	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
26 Other liver diseases	M	1	–	–	–	–	–	–	–	–	–	1	–	6	1	–	–	–	1	–	–	–	2	1	1
	F	8	–	–	–	–	–	–	–	1	1	3	3	10	–	–	–	–	–	–	2	1	–	4	3
27 Other digestive	M	20	1	–	–	–	1	–	4	2	6	4	2	14	–	–	1	1	–	1	1	1	4	4	1
	F	19	1	–	1	–	–	1	1	2	4	6	3	23	1	–	1	1	–	1	4	2	2	7	4
28 Nephritis	M	28	–	–	–	1	1	–	–	3	10	9	4	46	–	–	–	1	–	1	4	5	14	13	8
	F	20	–	–	–	–	2	–	2	1	6	5	4	48	1	–	–	1	–	3	4	5	7	18	9
29 Puerperal sepsis	F	2	–	–	–	–	1	1	–	–	–	–	–	6	–	–	–	–	1	3	2	–	–	–	–
30 Other puerperal	F	3	–	–	–	–	–	2	1	–	–	–	–	12	–	–	–	–	1	5	6	–	–	–	–
31 Congenital causes, etc.	M	22	20	1	–	–	–	1	–	–	–	–	–	40	39	1	–	–	–	–	–	–	–	–	–
	F	18	18	–	–	–	–	–	–	–	–	–	–	33	33	–	–	–	–	–	–	–	–	–	–
32 Senility	M	26	–	–	–	–	–	–	–	–	–	9	17	67	–	–	–	–	–	–	–	–	6	24	37
	F	43	–	–	–	–	–	–	–	–	1	12	30	85	–	–	–	–	–	–	–	–	2	15	68
33 Suicide	M	13	–	–	–	–	–	–	3	5	2	3	–	19	–	–	–	–	1	1	1	6	8	1	1
	F	10	–	–	–	–	1	2	1	1	4	1	–	9	–	–	–	–	–	2	1	4	2	–	–
34 Other violence	M	20	2	–	–	4	2	2	–	3	4	3	–	44	1	–	4	8	6	3	3	5	5	4	5
	F	16	–	–	1	2	–	2	1	1	–	6	3	28	1	1	2	–	5	1	3	1	2	4	8
35 Other defined causes	M	47	3	–	–	1	3	3	1	1	14	14	7	97	6	4	1	9	6	4	6	8	23	23	7
	F	63	1	2	–	–	6	2	3	15	15	13	6	78	6	1	3	3	5	7	9	16	14	8	6
36 Ill-defined causes	M	2	–	–	–	–	–	–	–	–	2	–	–	9	–	–	–	–	–	–	1	–	2	4	2
	F	1	–	–	–	–	–	–	–	–	–	–	1	4	–	–	–	–	–	–	–	–	2	–	2

Causes of Death. *See* first page of Table.		BOOTLE. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	BOURNEMOUTH. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
All Causes	M	574	84	16	23	15	27	36	29	58	88	122	76	717	38	6	6	12	13	18	32	57	119	204	212
	F	497	63	24	16	18	28	29	17	42	68	94	98	901	31	7	3	13	19	32	32	58	115	216	375
1 Typhoid fever, etc.	M	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2 Measles	M	4	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	7	3	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
3 Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
	F	2	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
4 Whooping cough	M	5	4	1	–	–	–	–	–	–	–	–	–	2	1	1	–	–	–	–	–	–	–	–	–
	F	8	3	4	1	–	–	–	–	–	–	–	–	3	2	1	–	–	–	–	–	–	–	–	–
5 Diphtheria	M	12	1	–	4	7	–	–	–	–	–	–	–	4	–	–	1	3	–	–	–	–	–	–	–
	F	10	–	–	3	7	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
6 Influenza	M	13	–	–	1	–	–	1	–	2	3	3	3	20	–	–	–	–	–	2	–	2	1	10	5
	F	8	–	–	–	–	–	–	1	1	1	1	4	35	1	–	–	–	1	2	1	2	3	9	16
7 Encephalitis lethargica	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
8 Cerebro-spinal fever	M	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9 Respiratory tuberculosis	M	65	–	–	1	–	12	16	12	11	8	5	–	46	–	–	–	–	3	7	13	4	12	6	1
	F	36	–	–	–	1	16	6	4	4	3	2	–	24	–	–	–	–	6	7	5	3	2	1	–
10 Other tuberculosis	M	6	–	–	1	2	–	1	2	–	–	–	–	4	1	–	–	–	1	–	1	1	–	–	–
	F	8	–	2	–	1	1	2	–	–	2	–	–	8	–	–	–	3	2	–	1	–	1	–	1
11 Syphilis	M	4	1	–	–	–	–	1	–	1	1	–	–	2	–	–	–	–	–	–	–	–	1	–	1
	F	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
12 Gen. paralysis of insane, etc.	M	3	–	–	–	–	–	–	–	1	1	1	–	5	–	–	–	–	–	–	1	1	2	1	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13 Cancer	M	45	–	–	1	–	1	–	1	5	15	16	6	96	–	–	–	–	1	1	2	8	21	37	26
	F	50	–	–	–	–	–	2	–	14	14	15	5	134	–	–	–	–	1	1	4	12	34	54	28
14 Diabetes	M	5	–	–	–	–	–	–	–	1	1	3	–	9	–	–	–	–	–	–	–	1	1	5	2
	F	4	–	–	–	–	–	1	–	1	–	2	–	14	–	–	–	–	–	–	1	–	4	3	6
15 Cerebral hæmorrhage	M	16	–	–	–	–	–	–	–	–	4	10	2	23	–	–	–	–	–	–	1	1	3	6	12
	F	12	–	–	–	–	–	–	–	1	2	4	5	45	–	–	–	–	–	–	1	3	5	17	19
16 Heart disease	M	100	–	–	–	–	4	2	1	14	16	30	33	195	–	–	–	–	4	1	1	14	32	67	76
	F	98	–	–	–	–	3	4	–	8	16	26	41	245	–	–	–	–	1	1	3	4	15	63	158
17 Aneurysm	M	3	–	–	–	–	–	–	–	1	1	–	1	4	–	–	–	–	–	1	–	–	1	2	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
18 Other circulatory	M	32	–	–	–	–	–	–	–	2	5	15	10	29	–	–	–	–	–	–	–	–	3	11	15
	F	12	–	–	–	–	–	–	–	–	2	3	7	51	–	–	–	–	–	–	–	6	4	13	28
19 Bronchitis	M	31	2	–	–	–	–	1	1	6	6	9	6	17	–	–	–	–	–	–	1	–	4	2	10
	F	22	2	–	–	–	–	–	–	1	2	11	6	32	–	–	–	–	1	–	–	1	1	3	26
20 Pneumonia	M	66	20	8	4	2	2	5	2	8	8	4	3	36	2	–	–	2	1	1	2	5	9	7	7
	F	51	9	12	6	1	–	3	2	2	7	5	4	34	3	4	–	–	–	4	4	1	5	6	7
21 Other respiratory	M	7	–	–	1	–	–	–	–	–	3	3	–	13	–	1	–	–	–	–	1	3	2	4	2
	F	1	–	–	–	–	–	–	–	–	–	1	–	12	–	–	–	–	–	–	1	–	3	2	6
22 Peptic ulcer	M	6	–	–	–	–	–	1	2	1	1	–	1	6	–	–	–	–	–	–	–	–	4	1	1
	F	–	–	–	–	–	–	–	–	–	–	–	–	8	–	–	–	–	–	–	–	–	5	2	1
23 Diarrhœa	M	17	13	4	–	–	–	–	–	–	–	–	–	7	5	–	1	–	–	–	–	–	–	1	–
	F	18	13	3	1	–	–	–	–	–	–	1	–	5	–	–	1	1	–	1	–	–	1	1	–
24 Appendicitis	M	2	–	–	1	–	1	–	–	–	–	–	–	10	–	–	–	–	1	–	1	2	2	4	–
	F	3	–	–	1	–	–	–	–	–	1	1	–	5	–	–	–	–	1	–	1	2	–	–	1
25 Cirrhosis of liver	M	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	1	2	1	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–	–	2	2
26 Other liver diseases	M	1	–	–	–	–	–	–	–	–	–	1	–	4	–	–	–	–	–	–	–	1	–	1	2
	F	6	–	–	–	–	–	–	2	1	1	2	–	16	–	–	–	–	–	1	–	2	2	5	6
27 Other digestive	M	14	1	–	1	–	1	1	1	–	2	7	–	12	1	1	–	1	–	–	–	–	2	6	1
	F	6	–	–	–	–	–	–	1	1	1	1	2	25	–	–	1	1	–	1	1	2	7	8	4
28 Nephritis	M	8	–	–	–	–	–	–	1	–	4	1	2	29	–	–	1	1	–	1	1	2	5	8	10
	F	25	–	–	–	–	1	1	2	4	5	9	3	41	–	–	–	–	–	–	1	5	5	10	20
29 Puerperal sepsis	F	4	–	–	–	–	–	4	–	–	–	–	–	3	–	–	–	–	–	3	–	–	–	–	–
30 Other puerperal	F	3	–	–	–	–	1	1	1	–	–	–	–	5	–	–	–	–	–	4	1	–	–	–	–
31 Congenital causes, etc.	M	30	30	–	–	–	–	–	–	–	–	–	–	28	28	–	–	–	–	–	–	–	–	–	–
	F	27	27	–	–	–	–	–	–	–	–	–	–	25	23	1	–	–	–	–	–	–	1	–	–
32 Senility	M	5	–	–	–	–	–	–	–	–	–	1	4	9	–	–	–	–	–	–	–	–	–	2	7
	F	17	–	–	–	–	–	–	–	–	–	3	14	19	–	–	–	–	–	–	–	–	–	3	16
33 Suicide	M	3	–	–	–	–	–	1	–	1	–	1	–	12	–	–	–	–	–	3	3	5	1	–	–
	F	1	–	–	–	–	–	1	–	–	–	–	–	7	–	–	–	–	–	–	1	3	2	1	–
34 Other violence	M	20	–	–	3	2	3	3	–	1	3	3	2	15	–	2	1	1	1	–	–	2	1	4	3
	F	7	–	–	–	1	1	–	–	–	2	–	3	11	1	–	–	–	2	–	–	–	–	1	7
35 Other defined causes	M	45	7	2	5	2	3	3	5	3	5	7	3	74	–	1	2	3	1	1	4	4	10	18	30
	F	44	4	–	2	6	5	4	4	4	8	5	2	88	1	1	1	7	4	7	6	12	15	12	22
36 Ill-defined causes	M	3	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	4	–	–	–	–	–	–	–	–	1	1	2	1	–	–	–	–	–	–	–	–	–	–	1

Causes of Death. (See first page of Table.)		BRADFORD. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	BRIGHTON. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
All Causes	M	2,190	185	32	35	48	48	81	122	267	446	561	365	995	47	20	16	16	24	32	48	103	193	241	255
	F	2,153	126	34	35	34	59	84	126	207	365	546	537	1,138	39	14	10	17	32	32	40	102	157	243	452
1 Typhoid fever, etc.	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2 Measles	M	19	6	6	7	–	–	–	–	–	–	–	–	16	1	5	9	1	–	–	–	–	–	–	–
	F	9	–	5	3	1	–	–	–	–	–	–	–	14	2	8	3	1	–	–	–	–	–	–	–
3 Scarlet fever	M	2	–	–	1	–	–	–	–	1	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
	F	4	–	–	3	1	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
4 Whooping cough	M	8	3	2	3	–	–	–	–	–	–	–	–	3	2	1	–	–	–	–	–	–	–	–	–
	F	4	1	2	1	–	–	–	–	–	–	–	–	2	1	–	–	1	–	–	–	–	–	–	–
5 Diphtheria	M	6	–	1	1	4	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
	F	9	1	–	2	4	–	–	–	1	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–
6 Influenza	M	81	5	2	1	1	2	7	5	16	17	16	9	44	1	1	–	–	2	2	6	9	4	9	10
	F	104	5	4	–	2	7	1	9	7	15	23	31	46	1	–	–	1	–	1	3	10	5	11	14
7 Encephalitis lethargica	M	4	–	–	–	1	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	1	–	1	–	–	1	–	–
8 Cerebro-spinal fever	M	6	2	1	–	–	1	–	–	1	1	–	–	3	–	1	–	–	1	1	–	–	–	–	–
	F	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9 Respiratory tuberculosis	M	126	–	–	–	2	9	22	32	33	23	5	–	60	–	–	–	–	6	10	14	13	13	3	1
	F	94	–	1	–	4	19	30	19	11	8	2	–	51	–	–	–	–	16	10	5	10	5	3	2
10 Other tuberculosis	M	25	3	4	5	4	4	–	4	–	–	1	–	13	–	1	1	2	2	2	–	1	1	2	1
	F	15	2	2	3	–	2	2	–	3	1	–	–	7	–	–	3	–	–	2	–	2	–	–	–
11 Syphilis	M	6	–	–	–	–	–	–	–	1	5	–	–	4	–	–	–	–	–	–	–	2	2	–	–
	F	4	1	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
12 Gen. paralysis of insane, etc.	M	14	–	–	–	–	–	–	2	2	6	3	1	6	–	–	–	–	–	–	–	3	3	–	–
	F	9	–	–	–	–	–	–	2	5	2	–	–	2	–	–	–	–	–	–	–	–	2	–	–
13 Cancer	M	233	1	–	1	1	–	4	9	36	75	83	23	138	–	–	–	–	1	–	5	19	40	43	30
	F	286	1	–	–	–	–	5	25	52	90	79	34	148	–	–	–	–	2	3	8	23	38	41	33
14 Diabetes	M	20	–	–	–	–	1	–	–	3	2	9	5	5	–	–	–	–	–	–	–	1	1	2	1
	F	45	–	–	–	–	1	–	4	3	14	17	6	20	–	–	–	–	2	–	–	2	5	8	3
15 Cerebral hæmorrhage	M	127	–	–	–	–	–	3	2	7	36	50	29	43	–	–	–	–	–	–	–	4	11	15	13
	F	143	–	–	–	–	–	–	–	10	30	50	53	83	–	–	–	–	–	–	–	4	16	22	41
16 Heart disease	M	523	–	–	–	3	–	8	15	46	123	195	133	230	–	–	–	1	–	–	2	16	57	89	65
	F	549	–	–	–	3	10	14	19	38	89	192	184	281	–	–	–	1	2	4	5	14	31	78	146
17 Aneurysm	M	7	–	–	–	–	–	–	1	1	4	1	–	4	–	–	–	–	–	–	–	–	2	1	1
	F	3	–	–	–	–	–	–	1	–	–	1	1	3	–	–	–	1	–	–	–	1	1	–	–
18 Other circulatory	M	83	1	–	–	–	–	–	–	3	13	38	28	44	–	–	–	–	–	–	–	3	7	14	20
	F	89	–	–	–	–	–	–	–	2	12	33	42	49	–	–	–	–	–	–	–	3	9	13	24
19 Bronchitis	M	77	6	–	1	–	–	–	2	13	15	15	25	43	–	3	–	–	–	–	2	–	4	9	25
	F	92	4	–	1	–	–	1	1	3	7	25	50	51	–	–	–	–	–	–	–	–	4	10	37
20 Pneumonia	M	136	30	11	8	4	8	6	8	20	16	16	9	57	10	7	3	2	1	2	2	3	7	11	9
	F	118	26	9	10	2	4	7	7	10	16	13	14	59	6	3	2	1	–	2	2	6	6	10	21
21 Other respiratory	M	25	–	–	–	2	–	1	–	6	7	5	4	7	–	–	–	–	–	1	–	2	1	–	3
	F	15	–	1	1	–	–	1	2	2	3	1	4	5	–	–	–	–	–	–	–	–	3	2	–
22 Peptic ulcer	M	40	–	–	–	–	1	2	6	15	10	5	1	14	–	–	–	–	–	2	3	3	1	4	1
	F	11	–	–	–	1	–	1	–	–	4	3	2	5	–	–	–	–	–	–	1	1	3	–	–
23 Diarrhœa	M	21	17	1	–	1	–	–	–	1	–	1	–	8	6	1	–	–	–	–	–	–	–	1	–
	F	18	11	2	–	1	–	–	–	–	2	2	–	12	4	1	–	–	1	–	2	1	2	–	1
24 Appendicitis	M	15	–	–	1	3	2	3	2	2	2	–	–	6	–	–	–	2	–	–	–	2	1	1	–
	F	13	–	–	1	1	1	–	2	5	2	1	–	8	–	–	1	–	–	1	–	2	1	2	1
25 Cirrhosis of liver	M	8	–	–	–	–	–	–	1	–	2	3	2	7	–	–	–	–	–	–	–	3	1	3	–
	F	5	–	–	–	–	–	–	1	2	2	–	–	2	–	–	–	–	–	–	–	1	1	–	–
26 Other liver diseases	M	3	–	–	–	–	–	–	–	–	1	1	1	1	–	–	–	–	–	–	–	–	–	–	1
	F	24	–	–	–	–	–	–	3	7	4	7	3	5	–	–	–	–	–	–	–	–	1	1	3
27 Other digestive	M	42	5	1	3	–	3	1	1	6	10	8	4	19	–	–	1	1	–	1	1	4	7	2	2
	F	38	1	–	2	3	–	2	3	5	6	10	6	22	2	1	–	2	3	1	1	2	4	3	3
28 Nephritis	M	73	–	–	–	1	1	3	5	12	17	22	12	23	–	–	–	–	–	–	2	1	6	7	7
	F	59	–	–	–	1	2	–	3	11	15	19	8	36	–	–	–	1	–	–	4	2	8	12	9
29 Puerperal sepsis	F	8	–	–	–	–	4	3	1	–	–	–	–	4	–	–	–	–	–	2	1	1	–	–	–
30 Other puerperal	F	11	–	–	–	–	2	4	5	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
31 Congenital causes, etc.	M	91	88	2	–	1	–	–	–	–	–	–	–	25	23	–	1	–	1	–	–	–	–	–	–
	F	66	62	1	–	1	1	–	–	–	1	–	–	18	18	–	–	–	–	–	–	–	–	–	–
32 Senility	M	48	–	–	–	–	–	–	–	–	1	10	37	57	–	–	–	–	–	–	–	–	–	3	54
	F	71	–	–	–	–	–	–	–	–	–	11	60	104	–	–	–	–	–	–	–	–	–	12	92
33 Suicide	M	38	–	–	–	–	–	3	8	12	11	3	1	18	–	–	–	–	1	–	2	5	8	2	–
	F	10	–	–	–	–	–	3	2	1	3	–	1	10	–	–	–	–	1	1	1	3	1	2	1
34 Other violence	M	82	2	1	1	12	6	11	8	8	12	12	9	31	2	–	–	4	5	4	7	3	2	2	2
	F	49	–	4	3	–	3	2	1	3	5	12	16	19	1	–	–	1	1	–	–	3	2	5	6
35 Other defined causes	M	174	16	–	2	8	10	6	10	18	30	47	27	64	2	–	1	2	3	7	2	6	14	18	9
	F	153	11	3	5	9	2	8	16	22	28	33	16	66	4	1	1	4	4	3	7	11	8	8	15
36 Ill-defined causes	M	27	–	–	–	–	–	–	1	2	7	12	5	–	–	–	–	–	–	–	–	–	–	–	–
	F	24	–	–		–	–	–	–	3	3	12	6	–	–	–	–	–	–	–	–	–	–	–	–

Causes of Death. *See* first page of Table.		BRISTOL. All Ages.	0	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	BURNLEY. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
All Causes	M	2,412	170	31	41	53	83	106	130	291	423	565	519	672	53	16	15	14	18	31	46	83	132	163	101
	F	2,517	136	23	33	46	96	129	142	223	331	518	840	754	34	17	9	21	15	40	44	85	143	192	154
1 Typhoid fever, etc.	M	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	2	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2 Measles	M	10	–	4	3	3	–	–	–	–	–	–	–	10	1	4	4	1	–	–	–	–	–	–	–
	F	6	1	2	2	1	–	–	–	–	–	–	–	12	1	6	4	1	–	–	–	–	–	–	–
3 Scarlet fever	M	4	–	1	–	3	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
	F	1	–	–	–	1	–	–	–	–	–	–	–	2	–	–	–	2	–	–	–	–	–	–	–
4 Whooping cough	M	9	5	2	2	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
	F	6	5	1	–	–	–	–	–	–	–	–	–	3	–	2	1	–	–	–	–	–	–	–	–
5 Diphtheria	M	7	–	–	2	4	–	–	1	–	–	–	–	6	–	1	3	2	–	–	–	–	–	–	–
	F	15	–	1	4	10	–	–	–	–	–	–	–	7	–	–	–	7	–	–	–	–	–	–	–
6 Influenza	M	129	1	3	2	1	1	6	13	26	19	22	35	21	–	1	–	–	–	1	1	6	5	7	–
	F	155	1	2	–	5	6	10	11	17	22	22	59	39	–	–	–	–	–	5	5	5	7	9	8
7 Encephalitis lethargica	M	8	–	–	–	–	2	–	1	3	1	1	–	1	–	–	–	–	–	–	–	–	–	1	–
	F	5	–	–	–	–	–	1	2	1	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–
8 Cerebro-spinal fever	M	4	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	2	2	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
9 Respiratory tuberculosis	M	191	–	1	–	5	32	41	36	43	23	10	–	44	–	–	–	–	11	10	8	8	5	1	1
	F	152	–	–	–	1	45	44	28	18	8	5	3	22	–	–	–	–	2	9	3	4	4	–	–
10 Other tuberculosis	M	33	5	1	8	5	4	4	1	4	1	–	–	11	1	3	1	1	2	1	1	–	1	–	–
	F	26	1	1	1	6	7	3	3	–	–	3	1	6	–	1	2	2	–	–	1	–	–	–	–
11 Syphilis	M	10	2	–	–	–	–	2	–	1	2	3	–	1	–	–	–	–	–	–	–	1	–	–	–
	F	5	1	–	–	–	–	–	3	–	1	–	–	3	–	–	–	1	–	–	–	1	–	1	–
12 Gen. paralysis of insane, etc.	M	17	–	–	–	–	2	1	4	2	6	2	–	1	–	–	–	–	–	–	–	1	–	–	–
	F	6	–	–	–	–	1	1	1	2	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–
13 Cancer	M	278	–	–	2	–	–	4	12	40	77	99	44	65	–	–	–	–	–	1	2	8	27	16	11
	F	317	–	–	–	–	3	4	20	55	83	78	74	98	–	–	–	–	1	1	6	19	32	26	13
14 Diabetes	M	24	–	–	–	–	–	2	1	1	7	9	4	7	–	–	–	–	–	–	1	–	1	5	–
	F	34	–	–	–	1	2	–	–	4	6	16	5	18	–	–	–	1	–	2	–	–	9	5	1
15 Cerebral hæmorrhage	M	98	–	–	–	–	–	1	1	10	14	38	34	18	–	–	–	–	–	–	–	2	5	7	4
	F	156	–	–	–	–	–	–	2	11	28	48	67	38	–	–	–	–	–	1	1	5	7	17	7
16 Heart disease	M	553	–	–	–	2	5	8	11	45	120	187	175	209	–	–	–	1	–	4	7	27	39	76	53
	F	636	–	–	–	2	8	9	24	43	70	182	298	216	–	–	–	1	2	6	10	21	39	71	66
17 Aneurysm	M	14	–	–	–	–	–	–	3	1	5	2	3	1	–	–	–	–	–	–	–	1	–	–	–
	F	8	–	–	–	–	–	1	–	2	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–
18 Other circulatory	M	103	–	–	–	–	–	–	1	6	15	32	49	25	–	–	–	–	–	–	–	3	5	11	6
	F	106	–	–	–	–	–	–	–	4	12	33	57	29	–	–	–	–	1	–	1	2	5	14	6
19 Bronchitis	M	81	1	–	–	–	–	2	2	12	12	13	39	18	4	–	–	–	–	1	1	–	4	5	3
	F	105	–	–	–	1	–	–	1	1	5	21	76	28	1	1	–	–	1	–	1	1	4	10	9
20 Pneumonia	M	143	32	7	6	3	2	4	7	23	25	19	15	36	7	3	3	–	1	3	5	5	7	2	–
	F	134	25	7	10	4	1	8	4	15	17	17	26	23	5	4	1	1	1	–	3	2	2	2	2
21 Other respiratory	M	44	1	1	–	2	–	–	1	8	5	10	16	3	–	–	–	–	–	–	1	–	2	–	–
	F	46	–	1	1	–	3	1	1	1	4	8	26	1	–	–	–	–	–	–	–	–	–	–	1
22 Peptic ulcer	M	19	–	–	–	–	–	3	–	4	5	4	3	8	–	–	–	–	–	–	4	4	–	–	–
	F	5	–	–	–	–	–	–	2	2	1	–	–	6	–	–	–	–	–	–	–	3	2	–	1
23 Diarrhœa	M	19	12	3	–	–	–	–	–	2	1	–	1	13	11	2	–	–	–	–	–	–	–	–	–
	F	16	12	2	–	–	–	–	–	–	2	–	–	8	3	1	–	–	–	1	–	–	1	2	–
24 Appendicitis	M	15	–	–	1	1	4	3	–	2	1	2	1	5	–	–	–	1	–	–	–	1	2	1	–
	F	12	–	–	–	3	1	–	–	1	4	3	–	2	–	–	–	2	–	–	–	–	–	–	–
25 Cirrhosis of liver	M	7	–	–	–	–	–	–	–	1	1	4	1	3	–	–	–	–	–	–	–	–	2	1	–
	F	4	–	–	–	–	–	–	1	–	1	2	–	1	–	–	–	–	–	–	–	1	–	–	–
26 Other liver diseases	M	5	–	–	–	–	–	–	–	–	1	4	–	7	–	–	–	–	–	–	–	–	4	2	1
	F	19	–	–	–	–	–	2	–	2	2	6	7	14	–	–	–	–	1	–	1	1	4	7	–
27 Other digestive	M	52	4	2	6	1	2	2	–	7	11	9	8	20	–	–	–	2	–	3	1	4	5	4	1
	F	57	–	–	–	5	1	4	4	7	10	12	14	21	–	1	1	1	1	3	–	5	3	3	3
28 Nephritis	M	86	–	–	–	3	3	2	8	12	18	27	13	12	–	–	1	–	–	1	3	–	2	2	3
	F	68	–	–	–	–	1	2	3	5	17	18	22	16	–	–	–	–	–	1	–	4	5	4	2
29 Puerperal sepsis	F	11	–	–	–	–	2	6	2	1	–	–	–	5	–	–	–	–	–	3	2	–	–	–	–
30 Other puerperal	F	14	–	–	–	–	5	6	3	–	–	–	–	3	–	–	–	–	–	3	–	–	–	–	–
31 Congenital causes, etc.	M	100	98	1	–	–	1	–	–	–	–	–	–	27	25	–	1	1	–	–	–	–	–	–	–
	F	77	75	1	–	1	–	–	–	–	–	–	–	23	23	–	–	–	–	–	–	–	–	–	–
32 Senility	M	36	–	–	–	–	–	–	–	–	–	4	32	8	–	–	–	–	–	–	–	–	–	1	7
	F	53	–	–	–	–	–	–	–	–	–	2	51	13	–	–	–	–	–	–	–	–	–	–	13
33 Suicide	M	43	–	–	–	–	2	6	4	12	13	4	2	15	–	–	–	–	–	3	2	1	3	5	1
	F	16	–	–	–	–	–	5	4	2	3	1	1	10	–	–	–	–	–	1	1	3	3	1	1
34 Other violence	M	95	1	1	3	11	16	7	9	7	13	16	11	18	–	1	2	3	2	2	2	–	2	2	2
	F	62	3	4	6	–	3	6	3	4	4	2	27	22	–	–	–	–	2	1	–	1	2	5	11
35 Other defined causes	M	173	6	3	6	7	7	8	14	19	27	44	32	57	4	–	–	1	2	1	7	11	11	14	6
	F	179	10	1	9	5	6	16	20	24	26	36	26	62	1	–	–	2	3	3	9	7	13	14	10
36 Ill-defined causes	M	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	F	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–

	Causes of Death. See first page of Table.		BURTON-ON-TRENT. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	BURY. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
	All Causes	M	309	24	5	1	9	12	11	19	28	54	83	63	391	19	5	8	9	18	10	24	59	77	94	68
		F	293	22	2	5	11	11	9	19	27	51	46	90	432	20	3	–	10	13	15	26	58	60	104	123
1	Typhoid fever, etc.	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2	Measles	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
3	Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
4	Whooping cough	M	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	1	1	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
5	Diphtheria	M	1	–	–	–	–	–	1	–	–	–	–	–	4	–	–	2	2	–	–	–	–	–	–	–
		F	3	–	–	–	2	1	–	–	–	–	–	–	2	–	–	–	2	–	–	–	–	–	–	–
6	Influenza	M	14	–	1	–	1	1	–	1	3	3	2	2	17	–	–	–	–	–	–	5	4	3	2	3
		F	15	–	–	1	–	–	–	2	1	4	3	4	23	–	–	–	–	1	–	1	4	7	5	5
7	Encephalitis lethargica	M	1	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	1	1	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	1	–	–	–	–
8	Cerebro-spinal fever	M	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	3	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9	Respiratory tuberculosis	M	17	–	–	–	–	4	4	3	3	2	1	–	24	–	–	–	1	6	3	4	7	3	–	–
		F	8	–	–	–	1	2	2	2	1	–	–	–	8	–	–	–	–	4	1	1	1	–	1	–
10	Other tuberculosis	M	2	–	–	–	–	–	1	1	–	–	–	–	4	–	1	1	1	1	–	–	–	–	–	–
		F	4	–	–	2	–	1	–	1	–	–	–	–	5	–	–	–	–	1	2	2	–	–	–	–
11	Syphilis	M	3	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
12	Gen. paralysis of insane, etc.	M	1	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	2	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	1	–	–
13	Cancer	M	43	–	–	–	1	–	–	1	4	15	18	4	50	–	–	–	–	–	–	–	8	20	17	5
		F	35	–	–	–	–	–	–	4	6	9	12	4	63	–	–	–	–	–	–	7	16	8	21	11
14	Diabetes	M	5	–	–	–	1	1	–	–	–	1	2	–	9	–	–	–	–	1	–	–	2	3	1	2
		F	2	–	–	–	–	–	–	1	–	–	–	1	4	–	–	–	–	–	1	–	1	–	–	2
15	Cerebral hæmorrhage	M	16	–	–	–	–	–	–	–	3	5	5	3	12	–	–	–	–	–	–	–	1	3	4	4
		F	18	–	–	–	–	–	–	1	4	8	1	4	22	–	–	–	–	–	–	–	1	3	14	4
16	Heart disease	M	66	–	–	–	–	2	–	1	7	11	29	16	98	–	–	–	–	2	–	2	13	18	38	25
		F	63	–	–	–	1	3	–	1	5	13	14	26	127	–	–	–	2	3	3	3	13	23	31	49
17	Aneurysm	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
18	Other circulatory	M	13	–	–	–	–	–	–	–	–	3	6	4	23	–	–	–	–	–	–	–	4	2	6	11
		F	11	–	–	–	–	–	–	–	–	3	1	7	18	–	–	–	–	–	–	–	1	2	7	8
19	Bronchitis	M	2	–	–	–	–	–	–	–	–	–	–	2	24	–	1	–	–	1	–	2	6	3	7	4
		F	13	–	–	–	–	–	–	–	–	4	2	7	34	–	–	–	1	–	–	2	6	4	7	14
20	Pneumonia	M	17	5	2	1	1	–	1	2	3	1	1	–	28	5	3	1	2	1	2	2	4	4	2	2
		F	9	2	1	1	–	–	1	–	1	1	–	2	23	8	2	–	–	–	3	–	–	3	5	2
21	Other respiratory	M	2	–	–	–	–	–	–	–	–	1	1	–	2	–	–	–	–	–	–	–	–	1	1	–
		F	1	–	–	–	–	–	–	–	–	1	–	–	3	–	–	–	–	–	–	–	1	2	–	–
22	Peptic ulcer	M	6	–	–	–	–	1	–	1	–	2	2	–	6	–	–	–	–	–	–	–	3	1	2	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
23	Diarrhœa	M	4	3	–	–	–	–	1	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–
		F	5	3	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
24	Appendicitis	M	3	–	–	–	1	–	–	1	–	–	–	1	2	–	–	1	–	–	–	–	–	–	1	–
		F	2	–	–	–	1	–	–	–	1	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
25	Cirrhosis of liver	M	3	–	–	–	–	–	–	–	–	1	2	–	2	–	–	–	–	–	–	–	1	1	–	–
		F	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
26	Other liver diseases	M	2	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	1	–	1	–	5	–	–	–	–	1	–	–	2	–	2	–
27	Other digestive	M	3	–	–	–	1	–	–	1	–	1	–	–	3	1	–	–	–	–	–	–	–	2	–	–
		F	5	–	–	–	–	–	1	1	–	–	3	–	8	–	–	–	1	–	–	1	2	–	2	2
28	Nephritis	M	7	–	–	–	1	–	–	–	1	–	2	3	11	–	–	–	–	–	–	1	3	4	2	1
		F	8	–	–	–	1	–	1	1	1	1	3	–	9	–	–	–	–	–	1	–	3	2	1	2
29	Puerperal sepsis	F	2	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
30	Other puerperal	F	1	–	–	–	–	–	–	1	–	–	–	–	5	–	–	–	–	–	2	2	1	–	–	–
31	Congenital causes, etc.	M	13	12	1	–	–	–	–	–	–	–	–	–	9	9	–	–	–	–	–	–	–	–	–	–
		F	9	9	–	–	–	–	–	–	–	–	–	–	11	11	–	–	–	–	–	–	–	–	–	–
32	Senility	M	23	–	–	–	–	–	–	–	–	–	4	19	6	–	–	–	–	–	–	–	–	–	2	4
		F	32	–	–	–	–	–	–	–	–	1	1	30	14	–	–	–	–	–	–	–	–	–	2	12
33	Suicide	M	4	–	–	–	–	–	–	2	1	–	–	1	10	–	–	–	–	–	2	2	2	3	1	–
		F	3	–	–	–	–	–	–	1	–	1	–	1	4	–	–	–	–	–	1	2	–	1	–	–
34	Other violence	M	12	–	–	–	1	2	1	2	2	1	2	1	12	–	–	–	1	4	–	1	–	1	2	3
		F	8	1	–	–	–	–	1	1	–	1	1	3	10	–	–	–	1	1	–	–	1	–	1	6
35	Other defined causes	M	24	1	–	–	1	1	2	3	–	4	6	6	25	1	–	2	2	2	1	2	1	4	6	4
		F	26	6	–	1	4	1	2	1	4	3	3	1	24	–	1	–	2	1	–	3	4	4	5	4
36	Ill-defined causes	M	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	1	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	2

Causes of Death. *See* first page of Table.		CANTERBURY. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	CARLISLE. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
All Causes	M	173	6	2	2	2	8	3	6	25	18	43	58	375	41	8	5	15	14	18	21	41	67	74	7
	F	182	7	–	2	3	3	3	10	13	25	40	76	441	26	6	9	11	16	22	20	35	68	100	12
1 Typhoid fever, etc.	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2 Measles	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
3 Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	2	–	–	–	–	–	–	–
4 Whooping cough	M	5	4	–	1	–	–	–	–	–	–	–	–	3	2	1	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
5 Diphtheria	M	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	1	2	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	3	–	–	–	–	–	–	–
6 Influenza	M	3	–	–	–	–	–	–	–	1	–	–	2	11	1	1	–	1	–	1	1	2	–	1	
	F	8	–	–	–	–	–	–	–	–	2	3	3	16	1	2	–	1	–	2	–	2	1	1	
7 Encephalitis lethargica	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
8 Cerebro-spinal fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9 Respiratory tuberculosis	M	10	–	–	–	–	1	–	2	4	1	2	–	22	–	–	–	–	3	6	4	3	3	3	–
	F	5	–	–	–	–	3	–	1	1	–	–	–	18	–	–	–	1	7	6	2	1	–	1	–
10 Other tuberculosis	M	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	1	1	–	–	1	–	–	–	–
	F	1	–	–	1	–	–	–	–	–	–	–	–	7	1	–	3	–	–	1	–	1	1	–	–
11 Syphilis	M	1	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
12 Gen. paralysis of insane, etc.	M	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	3	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
13 Cancer	M	17	–	–	–	–	–	1	–	1	3	6	6	47	–	–	–	–	–	1	1	6	16	15	
	F	33	–	–	–	–	–	–	2	4	9	8	10	48	–	–	–	–	–	–	4	9	16	9	1
14 Diabetes	M	2	–	–	–	–	–	–	–	1	–	1	–	7	–	–	–	1	–	–	1	1	2	1	
	F	2	–	–	–	1	–	–	–	–	1	–	–	5	–	–	–	–	–	–	–	1	1	3	–
15 Cerebral hæmorrhage	M	5	–	–	–	–	–	–	–	–	1	–	4	14	–	–	–	–	1	–	1	1	2	6	
	F	13	–	–	–	–	–	–	–	–	1	5	7	20	–	–	–	–	–	–	1	1	6	4	
16 Heart disease	M	27	–	–	–	–	1	–	–	1	2	11	12	89	–	–	–	–	1	–	4	13	23	23	2
	F	53	–	–	–	–	–	1	1	3	8	12	28	136	–	–	–	–	–	3	2	5	14	51	6
17 Aneurysm	M	1	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	2	–	–
	F	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
18 Other circulatory	M	4	–	–	–	–	–	–	–	–	–	1	3	36	–	–	–	–	–	–	–	–	8	9	1
	F	7	–	–	–	–	–	–	–	–	–	3	4	33	–	–	–	–	–	–	–	–	2	9	2
19 Bronchitis	M	11	–	–	–	–	–	–	–	2	–	4	5	12	2	–	–	–	–	–	–	–	2	3	
	F	4	–	–	–	–	–	–	–	–	–	1	3	21	2	–	–	–	–	–	2	1	4	6	
20 Pneumonia	M	10	–	1	1	–	–	–	1	1	2	1	3	17	6	4	–	1	–	–	1	3	–	1	
	F	6	–	–	–	1	–	–	–	–	–	3	2	20	7	1	1	1	–	1	–	2	4	–	
21 Other respiratory	M	5	–	1	–	–	–	–	–	3	–	–	1	5	–	–	–	–	1	1	–	–	2	1	–
	F	1	–	–	–	–	–	–	–	–	1	–	–	3	–	–	1	–	–	–	–	1	1	–	–
22 Peptic ulcer	M	3	–	–	–	–	–	1	–	1	1	–	–	4	–	–	–	–	–	–	2	–	2	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	1	–	2	–
23 Diarrhœa	M	2	–	–	–	–	–	–	–	–	–	1	1	5	3	–	–	–	1	–	–	1	–	–	–
	F	2	2	–	–	–	–	–	–	–	–	–	–	3	1	–	–	1	–	–	–	–	–	–	
24 Appendicitis	M	1	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	1	–	–	–	–	–	–	
	F	2	–	–	–	–	–	–	–	–	–	1	1	3	–	–	–	1	–	–	–	1	1	–	–
25 Cirrhosis of liver	M	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
26 Other liver diseases	M	2	–	–	–	–	–	–	–	–	1	1	–	1	1	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	2	–
27 Other digestive	M	1	–	–	–	–	–	–	–	1	–	–	–	5	2	–	–	1	–	–	–	–	–	1	
	F	4	–	–	–	–	–	–	2	1	–	1	–	9	1	–	–	–	–	–	2	1	2	3	–
28 Nephritis	M	12	–	–	–	–	–	1	–	1	5	3	2	8	–	–	–	–	–	1	–	1	1	3	
	F	7	–	–	–	–	–	2	1	1	–	2	1	15	–	–	–	–	2	–	–	1	4	6	
29 Puerperal sepsis	F	–	–	–	–	–	–	–	–	–	–	–	–	6	–	–	–	–	2	3	1	–	–	–	–
30 Other puerperal	F	2	–	–	–	–	–	–	2	–	–	–	–	4	–	–	–	–	1	1	2	–	–	–	–
31 Congenital causes, etc.	M	2	2	–	–	–	–	–	–	–	–	–	–	22	22	–	–	–	–	–	–	–	–	–	–
	F	4	4	–	–	–	–	–	–	–	–	–	–	12	10	1	1	–	–	–	–	–	–	–	–
32 Senility	M	15	–	–	–	–	–	–	–	–	–	3	12	1	–	–	–	–	–	–	–	–	–	1	–
	F	9	–	–	–	–	–	–	–	–	–	1	8	2	–	–	–	–	–	–	–	–	–	–	
33 Suicide	M	4	–	–	–	–	1	–	–	–	1	1	1	6	–	–	–	–	–	2	1	2	1	–	–
	F	2	–	–	–	–	–	–	–	–	2	–	–	6	–	–	–	–	2	1	1	1	1	–	–
34 Other violence	M	10	–	–	–	2	4	–	1	2	–	1	–	20	–	1	2	1	4	1	3	2	2	3	
	F	4	1	–	1	–	–	–	–	–	–	–	2	10	1	1	1	1	–	–	–	1	–	1	
35 Other defined causes	M	19	–	–	–	–	1	–	2	3	1	7	5	24	2	–	1	5	2	3	3	1	3	3	
	F	11	–	–	–	1	–	–	1	2	–	–	7	30	2	1	1	–	2	4	1	6	7	3	
36 Ill-defined causes	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–

Causes of Death. (See first page of Table.)		CHESTER. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	COVENTRY. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
All Causes	M	256	17	5	3	3	4	18	18	46	38	57	47	954	94	12	11	21	41	40	74	139	186	190	146
	F	286	23	4	4	6	6	14	13	22	43	66	85	877	65	10	10	21	58	48	53	96	139	174	203
1 Typhoid fever, etc.	M	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	1	1	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
2 Measles	M	–	–	–	–	–	–	–	–	–	–	–	–	2	–	2	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
3 Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
4 Whooping cough	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
	F	1	–	1	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
5 Diphtheria	M	–	–	–	–	–	–	–	–	–	–	–	–	7	–	–	4	3	–	–	–	–	–	–	–
	F	1	–	–	–	1	–	–	–	–	–	–	–	4	–	–	1	2	–	–	1	–	–	–	–
6 Influenza	M	8	–	–	–	–	–	–	–	4	–	3	1	53	–	2	–	1	4	4	8	11	13	4	6
	F	7	–	–	–	1	–	–	–	–	2	1	3	38	–	1	–	1	1	3	5	9	2	6	10
7 Encephalitis lethargica	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	1	–	–	–	–
8 Cerebro-spinal fever	M	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	1	1	1	–	–	–	–	–
	F	1	–	–	–	1	–	–	–	–	–	–	–	3	1	1	–	–	1	–	–	–	–	–	–
9 Respiratory tuberculosis	M	20	–	–	–	–	2	5	5	5	2	1	–	81	–	–	–	1	10	11	17	26	12	4	–
	F	18	–	–	–	–	3	6	5	3	1	–	–	62	–	–	–	1	30	14	7	5	3	2	–
10 Other tuberculosis	M	1	–	–	–	–	1	–	–	–	–	–	–	8	–	2	–	2	1	–	–	–	2	–	1
	F	1	–	–	1	–	–	–	–	–	–	–	–	7	–	–	2	3	–	2	–	–	–	–	–
11 Syphilis	M	–	–	–	–	–	–	–	–	–	–	–	–	9	–	–	–	–	–	2	–	4	2	1	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	4	–	1	–	–	1	–	–	2	–	–	–
12 Gen. paralysis of insane, etc.	M	5	–	–	–	–	–	1	2	2	–	–	–	8	–	–	–	–	–	–	1	3	3	1	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
13 Cancer	M	31	–	–	–	–	–	1	–	10	7	9	4	125	–	–	–	–	–	4	7	19	46	31	18
	F	38	–	–	–	–	–	–	1	6	12	10	9	134	–	–	–	2	–	4	14	25	37	28	24
14 Diabetes	M	3	–	–	–	–	–	–	–	–	2	1	–	9	–	–	–	–	–	–	1	1	1	4	2
	F	5	–	–	–	–	–	1	–	2	–	2	–	14	–	–	–	–	1	–	–	1	6	4	2
15 Cerebral hæmorrhage	M	9	–	–	–	–	–	–	1	1	3	1	3	38	–	–	–	–	–	1	–	9	8	12	8
	F	18	–	–	–	–	–	–	–	–	5	6	7	48	–	–	–	–	–	–	1	8	12	12	15
16 Heart disease	M	44	–	–	1	–	–	1	2	7	6	13	14	187	–	–	–	2	3	2	7	17	42	60	54
	F	65	–	–	–	–	2	2	–	9	6	20	26	187	–	–	–	2	4	4	5	6	27	72	67
17 Aneurysm	M	–	–	–	–	–	–	–	–	–	–	–	–	4	1	–	–	–	–	–	1	1	1	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
18 Other circulatory	M	19	–	–	–	–	–	–	–	3	4	4	8	35	–	–	–	–	–	–	–	3	8	11	13
	F	24	–	–	–	–	–	–	–	–	2	8	14	34	–	–	–	–	–	–	–	5	5	9	15
19 Bronchitis	M	6	–	–	–	–	–	–	–	1	–	2	3	36	2	–	–	–	1	–	–	3	5	14	11
	F	10	2	–	–	–	–	–	–	–	1	1	6	21	–	–	–	–	–	–	–	2	–	5	14
20 Pneumonia	M	12	3	1	1	–	–	1	1	2	1	1	1	46	10	2	5	2	3	1	8	4	6	4	1
	F	16	–	1	1	–	–	–	1	1	1	5	6	42	6	2	1	2	–	3	4	4	9	6	5
21 Other respiratory	M	5		–	–	–	–	1	–	1	2	1	–	12	–	–	–	–	2	1	1	5	2	1	–
	F	4	–	–	–	–	–	1	–	–	1	–	2	11	–	1	–	–	1	2	–	–	3	1	3
22 Peptic ulcer	M	5	–	–	–	–	–	–	2	3	–	–	–	18	–	–	–	–	–	–	4	5	6	2	1
	F	1	–	–	–	–	–	–	–	–	1	–	–	6	–	–	–	–	–	1	1	2	2	–	–
23 Diarrhœa	M	3	1	1	–	–	–	–	–	–	1	–	–	16	12	1	–	1	–	–	1	–	–	1	–
	F	7	3	1	1	–	–	–	–	1	1	–	–	6	6	–	–	–	–	–	–	–	–	–	–
24 Appendicitis	M	1	–	–	–	–	–	–	1	–	–	–	–	8	–	–	–	1	1	–	2	2	1	1	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	6	–	–	1	–	1	–	–	–	2	2	–
25 Cirrhosis of liver	M	1	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–	1	1	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	1	–
26 Other liver diseases	M	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	3	–	–	–	–	–	–	–	–	–	3	–	7	–	–	–	–	–	–	1	2	2	1	1
27 Other digestive	M	10	–	1	–	–	–	1	1	–	4	2	1	11	–	–	–	2	1	2	1	4	–	–	1
	F	4	–	–	–	1	–	–	–	–	2	1	–	20	–	–	2	1	2	1	–	2	4	4	4
28 Nephritis	M	18	–	–	–	1	–	–	–	2	3	8	4	22	–	–	–	–	1	–	5	6	3	7	–
	F	12	–	–	–	–	–	–	3	–	4	4	1	28	–	–	–	–	2	1	3	7	8	4	3
29 Puerperal sepsis	F	1	–	–	–	–	–	1	–	–	–	–	–	7	–	–	–	–	1	4	2	–	–	–	–
30 Other puerperal	F		–	–	–	–	–	–	–	–	–	–	–	7	–	–	–	–	3	2	2	–	–	–	–
31 Congenital causes, etc.	M	12	12	–	–	–	–	–	–	–	–	–	–	64	64	–	–	–	–	–	–	–	–	–	–
	F	17	17	–	–	–	–	–	–	–	–	–	–	45	45	–	–	–	–	–	–	–	–	–	–
32 Senility	M	5	–	–	–	–	–	–	–	–	–	–	5	25	–	–	–	–	–	–	–	–	–	5	20
	F	7	–	–	–	–	–	–	–	–	–	2	5	35	–	–	–	–	–	–	–	–	–	3	32
33 Suicide	M	3	–	–	–	–	–	1	1	1	–	–	–	14	–	–	–	–	–	2	–	3	6	3	–
	F	1	–	–	–	–	–	1	–	–	–	–	–	8	–	–	–	–	2	3	1	1	1	–	–
34 Other violence	M	12	1	–	1	1	1	3	1	–	1	3	–	39	1	–	1	1	8	5	6	7	3	4	3
	F	2	–	–	–	–	–	1	–	–	–	–	1	19	1	1	1	1	1	2	1	2	4	3	2
35 Other defined causes	M	22	–	2	–	1	–	3	1	3	2	7	3	68	4	2	1	4	5	2	3	6	15	19	7
	F	20	1	1	1	1	1	1	3	–	3	3	5	65	5	1	2	6	6	2	3	12	11	11	6
36 Ill-defined causes	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Causes of Death. *See* first page of Table.		CROYDON. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	DARLINGTON. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
All Causes	M	1276	93	11	20	38	47	49	81	154	225	273	285	444	42	11	8	10	23	25	25	58	75	93	74
	F	1430	56	8	9	27	42	66	88	138	188	301	507	441	27	12	5	7	15	30	28	42	77	92	106
1 Typhoid fever, etc.	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
2 Measles	M	8	1	3	2	2	–	–	–	–	–	–	–	4	–	1	1	2	–	–	–	–	–	–	–
	F	4	2	2	–	–	–	–	–	–	–	–	–	4	1	1	1	1	–	–	–	–	–	–	–
3 Scarlet fever	M	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
4 Whooping cough	M	3	1	–	2	–	–	–	–	–	–	–	–	4	1	2	1	–	–	–	–	–	–	–	–
	F	1	–	–	1	–	–	–	–	–	–	–	–	4	2	1	1	–	–	–	–	–	–	–	–
5 Diphtheria	M	8	–	–	3	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	9	–	–	4	4	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
6 Influenza	M	43	1	–	1	–	1	–	12	4	9	8	7	21	1	1	–	–	2	2	1	3	3	2	6
	F	60	–	1	–	2	3	3	7	6	10	9	19	25	2	–	–	–	–	1	3	2	6	5	6
7 Encephalitis lethargica	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
8 Cerebro-spinal fever	M	3	1	–	1	–	1	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9 Respiratory tuberculosis	M	88	–	–	–	–	12	22	21	20	11	1	1	37	–	–	–	1	10	9	5	5	5	2	–
	F	74	–	–	–	1	20	24	18	8	2	–	1	27	–	–	–	–	8	8	5	4	2	–	–
10 Other tuberculosis	M	14	3	–	2	2	3	–	1	–	3	–	–	1	–	1	–	–	–	–	–	–	–	–	–
	F	11	1	–	1	3	1	1	1	1	2	–	–	6	–	2	1	–	–	–	–	–	2	–	1
11 Syphilis	M	3	2	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	1	–	1	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	1	–	–	–	1	–	–
12 Gen. paralysis of insane, etc.	M	9	–	–	–	–	–	–	1	3	2	3	–	2	–	–	–	–	–	–	1	–	1	–	–
	F	4	–	–	–	–	–	–	1	1	–	2	–	1	–	–	–	–	–	–	–	1	–	–	–
13 Cancer	M	162	–	–	–	–	1	2	7	21	46	60	25	50	–	–	–	–	1	–	6	6	16	12	9
	F	215	1	–	–	–	1	9	10	39	60	53	42	51	–	–	–	–	–	3	4	9	11	12	12
14 Diabetes	M	10	–	–	–	1	1	–	–	1	2	4	1	5	–	–	–	–	1	2	1	–	1	–	–
	F	15	–	–	–	–	–	–	–	1	4	5	5	13	–	–	–	–	–	2	1	1	4	4	1
15 Cerebral hæmorrhage	M	24	–	–	–	–	–	–	1	3	2	9	9	22	–	–	–	–	–	–	1	3	4	10	4
	F	52	–	–	–	–	–	–	1	2	6	16	27	29	–	–	–	–	–	–	–	3	6	11	9
16 Heart disease	M	341	–	–	–	5	1	1	11	27	64	94	138	64	–	–	1	–	–	1	2	9	14	22	15
	F	395	–	–	–	1	3	4	7	28	35	108	209	89	–	–	–	1	–	1	2	6	20	29	30
17 Aneurysm	M	9	–	–	–	–	1	1	–	2	4	–	1	1	–	–	–	–	–	–	–	–	–	1	–
	F	6	–	–	–	–	–	–	1	–	2	2	1	–	–	–	–	–	–	–	–	–	–	–	–
18 Other circulatory	M	52	–	–	–	–	–	–	–	9	8	17	18	30	1	–	–	–	–	–	–	2	10	11	6
	F	90	–	–	–	–	–	1	–	3	12	23	51	20	–	–	–	–	–	–	–	–	4	8	8
19 Bronchitis	M	41	1	–	–	–	–	–	1	4	5	14	16	14	–	1	2	–	–	–	–	2	–	4	5
	F	47	–	1	–	–	–	–	1	2	3	5	35	16	1	1	–	–	–	–	–	–	4	1	9
20 Pneumonia	M	70	12	5	2	4	–	3	3	10	12	12	7	30	5	2	–	1	1	1	3	3	5	6	3
	F	97	14	1	–	2	1	5	8	3	10	21	32	26	7	4	1	1	–	2	1	2	2	2	4
21 Other respiratory	M	10	–	–	–	1	–	–	–	4	–	3	2	3	–	–	–	–	1	–	1	–	1	–	–
	F	10	–	–	1	–	–	1	1	1	–	2	4	–	–	–	–	–	–	–	–	–	–	–	–
22 Peptic ulcer	M	20	–	–	–	–	–	1	2	8	6	3	–	4	–	–	–	–	–	–	1	2	–	1	–
	F	8	–	–	–	–	–	–	1	5	2	–	–	2	–	–	–	–	–	–	–	–	1	1	–
23 Diarrhœa	M	15	14	–	–	1	–	–	–	–	–	–	–	5	2	1	1	–	–	–	–	–	–	1	–
	F	8	4	1	–	1	–	–	–	–	–	1	1	2	–	1	–	–	–	–	–	–	–	–	1
24 Appendicitis	M	17	–	–	2	2	2	1	6	1	1	2	–	2	–	–	–	–	–	–	–	2	–	–	–
	F	11	–	–	1	2	1	–	–	3	–	3	1	2	–	–	1	–	–	–	–	1	–	–	–
25 Cirrhosis of liver	M	5	–	–	–	–	–	–	–	–	2	3	–	2	–	–	–	–	–	–	–	–	2	–	–
	F	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
26 Other liver diseases	M	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	F	13	–	1	–	–	–	1	1	2	4	2	2	3	–	–	–	–	–	–	1	–	–	1	–
27 Other digestive	M	28	–	–	–	3	1	2	3	3	6	4	6	11	–	–	–	1	–	1	1	3	2	2	–
	F	24	–	1	1	4	–	1	5	5	4	–	3	12	–	–	–	–	–	2	3	1	3	2	–
28 Nephritis	M	37	–	–	–	1	1	–	–	8	13	4	10	15	–	–	–	–	1	2	–	2	3	4	–
	F	51	–	–	–	1	–	1	2	8	12	17	10	14	–	–	–	1	1	–	1	2	3	5	–
29 Puerperal sepsis	F	6	–	–	–	–	–	2	4	–	–	–	–	3	–	–	–	–	–	3	–	–	–	–	–
30 Other puerperal	F	6	–	–	–	–	2	3	1	–	–	–	–	3	–	–	–	–	2	1	–	–	–	–	–
31 Congenital causes, etc.	M	57	51	2	2	–	–	–	1	1	–	–	–	24	24	–	–	–	–	–	–	–	–	–	–
	F	29	29	–	–	–	–	–	–	–	–	–	–	14	13	1	–	–	–	–	–	–	–	–	–
32 Senility	M	8	–	–	–	–	–	–	–	–	–	1	7	17	–	–	–	–	–	–	–	–	–	5	12
	F	38	–	–	–	–	–	–	–	–	–	2	36	18	–	–	–	–	–	–	–	–	–	3	15
33 Suicide	M	20	–	–	–	–	4	1	1	5	6	2	1	7	–	–	–	–	–	2	1	4	–	–	–
	F	10	–	–	–	–	1	–	4	2	1	2	–	4	–	–	–	–	1	–	1	2	–	–	–
34 Other violence	M	56	–	–	1	6	12	9	1	5	5	7	10	17	–	1	1	2	3	5	1	4	–	–	–
	F	25	1	–	–	1	4	3	2	–	3	4	7	9	–	–	–	1	1	–	–	1	–	1	–
35 Other defined causes	M	113	6	1	2	7	4	6	9	13	18	22	25	44	8	1	–	3	3	–	–	6	6	7	11
	F	110	4	–	–	5	5	7	12	17	15	24	21	34	1	1	–	2	–	6	6	5	6	5	–
36 Ill-defined causes	M	–	–	–	–	–	–	–	–	–	–	–	–	5	–	–	–	–	–	–	–	1	2	2	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	6	–	–	–	–	–	–	–	2	2	2	–

Causes of Death. (*see* first page of Table.)		DERBY. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	DEWSBURY. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
All Causes	M	869	76	11	13	19	30	28	51	102	177	191	171	404	39	7	8	9	14	13	22	49	81	109	53
	F	845	49	8	9	19	29	38	48	90	124	205	226	420	30	5	9	13	16	15	19	38	66	112	97
1 Typhoid fever, etc.	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–
2 Measles	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
3 Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
4 Whooping cough	M	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	4	2	1	1	–	–	–	–	–	–	–	–	5	3	–	1	1	–	–	–	–	–	–	–
5 Diphtheria	M	5	–	–	4	1	–	–	–	–	–	–	–	6	–	–	2	4	–	–	–	–	–	–	–
	F	4	–	–	2	2	–	–	–	–	–	–	–	12	–	–	4	7	1	–	–	–	–	–	–
6 Influenza	M	39	2	1	2	1	–	2	4	11	7	3	6	10	–	–	–	–	1	–	2	–	2	2	3
	F	37	1	–	–	–	2	3	1	6	7	10	7	22	–	–	–	–	–	3	5	2	5	3	4
7 Encephalitis lethargica	M	2	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
8 Cerebro-spinal fever	M	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9 Respiratory tuberculosis	M	60	–	–	–	–	5	10	12	14	14	5	–	12	–	–	–	–	3	4	2	2	1	–	–
	F	36	–	–	–	2	11	12	3	4	2	2	–	13	–	–	–	–	7	–	4	1	–	1	–
10 Other tuberculosis	M	5	–	–	1	1	–	–	–	1	2	–	–	2	–	1	–	–	1	–	–	–	–	–	–
	F	12	1	–	1	2	1	3	1	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	M	7	–	–	–	–	–	–	1	2	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	1	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
12 Gen. paralysis of insane, etc.	M	2	–	–	–	–	–	–	1	–	1	–	–	2	–	–	–	–	–	–	1	–	1	–	–
	F	2	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13 Cancer	M	87	–	–	–	1	1	–	3	8	31	32	11	41	–	–	–	–	–	–	2	9	14	10	6
	F	106	–	–	–	–	–	3	7	24	28	26	18	53	–	–	1	–	–	2	3	10	13	11	13
Diabetes	M	8	–	–	–	1	–	–	–	–	3	3	1	2	–	–	–	–	–	–	–	–	1	1	–
	F	16	–	–	–	–	–	1	–	–	4	7	4	6	–	–	–	–	–	–	–	–	1	3	2
Cerebral hæmorrhage	M	35	–	–	–	–	–	–	–	1	5	16	13	27	–	–	–	–	–	–	–	5	5	10	7
	F	42	–	–	–	–	–	–	–	5	12	11	14	30	–	–	–	–	–	–	–	3	5	10	12
Heart disease	M	205	–	–	–	1	4	5	8	22	44	62	59	73	–	–	–	1	3	2	2	7	14	30	14
	F	200	–	–	–	1	5	4	10	15	25	76	64	84	–	–	–	1	3	3	1	4	13	35	24
Aneurysm	M	3	–	–	–	–	–	–	–	–	1	1	1	2	–	–	–	–	–	–	–	–	1	1	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other circulatory	M	28	–	–	–	–	–	–	–	1	10	5	12	29	–	–	–	–	–	–	–	2	7	16	4
	F	31	–	–	–	–	–	–	–	1	3	8	19	28	–	–	–	–	–	–	–	1	5	10	12
Bronchitis	M	33	5	–	–	–	–	1	–	5	5	6	11	37	4	1	–	–	–	–	1	4	10	7	10
	F	30	2	–	–	–	–	–	1	–	–	6	21	29	2	–	–	–	–	–	1	–	3	11	12
Pneumonia	M	61	14	7	2	1	2	–	5	13	9	6	2	33	4	3	3	1	1	1	5	6	3	6	–
	F	50	12	5	1	4	1	2	5	4	8	4	4	29	5	3	2	2	1	2	1	4	2	5	2
Other respiratory	M	4	–	1	–	–	–	–	–	1	–	1	1	4	–	–	–	–	1	–	–	1	2	–	–
	F	6	–	–	–	–	–	–	1	1	2	1	1	4	–	–	–	–	–	–	1	–	2	–	1
Peptic ulcer	M	15	–	–	–	–	–	–	4	2	3	5	1	6	–	–	–	–	–	1	1	–	2	2	–
	F	3	–	–	–	–	–	–	1	–	–	1	1	1	–	–	–	–	–	–	–	1	–	–	–
Diarrhœa	M	13	8	1	2	–	–	–	–	–	1	1	–	1	1	–	–	–	–	–	–	–	–	–	–
	F	4	1	1	–	–	–	1	–	1	–	–	–	6	6	–	–	–	–	–	–	–	–	–	–
Appendicitis	M	4	–	–	–	–	–	–	1	1	2	–	–	2	–	–	–	–	–	–	–	2	–	–	–
	F	4	–	–	–	–	2	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cirrhosis of liver	M	2	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other liver diseases	M	3	–	–	–	–	–	–	–	2	1	–	–	2	–	–	–	–	–	–	1	–	–	1	–
	F	11	–	–	–	–	–	–	2	2	1	6	–	3	–	–	–	–	–	–	–	1	2	–	–
Other digestive	M	22	2	–	–	1	2	1	1	1	5	6	3	7	–	2	–	–	–	–	–	2	1	2	–
	F	20	–	–	–	–	1	–	–	2	2	8	7	7	–	–	1	1	–	–	1	–	4	–	–
Nephritis	M	24	–	–	–	1	2	–	–	1	10	7	3	19	–	–	–	1	–	–	–	2	4	10	2
	F	22	–	–	–	–	1	2	3	4	4	6	2	21	–	–	–	–	–	1	–	3	4	7	6
Puerperal sepsis	F	1	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–	1	–	1	–	–	–	–
Other puerperal	F	6	–	–	–	–	1	3	1	1	–	–	–	3	–	–	–	–	2	1	–	–	–	–	–
Congenital causes, etc.	M	38	38	–	–	–	–	–	–	–	–	–	–	23	22	–	–	–	1	–	–	–	–	–	–
	F	27	26	–	–	1	–	–	–	–	–	–	–	14	13	1	–	–	–	–	–	–	–	–	–
Senility	M	43	–	–	–	–	–	–	–	–	–	7	36	8	–	–	–	–	–	–	–	–	–	3	5
	F	57	–	–	–	–	–	–	–	–	1	5	51	9	–	–	–	–	–	–	–	–	–	2	7
Suicide	M	13	–	–	–	–	2	2	1	4	2	2	–	7	–	–	–	–	–	2	–	1	3	1	–
	F	5	–	–	–	–	–	–	2	1	–	2	–	1	–	–	–	–	–	–	–	–	1	–	–
Other violence	M	37	3	–	–	3	9	4	2	5	3	4	4	21	2	–	2	–	2	1	4	4	4	2	–
	F	24	1	1	3	5	1	–	–	–	1	8	4	9	–	–	–	1	–	1	–	1	1	4	1
Other defined causes	M	68	2	1	2	5	2	3	6	7	15	18	7	27	6	–	1	1	1	2	1	2	6	5	2
	F	80	2	–	1	2	3	4	9	15	19	16	9	28	–	1	–	–	1	2	1	7	5	10	1
Ill-defined causes	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Causes of Death. *See* first page of Table.		DONCASTER. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	DUDLEY. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
All Causes	M	409	30	2	9	10	12	22	27	47	91	84	75	421	64	10	5	12	21	20	25	45	78	83	58
	F	323	21	2	7	4	9	25	17	25	54	67	92	288	27	7	8	7	19	16	19	24	38	60	63
1 Typhoid fever, etc.	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2 Measles	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
	F	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
3 Scarlet fever	M	2	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
4 Whooping cough	M	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
5 Diphtheria	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
	F	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
6 Influenza	M	22	1	–	4	1	–	2	2	8	1	1	2	17	1	2	–	1	2	2	1	3	2	2	1
	F	26	3	1	–	1	–	1	3	2	3	5	7	11	–	–	–	–	–	1	–	4	3	–	3
7 Encephalitis lethargica	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
8 Cerebro-spinal fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9 Respiratory tuberculosis	M	25	–	–	–	–	1	5	7	5	3	4	–	36	–	1	–	–	9	9	11	4	1	–	1
	F	9	–	–	1	–	2	4	2	–	–	–	–	25	–	–	–	1	8	4	8	1	3	–	–
10 Other tuberculosis	M	5	–	–	1	–	2	–	–	1	1	–	–	2	1	–	–	–	1	–	–	–	–	–	–
	F	2	1	–	–	–	–	1	–	–	–	–	–	4	1	–	1	–	1	1	–	–	–	–	–
11 Syphilis	M	3	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
12 Gen. paralysis of insane, etc.	M	4	–	–	–	–	–	–	2	1	1	–	–	2	–	–	–	–	–	1	–	1	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13 Cancer	M	48	–	–	–	–	–	1	1	3	24	14	5	46	–	–	–	–	–	–	3	5	17	17	4
	F	45	–	–	–	–	2	1	1	6	16	15	4	33	–	–	–	–	–	–	2	5	10	13	3
14 Diabetes	M	6	–	–	–	–	–	1	1	–	3	1	–	7	–	–	–	–	–	–	–	2	2	3	–
	F	6	–	–	–	–	–	–	1	1	1	–	3	1	–	–	–	–	–	–	–	–	–	–	1
15 Cerebral hæmorrhage	M	15	–	–	–	–	–	–	–	–	6	6	3	27	–	–	–	–	–	–	–	3	8	13	3
	F	18	–	–	–	–	–	–	–	2	5	7	4	24	–	–	–	–	–	–	–	2	2	11	9
16 Heart disease	M	80	–	–	–	1	–	–	1	7	13	26	32	51	–	–	–	3	1	2	2	4	12	10	17
	F	65	–	–	–	1	2	3	2	4	8	12	33	50	–	–	–	–	5	5	–	7	10	11	12
17 Aneurysm	M	2	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	1	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
18 Other circulatory	M	16	–	–	–	–	–	–	–	–	3	9	4	19	–	–	–	–	–	–	1	1	2	10	5
	F	17	–	–	–	–	–	–	–	–	3	7	7	7	–	–	–	–	–	–	–	–	–	4	3
19 Bronchitis	M	20	1	–	–	–	–	–	1	1	7	4	6	41	2	–	–	–	–	–	–	5	13	9	12
	F	13	1	–	–	–	–	–	–	–	2	4	6	22	1	–	–	–	–	1	–	–	2	7	11
20 Pneumonia	M	25	6	1	–	1	–	1	1	1	7	3	4	40	16	6	1	3	1	–	1	5	6	1	–
	F	16	1	–	2	–	–	1	3	1	2	3	3	13	4	2	2	1	–	1	–	–	1	2	–
21 Other respiratory	M	1	–	–	–	1	–	–	–	–	–	–	–	5	–	–	–	–	–	–	–	–	1	3	1
	F	5	–	–	–	–	–	–	–	1	–	2	2	2	–	–	–	–	–	–	–	–	–	–	2
22 Peptic ulcer	M	10	–	–	–	–	–	1	3	4	1	1	–	3	–	–	–	–	–	–	–	2	1	–	–
	F	1	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–	2	–
23 Diarrhœa	M	2	1	–	–	–	–	–	–	–	–	1	–	10	9	–	–	–	–	–	–	1	–	–	–
	F	2	1	–	–	–	–	–	–	–	–	1	–	5	2	3	–	–	–	–	–	–	–	–	–
24 Appendicitis	M	4	–	–	1	1	–	1	–	–	–	1	–	2	–	–	–	1	1	–	–	–	–	–	–
	F	2	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	1	–	–	–
25 Cirrhosis of liver	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
26 Other liver diseases	M	2	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–
	F	4	–	–	–	–	–	1	–	–	–	1	2	1	–	–	–	–	–	–	–	–	1	–	–
27 Other digestive	M	8	–	–	1	2	–	–	–	2	1	1	1	6	–	–	–	–	2	–	–	1	–	3	–
	F	7	1	–	–	1	–	1	–	1	2	–	1	6	1	–	–	1	–	–	1	1	–	1	1
28 Nephritis	M	12	–	–	–	–	2	–	–	3	1	4	2	6	–	–	–	–	1	–	–	1	2	2	–
	F	18	–	–	1	–	1	1	1	3	4	5	2	12	–	–	–	–	–	–	4	1	3	2	2
29 Puerperal sepsis	F	3	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
30 Other puerperal	F	5	–	–	–	–	–	4	1	–	–	–	–	2	–	–	–	–	–	2	–	–	–	–	–
31 Congenital causes, etc.	M	16	15	–	–	–	–	1	–	–	–	–	–	30	29	1	–	–	–	–	–	–	–	–	–
	F	11	11	–	–	–	–	–	–	–	–	–	–	17	17	–	–	–	–	–	–	–	–	–	–
32 Senility	M	8	–	–	–	–	–	–	–	–	–	1	7	10	–	–	–	–	–	–	–	–	–	–	10
	F	14	–	–	–	–	–	–	–	–	–	–	14	15	–	–	–	–	–	–	–	–	–	4	11
33 Suicide	M	4	–	–	–	–	–	–	–	1	2	1	–	4	–	–	–	–	–	1	–	–	3	–	–
	F	2	–	–	–	–	–	1	–	–	1	–	–	3	–	–	–	–	–	–	–	1	1	–	1
34 Other violence	M	26	1	–	–	–	3	6	4	5	4	1	2	15	2	–	1	–	3	3	2	2	1	–	1
	F	6	–	–	–	1	1	–	1	1	1	–	1	4	1	–	–	–	1	–	–	–	–	1	1
35 Other defined causes	M	40	3	1	1	3	4	3	2	3	9	4	7	33	4	–	2	3	–	2	4	4	5	6	5
	F	21	2	–	–	–	1	5	–	3	4	3	3	23	–	2	3	3	4	1	4	1	1	2	2
36 Ill-defined causes	M	1	–	–	–	–	–	–	–	–	1	–	–	5	–	–	–	–	–	–	–	1	2	2	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	–	1

Causes of Death. first page of Table.		EASTBOURNE. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	EAST HAM. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
All Causes	M	320	14	4	2	3	10	13	15	29	62	75	93	771	51	8	13	35	33	37	52	79	147	157	159
	F	421	18	4	2	1	9	8	17	41	60	104	157	733	36	2	7	23	28	37	40	62	107	177	214
Typhoid fever, etc.	M	2	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	3	1	–	–	1	1	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	1	–	–	–	–	–	–	–
Whooping cough	M	–	–	–	–	–	–	–	–	–	–	–	–	3	1	1	–	1	–	–	–	–	–	–	–
	F	1	1	–	–	–	–	–	–	–	–	–	–	4	2	1	1	–	–	–	–	–	–	–	–
Diphtheria	M	1	–	–	–	1	–	–	–	–	–	–	–	12	–	1	3	8	–	–	–	–	–	–	–
	F	1	–	–	–	1	–	–	–	–	–	–	–	9	–	–	1	8	–	–	–	–	–	–	–
Influenza	M	14	–	1	–	–	1	–	1	3	1	5	2	20	–	–	–	1	1	2	3	7	2	1	3
	F	15	–	–	–	–	1	–	–	3	1	2	8	31	–	–	1	–	–	–	4	2	5	10	9
Encephalitis lethargica	M	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–	–	1	–	–
	F	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cerebro-spinal fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Respiratory tuberculosis	M	22	–	–	–	–	–	5	6	8	1	1	1	59	–	–	–	–	10	14	8	11	10	5	1
	F	14	–	–	–	–	3	4	5	2	–	–	–	40	1	–	–	–	9	17	8	2	1	2	–
Other tuberculosis	M	3	–	–	1	–	1	–	1	–	–	–	–	8	1	1	–	4	–	1	1	–	–	–	–
	F	2	2	–	–	–	–	–	–	–	–	–	–	6	–	–	–	1	2	–	1	2	–	–	–
Syphilis	M	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	1	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gen. paralysis of insane, etc.	M	1	–	–	–	–	–	–	–	–	–	–	1	4	–	–	–	–	–	–	2	–	1	1	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	–	–	1
Cancer	M	51	–	–	1	–	–	1	–	3	13	21	12	125	–	–	–	–	–	1	8	14	39	35	28
	F	67	–	–	–	–	1	–	–	16	19	15	16	99	–	–	–	–	–	–	6	12	32	30	19
Diabetes	M	6	–	–	–	–	–	–	–	1	–	1	4	8	–	–	–	–	1	–	–	1	1	2	3
	F	9	–	–	–	–	–	–	–	1	2	2	4	10	–	–	–	–	–	–	–	–	3	6	1
Cerebral hæmorrhage	M	26	–	–	–	–	–	–	1	2	4	8	11	44	–	–	–	–	–	–	3	3	8	12	18
	F	39	–	–	–	–	–	–	1	3	4	15	16	38	–	–	–	–	–	–	–	3	2	19	14
Heart disease	M	87	–	–	–	–	–	–	1	8	20	22	36	137	–	–	–	3	1	5	4	13	27	44	40
	F	126	–	–	–	–	–	1	1	3	17	39	65	199	–	–	–	2	5	5	8	16	27	61	75
Aneurysm	M	3	–	–	–	–	–	–	–	1	1	–	1	5	–	–	–	–	–	–	–	1	1	1	2
	F	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Other circulatory	M	9	–	–	–	–	–	–	1	1	2	3	2	27	–	–	–	–	–	–	–	–	6	13	8
	F	16	–	–	–	–	–	–	–	–	3	4	9	20	–	–	–	–	1	1	–	2	3	3	10
Bronchitis	M	8	–	–	–	–	–	1	–	–	2	2	3	38	3	–	–	–	–	–	1	5	6	10	13
	F	6	–	–	–	–	–	–	–	–	–	1	5	36	2	–	–	–	–	–	–	2	4	8	20
Pneumonia	M	13	3	1	–	–	1	1	1	–	3	1	2	55	5	2	5	3	2	2	6	4	14	8	4
	F	27	4	1	1	–	1	2	4	3	2	3	6	40	6	1	1	2	3	1	1	3	7	2	13
Other respiratory	M	2	–	–	–	–	–	1	–	–	–	–	1	7	–	–	–	–	–	2	–	2	–	1	2
	F	2	1	–	–	–	–	–	–	–	–	–	1	6	–	–	–	–	–	–	1	1	3	1	–
Peptic ulcer	M	3	–	–	–	–	–	–	–	–	1	1	1	14	–	–	–	–	–	1	2	3	6	1	1
	F	–	–	–	–	–	–	–	–	–	–	–	–	5	–	–	–	–	–	–	–	2	–	3	–
Diarrhœa	M	–	–	–	–	–	–	–	–	–	–	–	–	8	6	–	–	–	–	1	1	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	5	5	–	–	–	–	–	–	–	–	–	–
Appendicitis	M	2	–	–	–	–	1	–	–	–	1	–	–	10	–	–	–	1	3	1	–	–	2	2	1
	F	2	–	–	–	–	–	–	–	1	–	1	–	3	–	–	1	–	1	–	1	–	–	–	–
Cirrhosis of liver	M	2	–	–	–	–	–	–	–	–	2	–	–	2	–	–	–	–	–	–	–	–	1	1	–
	F	2	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	1	–
Other liver diseases	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	1	–	–	–	–	–	–	–	–	1	–	–	5	–	–	–	–	–	–	–	1	1	3	–
Other digestive	M	11	2	–	–	1	1	–	1	1	1	1	3	15	1	–	1	2	1	–	–	3	2	3	2
	F	6	–	1	–	–	–	–	–	1	2	1	1	12	–	–	–	1	–	1	1	3	1	2	3
Nephritis	M	8	–	–	–	–	1	–	–	–	1	3	3	22	–	–	–	–	2	2	1	1	5	3	8
	F	20	–	1	–	–	–	–	2	1	1	7	8	21	1	–	–	–	–	–	2	2	5	6	5
Puerperal sepsis	F	1	–	–	–	–	–	1	–	–	–	–	–	3	–	–	–	–	1	2	–	–	–	–	–
Other puerperal	F	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	2	1	–	–	–	–
Congenital causes, etc.	M	7	7	–	–	–	–	–	–	–	–	–	–	32	30	1	1	–	–	–	–	–	–	–	–
	F	10	10	–	–	–	–	–	–	–	–	–	–	15	15	–	–	–	–	–	–	–	–	–	–
Senility	M	3	–	–	–	–	–	–	–	–	–	1	2	7	–	–	–	–	–	–	–	–	–	–	7
	F	8	–	–	–	–	–	–	–	–	1	–	7	34	–	–	–	–	–	–	–	–	1	6	27
Suicide	M	5	–	–	–	–	–	–	1	1	3	–	–	14	–	–	–	–	1	1	2	4	4	1	1
	F	3	–	–	–	–	–	–	–	2	1	–	–	6	–	–	–	–	–	2	2	–	1	1	–
Other violence	M	9	1	–	–	–	–	1	1	–	1	2	3	33	1	–	2	3	5	2	7	3	2	3	5
	F	7	–	–	–	–	–	–	–	1	–	4	2	20	–	–	1	2	2	1	2	1	1	2	8
Other defined causes	M	19	1	1	–	1	2	3	–	–	4	3	4	55	2	2	1	7	5	2	3	3	9	10	11
	F	34	–	1	1	–	2	–	4	4	4	10	8	56	3	–	–	6	3	5	2	7	10	11	9
Ill-defined causes	M	2	–	1	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	1
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Causes of Death. See first page of Table.		EXETER. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	GATESHEAD. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	7
All Causes	M	424	31	7	–	6	18	19	25	44	63	100	111	910	99	39	27	21	45	46	42	108	180	168	1
	F	461	14	6	3	9	15	12	20	34	51	119	178	738	72	26	26	17	54	35	43	59	110	158	1
1 Typhoid fever, etc.	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	
2 Measles	M	1	–	–	–	1	–	–	–	–	–	–	–	11	1	5	2	3	–	–	–	–	–	–	
	F	1	–	–	1	–	–	–	–	–	–	–	–	8	–	–	6	2	–	–	–	–	–	–	
3 Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	6	–	2	3	1	–	–	–	–	–	–	
	F	–	–	–	–	–	–	–	–	–	–	–	–	6	–	2	1	1	1	1	–	–	–	–	
4 Whooping cough	M	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	F	3	1	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	
5 Diphtheria	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	
	F	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	1	–	–	–	–	–	–	
6 Influenza	M	10	–	1	–	–	1	2	–	2	1	1	2	40	2	3	1	2	2	2	3	8	5	8	
	F	15	–	–	–	–	–	2	–	–	3	2	8	41	–	–	–	–	5	2	9	2	5	11	
7 Encephalitis lethargica	M	3	–	–	–	–	–	1	–	1	–	1	–	3	–	–	–	–	1	–	–	2	–	–	
	F	2	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
8 Cerebro-spinal fever	M	1	–	–	–	–	1	–	–	–	–	–	–	4	1	–	–	1	2	–	–	–	–	–	
	F	1	–	–	1	–	–	–	–	–	–	–	–	2	–	–	2	–	–	–	–	–	–	–	
9 Respiratory tuberculosis	M	28	–	–	–	–	4	4	6	9	4	1	–	76	2	1	1	3	15	23	10	12	8	1	
	F	20	–	–	–	1	9	4	1	4	–	–	1	68	–	2	–	4	27	15	11	4	5	–	
10 Other tuberculosis	M	4	2	1	–	–	1	–	–	–	–	–	–	11	2	3	3	–	2	–	–	–	1	–	
	F	3	–	–	–	3	–	–	–	–	–	–	–	17	2	2	3	2	5	3	–	–	–	–	
11 Syphilis	M	2	1	–	–	–	–	–	–	–	–	1	–	11	6	–	–	–	–	1	–	2	2	–	
	F	–	–	–	–	–	–	–	–	–	–	–	–	3	2	–	–	–	–	–	–	–	–	1	
12 Gen. paralysis of insane, etc.	M	10	–	–	–	–	–	2	3	3	–	1	1	2	–	–	–	–	–	–	–	1	1	–	
	F	1	–	–	–	–	–	–	–	–	–	1	–	3	–	–	–	–	–	–	2	–	1	–	
13 Cancer	M	47	–	–	–	–	1	–	3	3	14	18	8	85	–	–	–	–	1	–	4	17	30	23	
	F	61	–	–	–	–	–	–	4	8	14	23	12	91	–	–	–	–	1	3	6	17	22	29	
14 Diabetes	M	3	–	–	–	–	–	–	1	–	–	–	2	4	–	–	–	–	–	–	–	–	2	1	
	F	10	–	–	–	–	–	–	–	1	2	3	4	4	–	–	–	–	1	–	1	–	1	–	
15 Cerebral hæmorrhage	M	27	–	–	–	–	–	–	–	2	2	10	13	72	–	–	–	–	–	–	–	4	28	27	
	F	35	–	–	–	–	–	–	–	3	4	11	17	45	–	–	–	–	–	–	–	4	10	15	
16 Heart disease	M	58	–	–	–	–	–	1	2	5	10	21	19	130	–	–	–	–	4	1	4	14	38	43	
	F	96	–	–	–	1	2	1	5	3	13	29	42	124	–	–	–	3	3	3	2	13	23	49	
17 Aneurysm	M	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	1	–	–	
	F	2	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
18 Other circulatory	M	21	–	–	–	–	–	–	–	1	3	6	11	31	–	–	–	–	–	–	–	1	7	5	
	F	31	–	–	–	–	–	–	1	–	4	10	16	40	–	2	–	–	–	–	1	–	8	10	
19 Bronchitis	M	29	2	–	–	–	–	–	–	–	1	7	19	47	5	–	–	–	–	3	1	10	9	6	
	F	41	2	–	–	–	–	–	–	1	–	8	30	34	–	2	–	1	–	–	2	–	8	11	
20 Pneumonia	M	28	5	1	–	–	1	3	1	2	3	5	7	78	21	15	10	6	2	–	5	6	8	3	
	F	28	2	2	–	1	–	–	1	2	–	8	12	51	17	10	7	–	1	–	1	2	7	4	
21 Other respiratory	M	10	–	–	–	–	1	–	3	2	1	1	2	15	–	1	–	1	1	2	1	2	–	3	
	F	5	–	–	–	–	–	–	–	2	–	3	–	2	1	–	–	–	–	–	–	–	–	1	
22 Peptic ulcer	M	7	–	–	–	–	–	–	1	2	4	–	–	9	–	–	–	–	–	2	2	1	4	–	
	F	2	–	–	–	–	–	–	–	–	–	2	–	3	–	–	–	–	–	–	2	1	–	–	
23 Diarrhœa	M	1	–	–	–	–	–	–	–	–	–	1	–	23	14	4	1	1	–	–	–	1	–	1	
	F	–	–	–	–	–	–	–	–	–	–	–	–	14	9	2	1	–	–	1	–	–	–	1	
24 Appendicitis	M	3	–	–	–	–	–	–	–	–	1	1	1	2	–	–	–	–	–	–	1	–	1	–	
	F	4	–	–	–	–	–	1	1	1	–	1	–	2	–	–	–	–	1	–	–	–	–	1	
25 Cirrhosis of liver	M	1	–	–	–	–	–	–	–	–	1	–	–	4	–	–	–	–	1	–	–	2	–	1	
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	
26 Other liver diseases	M	4	–	–	–	–	–	–	–	–	–	4	–	1	–	–	–	–	–	–	–	–	1	–	
	F	3	–	–	–	–	–	–	–	–	1	2	–	5	–	–	–	–	–	1	1	–	–	2	
27 Other digestive	M	4	–	–	–	–	–	1	–	–	1	–	2	18	3	1	1	–	–	1	–	5	1	5	
	F	7	–	–	–	–	–	–	1	2	1	3	–	18	4	1	–	–	2	–	–	2	6	1	
28 Nephritis	M	14	–	–	–	–	–	–	–	3	6	4	1	28	–	–	–	–	–	–	3	3	5	12	
	F	10	–	–	–	–	–	–	1	–	2	3	4	20	–	–	1	–	1	–	–	2	4	4	
29 Puerperal sepsis	F	2	–	–	–	–	–	2	–	–	–	–	–	2	–	–	–	–	–	1	1	–	–	–	
30 Other puerperal	F	1	–	–	–	–	–	–	1	–	–	–	–	4	–	–	–	–	2	1	1	–	–	–	
31 Congenital causes, etc.	M	17	17	–	–	–	–	–	–	–	–	–	–	36	35	–	–	–	–	–	1	–	–	–	
	F	9	8	1	–	–	–	–	–	–	–	–	–	31	31	–	–	–	–	–	–	–	–	–	
32 Senility	M	6	–	–	–	–	–	–	–	–	–	–	6	44	–	–	–	–	–	–	–	–	1	14	2
	F	24	–	–	–	–	–	–	–	–	–	–	24	28	–	–	–	–	–	–	–	–	–	5	2
33 Suicide	M	9	–	–	–	–	1	1	1	1	3	2	–	6	–	–	–	–	–	2	1	1	1	1	
	F	1	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	1	–	
34 Other violence	M	30	1	1	–	4	5	2	2	5	3	5	2	35	–	2	3	2	10	2	2	3	5	3	
	F	10	–	–	1	1	–	–	–	3	2	–	3	18	1	–	3	–	1	2	1	3	1	3	
35 Other defined causes	M	42	3	2	–	1	2	2	2	3	4	10	13	61	6	2	2	1	4	7	4	6	15	10	
	F	33	–	1	–	2	4	2	3	3	3	10	5	43	4	2	2	2	2	2	2	9	8	7	
36 Ill-defined causes	M	2	–	–	–	–	–	–	–	–	1	–	1	15	1	–	–	–	–	–	–	6	6	1	
	F	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–	–	3	

Causes of Death. (first page of Table.)		GLOUCESTER. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	GREAT YARMOUTH. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
All Causes	M	338	18	4	5	5	13	20	20	35	60	76	82	374	28	4	7	6	16	17	21	37	51	84	103
	F	328	14	3	1	1	18	19	22	23	44	60	123	397	14	2	4	8	15	18	12	43	41	99	141
Typhoid fever, etc.	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Whooping cough	M	1	–	1	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
	F	2	1	1	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Diphtheria	M	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	1	2	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Influenza	M	12	1	–	1	–	1	–	2	1	3	2	1	16	–	–	–	–	2	2	–	3	2	3	4
	F	13	2	–	–	–	–	–	1	–	2	1	7	14	–	–	–	–	–	1	2	2	–	1	8
Encephalitis lethargica	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Cerebro-spinal fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Respiratory tuberculosis	M	20	–	–	–	–	4	5	4	5	1	1	–	24	–	–	–	–	4	3	5	8	3	1	–
	F	30	–	–	–	–	11	10	3	3	2	1	–	18	–	–	–	–	4	5	2	3	3	1	–
Other tuberculosis	M	2	–	–	–	1	–	–	1	–	–	–	–	10	2	2	2	–	1	–	2	1	–	–	–
	F	1	–	–	–	–	1	–	–	–	–	–	–	5	–	1	–	1	2	1	–	–	–	–	–
Syphilis	M	1	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	1	–	–	1	–
Gen. paralysis of insane, etc.	M	2	–	–	–	–	–	–	–	1	1	–	–	4	–	–	–	–	–	–	1	1	1	1	–
	F	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	M	40	–	–	–	–	–	–	3	3	13	15	6	40	–	–	–	–	–	–	2	5	7	16	10
	F	30	–	–	–	–	–	–	2	2	13	5	8	59	–	–	–	1	–	–	1	15	17	17	8
Diabetes	M	5	–	–	–	–	–	–	1	1	1	1	1	3	–	–	–	–	–	–	–	–	1	1	1
	F	5	–	–	–	–	–	–	–	–	2	2	1	2	–	–	–	–	–	–	–	–	–	1	1
Cerebral hæmorrhage	M	27	–	–	–	–	–	1	1	1	5	5	14	16	–	–	–	–	–	–	–	–	2	7	7
	F	24	–	–	–	–	–	–	–	4	3	10	7	22	–	–	–	–	–	–	–	2	1	9	10
Heart disease	M	62	–	–	–	–	3	3	2	8	10	27	9	86	–	–	–	–	2	1	1	2	12	22	46
	F	84	–	–	–	–	2	–	4	4	6	25	43	128	–	–	–	–	2	–	1	7	9	37	72
Aneurysm	M	2	–	–	–	–	–	–	–	–	1	–	1	3	–	–	–	–	–	–	–	–	3	–	–
	F	2	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	1
Other circulatory	M	16	–	–	–	–	–	–	–	1	3	1	11	18	–	–	–	–	–	–	1	5	2	6	4
	F	16	–	–	–	–	–	–	–	–	2	1	13	15	–	–	–	–	–	–	–	1	–	5	9
Bronchitis	M	9	–	–	–	–	–	1	–	–	3	1	4	10	1	–	–	–	–	–	–	–	1	1	1
	F	7	–	–	–	–	–	–	–	1	–	1	5	10	–	–	–	1	–	–	–	1	–	1	7
Pneumonia	M	19	3	1	1	1	2	2	1	1	4	2	1	17	5	2	–	–	–	1	2	4	–	2	1
	F	13	2	1	1	–	–	1	2	2	1	–	3	12	2	–	–	–	–	2	–	1	2	1	4
Other respiratory	M	6	–	–	–	–	–	–	–	–	1	–	5	9	–	–	1	–	–	1	2	2	1	2	–
	F	7	–	–	–	–	–	–	1	–	–	1	5	3	–	–	–	–	–	–	–	1	1	1	–
Peptic ulcer	M	4	–	–	–	–	–	–	–	2	–	1	1	9	–	–	–	–	1	–	3	–	4	1	–
	F	2	–	–	–	–	–	1	–	–	1	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Diarrhœa	M	1	–	–	–	–	–	–	–	–	1	–	–	2	1	–	–	–	–	–	–	–	–	–	
	F	1	–	–	–	–	–	–	–	–	–	–	1	2	–	1	1	–	–	–	–	–	–	–	–
Appendicitis	M	2	–	–	1	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–
	F	2	–	–	–	1	1	–	–	–	–	–	–	3	–	–	–	1	1	–	–	1	–	–	–
Cirrhosis of liver	M	1	–	–	–	–	–	–	–	–	1	–	–	3	–	–	–	–	–	–	–	–	–	3	–
	F	1	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	1	1	–
Other liver diseases	M	2	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	1
	F	3	–	–	–	–	–	–	–	–	2	–	1	6	–	–	–	–	–	–	–	–	–	4	2
Other digestive	M	2	–	–	–	–	–	–	–	–	–	2	–	7	–	–	1	–	1	1	1	–	–	2	1
	F	8	–	–	–	–	1	–	–	1	2	2	2	6	–	–	–	–	–	–	1	1	1	2	1
Nephritis	M	25	–	–	–	–	–	–	2	4	5	7	7	14	–	–	–	–	–	2	–	2	3	4	3
	F	15	–	–	–	–	1	2	1	2	3	3	3	15	–	–	–	1	1	–	1	–	–	5	7
Puerperal sepsis	F	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other puerperal	F	3	–	–	–	–	–	–	3	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Congenital causes, etc.	M	12	12	–	–	–	–	–	–	–	–	–	–	14	14	–	–	–	–	–	–	–	–	–	–
	F	8	8	–	–	–	–	–	–	–	–	–	–	12	11	–	–	1	–	–	–	–	–	–	–
Senility	M	15	–	–	–	–	–	–	–	–	–	1	14	5	–	–	–	–	–	–	–	–	–	–	5
	F	14	–	–	–	–	–	–	–	–	–	3	11	9	–	–	–	–	–	–	–	–	–	2	7
Suicide	M	4	–	–	–	–	–	2	1	–	1	–	–	4	–	–	–	–	–	2	–	–	1	–	1
	F	2	–	–	–	–	–	–	2	–	–	–	–	4	–	–	–	–	–	–	–	2	1	1	–
Other violence	M	15	–	–	1	2	2	2	2	3	1	1	1	16	–	–	2	1	2	2	–	1	2	3	3
	F	8	–	–	–	–	–	–	–	1	2	–	5	11	–	–	–	–	1	3	–	–	1	4	2
Other defined causes	M	31	2	2	1	1	–	4	–	4	3	9	5	36	4	–	–	3	3	2	1	3	3	9	8
	F	24	1	1	–	–	1	4	2	2	3	4	6	30	–	–	2	1	2	6	3	5	4	5	2
Ill-defined causes	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–

Causes of Death. *See* first page of Table.		GRIMSBY. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	HALIFAX. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75
All Causes	M	599	59	9	9	17	29	24	34	80	82	145	111	723	51	8	9	15	23	25	35	71	164	192	13
	F	566	57	13	14	12	29	27	32	57	78	122	125	778	50	9	10	17	22	31	42	85	132	193	18
1 Typhoid fever, etc.	M	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2 Measles	M	2	–	1	1	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
	F	2	–	2	–	–	–	–	–	–	–	–	–	4	3	1	–	–	–	–	–	–	–	–	–
3 Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
4 Whooping cough	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	7	2	1	4	–	–	–	–	–	–	–	–	3	–	2	1	–	–	–	–	–	–	–	–
5 Diphtheria	M	–	–	–	–	–	–	–	–	–	–	–	–	7	–	–	3	4	–	–	–	–	–	–	–
	F	3	–	–	1	2	–	–	–	–	–	–	–	6	–	–	2	4	–	–	–	–	–	–	–
6 Influenza	M	33	–	1	3	–	1	2	4	7	7	4	4	25	–	–	–	–	1	1	7	4	5	5	
	F	34	1	1	1	–	6	1	2	7	6	5	4	22	–	–	–	1	2	2	4	1	6	2	
7 Encephalitis lethargica	M	2	–	–	–	–	2	–	–	–	–	–	–	2	–	–	–	1	–	–	1	–	–	–	–
	F	2	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
8 Cerebro-spinal fever	M	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
	F	2	–	–	1	1	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–
9 Respiratory tuberculosis	M	37	–	–	–	–	5	6	9	13	3	1	–	29	–	–	–	1	4	5	4	7	7	1	
	F	35	–	–	–	1	10	8	6	6	1	3	–	27	–	–	–	1	8	8	4	5	1	–	
10 Other tuberculosis	M	6	1	2	–	2	–	1	–	–	–	–	–	10	–	–	–	1	1	2	1	1	3	–	
	F	10	1	2	2	4	–	1	–	–	–	–	–	5	–	–	–	1	1	2	–	–	1	–	
11 Syphilis	M	1	–	–	–	–	–	1	–	–	–	–	–	4	1	–	–	–	–	–	–	–	2	1	
	F	2	1	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	
12 Gen. paralysis of insane, etc.	M	4	–	–	–	–	–	–	1	2	–	1	–	6	–	–	–	–	–	–	1	1	3	1	
	F	1	–	–	–	–	–	–	–	1	–	–	–	3	–	–	–	–	–	–	2	–	1	–	
13 Cancer	M	58	–	–	–	–	–	–	1	10	12	21	14	72	–	–	–	–	1	2	2	10	27	24	
	F	83	–	–	–	–	–	3	9	13	25	23	10	86	–	–	–	–	1	–	9	18	26	27	
14 Diabetes	M	6	–	–	–	–	–	–	–	1	3	2	–	8	–	–	–	–	1	–	–	–	4	2	
	F	5	–	–	–	–	1	–	–	–	2	2	–	19	–	–	–	–	1	–	1	2	4	9	
15 Cerebral hæmorrhage	M	26	–	–	–	–	–	–	–	–	6	10	10	40	–	–	–	–	–	–	1	3	12	17	
	F	29	–	–	–	–	–	–	–	1	7	7	14	47	–	–	–	–	–	–	–	4	12	14	
16 Heart disease	M	115	–	–	–	3	2	4	2	12	19	43	30	195	–	–	–	–	3	2	6	22	38	64	
	F	107	–	–	–	1	2	5	6	6	20	35	32	223	–	–	–	1	1	4	4	22	35	76	
17 Aneurysm	M	5	–	–	–	1	–	–	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	
18 Other circulatory	M	15	–	–	–	–	–	–	–	1	1	10	3	56	–	1	–	–	–	–	–	2	13	24	
	F	14	–	–	–	–	–	–	–	1	1	7	5	74	–	–	–	–	–	1	2	4	14	22	
19 Bronchitis	M	22	1	–	–	–	–	–	–	7	1	10	3	24	–	1	1	–	–	1	1	1	5	7	
	F	30	1	1	–	–	–	–	–	3	1	10	14	20	1	1	–	1	–	–	–	–	3	6	
20 Pneumonia	M	37	12	3	3	2	–	–	2	2	7	3	3	41	10	3	1	–	1	1	4	5	9	4	
	F	31	13	5	1	–	–	1	1	–	1	3	6	46	10	2	2	4	2	5	3	7	4	4	
21 Other respiratory	M	7	–	–	–	–	–	–	1	3	–	2	1	4	–	–	–	–	–	–	–	1	1	1	
	F	7	1	–	–	–	1	1	1	–	2	–	1	5	–	–	–	–	–	–	–	–	1	2	
22 Peptic ulcer	M	6	–	–	–	–	–	–	–	4	2	–	–	8	–	–	–	–	–	–	1	1	1	5	–
	F	2	–	–	–	–	–	–	–	1	1	–	–	4	–	–	–	–	–	–	–	2	2	–	
23 Diarrhœa	M	2	1	–	–	–	–	–	–	–	–	1	–	7	5	1	–	–	–	–	–	1	–	–	
	F	4	4	–	–	–	–	–	–	–	–	–	–	11	8	–	2	–	–	–	–	1	–	–	
24 Appendicitis	M	1	–	–	–	1	–	–	–	–	–	–	–	2	–	–	–	–	–	2	–	–	–	–	
	F	3	–	–	1	–	–	1	–	1	–	–	–	7	–	–	–	–	–	–	–	4	1	2	
25 Cirrhosis of liver	M	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
	F	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
26 Other liver diseases	M	2	–	–	–	1	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–	2	–	
	F	1	–	–	–	–	–	–	–	–	–	1	–	6	–	–	–	–	–	–	–	–	1	4	
27 Other digestive	M	15	1	–	–	1	–	2	3	2	–	5	1	12	–	–	–	–	–	2	–	–	6	3	
	F	16	1	–	–	–	–	1	1	3	3	5	2	10	–	–	1	1	–	1	2	1	2	–	
28 Nephritis	M	21	–	–	–	–	4	2	–	2	4	6	3	24	–	–	–	–	–	–	1	6	7	8	
	F	12	1	–	–	–	–	–	–	1	2	5	3	20	–	–	–	–	–	–	3	3	4	7	
29 Puerperal sepsis	F	5	–	–	–	–	3	–	2	–	–	–	–	6	–	–	–	–	3	2	1	–	–	–	
30 Other puerperal	F	3	–	–	–	–	2	–	1	–	–	–	–	6	–	–	–	–	1	3	2	–	–	–	
31 Congenital causes, etc.	M	39	38	1	–	–	–	–	–	–	–	–	–	29	29	–	–	–	–	–	–	–	–	–	
	F	29	28	–	–	1	–	–	–	–	–	–	–	19	19	–	–	–	–	–	–	–	–	–	
32 Senility	M	37	–	–	–	–	–	–	–	–	–	9	28	13	–	–	–	–	–	–	–	–	–	1	
	F	32	–	–	–	–	–	–	–	–	–	8	24	13	–	–	–	–	–	–	–	–	–	1	
33 Suicide	M	11	–	–	–	–	2	3	2	1	1	2	–	12	–	–	–	–	1	–	1	2	6	2	
	F	4	–	–	–	–	–	–	1	2	1	–	–	5	–	–	–	–	–	–	–	2	2	1	
34 Other violence	M	21	1	–	–	–	6	1	–	4	5	3	1	31	1	1	1	5	6	6	–	1	2	6	
	F	11	–	–	–	–	1	1	–	1	1	2	5	18	1	–	–	–	–	–	–	1	2	2	
35 Other defined causes	M	63	3	1	2	6	7	2	7	7	8	10	10	56	3	1	3	2	2	2	4	3	7	20	
	F	39	3	1	3	2	2	4	2	8	3	6	5	57	6	3	1	3	2	2	5	7	9	14	
36 Ill-defined causes	M	3	1	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	1	
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

Causes of Death. (see first page of Table.)		HASTINGS. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	HUDDERSFIELD. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
All Causes	M	426	17	3	4	4	12	18	14	29	76	106	143	811	29	6	16	38	27	39	42	104	193	205	112
	F	595	17	1	1	7	10	13	20	35	71	148	272	900	34	8	14	45	29	24	38	97	153	222	236
Typhoid fever, etc.	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
	F	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	M	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	1	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	1	–	–	–	–	–	–	–	–
Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	7	–	–	1	2	–	3	1	–	–	–	–
	F	2	–	–	1	–	1	–	–	–	–	–	–	4	–	–	–	4	–	–	–	–	–	–	–
Whooping cough	M	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	2	2	–	–	–	–	–	–	–	–	–	–	2	1	–	1	–	–	–	–	–	–	–	–
Diphtheria	M	3	–	–	1	2	–	–	–	–	–	–	–	23	–	–	4	18	1	–	–	–	–	–	–
	F	3	–	–	–	2	–	–	–	–	–	1	–	26	–	–	5	21	–	–	–	–	–	–	–
Influenza	M	18	–	–	–	–	–	–	–	4	3	2	9	34	–	–	–	1	–	4	3	12	6	5	3
	F	22	–	–	–	–	–	–	–	–	3	3	16	25	–	–	–	1	2	1	1	3	6	5	6
Encephalitis lethargica	M	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Cerebro-spinal fever	M	1	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Respiratory tuberculosis	M	17	–	–	–	–	1	5	4	4	–	2	1	57	1	–	–	1	11	13	9	11	8	3	–
	F	19	–	–	–	–	2	5	3	4	1	4	–	27	–	–	–	3	8	4	5	4	1	2	–
Other tuberculosis	M	4	–	–	2	–	–	–	–	1	–	–	1	9	–	1	3	2	1	–	–	2	–	–	–
	F	5	–	1	–	–	1	–	–	–	1	2	–	8	1	–	–	3	1	2	1	–	–	–	–
Syphilis	M	2	–	–	–	–	–	–	1	–	–	1	–	4	–	–	–	–	–	–	–	1	3	–	–
	F	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Gen. paralysis of insane, etc.	M	2	–	–	–	–	–	–	1	–	–	–	1	4	–	–	–	–	–	–	–	2	2	–	–
	F	2	–	–	–	–	–	–	1	–	–	1	–	2	–	–	–	–	–	–	–	2	–	–	–
Cancer	M	55	–	–	–	–	–	2	1	3	16	21	12	88	–	–	–	1	1	–	3	19	33	25	6
	F	96	–	–	–	–	–	1	4	9	15	24	43	105	–	–	–	–	–	1	2	27	35	27	13
Diabetes	M	7	–	–	–	–	–	–	1	–	3	3	–	13	–	–	–	–	–	1	–	1	4	6	1
	F	8	–	–	–	1	–	–	–	1	2	4	–	11	–	–	–	–	–	1	–	2	1	7	–
Cerebral hæmorrhage	M	22	–	–	–	–	–	–	1	3	3	6	9	30	–	–	–	–	–	–	–	2	9	13	6
	F	27	–	–	–	–	–	–	–	–	2	9	16	51	–	–	–	–	–	–	2	3	3	25	18
Heart disease	M	124	–	–	–	–	1	–	1	2	23	38	59	180	–	–	–	–	–	3	3	11	60	68	35
	F	181	–	–	–	–	1	1	1	8	16	45	109	232	–	–	–	2	1	1	5	19	41	67	96
Aneurysm	M	3	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	F	2	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Other circulatory	M	21	–	–	–	–	–	–	–	–	5	6	10	66	–	–	–	–	–	–	–	3	15	30	18
	F	29	–	–	–	–	–	–	–	–	1	10	18	70	1	–	–	–	–	–	1	2	12	26	28
Bronchitis	M	12	–	–	–	–	–	–	–	–	2	4	6	23	–	–	–	–	–	2	1	2	5	8	5
	F	19	1	–	–	–	–	–	–	–	1	5	12	48	2	1	–	1	–	–	1	2	4	16	21
Pneumonia	M	15	2	1	–	–	–	1	2	3	4	1	1	50	4	2	3	4	1	2	9	8	7	7	3
	F	17	1	–	–	–	1	1	1	2	1	1	9	40	2	3	4	2	5	–	1	3	8	5	7
Other respiratory	M	3	–	–	–	–	–	–	–	1	1	1	–	8	–	–	–	1	2	–	–	1	2	–	2
	F	5	–	–	–	–	–	–	1	–	2	–	2	9	–	1	–	–	1	–	1	1	2	2	1
Peptic ulcer	M	8	–	–	–	–	1	1	1	1	3	1	–	10	–	–	–	–	–	1	1	6	1	1	–
	F	7	–	–	–	–	–	–	–	3	3	–	1	5	–	–	–	–	–	–	–	1	2	–	2
Diarrhœa	M	2	–	–	–	–	–	–	–	1	–	–	1	6	3	1	–	–	–	1	–	–	1	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	7	3	1	–	–	1	–	–	–	1	1	–
Appendicitis	M	6	–	–	–	–	1	–	–	2	1	2	–	5	–	–	–	2	1	1	–	–	–	1	–
	F	5	–	–	–	–	–	–	–	–	1	4	–	4	–	–	–	1	–	1	–	1	–	1	–
Cirrhosis of liver	M	2	–	–	–	–	–	–	–	1	–	–	1	5	–	–	–	–	–	–	–	1	3	–	1
	F	1	–	–	–	–	–	–	–	–	–	1	–	3	–	–	–	–	–	–	–	–	2	1	–
Other liver diseases	M	1	–	–	–	–	–	–	–	–	–	–	1	5	–	–	–	–	–	–	–	1	1	2	1
	F	9	–	–	–	–	–	–	–	–	1	6	2	10	–	–	–	–	–	1	1	1	3	3	1
Other digestive	M	10	1	1	–	–	–	2	–	–	2	3	1	13	1	–	1	–	1	1	1	1	5	–	2
	F	13	–	–	–	–	–	1	–	–	2	6	4	17	–	–	2	1	2	1	1	3	3	3	1
Nephritis	M	10	–	–	–	–	–	–	–	–	2	2	6	30	–	–	–	–	–	–	2	6	7	9	6
	F	20	–	–	–	–	–	1	1	1	2	6	9	39	–	–	–	–	1	1	3	9	11	10	4
Puerperal sepsis	F	1	–	–	–	–	–	1	–	–	–	–	–	7	–	–	–	–	1	3	3	–	–	–	–
Other puerperal	F	4	–	–	–	–	–	1	3	–	–	–	–	5	–	–	–	–	1	3	1	–	–	–	–
Congenital causes, etc.	M	13	13	–	–	–	–	–	–	–	–	–	–	18	18	–	–	–	–	–	–	–	–	–	–
	F	11	11	–	–	–	–	–	–	–	–	–	–	23	22	–	–	1	–	–	–	–	–	–	–
Senility	M	6	–	–	–	–	–	–	–	–	–	–	6	14	–	–	–	–	–	–	–	–	–	1	13
	F	14	–	–	–	–	–	–	–	–	–	–	14	34	–	–	–	–	–	–	–	–	–	5	29
Suicide	M	5	–	–	–	–	–	–	1	1	2	1	–	11	–	–	–	–	1	1	2	2	3	1	1
	F	11	–	–	–	–	–	–	2	3	5	1	–	4	–	–	–	–	–	–	–	1	2	1	–
Other violence	M	19	–	1	–	1	4	3	–	–	2	5	3	35	1	1	3	3	6	4	4	6	5	1	1
	F	11	–	–	–	1	2	–	–	–	–	1	7	14	–	–	–	1	1	1	–	1	–	4	6
Other defined causes	M	31	–	–	–	1	3	3	–	2	2	7	13	59	1	–	–	2	–	2	3	6	13	24	8
	F	46	2	–	–	3	2	1	3	4	11	11	9	63	2	1	1	4	4	3	9	10	16	10	3
Ill-defined causes	M	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	F	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	1	–

Causes of Death. *See* first page of Table.		IPSWICH. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	KINGSTON UPON HULL. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	7
All Causes	M	484	30	4	13	14	20	20	19	37	74	116	137	2,176	237	61	55	73	101	130	130	257	374	422	3
	F	533	29	4	9	10	17	18	25	47	71	128	175	2,010	203	63	49	71	76	95	143	170	291	375	4
1 Typhoid fever, etc.	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
2 Measles	M	2	1	–	1	–	–	–	–	–	–	–	–	18	5	5	4	4	–	–	–	–	–	–	
	F	1	–	–	–	1	–	–	–	–	–	–	–	25	7	14	2	1	–	1	–	–	–	–	
3 Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	
4 Whooping cough	M	2	–	1	1	–	–	–	–	–	–	–	–	5	2	2	1	–	–	–	–	–	–	–	
	F	1	–	–	1	–	–	–	–	–	–	–	–	7	5	1	–	1	–	–	–	–	–	–	
5 Diphtheria	M	2	–	–	–	2	–	–	–	–	–	–	–	46	1	5	21	17	–	1	1	–	–	–	
	F	5	–	–	2	3	–	–	–	–	–	–	–	45	2	–	18	22	1	–	2	–	–	–	
6 Influenza	M	15	2	–	–	–	1	1	–	2	3	1	5	84	4	1	1	–	3	13	17	15	11	10	
	F	16	–	–	–	1	1	–	2	3	2	3	4	97	2	–	1	–	6	6	11	9	19	15	
7 Encephalitis lethargica	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	
	F	3	–	–	–	–	–	–	1	–	2	–	–	3	–	–	–	–	–	2	–	–	–	1	
8 Cerebro-spinal fever	M	1	–	–	1	–	–	–	–	–	–	–	–	4	–	–	–	–	4	–	–	–	–	–	
	F	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	1	–	–	–	–	–	–	–	
9 Respiratory tuberculosis	M	27	–	–	1	–	7	6	4	4	5	–	–	185	1	1	1	6	39	49	35	34	16	3	
	F	20	–	–	–	1	9	4	1	3	–	1	1	113	1	–	–	5	28	34	19	16	6	4	
10 Other tuberculosis	M	8	–	–	2	–	1	3	–	–	1	1	–	35	3	5	4	7	6	4	1	2	2	1	
	F	5	1	–	1	–	1	–	1	–	–	–	1	25	2	4	4	4	4	2	2	2	–	–	
11 Syphilis	M	4	–	–	–	–	–	–	–	1	1	1	1	17	2	–	–	–	1	–	1	3	6	4	
	F	–	–	–	–	–	–	–	–	–	–	–	–	19	2	1	–	–	1	1	2	5	5	2	
12 Gen. paralysis of insane, etc.	M	7	–	–	–	–	–	1	1	3	2	–	–	15	–	–	–	–	–	1	2	4	5	2	
	F	1	–	–	–	–	–	–	1	–	–	–	–	11	–	–	–	–	1	–	2	2	4	2	
13 Cancer	M	58	1	–	–	–	1	–	2	5	11	20	18	217	–	1	–	–	–	2	3	29	76	87	
	F	94	–	–	–	1	1	1	6	15	18	33	19	209	–	1	1	2	–	3	25	37	57	50	
14 Diabetes	M	5	–	–	–	1	–	1	–	–	1	1	1	11	–	–	–	–	1	–	–	1	2	6	
	F	10	–	–	–	–	–	–	1	–	1	6	2	29	–	–	–	1	1	1	2	1	6	11	
15 Cerebral hæmorrhage	M	26	–	–	–	–	–	1	–	–	3	12	10	93	–	–	–	–	–	–	2	10	20	31	
	F	41	–	–	–	–	–	–	2	3	9	10	17	127	–	–	–	–	–	–	5	11	29	39	
16 Heart disease	M	119	–	–	–	1	–	–	2	6	17	36	57	403	–	–	–	8	5	11	8	50	79	125	1
	F	132	–	–	–	–	2	2	3	6	12	41	66	406	–	–	–	1	7	8	17	32	70	116	1
17 Aneurysm	M	2	–	–	–	–	–	–	–	–	–	1	1	8	–	–	–	–	–	–	2	2	3	1	
	F	1	–	–	–	–	–	–	–	1	–	–	–	5	–	–	–	–	–	–	1	–	2	1	
18 Other circulatory	M	21	–	–	–	–	–	–	–	–	3	8	10	93	–	–	–	–	–	–	3	6	18	27	
	F	23	–	–	–	–	–	–	–	–	3	6	14	72	–	–	–	–	–	–	1	3	10	25	
19 Bronchitis	M	19	1	1	–	–	–	–	–	1	1	4	11	92	6	2	–	–	1	1	3	13	19	21	
	F	18	–	–	–	–	–	–	–	1	1	4	12	72	2	2	–	1	1	–	3	2	7	20	
20 Pneumonia	M	28	3	1	3	1	3	1	4	1	6	3	2	198	49	23	11	9	5	5	6	24	36	19	
	F	19	5	1	1	–	–	–	–	2	2	5	3	170	40	28	15	5	3	4	10	11	13	17	
21 Other respiratory	M	4	–	–	–	–	–	–	–	–	1	–	3	24	–	2	1	1	1	–	3	9	5	2	
	F	5	–	–	–	–	–	–	–	–	2	1	2	18	1	1	–	–	–	2	2	3	2	4	
22 Peptic ulcer	M	5	–	–	–	1	1	–	1	1	1	–	–	27	–	–	–	–	–	7	7	2	6	3	
	F	3	–	–	–	–	–	–	–	1	–	–	2	6	–	–	–	–	–	1	–	2	2	–	
23 Diarrhœa	M	1	1	–	–	–	–	–	–	–	–	–	–	41	35	3	1	–	–	–	–	1	–	1	
	F	–	–	–	–	–	–	–	–	–	–	–	–	43	34	4	2	1	–	–	–	1	–	1	
24 Appendicitis	M	4	–	–	–	1	1	1	–	1	–	–	–	10	–	–	3	–	2	–	–	1	2	1	
	F	3	–	–	–	2	–	–	–	1	–	–	–	10	–	–	1	2	–	2	3	–	1	1	
25 Cirrhosis of liver	M	3	–	–	–	1	–	–	–	–	–	2	–	3	–	–	–	1	–	–	–	1	–	1	
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	
26 Other liver diseases	M	4	–	–	–	–	–	–	1	–	–	1	2	9	–	–	–	–	–	1	1	1	4	–	
	F	4	–	–	–	–	–	–	–	–	–	2	2	16	–	–	–	–	1	–	1	1	2	4	
27 Other digestive	M	12	1	–	–	2	–	1	–	3	–	3	2	31	2	–	1	1	2	3	–	3	5	12	
	F	7	–	–	–	–	–	–	–	–	3	3	1	21	–	–	–	–	1	4	2	1	5	4	
28 Nephritis	M	12	–	–	–	–	–	–	–	2	4	4	2	42	–	–	–	–	2	5	3	6	7	14	
	F	13	–	–	–	–	1	1	1	1	4	2	3	37	–	–	–	1	3	1	1	4	11	12	
29 Puerperal sepsis	F	2	–	–	–	–	–	2	–	–	–	–	–	10	–	–	–	–	4	3	3	–	–	–	
30 Other puerperal	F	3	–	–	–	–	–	2	1	–	–	–	–	23	–	–	–	1	–	12	10	–	–	–	
31 Congenital causes, etc.	M	19	19	–	–	–	–	–	–	–	–	–	–	110	108	–	–	–	2	–	–	–	–	–	
	F	21	20	–	–	–	–	–	1	–	–	–	–	93	92	–	–	–	–	1	–	–	–	–	
32 Senility	M	4	–	–	–	–	–	–	–	–	1	–	3	43	–	–	–	–	–	–	–	–	1	9	
	F	14	–	–	–	–	–	–	–	–	–	–	14	74	–	–	–	–	–	–	–	–	–	8	
33 Suicide	M	7	–	–	–	–	–	–	–	1	3	3	–	29	–	–	–	–	3	7	4	6	3	6	
	F	6	–	–	–	–	–	1	3	2	–	–	–	15	–	–	–	–	–	1	4	3	4	3	
34 Other violence	M	24	–	1	–	4	2	3	4	4	3	1	2	105	2	3	3	9	17	15	16	12	13	4	
	F	11	1	–	1	1	–	1	–	1	–	2	4	60	4	3	1	7	6	1	4	1	6	9	
35 Other defined causes	M	39	1	–	4	–	3	1	–	2	7	14	7	176	17	8	3	10	7	5	12	22	35	30	
	F	51	2	3	3	–	2	4	1	7	12	9	8	145	9	3	3	15	8	5	11	22	30	26	
36 Ill-defined causes	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

Causes of Death. (see first page of Table.)		LEEDS. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	LEICESTER. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
All Causes	M	3,319	295	52	63	95	135	157	214	384	626	758	540	1,556	141	30	19	36	47	71	91	176	262	360	323
	F	3,254	241	53	67	89	151	154	177	306	508	750	758	1,527	101	25	39	32	70	67	87	155	211	306	434
Typhoid fever, etc.	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	M	10	2	3	3	2	–	–	–	–	–	–	–	11	4	4	2	1	–	–	–	–	–	–	–
	F	11	2	2	5	2	–	–	–	–	–	–	–	7	3	2	1	1	–	–	–	–	–	–	–
Scarlet fever	M	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	7	–	1	2	3	–	1	–	–	–	–	–	2	–	–	2	–	–	–	–	–	–	–	–
Whooping cough	M	8	4	1	2	1	–	–	–	–	–	–	–	4	3	1	–	–	–	–	–	–	–	–	–
	F	21	6	6	9	–	–	–	–	–	–	–	–	12	4	4	4	–	–	–	–	–	–	–	–
Diphtheria	M	42	1	2	6	33	–	–	–	–	–	–	–	7	1	2	1	3	–	–	–	–	–	–	–
	F	45	1	2	11	30	1	–	–	–	–	–	–	6	1	1	2	2	–	–	–	–	–	–	–
Influenza	M	114	3	3	2	–	6	4	11	25	21	19	20	71	1	3	–	–	1	3	8	16	13	13	13
	F	136	3	1	1	3	2	7	19	23	20	28	29	86	1	–	1	1	3	3	7	7	10	25	28
Encephalitis lethargica	M	6	–	–	–	–	–	2	2	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	7	–	–	–	1	1	–	2	1	1	1	–	1	–	–	–	–	–	–	–	–	1	–	–
Cerebro-spinal fever	M	13	3	1	1	1	2	3	–	1	1	–	–	3	1	1	–	–	–	–	1	–	–	–	–
	F	12	1	3	3	1	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Respiratory tuberculosis	M	236	2	2	4	–	36	47	45	56	34	10	–	149	1	–	–	1	20	31	28	35	20	12	1
	F	183	1	1	1	7	72	41	28	11	15	5	1	114	–	1	1	5	39	27	17	15	6	3	–
Other tuberculosis	M	48	6	4	1	9	11	8	3	–	4	2	–	24	1	2	5	6	1	1	–	2	4	2	–
	F	38	1	6	6	4	7	5	4	2	1	2	–	15	1	–	5	5	2	1	1	–	–	–	–
Syphilis	M	12	3	1	–	–	–	–	–	2	3	3	–	5	1	–	–	–	–	–	–	–	1	2	1
	F	10	2	–	–	–	–	1	1	4	1	1	–	3	1	–	–	–	–	–	–	–	1	1	–
Gen. paralysis of insane, etc.	M	27	–	–	–	–	–	–	8	9	9	1	–	7	–	–	–	–	–	2	1	2	2	–	–
	F	12	–	–	–	–	–	1	3	3	4	1	–	6	–	–	–	–	–	–	2	1	3	–	–
Cancer	M	357	–	–	–	–	2	9	14	51	115	129	37	189	–	1	–	1	1	1	9	23	50	76	27
	F	361	–	–	–	–	1	2	23	72	114	108	41	203	–	–	1	–	–	5	12	35	50	57	43
Diabetes	M	32	–	–	–	–	–	1	2	1	12	10	6	20	–	–	–	–	–	1	1	–	2	8	8
	F	46	–	–	–	1	–	2	–	2	13	23	5	22	–	–	–	–	1	1	–	1	3	11	5
Cerebral hæmorrhage	M	176	–	–	1	–	–	2	6	17	40	70	40	87	–	–	–	–	–	1	–	7	16	36	27
	F	208	–	–	–	–	1	3	4	20	49	78	53	98	–	–	–	1	–	–	2	10	13	37	35
Heart disease	M	631	–	–	1	2	19	7	25	69	137	219	152	248	–	–	–	2	4	4	6	24	54	80	74
	F	692	–	–	–	6	12	24	23	56	110	205	256	298	–	–	–	4	3	12	10	30	46	84	109
Aneurysm	M	18	–	–	–	–	–	2	1	3	5	5	2	6	–	–	–	–	–	–	–	1	4	1	–
	F	9	–	–	–	–	1	–	–	–	3	3	2	3	–	–	–	–	–	–	–	1	–	1	1
Other circulatory	M	250	–	–	–	–	–	–	2	11	31	80	126	71	–	–	1	–	–	–	–	2	18	17	33
	F	262	–	–	–	–	–	–	–	6	26	83	147	55	–	–	–	–	–	–	1	3	10	10	31
Bronchitis	M	179	11	4	2	2	1	3	9	24	37	48	38	66	6	2	–	–	–	1	1	7	7	15	27
	F	155	2	1	–	1	2	2	1	8	23	43	72	70	6	–	2	1	–	–	1	4	11	12	33
Pneumonia	M	276	37	22	20	6	8	17	32	36	45	34	19	108	25	8	6	1	2	4	11	17	12	13	9
	F	208	38	19	14	7	6	7	16	24	24	33	20	65	16	8	7	–	–	–	5	4	4	11	10
Other respiratory	M	32	2	3	–	–	–	2	3	7	6	7	2	16	–	1	–	1	–	1	1	2	2	5	3
	F	19	–	–	–	1	1	2	–	4	4	3	4	13	–	1	1	–	–	1	–	–	6	–	4
Peptic ulcer	M	39	–	–	–	–	–	5	5	9	14	4	2	16	–	–	–	–	–	2	2	3	5	2	2
	F	19	–	–	–	–	1	1	2	3	4	6	2	3	–	–	–	–	–	–	2	–	–	1	–
Diarrhœa	M	72	57	2	2	1	–	1	2	2	2	1	2	21	20	–	–	–	–	–	–	–	–	–	1
	F	49	37	5	–	1	–	–	1	1	–	2	2	19	9	3	2	–	–	–	3	1	–	1	–
Appendicitis	M	21	–	–	–	4	–	1	2	2	5	5	2	7	–	–	–	2	1	1	–	–	2	1	–
	F	12	1	–	–	1	–	–	1	4	3	2	–	5	–	–	–	1	1	–	–	1	1	1	–
Cirrhosis of liver	M	4	–	–	–	–	–	–	–	1	3	–	–	6	–	–	–	–	–	–	–	–	3	3	–
	F	4	–	–	–	–	–	–	–	1	2	–	1	4	–	–	–	–	–	–	1	2	–	1	–
Other liver diseases	M	12	–	–	–	–	–	–	3	3	3	2	1	1	–	–	–	–	–	–	–	1	–	–	–
	F	24	–	–	–	–	–	–	1	2	9	7	5	9	–	–	–	–	–	–	1	1	4	1	2
Other digestive	M	36	2	–	–	4	2	3	1	2	9	6	7	32	2	–	–	1	2	2	1	4	5	9	6
	F	53	3	–	5	4	2	5	3	3	10	11	7	32	–	1	1	2	4	2	2	5	5	5	5
Nephritis	M	72	–	–	–	–	4	7	4	12	18	18	9	47	1	–	–	–	2	3	2	7	5	17	10
	F	90	–	–	–	1	3	6	6	13	17	33	11	61	–	–	1	–	1	2	2	5	12	16	22
Puerperal sepsis	F	14	–	–	–	–	5	5	4	–	–	–	–	5	–	–	–	–	1	2	2	–	–	–	–
Other puerperal	F	11	–	–	–	–	2	6	2	1	–	–	–	6	–	–	–	–	–	4	2	–	–	–	–
Congenital causes, etc.	M	129	128	–	–	1	–	–	–	–	–	–	–	57	57	–	–	–	–	–	–	–	–	–	–
	F	111	107	1	1	–	1	–	–	–	1	–	–	48	48	–	–	–	–	–	–	–	–	–	–
Senility	M	38	–	–	–	–	–	–	–	–	1	9	28	64	–	–	–	–	–	–	–	–	3	12	49
	F	71	–	–	–	–	–	–	–	–	–	5	66	92	–	–	–	–	–	–	–	–	–	11	81
Suicide	M	39	–	–	–	–	6	3	5	5	13	6	1	25	–	–	–	–	1	3	5	3	10	3	–
	F	25	–	–	–	–	3	4	5	3	3	5	2	16	–	–	–	–	3	–	3	4	5	–	1
Other violence	M	135	5	3	13	12	21	15	10	16	14	16	10	53	3	2	3	2	7	3	6	6	6	6	9
	F	73	13	1	2	1	4	5	–	5	16	11	15	39	5	–	4	2	4	1	2	5	2	6	8
Other defined causes	M	252	29	–	5	16	17	15	19	20	43	52	36	132	14	3	1	15	5	6	9	14	17	27	21
	F	253	23	4	7	14	19	23	27	34	35	50	17	109	6	4	4	7	8	6	9	20	18	11	16
Ill-defined causes	M	2	–	1	–	–	–	–	–	–	–	1	–	3	–	–	–	–	–	–	–	–	1	–	2
	F	2	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–

Causes of Death. *See* first page of Table.		LINCOLN. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	LIVERPOOL. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	7
All Causes	M	402	22	4	3	10	15	19	15	50	77	90	97	6,482	926	267	209	211	284	320	445	795	1056	1166	8
	F	406	11	3	7	11	19	20	22	34	57	84	138	5,969	727	259	213	196	279	295	368	542	836	1139	11
1 Typhoid fever, etc.	M	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	1	–	–	–	1	
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
2 Measles	M	–	–	–	–	–	–	–	–	–	–	–	–	148	33	65	46	4	–	–	–	–	–	–	
	F	1	–	–	1	–	–	–	–	–	–	–	–	154	20	88	40	6	–	–	–	–	–	–	
3 Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	15	1	2	8	1	2	–	1	–	–	–	
	F	–	–	–	–	–	–	–	–	–	–	–	–	12	–	1	6	1	1	–	1	1	1	–	
4 Whooping cough	M	–	–	–	–	–	–	–	–	8	–	–	–	44	19	17	8	–	–	–	–	–	–	–	
	F	–	–	–	–	–	–	–	–	–	–	–	–	49	20	19	9	1	–	–	–	–	–	–	
5 Diphtheria	M	–	–	–	–	–	–	–	–	–	–	–	–	83	3	9	28	40	2	1	–	–	–	–	
	F	3	–	–	1	2	–	–	–	–	–	–	–	93	1	5	36	45	1	1	1	2	–	1	
6 Influenza	M	18	–	1	–	–	–	–	2	4	4	3	4	177	4	8	5	4	8	14	24	43	21	20	
	F	18	–	1	1	1	2	1	–	2	2	2	6	162	6	3	2	1	5	7	8	22	31	45	
7 Encephalitis lethargica	M	1	–	–	–	–	–	–	–	–	1	–	–	16	–	–	–	–	–	3	4	3	5	1	
	F	1	–	–	–	–	–	1	–	–	–	–	–	9	–	–	–	–	2	–	3	2	1	1	
8 Cerebro-spinal fever	M	–	–	–	–	–	–	–	–	–	–	–	–	25	12	4	2	4	1	1	–	1	–	–	
	F	–	–	–	–	–	–	–	–	–	–	–	–	19	8	5	2	4	–	–	–	–	–	–	
9 Respiratory tuberculosis	M	30	–	–	–	2	7	8	5	1	6	1	–	601	–	1	1	10	117	125	117	128	79	21	
	F	20	–	–	–	1	6	8	3	1	1	–	–	415	2	–	2	21	139	105	64	48	28	3	
10 Other tuberculosis	M	3	–	–	1	2	–	–	–	–	–	–	–	77	4	4	14	17	16	6	10	5	1	–	
	F	3	–	–	1	1	–	–	–	–	–	1	–	77	11	6	13	16	12	7	4	5	1	2	
11 Syphilis	M	–	–	–	–	–	–	–	–	–	–	–	–	31	5	–	–	2	1	2	6	3	7	3	
	F	–	–	–	–	–	–	–	–	–	–	–	–	12	1	–	–	1	–	1	3	1	4	1	
12 Gen. paralysis of insane, etc.	M	2	–	–	–	–	–	–	–	2	–	–	–	40	–	–	–	–	1	4	4	12	15	4	
	F	1	–	–	–	–	–	–	–	1	–	–	–	10	–	–	–	–	–	2	2	5	–	–	
13 Cancer	M	39	–	–	–	–	1	1	–	7	10	14	6	645	–	–	2	1	3	11	48	122	193	191	
	F	46	–	–	–	1	–	1	1	5	12	14	12	619	2	–	1	–	2	4	48	114	172	190	
14 Diabetes	M	4	–	–	–	–	–	–	–	–	2	2	–	47	–	–	–	2	2	2	3	2	9	20	
	F	7	–	–	–	–	–	–	1	1	1	3	1	83	–	–	–	–	–	–	2	7	31	28	
15 Cerebral hæmorrhage	M	23	–	–	–	–	–	–	1	1	5	6	10	188	–	–	–	–	–	–	4	12	50	75	
	F	31	–	–	–	–	–	1	–	1	2	11	16	247	–	–	–	–	–	3	5	21	65	85	
16 Heart disease	M	88	–	–	–	2	2	–	1	7	14	28	34	1,001	–	–	1	4	20	27	35	128	227	319	2
	F	94	–	–	–	–	–	–	3	5	16	27	43	1,212	–	–	–	13	27	36	58	115	198	354	4
17 Aneurysm	M	2	–	–	–	–	–	–	–	–	1	1	–	19	–	–	–	–	–	–	–	3	10	4	
	F	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	1	3	–	
18 Other circulatory	M	28	–	–	–	–	–	–	–	1	7	6	14	241	–	–	–	–	–	–	4	18	58	89	
	F	33	–	–	–	–	–	–	–	5	3	4	21	188	1	–	–	–	1	–	3	8	24	60	
19 Bronchitis	M	21	1	1	–	–	–	–	–	5	2	5	7	283	25	7	2	1	3	6	21	38	44	69	
	F	21	2	–	–	–	–	–	1	–	2	5	11	261	23	7	2	1	4	5	11	13	32	62	1
20 Pneumonia	M	21	1	–	–	1	2	–	4	4	3	3	3	822	205	95	48	36	25	31	75	103	99	73	
	F	18	1	1	1	1	1	–	5	2	1	2	3	588	142	77	41	29	17	27	36	40	67	64	
21 Other respiratory	M	4	–	–	–	–	–	–	–	2	1	1	–	62	3	1	3	4	3	3	4	16	13	7	
	F	4	–	–	–	–	1	–	–	–	1	–	2	59	–	2	4	2	1	5	7	7	9	12	
22 Peptic ulcer	M	5	–	–	–	–	–	2	–	2	–	1	–	57	–	–	–	–	–	4	6	24	21	1	
	F	1	–	–	–	–	–	–	1	–	–	–	–	16	–	–	–	–	1	2	–	5	2	6	
23 Diarrhœa	M	3	2	1	–	–	–	–	–	–	–	–	–	195	155	26	4	–	1	3	–	2	2	1	
	F	–	–	–	–	–	–	–	–	–	–	–	–	156	115	22	9	–	2	–	1	1	1	3	
24 Appendicitis	M	2	–	–	–	–	–	1	–	–	1	–	–	27	–	–	2	4	10	4	3	2	1	1	
	F	4	–	–	1	1	–	–	–	1	–	–	1	24	–	–	1	4	2	5	3	4	3	2	
25 Cirrhosis of liver	M	1	–	–	–	–	–	–	–	–	–	–	1	6	–	–	–	–	1	–	1	1	3	–	
	F	1	–	–	–	–	–	–	–	–	1	–	–	6	–	–	–	1	–	–	1	2	1	1	
26 Other liver diseases	M	–	–	–	–	–	–	–	–	–	–	–	–	18	–	–	1	–	–	1	1	4	6	4	
	F	3	–	–	–	–	–	–	–	–	–	3	–	25	–	–	–	–	2	1	1	4	2	10	
27 Other digestive	M	12	–	–	–	1	–	1	–	1	3	4	2	92	21	3	2	5	2	3	3	9	16	16	
	F	8	–	–	–	2	–	1	–	2	–	1	2	102	11	3	6	10	2	4	9	14	10	26	
28 Nephritis	M	12	1	–	–	–	1	1	–	2	2	4	1	217	–	–	1	2	7	11	7	26	50	75	
	F	17	–	–	–	–	3	1	2	2	4	3	2	203	–	–	2	4	6	7	21	32	47	57	
29 Puerperal sepsis	F	2	–	–	–	–	2	–	–	–	–	–	–	29	–	–	–	–	9	15	5	–	–	–	
30 Other puerperal	F	10	–	–	–	–	3	4	2	1	–	–	–	31	–	–	–	–	7	8	16	–	–	–	
31 Congenital causes, etc.	M	14	13	–	–	1	–	–	–	–	–	–	–	371	368	1	–	1	–	1	–	–	–	–	
	F	7	7	–	–	–	–	–	–	–	–	–	–	287	283	–	3	1	–	–	–	–	–	–	
32 Senility	M	11	–	–	–	–	–	–	–	–	2	2	7	181	–	–	–	–	–	–	–	–	6	63	1
	F	8	–	–	–	–	–	–	–	–	–	1	7	175	–	–	–	–	–	–	–	–	6	38	1
33 Suicide	M	10	–	–	–	–	1	3	2	2	1	–	1	81	–	–	–	–	9	8	14	20	25	5	
	F	1	–	–	–	–	–	–	–	1	–	–	–	39	–	–	–	–	2	9	11	7	5	5	
34 Other violence	M	10	–	–	1	1	1	1	–	2	4	–	–	190	7	9	14	22	23	18	23	25	19	17	
	F	8	–	–	–	1	1	–	–	–	1	–	5	126	10	2	13	5	11	4	6	7	16	23	
35 Other defined causes	M	37	3	1	1	–	–	1	–	7	8	9	7	476	61	14	17	47	27	30	27	44	75	85	
	F	35	1	1	1	–	–	2	3	4	10	7	6	466	68	18	20	30	23	37	38	53	74	59	
36 Ill-defined causes	M	1	1	–	–	–	–	–	–	–	–	–	–	4	–	1	–	–	–	–	–	1	1	1	
	F	–	–	–	–	–	–	–	–	–	–	–	–	11	3	1	1	–	–	–	–	1	2	1	

Causes of Death. (see first page of Table.)		MANCHESTER. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	MIDDLESBROUGH. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
All Causes	M	5,257	499	96	83	131	218	285	385	702	1069	1109	680	1,000	147	39	31	37	43	58	60	113	173	191	108
	F	5,088	335	89	106	134	251	270	334	515	800	1160	1094	855	96	34	24	34	50	55	59	79	136	156	132
1 Typhoid fever, etc.	M	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
2 Measles	M	23	3	14	6	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
	F	25	4	9	7	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
3 Scarlet fever	M	6	–	1	–	5	–	–	–	–	–	–	–	2	–	–	2	–	–	–	–	–	–	–	–
	F	8	–	1	5	2	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
4 Whooping cough	M	22	11	7	4	–	–	–	–	–	–	–	–	5	1	4	–	–	–	–	–	–	–	–	–
	F	27	7	11	9	–	–	–	–	–	–	–	–	10	3	2	5	–	–	–	–	–	–	–	–
5 Diphtheria	M	47	–	3	18	24	–	–	–	1	–	1	–	4	–	–	2	2	–	–	–	–	–	–	–
	F	40	1	2	9	25	–	–	–	–	2	1	–	2	–	1	1	–	–	–	–	–	–	–	–
6 Influenza	M	264	7	3	2	5	21	25	39	57	50	34	21	36	2	3	2	1	–	1	3	7	6	4	7
	F	268	3	4	6	2	15	19	26	37	53	48	55	51	1	2	–	–	–	3	11	5	9	11	9
7 Encephalitis lethargica	M	10	–	–	1	1	1	2	1	1	1	2	–	2	–	–	1	–	–	–	–	1	–	–	–
	F	16	–	–	–	–	3	3	2	3	2	3	–	3	–	–	–	1	1	–	–	1	–	–	–
8 Cerebro-spinal fever	M	8	3	1	1	1	1	1	–	–	–	–	–	2	1	–	–	–	1	–	–	–	–	–	–
	F	14	4	2	1	1	1	1	1	3	–	–	–	7	1	1	1	3	–	–	–	1	–	–	–
9 Respiratory tuberculosis	M	461	1	4	2	4	61	83	104	106	81	13	2	100	1	1	1	2	13	25	20	22	13	2	–
	F	330	1	3	1	9	115	78	57	41	17	6	2	78	1	2	–	4	22	21	9	10	7	2	–
10 Other tuberculosis	M	46	5	2	6	7	11	4	4	4	2	1	–	22	2	3	4	7	2	3	–	1	–	–	–
	F	54	3	3	8	8	12	8	6	3	1	–	2	20	2	2	6	3	3	1	–	2	1	–	–
11 Syphilis	M	22	3	1	–	–	–	1	4	3	6	3	1	–	–	–	–	–	–	–	–	–	–	–	–
	F	15	3	–	–	–	–	1	1	7	2	1	–	2	–	–	–	–	–	–	1	–	—	1	–
12 Gen. paralysis of insane, etc.	M	33	–	–	–	1	–	3	6	9	9	4	1	9	–	–	–	–	1	–	1	4	2	1	–
	F	10	–	–	–	–	–	–	3	3	3	1	–	2	–	–	–	–	–	–	–	–	1	1	–
13 Cancer	M	594	–	1	–	6	3	13	41	84	199	175	72	102	–	1	1	–	1	–	9	19	36	28	7
	F	600	–	–	1	1	3	7	45	105	172	189	77	86	–	–	–	–	3	4	4	12	24	27	12
14 Diabetes	M	40	–	–	–	2	–	5	6	1	9	14	3	3	–	–	–	–	–	1	–	1	–	1	–
	F	74	–	–	–	–	1	2	5	10	16	32	8	8	–	–	–	–	–	1	–	–	2	4	1
15 Cerebral hæmorrhage	M	194	–	1	–	–	1	–	1	18	61	71	41	52	–	–	–	–	–	–	–	4	11	23	14
	F	225	–	–	–	–	1	1	5	19	50	89	60	45	–	–	–	–	–	–	–	3	14	18	10
16 Heart disease	M	980	–	–	–	6	15	29	30	119	252	312	217	171	–	–	–	3	1	2	5	15	41	63	41
	F	1,110	–	–	1	15	26	27	46	106	194	341	354	175	–	–	–	–	7	6	3	17	40	50	52
17 Aneurysm	M	11	–	–	–	–	–	2	2	1	4	1	1	1	–	–	–	–	–	–	–	–	–	–	1
	F	9	–	–	–	–	1	–	2	3	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–
18 Other circulatory	M	225	1	–	–	–	–	–	3	19	41	94	67	43	–	–	–	–	–	1	–	1	10	19	12
	F	257	–	–	–	–	–	1	2	13	39	92	110	39	–	–	–	–	–	–	2	3	4	10	20
19 Bronchitis	M	283	22	4	2	1	1	–	13	43	74	74	49	37	8	3	1	–	–	1	2	4	6	9	3
	F	296	19	2	–	1	1	4	8	21	42	85	113	26	5	3	2	1	–	–	1	1	3	4	6
20 Pneumonia	M	478	94	36	21	17	23	34	47	79	71	47	9	123	29	16	7	6	2	10	8	15	17	6	7
	F	346	63	41	28	17	4	21	27	25	41	46	33	91	25	13	6	7	3	2	8	6	9	7	5
21 Other respiratory	M	60	3	1	–	–	2	2	9	6	14	13	10	11	2	2	–	1	–	–	1	1	2	1	1
	F	38	–	–	–	–	–	1	2	8	9	5	13	1	–	–	–	–	–	–	–	–	–	1	–
22 Peptic ulcer	M	62	–	–	–	–	1	4	10	22	14	9	2	3	–	–	–	–	2	–	–	1	–	–	–
	F	16	–	–	–	–	–	1	2	3	6	3	1	5	–	–	–	–	–	–	1	–	3	–	1
23 Diarrhœa	M	83	66	5	4	–	1	2	–	–	1	3	1	28	19	–	4	2	–	1	–	–	–	2	–
	F	43	26	5	2	1	–	1	1	–	1	4	2	14	10	2	–	–	1	1	–	–	–	–	–
24 Appendicitis	M	19	1	–	–	2	6	3	1	2	3	1	–	4	–	–	–	2	2	–	–	–	–	–	–
	F	26	–	–	–	7	5	4	2	2	3	3	–	5	–	–	–	1	–	–	3	1	–	–	–
25 Cirrhosis of liver	M	13	–	–	–	–	–	–	1	2	5	5	–	3	–	–	–	–	–	–	–	1	1	1	–
	F	8	–	–	–	–	1	–	–	2	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–
26 Other liver diseases	M	11	–	–	1	–	–	1	1	2	4	2	–	3	–	–	–	–	–	–	1	–	1	1	–
	F	26	–	–	–	–	–	1	3	2	9	7	4	7	–	–	–	–	–	–	1	–	4	–	2
27 Other digestive	M	64	8	2	3	7	3	3	5	8	12	11	2	19	4	–	–	–	4	1	2	1	2	3	2
	F	97	7	–	9	7	3	5	9	11	11	18	17	17	1	1	–	2	–	–	2	3	4	3	1
28 Nephritis	M	126	–	–	–	–	4	6	10	20	29	42	15	18	–	–	–	1	1	–	–	2	6	7	1
	F	143	–	–	1	6	12	9	12	14	34	41	14	17	–	–	–	1	1	1	1	3	2	6	2
Puerperal sepsis	F	20	–	–	–	–	5	11	4	–	–	–	–	12	–	–	–	–	1	7	4	–	–	–	–
Other puerperal	F	32	–	–	–	–	6	17	9	–	–	–	–	6	–	–	–	–	4	–	2	–	–	–	–
Congenital causes, etc.	M	238	232	2	1	2	1	–	–	–	–	–	–	69	68	1	–	–	–	–	–	–	–	–	–
	F	171	166	2	1	–	2	–	–	–	–	–	–	42	42	–	–	–	–	–	–	–	–	–	–
Senility	M	142	–	–	–	–	–	–	–	–	5	44	93	4	–	–	–	–	–	–	–	–	–	1	3
	F	191	–	–	–	–	–	–	–	–	2	38	151	7	–	–	–	–	–	–	–	–	–	1	6
Suicide	M	62	–	–	–	–	3	9	11	21	9	9	–	12	–	–	–	–	1	2	1	3	2	2	1
	F	38	–	–	–	–	3	9	5	7	8	5	1	3	–	–	–	–	–	1	1	1	–	–	–
Other violence	M	208	11	2	5	20	32	22	10	24	31	28	23	39	2	1	2	3	7	7	2	3	6	4	2
	F	127	2	1	10	11	5	5	5	6	11	32	39	19	1	2	1	4	–	1	–	1	2	2	5
Other defined causes	M	415	28	6	6	20	25	31	26	50	82	93	48	71	8	3	3	7	5	3	5	7	11	13	6
	F	378	26	3	6	15	26	33	43	60	67	65	34	53	4	2	2	6	4	6	5	9	7	8	–
Ill-defined causes	M	6	–	–	–	–	1	–	–	–	–	3	2	1	–	1	–	–	–	–	–	–	–	–	–
	F	9	–	–	1	1	–	–	1	1	–	3	2	1	–	1	–	–	–	–	–	–	–	–	–

Causes of Death. *See* first page of Table.		NEWCASTLE-UPON-TYNE.												NORTHAMPTON.											
		All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75
All Causes	M	1,888	209	63	48	56	86	87	129	198	325	419	268	555	32	5	6	9	23	18	43	53	89	134	14
	F	1,757	149	48	49	59	70	103	107	162	267	381	362	537	20	1	3	4	22	25	26	48	77	148	16
1 Typhoid fever, etc.	M	1	–	–	–	–	–	1	–	–	–	–	–	7	–	–	–	–	–	2	3	1	1	–	–
	F	2	–	–	–	–	–	1	–	1	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
2 Measles	M	15	3	7	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	22	4	8	9	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
3 Scarlet fever	M	11	–	1	4	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	7	–	2	2	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
4 Whooping cough	M	11	3	5	3	–	–	–	–	–	–	–	–	2	1	1	–	–	–	–	–	–	–	–	–
	F	16	8	5	2	1	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
5 Diphtheria	M	4	–	–	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	5	1	–	2	1	–	–	1	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
6 Influenza	M	68	–	1	1	2	4	4	7	15	9	11	14	22	–	–	–	–	2	1	4	5	2	3	
	F	78	2	–	2	1	1	5	7	6	12	15	27	24	–	–	–	–	2	–	2	6	4	4	
7 Encephalitis lethargica	M	5	–	–	–	–	1	2	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
8 Cerebro-spinal fever	M	14	4	2	2	4	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	11	2	3	2	1	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9 Respiratory tuberculosis	M	147	1	–	1	6	26	39	32	21	17	3	1	31	–	–	–	–	6	6	6	7	4	1	
	F	118	–	–	1	7	37	35	15	12	8	3	–	33	–	–	1	–	8	15	3	6	–	–	
10 Other tuberculosis	M	34	2	3	3	8	10	2	4	1	–	1	–	6	–	–	–	1	1	1	–	2	–	1	
	F	33	3	–	4	12	4	3	1	2	2	1	1	7	–	–	2	1	2	–	–	2	–	–	
11 Syphilis	M	12	–	–	–	–	–	–	6	3	2	1	–	1	1	–	–	–	–	–	–	–	–	–	
	F	5	1	–	–	–	–	–	–	1	2	1	–	2	–	–	–	–	–	–	–	1	–	1	
12 Gen. paralysis of insane, etc.	M	9	–	–	–	–	–	–	4	–	4	1	–	2	–	–	–	–	–	–	–	–	1	1	
	F	1	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	1	–	–	1	
13 Cancer	M	208	–	–	–	2	1	3	11	31	58	79	23	79	–	–	–	1	–	1	7	8	22	25	1
	F	205	–	–	–	1	–	–	16	39	59	69	21	98	–	–	–	–	–	1	6	12	14	43	2
14 Diabetes	M	14	–	–	–	–	–	–	1	1	5	3	4	6	–	–	–	1	–	–	1	–	3	1	
	F	30	–	–	–	–	–	–	4	–	7	11	8	10	–	–	–	–	1	–	–	–	3	3	
15 Cerebral hæmorrhage	M	63	–	–	–	–	–	–	1	4	15	31	12	21	–	–	–	–	–	–	1	4	4	4	
	F	61	–	–	–	–	–	–	1	7	11	22	20	44	–	–	–	–	–	–	–	3	13	17	1
16 Heart disease	M	365	–	–	1	3	5	3	13	33	88	130	89	126	–	–	–	–	2	1	2	7	22	48	4
	F	339	–	–	–	5	5	12	15	28	60	104	110	140	–	–	–	–	–	3	2	9	25	44	5
17 Aneurysm	M	7	1	1	–	–	–	1	–	1	2	1	–	1	–	–	–	–	–	–	–	1	–	–	
	F	4	–	–	–	–	–	–	2	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	
18 Other circulatory	M	126	1	–	–	–	–	–	–	10	20	48	47	22	–	–	–	–	–	–	–	1	3	6	1
	F	124	–	–	–	–	–	–	–	7	18	41	58	14	–	–	–	–	–	–	–	–	1	2	1
19 Bronchitis	M	74	9	3	1	–	–	4	–	7	9	26	15	21	2	–	–	–	1	–	2	2	–	2	1
	F	70	6	3	2	1	2	2	1	4	5	13	31	23	–	–	–	–	–	–	–	–	–	5	1
20 Pneumonia	M	125	29	20	8	9	2	7	11	13	13	6	7	42	3	1	5	1	–	5	8	3	6	5	
	F	86	16	13	9	5	2	3	7	10	5	11	5	25	6	–	–	–	1	1	–	5	5	3	
21 Other respiratory	M	15	1	1	1	–	–	1	2	2	1	5	1	6	–	–	–	1	2	–	–	1	1	1	
	F	22	–	1	–	–	1	2	2	2	4	5	5	6	–	–	–	–	2	–	1	–	–	2	
22 Peptic ulcer	M	22	–	–	–	–	1	1	7	5	5	2	1	7	–	–	–	–	–	–	1	1	5	–	
	F	8	–	–	–	–	–	1	2	1	2	2	–	3	–	–	–	–	–	–	1	–	1	1	
23 Diarrhœa	M	40	27	6	1	2	1	–	–	–	1	1	1	4	3	–	–	–	–	–	–	1	–	–	
	F	32	18	5	–	–	1	–	1	–	4	3	–	2	1	–	–	–	–	–	–	–	–	1	
24 Appendicitis	M	12	–	1	–	1	1	2	2	2	2	1	–	5	–	–	–	–	–	–	1	–	2	1	
	F	11	–	–	–	–	3	–	1	1	2	2	2	–	–	–	–	–	–	–	–	–	–	–	
25 Cirrhosis of liver	M	3	–	1	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	
	F	2	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	
26 Other liver diseases	M	1	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	
	F	14	–	–	1	–	–	–	1	2	6	4	–	1	–	–	–	–	–	–	1	–	–	–	
27 Other digestive	M	32	6	–	2	2	2	2	3	2	7	5	1	10	–	1	–	–	1	–	–	–	1	5	
	F	39	4	1	3	2	–	3	2	5	8	10	1	7	–	1	–	–	–	2	2	–	–	1	
28 Nephritis	M	66	–	–	–	–	2	–	5	11	14	23	11	12	–	–	–	–	1	–	–	–	1	5	
	F	75	–	–	1	1	1	2	4	7	20	21	18	11	–	–	–	–	–	–	1	3	2	4	
29 Puerperal sepsis	F	9	–	–	–	–	–	6	3	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	
30 Other puerperal	F	8	–	–	–	–	–	5	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
31 Congenital causes, etc.	M	103	100	2	1	–	–	–	–	–	–	–	–	23	22	–	1	–	–	–	–	–	–	–	
	F	74	71	2	–	–	–	–	–	–	1	–	–	9	9	–	–	–	–	–	–	–	–	–	
32 Senility	M	17	–	–	–	–	–	–	–	–	1	2	14	16	–	–	–	–	–	–	–	–	–	2	
	F	46	–	–	–	–	–	–	–	–	–	9	37	22	–	–	–	–	–	–	–	–	1	2	
33 Suicide	M	27	–	–	–	–	2	2	2	8	8	4	1	9	–	–	–	–	–	–	1	2	4	2	
	F	10	–	–	–	–	1	3	2	–	3	–	1	3	–	–	–	–	–	–	1	–	2	–	
34 Other violence	M	79	7	4	2	9	14	4	7	7	10	7	8	24	–	1	–	2	4	1	3	1	3	2	
	F	44	1	1	2	6	–	3	5	2	3	12	9	15	1	–	–	1	4	–	1	–	1	2	
35 Other defined causes	M	156	15	5	8	5	8	9	10	20	32	26	18	46	–	1	–	2	3	–	3	5	3	18	
	F	142	12	4	6	11	9	16	11	22	24	19	8	30	2	–	–	1	1	3	3	1	5	12	
36 Ill-defined causes	M	2	–	–	–	–	1	–	–	–	1	–	–	2	–	–	–	–	–	–	–	1	–	1	
	F	3	–	–	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	

Causes of Death. *See* first page of Table.		NORWICH. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	NOTTINGHAM. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
All Causes	M	784	59	10	9	10	35	34	51	75	113	178	210	1872	229	45	32	42	67	71	105	210	329	411	331
	F	828	52	11	5	16	14	26	35	64	106	199	300	1867	146	42	23	39	83	88	84	176	267	427	492
1 Typhoid fever, etc.	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
2 Measles	M	–	–	–	–	–	–	–	–	–	–	–	–	29	9	16	4	–	–	–	–	–	–	–	–
	F	2	–	1	1	–	–	–	–	–	–	–	–	21	7	11	3	–	–	–	–	–	–	–	–
3 Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	1	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	1	–	–	–	–	–	–
4 Whooping cough	M	3	1	2	–	–	–	–	–	–	–	–	–	5	3	–	1	1	–	–	–	–	–	–	–
	F	3	2	–	1	–	–	–	–	–	–	–	–	5	1	2	2	–	–	–	–	–	–	–	–
5 Diphtheria	M	4	–	–	–	4	–	–	–	–	–	–	–	2	–	–	1	–	–	–	1	–	–	–	–
	F	4	–	–	1	3	–	–	–	–	–	–	–	4	–	–	1	1	–	–	–	1	1	–	–
6 Influenza	M	37	1	–	–	–	2	4	5	3	8	3	11	54	1	1	–	–	–	2	8	10	15	6	11
	F	62	1	1	–	–	1	2	1	6	7	13	30	90	–	1	–	–	5	6	5	12	18	22	21
7 Encephalitis lethargica	M	1	–	–	–	–	–	–	–	–	–	1	–	7	–	–	–	–	3	1	–	1	–	2	–
	F	1	–	–	–	1	–	–	–	–	–	–	–	4	–	–	–	–	–	–	2	–	–	2	–
8 Cerebro-spinal fever	M	1	–	–	–	–	1	–	–	–	–	–	–	4	1	2	–	–	–	1	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	2	1	–	–	–	–	–	–	–
9 Respiratory tuberculosis	M	58	–	–	–	–	11	8	15	15	6	2	1	125	1	–	1	1	12	24	30	34	17	5	–
	F	35	–	–	–	2	5	12	5	7	2	2	–	121	–	1	–	3	37	31	25	11	9	4	–
10 Other tuberculosis	M	10	–	3	2	1	2	2	–	–	–	–	–	29	5	2	1	6	7	2	1	2	–	3	–
	F	5	–	1	–	1	–	1	–	2	–	–	–	16	2	3	2	4	1	3	–	1	–	–	–
11 Syphilis	M	6	1	–	–	–	–	1	–	1	1	1	1	8	1	–	–	–	–	–	1	1	1	3	1
	F	3	1	–	–	–	–	–	1	1	–	–	–	3	–	–	–	–	–	1	1	–	1	–	–
12 Gen. paralysis of insane, etc.	M	5	–	–	–	–	–	–	2	1	1	1	–	12	–	–	–	–	–	2	3	5	2	–	–
	F	1	–	–	–	–	–	1	–	–	–	–	–	3	–	–	–	–	1	–	–	2	–	–	–
13 Cancer	M	103	–	–	–	–	–	3	6	10	21	40	23	172	–	–	–	1	1	1	6	20	65	55	23
	F	119	–	1	1	2	–	3	1	13	32	38	28	207	–	–	–	–	2	2	15	37	64	54	33
14 Diabetes	M	5	–	–	–	–	–	–	–	1	1	1	2	15	–	–	–	–	–	–	–	2	5	5	3
	F	8	–	–	–	–	–	–	–	–	2	5	1	34	–	–	–	1	–	1	–	5	11	12	4
15 Cerebral hæmorrhage	M	34	–	–	–	–	–	–	–	1	7	11	15	79	–	–	–	–	–	–	4	9	20	29	17
	F	61	–	–	–	–	–	–	1	3	10	20	27	92	–	–	–	–	–	1	1	8	19	32	31
16 Heart disease	M	138	–	–	–	–	3	3	4	10	20	44	54	403	–	–	–	4	1	7	8	38	80	147	118
	F	184	–	–	–	1	3	2	4	14	20	56	84	478	–	–	–	5	7	9	13	37	61	146	200
17 Aneurysm	M	3	–	–	–	–	–	1	1	1	–	–	–	11	–	–	–	–	1	–	–	4	3	3	–
	F	1	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	1	1	–
18 Other circulatory	M	39	–	–	–	–	–	–	1	2	5	12	19	65	–	–	–	–	–	–	–	7	14	22	22
	F	47	–	–	–	–	–	–	–	2	8	12	25	76	–	–	–	–	–	–	–	3	12	34	27
19 Bronchitis	M	36	4	–	1	–	2	–	–	5	2	7	15	83	10	1	–	2	3	–	3	6	11	21	26
	F	46	3	–	–	–	–	–	–	–	1	12	30	101	2	1	–	–	1	–	1	3	11	24	58
20 Pneumonia	M	47	8	–	2	–	–	–	5	6	9	8	9	193	48	14	11	3	3	9	14	18	32	25	16
	F	34	6	4	–	2	1	–	2	1	3	6	9	133	36	13	6	6	2	3	6	9	13	20	19
21 Other respiratory	M	13	2	–	–	–	1	–	1	1	2	4	2	24	–	1	–	1	–	–	3	3	9	3	4
	F	4	–	–	–	–	–	–	–	1	–	1	2	18	1	–	–	1	1	2	–	3	1	3	6
22 Peptic ulcer	M	9	–	–	–	–	–	1	1	3	2	2	–	26	–	–	–	–	–	–	1	11	9	5	–
	F	3	–	–	–	–	–	–	–	–	2	1	–	8	–	–	–	–	–	–	1	1	5	1	–
23 Diarrhœa	M	9	6	–	1	–	1	–	–	–	–	–	1	37	29	2	–	–	–	–	–	2	2	2	–
	F	3	2	1	–	–	–	–	–	–	–	–	–	33	21	6	1	–	–	–	–	–	1	3	1
24 Appendicitis	M	7	–	–	1	1	1	–	–	2	–	–	2	8	–	–	–	2	2	–	–	1	1	2	–
	F	3	–	–	–	–	–	–	–	–	1	1	1	6	–	–	–	1	1	–	–	2	1	–	1
25 Cirrhosis of liver	M	3	–	–	–	–	–	–	–	–	2	1	–	8	–	–	–	–	–	–	–	3	–	5	–
	F	2	–	–	–	–	–	–	–	–	1	1	–	2	–	–	–	–	–	–	–	2	–	–	–
26 Other liver diseases	M	2	–	–	–	–	–	–	–	–	–	2	–	5	–	–	–	–	–	–	1	2	–	2	–
	F	6	–	–	–	–	–	–	1	–	–	1	4	8	–	–	–	–	3	–	–	1	1	2	1
27 Other digestive	M	13	–	2	–	1	–	–	1	1	4	1	3	23	1	1	1	1	2	1	1	5	1	6	3
	F	11	1	–	–	–	–	1	1	–	2	1	5	35	2	1	–	1	2	2	–	5	4	11	7
28 Nephritis	M	26	–	–	–	–	–	3	2	2	5	3	11	45	–	–	–	–	3	2	3	8	10	11	8
	F	14	–	–	–	–	–	–	2	2	1	2	7	53	–	–	–	–	2	3	3	9	13	19	4
29 Puerperal sepsis	F	2	–	–	–	–	–	–	2	–	–	–	–	7	–	–	–	–	1	5	1	–	–	–	–
30 Other puerperal	F	4	–	–	–	–	–	–	4	–	–	–	–	9	–	–	–	–	2	5	2	–	–	–	–
31 Congenital causes, etc.	M	31	31	–	–	–	–	–	–	–	–	–	–	97	96	–	–	1	–	–	–	–	–	–	–
	F	28	27	1	–	–	–	–	–	–	–	–	–	63	62	1	–	–	–	–	–	–	–	–	–
32 Senility	M	28	–	–	–	–	–	–	–	–	–	6	22	48	–	–	–	–	–	–	–	–	–	4	44
	F	30	–	–	–	–	–	–	–	–	–	7	23	65	–	–	–	–	–	–	–	–	–	9	56
33 Suicide	M	7	–	–	–	–	1	1	2	3	–	–	–	35	–	–	–	1	4	4	2	6	7	9	2
	F	8	–	–	–	–	–	–	4	1	3	–	–	8	–	–	–	–	1	2	1	3	1	–	–
34 Other violence	M	20	–	–	1	2	7	2	1	2	3	1	1	80	3	–	7	10	17	5	6	5	11	6	10
	F	20	1	–	–	–	–	–	2	1	1	5	10	41	1	1	2	5	2	2	–	5	2	7	14
35 Other defined causes	M	86	5	3	1	1	3	5	4	5	14	27	18	136	21	5	5	7	8	8	9	7	13	30	23
	F	74	8	1	1	4	4	4	4	10	10	14	14	115	11	1	3	10	11	10	7	16	17	20	9
36 Ill-defined causes	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Causes of Death. *See* first page of Table.		OLDHAM. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	OXFORD. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75
All Causes	M	1,003	71	12	15	15	41	45	76	150	228	216	134	439	21	5	5	6	20	29	22	49	74	105	10
	F	1,044	48	14	16	20	37	45	84	95	206	266	213	486	16	3	8	11	17	24	22	31	73	101	18
1 Typhoid fever, etc.	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
2 Measles	M	2	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
3 Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	2	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
4 Whooping cough	M	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
	F	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
5 Diphtheria	M	2	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	7	–	–	–	7	–	–	–	–	–	–	–	2	–	–	2	–	–	–	–	–	–	–	–
6 Influenza	M	61	–	–	1	–	2	11	10	13	10	9	5	25	–	–	–	1	2	1	2	5	5	4	
	F	60	2	1	–	1	–	4	11	6	8	11	16	47	1	–	–	–	1	2	3	3	9	9	1
7 Encephalitis lethargica	M	1	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
	F	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
8 Cerebro-spinal fever	M	2	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	–	–	–	–	–	–	–	–
9 Respiratory tuberculosis	M	58	–	–	–	1	8	13	9	18	8	1	–	38	–	–	–	–	6	8	10	7	6	1	
	F	30	–	–	1	–	8	6	12	2	–	1	–	22	–	–	–	–	2	11	4	2	1	2	
10 Other tuberculosis	M	7	–	1	–	1	1	1	–	–	3	–	–	6	–	–	1	2	–	2	1	–		–	
	F	14	–	–	1	1	2	2	4	2	2	–	–	7	–	–	1	2	–	1	–	1	2	–	
11 Syphilis	M	3	–	–	–	1	–	–	–	1	1	–	–	4	2	–	–	–	–	–	–	–	2	–	
	F	2	1	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	
12 Gen. paralysis of insane, etc.	M	5	–	–	–	–	1	–	1	1	1	1	–	3	–	–	–	–	–	–	–	2	1	–	
	F	3	–	–	–	–	–	–	1	1	1	–	–	1	–	–	–	–	–	–	–	–	1	–	
13 Cancer	M	97	–	–	–	1	–	1	6	14	46	23	6	64	–	–	–	–	1	1	3	10	20	19	
	F	118	–	–	–	–	–	2	12	22	38	29	15	81	–	–	–	–	–	2	4	8	20	30	
14 Diabetes	M	9	1	–	–	–	–	–	1	–	3	3	1	6	–	–	–	–	–	1	–	–	–	3	
	F	19	–	–	–	–	–	1	1	–	8	7	2	5	–	–	–	–	–	–	–	1	–	3	
15 Cerebral hæmorrhage	M	37	–	–	–	–	–	–	–	4	11	15	7	10	–	–	–	–	–	–	–	1	–	4	
	F	53	–	–	–	–	–	–	2	7	11	21	12	25	–	–	–	–	–	–	2	–	2	7	
16 Heart disease	M	220	–	–	–	1	4	3	7	30	52	69	54	78	–	–	–	–	–	1	2	4	12	27	
	F	268	–	–	–	–	5	10	11	19	56	90	77	106	–	–	–	–	1	–	4	3	16	18	
17 Aneurysm	M	2	–	–	–	–	–	–	–	–	2	–	–	2	–	–	–	–	–	–	–	1	1	–	
	F	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	1	–	–	1	–	2	
18 Other circulatory	M	45	–	–	–	–	–	–	1	4	9	19	12	31	–	–	–	–	–	–	–	–	4	13	
	F	58	–	–	–	–	1	–	–	2	6	21	28	25	–	–	–	–	–	–	–	1	1	4	
19 Bronchitis	M	62	2	1	–	–	1	–	5	8	14	14	17	5	–	–	–	–	–	–	–	1	–	1	
	F	58	3	1	2	1	–	1	3	6	8	11	22	11	1	–	–	–	–	–	–	–	–	2	
20 Pneumonia	M	88	16	4	6	4	5	3	11	18	14	7	–	27	5	3	–	–	–	1	1	6	7	2	
	F	47	6	6	5	1	1	3	3	2	8	9	3	21	3	1	–	1	2	1	1	–	4	5	
21 Other respiratory	M	13	–	1	–	–	2	–	3	1	3	2	1	8	–	–	–	1	–	1	–	1	1	–	
	F	8	–	–	–	1	1	1	1	1	–	3	–	3	–	1	–	–	–	1	–	–	–	1	
22 Peptic ulcer	M	15	–	–	–	–	1	–	2	8	4	–	–	7	–	–	–	–	–	–	–	2	3	2	
	F	7	–	–	–	–	–	1	–	1	2	3	–	2	–	–	–	–	–	–	–	–	–	–	
23 Diarrhœa	M	9	3	2	1	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	
	F	7	3	–	1	–	1	1	–	–	1	–	–	2	–	–	1	–	–	–	–	–	–	1	
24 Appendicitis	M	8	–	–	1	1	–	–	2	3	1	–	–	3	–	–	1	–	–	–	–	–	–	2	
	F	3	–	–	–	1	1	1	–	–	–	–	–	2	–	–	1	–	1	–	–	–	–	–	
25 Cirrhosis of liver	M	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	1	–	
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
26 Other liver diseases	M	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	1	
	F	7	–	–	–	–	–	–	–	–	3	3	1	2	–	–	–	–	–	–	1	–	1	–	
27 Other digestive	M	13	1	–	1	1	–	–	–	2	5	–	3	10	3	–	–	–	–	1	–	1	–	4	
	F	21	3	–	1	–	–	–	1	3	4	7	2	10	–	–	1	–	–	–	–	2	3	1	
28 Nephritis	M	41	–	–	–	–	1	2	4	9	13	11	1	21	1	–	1	–	–	–	–	2	1	10	
	F	49	–	–	–	1	5	3	3	5	15	15	2	17	–	–	–	–	–	1	–	2	5	2	
29 Puerperal sepsis	F	5	–	–	–	–	–	2	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
30 Other puerperal	F	9	–	–	–	–	2	4	3	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	
31 Congenital causes, etc.	M	43	42	–	1	–	–	–	–	–	–	–	–	10	10	–	–	–	–	–	–	–	–	–	
	F	22	21	1	–	–	–	–	–	–	–	–	–	10	9	–	–	–	–	–	–	–	1	–	
32 Senility	M	15	–	–	–	–	–	–	–	–	1	4	10	4	–	–	–	–	–	–	–	–	–	–	
	F	28	–	–	–	–	–	–	–	–	–	7	21	18	–	–	–	–	–	–	–	–	–	1	
33 Suicide	M	17	–	–	–	–	1	2	2	5	3	4	–	5	–	–	–	–	–	–	2	–	1	1	–
	F	2	–	–	–	–	–	1	–	–	1	–	–	5	–	–	–	1	–	–	–	1	–	3	
34 Other violence	M	25	1	–	1	1	4	2	–	3	2	7	4	23	–	1	1	1	8	4	–	4	2	1	
	F	19	1	2	–	1	3	–	2	–	4	3	3	14	–	–	1	2	4	1	–	3	–	1	
35 Other defined causes	M	86	5	1	1	1	8	7	11	7	18	17	10	45	–	1	1	–	2	6	3	1	7	11	
	F	94	8	2	3	4	6	2	10	16	23	14	6	40	1	–	1	5	5	3	3	3	7	8	
36 Ill-defined causes	M	14	–	–	–	–	–	–	–	1	2	9	2	–	–	–	–	–	–	–	–	–	–	–	
	F	20	–	–	–	–	–	–	–	–	7	10	3	–	–	–	–	–	–	–	–	–	–	–	

Causes of Death. (first page of Table.)		PLYMOUTH. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	PORTSMOUTH. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
All Causes	M	1327	112	24	25	34	55	51	86	144	227	304	265	1552	114	28	25	41	56	65	86	176	277	359	325
	F	1390	75	25	17	35	52	50	69	141	211	321	394	1573	89	23	27	38	41	61	89	155	236	294	520
Typhoid fever, etc.	M	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	M	6	–	4	2	–	–	–	–	–	–	–	–	3	1	1	1	–	–	–	–	–	–	–	–
	F	8	2	2	4	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Scarlet fever	M	2	–	–	–	2	–	–	–	–	–	–	–	3	–	1	1	1	–	–	–	–	–	–	–
	F	2	–	–	–	2	–	–	–	–	–	–	–	7	–	–	4	1	1	1	–	–	–	–	–
Whooping cough	M	6	3	2	1	–	–	–	–	–	–	–	–	4	2	1	1	–	–	–	–	–	–	–	–
	F	9	3	3	3	–	–	–	–	–	–	–	–	13	5	3	4	1	–	–	–	–	–	–	–
Diphtheria	M	11	–	1	5	5	–	–	–	–	–	–	–	5	–	–	2	2	–	–	–	–	1	–	–
	F	7	–	–	–	7	–	–	–	–	–	–	–	4	–	–	2	2	–	–	–	–	–	–	–
Influenza	M	40	1	1	–	–	1	2	9	9	9	3	5	70	2	–	–	–	3	4	9	14	12	10	16
	F	34	1	–	–	1	7	2	1	1	10	4	7	78	1	–	1	2	1	3	8	4	12	16	30
Encephalitis lethargica	M	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–	1	–
	F	2	–	–	–	–	–	–	–	1	–	1	–	2	–	–	–	–	–	–	–	1	–	1	–
Cerebro-spinal fever	M	1	1	–	–	–	–	–	–	–	–	–	–	6	2	1	1	1	–	–	–	–	–	1	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	1	–	–	–	–	–	–	–
Respiratory tuberculosis	M	98	–	–	–	–	24	20	22	20	7	5	–	94	–	–	–	–	18	23	16	18	12	7	–
	F	81	–	–	–	2	23	22	9	13	10	2	–	76	–	–	–	4	15	26	16	5	8	2	–
Other tuberculosis	M	15	–	3	4	2	3	1	2	–	–	–	–	15	2	2	1	2	3	1	1	1	2	–	–
	F	11	–	3	2	–	1	1	1	–	1	1	1	14	1	3	3	2	3	–	1	–	1	–	–
Syphilis	M	9	1	–	–	–	1	1	2	1	1	1	1	7	1	–	–	–	–	1	–	2	2	1	–
	F	4	–	–	–	–	–	–	–	1	2	1	–	8	2	–	–	–	–	–	1	2	1	2	–
Gen. paralysis of insane, etc.	M	7	–	–	–	–	–	–	3	2	2	–	–	13	–	–	–	–	1	–	3	3	2	3	1
	F	4	–	–	–	–	–	1	–	–	2	1	–	6	–	–	–	–	–	–	1	3	2	–	–
Cancer	M	138	–	–	–	–	–	1	2	17	36	61	21	191	–	–	–	1	1	4	10	33	51	68	23
	F	175	–	–	–	–	1	1	8	27	55	44	39	199	–	–	–	–	2	1	13	48	47	59	29
Diabetes	M	21	–	–	1	–	–	–	2	2	7	6	3	11	–	–	–	3	–	–	–	–	1	3	4
	F	29	–	1	–	–	–	–	1	1	8	13	5	16	–	–	–	–	–	2	–	–	5	3	6
Cerebral hæmorrhage	M	67	–	–	–	–	–	–	1	6	12	22	26	68	–	–	–	–	–	2	–	3	15	25	23
	F	89	–	–	–	–	–	–	–	7	12	32	38	81	–	–	–	1	–	–	1	9	13	30	27
Heart disease	M	278	–	–	–	–	2	3	10	36	61	85	81	329	–	–	–	3	1	6	12	25	75	117	90
	F	305	–	–	–	6	4	1	9	27	35	101	122	370	–	1	–	2	5	4	14	34	61	93	156
Aneurysm	M	9	–	–	–	–	–	–	–	2	4	2	1	11	–	–	–	–	–	–	–	2	4	5	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	1	–	–	2	–
Other circulatory	M	53	–	–	–	–	–	1	1	3	13	14	21	35	–	–	–	–	–	–	3	4	3	10	15
	F	60	–	–	–	–	–	–	2	3	11	21	23	46	–	–	–	–	–	–	–	3	4	12	27
Bronchitis	M	88	8	–	1	–	–	–	1	6	16	26	30	63	4	–	1	–	2	1	1	7	10	15	22
	F	97	4	–	–	–	–	–	–	4	11	21	57	68	4	1	1	1	–	1	–	2	7	14	37
Pneumonia	M	84	17	8	2	3	1	4	6	13	11	13	6	88	16	18	8	4	5	1	11	12	4	5	4
	F	96	14	10	2	1	2	4	6	9	10	21	17	83	12	12	5	2	2	1	5	10	11	14	9
Other respiratory	M	16	1	–	1	2	–	–	1	2	6	1	2	17	–	–	2	1	–	–	1	3	5	1	4
	F	9	–	–	–	–	–	–	–	–	2	5	2	13	–	–	–	–	–	–	3	2	4	1	3
Peptic ulcer	M	15	–	–	–	–	–	1	5	3	2	2	2	16	–	–	–	–	–	–	3	3	8	2	–
	F	4	–	–	–	–	–	–	1	2	1	–	–	7	–	–	–	1	–	–	–	1	–	1	4
Diarrhœa	M	14	6	2	2	1	–	2	–	–	–	1	–	18	13	1	–	–	–	–	1	1	–	2	–
	F	4	1	–	1	–	–	–	–	1	–	1	–	9	5	–	–	1	–	1	–	–	–	–	2
Appendicitis	M	8	–	–	–	2	2	–	–	–	3	–	1	11	–	–	–	2	1	–	–	2	4	2	–
	F	13	–	–	2	1	1	–	1	2	3	3	–	9	–	–	1	1	–	1	–	1	4	–	1
Cirrhosis of liver	M	5	–	–	–	–	–	–	–	1	2	1	1	7	–	–	–	–	–	–	1	2	3	1	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other liver diseases	M	5	–	–	–	–	–	–	–	1	1	3	–	8	–	–	–	–	2	–	–	1	1	3	1
	F	8	–	–	–	–	–	1	–	1	2	4	–	12	–	–	–	–	–	1	–	2	1	5	3
Other digestive	M	18	2	–	2	3	–	–	1	3	2	3	2	33	4	–	2	4	3	2	3	2	5	5	3
	F	33	–	3	–	–	–	3	4	3	7	3	10	35	2	–	–	3	2	1	2	6	7	3	9
Nephritis	M	49	–	–	–	1	3	2	1	6	11	13	12	55	–	–	–	–	1	3	1	8	22	11	9
	F	35	–	–	–	1	–	1	–	10	5	15	3	50	–	–	–	1	2	1	4	7	16	6	13
Puerperal sepsis	F	7	–	–	–	–	–	3	4	–	–	–	–	4	–	–	–	–	–	2	2	–	–	–	–
Other puerperal	F	13	–	–	–	–	4	4	5	–	–	–	–	4	–	–	–	–	–	3	1	–	–	–	–
Congenital causes, etc.	M	66	65	–	–	–	–	–	–	1	–	–	–	59	57	–	1	1	–	–	–	–	–	–	–
	F	47	45	1	–	1	–	–	–	–	–	–	–	48	48	–	–	–	–	–	–	–	–	–	–
Senility	M	25	–	–	–	–	–	–	–	–	1	4	20	98	–	–	–	–	–	–	–	–	4	11	83
	F	53	–	–	–	–	–	–	–	–	–	7	46	152	–	–	–	–	–	–	–	–	1	13	138
Suicide	M	20	–	–	–	–	–	1	7	1	5	5	1	26	–	–	–	–	1	4	3	10	3	5	–
	F	15	–	–	–	–	3	1	3	4	1	3	–	14	–	–	–	–	1	2	3	4	3	1	–
Other violence	M	47	2	–	3	3	11	5	4	2	3	7	7	56	2	–	2	6	9	6	1	6	3	10	11
	F	22	–	–	1	2	1	2	–	1	2	2	11	40	–	2	1	3	4	3	4	2	3	3	15
Other defined causes	M	105	5	3	1	10	6	7	6	7	12	26	22	127	8	2	1	10	5	7	6	14	23	35	16
	F	114	5	2	2	11	5	3	14	23	21	15	13	98	9	–	3	9	3	7	9	9	25	13	11
Ill-defined causes	M	–	–	–	–	–	–	–	–	–	–	–	–	3	–	1	–	–	–	–	–	–	2	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–

Causes of Death. *See* first page of Table.		PRESTON. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	READING. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	7
All Causes	M	811	97	14	12	19	23	33	50	97	153	203	110	693	56	8	9	17	24	29	36	66	124	174	1
	F	766	55	15	4	13	30	32	55	73	131	184	174	665	31	5	5	9	20	18	41	63	86	160	2
1 Typhoid fever, etc.	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	F	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
2 Measles	M	3	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
3 Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	
4 Whooping cough	M	3	1	1	1	–	–	–	–	–	–	–	–	3	2	–	1	–	–	–	–	–	–	–	
	F	7	–	3	2	2	–	–	–	–	–	–	–	3	1	1	1	–	–	–	–	–	–	–	
5 Diphtheria	M	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	
6 Influenza	M	30	1	–	1	1	1	1	5	3	5	6	6	24	1	–	–	–	1	2	1	4	5	2	
	F	33	–	–	–	1	–	1	4	4	4	6	13	27	–	–	–	–	1	1	4	8	1	6	
7 Encephalitis lethargica	M	3	–	–	–	–	1	–	1	–	–	1	–	2	–	–	–	–	–	2	–	–	–	–	
	F	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	1	–	–	
8 Cerebro-spinal fever	M	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	
9 Respiratory tuberculosis	M	51	–	–	–	–	8	6	14	15	5	2	1	60	–	1	–	1	10	6	12	20	7	3	
	F	38	–	1	–	1	10	10	9	4	2	1	–	31	–	–	–	1	9	2	7	4	6	2	
10 Other tuberculosis	M	10	6	–	1	1	–	2	–	–	–	–	–	5	1	1	1	1	1	–	–	–	–	–	
	F	6	1	–	–	–	1	1	1	–	2	–	–	3	–	–	1	1	–	–	1	–	–	–	
11 Syphilis	M	1	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	1	1	–	
	F	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
12 Gen. paralysis of insane, etc.	M	6	–	–	–	–	–	2	–	1	2	1	–	3	–	–	–	–	–	–	–	1	2	–	
	F	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
13 Cancer	M	89	–	–	–	–	–	1	2	10	36	34	6	77	–	–	–	–	–	1	1	7	23	32	
	F	98	–	–	–	–	1	3	12	20	25	26	11	92	–	–	–	–	–	2	9	17	16	32	
14 Diabetes	M	4	–	–	–	–	–	1	–	–	1	2	–	6	–	–	–	–	–	–	–	–	2	2	
	F	11	–	–	–	–	–	–	–	1	2	4	4	4	–	–	–	–	–	–	–	–	–	2	
15 Cerebral hæmorrhage	M	33	–	–	–	–	–	–	1	2	4	19	7	19	–	–	–	–	–	–	–	1	3	9	
	F	35	–	–	–	–	–	–	–	3	6	11	15	24	–	–	–	–	–	–	–	1	3	9	
16 Heart disease	M	195	–	–	–	1	5	3	5	25	44	71	41	132	–	–	–	1	1	1	5	6	24	48	
	F	193	–	1	–	–	7	3	5	18	36	63	60	156	–	–	–	–	–	1	7	10	25	47	
17 Aneurysm	M	2	–	–	–	–	–	–	–	1	–	1	–	3	–	–	–	–	–	–	–	1	1	1	
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	
18 Other circulatory	M	31	–	–	–	–	–	–	–	4	3	13	11	82	–	–	–	–	–	–	–	1	8	31	
	F	29	–	–	–	–	1	–	–	–	3	12	13	86	–	–	–	–	–	–	–	4	3	23	
19 Bronchitis	M	25	–	–	–	–	–	–	1	2	4	9	9	29	1	1	–	–	–	–	1	3	6	10	
	F	29	2	–	–	–	–	–	–	2	2	16	7	35	1	–	–	–	–	1	–	1	–	2	9
20 Pneumonia	M	61	14	6	3	3	1	2	4	10	10	5	3	35	4	3	1	3	1	–	2	3	8	7	
	F	52	15	5	–	1	3	1	5	1	7	7	7	32	3	3	1	2	1	3	1	1	2	4	
21 Other respiratory	M	10	–	1	–	–	–	–	1	3	3	1	1	9	1	–	–	–	–	2	1	1	2	–	
	F	10	–	–	–	–	–	–	–	3	3	1	3	7	–	1	1	–	–	–	–	1	3	1	
22 Peptic ulcer	M	7	–	–	–	–	–	2	2	2	–	1	–	11	–	–	–	–	–	1	1	2	3	4	
	F	4	–	–	–	–	–	–	–	–	2	–	2	3	–	–	–	–	–	–	–	1	–	1	
23 Diarrhœa	M	9	4	1	1	–	–	–	–	1	–	–	2	8	7	1	–	–	–	–	–	–	–	–	
	F	13	6	–	–	–	–	2	–	1	2	–	2	3	1	–	–	–	2	–	–	–	–	–	
24 Appendicitis	M	10	–	–	–	3	–	1	–	3	3	–	–	6	–	–	–	2	–	–	–	2	1	1	
	F	5	–	–	–	1	–	–	1	1	1	1	–	2	–	–	–	–	–	–	–	1	–	–	
25 Cirrhosis of liver	M	4	–	–	–	–	–	–	–	–	2	2	–	4	–	–	–	–	–	–	1	–	2	1	
	F	2	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–	1	–	
26 Other liver diseases	M	3	–	–	–	–	–	–	–	–	–	2	1	1	–	–	–	–	–	–	–	–	1	–	
	F	8	–	–	–	–	–	–	–	–	3	4	1	6	–	–	–	–	–	–	1	1	3	1	
27 Other digestive	M	17	6	1	–	–	–	–	1	1	2	5	1	18	2	–	–	2	1	2	1	1	3	2	
	F	17	–	–	1	1	–	1	2	1	5	4	2	9	–	–	–	–	1	–	–	–	3	3	
28 Nephritis	M	28	–	–	–	–	–	2	3	–	8	7	8	12	–	–	–	1	1	–	1	3	4	1	
	F	33	–	1	–	–	1	2	1	4	7	10	7	20	–	–	–	–	–	–	1	2	8	5	
29 Puerperal sepsis	F	4	–	–	–	–	–	2	2	–	–	–	–	2	–	–	–	–	–	1	1	–	–	–	
30 Other puerperal	F	3	–	–	–	–	2	–	1	–	–	–	–	3	–	–	–	–	1	2	–	–	–	–	
31 Congenital causes, etc.	M	56	56	–	–	–	–	–	–	–	–	–	–	32	32	–	–	–	–	–	–	–	–	–	
	F	32	29	2	–	1	–	–	–	–	–	–	–	23	23	–	–	–	–	–	–	–	–	–	
32 Senility	M	12	–	–	–	–	–	–	–	–	–	4	8	5	–	–	–	–	–	–	–	–	–	–	
	F	18	–	–	–	–	–	–	–	–	–	4	14	17	–	–	–	–	–	–	–	–	–	1	
33 Suicide	M	11	–	–	–	–	–	1	2	5	2	1	–	4	–	–	–	–	–	–	–	1	3	–	
	F	3	–	–	–	–	–	2	1	–	–	–	–	3	–	–	–	–	–	–	1	1	–	–	
34 Other violence	M	33	1	2	2	5	4	4	3	2	6	2	2	35	2	–	3	3	5	5	5	3	4	4	
	F	19	–	2	1	3	1	1	–	–	2	4	5	11	1	–	–	–	1	1	–	–	–	2	
35 Other defined causes	M	63	7	1	1	5	3	5	5	6	13	14	3	63	2	1	2	3	3	7	4	5	10	16	
	F	61	2	–	–	2	3	3	10	8	15	10	8	55	1	–	–	2	3	5	6	9	10	12	
36 Ill-defined causes	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	

Causes of Death. (see first page of Table.)		ROCHDALE. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	ROTHERHAM. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
All Causes	M	671	50	5	6	16	32	32	51	75	161	143	100	461	67	11	11	11	15	15	26	44	92	94	75
	F	700	43	4	13	15	22	25	36	61	134	183	164	374	32	7	9	10	14	14	25	45	63	68	87
Typhoid fever, etc.	M	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	2	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Whooping cough	M	–	–	–	–	–	–	–	–	–	–	–	–	3	–	1	2	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	1	–	–	–	–	–	–	–	–
Diphtheria	M	6	–	–	1	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	9	1	–	4	4	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
Influenza	M	45	1	1	–	2	–	7	7	8	7	8	4	38	1	–	1	2	3	–	7	6	8	7	3
	F	44	1	–	–	–	1	3	6	4	13	11	5	23	–	2	–	–	–	–	4	7	2	3	5
Encephalitis lethargica	M	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cerebro-spinal fever	M	2	–	–	–	–	1	1	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Respiratory tuberculosis	M	33	–	–	–	–	3	14	6	4	4	2	–	29	–	–	–	–	4	7	2	6	7	2	1
	F	26	–	1	–	–	8	7	5	3	–	2	–	16	–	–	–	1	5	6	1	1	2	–	–
Other tuberculosis	M	3	–	–	–	–	1	–	2	–	–	–	–	2	–	–	1	1	–	–	–	–	–	–	–
	F	5	–	1	–	2	–	–	–	–	2	–	–	2	–	–	1	–	1	–	–	–	–	–	–
Syphilis	M	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gen. paralysis of insane, etc.	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	5	–	–	–	–	–	–	1	1	–	3	–
Cancer	M	56	–	–	–	–	–	–	2	6	25	17	6	27	–	–	–	1	–	–	3	2	10	8	3
	F	81	–	–	–	–	1	3	2	12	23	27	13	43	–	–	–	–	–	–	2	6	15	12	8
Diabetes	M	9	–	–	–	–	–	–	–	1	4	2	2	3	–	–	–	–	1	1	–	–	1	–	–
	F	11	–	–	–	–	1	–	–	2	3	5	–	5	–	–	–	–	–	–	–	1	1	2	1
Cerebral hæmorrhage	M	29	–	–	–	–	–	–	1	2	11	9	6	25	–	–	–	–	–	–	1	–	11	4	9
	F	40	–	–	–	–	–	–	1	2	6	14	17	15	–	–	–	–	–	–	1	–	4	2	8
Heart disease	M	133	–	–	–	3	6	2	1	10	43	35	33	80	–	–	–	–	2	–	2	7	11	33	25
	F	147	–	–	1	3	3	1	7	12	30	47	43	92	–	–	–	1	4	1	4	9	15	29	29
Aneurysm	M	3	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other circulatory	M	64	–	–	–	–	–	–	–	3	17	22	22	21	–	–	–	–	–	–	–	2	4	9	6
	F	49	–	–	–	–	–	–	–	–	6	22	21	15	–	–	–	–	–	–	–	1	5	3	6
Bronchitis	M	29	1	1	–	–	–	–	1	1	9	9	7	21	2	–	–	–	–	–	2	2	4	4	7
	F	55	1	–	–	–	1	2	–	1	10	17	23	15	1	1	–	–	–	–	1	2	2	2	6
Pneumonia	M	59	12	1	1	2	3	2	10	10	11	5	2	50	13	5	5	1	–	2	4	3	8	6	3
	F	31	6	1	5	1	1	1	3	3	3	4	3	27	4	3	2	2	–	–	4	1	3	5	3
Other respiratory	M	7	–	–	–	–	–	–	–	4	1	1	1	3	–	–	–	–	–	–	–	–	2	1	–
	F	9	–	–	–	–	–	–	1	1	1	3	3	4	–	–	1	–	–	–	–	2	–	1	–
Peptic ulcer	M	9	–	–	–	–	–	–	3	4	2	–	–	5	–	–	–	–	–	–	1	1	1	1	1
	F	3	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	M	8	8	–	–	–	–	–	–	–	–	–	–	11	4	2	1	–	–	–	–	2	2	–	–
	F	8	4	1	1	1	–	–	–	–	–	–	1	7	4	–	1	–	–	–	–	–	–	–	2
Appendicitis	M	5	–	–	–	–	2	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	7	–	–	–	1	1	1	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Cirrhosis of liver	M	2	–	–	–	–	–	–	–	–	2	–	–	2	–	–	–	–	–	–	–	1	–	1	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other liver diseases	M	3	–	–	–	–	1	–	–	–	–	1	1	3	–	–	–	–	–	–	1	1	–	1	–
	F	8	–	–	–	–	–	–	–	1	5	2	–	1	–	–	–	–	–	–	1	–	–	–	–
Other digestive	M	14	2	1	–	–	1	–	2	2	3	3	–	8	3	–	–	2	–	–	–	2	–	1	–
	F	14	1	–	–	–	1	–	–	3	6	3	–	9	2	–	2	–	–	–	–	2	1	1	1
Nephritis	M	26	–	–	–	2	1	–	3	3	7	8	2	12	–	–	–	1	1	–	–	1	5	3	1
	F	30	–	–	–	–	–	2	2	6	11	5	4	12	–	–	–	1	–	–	2	2	4	1	2
Puerperal sepsis	F	1	–	–	–	–	–	–	1	–	–	–	–	3	–	–	–	–	1	1	1	–	–	–	–
Other puerperal	F	2	–	–	–	–	–	2	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
Congenital causes, etc.	M	21	21	–	–	–	–	–	–	–	–	–	–	36	35	1	–	–	–	–	–	–	–	–	–
	F	26	26	–	–	–	–	–	–	–	–	–	–	16	16	–	–	–	–	–	–	–	–	–	–
Senility	M	8	–	–	–	–	–	–	–	–	–	–	8	11	–	–	–	–	–	–	–	–	–	3	8
	F	21	–	–	–	–	–	–	–	–	–	4	17	13	–	–	–	–	–	–	–	–	–	2	11
Suicide	M	11	–	–	–	–	–	–	3	1	5	2	–	4	–	–	–	–	–	–	–	1	2	1	–
	F	7	–	–	–	–	1	1	–	1	4	–	–	4	–	–	–	–	–	–	–	3	1	–	–
Other violence	M	28	1	1	2	2	5	1	5	4	2	3	2	21	2	–	1	–	2	3	1	3	5	2	2
	F	16	1	–	1	1	–	–	2	1	1	2	7	5	1	–	–	1	–	1	–	–	1	–	1
Other defined causes	M	55	4	–	2	–	7	4	4	9	8	14	3	44	7	2	–	3	1	2	2	4	10	7	6
	F	47	2	–	–	1	3	2	5	8	6	14	6	37	3	1	1	4	3	3	3	7	7	2	3
Ill-defined causes	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1

Causes of Death. *See* first page of Table.		ST. HELENS. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	SALFORD. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–
All Causes	M	823	143	41	30	39	35	36	66	79	107	149	98	1,575	153	29	37	41	74	68	139	229	311	301
	F	680	81	33	30	23	31	32	49	68	93	131	109	1,434	111	26	29	34	71	74	102	140	237	334
1 Typhoid fever, etc.	M	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	2	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2 Measles	M	4	–	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	8	–	3	5	–	–	–	–	–	–	–	–	2	–	1	1	–	–	–	–	–	–	–
3 Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
	F	2	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
4 Whooping cough	M	30	10	12	6	2	–	–	–	–	–	–	–	11	3	4	4	–	–	–	–	–	–	–
	F	22	7	7	7	1	–	–	–	–	–	–	–	8	3	1	3	–	–	–	–	1	–	–
5 Diphtheria	M	3	–	–	–	3	–	–	–	–	–	–	–	11	–	–	7	4	–	–	–	–	–	–
	F	5	–	–	2	2	–	–	–	1	–	–	–	12	–	–	6	6	–	–	–	–	–	–
6 Influenza	M	64	5	3	4	1	3	5	10	14	8	5	6	55	4	1	3	–	2	–	12	13	10	3
	F	37	1	1	–	1	3	3	5	7	3	8	5	66	–	1	2	–	7	–	7	4	16	13
7 Encephalitis lethargica	M	–	–	–	–	–	–	–	–	–	–	–	–	6	–	–	–	–	1	1	–	–	1	3
	F	1	–	–	–	–	–	–	1	–	–	–	–	3	–	–	–	–	1	–	–	–	–	2
8 Cerebro-spinal fever	M	2	–	1	1	–	–	–	–	–	–	–	–	7	2	–	–	2	–	3	–	–	–	–
	F	1	–	–	–	1	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	1	–
9 Respiratory tuberculosis	M	48	–	–	–	3	9	9	9	11	6	1	–	163	–	–	1	1	22	28	32	42	31	5
	F	31	–	–	1	–	12	11	5	–	1	1	–	85	–	1	–	1	32	22	19	4	5	1
10 Other tuberculosis	M	10	3	1	1	2	1	1	–	–	1	–	–	27	1	–	3	4	7	2	4	2	3	1
	F	1	–	–	–	–	1	–	–	–	–	–	–	15	–	1	3	4	2	1	–	2	1	1
11 Syphilis	M	1	–	–	–	–	–	–	–	–	1	–	–	15	1	–	–	–	–	1	–	6	7	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	6	1	–	–	–	1	1	2	–	1	–
12 Gen. paralysis of insane, etc.	M	1	–	–	–	–	–	–	–	–	1	–	–	10	–	–	–	–	–	1	–	6	1	1
	F	1	–	–	–	–	–	–	–	–	–	1	–	3	–	–	–	–	–	–	1	1	–	1
13 Cancer	M	66	–	–	–	–	–	–	6	14	17	22	7	160	–	–	–	–	1	2	8	21	55	52
	F	65	–	–	–	–	–	2	6	16	12	21	8	179	–	–	–	–	2	3	11	32	58	53
14 Diabetes	M	8	–	–	–	–	1	2	2	1	1	–	1	9	–	–	–	–	–	1	2	–	5	1
	F	10	–	–	–	–	1	–	1	1	2	4	1	26	–	–	–	–	–	1	–	3	10	8
15 Cerebral hæmorrhage	M	35	–	–	–	–	–	–	–	5	6	14	10	68	–	–	–	–	–	–	2	10	18	22
	F	42	–	–	–	–	–	–	1	5	8	19	9	63	–	–	–	–	–	–	2	5	17	24
16 Heart disease	M	112	–	–	–	–	6	2	7	10	19	47	21	263	–	–	–	3	5	2	13	40	67	83
	F	106	–	–	–	5	2	4	4	12	26	33	20	328	–	–	1	4	8	19	18	31	66	97
17 Aneurysm	M	–	–	–	–	–	–	–	–	–	–	–	–	6	–	–	–	–	–	–	1	2	2	1
	F	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	2	1	1
18 Other circulatory	M	22	–	–	–	–	–	–	2	–	2	8	10	50	–	–	–	–	–	–	1	2	9	24
	F	15	–	–	–	–	–	–	1	1	3	5	5	39	–	–	–	–	–	–	–	2	4	20
19 Bronchitis	M	62	11	3	1	–	2	1	2	5	7	21	9	98	10	1	–	–	–	–	8	19	26	15
	F	47	5	1	–	1	1	1	1	2	8	11	16	102	5	–	–	2	1	–	3	5	10	36
20 Pneumonia	M	108	33	11	8	11	5	5	15	7	8	4	1	176	31	15	11	5	19	8	20	29	22	10
	F	69	15	17	10	5	–	1	5	4	6	5	1	93	22	11	6	3	–	6	8	11	9	13
21 Other respiratory	M	5	–	–	1	–	–	–	–	1	2	1	–	18	2	1	–	2	–	–	5	2	3	1
	F	3	–	–	–	–	–	–	1	–	2	–	–	8	–	1	–	–	1	1	1	2	–	2
22 Peptic ulcer	M	6	–	–	–	–	–	1	1	–	3	1	–	17	–	–	–	–	–	–	6	2	4	5
	F	1	–	–	–	–	–	–	–	1	–	–	–	5	–	–	–	–	–	–	–	1	2	2
23 Diarrhœa	M	7	4	–	1	1	–	–	–	–	1	–	–	10	7	1	–	1	–	–	–	–	–	1
	F	11	7	1	1	–	–	–	–	–	1	–	1	14	8	2	–	1	–	–	–	1	–	1
24 Appendicitis	M	6	–	–	–	3	1	1	–	–	–	1	–	7	–	–	–	2	1	1	2	–	–	1
	F	5	–	–	–	1	1	–	1	1	1	–	–	9	–	–	2	–	–	–	2	4	1	–
25 Cirrhosis of liver	M	1	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	1	–	–	–	1	–	–
	F	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	1	–	–
26 Other liver diseases	M	–	–	–	–	–	–	–	–	–	–	–	–	8	–	–	–	–	–	1	1	1	1	3
	F	2	–	–	–	–	–	–	2	–	–	–	–	8	–	–	–	–	–	–	–	1	2	4
27 Other digestive	M	7	6	–	–	–	–	–	–	–	1	–	–	28	5	–	–	1	2	–	3	3	4	4
	F	8	4	–	1	–	–	–	2	–	1	–	–	32	1	1	4	2	–	3	4	4	5	5
28 Nephritis	M	9	–	1	–	1	1	–	1	–	3	2	–	23	–	–	–	–	–	–	1	3	6	9
	F	18	–	–	1	–	1	2	2	4	6	1	1	31	–	–	–	1	2	1	1	6	8	9
29 Puerperal sepsis	F	1	–	–	–	–	–	1	–	–	–	–	–	11	–	–	–	–	3	4	4	–	–	–
30 Other puerperal	F	10	–	–	–	–	2	4	4	–	–	–	–	10	–	–	–	–	2	5	3	–	–	–
31 Congenital causes, etc.	M	61	61	–	–	–	–	–	–	–	–	–	–	79	77	–	–	2	–	–	–	–	–	–
	F	31	31	–	–	–	–	–	–	–	–	–	–	59	58	1	–	–	–	–	–	–	–	–
32 Senility	M	35	–	–	–	–	–	–	–	–	1	9	25	56	–	–	–	–	–	–	–	1	–	24
	F	45	–	–	–	–	–	–	–	–	1	10	34	76	–	–	–	–	–	–	–	–	3	16
33 Suicide	M	6	–	–	–	–	–	–	3	2	–	1	–	17	–	–	–	–	2	3	3	5	3	1
	F	4	–	–	–	–	–	–	2	–	1	1	–	9	–	–	–	–	–	1	1	6	1	–
34 Other violence	M	36	1	2	4	4	3	6	6	3	3	3	1	66	2	3	4	6	10	5	5	8	11	8
	F	20	2	–	–	3	3	–	–	3	2	2	5	28	1	–	1	5	2	1	–	–	2	7
35 Other defined causes	M	60	9	4	3	6	3	3	2	6	12	8	4	108	8	3	3	7	2	9	10	11	22	23
	F	51	9	2	1	2	4	3	5	9	8	6	2	97	12	4	–	5	7	5	15	11	14	18
36 Ill-defined causes	M	7	–	–	–	–	–	–	–	–	3	1	3	–	–	–	–	–	–	–	–	–	–	–
	F	4	–	–	–	–	–	–	–	–	1	2	1	–	–	–	–	–	–	–	–	–	–	–

Causes of Death. (see first page of Table.)		SHEFFIELD.												SMETHWICK.											
		All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
All Causes	M	3,191	284	45	49	61	129	153	184	400	670	714	502	485	46	5	7	11	19	21	35	55	86	105	95
	F	2,929	171	41	42	81	103	128	179	294	517	660	713	434	30	5	9	9	11	19	23	47	70	96	115
Typhoid fever, etc.	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	M	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	1	–	–	–	–	–	–	–
	F	2	1	–	1	–	–	–	–	–	–	–	–	3	2	–	1	–	–	–	–	–	–	–	–
Scarlet fever	M	4	–	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	2	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Whooping cough	M	12	3	4	4	1	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–
	F	9	3	4	2	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Diphtheria	M	7	–	–	3	4	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
	F	12	1	1	–	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	M	162	1	6	2	3	–	12	19	23	37	37	22	15	–	–	2	–	–	1	3	2	1	1	5
	F	148	4	2	3	4	6	5	12	15	34	33	30	18	–	–	–	1	1	1	–	3	2	4	6
Encephalitis lethargica	M	3	–	–	–	1	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	4	–	–	–	–	–	1	–	–	3	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Cerebro-spinal fever	M	17	5	2	1	1	6	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	32	6	2	8	9	1	–	2	4	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Respiratory tuberculosis	M	219	–	2	–	–	39	45	26	52	47	8	–	29	–	–	–	–	3	6	7	7	4	2	–
	F	145	–	1	1	5	43	42	20	14	14	4	1	24	–	–	–	2	6	7	6	1	2	–	–
Other tuberculosis	M	41	3	1	5	7	7	7	5	2	3	1	–	3	–	–	–	1	1	–	1	–	–	–	–
	F	27	3	4	4	4	4	3	–	–	2	2	1	2	–	1	–	–	1	–	–	–	–	–	–
Syphilis	M	14	1	–	–	–	–	1	2	2	3	5	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	4	–	–	–	–	–	–	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Gen. paralysis of insane, etc.	M	24	–	–	–	–	–	1	3	9	8	3	–	4	–	–	–	–	–	–	1	1	2	–	
	F	10	–	–	–	–	–	–	1	4	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	M	402	1	–	1	3	3	8	18	60	140	136	32	68	–	–	–	–	1	2	3	11	20	20	11
	F	369	–	–	–	1	3	5	30	67	98	116	49	64	–	–	–	–	–	–	3	13	26	17	5
Diabetes	M	22	–	–	–	–	1	1	2	4	6	6	2	2	–	–	–	–	–	–	–	–	–	1	1
	F	41	–	–	–	1	1	1	1	5	18	11	3	8	–	–	–	–	–	–	–	4	3	1	–
Cerebral hæmorrhage	M	86	–	–	–	–	–	3	5	5	24	31	18	25	–	–	–	–	–	–	–	2	3	9	11
	F	128	–	–	–	–	–	3	2	15	35	33	40	28	–	–	–	–	–	–	–	5	2	10	11
Heart disease	M	649	–	–	–	5	8	16	23	55	172	215	155	97	–	–	–	–	3	3	6	6	17	30	32
	F	668	–	–	–	11	11	10	19	51	126	207	233	96	–	–	–	1	2	4	5	8	10	27	39
Aneurysm	M	11	–	–	–	–	–	1	1	2	5	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	8	–	–	–	–	–	–	2	1	2	2	1	1	–	–	–	1	–	–	–	–	–	–	–
Other circulatory	M	279	1	–	–	1	–	–	3	6	28	110	130	25	–	–	–	–	–	1	–	–	4	10	10
	F	295	–	–	–	–	–	–	–	4	39	88	164	16	1	–	–	–	–	–	1	–	2	3	9
Bronchitis	M	117	12	–	1	–	2	–	4	19	19	27	33	27	2	–	–	–	–	–	–	4	5	8	8
	F	106	11	–	1	–	2	2	5	11	14	22	38	24	2	1	–	–	–	–	–	–	3	5	13
Pneumonia	M	252	56	12	19	8	5	20	18	37	40	21	16	53	12	4	2	–	4	2	4	7	13	2	3
	F	199	29	18	8	11	5	10	20	17	23	37	21	30	6	2	4	–	–	–	–	4	4	9	1
Other respiratory	M	38	1	2	–	1	1	2	4	11	7	3	6	–	–	–	–	–	–	–	–	–	–	–	–
	F	18	–	–	1	–	4	1	2	–	3	1	6	2	–	–	–	–	–	1	–	–	–	1	–
Peptic ulcer	M	44	–	–	–	–	–	1	7	24	5	4	3	9	–	–	–	–	–	–	2	3	–	3	1
	F	8	–	–	–	–	–	–	1	4	2	1	–	1	–	–	–	–	–	–	–	–	–	–	1
Diarrhœa	M	31	23	5	1	1	–	–	–	–	1	–	–	4	4	–	–	–	–	–	–	–	–	–	–
	F	23	9	3	2	–	1	1	–	–	3	1	3	3	1	–	–	–	–	1	–	–	–	–	1
Appendicitis	M	18	–	–	–	1	2	2	1	4	6	2	–	2	–	–	–	–	1	–	1	–	–	–	–
	F	17	–	–	–	2	2	1	2	3	4	3	–	1	–	–	–	–	–	–	–	–	–	1	–
Cirrhosis of liver	M	12	–	–	–	–	–	–	–	5	3	4	–	3	–	–	–	–	–	–	–	2	–	1	–
	F	3	–	–	–	–	–	–	–	2	1	–	–	3	–	–	–	–	–	–	–	1	1	1	–
Other liver diseases	M	9	–	–	–	–	–	–	–	3	2	4	–	1	–	–	–	–	–	–	–	–	1	–	–
	F	24	–	–	–	–	–	–	2	6	1	10	5	3	–	–	–	–	–	–	–	–	1	–	2
Other digestive	M	49	10	1	2	3	3	3	3	2	9	10	3	11	–	–	1	1	2	–	–	1	2	3	1
	F	66	6	1	1	4	3	2	9	14	9	9	8	12	–	–	1	1	–	–	2	1	1	2	4
Nephritis	M	116	1	–	1	1	9	6	3	20	30	27	18	14	–	–	–	–	2	–	1	–	–	10	1
	F	118	–	–	1	1	1	5	5	21	31	30	23	15	–	–	–	–	–	1	–	–	6	4	4
Puerperal sepsis	F	12	–	–	–	–	1	7	4	–	–	–	–	2	–	–	–	–	1	1	–	–	–	–	–
Other puerperal	F	23	–	–	–	–	6	9	7	1	–	–	–	2	–	–	–	–	–	1	1	–	–	–	–
Congenital causes, etc.	M	142	140	–	–	–	1	–	1	–	–	–	–	22	22	–	–	–	–	–	–	–	–	–	–
	F	85	84	–	–	1	–	–	–	–	–	–	–	15	15	–	–	–	–	–	–	–	–	–	–
Senility	M	35	–	–	–	–	–	–	–	–	–	2	33	3	–	–	–	–	–	–	–	–	–	–	3
	F	49	–	–	–	–	–	–	–	–	–	3	46	16	–	–	–	–	–	–	–	–	–	2	14
Suicide	M	30	–	–	–	–	3	2	5	9	9	1	1	11	–	–	–	–	–	–	3	4	4	–	–
	F	15	–	–	–	–	–	3	4	3	5	–	–	4	–	–	–	–	–	–	–	2	1	1	–
Other violence	M	121	9	1	3	8	26	8	17	17	14	8	10	21	1	–	–	5	1	4	1	3	–	1	5
	F	51	1	1	4	5	6	2	2	3	3	4	20	9	1	–	1	–	–	–	1	–	2	2	2
Other defined causes	M	224	17	7	5	11	12	14	13	28	50	47	20	31	3	–	1	3	1	2	2	2	10	4	3
	F	206	13	4	5	10	3	15	26	28	43	41	18	28	2	1	–	3	–	2	3	5	4	5	3
Ill-defined causes	M	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	2	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	1	–

Causes of Death. *See* first page of Table.		SOUTHAMPTON. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	SOUTHEND-ON-SEA. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–
All Causes	M	1,106	97	10	12	27	41	48	62	126	211	233	239	705	34	5	4	11	14	18	46	67	137	185
	F	1,029	71	17	8	23	31	43	53	103	143	237	300	854	23	2	4	14	22	36	45	92	120	194
1 Typhoid fever, etc.	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2 Measles	M	3	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	3	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
3 Scarlet fever	M	1	–	–	–	–	1	–	–	–	–	–	–	2	–	1	1	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
4 Whooping cough	M	1	1	–	–	–	–	–	–	–	–	–	–	2	–	1	1	–	–	–	–	–	–	–
	F	6	3	3	–	–	–	–	–	–	–	–	–	2	1	1	–	–	–	–	–	–	–	–
5 Diphtheria	M	6	–	1	–	4	–	1	–	–	–	–	–	2	–	–	–	2	–	–	–	–	–	–
	F	3	–	–	–	2	–	–	–	1	–	–	–	4	–	–	–	4	–	–	–	–	–	–
6 Influenza	M	30	–	1	1	2	–	–	2	5	7	7	5	22	–	–	–	–	1	–	3	5	3	5
	F	21	1	–	–	–	–	1	1	2	1	9	6	38	–	–	–	1	1	5	5	5	3	7
7 Encephalitis lethargica	M	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	4	–	–	–	–	–	1	1	–	2	–	–	1	–	–	–	–	–	–	–	–	–	1
8 Cerebro-spinal fever	M	2	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	2	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9 Respiratory tuberculosis	M	97	–	–	–	1	10	22	23	20	16	5	–	40	–	–	–	–	4	8	6	11	9	1
	F	60	–	–	–	–	18	15	11	6	3	6	1	39	–	–	–	–	10	12	8	3	3	1
10 Other tuberculosis	M	16	1	1	1	6	2	–	–	2	1	1	1	3	1	–	1	–	–	1	–	–	–	–
	F	11	–	3	1	3	1	3	–	–	–	–	–	5	1	–	–	1	1	2	–	–	–	–
11 Syphilis	M	9	1	–	–	1	–	–	2	3	1	1	–	3	–	–	–	–	–	–	–	–	2	1
	F	5	1	–	–	–	–	–	–	1	2	1	–	1	–	–	–	–	–	–	–	–	–	1
12 Gen. paralysis of insane, etc.	M	22	–	–	–	–	–	1	2	8	9	1	1	4	–	–	–	–	–	–	2	–	2	–
	F	3	–	–	–	–	–	–	–	1	–	2	–	2	–	–	–	–	–	–	–	1	1	–
13 Cancer	M	138	–	–	–	–	1	–	6	22	48	37	24	86	–	–	–	–	–	–	5	12	22	34
	F	148	–	1	–	–	–	2	5	31	39	42	28	133	–	–	–	–	1	1	5	23	30	39
14 Diabetes	M	10	–	–	–	–	–	–	–	–	2	4	4	6	–	–	–	1	–	–	–	–	1	3
	F	21	–	–	–	–	–	–	–	4	6	7	4	19	–	–	–	–	–	–	1	4	6	5
15 Cerebral hæmorrhage	M	26	–	–	–	–	–	–	–	3	5	8	10	38	–	–	–	–	–	–	2	2	12	13
	F	47	–	–	–	–	–	–	2	5	11	13	16	57	–	–	–	–	–	–	1	1	10	21
16 Heart disease	M	247	–	–	–	1	1	2	4	19	45	86	89	165	–	–	–	–	–	3	7	6	37	53
	F	280	–	–	–	2	1	1	6	13	36	83	138	236	–	–	–	–	1	1	5	14	25	64
17 Aneurysm	M	9	–	–	–	–	–	–	1	2	4	2	–	2	–	–	–	–	–	–	–	–	1	–
	F	4	–	–	–	–	–	–	–	1	–	–	3	2	–	–	–	–	–	1	–	–	–	1
18 Other circulatory	M	45	–	–	–	–	–	–	–	2	5	20	18	23	–	–	–	–	–	–	–	1	6	6
	F	40	–	–	–	1	–	1	1	3	8	14	12	33	–	–	–	–	–	–	–	3	2	11
19 Bronchitis	M	36	4	–	–	–	1	–	1	1	5	7	17	36	–	–	–	–	–	–	2	2	3	11
	F	39	2	–	–	1	–	–	1	2	2	8	23	32	–	–	–	–	–	–	–	1	3	4
20 Pneumonia	M	70	21	2	3	1	2	2	3	6	9	11	10	37	4	2	–	1	2	1	7	3	5	5
	F	64	13	3	2	5	2	2	5	5	4	11	12	26	–	–	–	1	–	–	4	5	3	6
21 Other respiratory	M	10	–	–	–	1	1	2	2	2	1	1	–	7	–	–	–	1	–	–	–	1	1	1
	F	6	–	–	–	–	–	–	–	–	–	3	3	13	–	–	1	–	–	–	–	2	3	3
22 Peptic ulcer	M	12	–	–	–	–	–	–	1	8	1	1	1	13	–	–	–	–	–	–	3	3	5	2
	F	5	–	–	–	–	–	–	–	1	1	1	2	–	–	–	–	–	–	–	–	–	–	–
23 Diarrhœa	M	6	5	–	–	–	–	–	–	1	–	–	–	5	4	–	–	–	–	–	–	–	–	–
	F	5	2	–	–	–	–	–	–	1	–	1	1	3	1	–	–	–	–	–	1	–	–	1
24 Appendicitis	M	7	–	–	–	–	–	2	3	2	–	–	–	8	–	–	1	–	1	1	3	–	2	–
	F	4	–	–	–	–	1	–	1	–	1	1	–	10	–	–	–	1	–	2	–	5	1	1
25 Cirrhosis of liver	M	5	–	–	–	–	–	–	1	–	4	–	–	12	–	–	–	–	–	–	–	6	2	3
	F	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	1	–
26 Other liver diseases	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1
	F	6	–	–	–	–	–	–	1	1	2	1	1	6	–	–	–	–	–	–	–	–	2	1
27 Other digestive	M	18	1	–	–	1	–	2	1	4	2	4	3	13	3	–	–	2	1	1	1	–	–	4
	F	24	–	2	1	–	–	–	1	3	5	2	10	13	1	–	1	–	1	1	–	2	2	3
28 Nephritis	M	38	–	–	1	–	–	3	1	3	14	6	10	23	–	–	–	–	–	–	–	2	5	7
	F	37	–	–	–	–	–	3	2	4	7	10	11	29	–	–	–	–	1	1	–	4	7	9
29 Puerperal sepsis	F	2	–	–	–	–	–	2	–	–	–	–	–	2	–	–	–	–	–	–	2	–	–	–
30 Other puerperal	F	8	–	–	–	–	2	3	3	–	–	–	–	5	–	–	–	–	–	3	2	–	–	–
31 Congenital causes, etc.	M	57	56	1	–	–	–	–	–	–	–	–	–	22	20	–	–	2	–	–	–	–	–	–
	F	45	45	–	–	–	–	–	–	–	–	–	–	19	18	–	–	–	–	–	–	1	–	–
32 Senility	M	15	–	–	–	–	–	–	–	–	–	3	12	14	–	–	–	–	–	–	–	–	–	1
	F	10	–	–	–	–	–	–	–	–	–	1	9	24	–	–	–	–	–	–	–	–	–	1
33 Suicide	M	17	–	–	–	–	2	1	4	4	4	2	–	9	–	–	–	–	–	–	3	1	2	2
	F	8	–	–	–	–	1	1	–	3	1	2	–	14	–	–	–	–	1	–	5	3	4	1
34 Other violence	M	38	2	–	1	2	10	4	2	1	4	7	5	25	1	–	–	1	3	2	2	2	4	2
	F	24	2	–	1	4	1	–	1	1	2	4	8	17	1	–	1	3	1	1	2	2	–	2
35 Other defined causes	M	112	5	3	3	7	8	6	3	7	23	18	29	76	1	1	–	1	2	1	–	10	12	27
	F	84	2	3	1	4	4	8	11	14	10	15	12	61	–	1	1	3	4	6	4	11	14	10
36 Ill-defined causes	M	1	–	–	–	–	–	–	–	–	–	1	–	6	–	–	–	–	–	–	–	–	1	3
	F	–	–	–	–	–	–	–	–	–	–	–	–	6	–	–	–	–	–	–	–	1	–	1

Causes of Death. first page of Table.		SOUTHPORT. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	SOUTH SHIELDS. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
All Causes	M	517	30	3	2	3	6	25	33	47	89	148	131	822	107	37	27	39	57	50	64	66	118	128	129
	F	672	15	5	6	6	13	24	35	51	109	165	243	736	75	22	22	32	44	37	50	75	114	144	121
Typhoid fever, etc.	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	M	–	–	–	–	–	–	–	–	–	–	–	–	21	5	8	5	3	–	–	–	–	–	–	–
	F	2	–	1	1	–	–	–	–	–	–	–	–	14	1	6	5	2	–	–	–	–	–	–	–
Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Whooping cough	M	2	1	1	–	–	–	–	–	–	–	–	–	6	4	1	1	–	–	–	–	–	–	–	–
	F	1	–	1	–	–	–	–	–	–	–	–	–	9	7	–	2	–	–	–	–	–	–	–	–
Diphtheria	M	–	–	–	–	–	–	–	–	–	–	–	–	3	–	1	1	1	–	–	–	–	–	–	–
	F	1	–	–	–	–	–	–	–	1	–	–	–	2	–	–	1	–	1	–	–	–	–	–	–
Influenza	M	21	–	–	–	–	1	1	6	1	2	5	5	23	1	1	1	–	4	2	2	6	2	2	2
	F	46	–	–	2	–	2	2	1	7	7	10	15	26	–	–	1	4	4	1	4	3	3	3	3
Encephalitis lethargica	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Cerebro-spinal fever	M	1	–	–	–	–	–	1	–	–	–	–	–	2	–	–	1	1	–	–	–	–	–	–	–
	F	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Respiratory tuberculosis	M	27	–	–	–	–	1	4	7	8	6	1	–	89	–	1	1	4	25	24	21	7	5	1	–
	F	12	–	–	–	1	3	3	2	2	–	1	–	68	–	1	–	8	24	16	10	4	4	1	–
Other tuberculosis	M	8	1	–	–	–	1	5	–	–	1	–	–	30	3	5	1	7	7	2	4	–	1	–	–
	F	3	–	1	1	–	–	1	–	–	–	–	–	22	1	–	4	8	4	1	1	1	1	1	–
Syphilis	M	2	1	–	–	–	–	–	–	–	1	–	–	3	–	–	–	–	–	–	–	1	2	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gen. paralysis of insane, etc.	M	–	–	–	–	–	–	–	–	–	–	–	–	7	–	–	–	–	–	1	3	2	–	1	–
	F	3	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	M	78	–	–	–	–	–	1	2	7	16	39	13	67	–	–	–	–	–	2	4	9	26	16	10
	F	120	–	–	–	–	–	2	5	16	30	37	30	101	–	–	–	–	1	1	3	23	30	32	11
Diabetes	M	5	–	–	–	–	–	–	–	–	1	3	1	3	–	–	–	–	–	–	–	1	–	2	–
	F	11	–	–	–	–	–	1	1	–	4	4	1	11	–	–	–	1	–	1	1	–	5	2	1
Cerebral hæmorrhage	M	25	–	–	–	–	–	1	–	1	6	9	8	29	–	–	–	–	–	1	–	–	7	11	10
	F	47	–	–	–	–	–	–	1	2	12	12	20	37	–	–	–	–	–	–	1	3	11	11	11
Heart disease	M	113	–	–	–	–	2	3	3	5	23	32	45	143	–	–	–	2	2	2	8	11	32	40	46
	F	127	–	–	–	–	3	–	5	3	14	42	60	124	–	–	1	1	2	4	3	10	27	43	33
Aneurysm	M	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	2	2	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other circulatory	M	30	–	–	–	–	–	–	–	2	4	13	11	35	–	–	–	–	–	–	1	–	3	11	20
	F	34	–	–	–	–	–	–	–	–	2	9	23	47	–	–	–	–	–	–	–	2	7	17	21
Bronchitis	M	19	1	–	–	–	–	–	–	3	3	4	8	57	5	5	2	1	–	1	2	6	4	15	16
	F	48	–	–	–	–	1	2	1	2	2	9	31	35	3	3	–	–	–	–	–	2	5	11	11
Pneumonia	M	28	4	1	–	–	1	1	3	3	6	6	44	11	6	7	6	1	–	3	3	5	1	1	
	F	20	–	–	1	–	–	1	2	3	2	6	5	40	13	9	5	1	–	1	2	4	3	1	1
Other respiratory	M	4	–	–	–	–	–	–	–	–	–	1	3	8	–	–	–	–	–	1	2	3	1	–	1
	F	5	–	–	–	–	–	–	–	–	2	2	1	7	2	1	–	–	–	–	2	–	1	1	–
Peptic ulcer	M	4	–	–	–	–	–	–	2	1	–	1	–	6	–	–	–	–	–	1	2	2	1	–	–
	F	2	–	–	–	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Diarrhœa	M	1	–	–	–	–	–	–	1	–	–	–	–	22	14	4	1	2	–	–	–	–	1	–	–
	F	3	1	–	–	–	–	–	1	–	–	–	1	17	11	1	–	1	–	1	1	1	1	–	–
Appendicitis	M	4	–	–	1	–	–	–	1	–	1	1	–	9	–	–	–	2	2	–	2	1	1	1	–
	F	6	–	–	–	1	–	1	–	–	2	1	1	1	–	–	–	–	–	–	1	–	–	–	–
Cirrhosis of liver	M	2	–	–	–	–	–	–	–	1	–	–	1	2	–	–	–	–	–	–	–	–	–	1	1
	F	2	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other liver diseases	M	3	–	–	–	–	–	1	–	–	2	–	–	1	–	–	–	–	–	–	–	1	–	–	–
	F	16	–	–	–	–	–	1	2	–	4	4	5	1	–	–	–	–	–	–	–	–	–	1	–
Other digestive	M	10	1	–	–	–	–	–	1	3	–	4	1	11	1	1	1	1	–	–	1	–	2	3	1
	F	10	–	–	1	1	–	1	–	1	2	1	3	7	3	–	–	–	–	–	1	1	1	1	–
Nephritis	M	14	–	–	–	–	–	–	1	3	1	6	3	23	–	–	1	3	1	2	2	4	4	5	1
	F	20	–	–	–	1	–	–	3	–	4	8	4	28	–	–	1	–	2	2	7	7	5	3	1
Puerperal sepsis	F	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	1	2	1	–	–	–	–
Other puerperal	F	1	–	–	–	–	–	1	–	–	–	–	–	7	–	–	–	–	3	2	2	–	–	–	–
Congenital causes, etc.	M	16	16	–	–	–	–	–	–	–	–	–	–	52	51	–	1	–	–	–	–	–	–	–	–
	F	10	9	–	–	1	–	–	–	–	–	–	–	24	24	–	–	–	–	–	–	–	–	–	–
Senility	M	17	–	–	–	–	–	–	–	–	2	2	13	22	–	–	–	–	–	–	–	–	–	6	16
	F	35	–	–	–	–	–	–	–	–	1	6	28	26	–	–	–	–	–	–	–	–	–	5	21
Suicide	M	6	–	–	–	–	–	1	1	–	4	–	–	7	–	–	–	–	–	1	1	3	1	1	–
	F	4	–	–	–	–	–	1	–	1	2	–	–	3	–	–	–	–	–	1	1	1	–	–	–
Other violence	M	14	2	1	–	–	–	3	1	1	–	4	2	27	1	1	2	–	11	4	1	2	4	–	1
	F	15	2	1	–	–	1	2	1	–	1	4	3	13	1	–	–	1	–	1	1	3	–	3	3
Other defined causes	M	57	3	–	1	3	–	3	4	7	11	16	9	59	11	3	1	6	4	5	5	2	10	9	3
	F	64	2	1	–	1	3	5	9	9	16	7	11	54	9	1	2	2	1	3	8	9	8	7	4
Ill-defined causes	M	6	–	–	–	–	–	–	–	1	2	1	2	6	–	–	–	–	–	–	–	–	4	2	–
	F	3		–	–	–	–	–	–	–	–	2	1	5	–	–	–	1	1	–	–	–	2	1	–

Causes of Death. *See* first page of Table.		STOCKPORT. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	STOKE-ON-TRENT. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–
All Causes	M	855	76	9	11	20	22	26	63	110	193	201	124	1,851	225	45	32	47	78	94	139	236	355	395
	F	903	53	9	14	22	26	37	53	85	158	217	229	1,723	171	31	25	41	102	89	122	177	258	380
1 Typhoid fever, etc.	M	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2 Measles	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
3 Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	2	–	–	–	–	–	–	–
	F	1	–	–	–	1	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
4 Whooping cough	M	2	–	–	2	–	–	–	–	–	–	–	–	8	2	3	3	–	–	–	–	–	–	–
	F	2	1	1	–	–	–	–	–	–	–	–	–	12	4	3	5	–	–	–	–	–	–	–
5 Diphtheria	M	6	–	–	2	4	–	–	–	–	–	–	–	4	–	1	2	1	–	–	–	–	–	–
	F	9	–	1	2	6	–	–	–	–	–	–	–	3	–	–	1	2	–	–	–	–	–	–
6 Influenza	M	53	5	–	1	–	5	3	8	13	9	5	4	126	9	5	–	1	6	15	17	22	21	18
	F	48	–	1	1	–	1	2	5	7	10	9	12	132	4	3	–	2	6	9	10	22	20	27
7 Encephalitis lethargica	M	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	1	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	1	–	2	–	1	–
8 Cerebro-spinal fever	M	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	1	–	–	–	–
	F	3	–	–	2	1	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
9 Respiratory tuberculosis	M	57	–	–	1	1	4	4	14	11	20	2	–	134	–	2	1	2	17	19	28	30	24	10
	F	37	–	–	–	1	9	10	9	2	4	1	1	107	–	–	–	–	31	21	23	17	7	8
10 Other tuberculosis	M	7	–	–	2	1	–	1	2	–	1	–	–	19	1	1	4	2	4	1	3	1	1	1
	F	7	–	1	1	–	2	2	–	–	–	–	1	22	1	2	2	4	5	3	3	2	–	–
11 Syphilis	M	1	1	–	–	–	–	–	–	–	–	–	–	12	–	–	–	–	–	–	2	5	2	2
	F	2	1	–	–	–	–	–	–	–	1	–	–	6	3	–	–	–	–	1	–	–	1	1
12 Gen. paralysis of insane, etc.	M	3	–	–	–	–	–	–	–	3	–	–	–	7	–	–	–	–	–	2	1	3	–	1
	F	3	–	–	–	–	–	1	1	–	1	–	–	7	–	–	–	1	–	1	2	2	–	–
13 Cancer	M	107	–	–	–	1	–	–	5	14	42	39	6	186	–	–	–	–	–	2	11	32	68	59
	F	134	–	–	–	–	1	4	8	27	37	39	18	177	–	–	–	–	2	5	21	32	41	46
14 Diabetes	M	12	–	–	–	–	–	1	1	1	3	5	1	20	–	–	–	–	1	2	2	1	6	8
	F	12	–	–	–	–	–	–	1	2	6	1	2	22	–	–	–	1	1	1	3	2	6	5
15 Cerebral hæmorrhage	M	35	–	–	–	–	–	–	1	4	7	16	7	59	–	–	–	–	–	–	1	6	17	23
	F	31	–	–	–	–	–	–	1	3	6	9	12	92	–	–	–	–	–	–	3	10	21	37
16 Heart disease	M	188	–	–	–	–	2	5	11	17	44	62	47	364	–	–	–	6	10	7	13	30	93	132
	F	258	–	–	–	1	2	3	9	19	40	81	103	390	–	–	–	5	13	9	14	24	80	126
17 Aneurysm	M	1	–	–	–	–	–	–	–	–	–	1	–	5	–	–	–	–	–	–	2	1	2	–
	F	2	–	–	–	–	–	–	–	1	–	–	1	2	–	–	–	–	–	1	–	–	1	–
18 Other circulatory	M	68	–	–	–	–	–	–	–	7	8	28	25	77	–	–	–	–	1	–	2	1	11	34
	F	58	–	–	–	–	–	–	2	4	6	22	24	80	–	–	–	–	–	–	–	–	12	33
19 Bronchitis	M	31	5	1	–	–	–	–	1	4	4	7	9	93	11	2	–	–	–	3	5	17	18	17
	F	39	2	1	–	–	–	–	1	1	5	10	19	101	16	3	–	–	–	2	5	9	13	26
20 Pneumonia	M	56	15	3	2	2	1	4	7	8	7	4	3	177	29	20	10	8	8	10	21	23	24	19
	F	56	4	2	3	1	1	3	4	4	14	9	11	97	25	11	6	4	7	5	4	8	12	6
21 Other respiratory	M	8	1	–	–	1	–	–	1	2	2	–	1	30	–	–	–	–	1	–	3	7	9	7
	F	3	–	–	–	–	–	1	–	1	–	1	–	17	–	–	1	–	3	–	2	1	3	7
22 Peptic ulcer	M	11	–	–	–	–	–	–	2	4	2	2	1	18	–	–	–	–	–	1	3	4	8	2
	F	1	–	–	–	–	–	–	–	1	–	–	–	5	–	–	–	–	1	–	–	1	2	1
23 Diarrhœa	M	8	6	1	–	–	–	1	–	–	–	–	–	32	27	2	–	–	–	–	2	1	–	–
	F	8	6	–	–	1	–	–	–	–	–	1	–	28	20	–	1	–	2	1	–	–	2	–
24 Appendicitis	M	1	–	–	–	1	–	–	–	–	–	–	–	13	–	–	1	1	1	2	2	3	2	1
	F	6	–	–	–	2	1	–	1	1	1	–	–	10	–	–	1	2	4	1	–	1	1	–
25 Cirrhosis of liver	M	3	–	–	–	–	–	–	–	–	2	1	–	2	–	–	–	–	–	–	–	1	–	1
	F	2	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	1
26 Other liver diseases	M	3	–	–	–	–	–	–	–	–	2	–	1	2	–	–	–	–	–	–	–	1	1	–
	F	9	–	–	–	–	–	–	–	2	3	2	2	13	–	–	–	1	–	2	2	5	–	2
27 Other digestive	M	17	3	2	1	–	1	2	–	2	3	2	1	28	2	–	1	1	3	4	1	4	5	4
	F	24	2	–	1	3	–	–	–	4	7	5	2	33	2	1	–	6	1	–	3	8	6	4
28 Nephritis	M	28	–	–	–	–	1	1	1	5	11	6	3	36	–	–	1	2	3	2	1	6	7	12
	F	30	–	–	–	2	1	3	5	1	3	11	4	44	1	1	–	1	3	2	7	8	6	11
29 Puerperal sepsis	F	2	–	–	–	–	–	1	1	–	–	–	–	15	–	–	–	–	4	7	4	–	–	–
30 Other puerperal	F	5	–	–	–	–	4	1	–	–	–	–	–	7	–	–	–	–	1	2	4	–	–	–
31 Congenital causes, etc.	M	33	33	–	–	–	–	–	–	–	–	–	–	125	123	2	–	–	–	–	–	–	–	–
	F	36	34	–	–	–	–	2	–	–	–	–	–	83	82	–	–	–	1	–	–	–	–	–
32 Senility	M	9	–	–	–	–	–	–	–	–	–	2	7	25	–	–	–	–	–	–	–	–	–	6
	F	11	–	–	–	–	–	–	–	–	–	2	9	40	–	–	–	–	–	–	–	–	–	9
33 Suicide	M	11	–	–	–	–	–	–	1	2	5	2	1	26	–	–	–	–	2	4	3	7	7	3
	F	4	–	–	–	–	–	–	3	–	1	–	–	5	–	–	–	–	1	–	–	1	1	2
34 Other violence	M	32	2	1	–	3	5	1	5	4	6	4	1	80	1	1	3	11	14	13	8	9	9	8
	F	17	1	–	2	1	1	–	–	2	1	4	5	36	–	3	4	2	4	1	–	2	4	8
35 Other defined causes	M	61	5	1	–	6	3	3	3	8	14	13	5	136	19	5	4	12	7	6	8	19	20	27
	F	42	2	2	2	2	3	4	1	3	10	10	3	129	13	3	3	10	10	15	10	22	18	20
36 Ill-defined causes	M	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	1	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–

Causes of Death. (see first page of Table.)		SUNDERLAND.												TYNEMOUTH.											
		All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
All Causes	M	1279	176	47	45	53	67	65	76	126	189	251	184	466	53	15	7	8	17	28	43	31	83	100	81
	F	1260	155	32	36	54	56	65	86	100	161	221	294	411	43	15	9	9	17	20	31	35	55	80	97
Typhoid fever, etc.	M	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	M	12	3	6	3	–	–	–	–	–	–	–	–	5	–	4	1	–	–	–	–	–	–	–	–
	F	11	1	3	6	1	–	–	–	–	–	–	–	2	–	1	1	–	–	–	–	–	–	–	–
Scarlet fever	M	14	1	2	7	3	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	12	1	1	7	3	–	–	–	–	–	–	–	2	–	–	1	1	–	–	–	–	–	–	–
Whooping cough	M	1	–	–	1	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–
	F	3	1	1	1	–	–	–	–	–	–	–	–	3	2	1	–	–	–	–	–	–	–	–	–
Diphtheria	M	2	–	1	1	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
	F	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	M	50	7	2	3	4	1	3	5	6	7	10	2	11	–	–	–	–	1	–	2	3	1	2	2
	F	39	4	1	1	5	2	4	5	1	3	7	6	19	–	1	–	–	–	1	–	1	4	6	6
Encephalitis lethargica	M	4	–	–	–	–	–	1	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	4	–	–	–	–	–	1	–	2	–	1	–	1	–	–	–	–	1	–	–	–	–	–	–
Cerebro-spinal fever	M	17	3	4	1	4	2	1	–	2	–	–	–	2	1	–	–	1	–	–	–	–	–	–	–
	F	14	5	4	1	4	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Respiratory tuberculosis	M	95	1	2	3	4	29	26	13	12	4	1	–	26	–	–	–	1	3	9	10	–	3	–	–
	F	88	–	–	1	10	28	22	16	5	6	–	–	29	–	–	1	2	11	4	6	1	4	–	–
Other tuberculosis	M	19	1	3	1	7	5	1	1	–	–	–	–	5	–	1	2	–	1	–	1	–	–	–	–
	F	20	–	1	2	5	4	4	3	1	–	–	–	6	–	–	3	1	1	1	–	–	–	–	–
Syphilis	M	13	5	–	–	–	–	–	3	3	1	1	–	2	1	–	–	–	–	–	–	–	–	1	–
	F	7	2	–	–	–	–	1	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gen. paralysis of insane, etc.	M	8	–	–	–	–	–	1	2	4	1	–	–	5	–	–	–	–	–	–	4	–	1	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	M	131	–	–	–	–	1	6	8	16	45	35	20	37	–	–	–	–	–	–	–	7	8	18	4
	F	126	–	–	1	–	1	3	7	26	34	32	22	51	–	–	–	–	–	1	5	12	15	9	9
Diabetes	M	12	–	–	–	–	–	1	–	1	2	7	1	3	–	–	–	–	–	–	–	–	1	1	1
	F	11	–	–	–	–	1	–	1	1	1	5	2	9	–	–	–	–	1	1	2	1	1	1	2
Cerebral hæmorrhage	M	40	–	–	–	–	–	–	1	4	10	15	10	19	–	–	–	–	–	–	2	1	7	4	5
	F	77	–	–	–	–	–	1	1	6	15	28	26	33	–	–	–	–	–	–	1	1	9	12	10
Heart disease	M	202	–	–	–	–	4	5	10	26	33	74	50	84	–	–	–	–	–	2	5	2	21	28	26
	F	233	–	–	–	2	3	4	13	11	44	58	98	64	–	–	–	–	–	2	4	5	6	19	28
Aneurysm	M	5	–	–	–	–	–	–	–	1	3	1	–	2	–	–	–	–	–	–	–	1	–	1	–
	F	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other circulatory	M	76	–	–	–	–	–	–	1	2	18	24	31	23	–	–	–	–	–	–	–	–	3	8	12
	F	78	–	–	–	–	–	–	1	3	6	29	39	17	–	–	–	–	–	–	1	1	4	5	6
Bronchitis	M	67	11	6	1	1	–	–	3	9	6	15	15	17	–	–	–	–	–	–	2	1	6	4	4
	F	67	9	1	–	2	1	–	–	1	7	17	29	22	4	1	–	1	–	–	–	2	1	6	7
Pneumonia	M	94	29	10	11	12	7	5	3	2	8	5	2	32	7	6	1	1	–	3	1	2	6	2	3
	F	67	19	12	7	7	2	1	3	5	7	2	2	38	9	7	3	2	1	–	3	2	3	5	3
Other respiratory	M	8	–	1	–	–	–	1	1	2	1	1	1	2	–	–	–	1	–	–	–	–	–	1	–
	F	7	1	–	–	–	–	–	–	1	1	1	3	7	1	–	–	–	–	1	1	–	–	2	2
Peptic ulcer	M	14	–	–	–	–	1	–	3	5	5	–	–	7	–	–	–	–	–	–	1	1	4	–	1
	F	2	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	M	48	35	8	3	1	–	–	–	–	–	–	1	13	10	–	1	–	–	–	1	1	–	–	–
	F	30	27	2	–	–	–	–	1	–	–	–	–	10	5	2	–	–	–	–	–	–	1	1	1
Appendicitis	M	7	–	–	1	3	2	–	1	–	–	–	–	2	–	–	–	1	–	–	–	–	1	–	–
	F	3	–	–	–	–	2	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Cirrhosis of liver	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
	F	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other liver diseases	M	2	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	F	9	–	–	–	–	–	1	1	2	1	2	2	2	–	–	–	–	–	–	1	–	–	–	1
Other digestive	M	12	2	–	2	1	–	1	–	2	2	1	1	10	1	–	–	–	1	–	–	3	2	1	
	F	18	–	1	–	1	–	2	2	2	5	3	2	10	3	–	–	1	–	–	1	1	1	–	3
Nephritis	M	68	–	–	–	2	3	1	3	7	17	23	12	15	–	–	–	–	–	1	–	2	6	4	2
	F	61	1	–	–	2	1	5	6	15	13	11	7	9	–	–	–	–	–	–	1	1	1	3	3
Puerperal sepsis	F	12	–	–	–	–	5	5	2	–	–	–	–	2	–	–	–	–	–	2	–	–	–	–	
Other puerperal	F	10	–	–	–	–	1	3	5	1	–	–	–	4	–	–	–	–	1	1	2	–	–	–	–
Congenital causes, etc.	M	66	66	–	–	–	–	–	–	–	–	–	–	25	25	–	–	–	–	–	–	–	–	–	–
	F	74	74	–	–	–	–	–	–	–	–	–	–	19	18	1	–	–	–	–	–	–	–	–	–
Senility	M	21	–	–	–	–	–	–	–	–	–	7	14	26	–	–	–	–	–	–	–	–	1	8	17
	F	39	–	–	–	–	–	–	–	–	1	8	30	18	–	–	–	–	–	–	–	–	–	4	14
Suicide	M	20	–	–	–	–	1	3	2	4	6	4	–	16	–	–	–	–	1	4	3	2	4	2	–
	F	6	–	–	–	–	–	–	2	3	1	–	–	3	–	–	–	–	–	–	–	2	1	–	–
Other violence	M	57	–	1	2	7	4	5	6	2	9	9	12	25	–	–	–	2	6	2	4	3	3	5	–
	F	45	2	1	3	6	1	1	1	2	4	10	14	4	–	–	–	–	–	–	1	1	–	–	2
Other defined causes	M	91	12	1	5	4	7	3	10	15	8	15	11	44	6	3	2	1	4	7	6	2	2	9	2
	F	82	8	4	4	5	4	7	12	10	10	7	11	24	1	–	–	1	1	5	2	4	4	6	–
Ill-defined causes	M	2	–	–	–	–	–	–	–	–	1	1	–	4	–	–	–	–	–	–	1	–	2	1	–
	F	2	–	–	1	–	–	–		–	–	–	1	1	–	–	–	–	–	1	–	–	–	–	–

Causes of Death. *See* first page of Table.		WAKEFIELD. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	WALLASEY. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–
All Causes	M	420	42	9	10	22	12	20	33	53	74	83	62	612	34	10	7	19	22	29	30	66	108	143
	F	372	25	8	14	16	12	18	28	39	45	91	76	692	34	11	10	18	15	22	37	59	100	167
1 Typhoid fever, etc.	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2 Measles	M	3	–	2	–	1	–	–	–	–	–	–	–	2	–	2	–	–	–	–	–	–	–	–
	F	2	1	–	1	–	–	–	–	–	–	–	–	3	1	1	–	1	–	–	–	–	–	–
3 Scarlet fever	M	2	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	6	–	1	3	2	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
4 Whooping cough	M	3	–	–	3	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
	F	1	–	1	–	–	–	–	–	–	–	–	–	5	1	2	1	1	–	–	–	–	–	–
5 Diphtheria	M	9	–	–	2	7	–	–	–	–	–	–	–	3	–	–	1	2	–	–	–	–	–	–
	F	10	–	–	1	9	–	–	–	–	–	–	–	5	1	–	–	4	–	–	–	–	–	–
6 Influenza	M	15	1	1	–	1	1	2	3	1	2	–	3	29	–	–	–	1	2	1	2	5	12	3
	F	15	2	–	2	–	–	–	3	2	2	2	2	43	–	3	1	–	3	–	4	8	6	7
7 Encephalitis lethargica	M	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	1	–	–	1	2
	F	1	–	–	–	–	–	–	–	–	1	–	–	6	–	–	–	–	1	1	–	–	3	1
8 Cerebro-spinal fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
9 Respiratory tuberculosis	M	22	–	–	–	–	5	3	5	7	2	–	–	33	–	–	–	–	3	6	9	9	6	–
	F	10	–	–	–	–	3	3	3	1	–	–	–	25	–	–	1	–	5	2	6	6	2	3
10 Other tuberculosis	M	2	–	–	–	–	–	1	1	–	–	–	–	7	–	2	–	–	2	3	–	–	–	–
	F	6	–	1	2	–	1	2	–	–	–	–	–	7	1	–	2	1	–	2	–	–	–	1
11 Syphilis	M	1	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	1	1	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
12 Gen. paralysis of insane, etc.	M	2	–	–	–	–	–	–	1	1	–	–	–	6	–	–	–	–	–	–	1	3	1	1
	F	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	1	–
13 Cancer	M	33	–	–	–	–	–	–	2	7	15	8	1	65	–	–	–	–	–	–	2	9	22	17
	F	60	–	–	–	–	–	–	5	12	15	19	9	113	–	–	–	–	–	1	10	16	30	31
14 Diabetes	M	7	–	–	–	–	–	2	–	–	2	3	–	9	–	–	–	1	–	–	–	–	3	2
	F	1	–	–	–	–	–	–	–	–	1	–	–	14	–	–	–	1	–	–	–	–	2	5
15 Cerebral hæmorrhage	M	26	–	–	–	–	–	–	1	2	7	7	9	28	–	–	–	–	–	–	–	5	3	14
	F	31	–	–	–	–	–	–	1	4	4	18	4	48	–	–	–	–	–	–	1	3	12	18
16 Heart disease	M	87	–	–	–	–	3	3	4	13	18	30	16	136	–	–	–	1	2	3	2	12	26	41
	F	82	–	–	–	2	3	3	3	7	9	32	23	182	–	–	–	4	1	1	3	10	17	55
17 Aneurysm	M	1	–	–	–	–	–	–	–	–	–	1	–	4	–	–	–	–	–	–	–	–	4	–
	F	1	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	1	–	–	–	–	–
18 Other circulatory	M	11	–	–	–	–	–	–	–	–	2	6	3	30	–	–	–	–	–	–	–	1	3	16
	F	7	–	–	–	–	–	–	–	–	2	1	4	31	–	–	–	1	–	1	–	1	3	6
19 Bronchitis	M	25	2	3	–	–	–	1	1	1	4	5	8	19	1	–	–	–	–	–	–	3	5	3
	F	19	2	1	–	1	–	1	–	–	2	5	7	26	1	2	–	–	–	–	–	1	1	4
20 Pneumonia	M	36	6	2	4	4	1	3	4	2	3	4	3	45	9	3	3	2	2	2	3	5	6	1
	F	13	1	2	3	–	–	1	2	1	–	1	2	28	5	2	–	2	1	3	2	2	4	4
21 Other respiratory	M	5	–	–	–	–	–	1	1	1	–	–	2	6	–	–	–	–	–	2	–	–	–	4
	F	1	–	–	–	–	–	–	–	1	–	–	–	7	–	–	–	–	–	–	–	1	1	2
22 Peptic ulcer	M	7	–	–	–	–	1	–	1	1	2	2	–	11	–	–	–	–	–	1	1	2	1	5
	F	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	2	1	–
23 Diarrhœa	M	8	5	–	–	–	–	–	–	1	–	–	2	3	1	–	–	1	–	–	–	–	–	1
	F	4	1	1	–	–	–	–	–	–	–	1	1	5	2	1	–	–	–	–	–	–	–	–
24 Appendicitis	M	3	–	–	–	1	–	2	–	–	–	–	–	5	–	–	–	2	–	–	1	–	–	1
	F	2	–	–	–	–	1	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	1
25 Cirrhosis of liver	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–
26 Other liver diseases	M	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	–
	F	3	–	–	–	–	–	1	–	–	1	1	–	4	–	–	–	–	–	–	1	–	–	2
27 Other digestive	M	13	3	1	–	–	–	–	2	2	4	1	–	11	–	–	–	1	2	–	–	2	1	3
	F	7	–	–	–	1	–	–	–	–	2	3	1	10	–	–	–	1	–	–	–	–	2	5
28 Nephritis	M	8	–	–	–	–	–	–	–	2	4	1	1	36	–	–	–	1	–	2	1	3	6	9
	F	11	–	1	–	–	–	1	1	3	2	3	–	26	–	–	–	–	1	1	–	1	6	9
29 Puerperal sepsis	F	1	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–	–	1	1	–	–	–
30 Other puerperal	F	6	–	–	–	–	2	3	1	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–
31 Congenital causes, etc.	M	21	21	–	–	–	–	–	–	–	–	–	–	21	19	–	2	–	–	–	–	–	–	–
	F	18	17	–	1	–	–	–	–	–	–	–	–	17	17	–	–	–	–	–	–	–	–	–
32 Senility	M	13	–	–	–	–	–	–	–	–	–	4	9	9	–	–	–	–	–	–	–	–	–	1
	F	21	–	–	–	–	–	–	–	–	1	–	20	11	–	–	–	–	–	–	–	–	–	3
33 Suicide	M	9	–	–	–	–	–	–	–	5	2	2	–	13	–	–	–	–	1	1	2	1	3	4
	F	3	–	–	–	–	–	–	1	2	–	–	–	7	–	–	–	–	–	1	3	2	–	1
34 Other violence	M	13	–	–	–	3	1	–	4	1	1	1	2	27	1	2	1	1	5	3	5	2	–	5
	F	3	–	–	–	–	–	–	–	1	–	1	1	13	3	–	2	–	–	1	2	1	–	2
35 Other defined causes	M	35	4	–	1	3	–	2	3	5	6	8	3	43	3	–	–	5	3	3	–	4	4	9
	F	25	1	–	–	1	2	3	7	4	3	3	1	43	2	–	1	2	2	6	4	5	8	7
36 Ill-defined causes	M	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–	–	–	1
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–

Causes of Death. first page of Table.		WALSALL. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	WARRINGTON. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
All Causes	M	671	102	18	11	10	28	28	38	71	95	161	109	562	64	13	12	25	31	25	47	64	105	105	71
	F	616	65	14	7	17	30	39	40	67	70	134	133	445	31	8	7	17	22	31	33	43	56	106	91
Typhoid fever, etc.	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	M	8	–	5	3		–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
	F	5	–	2	2	1	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Whooping cough	M	2	2	–	–	–	–	–	–	–	–	–	–	4	2	–	1	1	–	–	–	–	–	–	–
	F	2	1	1	–	–	–	–	–	–	–	–	–	2	1	–	1	–	–	–	–	–	–	–	–
Diphtheria	M	1	1	–	–	–	–	–	–	–	–	–	–	4	–	–	4	–	–	–	–	–	–	–	–
	F	1	–	–	–	1	–	–	–	–	–	–	–	3	–	–	1	2	–	–	–	–	–	–	–
Influenza	M	26	2	2	2	–	–	2	3	3	3	5	4	40	–	1	1	2	4	3	5	7	7	3	7
	F	29	–	3	–	–	1	1	1	7	6	6	4	31	1	1	1	1	2	2	5	6	1	3	8
Encephalitis lethargica	M	2	–	–	–	–	1	–	–	–	1	–	–	1	–	–	–	–	–	–	1	–	–	–	–
	F	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cerebro-spinal fever	M	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
Respiratory tuberculosis	M	51	–	–	1	1	10	8	10	8	7	6	–	37	–	–	–	3	7	6	7	6	7	1	–
	F	58	–	–	–	–	18	19	8	11	1	1	–	25	–	–	–	2	9	7	2	1	2	2	–
Other tuberculosis	M	8	–	3	2	3	–	–	–	–	–	–	–	9	–	1	1	5	1	1	–	–	–	–	–
	F	4	–	2	–	–	1	1	–	–	–	–	–	9	1	–	–	5	2	–	1	–	–	–	–
Syphilis	M	4	3	–	1	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	1	–	–
	F	5	3	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gen. paralysis of insane, etc.	M	3	–	–	–	–	–	1	–	1	1	–	–	2	–	–	–	–	–	–	–	–	2	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
Cancer	M	73	–	–	–	–	–	1	4	11	20	32	5	63	1	–	–	1	–	–	4	11	18	21	7
	F	81	–	–	–	–	–	5	9	11	21	23	12	63	–	–	–	–	1	3	3	14	15	21	6
Diabetes	M	4	–	–	–	–	–	–	–	–	2	1	1	5	–	–	–	–	–	–	–	–	1	3	1
	F	9	–	–	–	–	–	1	1	–	2	3	2	10	–	–	–	–	–	–	–	–	1	7	2
Cerebral hæmorrhage	M	31	–	–	–	–	1	–	–	5	2	16	7	17	–	–	–	–	–	–	–	–	5	7	5
	F	37	–	–	–	–	–	1	1	5	4	19	7	26	–	–	–	–	–	–	1	–	2	9	14
Heart disease	M	113	–	–	–	1	2	3	5	9	17	42	34	88	–	–	–	2	4	1	4	10	25	20	22
	F	110	–	–	–	1	1	3	6	7	12	34	46	87	–	–	–	–	1	6	2	9	17	31	21
Aneurysm	M	3	–	–	–	–	–	–	1	–	–	2	–	2	–	–	–	–	–	–	–	–	1	–	1
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other circulatory	M	29	–	–	–	–	–	–	–	1	5	15	8	25	–	–	–	–	–	–	–	–	5	13	7
	F	17	–	–	–	–	–	–	–	–	–	12	5	14	–	–	–	–	–	–	1	1	2	5	5
Bronchitis	M	39	4	–	–	–	–	1	3	4	4	12	11	23	4	2	1	–	–	–	2	3	1	7	3
	F	22	3	–	–	–	–	–	–	3	1	7	8	17	2	–	–	–	–	–	1	–	3	6	5
Pneumonia	M	44	12	3	1	1	2	2	5	5	7	2	4	56	13	5	2	2	2	3	8	7	6	6	2
	F	35	11	3	–	3	–	1	3	4	–	3	7	19	3	5	3	–	1	1	1	1	–	3	1
Other respiratory	M	7	–	–	–	–	1	–	–	1	3	2	–	20	–	–	–	–	4	1	2	5	2	2	4
	F	6	–	–	–	–	–	–	1	1	2	1	1	12	–	–	–	–	–	1	2	–	2	1	6
Peptic ulcer	M	7	–	–	–	–	–	–	1	5	–	–	1	6	–	–	–	–	1	–	1	3	1	–	–
	F	1	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	1	1	–	–
Diarrhœa	M	11	10	–	–	–	–	–	–	–	–	–	1	7	5	1	–	–	–	–	–	–	1	–	–
	F	12	9	–	–	1	–	–	–	1	–	1	–	5	2	1	–	1	–	–	–	–	1	–	–
Appendicitis	M	1	–	–	–	–	–	–	1	–	–	–	–	6	–	–	–	1	1	2	–	1	1	–	–
	F	2	–	–	–	–	–	–	–	–	1	1	–	3	–	–	–	2	–	–	1	–	–	–	–
Cirrhosis of liver	M	4	–	–	–	–	–	–	–	1	1	2	–	2	–	–	–	–	–	–	–	–	2	–	–
	F	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Other liver diseases	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
	F	6	–	–	–	–	–	–	–	–	1	1	4	3	–	–	–	–	–	–	–	1	1	1	–
Other digestive	M	9	2	1	–	1	–	–	–	1	2	1	1	9	2	–	–	–	–	–	1	–	1	4	1
	F	16	1	–	1	2	–	–	1	4	3	3	1	11	1	–	–	1	–	–	–	1	1	2	5
Nephritis	M	8	–	–	–	–	–	1	–	–	1	5	1	9	–	1	–	–	1	1	–	2	3	1	–
	F	18	–	–	1	–	1	2	1	3	3	3	4	13	–	–	1	–	1	2	5	2	–	1	1
Puerperal sepsis	F	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	2	1	–	–	–	–
Other puerperal	F	1	–	–	–	–	1	–	–	–	–	–	–	3	–	–	–	–	–	2	1	–	–	–	–
Congenital causes, etc.	M	62	62	–	–	–	–	–	–	–	–	–	–	36	36	–	–	–	–	–	–	–	–	–	–
	F	34	34	–	–	–	–	–	–	–	–	–	–	17	17	–	–	–	–	–	–	–	–	–	–
Senility	M	17	–	–	–	–	–	–	–	–	–	1	16	9	–	–	–	–	–	–	–	–	–	2	7
	F	25	–	–	–	–	–	–	–	–	–	3	22	9	–	–	–	–	–	–	–	–	–	1	8
Suicide	M	14	–	–	–	–	1	2	–	2	6	3	–	10	–	–	–	–	1	2	1	2	2	2	–
	F	3	–	–	–	–	–	–	1	1	1	–	–	2	–	–	–	–	–	–	–	1	1	–	–
Other violence	M	31	1	1	1	1	5	7	5	3	4	3	–	25	–	1	1	5	2	3	4	3	4	1	1
	F	23	–	–	1	5	3	1	1	2	1	2	7	15	–	1	–	–	2	1	1	–	3	3	4
Other defined causes	M	56	3	2	–	2	4	–	–	11	8	11	15	41	–	1	–	2	3	2	7	4	8	11	3
	F	51	3	2	2	3	4	4	5	5	10	10	3	37	3	–	–	2	2	2	5	5	3	10	5
Ill-defined causes	M	2	–	1	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–
	F	–	–	–	–	–	–	–	–	–	–		–	1	–	–	–	–	1	–	–	–	–	–	–

Causes of Death. *See* first page of Table.		WEST BROMWICH. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	WEST HAM. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	7
All Causes	M	531	75	27	15	16	24	24	30	63	77	93	87	1843	164	30	33	57	94	97	120	197	371	358	3
	F	447	67	20	13	18	19	19	29	37	56	76	93	1494	120	30	51	48	76	76	85	132	203	301	3
1 Typhoid fever, etc.	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
2 Measles	M	13	2	8	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	F	9	1	3	4	1	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	
3 Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	1	–	–	–	–	–	
	F	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	1	1	–	–	1	–	–	1	
4 Whooping cough	M	3	1	–	1	1	–	–	–	–	–	–	–	21	10	6	4	1	–	–	–	–	–	–	
	F	2	2	–	–	–	–	–	–	–	–	–	–	26	10	7	9	–	–	–	–	–	–	–	
5 Diphtheria	M	2	–	–	–	2	–	–	–	–	–	–	–	28	2	1	9	16	–	–	–	–	–	–	
	F	2	–	–	–	2	–	–	–	–	–	–	–	26	–	3	11	11	–	–	–	1	–	–	
6 Influenza	M	15	1	1	–	–	–	–	2	7	3	1	–	91	1	1	–	1	7	5	10	20	21	11	
	F	17	–	–	–	–	2	1	1	2	3	7	1	56	1	–	2	1	1	2	3	8	7	8	
7 Encephalitis lethargica	M	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	2	–	–	1	–	
	F	–	–	–	–	–	–	–	–	–	–	–	–	6	–	–	–	–	–	2	1	–	–	2	
8 Cerebro-spinal fever	M	–	–	–	–	–	–	–	–	–	–	–	–	6	2	2	1	1	–	–	–	–	–	–	
	F	–	–	–	–	–	–	–	–	–	–	–	–	4	–	1	1	–	–	1	–	1	–	–	
9 Respiratory tuberculosis	M	32	–	–	–	–	4	7	5	10	4	2	–	175	1	–	–	3	33	44	30	31	21	10	
	F	25	–	1	1	2	6	6	3	5	1	–	–	107	1	–	1	3	38	25	11	16	9	–	
10 Other tuberculosis	M	11	2	–	1	–	2	2	2	2	–	–	–	17	4	2	1	3	2	1	–	3	–	1	
	F	4	–	–	1	–	1	–	1	–	1	–	–	14	4	–	4	2	2	–	1	–	1	–	
11 Syphilis	M	1	1	–	–	–	–	–	–	–	–	–	–	5	1	–	–	–	1	–	1	–	2	–	
	F	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
12 Gen. paralysis of insane, etc.	M	5	–	–	–	–	–	–	–	1	3	–	1	12	–	–	–	–	–	1	–	6	4	1	
	F	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	1	–	–	2	–	
13 Cancer	M	48	–	–	–	–	1	–	3	6	19	15	4	245	–	–	–	1	2	–	13	28	86	76	
	F	56	–	–	–	–	–	2	2	14	11	15	12	161	–	–	–	1	–	5	13	23	43	42	
14 Diabetes	M	4	–	–	–	1	–	1	–	1	1	–	–	14	–	–	–	–	–	–	–	1	3	8	
	F	3	–	–	–	–	–	–	–	1	1	–	1	23	–	–	–	–	1	–	1	1	9	7	
15 Cerebral hæmorrhage	M	21	–	–	–	1	–	–	–	1	7	6	6	87	–	–	–	–	–	–	1	5	21	29	
	F	17	–	–	–	–	–	–	1	–	6	4	6	77	–	–	–	–	2	–	3	6	12	24	
16 Heart disease	M	76	–	–	–	1	–	2	3	7	8	25	30	311	–	–	–	2	9	5	16	37	64	79	
	F	82	–	–	–	3	3	1	5	7	10	18	35	347	1	–	–	6	10	11	13	26	57	109	11
17 Aneurysm	M	3	–	–	–	–	–	–	–	1	2	–	–	12	–	–	–	–	–	–	–	2	5	5	
	F	–	–	–	–	–	–	–	–	–	–	–	–	5	–	–	–	–	–	–	–	1	1	1	
18 Other circulatory	M	20	–	–	–	–	–	–	–	2	1	11	6	48	–	–	–	–	–	–	1	2	10	14	
	F	9	–	–	–	–	–	–	–	1	–	3	5	49	–	–	–	–	–	1	1	5	6	11	
19 Bronchitis	M	36	6	3	–	–	–	–	2	2	6	6	11	98	6	–	1	–	–	1	4	8	16	32	
	F	22	4	1	–	–	–	–	1	–	2	6	8	68	3	–	–	–	1	2	1	2	4	20	
20 Pneumonia	M	56	13	6	6	1	3	3	5	7	7	4	1	129	18	11	13	1	4	7	9	16	25	16	
	F	51	15	11	2	3	1	3	2	–	7	2	5	111	15	15	8	2	2	2	11	3	16	16	
21 Other respiratory	M	2	–	–	1	–	–	–	–	–	–	–	1	19	–	–	–	–	–	2	2	3	4	4	
	F	1	–	–	–	–	–	–	–	–	1	–	–	23	–	–	–	1	–	1	1	3	4	4	
22 Peptic ulcer	M	8	–	–	–	–	1	1	1	2	2	1	–	29	–	–	–	–	2	2	5	6	8	5	
	F	–	–	–	–	–	–	–	–	–	–	–	–	6	–	–	–	–	–	–	–	1	2	2	
23 Diarrhœa	M	23	16	5	1	–	–	–	–	–	–	–	1	33	26	3	–	–	1	–	–	–	–	2	
	F	10	4	2	1	–	–	–	–	–	–	2	1	17	14	1	–	–	–	–	–	1	–	–	
24 Appendicitis	M	2	–	–	–	–	1	–	–	1	–	–	–	9	–	–	1	–	1	1	1	3	2	–	
	F	7	–	–	–	3	–	–	–	–	3	1	–	5	–	–	2	–	1	–	–	1	1	–	
25 Cirrhosis of liver	M	1	–	–	–	–	–	–	–	–	1	–	–	4	–	–	–	–	–	–	2	–	1	–	
	F	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	–	–	
26 Other liver diseases	M	1	–	–	–	–	–	–	–	–	–	1	–	3	–	–	–	–	–	–	–	2	1	–	
	F	3	–	–	–	–	–	–	–	1	–	2	–	7	–	–	–	–	–	–	–	1	2	3	
27 Other digestive	M	12	2	–	–	2	2	–	1	1	–	1	3	30	7	–	1	2	–	–	2	–	9	4	
	F	15	2	–	–	2	1	2	1	1	1	4	1	39	7	–	3	2	4	1	–	7	5	7	
28 Nephritis	M	11	–	–	–	–	1	–	1	2	2	4	1	52	–	–	–	1	2	2	2	7	9	19	1
	F	11	–	–	–	–	–	1	3	1	4	1	1	41	–	–	–	1	2	6	2	8	8	9	
29 Puerperal sepsis	F	6	–	–	–	–	2	2	2	–	–	–	–	5	–	–	–	–	2	1	2	–	–	–	
30 Other puerperal	F	3	–	–	–	–	1	–	2	–	–	–	–	3	–	–	–	–	1	1	1	–	–	–	
31 Congenital causes, etc.	M	26	26	–	–	–	–	–	–	–	–	–	–	73	73	–	–	–	–	–	–	–	–	–	
	F	28	27	1	–	–	–	–	–	–	–	–	–	57	55	–	1	–	–	–	–	1	–	–	
32 Senility	M	17	–	–	–	–	–	–	–	–	–	4	13	27	–	–	–	–	–	–	–	–	1	4	2
	F	16	–	–	–	–	–	–	–	–	–	2	14	60	–	–	–	–	–	–	–	–	4	16	4
33 Suicide	M	10	–	–	–	–	–	1	1	2	4	1	1	28	–	–	–	–	3	6	1	4	9	3	
	F	4	–	–	–	–	1	–	2	1	–	–	–	7	–	–	–	–	–	2	3	1	–	–	
34 Other violence	M	21	–	–	1	5	4	2	2	2	3	1	1	78	4	2	2	9	19	7	8	6	10	5	
	F	6	1	–	2	–	–	–	–	–	–	2	1	23	1	1	1	–	–	2	1	1	–	7	
35 Other defined causes	M	44	5	4	2	1	5	4	2	5	4	7	5	153	9	1	–	16	7	11	12	7	38	30	2
	F	33	9	1	2	2	1	1	2	3	5	6	1	111	8	2	7	16	9	10	15	13	10	12	
36 Ill-defined causes	M	7	–	–	–	–	–	1	–	1	–	3	2	1	–	–	–	–	–	–	–	–	–	–	
	F	3	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	

Causes of Death. (see first page of Table.)		WEST HARTLEPOOL. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	WIGAN. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
All Causes	M	468	48	22	18	20	17	23	27	60	77	101	55	624	91	15	12	21	32	35	44	72	111	129	62
	F	425	51	18	16	18	9	22	22	38	63	85	83	601	65	20	11	19	22	40	50	47	94	126	107
Typhoid fever, etc.	M	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	1	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	M	8	2	2	3	1	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–
	F	7	2	2	3	–	–	–	–	–	–	–	–	8	1	5	1	1	–	–	–	–	–	–	–
Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	1	–	–	–	–
	F	–	–	–	–	–	–	–	–		–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Whooping cough	M	2	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
	F	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	M	5	–	–	1	4	–	–	–	–	–	–	–	2	–	1	–	1	–	–	–	–	–	–	–
	F	10	–	–	4	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	M	18	1	3	2	–	–	–	2	5	4	–	1	39	2	2	–	2	3	2	3	7	13	5	–
	F	18	1	–	1	1	1	1	2	3	4	2	2	41	–	–	1	1	–	5	11	3	11	4	5
Encephalitis lethargica	M	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	1	–	–	1	2	–	–
	F	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cerebro-spinal fever	M	3	–	1	1	–	1	–	–	–	–	–	–	2	1	–	–	–	1	–	–	–	–	–	–
	F	1	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Respiratory tuberculosis	M	30	–	–	–	1	2	7	6	6	7	1	–	32	–	1	1	1	7	5	7	6	3	1	–
	F	19	–	1	–	1	3	4	4	2	2	2	–	33	–	–	–	1	11	12	5	3	1	–	–
Other tuberculosis	M	9	–	1	3	2	3	–	–	–	–	–	–	11	1	2	–	1	5	2	–	–	–	–	–
	F	8	–	1	–	3	2	2	–	–	–	–	–	6	–	1	2	–	1	1	–	–	1	–	–
Syphilis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Gen. paralysis of insane, etc.	M	4	–	–	–	–	–	–	–	2	2	–	–	1	–	–	–	–	–	–	–	–	–	1	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	M	51	–	–	–	1	–	–	–	9	16	21	4	52	–	–	–	–	–	–	4	8	20	16	4
	F	46	–	–	–	–	–	2	1	12	7	15	9	53	–	–	–	–	–	1	5	10	18	13	6
Diabetes	M	6	–	–	–	1	–	–	–	1	2	1	1	4	–	–	–	–	–	1	–	–	1	2	–
	F	7	–	–	–	–	–	–	1	1	3	1	1	12	–	–	–	–	1	–	–	2	5	4	–
Cerebral hæmorrhage	M	28	–	–	–	–	–	–	–	2	8	13	5	49	–	–	–	–	–	–	2	3	14	21	9
	F	33	–	–	–	–	–	–	–	–	11	14	8	26	–	–	–	–	–	1	1	6	7	8	3
Heart disease	M	82	–	–	–	–	2	4	2	13	14	29	18	82	–	–	–	1	1	–	5	9	16	35	15
	F	75	–	–	–	–	1	3	5	6	18	17	25	100	–	–	–	–	3	2	7	6	14	39	29
Aneurysm	M	1	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	1	1	–	–	–
	F	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other circulatory	M	9	–	–	–	–	–	–	–	–	1	2	6	23	–	–	–	–	–	–	–	1	4	15	3
	F	10	–	–	–	–	–	–	–	–	2	3	5	10	–	–	–	–	–	–	–	–	6	4	–
Bronchitis	M	27	5	1	–	–	1	1	–	5	3	9	2	65	6	1	–	1	1	3	8	10	14	15	6
	F	24	5	4	–	–	–	–	–	–	1	6	8	60	6	2	–	–	–	–	2	3	10	21	16
Pneumonia	M	36	5	7	4	2	–	1	5	6	5	1	–	68	22	5	7	3	4	7	6	6	4	3	1
	F	24	3	5	5	2	–	2	–	1	3	3	–	71	21	10	5	6	1	4	5	3	4	10	2
Other respiratory	M	6	–	–	–	–	–	2	1	2	–	1	–	4	–	–	–	–	–	–	–	1	2	1	–
	F	7	–	–	–	–	–	–	1	1	2	1	2	6	–	–	1	–	–	–	1	–	2	1	1
Peptic ulcer	M	3	–	–	–	–	–	–	2	–	1	–	–	4	–	–	–	–	–	–	–	3	–	1	–
	F	3	–	–	–	–	–	–	2	1	–	–	–	2	–	–	–	–	–	–	2	–	–	–	–
Diarrhœa	M	10	6	3	1	–	–	–	–	–	–	–	–	13	10	1	–	1	–	–	–	–	–	1	–
	F	6	1	2	–	1	–	1	–	–	–	–	1	9	5	1	–	1	–	–	–	–	–	2	–
Appendicitis	M	4	–	–	–	–	–	2	1	–	1	–	–	2	–	–	–	–	–	–	–	2	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	1	–	–	1	1	–	–	–
Cirrhosis of liver	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
	F	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other liver diseases	M	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	2	–	–	–	–	–	–	–	–	1	1	–	4	–	–	–	–	–	–	–	–	2	2	–
Other digestive	M	8	2	1	–	–	–	1	1	–	1	1	1	10	4	–	1	2	–	–	–	1	–	–	2
	F	6	1	–	–	2	–	1	1	1	–	–	–	12	–	–	–	–	–	2	–	2	5	2	1
Nephritis	M	9	–	–	–	–	–	2	–	–	3	4	–	15	2	–	–	–	–	2	2	4	3	2	–
	F	10	–	–	–	–	–	–	1	3	3	2	1	8	–	–	–	–	1	1	1	2	1	2	–
Puerperal sepsis	F	1	–	–	–	–	–	1	–	–	–	–	–	2	–	–	–	–	–	1	1	–	–	–	–
Other puerperal	F	2	–	–	–	–	1	1	–	–	–	–	–	7	–	–	–	–	–	4	3	–	–	–	–
Congenital causes, etc.	M	19	18	–	–	1	–	–	–	–	–	–	–	36	34	–	–	1	–	–	–	1	–	–	–
	F	36	35	–	–	–	1	–	–	–	–	–	–	27	27	–	–	–	–	–	–	–	–	–	–
Senility	M	18	–	–	–	–	–	–	–	–	–	6	12	25	–	–	–	–	–	–	–	–	–	5	20
	F	26	–	–	–	–	–	–	–	–	–	7	19	49	–	–	–	–	–	–	–	–	–	10	39
Suicide	M	7	–	–	–	–	1	–	1	2	3	–	–	10	–	–	–	–	1	3	–	1	3	1	1
	F	2	–	–	–	–	–	–	1	1	–	–	–	5	–	–	–	–	–	1	2	–	2	–	–
Other violence	M	18	1	1	–	3	3	2	2	–	2	2	2	25	3	–	–	4	4	5	–	–	6	3	–
	F	11	1	1	1	1	–	–	2	–	1	3	1	9	–	–	–	2	–	2	–	–	–	2	3
Other defined causes	M	41	6	2	3	4	4	1	3	6	3	6	3	35	2	1	3	2	3	5	5	7	5	1	1
	F	25	2	1	1	1	–	1	1	5	5	7	1	34	4	1	1	4	4	3	3	6	4	2	2
Ill-defined causes	M	3	–	–	–	–	–	–	1	–	–	2	–	1	–	–	–	1	–	–	–	–	–	–	–
	F	2	–	–	1	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	1	–	–

Causes of Death. *See* first page of Table.		WOLVERHAMPTON. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	WORCESTER. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
All Causes	M	780	98	17	12	25	29	41	45	78	124	174	137	317	17	6	5	5	13	16	15	27	51	83	
	F	770	63	19	24	16	27	45	29	56	115	159	217	376	28	1	4	8	10	9	25	37	46	81	1
1 Typhoid fever, etc.	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
2 Measles	M	8	2	4	–	2	–	–	–	–	–	–	–	2	–	1	1	–	–	–	–	–	–	–	
	F	6	1	5	–	–	–	–	–	–	–	–	–	3	2	–	–	1	–	–	–	–	–	–	
3 Scarlet fever	M	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	F	2	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
4 Whooping cough	M	8	4	1	2	–	–	–	–	–	–	–	1	4	3	1	–	–	–	–	–	–	–	–	
	F	14	4	5	5	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	
5 Diphtheria	M	3	–	–	1	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	
	F	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
6 Influenza	M	13	–	–	–	–	1	2	2	4	2	–	2	13	–	–	–	–	–	1	–	2	2	3	
	F	18	–	1	–	1	–	1	–	3	2	3	7	14	–	–	–	1	–	–	2	2	3	3	
7 Encephalitis lethargica	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
8 Cerebro-spinal fever	M	1	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	
	F	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	
9 Respiratory tuberculosis	M	56	–	–	–	–	8	8	12	12	13	3	–	20	–	1	–	–	4	4	3	5	2	1	
	F	47	–	–	–	–	14	19	5	5	2	1	1	25	1	–	–	2	6	6	6	1	1	2	
10 Other tuberculosis	M	7	1	2	–	–	–	–	3	1	–	–	–	3	–	1	1	–	–	–	–	1	–	–	
	F	5	–	1	1	2	–	1	–	–	–	–	–	2	1	–	–	1	–	–	–	–	–	–	
11 Syphilis	M	4	–	–	–	–	–	–	2	–	1	1	–	2	–	–	–	–	–	–	–	1	1	–	
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	
12 Gen. paralysis of insane, etc.	M	8	–	–	–	–	–	–	–	5	1	1	1	2	–	–	–	–	–	–	–	1	1	–	
	F	1	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	
13 Cancer	M	104	–	–	–	1	1	3	4	14	32	39	10	32	–	–	–	–	1	–	1	3	11	11	
	F	93	–	–	–	1	–	2	5	11	28	28	18	58	–	–	–	–	–	–	3	9	10	16	2
14 Diabetes	M	7	–	–	–	–	1	–	–	2	–	2	2	4	–	–	–	–	1	–	–	–	1	2	
	F	9	–	–	–	–	–	1	1	1	3	3	–	7	–	–	–	–	–	–	–	1	1	3	
15 Cerebral hæmorrhage	M	26	–	–	–	–	–	–	–	–	7	10	9	19	–	–	–	–	–	–	1	1	3	8	
	F	38	–	–	–	–	–	–	–	2	6	10	20	30	–	–	–	–	–	–	1	3	7	9	1
16 Heart disease	M	141	–	–	–	–	1	4	4	6	19	55	52	83	–	–	–	1	–	3	4	5	8	23	3
	F	195	–	–	–	3	5	2	4	9	38	55	79	94	–	–	–	1	–	2	4	4	8	23	5
17 Aneurysm	M	5	–	–	–	–	–	–	–	2	2	–	1	1	–	–	–	–	1	–	–	–	–	–	
	F	1	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	
18 Other circulatory	M	45	–	–	–	–	–	–	–	2	5	17	21	13	–	–	–	1	–	–	–	–	–	7	
	F	44	–	–	–	–	–	–	1	1	4	19	19	8	–	–	–	–	–	–	–	–	–	3	
19 Bronchitis	M	31	6	1		–	–	–	1	5	4	7	7	4	1	–	–	–	–	–	–	–	2	1	
	F	30	3	–	1	–	–	–	–	1	1	7	17	7	–	–	–	–	–	–	–	2	–	1	
20 Pneumonia	M	80	21	5	5	6	2	8	4	5	13	9	2	13	2	1	–	1	–	–	–	2	1	3	
	F	53	9	2	7	3	–	5	–	6	3	7	11	21	4	1	2	–	2	–	2	3	2	4	
21 Other respiratory	M	8	–	–	–	–	–	1	–	1	–	2	4	4	–	–	–	–	–	1	–	1	1	1	
	F	7	–	–	–	–	–	–	2	3	–	–	2	2	–	–	–	–	–	–	–	–	2	–	
22 Peptic ulcer	M	3	–	–	–	–	–	–	1	–	2	–	–	2	–	–	–	–	–	–	1	–	–	1	
	F	2	–	–	–	–	–	–	–	1	–	–	1	2	–	–	–	–	–	–	–	1	1	–	
23 Diarrhœa	M	22	15	3	–	–	–	1	–	1	–	–	2	3	1	–	1	1	–	–	–	–	–	–	
	F	8	5	1	–	–	–	1	–	–	–	–	1	4	3	–	–	–	1	–	–	–	–	–	
24 Appendicitis	M	4	–	–	–	1	1	–	–	–	1	–	1	4	–	–	1	–	–	1	–	–	2	–	
	F	7	–	–	–	–	–	2	–	2	1	1	1	2	–	–	–	1	–	–	1	–	–	–	
25 Cirrhosis of liver	M	1	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	1	–	–	–	
	F	1	–	–	–	–	–	–	1	–	–	–	–	3	–	–	–	–	–	–	–	1	1	–	
26 Other liver diseases	M	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	–	
	F	4	–	–	–	–	–	1	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	
27 Other digestive	M	15	2	–	–	1	1	–	1	4	2	3	1	6	–	–	1	–	–	–	1	1	1	2	
	F	18	2	2	–	–	2	3	–	–	4	3	2	4	–	–	–	–	–	–	1	–	–	1	
28 Nephritis	M	21	–	–	–	–	–	4	1	2	7	2	5	9	–	–	–	–	–	–	–	–	3	5	
	F	17	–	–	–	–	1	1	1	2	5	5	2	11	–	–	–	–	–	–	2	3	1	4	
29 Puerperal sepsis	F	2	–	–	–	–	–	1	1	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	
30 Other puerperal	F	2	–	–	–	–	–	1	1	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	
31 Congenital causes, etc.	M	42	42	–	–	–	–	–	–	–	–	–	–	7	7	–	–	–	–	–	–	–	–	–	
	F	33	31	–	2	–	–	–	–	–	–	–	–	13	13	–	–	–	–	–	–	–	–	–	
32 Senility	M	9	–	–	–	–	–	–	–	–	–	1	8	13	–	–	–	–	–	–	–	–	–	2	1
	F	23	–	–	–	–	–	–	–	–	–	4	19	23	–	–	–	–	–	–	–	–	–	2	2
33 Suicide	M	14	–	–	–	–	2	1	3	3	–	4	1	4	–	–	–	–	–	1	–	1	–	2	
	F	3	–	–	–	–	–	–	1	–	1	1	–	1	–	–	–	–	–	–	–	–	–	1	
34 Other violence	M	39	1	–	2	6	7	6	2	2	5	6	2	15	–	–	–	1	4	2	3	1	1	3	
	F	25	1	–	3	3	1	1	1	–	2	4	9	4	–	–	–	1	–	–	–	–	–	3	
35 Other defined causes	M	53	4	1	2	6	3	3	5	5	8	11	5	29	2	–	–	–	2	2	–	2	10	8	
	F	59	5	2	3	2	4	3	3	9	13	8	7	31	3	–	–	–	1	1	1	6	9	5	
36 Ill-defined causes	M	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
	F	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

Causes of Death. (See first page of Table.)		YORK. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	CARDIFF. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
All Causes	M	479	38	11	7	13	13	20	27	44	84	123	99	1629	147	33	49	37	59	87	113	177	295	362	270
	F	532	32	6	11	13	15	22	26	43	85	109	170	1384	118	35	32	45	68	67	95	116	181	312	315
Typhoid fever, etc.	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	M	4	1	2	1	–	–	–	–	–	–	–	–	19	7	5	5	1	–	–	–	–	1	–	–
	F	3	1	1	–	1	–	–	–	–	–	–	–	13	2	5	6	–	–	–	–	–	–	–	–
Scarlet fever	M	1	–	–	–	1	–	–	–	–	–	–	–	2	–	–	1	1	–	–	–	–	–	–	–
	F	2	–	–	1	–	–	–	1	–	–	–	–	2	–	–	1	1	–	–	–	–	–	–	–
Whooping cough	M	1	1	–	–	–	–	–	–	–	–	–	–	5	1	1	3	–	–	–	–	–	–	–	–
	F	4	2	–	2	–	–	–	–	–	–	–	–	9	1	4	2	2	–	–	–	–	–	–	–
Diphtheria	M	6	1	1	1	3	–	–	–	–	–	–	–	12	–	–	7	5	–	–	–	–	–	–	–
	F	11	–	1	2	8	–	–	–	–	–	–	–	7	–	–	2	4	–	–	–	–	1	–	–
Influenza	M	13	–	–	–	–	–	–	2	1	4	4	2	70	1	1	2	–	5	8	13	10	10	12	8
	F	22	–	–	–	–	1	–	3	1	5	6	6	71	–	1	5	1	1	4	3	7	12	21	16
Encephalitis lethargica	M	2	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	1	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Cerebro-spinal fever	M	2	1	–	–	–	1	–	–	–	–	–	–	2	1	1	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	3	1	1	–	1	–	–	–	–	–	–	–
Respiratory tuberculosis	M	26	–	–	–	–	4	7	4	5	4	2	–	141	1	–	–	3	26	40	26	25	18	2	–
	F	27	–	–	–	–	8	6	5	4	1	2	1	93	–	1	1	5	31	21	17	7	10	–	–
Other tuberculosis	M	5	–	–	–	3	–	–	1	1	–	–	–	22	–	4	7	2	7	1	1	–	–	–	–
	F	4	1	–	–	1	1	1	–	–	–	–	–	25	2	3	2	7	4	6	–	1	–	–	–
Syphilis	M	1	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–	–	–	–	–	1	1	–
	F	1	1	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	3	–	–	–
Gen. paralysis of insane, etc.	M	1	–	–	–	–	–	–	1	–	–	–	–	11	–	–	–	–	–	2	1	4	1	2	1
	F	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	1	–	1	–	–
Cancer	M	52	–	–	–	–	1	–	1	3	17	21	9	156	–	–	–	–	1	1	8	28	41	52	25
	F	59	–	–	–	–	–	2	3	10	21	15	8	157	–	–	–	2	1	5	13	34	40	44	18
Diabetes	M	6	–	–	–	–	–	–	–	–	1	4	1	12	–	–	–	1	–	–	–	–	4	6	1
	F	9	–	–	–	–	–	–	–	–	–	8	1	21	–	–	–	1	1	–	–	–	5	9	5
Cerebral hæmorrhage	M	30	–	–	1	–	–	–	1	–	6	12	10	34	–	–	–	–	–	–	1	1	9	11	12
	F	44	–	–	–	–	–	–	1	–	5	17	21	55	–	–	–	–	–	–	1	4	8	24	18
Heart disease	M	101	–	–	–	–	1	1	3	11	17	37	31	387	–	–	–	2	3	6	19	34	93	130	100
	F	118	–	–	–	–	1	2	5	7	19	28	56	305	–	–	–	3	6	7	12	18	47	104	108
Aneurysm	M	3	–	–	–	–	–	–	2	1	–	–	–	12	–	–	–	–	–	–	2	3	3	3	1
	F	1	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–	2	–
Other circulatory	M	14	–	–	1	–	–	–	–	1	4	4	4	111	–	–	–	–	–	–	2	5	23	38	43
	F	12	–	–	–	–	–	–	–	1	–	3	8	63	–	–	–	–	–	–	–	2	10	27	24
Bronchitis	M	25	2	–	–	–	–	–	2	5	3	3	10	66	9	1	–	1	1	3	1	3	14	13	20
	F	16	2	–	–	–	–	–	1	1	1	–	11	62	4	–	3	2	2	–	2	3	3	11	32
Pneumonia	M	26	6	2	2	–	1	–	4	–	4	5	2	124	40	14	9	3	1	4	9	9	14	12	9
	F	24	3	3	2	–	–	–	1	3	6	1	5	76	18	10	2	3	4	5	6	2	11	7	8
Other respiratory	M	2	–	–	–	–	–	–	–	–	1	–	1	17	–	–	1	–	–	1	2	3	6	2	2
	F	2	–	–	–	–	–	–	–	–	2	–	–	9	–	2	1	–	–	1	1	2	–	–	2
Peptic ulcer	M	10	–	–	–	–	–	1	1	3	3	2	–	15	–	–	–	–	–	–	2	6	2	5	–
	F	1	–	–	–	–	–	–	–	–	–	1	–	3	–	–	–	–	–	–	–	1	–	2	–
Diarrhœa	M	3	1	–	–	–	–	–	–	1	1	–	–	20	17	1	–	–	–	1	1	–	–	–	–
	F	3	2	–	–	–	–	–	–	–	–	–	1	20	11	1	2	1	–	–	1	1	1	–	2
Appendicitis	M	1	–	–	–	–	1	–	–	–	–	–	–	8	–	–	1	2	1	1	1	–	1	1	–
	F	3	–	–	1	–	–	–	–	–	1	1	–	9	–	–	–	3	1	–	2	1	1	1	–
Cirrhosis of liver	M	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	2
	F	1	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	1	–	–	–	1
Other liver diseases	M	3	–	–	–	–	–	2	1	–	–	–	–	4	–	–	–	–	–	–	–	2	1	1	–
	F	4	–	–	–	–	–	–	–	1	–	1	2	9	–	–	–	–	–	–	1	4	1	1	2
Other digestive	M	10	–	2	–	3	–	–	–	–	3	1	1	31	3	1	1	–	–	3	–	6	6	6	5
	F	13	1	–	–	–	–	5	–	1	2	1	3	26	3	1	2	1	1	–	4	1	7	3	3
Nephritis	M	17	–	–	–	–	1	1	1	3	3	6	2	49	–	–	1	2	1	3	5	11	11	11	4
	F	29	–	–	–	1	–	–	–	7	6	5	10	47	–	–	–	2	1	3	3	3	5	23	7
Puerperal sepsis	F	5	–	–	–	–	2	1	2	–	–	–	–	5	–	–	–	–	–	4	1	–	–	–	–
Other puerperal	F	2	–	–	–	–		2	–	–	–	–	–	12	–	–	–	–	2	4	6	–	–	–	–
Congenital causes, etc.	M	21	21	–	–	–	–	–	–	–	–	–	–	58	58	–	–	–	–	–	–	–	–	–	–
	F	18	18	–	–	–	–	–	–	–	–	–	–	72	70	1	–	–	–	–	–	1	–	–	–
Senility	M	24	–	–	–	–	–	–	–	–	–	6	18	24	–	–	–	–	–	–	–	–	1	9	14
	F	28	–	–	–	–	–	–	–	–	–	5	23	62	–	–	–	–	–	–	–	–	1	12	49
Suicide	M	7	–	–	–	–	–	2	1	2	2	–	–	17	–	–	–	–	–	1	1	9	3	3	–
	F	4	–	–	–	–	–	–	1	2	–	1	–	10	–	–	–	–	–	1	4	4	–	1	–
Other violence	M	26	2	3	1	2	3	3	1	3	1	5	2	58	2	2	4	3	8	8	5	6	10	3	7
	F	12	–	–	1	–	1	–	–	2	1	2	5	30	2	3	2	–	5	1	–	3	3	4	7
Other defined causes	M	34	2	–	–	1	–	3	–	3	10	10	5	136	7	2	7	11	5	4	13	12	20	39	16
	F	50	1	1	2	2	1	3	3	2	14	12	9	98	4	2	1	6	8	5	16	14	14	15	13
Ill-defined causes	M	2	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Causes of Death. See first page of Table.		MERTHYR TYDFIL. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	NEWPORT. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–
All Causes	M	528	51	11	17	22	29	29	32	66	98	104	69	605	66	16	16	18	22	21	44	82	100	114
	F	443	41	20	18	23	28	27	22	38	61	98	67	563	67	13	15	22	23	25	30	53	71	112
1 Typhoid fever, etc.	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2 Measles	M	4	–	–	3	1	–	–	–	–	–	–	–	10	1	6	3	–	–	–	–	–	–	–
	F	3	1	1	1	–	–	–	–	–	–	–	–	12	1	6	4	1	–	–	–	–	–	–
3 Scarlet fever	M	3	1	–	2	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
	F	3	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
4 Whooping cough	M	3	1	1	1	–	–	–	–	–	–	–	–	5	3	2	–	–	–	–	–	–	–	–
	F	4	1	1	2	–	–	–	–	–	–	–	–	4	3	–	1	–	–	–	–	–	–	–
5 Diphtheria	M	8	–	–	3	5	–	–	–	–	–	–	–	2	–	–	1	1	–	–	–	–	–	–
	F	12	–	1	3	7	–	–	1	–	–	–	–	11	–	2	2	7	–	–	–	–	–	–
6 Influenza	M	29	2	–	–	–	–	2	5	7	9	2	2	38	1	–	1	1	1	3	4	9	5	4
	F	14	2	2	–	1	–	1	2	1	1	4	–	40	2	–	1	1	2	3	3	6	7	8
7 Encephalitis lethargica	M	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
8 Cerebro-spinal fever	M	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9 Respiratory tuberculosis	M	21	–	–	–	1	6	6	6	1	–	1	–	36	–	–	–	1	8	6	4	11	4	2
	F	34	–	–	–	1	15	13	2	1	2	–	–	37	–	–	–	2	15	12	3	2	1	2
10 Other tuberculosis	M	12	–	1	1	2	6	1	1	–	–	–	–	10	1	–	2	2	3	2	–	–	–	–
	F	9	1	–	2	4	2	–	–	–	–	–	–	4	–	–	–	–	1	1	2	–	–	–
11 Syphilis	M	2	1	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	1	–	–	–	–
	F	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
12 Gen. paralysis of insane, etc.	M	7	–	–	–	–	–	–	2	2	2	1	–	5	–	–	–	–	–	–	3	1	1	–
	F	2	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13 Cancer	M	40	–	–	–	1	–	2	1	7	11	14	4	67	–	–	–	1	–	1	7	11	17	21
	F	43	–	–	–	–	1	–	3	6	18	10	5	52	–	–	–	–	–	1	6	11	16	13
14 Diabetes	M	4	–	–	–	–	1	–	–	–	2	1	–	6	–	–	–	–	–	–	–	1	3	2
	F	5	–	–	–	–	–	–	–	1	2	2	–	4	–	–	–	–	–	–	1	–	2	–
15 Cerebral hæmorrhage	M	34	–	–	–	–	–	–	–	7	9	13	5	23	–	–	–	1	–	–	–	–	8	7
	F	25	–	–	–	–	–	–	–	3	5	13	4	30	–	–	–	–	–	–	–	1	3	8
16 Heart disease	M	114	–	–	–	4	2	4	3	20	34	32	15	117	–	–	1	1	1	2	8	15	23	36
	F	106	–	–	–	2	2	–	5	11	20	36	30	116	–	–	–	–	–	1	7	11	23	39
17 Aneurysm	M	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	2	1	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
18 Other circulatory	M	12	–	–	–	–	–	–	–	1	3	–	8	21	–	–	–	–	–	–	–	–	2	12
	F	5	–	–	–	–	–	–	–	1	2	2	–	23	–	–	–	–	–	–	2	3	1	8
19 Bronchitis	M	32	6	–	1	–	–	–	1	5	3	10	6	25	2	–	–	–	–	–	2	3	4	6
	F	18	3	2	–	1	–	1	–	2	–	4	5	30	4	–	–	–	–	–	–	2	5	3
20 Pneumonia	M	55	12	6	1	3	–	3	5	7	6	9	3	35	6	6	1	2	3	–	3	5	5	3
	F	23	2	10	2	2	2	–	–	1	1	1	2	19	3	2	2	2	1	–	1	2	–	1
21 Other respiratory	M	3	–	–	–	–	–	–	–	1	–	–	2	13	–	–	1	1	–	–	1	2	2	5
	F	1	–	–	–	–	–	–	–	–	1	–	–	9	–	–	1	–	–	–	–	3	2	3
22 Peptic ulcer	M	3	–	–	–	–	–	–	–	–	2	1	–	8	–	–	–	–	–	1	1	4	–	2
	F	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
23 Diarrhœa	M	5	2	–	2	–	–	–	–	–	–	–	1	5	4	–	1	–	–	–	–	–	–	–
	F	7	3	–	1	–	–	2	–	–	1	–	–	9	6	2	–	–	–	1	–	–	–	–
24 Appendicitis	M	1	–	–	–	1	–	–	–	–	–	–	–	6	–	–	–	–	2	1	–	2	–	1
	F	5	–	–	–	1	–	2	–	1	1	–	–	2	–	–	–	–	1	–	–	–	1	–
25 Cirrhosis of liver	M	1	–	–	–	–	–	–	–	–	–	–	1	4	–	–	–	–	–	–	–	1	3	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1
26 Other liver diseases	M	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	1	–
	F	7	–	–	–	–	–	–	1	1	–	5	–	6	–	–	–	–	–	–	–	1	1	1
27 Other digestive	M	8	1	–	–	–	1	–	1	–	1	3	1	8	1	2	–	1	–	1	1	–	2	–
	F	7	–	1	1	1	–	–	–	–	1	2	1	8	1	–	1	1	–	–	1	1	–	–
28 Nephritis	M	19	–	1	–	1	–	–	3	1	3	9	1	21	–	–	–	–	–	–	1	3	5	5
	F	21	–	–	1	–	4	1	2	2	1	8	2	19	1	–	–	1	–	1	1	2	4	8
29 Puerperal sepsis	F	2	–	–	–	–	1	1	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–
30 Other puerperal	F	2	–	–	–	–	–	2	–	–	–	–	–	2	–	–	–	–	1	1	–	–	–	–
31 Congenital causes, etc.	M	22	19	–	1	1	1	–	–	–	–	–	–	43	43	–	–	–	–	–	–	–	–	–
	F	18	18	–	–	–	–	–	–	–	–	–	–	39	39	–	–	–	–	–	–	–	–	–
32 Senility	M	19	–	–	–	–	–	–	–	–	–	5	14	17	–	–	–	–	–	–	–	–	–	1
	F	20	–	–	–	–	–	–	–	–	–	4	16	29	–	–	–	–	–	–	–	–	–	5
33 Suicide	M	4	–	–	–	–	–	1	–	2	1	–	–	5	–	–	–	–	1	–	1	1	2	–
	F	3	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34 Other violence	M	25	1	1	–	1	8	6	4	2	2	–	–	18	–	–	1	1	2	1	4	4	3	–
	F	4	–	–	1	–	–	–	–	–	2	–	1	6	–	–	1	1	–	–	1	–	1	2
35 Other defined causes	M	33	5	1	1	1	3	3	–	3	9	2	5	49	4	–	3	5	1	2	3	6	9	7
	F	34	9	1	2	2	–	2	4	5	2	6	1	47	6	1	2	6	1	3	2	8	4	10
36 Ill-defined causes	M	2	–	–	1	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	1	1	–	–
	F	3	–	1	–	–	–	–	–	–	1	1	–	1	1	–	–	–	–	–	–	–	–	–

	Causes of Death. *See* first page of Table.		SWANSEA.											
			All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
	All Causes	M	1161	116	23	27	24	58	58	77	155	197	256	170
		F	1011	82	23	18	23	43	50	72	94	172	189	245
1	Typhoid fever, etc.	M	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–
2	Measles	M	12	2	4	5	1	–	–	–	–	–	–	–
		F	8	–	2	3	3	–	–	–	–	–	–	–
3	Scarlet fever	M	2	–	1	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–
4	Whooping cough	M	11	6	4	1	–	–	–	–	–	–	–	–
		F	9	5	1	2	1	–	–	–	–	–	–	–
5	Diphtheria	M	3	–	–	2	1	–	–	–	–	–	–	–
		F	6	–	–	3	2	–	–	1	–	–	–	–
6	Influenza	M	66	1	–	1	–	2	6	6	12	16	9	13
		F	79	4	–	–	1	3	3	10	10	13	12	23
7	Encephalitis lethargica	M	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–
8	Cerebro-spinal fever	M	2	–	–	1	–	–	–	1	–	–	–	–
		F	1	–	–	1	–	–	–	–	–	–	–	–
9	Respiratory tuberculosis	M	85	–	–	–	1	25	14	17	14	9	4	1
		F	62	–	–	–	2	23	16	8	9	1	3	–
10	Other tuberculosis	M	7	–	1	2	1	–	2	–	1	–	–	–
		F	15	2	1	4	1	2	2	2	1	–	–	–
11	Syphilis	M	2	1	–	–	–	–	–	–	–	1	–	–
		F	4	2	–	–	–	–	1	–	1	–	–	–
12	Gen. paralysis of insane, etc.	M	6	–	–	–	–	–	–	1	3	1	1	–
		F	1	–	–	–	–	–	–	–	–	1	–	–
13	Cancer	M	104	–	–	–	–	1	1	5	26	32	31	8
		F	115	–	–	–	1	–	5	13	21	30	28	17
14	Diabetes	M	12	–	–	–	–	–	2	1	–	3	5	1
		F	14	–	–	–	–	–	–	–	3	1	7	3
15	Cerebral hæmorrhage	M	54	–	–	–	–	1	–	1	2	13	22	15
		F	37	–	–	–	–	–	–	2	1	8	14	12
16	Heart disease	M	232	–	–	–	5	6	3	10	28	39	87	54
		F	212	–	–	–	3	4	5	13	16	46	59	66
17	Aneurysm	M	4	–	–	–	–	1	–	1	–	2	–	–
		F	3	–	–	–	–	–	–	–	–	1	1	1
18	Other circulatory	M	49	–	–	–	–	–	–	–	7	9	21	12
		F	51	–	–	–	–	–	–	–	6	8	15	22
19	Bronchitis	M	41	2	–	–	2	1	–	1	1	6	16	12
		F	50	5	7	1	–	–	–	1	1	4	6	25
20	Pneumonia	M	92	21	9	8	2	–	2	7	16	11	9	7
		F	63	14	10	3	1	–	–	4	9	3	6	13
21	Other respiratory	M	15	4	–	1	–	–	–	1	2	–	5	2
		F	14	1	–	–	–	–	–	1	–	3	7	2
22	Peptic ulcer	M	12	–	–	–	–	1	–	1	5	3	2	–
		F	5	–	–	–	–	–	–	–	–	2	2	1
23	Diarrhœa	M	9	6	1	–	–	–	–	–	–	–	1	1
		F	9	5	1	–	2	–	–	–	–	–	–	1
24	Appendicitis	M	12	–	–	–	2	6	1	–	1	–	–	2
		F	5	–	–	–	1	2	–	–	1	1	–	–
25	Cirrhosis of liver	M	3	–	–	–	–	–	–	–	–	2	1	–
		F	1	–	–	–	–	–	–	–	1	–	–	–
26	Other liver diseases	M	2	–	–	–	–	–	1	–	–	–	–	1
		F	6	–	–	–	–	–	–	–	1	2	2	1
27	Other digestive	M	18	6	1	–	–	1	2	1	1	3	2	1
		F	11	3	–	–	–	1	–	–	–	4	2	1
28	Nephritis	M	58	–	1	1	–	1	2	3	10	16	13	11
		F	48	–	–	–	–	1	3	3	3	21	6	11
29	Puerperal sepsis	F	5	–	–	–	–	1	3	1	–	–	–	–
30	Other puerperal	F	7	–	–	–	–	1	3	3	–	–	–	–
31	Congenital causes, etc.	M	56	56	–	–	–	–	–	–	–	–	–	–
		F	36	36	–	–	–	–	–	–	–	–	–	–
32	Senility	M	10	–	–	–	–	–	–	–	–	–	1	9
		F	39	–	–	–	–	–	–	–	–	–	7	32
33	Suicide	M	12	–	–	–	–	–	3	1	5	1	1	1
		F	4	–	–	–	–	–	–	1	1	2	–	–
34	Other violence	M	64	1	–	2	5	8	12	13	12	6	2	3
		F	20	–	–	1	1	–	3	–	–	3	3	9
35	Other defined causes	M	103	10	1	2	4	4	7	6	9	24	22	14
		F	69	5	1	–	4	5	6	9	9	18	9	3
36	Ill-defined causes	M	3	–	–	–	–	–	–	–	–	–	1	2
		F	2	–	–	–	–	–	–	–	–	–	–	2

Causes of Death. *See* first page of Table.		Aggregate of Urban Districts.												Aggregate of Rural Districts.										
		All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	7
All Causes	M	788	49	3	7	23	31	40	62	84	131	187	171	463	28	2	6	7	10	18	24	34	66	116	1
	F	925	33	9	7	13	28	43	56	82	127	217	310	440	23	4	6	9	13	12	21	33	54	98	1
1 Typhoid fever, etc.	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
2 Measles	M	2	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	F	4	–	2	1	1	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	
3 Scarlet fever	M	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	F	1	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	
4 Whooping cough	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	F	3	–	3	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	
5 Diphtheria	M	3	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	F	5	–	–	2	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
6 Influenza	M	35	3	–	–	–	2	2	4	7	4	5	8	23	–	1	–	2	1	1	2	3	4	2	
	F	45	–	–	1	–	–	2	6	5	5	9	17	16	1	–	–	–	2	–	–	2	5	2	
7 Encephalitis lethargica	M	4	–	–	–	2	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	1	–	
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	
8 Cerebro-spinal fever	M	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	F	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
9 Respiratory tuberculosis	M	55	–	–	–	–	10	11	14	15	2	1	2	14	–	–	–	–	1	4	8	1	–	–	
	F	46	–	–	–	–	12	17	7	6	4	–	–	17	–	–	–	1	2	5	4	2	–	3	
10 Other tuberculosis	M	14	–	1	2	4	1	1	1	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	
	F	4	–	1	–	–	–	1	2	–	–	–	–	7	–	–	3	–	1	–	–	1	1	1	
11 Syphilis	M	4	1	–	–	–	–	–	1	1	–	1	–	1	–	–	–	–	–	–	–	–	1	–	
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
12 Gen. paralysis of insane, etc.	M	4	–	–	–	–	–	–	3	–	1	–	–	5	–	–	–	–	–	–	–	1	1	2	
	F	3	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
13 Cancer	M	115	–	–	–	–	–	2	6	13	28	40	26	64	–	–	–	–	–	2	1	6	17	20	
	F	156	1	–	–	–	1	1	10	28	34	47	34	74	–	–	1	–	–	–	7	14	13	17	
14 Diabetes	M	13	–	–	–	–	–	–	–	1	3	5	4	7	–	–	–	–	–	–	1	2	1	2	
	F	20	–	–	–	1	–	–	1	3	5	6	4	5	–	–	–	–	–	–	–	–	1	3	
15 Cerebral hæmorrhage	M	40	–	–	–	–	–	–	1	3	6	19	11	27	–	–	–	–	–	–	–	1	3	9	
	F	69	–	–	–	–	–	–	2	6	11	22	28	36	–	–	–	–	–	–	–	2	3	9	
16 Heart disease	M	152	–	–	–	2	3	–	3	17	28	54	45	85	–	–	–	–	–	–	–	5	17	35	
	F	190	–	–	–	1	3	2	3	15	30	64	72	76	–	–	–	1	–	–	2	2	12	26	
17 Aneurysm	M	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	1	
	F	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	
18 Other circulatory	M	38	–	–	–	–	–	–	–	2	5	12	19	36	–	–	–	–	–	–	1	2	1	9	
	F	50	–	–	–	1	–	–	–	1	3	14	31	30	–	–	–	–	–	–	–	1	1	7	
19 Bronchitis	M	27	2	–	–	–	–	–	5	4	4	4	8	18	1	–	–	1	–	–	–	1	1	3	
	F	43	2	–	1	–	–	1	1	1	4	8	25	19	–	–	–	–	–	1	–	1	1	4	
20 Pneumonia	M	33	4	–	–	–	3	3	–	4	8	4	7	20	4	1	1	1	1	–	2	1	2	2	
	F	35	6	1	–	1	1	2	4	2	2	7	9	21	–	3	–	1	–	2	–	3	3	3	
21 Other respiratory	M	7	–	–	–	–	1	–	2	–	2	1	1	4	–	–	–	–	–	–	2	–	1	1	
	F	3	–	–	–	–	–	1	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–	
22 Peptic ulcer	M	11	–	–	–	–	1	2	3	1	2	2	–	3	–	–	–	–	–	1	–	–	–	2	
	F	3	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	
23 Diarrhœa	M	3	2	–	–	–	–	–	–	–	–	1	–	4	1	–	1	–	–	–	1	–	–	1	
	F	2	–	–	–	–	–	–	–	1	–	1	–	3	2	–	–	–	–	–	–	–	–	1	
24 Appendicitis	M	6	–	–	1	–	2	1	1	–	1	–	–	2	–	–	–	–	–	–	1	–	–	1	
	F	5	–	–	–	1	1	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	
25 Cirrhosis of liver	M	4	–	–	–	–	–	–	–	1	1	1	1	3	–	–	–	–	–	–	–	3	–	–	
	F	2	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	
26 Other liver diseases	M	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
	F	8	–	–	–	–	–	–	1	2	4	1	–	6	–	–	–	–	–	–	1	–	2	1	
27 Other digestive	M	11	1	–	1	1	–	–	2	1	3	1	1	9	–	–	2	–	–	–	–	–	2	3	
	F	11	–	–	1	–	2	1	1	–	–	2	4	9	1	–	1	1	–	1	–	–	3	–	
28 Nephritis	M	31	–	–	–	–	–	2	5	5	6	10	3	8	–	–	–	–	1	2	–	–	1	2	
	F	25	–	–	–	–	–	1	5	1	4	7	7	13	–	–	–	–	2	–	1	2	1	6	
29 Puerperal sepsis	F	1	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	
30 Other puerperal	F	7	–	–	–	–	1	3	3	–	–	–	–	3	–	–	–	–	2	1	–	–	–	–	
31 Congenital causes, etc.	M	34	33	–	–	1	–	–	–	–	–	–	–	21	20	–	–	1	–	–	–	–	–	–	
	F	19	17	–	1	–	1	–	–	–	–	–	–	15	15	–	–	–	–	–	–	–	–	–	
32 Senility	M	32	–	–	–	–	–	–	–	–	2	7	23	34	–	–	–	–	–	–	–	–	–	5	2
	F	62	–	–	–	–	–	–	–	–	–	6	56	41	–	–	–	–	–	–	–	–	1	5	3
33 Suicide	M	15	–	–	–	–	1	3	4	1	3	2	1	3	–	–	–	–	1	1	–	1	–	–	
	F	4	–	–	–	–	–	2	–	–	2	–	–	3	–	–	–	–	–	–	1	–	–	2	
34 Other violence	M	33	–	1	3	5	4	5	3	1	6	2	3	23	–	–	2	1	4	4	2	3	5	1	
	F	29	3	–	–	2	1	2	–	–	2	8	11	10	–	–	–	3	1	–	–	–	1	1	
35 Other defined causes	M	54	2	1	–	3	3	6	3	5	14	11	6	46	2	–	–	1	1	3	3	4	7	15	1
	F	66	3	2	–	2	4	6	8	8	11	12	10	26	2	1	–	1	1	2	5	3	5	5	
36 Ill-defined causes	M	4	1	–	–	–	–	–	–	–	–	2	1	1	–	–	–	–	–	–	–	–	1	–	
	F	1	–	–	–	–	–	–	–	–	–	1	–	3	–	–	–	–	1	–	–	–	1	1	

Causes of Death. first page of Table.		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
All Causes	M	455	36	–	6	6	10	17	26	34	66	124	130	871	53	12	10	24	32	42	42	70	114	211	261
	F	502	28	3	4	4	8	12	23	32	73	107	208	850	33	6	10	17	23	34	32	68	124	186	317
Typhoid fever, etc.	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Measles	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Whooping cough	M	–	–	–	–	–	–	–	–	–	–	–	–	6	5	–	1	–	–	–	–	–	–	–	–
	F	3	2	–	1	–	–	–	–	–	–	–	–	3	1	–	1	1	–	–	–	–	–	–	–
Diphtheria	M	2	–	–	1	1	–	–	–	–	–	–	–	2	–	–	–	2	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	M	25	–	–	1	1	–	–	4	4	4	3	8	40	–	1	2	1	1	–	4	7	7	7	10
	F	23	1	–	–	–	–	1	2	1	6	3	9	40	–	–	–	–	2	3	2	6	6	7	14
Encephalitis lethargica	M	1	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–	–	1	–	–	–	1	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Cerebro-spinal fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Respiratory tuberculosis	M	24	1	–	–	–	3	4	5	6	5	–	–	37	–	–	–	2	7	9	5	5	5	4	–
	F	20	–	–	–	1	2	3	6	3	5	–	–	30	–	–	1	–	6	10	5	4	2	2	–
Other tuberculosis	M	2	–	–	–	–	–	–	2	–	–	–	–	9	–	3	1	1	–	1	2	–	1	–	–
	F	4	–	3	–	–	–	1	–	–	–	–	–	11	1	2	3	1	1	–	–	–	1	–	2
Syphilis	M	–	–	–	–	–	–	–	–	–	–	–	–	3	1	–	–	–	–	–	1	–	1	–	–
	F	3	1	–	–	–	–	1	–	1	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Gen. paralysis of insane, etc.	M	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	1	–	–	1	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	M	60	–	–	–	–	1	1	2	8	10	25	13	120	–	–	–	1	–	2	6	12	26	51	22
	F	66	–	–	–	–	–	–	3	5	14	21	23	135	–	–	–	–	1	1	6	14	42	45	26
Diabetes	M	3	–	–	–	–	–	–	–	–	1	2	–	10	–	–	–	–	1	–	–	2	1	3	3
	F	14	–	–	–	–	–	–	1	–	2	5	6	8	–	–	–	–	–	–	–	–	5	1	2
Cerebral hæmorrhage	M	28	–	–	–	–	–	–	–	2	3	11	12	32	–	–	–	–	–	–	1	3	2	12	14
	F	43	–	–	–	–	–	–	–	2	9	13	19	51	–	–	–	–	–	1	3	4	3	17	23
Heart disease	M	88	–	–	–	1	–	1	2	5	14	35	30	154	–	–	–	–	–	3	1	5	24	44	77
	F	112	–	–	–	–	1	–	1	9	14	30	57	168	–	–	–	1	–	2	4	9	27	43	82
Aneurysm	M	1	–	–	–	–	–	–	–	1	–	–	–	4	–	–	–	–	–	–	–	–	2	2	–
	F	1	–	–	–	–	1	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	–	–	1
Other circulatory	M	42	–	–	–	–	–	–	–	–	6	18	18	55	–	–	–	–	–	–	–	1	7	26	21
	F	43	–	–	–	–	–	–	–	2	4	13	24	52	–	–	–	–	–	–	–	3	6	11	32
Bronchitis	M	31	2	–	–	–	1	–	1	2	3	9	13	36	1	1	1	–	–	–	–	–	2	8	23
	F	23	1	–	–	–	–	–	–	1	1	6	14	37	–	–	–	–	–	–	–	–	1	2	34
Pneumonia	M	28	6	–	–	1	1	1	3	1	5	3	7	47	12	2	–	–	–	2	5	9	5	4	8
	F	21	7	–	3	–	–	1	–	–	2	1	7	36	3	4	2	1	–	–	–	3	3	11	9
Other respiratory	M	5	–	–	–	–	–	–	1	1	1	2	–	12	–	–	–	–	–	2	–	4	3	1	2
	F	2	–	–	–	–	–	–	–	–	–	–	2	7	–	–	–	–	–	1	–	1	2	2	1
Peptic ulcer	M	2	–	–	–	–	–	1	–	–	–	1	–	19	–	–	–	–	1	2	4	4	3	3	2
	F	5	–	–	–	–	–	–	–	1	2	1	1	4	–	–	–	–	–	–	–	–	1	3	–
Diarrhœa	M	2	1	–	1	–	–	–	–	–	–	–	–	4	–	1	–	2	–	1	–	–	–	–	–
	F	4	1	–	–	–	–	–	–	–	–	2	1	6	1	–	–	1	–	–	1	–	–	1	2
Appendicitis	M	2	–	–	–	–	–	–	2	–	–	–	–	9	–	1	–	1	1	1	–	–	1	3	1
	F	2	–	–	–	–	–	–	1	1	–	–	–	6	–	–	1	–	–	–	–	1	–	4	–
Cirrhosis of liver	M	–	–	–	–	–	–	–	–	–	–	–	–	5	–	–	–	–	–	–	–	1	1	2	1
	F	1	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–	–	–	–	1	1	–	–
Other liver diseases	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
	F	1	–	–	–	–	–	–	–	–	–	–	1	10	–	–	–	–	–	1	–	–	1	3	5
Other digestive	M	10	–	–	1	–	2	–	1	–	2	2	2	17	–	–	2	1	–	2	–	3	–	4	5
	F	6	–	–	–	1	1	–	1	–	1	2	–	14	–	–	–	–	2	1	1	2	1	6	1
Nephritis	M	9	–	–	–	–	–	1	–	1	3	1	3	32	–	–	–	–	2	1	2	3	8	7	9
	F	8	–	–	–	–	–	–	1	3	1	2	1	24	–	–	–	–	1	–	1	2	6	8	6
Puerperal sepsis	F	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	1	2	–	–	–	–	–
Other puerperal	F	1	–	–	–	–	–	–	1	–	–	–	–	4	–	–	–	–	2	2	–	–	–	–	–
Congenital causes, etc.	M	21	21	–	–	–	–	–	–	–	–	–	–	31	29	1	1	–	–	–	–	–	–	–	–
	F	15	14	–	–	1	–	–	–	–	–	–	–	24	22	–	–	1	–	–	1	–	–	–	–
Senility	M	14	–	–	–	–	–	–	–	–	1	1	12	39	–	–	–	–	–	–	–	–	1	7	31
	F	33	–	–	–	–	–	–	–	–	–	1	32	62	–	–	–	–	–	–	–	–	1	4	57
Suicide	M	3	–	–	–	–	–	–	–	1	–	2	–	7	–	–	–	–	1	1	2	–	1	1	1
	F	3	–	–	–	–	–	1	1	–	1	–	–	4	–	–	–	–	1	–	–	2	1	–	–
Other violence	M	17	2	–	–	2	2	4	–	1	3	3	–	51	2	–	–	3	14	13	5	3	1	3	7
	F	7	–	–	–	–	–	1	–	–	–	2	4	22	–	–	1	3	4	–	1	2	–	3	8
Other defined causes	M	31	3	–	2	–	–	4	2	–	3	5	12	76	3	2	2	8	4	1	3	7	11	16	19
	F	36	1	–	–	1	3	3	4	3	11	5	5	72	3	–	1	8	1	10	7	11	12	11	8
Ill-defined causes	M	4	–	–	–	–	–	–	–	1	2	1	–	8	–	–	–	1	–	–	–	1	1	1	4
	F	2	–	–	–	–	–	–	–	–	–	–	2	9	1	–	–	–	–	–	–	1	2	2	3

Causes of Death. *See* first page of Table.		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
All Causes	M	715	48	8	8	17	23	40	33	78	129	158	173	896	59	5	13	15	23	36	45	65	133	239	263
	F	693	30	5	4	10	18	38	47	56	103	150	232	845	33	7	10	14	19	29	37	76	119	204	297
1 Typhoid fever, etc.	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2 Measles	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
3 Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	1	–	–	–	–	–	1	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
4 Whooping cough	M	2	1	1	–	–	–	–	–	–	–	–	–	4	3	1	–	–	–	–	–	–	–	–	–
	F	1	1	–	–	–	–	–	–	–	–	–	–	3	2	1	–	–	–	–	–	–	–	–	–
5 Diphtheria	M	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	2	–	–	–	–	–	–	–	–
	F	1	–	–	–	–	1	–	–	–	–	–	–	7	1	1	–	4	1	–	–	–	–	–	–
6 Influenza	M	40	4	2	–	1	–	1	4	6	10	6	6	39	–	–	4	–	1	2	2	5	4	9	12
	F	29	–	1	–	2	1	2	1	2	4	6	10	49	1	–	1	–	1	–	5	4	7	13	17
7 Encephalitis lethargica	M	2	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	1	–	–	–	–	–
	F	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
8 Cerebro-spinal fever	M	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	1	–	–	–	–	–	–
9 Respiratory tuberculosis	M	39	–	–	–	–	4	14	4	8	5	3	1	29	–	–	–	–	4	5	7	6	3	4	–
	F	27	–	–	–	–	6	10	3	4	2	2	–	27	–	–	–	–	8	8	5	2	2	1	1
10 Other tuberculosis	M	7	1	–	2	–	1	1	–	2	–	–	–	6	–	–	4	–	2	–	–	–	–	–	–
	F	6	–	–	–	1	–	2	–	1	1	1	–	9	1	3	–	3	–	–	–	1	–	1	–
11 Syphilis	M	3	–	–	–	–	–	–	1	1	–	1	–	2	1	–	–	–	–	–	–	–	1	–	–
	F	2	–	–	–	–	–	–	–	2	–	–	–	5	–	–	–	–	–	1	–	3	1	–	–
12 Gen. paralysis of insane, etc.	M	–	–	–	–	–	–	–	–	–	–	–	–	7	–	–	–	–	–	1	–	–	2	3	1
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
13 Cancer	M	101	–	–	1	–	1	2	3	14	26	32	22	120	–	–	–	1	–	2	1	7	33	54	22
	F	94	–	–	–	–	–	–	11	12	28	18	25	121	–	–	–	–	1	3	4	22	31	36	24
14 Diabetes	M	5	–	–	–	–	–	–	–	–	–	3	2	14	–	–	–	–	–	–	–	1	5	6	2
	F	6	–	–	–	–	–	–	1	–	1	3	1	9	–	–	–	–	–	–	–	2	2	4	1
15 Cerebral hæmorrhage	M	36	–	–	–	–	–	–	1	1	5	12	17	44	–	–	–	–	–	2	–	2	4	14	22
	F	48	–	–	–	–	–	–	1	4	8	16	19	50	–	–	–	–	–	1	1	1	8	14	25
16 Heart disease	M	127	–	–	–	2	3	2	6	11	22	43	38	178	–	–	–	–	–	4	10	11	26	57	70
	F	152	–	–	–	1	2	2	5	14	20	42	66	175	–	–	–	–	3	3	3	6	30	56	74
17 Aneurysm	M	3	–	–	–	–	–	–	–	1	–	1	1	4	–	–	–	–	–	–	–	–	1	2	1
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
18 Other circulatory	M	37	–	–	–	–	–	–	–	2	8	7	20	47	–	–	–	–	–	–	–	3	5	16	23
	F	43	–	–	–	–	–	–	–	–	4	15	24	63	–	–	–	–	–	–	2	3	6	19	33
19 Bronchitis	M	29	–	–	–	–	–	1	1	1	6	6	14	44	1	–	–	–	–	1	1	–	3	12	26
	F	39	–	1	–	–	–	1	–	–	3	5	29	41	2	–	–	–	–	–	–	1	2	11	25
20 Pneumonia	M	47	5	2	1	–	–	4	2	13	3	8	9	53	6	1	–	2	1	3	5	7	7	9	12
	F	33	2	2	–	–	2	2	5	2	5	3	10	39	6	–	4	–	2	1	3	3	6	6	8
21 Other respiratory	M	3	–	–	–	1	–	–	–	–	1	1	–	16	–	–	–	–	2	–	1	–	3	8	2
	F	5	–	–	–	–	–	–	1	–	1	2	1	4	–	–	1	–	–	1	–	1	–	1	–
22 Peptic ulcer	M	7	–	–	–	–	–	–	2	2	2	1	–	6	–	–	–	–	–	1	–	2	2	1	–
	F	4	–	–	–	–	–	–	–	–	1	1	2	1	–	–	–	–	–	–	–	–	–	1	–
23 Diarrhœa	M	5	2	–	–	–	–	–	–	–	2	1	–	6	3	1	–	–	–	–	–	1	–	–	1
	F	9	4	–	–	–	–	–	–	2	2	–	1	4	–	–	–	–	–	–	–	–	2	–	2
24 Appendicitis	M	6	–	–	–	1	–	–	2	1	–	2	–	6	–	–	1	1	–	1	1	1	–	1	–
	F	2	–	–	1	1	–	–	–	–	–	–	–	9	–	–	–	1	–	–	3	–	2	1	2
25 Cirrhosis of liver	M	4	–	–	–	–	–	–	–	1	2	–	1	2	–	–	–	–	–	–	–	1	–	–	1
	F	3	–	–	–	–	–	–	–	1	2	–	–	4	–	–	–	–	–	–	–	2	1	1	–
26 Other liver diseases	M	2	–	–	–	–	–	–	–	–	–	2	–	3	–	–	–	–	–	–	1	–	1	–	1
	F	3	–	–	–	–	–	–	–	–	–	2	1	10	–	–	–	–	–	–	–	–	2	6	2
27 Other digestive	M	12	–	1	1	–	2	1	1	1	2	1	2	15	–	–	–	1	1	1	1	2	1	3	5
	F	16	–	1	–	–	–	1	1	2	3	6	2	17	–	1	1	1	–	–	2	3	3	1	5
28 Nephritis	M	29	–	–	–	2	–	1	–	2	12	6	6	27	1	–	–	–	–	–	3	3	6	8	6
	F	22	–	–	1	–	–	–	1	2	4	8	6	28	–	–	1	–	–	–	1	7	5	8	6
29 Puerperal sepsis	F	1	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–	–	1	1	–	–	–	–
30 Other puerperal	F	6	–	–	–	–	1	3	2	–	–	–	–	5	–	–	–	–	1	3	1	–	–	–	–
31 Congenital causes, etc.	M	30	30	–	–	–	–	–	–	–	–	–	–	38	37	1	–	–	–	–	–	–	–	–	–
	F	19	18	–	–	–	1	–	–	–	–	–	–	18	17	–	–	–	–	–	–	1	–	–	–
32 Senility	M	18	–	–	–	–	–	–	–	–	–	3	15	43	–	–	–	–	–	–	–	–	–	5	38
	F	31	–	–	–	–	–	–	–	–	–	6	25	49	–	–	–	–	–	–	–	–	–	3	46
33 Suicide	M	17	–	–	–	–	4	2	2	2	7	–	–	25	–	–	–	–	2	3	2	6	6	5	1
	F	9	–	–	–	–	–	4	2	1	1	–	1	6	–	–	–	–	–	1	1	2	–	1	1
34 Other violence	M	26	1	1	–	4	6	5	2	1	4	–	2	37	1	–	1	5	7	6	5	3	7	1	1
	F	12	2	–	–	1	1	1	2	–	–	3	2	15	–	–	–	2	–	–	1	–	2	3	7
35 Other defined causes	M	72	4	1	2	6	2	6	2	5	12	16	16	73	6	1	1	5	3	3	4	4	12	19	15
	F	67	3	–	2	4	3	9	10	6	12	11	7	68	3	–	1	3	1	6	3	12	7	16	16
36 Ill-defined causes	M	5	–	–	–	–	–	–	–	3	–	2	–	5	–	–	–	–	–	–	1	–	1	2	1
	F	1	–	–	–	–	–	–	–	–	1	–	–	3	–	–	–	–	–	–	–	–	–	1	2

Causes of Death. *See* first page of Table.		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
	All Causes	M	420	21	3	4	2	13	17	26	49	63	103	119	460	28	5	6	8	10	8	17	22	66	132	158
		F	454	15	1	3	10	11	14	30	44	60	99	167	513	19	4	1	8	15	19	25	36	63	108	215
1	Typhoid fever, etc.	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	2	–	–	–	–	–	–
2	Measles	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
3	Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
4	Whooping cough	M	1	1	–	–	–	–	–	–	–	–	–	–	2	–	2	–	–	–	–	–	–	–	–	–
		F	1	–	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
5	Diphtheria	M	1	–	–	–	1	–	–	–	–	–	–	–	2	–	–	–	2	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	2	–	–	–	–	–	–	–
6	Influenza	M	20	–	–	–	–	–	1	2	3	4	5	5	26	1	–	2	–	1	–	1	–	4	6	11
		F	47	–	–	1	–	–	–	4	5	7	11	19	46	1	–	–	–	1	1	2	7	10	7	17
7	Encephalitis lethargica	M	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
8	Cerebro-spinal fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9	Respiratory tuberculosis	M	19	–	–	–	–	2	4	4	6	1	2	–	19	–	–	–	1	2	5	4	2	2	3	–
		F	15	–	–	–	1	4	3	4	2	1	–	–	24	–	–	–	2	6	5	7	2	–	2	–
10	Other tuberculosis	M	3	–	1	1	–	–	–	–	–	–	–	1	5	1	–	–	–	–	1	–	1	2	–	–
		F	1	–	–	–	–	1	–	–	–	–	–	–	4	–	–	–	–	1	–	2	–	–	1	–
11	Syphilis	M	4	–	–	–	–	–	–	1	2	–	1	–	3	–	–	–	–	–	–	–	3	–	–	–
		F	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
12	Gen. paralysis of insane, etc.	M	1	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13	Cancer	M	62	–	–	–	–	–	2	1	7	18	16	18	56	–	–	–	–	1	–	1	2	11	24	17
		F	60	–	–	–	–	–	–	1	10	12	21	16	75	–	–	–	–	–	1	6	8	18	24	18
14	Diabetes	M	9	–	–	–	–	–	2	–	–	1	4	2	–	–	–	–	–	–	–	–	–	–	–	–
		F	6	–	–	–	–	1	–	–	–	1	3	1	7	–	–	–	–	–	–	1	1	1	3	1
15	Cerebral hæmorrhage	M	19	–	–	–	–	–	–	–	1	1	9	8	29	–	–	–	–	–	–	–	1	2	12	14
		F	27	–	–	–	–	–	1	–	2	4	6	14	31	–	–	–	–	–	–	–	3	4	4	20
16	Heart disease	M	91	–	–	–	–	2	1	2	10	14	27	35	99	–	–	–	–	–	–	–	3	14	35	47
		F	110	–	–	–	1	–	2	3	6	16	31	51	114	–	–	–	–	1	1	3	3	10	31	65
17	Aneurysm	M	4	–	–	–	–	–	–	–	1	2	1	–	3	–	–	–	–	–	–	–	1	1	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
18	Other circulatory	M	20	–	–	–	–	–	–	–	1	3	7	9	29	–	–	–	–	–	–	–	–	2	10	17
		F	14	–	–	–	–	–	–	–	1	3	3	7	27	–	–	–	–	–	–	–	–	3	7	17
19	Bronchitis	M	16	1	1	–	–	–	–	–	2	1	5	6	19	–	1	–	–	–	–	1	–	2	7	8
		F	19	–	–	–	–	–	–	–	1	–	5	13	24	–	1	–	–	–	–	–	–	3	2	18
20	Pneumonia	M	19	2	1	2	–	–	–	3	1	1	5	4	20	3	2	1	–	–	1	2	3	1	2	5
		F	12	2	–	1	–	–	–	2	1	3	2	1	9	–	2	1	–	–	–	–	2	–	1	3
21	Other respiratory	M	6	–	–	–	–	1	–	1	2	–	1	1	6	–	–	–	–	–	–	1	1	–	3	1
		F	3	–	–	–	–	–	–	2	–	–	1	–	6	1	–	–	1	–	–	–	1	1	–	2
22	Peptic ulcer	M	6	–	–	–	–	–	–	1	1	1	2	1	4	–	–	–	–	–	–	–	1	3	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
23	Diarrhœa	M	1	–	–	–	–	–	1	–	–	–	–	–	4	3	–	–	–	–	–	–	–	–	1	–
		F	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
24	Appendicitis	M	2	–	–	1	–	–	–	–	1	–	–	–	4	–	–	–	–	–	1	1	–	2	–	–
		F	5	–	–	–	1	2	–	1	–	–	1	–	1	–	–	–	1	–	–	–	–	–	–	–
25	Cirrhosis of liver	M	4	–	–	–	–	–	–	1	–	2	–	1	3	–	–	–	–	–	–	1	–	2	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	1
26	Other liver diseases	M	2	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	6	–	–	–	–	–	–	1	3	–	1	1	5	–	–	–	–	–	–	–	1	2	1	1
27	Other digestive	M	13	1	–	–	–	1	1	2	4	1	2	1	10	–	–	–	–	–	–	1	1	1	2	5
		F	9	–	–	–	–	–	–	2	3	1	2	1	9	–	–	–	1	–	1	–	–	–	3	4
28	Nephritis	M	8	–	–	–	–	–	–	1	1	1	1	4	7	–	–	–	–	–	–	–	–	2	3	2
		F	4	–	–	–	–	–	–	–	1	–	2	1	20	–	–	–	–	1	1	–	–	5	4	9
29	Puerperal sepsis	F	3	–	–	–	–	–	3	–	–	–	–	–	4	–	–	–	–	–	3	1	–	–	–	–
30	Other puerperal	F	4	–	–	–	–	–	2	1	1	–	–	–	4	–	–	–	–	1	3	–	–	–	–	–
31	Congenital causes, etc.	M	14	14	–	–	–	–	–	–	–	–	–	–	18	17	–	–	–	1	–	–	–	–	–	–
		F	9	9	–	–	–	–	–	–	–	–	–	–	16	15	–	–	–	–	1	–	–	–	–	–
32	Senility	M	7	–	–	–	–	–	–	–	–	–	–	7	15	–	–	–	–	–	–	–	–	–	–	15
		F	27	–	–	–	–	–	–	–	–	–	–	27	33	–	–	–	–	–	–	–	–	–	2	31
33	Suicide	M	8	–	–	–	–	1	1	–	1	3	2	–	10	–	–	–	–	–	–	–	1	6	2	1
		F	6	–	–	–	–	1	–	3	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
34	Other violence	M	21	–	–	–	–	5	2	5	1	3	3	2	24	2	–	3	2	5	–	4	–	1	6	1
		F	25	–	–	–	4	1	–	2	1	4	4	9	8	–	–	–	–	1	–	–	1	1	4	1
35	Other defined causes	M	37	2	–	–	1	1	2	1	4	6	7	13	39	1	–	–	2	–	–	–	2	7	14	13
		F	37	2	–	1	3	1	2	4	6	7	5	6	36	2	–	–	1	–	2	3	6	5	10	7
36	Ill-defined causes	M	1	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	1	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–

Causes of Death. *See* first page of Table.		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
	All Causes	M	2996	207	35	41	70	85	126	190	379	587	681	595	1150	83	8	12	32	40	68	57	103	192	266	289
		F	3063	150	27	43	61	86	141	190	284	502	739	840	1044	53	9	13	11	29	40	56	88	145	278	322
1	Typhoid fever, etc.	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
		F	2	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
2	Measles	M	5	2	–	3	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
		F	3	1	1	1	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
3	Scarlet fever	M	4	–	1	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	4	–	–	1	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
4	Whooping cough	M	9	3	3	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	4	1	–	2	1	–	–	–	–	–	–	–	2	1	1	–	–	–	–	–	–	–	–	–
5	Diphtheria	M	17	–	1	7	6	3	–	–	–	–	–	–	5	–	–	1	4	–	–	–	–	–	–	–
		F	15	–	1	7	5	–	–	–	2	–	–	–	2	–	–	1	–	–	1	–	–	–	–	–
6	Influenza	M	171	2	1	2	2	6	13	30	44	30	26	15	64	–	–	–	–	2	4	10	14	17	6	11
		F	191	2	1	1	3	6	10	24	19	34	44	47	47	1	–	–	–	1	3	8	6	3	14	11
7	Encephalitis lethargica	M	18	–	1	–	1	2	4	–	1	8	1	–	5	–	–	–	–	1	3	–	–	1	–	–
		F	8	–	–	–	–	3	2	2	–	1	–	–	2	–	–	–	–	1	–	–	–	–	1	–
8	Cerebro-spinal fever	M	4	1	–	–	2	–	1	–	–	–	–	–	2	–	–	–	1	–	–	1	–	–	–	–
		F	3	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9	Respiratory tuberculosis	M	144	–	–	–	1	15	21	37	34	24	11	1	32	–	–	1	–	3	12	5	9	2	–	–
		F	94	–	1	–	4	22	24	20	10	6	5	2	30	–	1	–	–	9	8	5	3	1	3	–
10	Other tuberculosis	M	23	2	1	4	6	2	6	–	–	1	–	1	16	1	2	4	2	2	2	2	–	1	–	–
		F	38	3	2	5	8	6	3	5	1	2	1	2	12	1	1	3	–	3	1	1	–	2	–	–
11	Syphilis	M	4	–	–	–	–	–	–	1	–	2	1	–	2	–	–	–	–	–	–	–	1	1	–	–
		F	4	1	–	–	–	–	1	1	1	–	–	–	2	1	–	–	–	–	–	–	–	–	1	–
12	Gen. paralysis of insane, etc.	M	6	–	–	–	–	–	–	2	1	1	2	–	5	–	–	–	–	–	1	–	3	–	1	–
		F	2	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	1	–	–	–	–
13	Cancer	M	362	–	–	–	–	–	5	11	54	111	126	55	154	–	–	–	1	2	6	5	16	45	51	28
		F	410	–	–	–	–	1	7	29	63	102	136	72	151	–	–	–	–	2	–	9	22	27	60	31
14	Diabetes	M	29	–	–	–	1	–	1	1	2	7	13	4	13	–	–	–	–	–	–	2	–	4	5	2
		F	51	–	–	–	1	2	4	1	6	6	22	9	22	–	–	–	1	1	1	1	1	4	10	3
15	Cerebral hæmorrhage	M	137	–	–	–	–	–	–	5	11	36	45	40	39	–	–	–	–	–	–	1	4	8	13	13
		F	165	–	–	–	–	–	–	2	18	42	51	52	64	–	–	–	–	–	1	–	3	17	22	21
16	Heart disease	M	637	–	–	–	–	11	6	22	72	133	216	177	249	–	–	–	1	3	4	3	11	49	77	101
		F	738	1	–	–	1	7	23	22	62	130	229	263	272	–	–	–	2	2	3	7	20	41	78	119
17	Aneurysm	M	5	–	–	–	–	–	–	–	1	2	1	1	6	–	–	–	–	–	–	–	2	2	2	–
		F	7	–	–	–	–	–	–	2	1	1	1	2	2	–	–	–	–	–	–	–	1	–	1	–
18	Other circulatory	M	174	–	–	–	–	–	–	1	4	35	56	78	46	–	–	–	–	–	–	–	2	6	16	22
		F	148	–	–	–	–	–	1	3	6	18	47	73	51	–	–	–	–	–	–	–	2	7	18	24
19	Bronchitis	M	117	6	–	–	1	–	1	2	14	16	31	46	48	2	–	–	–	–	–	2	2	6	11	25
		F	141	5	–	3	1	–	3	4	4	24	32	65	31	–	–	–	–	–	–	–	2	–	5	24
20	Pneumonia	M	200	27	14	8	11	5	14	16	31	35	25	14	59	12	3	1	2	3	8	4	5	6	12	3
		F	145	23	9	7	7	4	7	11	12	20	17	28	44	4	2	2	2	–	4	3	2	6	9	10
21	Other respiratory	M	28	–	–	1	1	1	3	3	4	7	4	4	10	–	–	–	–	–	2	1	–	3	1	3
		F	20	–	–	1	–	–	4	1	1	3	4	6	13	1	–	–	–	–	1	2	2	3	1	3
22	Peptic ulcer	M	32	–	–	–	1	1	5	3	11	10	–	1	9	–	–	–	–	1	–	1	4	1	1	1
		F	12	–	–	–	–	–	–	1	5	2	2	2	3	–	–	–	–	–	–	–	–	1	2	–
23	Diarrhœa	M	21	10	3	–	2	–	1	1	2	1	1	–	6	4	1	–	–	–	–	–	–	1	–	–
		F	16	6	1	–	–	1	2	1	–	1	2	2	6	2	–	–	–	–	–	2	–	1	–	1
24	Appendicitis	M	17	–	–	–	1	4	3	3	1	5	–	–	7	–	–	1	–	1	1	–	–	3	1	–
		F	23	–	–	1	4	4	1	3	4	4	1	1	12	–	–	2	1	1	2	1	1	3	1	–
25	Cirrhosis of liver	M	10	–	–	–	–	–	–	1	1	2	4	2	3	–	–	–	–	–	–	–	–	1	1	1
		F	9	–	–	–	–	–	1	–	3	4	–	1	–	–	–	–	–	–	–	–	–	–	–	–
26	Other liver diseases	M	10	–	–	–	–	–	–	–	–	2	7	1	7	–	–	–	–	–	–	–	1	1	3	2
		F	34	–	–	–	–	–	3	–	4	6	9	12	8	–	–	–	–	–	–	1	–	–	6	1
27	Other digestive	M	48	3	2	2	2	1	1	2	14	7	7	7	24	–	1	–	4	2	3	–	1	3	7	3
		F	64	4	2	5	4	3	4	4	7	11	12	8	19	–	–	–	–	1	1	2	7	3	4	1
28	Nephritis	M	96	–	–	–	–	1	6	6	13	27	26	17	35	–	–	–	–	1	2	1	3	8	11	9
		F	105	–	1	–	2	4	2	12	13	26	27	18	39	–	1	–	–	1	3	3	3	2	13	13
29	Puerperal sepsis	F	11	–	–	–	–	2	6	2	1	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
30	Other puerperal	F	24	–	–	–	–	4	12	8	–	–	–	–	7	–	–	–	–	1	4	2	–	–	–	–
31	Congenital causes, etc.	M	139	135	2	–	1	–	–	–	–	–	1	–	57	56	–	–	1	–	–	–	–	–	–	–
		F	95	93	2	–	–	–	–	–	–	–	–	–	42	40	–	1	–	–	1	–	–	–	–	–
32	Senility	M	85	–	–	–	–	–	–	–	–	–	8	77	39	–	–	–	–	–	–	–	–	–	2	37
		F	132	–	–	–	–	–	–	–	–	1	14	117	49	–	–	–	–	–	–	–	–	–	6	43
33	Suicide	M	56	–	–	–	–	4	5	10	13	18	6	–	24	–	–	–	–	2	2	5	7	3	4	1
		F	20	–	–	–	–	2	–	4	6	5	2	1	4	–	–	–	–	–	–	1	1	2	–	–
34	Other violence	M	125	4	2	5	15	14	17	13	19	11	13	12	75	2	–	3	10	14	13	7	6	5	10	5
		F	66	1	2	3	6	4	6	2	2	6	14	20	22	1	1	1	2	2	1	–	–	3	5	6
35	Other defined causes	M	261	12	4	6	14	15	13	19	32	55	50	41	106	6	–	1	6	3	5	7	11	15	31	21
		F	257	8	4	5	10	10	15	25	32	46	66	36	82	1	1	3	3	4	5	6	11	19	18	11
36	Ill-defined causes	M	2	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	1
		F	2	–	–	1	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	1	–	–	–

Causes of Death. *See* first page of Table.		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
	All Causes	M	1003	65	8	6	14	25	41	45	99	163	267	270	1109	66	11	6	19	36	41	47	76	157	284	366
		F	1199	41	9	8	19	30	30	49	81	162	315	455	1187	46	5	5	13	35	47	54	74	144	302	462
1	Typhoid fever, etc.	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	1	–	–	–	–
2	Measles	M	2	2	–	–	–	–	–	–	–	–	–	–	3	2	–	–	1	–	–	–	–	–	–	–
		F	4	–	3	1	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
3	Scarlet fever	M	2	–	–	–	2	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
		F	3	–	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
4	Whooping cough	M	4	4	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
		F	4	2	1	1	–	–	–	–	–	–	–	–	2	1	1	–	–	–	–	–	–	–	–	–
5	Diphtheria	M	2	–	–	–	1	–	1	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–	–	–	1	–
6	Influenza	M	42	–	–	–	1	1	1	2	7	8	14	8	43	2	1	–	–	2	2	3	4	10	11	8
		F	57	–	2	1	2	1	5	4	3	4	11	24	48	–	1	–	–	–	3	1	6	4	16	17
7	Encephalitis lethargica	M	–	–	–	–	–	–	–	–	–	–	–	–	5	–	–	–	–	–	1	2	1	1	–	–
		F	3	–	–	–	–	1	1	1	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
8	Cerebro-spinal fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9	Respiratory tuberculosis	M	63	1	–	–	–	7	19	8	17	8	2	1	54	–	–	–	–	7	11	10	13	9	4	–
		F	47	–	–	–	1	14	11	7	3	6	2	3	41	–	–	–	1	10	11	7	5	6	–	1
10	Other tuberculosis	M	7	–	1	1	2	3	–	–	–	–	–	–	13	1	–	3	5	3	–	–	1	–	–	–
		F	9	–	–	1	1	3	2	–	1	–	1	–	17	–	–	1	1	4	8	1	2	–	–	–
11	Syphilis	M	1	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
		F	2	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
12	Gen. paralysis of insane, etc.	M	6	–	–	–	–	–	–	1	1	4	–	–	5	–	–	–	–	–	–	1	–	2	1	1
		F	3	–	–	–	–	–	–	–	–	2	1	–	2	–	–	–	–	–	1	–	–	1	–	–
13	Cancer	M	125	–	–	–	–	–	–	4	10	26	51	34	120	–	–	–	–	1	–	1	12	21	44	41
		F	163	–	–	–	–	–	1	6	27	43	50	36	148	–	–	–	–	2	2	8	20	29	49	38
14	Diabetes	M	16	–	–	–	1	–	–	–	–	6	6	3	14	–	–	–	1	–	–	–	2	2	5	4
		F	21	–	–	–	–	1	–	1	1	3	13	2	21	–	–	–	–	1	–	–	–	4	12	4
15	Cerebral hæmorrhage	M	67	–	–	–	–	–	–	3	6	12	25	21	69	–	–	–	–	1	–	–	4	6	27	31
		F	99	–	–	–	–	–	1	1	5	14	36	42	76	–	–	–	–	–	–	2	5	9	22	38
16	Heart disease	M	216	–	–	–	–	–	6	4	16	37	75	78	263	–	–	–	–	1	2	4	10	43	91	112
		F	328	–	–	–	1	2	1	6	13	35	114	156	347	–	–	–	1	2	4	6	14	53	114	153
17	Aneurysm	M	2	–	–	–	–	–	–	–	2	–	–	–	2	–	–	–	–	–	–	–	1	1	–	–
		F	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–
18	Other circulatory	M	45	–	–	–	–	–	–	–	4	17	24		54	–	–	–	–	–	–	1	2	3	15	33
		F	50	–	–	–	–	–	–	1	3	6	17	23	57	–	–	–	–	–	–	–	–	7	18	32
19	Bronchitis	M	27	2	–	–	–	–	–	1	2	6	6	10	57	1	1	–	–	–	1	2	–	4	18	30
		F	49	1	–	–	–	1	–	–	1	2	13	31	46	4	1	–	–	–	–	–	2	1	14	24
20	Pneumonia	M	45	5	2	3	2	–	3	2	5	12	5	6	36	8	1	–	–	3	4	1	5	6	4	4
		F	31	5	–	2	4	1	–	4	1	4	2	8	27	4	1	1	1	1	–	3	1	5	3	7
21	Other respiratory	M	17	–	–	–	–	–	–	2	4	7	2	2	20	–	–	–	1	2	1	4	3	5	3	1
		F	5	–	–	–	–	–	–	1	–	3	–	1	7	–	–	–	–	2	2	–	2	–	–	1
22	Peptic ulcer	M	10	–	–	–	–	–	4	1	3	1	1	–	6	–	–	–	–	–	3	1	–	1	1	–
		F	1	–	–	–	–	–	–	–	–	1	–	–	4	–	–	–	–	1	–	–	1	–	2	–
23	Diarrhœa	M	7	2	–	–	–	2	–	–	–	–	2	1	4	1	–	–	–	–	–	1	–	1	–	1
		F	8	2	1	1	1	–	–	–	–	1	1	1	8	–	–	1	–	1	–	1	–	–	1	4
24	Appendicitis	M	4	–	–	–	1	–	–	–	2	1	–	–	2	–	–	–	–	–	1	–	1	–	–	–
		F	3	–	–	–	–	1	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–
25	Cirrhosis of liver	M	3	–	–	–	–	–	–	1	–	1	1	–	6	–	–	–	–	–	–	2	2	2	–	–
		F	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
26	Other liver diseases	M	4	–	–	–	–	–	–	–	1	2	–	1	6	–	–	–	–	–	–	–	1	3	–	2
		F	6	–	–	–	–	–	–	–	1	3	–	2	9	–	–	–	–	–	–	–	–	3	2	4
27	Other digestive	M	18	2	–	–	–	1	–	1	4	3	3	4	17	–	1	1	1	–	–	–	–	2	5	7
		F	15	–	–	1	1	1	1	–	–	3	4	4	18	2	–	–	–	2	1	2	–	1	4	6
28	Nephritis	M	42	–	–	–	–	1	1	1	9	5	16	9	40	–	–	–	–	2	1	–	4	8	18	7
		F	36	–	–	–	–	–	1	1	3	6	7	18	40	–	–	1	2	–	3	2	2	7	16	7
29	Puerperal sepsis	F	4	–	–	–	–	–	2	2	–	–	–	–	4	–	–	–	–	–	2	2	–	–	–	–
30	Other puerperal	F	5	–	–	–	–	1	–	4	–	–	–	–	7	–	–	–	–	–	2	5	–	–	–	–
31	Congenital causes, etc.	M	38	37	–	–	–	–	–	–	–	1	–	–	45	44	1	–	–	–	–	–	–	–	–	–
		F	29	27	–	–	1	–	1	–	–	–	–	–	31	29	–	–	1	–	1	–	–	–	–	–
32	Senility	M	42	–	–	–	–	–	–	–	–	–	6	36	70	–	–	–	–	–	–	–	–	–	7	63
		F	96	–	–	–	–	–	–	–	–	1	14	81	116	–	–	–	–	–	–	–	–	–	10	106
33	Suicide	M	15	–	–	–	–	2	–	2	2	4	3	2	8	–	–	–	–	3	1	–	1	3	–	–
		F	5	–	–	–	–	–	–	–	3	–	1	1	5	–	–	–	–	–	1	3	1	–	–	–
34	Other violence	M	29	3	1	–	1	5	3	4	2	3	4	3	48	2	2	2	4	7	10	6	4	6	3	2
		F	20	1	–	–	2	1	–	–	2	1	5	8	28	2	1	1	–	1	1	3	2	2	3	12
35	Other defined causes	M	100	6	4	2	3	3	3	8	5	12	27	27	95	4	4	–	4	4	3	7	5	18	27	19
		F	85	1	1	–	5	1	3	8	14	18	22	12	69	4	–	–	4	7	5	6	11	10	14	8
36	Ill-defined causes	M	2	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	3	–	–	–	–	–	–	–	–	1	–	2	1	–	–	–	–	–	–	–	–	1	–	–

Causes of Death. *See* first page of Table.		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
	All Causes	M	815	82	13	17	19	38	41	47	83	127	181	167	610	48	8	9	13	17	29	29	42	97	147	171
		F	760	53	16	12	26	45	38	44	63	106	178	179	621	46	4	9	8	21	24	36	47	70	161	195
1	Typhoid fever, etc.	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2	Measles	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
3	Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
4	Whooping cough	M	8	4	2	1	1	–	–	–	–	–	–	–	3	2	–	1	–	–	–	–	–	–	–	–
		F	7	5	1	1	–	–	–	–	–	–	–	–	3	1	1	1	–	–	–	–	–	–	–	–
5	Diphtheria	M	1	–	–	1	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
		F	5	–	1	–	1	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
6	Influenza	M	35	1	1	1	2	3	2	5	5	7	5	3	26	–	–	–	2	–	1	2	4	6	2	9
		F	48	3	–	1	–	3	5	3	3	6	9	15	27	–	–	–	1	–	–	3	3	1	9	10
7	Encephalitis lethargica	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	1	–	–	–	1	–
8	Cerebro-spinal fever	M	1	–	–	–	1	–	–	–	–	–	–	–	2	–	–	1	1	–	–	–	–	–	–	–
		F	2	–	–	1	1	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
9	Respiratory tuberculosis	M	50	–	–	–	1	7	11	11	5	11	4	–	20	–	–	–	–	–	7	6	2	1	3	1
		F	51	1	1	–	4	18	9	10	4	1	2	1	23	–	–	–	1	4	6	5	1	4	2	–
10	Other tuberculosis	M	13	1	–	1	1	6	2	1	1	–	–	–	10	–	1	2	2	2	2	–	–	1	–	–
		F	18	1	1	2	5	6	3	–	–	–	–	–	3	–	–	–	1	1	–	–	–	1	–	–
11	Syphilis	M	2	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
12	Gen. paralysis of insane, etc.	M	1	–	–	–	–	–	–	–	1	–	–	–	3	–	–	–	–	–	–	1	–	2	–	–
		F	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13	Cancer	M	97	–	–	–	–	1	3	4	17	16	32	24	65	–	–	–	–	1	1	2	8	25	21	7
		F	75	–	–	–	–	–	1	3	11	20	28	12	92	–	–	–	1	–	3	3	13	14	35	23
14	Diabetes	M	5	–	–	–	–	1	–	–	–	1	2	1	4	–	–	–	–	1	–	–	–	–	1	2
		F	11	–	–	–	–	–	–	1	2	4	2	2	11	–	–	–	–	1	–	1	2	2	4	1
15	Cerebral hæmorrhage	M	57	–	–	–	–	–	1	–	2	9	24	21	32	–	–	–	–	–	–	–	–	3	13	16
		F	59	–	–	–	–	–	–	1	7	12	19	20	42	–	–	–	–	–	–	–	4	3	13	22
16	Heart disease	M	141	–	–	–	1	4	4	2	16	24	52	38	130	–	–	–	–	–	3	1	6	22	41	57
		F	151	–	–	–	1	5	7	6	9	22	47	54	137	–	–	–	–	–	2	3	5	16	48	63
17	Aneurysm	M	3	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
18	Other circulatory	M	40	–	–	–	–	–	–	–	2	3	14	21	44	–	–	–	–	–	–	–	1	2	12	29
		F	19	–	–	–	–	–	–	1	1	2	8	7	39	–	–	–	–	–	–	–	–	5	11	23
19	Bronchitis	M	39	7	2	1	–	–	–	1	1	4	7	16	19	–	2	–	–	–	–	–	–	2	5	10
		F	34	4	2	–	–	–	–	–	–	4	15	9	22	1	1	–	–	–	–	–	–	3	4	13
20	Pneumonia	M	49	12	2	6	1	1	3	4	5	6	8	1	26	4	2	–	1	–	2	2	2	2	7	4
		F	40	9	5	2	5	1	3	1	4	3	6	1	19	4	–	4	–	1	–	–	2	2	4	2
21	Other respiratory	M	10	–	–	–	–	1	–	2	–	4	2	1	9	–	–	1	–	–	1	1	2	1	1	2
		F	10	–	1	–	–	–	–	–	–	2	2	5	9	1	–	–	–	–	–	–	2	1	3	2
22	Peptic ulcer	M	8	–	–	–	–	–	1	3	1	2	1	–	8	–	–	–	–	1	–	1	2	3	–	1
		F	1	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	1	–	–	1	–	–
23	Diarrhœa	M	6	4	1	–	–	–	–	–	–	1	–	–	5	4	1	–	–	–	–	–	–	–	–	–
		F	16	7	–	2	–	1	1	–	–	1	3	1	6	2	–	2	–	–	–	1	–	1	–	–
24	Appendicitis	M	7	–	–	1	1	3	–	–	1	1	–	–	9	–	–	–	–	2	2	1	1	3	–	–
		F	5	–	–	–	2	–	1	–	–	–	2	–	5	–	–	–	–	1	1	–	2	–	1	–
25	Cirrhosis of liver	M	4	–	–	–	–	–	–	–	–	3	1	–	3	–	–	–	–	–	–	–	–	–	3	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
26	Other liver diseases	M	2	–	–	–	1	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–
		F	7	–	–	–	–	–	–	1	2	2	2	–	2	–	–	–	–	–	–	–	1	1	–	–
27	Other digestive	M	16	5	–	1	1	–	3	2	1	2	1	–	9	–	–	–	1	–	1	2	–	–	2	3
		F	13	1	–	–	1	–	1	–	4	3	2	1	16	–	–	–	–	1	–	3	1	4	5	2
28	Nephritis	M	23	–	–	–	1	–	–	1	4	5	6	6	24	–	1	1	1	1	1	1	1	4	6	7
		F	34	–	–	–	1	1	1	6	2	7	8	8	13	–	1	–	–	1	1	1	2	1	3	3
29	Puerperal sepsis	F	2	–	–	–	–	–	2	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
30	Other puerperal	F	7	–	–	–	–	2	3	2	–	–	–	–	13	–	–	–	–	3	4	6	–	–	–	–
31	Congenital causes, etc.	M	38	36	1	–	1	–	–	–	–	–	–	–	32	31	–	–	1	–	–	–	–	–	–	–
		F	18	17	1	–	–	–	–	–	–	–	–	–	34	34	–	–	–	–	–	–	–	–	–	–
32	Senility	M	30	–	–	–	–	–	–	–	–	–	5	25	19	–	–	–	–	–	–	–	–	–	4	15
		F	37	–	–	–	–	–	–	–	–	1	6	30	21	–	–	–	–	–	–	–	–	–	–	21
33	Suicide	M	7	–	–	–	–	1	3	1	1	1	–	–	9	–	–	–	–	–	2	–	4	3	–	–
		F	2	–	–	–	–	–	–	1	1	–	–	–	2	–	–	–	–	1	–	–	1	–	–	–
34	Other violence	M	40	3	2	4	2	6	5	4	4	7	2	1	35	–	–	3	4	9	3	3	4	3	4	2
		F	17	1	1	1	3	–	–	2	1	1	2	5	11	–	–	1	1	2	2	1	–	1	1	2
35	Other defined causes	M	59	8	2	–	3	4	3	5	7	11	10	6	49	6	–	–	–	–	3	6	5	10	13	6
		F	52	4	2	2	2	7	1	3	7	11	11	2	56	3	1	1	3	4	2	8	7	8	12	7
36	Ill-defined causes	M	23	–	–	–	1	–	–	1	8	6	4	3	11	–	–	–	–	–	–	–	–	4	7	–
		F	15	–	–	–	–	–	–	1	2	3	3	6	9	–	–	–	–	–	1	–	1	1	5	1

Causes of Death. *See* first page of Table.		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
	All Causes	M	1835	173	41	41	43	92	85	101	190	319	389	361	1751	150	36	21	51	77	74	97	159	278	415	393
		F	1759	136	28	27	50	63	69	87	174	276	401	448	1543	133	19	19	33	44	77	99	131	236	356	396
1	Typhoid fever, etc.	M	1	–	–	–	–	–	–	–	1	–	–	–	3	–	–	–	–	2	–	1	–	–	–	–
		F	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2	Measles	M	12	5	3	4	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
		F	7	1	4	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
3	Scarlet fever	M	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	1	–	–	–	–	–	–	–	2	–	–	1	–	1	–	–	–	–	–	–
4	Whooping cough	M	5	2	3	–	–	–	–	–	–	–	–	–	6	6	–	–	–	–	–	–	–	–	–	–
		F	12	6	2	4	–	–	–	–	–	–	–	–	17	10	4	2	1	–	–	–	–	–	–	–
5	Diphtheria	M	4	–	1	1	2	–	–	–	–	–	–	–	8	–	1	2	5	–	–	–	–	–	–	–
		F	5	–	–	2	2	–	–	–	1	–	–	–	7	2	1	–	4	–	–	–	–	–	–	–
6	Influenza	M	101	2	1	4	1	6	6	13	20	16	14	18	73	2	2	2	4	4	3	9	9	9	9	20
		F	87	1	2	1	–	3	4	8	14	14	12	28	80	2	2	1	1	2	5	6	6	12	17	26
7	Encephalitis lethargica	M	4	–	–	–	–	1	2	–	–	1	–	–	5	–	–	–	–	–	1	2	2	–	–	–
		F	3	–	–	–	–	–	–	–	1	1	1	–	1	–	–	–	–	–	–	–	–	–	1	–
8	Cerebro-spinal fever	M	9	–	2	3	1	2	–	–	–	1	–	–	2	–	1	–	–	1	–	–	–	–	–	–
		F	5	–	–	–	3	1	1	–	–	–	–	–	8	–	–	–	3	–	1	1	2	1	–	–
9	Respiratory tuberculosis	M	88	–	–	1	–	24	18	18	15	10	2	–	62	–	–	–	2	14	12	11	11	10	2	–
		F	65	1	–	–	–	22	22	6	7	5	2	–	43	–	–	–	–	8	17	5	6	4	3	–
10	Other tuberculosis	M	24	3	3	4	6	3	4	–	1	–	–	–	10	1	2	–	3	1	2	–	1	–	–	–
		F	22	3	–	3	9	4	1	–	1	–	–	1	10	2	2	1	1	2	–	1	–	1	–	–
11	Syphilis	M	4	3	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	1	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	5	2	–	–	1	–	–	–	1	1	–	–
12	Gen. paralysis of insane, etc.	M	10	–	–	–	–	–	–	1	4	4	–	1	5	–	–	–	–	–	–	2	2	1	–	–
		F	8	–	–	–	–	–	1	1	2	4	–	–	3	–	–	–	–	–	–	1	1	1	–	–
13	Cancer	M	212	–	–	2	–	2	7	9	25	68	67	32	180	–	–	–	–	1	1	8	25	46	72	27
		F	220	–	–	–	1	1	3	22	32	63	60	38	201	–	–	–	–	1	4	16	35	57	55	33
14	Diabetes	M	20	–	–	–	1	1	1	–	1	5	8	3	29	–	–	–	1	1	–	2	1	9	8	7
		F	37	–	–	–	–	1	–	2	5	13	14	2	28	–	–	–	1	1	–	1	4	5	9	7
15	Cerebral hæmorrhage	M	108	–	–	–	–	–	–	1	11	17	42	37	97	–	–	–	–	–	–	3	1	3	26	35	29
		F	122	–	–	–	–	–	–	1	12	24	41	44	105	–	–	–	–	–	–	–	2	7	28	37	31
16	Heart disease	M	342	–	–	–	1	6	7	10	27	68	123	100	352	–	–	–	2	6	7	7	26	71	121	112
		F	328	–	–	–	5	6	5	15	33	50	115	99	337	–	–	–	3	3	6	17	20	44	115	129
17	Aneurysm	M	1	–	–	–	–	–	–	–	1	–	–	–	3	–	–	–	–	–	–	–	–	3	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	1	–	–
18	Other circulatory	M	77	1	–	–	–	–	–	–	4	17	25	30	85	–	–	–	–	–	–	–	8	11	20	46
		F	87	–	–	–	–	1	–	–	6	7	26	47	62	–	–	–	–	–	–	1	5	11	20	25
19	Bronchitis	M	78	4	1	1	–	3	1	1	7	11	24	25	80	9	2	1	3	–	–	–	2	12	25	26
		F	92	5	3	2	–	–	1	1	5	14	31	30	74	7	2	–	1	–	–	2	3	7	21	31
20	Pneumonia	M	120	30	15	9	3	7	7	8	15	15	8	3	133	30	18	5	6	4	8	9	11	13	16	13
		F	87	22	10	6	4	6	1	5	5	8	10	10	81	19	5	2	5	2	2	7	5	7	13	14
21	Other respiratory	M	25	–	2	–	–	–	3	4	2	7	4	3	19	–	–	–	–	–	2	1	3	4	7	2
		F	15	–	–	–	1	1	1	2	2	3	4	1	9	–	–	2	–	–	–	–	2	4	1	–
22	Peptic ulcer	M	20	–	–	–	–	–	2	2	9	1	4	2	25	–	–	–	–	–	1	6	8	6	4	–
		F	6	–	–	–	–	–	1	–	2	1	–	2	8	–	–	–	–	–	–	1	1	2	3	1
23	Diarrhœa	M	22	12	1	–	–	1	–	–	2	–	4	2	11	6	1	–	–	–	–	1	1	1	1	–
		F	21	7	1	1	–	–	1	1	3	3	2	2	20	12	1	–	–	–	–	1	1	–	2	3
24	Appendicitis	M	13	–	–	–	4	2	–	2	–	2	3	–	9	–	1	1	–	–	1	2	1	2	1	–
		F	8	–	–	–	3	–	1	1	2	–	–	1	7	1	–	–	1	–	1	1	1	1	1	–
25	Cirrhosis of liver	M	4	–	–	–	–	–	–	–	1	2	–	1	2	–	–	–	–	–	–	–	–	1	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
26	Other liver diseases	M	5	–	–	–	–	–	–	–	–	1	2	2	7	–	–	–	–	–	2	–	1	–	3	1
		F	12	–	–	–	–	–	–	1	4	2	5	–	10	–	–	1	–	–	2	–	–	4	2	1
27	Other digestive	M	38	2	–	4	1	3	1	2	4	11	6	4	25	2	–	–	3	3	–	–	3	–	8	6
		F	46	1	–	3	3	–	3	1	4	10	13	8	36	1	1	2	2	2	1	3	4	3	9	8
28	Nephritis	M	41	–	–	–	1	2	2	5	5	14	6	6	42	1	–	–	2	1	1	2	4	11	13	7
		F	61	–	–	–	2	3	2	3	7	16	21	7	52	–	–	–	1	1	6	4	6	14	13	7
29	Puerperal sepsis	F	6	–	–	–	–	1	2	3	–	–	–	–	7	–	–	–	–	2	3	2	–	–	–	–
30	Other puerperal	F	9	–	–	–	–	–	5	4	–	–	–	–	18	–	–	–	–	3	10	5	–	–	–	–
31	Congenital causes, etc.	M	93	89	1	2	1	–	–	–	–	–	–	–	81	80	1	–	–	–	–	–	–	–	–	–
		F	75	75	–	–	–	–	–	–	–	–	–	–	63	63	–	–	–	–	–	–	–	–	–	–
32	Senility	M	72	–	–	–	–	–	–	–	–	1	7	64	81	–	–	–	–	–	–	–	–	–	15	66
		F	111	–	–	–	–	–	–	–	–	–	14	97	70	–	–	–	–	–	–	–	–	–	11	59
33	Suicide	M	25	–	–	–	–	2	4	5	4	7	2	1	34	–	–	–	–	5	5	4	7	10	3	–
		F	11	–	–	–	–	1	1	–	4	1	2	2	9	–	–	–	–	1	1	4	1	2	–	–
34	Other violence	M	86	–	2	3	7	18	14	11	11	9	7	4	123	1	2	4	10	26	15	17	15	16	11	6
		F	33	1	–	1	9	4	2	1	1	5	2	7	33	7	–	5	4	4	1	–	1	2	5	4
35	Other defined causes	M	155	20	6	3	13	9	5	9	17	27	25	21	143	11	5	5	10	8	9	11	13	14	35	22
		F	145	13	6	2	7	7	11	9	19	30	20	21	126	5	1	2	4	11	17	17	17	21	16	15
36	Ill-defined causes	M	15	–	–	–	–	–	1	–	2	4	6	2	13	1	–	–	–	–	–	–	2	2	5	3
		F	11	–	–	–	–	–	–	–	2	2	6	1	8	–	–	–	–	–	–	–	1	3	2	2

Causes of Death. *See* first page of Table.		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
	All Causes	M	1458	64	8	7	16	55	52	64	124	241	353	474	1470	81	9	18	22	53	58	66	112	226	371	454
		F	1728	46	7	17	33	45	49	68	142	237	416	668	1409	62	9	16	17	24	63	57	112	181	325	543
1	Typhoid	M	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	fever, etc.	F	2	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2	Measles	M	–	–	–	–	–	–	–	–	–	–	–	–	3	–	1	1	1	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	1	–	–	–	–	–	–	–	–
3	Scarlet	M	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	fever	F	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	1	–	–	–	–	–	–	–
4	Whooping	M	5	–	2	3	–	–	–	–	–	–	–	–	7	6	–	1	–	–	–	–	–	–	–	–
	cough	F	2	1	–	1	–	–	–	–	–	–	–	–	3	2	–	1	–	–	–	–	–	–	–	–
5	Diphtheria	M	2	–	–	–	2	–	–	–	–	–	–	–	7	–	1	1	5	–	–	–	–	–	–	–
		F	4	–	1	–	3	–	–	–	–	–	–	–	7	–	–	5	2	–	–	–	–	–	–	–
6	Influenza	M	64	1	1	–	–	6	9	3	5	8	7	24	62	–	1	1	–	3	6	5	6	7	11	22
		F	78	3	–	–	–	–	3	6	5	7	25	29	72	–	1	2	1	1	2	2	4	11	16	32
7	Encephalitis	M	2	–	–	–	–	–	1	–	–	–	1	–	2	–	–	–	–	–	2	–	–	–	–	–
	lethargica	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
8	Cerebro-spinal	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
	fever	F	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9	Respiratory	M	93	–	–	–	1	11	19	18	24	16	3	1	70	–	–	–	–	11	14	21	11	10	3	–
	tuberculosis	F	64	–	–	–	–	20	19	9	9	6	–	1	59	–	–	–	–	9	24	8	10	3	4	1
10	Other	M	16	3	2	–	–	5	2	2	1	1	–	–	12	3	–	–	–	2	2	1	3	1	–	–
	tuberculosis	F	15	1	1	5	3	–	1	–	2	1	–	1	8	1	–	–	2	2	–	1	2	–	–	–
11	Syphilis	M	2	–	–	–	–	–	–	–	1	1	–	–	4	–	–	–	–	–	–	–	–	2	2	–
		F	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
12	Gen. paralysis	M	4	–	–	–	–	–	–	2	1	1	–	–	4	–	–	–	–	–	–	–	1	2	1	–
	of insane, etc.	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13	Cancer	M	184	–	1	–	–	–	1	5	13	49	69	46	179	–	–	–	–	3	–	1	16	43	72	44
		F	267	–	–	–	1	1	5	18	34	72	76	60	190	–	–	–	–	–	1	5	24	46	52	62
14	Diabetes	M	26	–	–	–	–	2	1	2	1	3	12	5	13	–	–	–	1	–	–	–	1	3	5	3
		F	28	–	–	–	–	–	–	–	1	5	13	9	20	–	–	–	–	1	2	1	1	5	7	3
15	Cerebral	M	98	–	–	–	–	–	–	2	5	16	30	45	83	–	–	–	–	–	1	4	3	10	33	32
	hæmorrhage	F	141	–	–	–	–	–	–	2	6	19	42	72	95	–	–	–	–	–	1	–	8	14	33	39
16	Heart	M	335	–	–	–	–	3	3	6	22	55	104	142	317	–	–	–	–	3	3	6	13	54	107	131
	disease	F	361	–	–	–	3	6	1	4	27	34	112	174	333	1	–	–	–	1	4	5	13	43	104	162
17	Aneurysm	M	5	–	–	–	–	–	–	–	–	–	5	–	4	–	–	–	–	–	–	–	1	1	2	–
		F	3	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
18	Other	M	79	–	–	–	–	–	–	–	–	6	23	50	77	–	–	–	–	–	–	1	1	13	19	43
	circulatory	F	140	–	–	–	–	–	1	1	3	12	37	86	86	–	–	–	–	–	–	1	3	8	30	44
19	Bronchitis	M	48	4	–	–	–	–	–	–	–	5	10	29	68	1	–	1	1	1	–	1	3	2	17	41
		F	83	4	1	–	–	–	–	1	2	6	12	57	64	–	1	–	–	–	–	1	1	4	13	44
20	Pneumonia	M	58	6	1	1	2	2	3	4	9	7	10	13	61	5	2	2	3	1	3	2	5	12	10	16
		F	75	3	2	7	1	1	4	5	4	10	16	22	44	5	1	3	1	–	3	2	4	5	12	8
21	Other	M	14	–	–	–	–	–	–	1	1	8	–	4	15	1	–	–	–	–	1	1	2	3	3	4
	respiratory	F	26	–	–	1	3	–	2	1	2	5	7	5	16	–	–	–	–	–	2	2	2	2	–	8
22	Peptic	M	17	–	–	–	–	1	1	1	2	7	5	–	12	–	–	–	–	2	–	2	2	2	3	1
	ulcer	F	5	–	–	–	–	–	–	1	1	3	–	–	3	–	–	–	–	–	–	–	–	–	3	–
23	Diarrhœa	M	8	3	1	–	–	–	–	–	–	1	2	1	10	2	1	–	–	–	–	–	3	2	1	1
		F	7	3	–	–	–	1	–	–	–	–	1	2	6	2	1	–	–	–	–	–	1	–	1	1
24	Appendicitis	M	8	–	–	1	1	1	1	1	1	1	1	–	7	–	–	–	–	2	–	–	4	–	–	1
		F	6	–	–	–	2	–	–	–	2	–	1	1	3	–	–	–	–	1	1	–	1	–	–	–
25	Cirrhosis of	M	8	–	–	–	–	–	–	–	3	2	3	–	7	–	–	–	–	–	–	–	2	3	–	2
	liver	F	2	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–
26	Other liver	M	4	–	–	–	–	1	–	–	–	–	1	2	6	–	–	–	–	1	–	1	–	–	2	2
	diseases	F	11	–	–	–	–	–	–	–	1	6	1	3	8	–	–	–	–	–	–	1	–	4	1	2
27	Other	M	20	1	–	–	–	–	2	1	–	6	5	5	34	1	–	–	1	2	3	–	3	6	7	11
	digestive	F	37	–	–	–	4	–	–	3	4	5	10	11	35	1	1	1	3	1	1	3	3	3	6	12
28	Nephritis	M	52	–	–	1	1	–	2	2	6	12	11	17	61	–	1	–	–	2	–	2	2	15	17	22
		F	53	–	–	1	1	1	–	–	9	10	11	20	56	–	–	–	1	2	3	2	5	9	18	16
29	Puerperal sepsis	F	5	–	–	–	–	4	1	–	–	–	–	–	3	–	–	–	–	–	2	1	–	–	–	–
30	Other puerperal	F	9	–	–	–	–	1	4	4	–	–	–	–	8	–	–	–	–	3	2	3	–	–	–	–
31	Congenital	M	40	39	–	1	–	–	–	–	–	–	–	–	59	59	–	–	–	–	–	–	–	–	–	–
	causes, etc.	F	34	31	1	–	1	–	1	–	–	–	–	–	45	43	1	–	–	–	1	–	–	–	–	–
32	Senility	M	49	–	–	–	–	–	–	–	–	–	5	44	45	–	–	–	–	–	–	–	–	–	6	39
		F	73	–	–	–	–	–	–	–	–	–	5	68	81	–	–	–	–	–	–	–	–	–	4	77
33	Suicide	M	20	–	–	–	–	3	1	1	7	6	2	–	34	–	–	–	–	2	6	4	3	11	8	–
		F	14	–	–	–	–	1	4	1	3	1	3	1	8	–	–	–	–	–	2	1	3	2	–	–
34	Other	M	54	2	–	–	5	12	5	4	10	5	5	6	67	1	–	4	6	10	9	5	14	4	8	6
	violence	F	29	–	–	–	5	1	–	–	4	4	4	11	40	2	2	1	3	2	4	3	4	4	4	11
35	Other defined	M	133	5	–	–	3	7	1	9	10	25	36	37	128	2	2	6	4	8	8	8	12	18	28	32
	causes	F	141	–	–	1	6	7	3	11	20	28	36	29	100	4	1	1	2	1	8	15	20	17	14	17
36	Ill-defined	M	8	–	–	–	–	–	–	–	2	–	3	3	11	–	–	–	–	–	–	1	1	2	6	1
	causes	F	11	–	1	–	–	–	–	1	–	1	3	5	10	–	–	–	–	–	–	–	3	1	2	4

Causes of Death. *See* first page of Table.		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
	All Causes M	819	50	6	9	20	24	26	42	77	121	206	238	598	38	9	4	9	18	12	30	41	74	154	209
	F	853	27	5	6	13	23	29	48	57	119	206	320	603	35	5	3	9	8	15	31	53	63	139	242
1	Typhoid fever, etc. M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	1	1	–	–	–
2	Measles M	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
	F	2	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
3	Scarlet M	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	fever F	2	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
4	Whooping M	2	1	1	–	–	–	–	–	–	–	–	–	3	1	2	–	–	–	–	–	–	–	–	–
	cough F	1	1	–	–	–	–	–	–	–	–	–	–	2	–	–	2	–	–	–	–	–	–	–	–
5	Diphtheria M	3	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	4	–	1	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
6	Influenza M	22	1	–	–	–	–	3	3	–	4	5	6	22	2	–	–	–	2	–	2	1	4	5	6
	F	20	–	–	–	–	1	2	2	2	2	6	5	26	1	–	1	–	–	2	1	3	3	6	9
7	Encephalitis M	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	1	1	–	–	–
	lethargica F	1	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
8	Cerebro-spinal M	1	1	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
	fever F	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9	Respiratory M	39	–	–	–	2	4	6	13	7	4	1	2	16	–	–	–	–	4	3	5	2	2	–	–
	tuberculosis F	38	–	1	–	–	9	13	6	2	4	3	–	14	–	–	–	1	–	3	4	2	2	1	1
10	Other M	6	–	–	–	3	2	1	–	–	–	–	–	11	3	1	1	–	1	1	1	1	2	–	–
	tuberculosis F	13	–	–	1	1	2	4	2	1	1	1	–	6	1	2	–	1	1	–	–	–	–	1	–
11	Syphilis M	2	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
12	Gen. paralysis M	7	–	–	–	–	–	–	3	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	of insane, etc. F	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13	Cancer M	104	–	–	–	–	1	2	2	12	27	40	20	72	–	–	–	–	–	1	3	5	15	32	16
	F	132	–	–	–	–	1	2	8	13	33	37	38	94	–	–	–	–	–	–	8	15	18	29	24
14	Diabetes M	9	–	–	–	–	–	1	–	2	–	5	1	5	–	–	–	1	1	–	–	–	–	3	–
	F	14	–	–	–	–	–	–	–	–	3	8	3	5	–	–	–	–	–	–	–	1	1	3	–
15	Cerebral M	46	–	–	–	–	–	–	1	2	7	17	19	33	–	–	–	–	–	1	1	1	4	13	13
	hæmorrhage F	72	–	–	–	–	–	–	–	3	8	25	36	44	–	–	–	–	–	–	–	5	–	15	24
16	Heart M	197	–	–	–	2	–	2	2	16	33	65	77	142	–	–	–	–	–	1	2	3	8	12	52	64
	disease F	210	–	–	–	–	2	1	8	15	23	66	95	151	–	–	–	–	–	2	2	8	19	45	75
17	Aneurysm M	7	–	–	–	–	–	–	–	3	3	1	–	1	–	–	–	–	–	–	–	–	–	1	–
	F	2	–	–	–	–	–	–	–	–	1	–	1	2	–	–	–	–	–	–	–	–	–	1	1
18	Other M	33	–	–	–	–	–	–	–	3	2	9	19	33	–	–	–	–	–	–	–	–	6	11	16
	circulatory F	41	–	–	–	–	–	–	–	2	5	11	23	30	–	–	–	–	–	–	–	–	4	12	14
19	Bronchitis M	26	–	1	–	1	–	–	1	1	4	6	12	26	2	–	–	–	–	–	–	2	2	4	16
	F	39	3	–	–	1	–	–	1	3	2	6	23	22	–	–	–	1	–	–	–	–	2	4	15
20	Pneumonia M	40	6	3	2	5	2	–	4	1	7	5	5	21	2	2	–	–	1	1	3	1	1	2	8
	F	34	4	–	1	3	1	–	4	2	7	3	9	25	4	1	–	2	4	–	5	2	1	2	4
21	Other M	8	–	–	–	–	–	–	1	2	1	3	1	12	–	–	–	–	–	1	2	3	1	2	3
	respiratory F	11	–	–	–	–	–	–	1	1	2	3	4	2	–	–	–	–	–	–	–	–	–	–	2
22	Peptic M	6	–	–	–	–	–	–	1	1	1	1	2	5	–	–	–	–	–	–	–	1	3	–	1
	ulcer F	2	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
23	Diarrhœa M	6	3	–	–	–	–	–	–	–	–	–	3	4	1	1	1	–	–	–	–	–	–	–	1
	F	1	1	–	–	–	–	–	–	–	–	–	–	4	2	–	–	–	–	–	–	–	–	–	2
24	Appendicitis M	4	–	–	–	1	–	1	–	–	–	1	1	5	–	–	–	2	–	–	–	2	–	–	1
	F	3	–	–	–	–	–	–	–	–	3	–	–	3	–	–	–	1	–	–	1	1	–	–	–
25	Cirrhosis of M	3	–	–	–	–	–	–	–	–	3	–	–	2	–	–	–	–	–	–	–	–	–	1	1
	liver F	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
26	Other liver M	2	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–	1	–	–	–
	diseases F	4	–	–	–	–	–	–	–	–	2	1	1	5	–	–	–	–	–	–	–	–	–	3	2
27	Other M	27	1	–	1	1	–	2	1	3	7	4	7	6	1	–	–	1	–	–	1	1	–	1	1
	digestive F	16	–	1	–	–	–	–	1	1	5	4	4	15	1	–	–	–	–	2	–	3	3	5	1
28	Nephritis M	25	–	–	–	–	–	–	2	6	2	8	7	32	–	–	–	–	–	–	–	2	8	8	14
	F	17	–	–	–	1	–	–	1	–	4	6	5	19	–	–	–	–	–	–	–	4	2	3	10
29	Puerperal sepsis F	4	–	–	–	–	–	2	2	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
30	Other puerperal F	1	–	–	–	–	–	1	–	–	–	–	–	5	–	–	–	–	1	1	3	–	–	–	–
31	Congenital M	34	32	1	1	–	–	–	–	–	–	–	–	25	24	1	–	–	–	–	–	–	–	–	–
	causes, etc. F	18	17	–	–	–	–	1	–	–	–	–	–	23	23	–	–	–	–	–	–	–	–	–	–
32	Senility M	22	–	–	–	–	–	–	–	–	–	–	22	40	–	–	–	–	–	–	–	–	–	3	37
	F	54	–	–	–	–	–	–	–	–	3	4	47	47	–	–	–	–	–	–	–	–	–	–	47
33	Suicide M	13	–	–	–	–	2	–	2	4	3	2	–	7	–	–	–	–	–	–	3	2	1	–	1
	F	3	–	–	–	–	–	–	–	1	1	1	–	2	–	–	–	–	–	–	–	2	–	–	–
34	Other M	34	1	–	–	1	9	7	3	4	5	2	2	29	–	1	1	3	7	1	3	4	6	3	–
	violence F	21	–	–	–	2	2	1	1	–	2	3	10	12	1	2	–	1	1	2	–	1	1	–	3
35	Other defined M	87	4	–	2	2	4	1	2	8	6	28	30	40	2	–	1	1	1	1	2	3	7	13	9
	causes F	68	1	2	1	4	3	2	8	10	7	17	13	40	2	–	–	2	1	2	6	4	7	9	7
36	Ill-defined M	2	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	1
	causes F	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	1

Causes of Death. *See* first page of Table.		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
	All Causes	M	3416	448	102	92	131	170	181	211	320	500	714	547	2378	317	64	59	77	134	110	143	196	322	510	446
		F	2912	316	76	72	122	150	159	218	284	393	559	563	2072	239	50	58	67	116	125	132	185	313	398	389
1	Typhoid fever, etc.	M	1	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
		F	2	–	–	–	–	1	–	–	–	–	1	–	2	–	–	–	1	–	1	–	–	–	–	–
2	Measles	M	25	3	10	9	3	–	–	–	–	–	–	–	8	–	4	4	–	–	–	–	–	–	–	–
		F	20	7	8	4	1	–	–	–	–	–	–	–	12	1	4	6	1	–	–	–	–	–	–	–
3	Scarlet fever	M	15	1	–	8	6	–	–	–	–	–	–	–	9	–	3	3	2	1	–	–	–	–	–	–
		F	20	–	3	9	7	–	–	1	–	–	–	–	13	–	–	7	4	–	2	–	–	–	–	–
4	Whooping cough	M	11	6	3	2	–	–	–	–	–	–	–	–	7	1	5	1	–	–	–	–	–	–	–	–
		F	17	8	6	3	–	–	–	–	–	–	–	–	7	5	1	1	–	–	–	–	–	–	–	–
4	Diphtheria	M	13	–	2	1	10	–	–	–	–	–	–	–	8	–	3	5	–	–	–	–	–	–	–	–
		F	16	–	–	4	12	–	–	–	–	–	–	–	7	–	–	3	3	–	–	1	–	–	–	–
6	Influenza	M	127	9	5	5	2	3	14	10	24	20	19	16	81	5	2	4	2	8	1	8	10	12	11	18
		F	141	4	5	3	8	7	12	17	16	19	20	30	62	2	1	1	–	5	10	8	8	8	10	9
7	Encephalitis lethargica	M	8	1	–	–	–	3	3	–	–	1	–	–	9	–	–	–	–	–	1	4	1	3	–	–
		F	8	–	–	1	–	–	–	4	1	2	–	–	1	–	–	–	–	–	1	–	–	–	–	–
8	Cerebro-spinal fever	M	12	2	1	2	2	1	2	–	–	2	–	–	10	2	–	2	2	2	1	1	–	–	–	–
		F	7	1	–	2	–	2	1	–	1	–	–	–	10	2	–	2	2	3	1	–	–	–	–	–
9	Respiratory tuberculosis	M	224	–	–	–	12	51	53	52	36	16	3	1	117	1	–	1	2	32	29	20	18	9	5	–
		F	182	–	3	–	9	63	41	33	20	10	3	–	112	–	1	–	7	41	28	18	10	5	2	–
10	Other tuberculosis	M	47	2	4	9	13	7	5	5	1	1	–	–	44	3	2	7	15	7	3	2	4	–	1	–
		F	49	3	2	5	17	11	3	1	3	3	1	–	35	4	2	5	7	8	6	–	1	–	2	–
11	Syphilis	M	11	1	–	–	2	–	–	4	3	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–
		F	4	2	–	–	–	–	–	–	1	1	–	–	5	3	–	–	–	–	–	2	–	–	–	–
12	Gen. paralysis of insane, etc.	M	16	–	–	–	–	–	–	2	8	5	1	–	6	–	–	–	–	–	–	1	2	2	1	–
		F	3	–	–	–	–	–	–	1	–	2	–	–	1	–	–	–	–	1	–	–	–	–	–	–
13	Cancer	M	308	–	–	–	–	1	1	15	44	104	111	32	229	–	–	–	–	3	1	11	26	79	74	35
		F	302	–	–	–	1	1	6	27	61	79	91	36	239	–	–	–	–	1	5	15	39	78	59	42
14	Diabetes	M	20	–	–	–	–	1	3	2	–	3	7	4	26	–	–	1	–	–	–	4	2	6	12	1
		F	46	–	–	–	1	2	2	3	5	11	16	6	33	–	–	–	–	–	1	1	1	13	12	5
15	Cerebral hæmorrhage	M	180	–	–	–	–	1	–	3	5	35	87	49	130	–	–	–	–	1	–	2	5	24	60	38
		F	195	–	–	–	–	–	1	4	18	40	72	60	125	–	–	–	–	–	1	2	11	21	45	45
16	Heart disease	M	520	–	–	–	4	14	15	26	42	106	184	129	393	–	–	–	5	12	4	18	28	69	134	123
		F	521	–	–	–	10	9	22	30	53	96	159	142	405	–	–	–	5	15	16	20	44	79	124	102
17	Aneurysm	M	8	–	–	–	–	2	–	2	1	3	–	–	5	–	–	–	–	–	–	2	2	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
18	Other circulatory	M	246	1	–	–	–	–	–	–	9	35	96	105	145	–	–	–	–	–	–	–	7	18	53	67
		F	131	–	–	1	–	–	–	–	5	20	35	70	104	–	–	–	–	–	–	1	5	18	37	43
19	Bronchitis	M	150	32	4	1	1	4	4	6	9	18	29	42	105	25	2	2	2	–	1	–	4	9	31	29
		F	106	16	3	2	1	–	1	2	6	4	28	43	88	16	3	3	–	1	1	4	3	9	21	27
20	Pneumonia	M	248	58	40	18	15	14	8	19	26	18	16	16	144	31	23	8	3	5	11	9	18	13	13	10
		F	168	31	20	16	7	9	7	16	7	16	27	12	112	22	20	14	5	4	7	8	7	8	6	11
21	Other respiratory	M	37	–	–	1	2	2	1	3	8	4	13	3	33	–	–	2	1	–	1	6	4	1	9	9
		F	16	–	–	2	1	1	3	–	2	3	1	3	27	2	1	1	1	–	–	3	3	7	5	4
22	Peptic ulcer	M	27	–	–	–	–	3	4	6	6	5	3	–	24	–	–	–	–	1	5	5	3	6	3	1
		F	10	–	–	–	–	–	–	3	3	2	2	–	6	–	–	–	–	–	1	1	1	2	–	1
23	Diarrhœa	M	91	61	10	8	1	–	1	1	1	3	2	3	75	52	6	5	3	–	1	–	2	–	3	3
		F	73	37	14	6	2	3	–	–	3	2	5	1	57	33	3	3	5	1	–	2	1	2	4	3
24	Appendicitis	M	22	–	–	–	7	1	3	4	3	2	2	–	19	–	–	2	4	1	3	1	3	4	1	–
		F	8	–	–	–	1	2	1	–	1	2	1	–	11	–	–	–	1	2	3	1	3	1	–	–
25	Cirrhosis of liver	M	5	–	–	–	–	1	–	–	–	3	1	–	7	–	–	–	–	–	2	–	2	2	1	–
		F	6	–	–	–	–	–	1	1	–	1	2	1	6	–	–	–	–	–	–	1	–	3	2	–
26	Other liver diseases	M	14	–	–	–	–	1	1	1	2	5	3	1	8	–	–	–	–	–	–	–	1	2	4	1
		F	18	–	–	–	–	1	1	2	6	3	3	2	20	–	–	–	–	1	1	1	4	2	9	2
27	Other digestive	M	69	13	2	2	5	4	4	3	6	8	19	3	48	9	2	–	3	6	1	3	3	5	7	9
		F	51	3	1	1	4	2	2	5	7	5	13	8	45	3	1	3	4	2	2	3	6	8	4	9
28	Nephritis	M	92	1	–	3	2	3	7	9	13	21	24	9	51	–	–	–	1	4	4	2	5	10	12	13
		F	95	–	1	–	3	1	5	11	19	20	22	13	61	–	–	2	2	3	2	5	14	15	10	8
29	Puerperal sepsis	F	16	–	–	–	–	2	10	4	–	–	–	–	19	–	–	–	–	7	9	3	–	–	–	–
30	Other puerperal	F	30	–	–	–	–	4	12	14	–	–	–	–	15	–	–	–	–	5	7	3	–	–	–	–
31	Congenital causes, etc.	M	219	216	2	1	–	–	–	–	–	–	–	–	151	145	2	–	2	2	–	–	–	–	–	–
		F	172	167	1	2	1	1	–	–	–	–	–	–	132	128	2	–	1	–	1	–	–	–	–	–
32	Senility	M	104	–	–	–	–	–	–	–	–	–	23	81	65	–	–	–	–	–	–	–	–	–	9	56
		F	135	–	–	–	–	–	–	–	–	2	19	114	74	–	–	–	–	–	–	–	–	1	18	55
33	Suicide	M	50	–	–	–	1	2	6	8	16	13	3	1	27	–	–	–	–	2	6	6	4	5	3	1
		F	21	–	–	–	–	4	6	3	6	1	1	–	11	–	–	–	–	–	1	4	4	–	2	–
34	Other violence	M	171	6	5	6	23	36	24	17	18	19	8	9	148	1	1	7	16	32	23	26	18	14	6	4
		F	51	3	4	3	16	1	2	3	1	6	4	8	49	2	4	4	6	6	2	4	2	4	5	10
35	Other defined causes	M	290	33	14	16	19	15	19	11	34	43	48	38	224	39	9	5	14	15	11	12	22	22	48	27
		F	255	34	5	8	20	23	20	33	36	37	29	10	152	15	7	3	10	10	16	20	18	24	17	12
36	Ill-defined causes	M	35	2	–	–	–	–	3	2	5	7	11	5	20	2	–	–	–	–	1	–	2	6	8	1
		F	17	–	–	–	–	–	–	–	3	6	4	4	13	1	–	–	2	–	–	1	–	4	4	1

Causes of Death. *See* first page of Table.		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
	All Causes	M	284	19	3	3	12	11	12	11	24	46	66	77	186	20	3	2	3	9	5	9	15	27	54	39
		F	310	17	5	1	15	10	15	14	22	28	67	116	193	18	2	–	6	9	6	8	15	30	39	60
1	Typhoid fever, etc.	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2	Measles	M	2	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
3	Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
4	Whooping cough	M	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
		F	1	1	–	–	–	–	–	–	–	–	–	–	5	3	1	–	1	–	–	–	–	–	–	–
5	Diphtheria	M	3	–	–	–	2	1	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
		F	4	–	1	–	2	–	1	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
6	Influenza	M	19	–	–	–	1	–	2	1	1	5	4	5	12	–	–	–	–	–	–	2	3	–	4	3
		F	19	–	–	1	–	–	1	1	3	1	4	8	11	–	–	–	1	–	–	–	2	–	2	6
7	Encephalitis lethargica	M	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
8	Cerebro-spinal fever	M	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9	Respiratory tuberculosis	M	13	–	–	–	–	–	4	4	2	3	–	–	5	–	–	–	–	–	1	2	1	–	1	–
		F	10	1	–	–	–	4	4	1	–	–	–	–	8	–	–	–	–	4	2	2	–	–	–	–
10	Other tuberculosis	M	6	2	1	–	1	1	1	–	–	–	–	–	4	1	–	–	–	–	–	1	1	–	1	–
		F	3	–	–	–	1	1	–	–	1	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
11	Syphilis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
12	Gen. paralysis of insane, etc.	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
		F	1	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
13	Cancer	M	38	–	–	–	1	–	–	–	4	9	16	8	29	–	–	–	–	–	–	–	2	9	13	5
		F	44	–	–	–	–	–	–	5	8	7	13	11	27	–	–	–	–	–	–	–	6	7	9	5
14	Diabetes	M	6	–	–	–	–	1	–	–	–	3	2	–	3	–	–	–	–	–	–	–	–	2	–	1
		F	8	–	–	–	–	1	1	–	2	1	1	2	2	–	–	–	–	–	–	–	1	1	–	–
15	Cerebral hæmorrhage	M	11	–	–	–	–	–	–	–	–	1	2	8	5	–	–	–	–	–	–	–	1	1	3	–
		F	14	–	–	–	–	–	–	–	–	2	4	8	9	–	–	–	–	–	–	1	–	1	3	4
16	Heart disease	M	51	–	–	–	–	1	–	–	7	7	14	22	33	–	–	–	–	1	1	1	2	6	10	12
		F	47	–	–	–	–	1	–	–	–	6	15	25	41	–	–	–	1	1	1	2	1	7	11	17
17	Aneurysm	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
18	Other circulatory	M	19	–	–	–	–	–	–	–	–	3	10	6	13	–	–	–	–	–	–	–	–	1	5	7
		F	16	–	–	–	–	–	–	–	–	1	8	7	11	–	–	–	–	–	–	–	–	2	4	5
19	Bronchitis	M	13	–	–	–	–	–	–	–	2	–	6	5	6	1	–	–	–	–	–	–	–	–	4	1
		F	20	1	–	–	–	–	–	–	–	–	1	18	14	–	–	–	–	–	–	–	–	–	5	9
20	Pneumonia	M	14	2	1	–	1	–	–	–	3	1	2	4	13	4	3	–	1	–	–	–	–	1	3	1
		F	18	3	1	–	1	1	2	–	–	–	5	5	11	5	–	–	1	–	–	–	–	1	2	2
21	Other respiratory	M	7	1	–	–	1	–	–	1	1	1	2	–	1	–	–	–	–	–	–	–	–	–	–	1
		F	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
22	Peptic ulcer	M	3	–	–	–	–	–	–	1	–	2	–	–	1	–	–	–	–	–	–	–	–	1	–	–
		F	1	–	–	–	–	–	–	–	–	–	1	–	3	–	–	–	–	–	–	–	2	1	–	–
23	Diarrhœa	M	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	1	–	–	–	–	–	–	–	3	1	–	–	–	–	–	2	–	–	–	–
24	Appendicitis	M	2	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	5	–	–	–	3	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–	1	–	–	–
25	Cirrhosis of liver	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
26	Other liver diseases	M	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
27	Other digestive	M	8	–	1	–	1	–	–	–	1	2	1	2	2	1	–	–	–	–	–	–	–	1	–	–
		F	12	–	–	–	2	–	2	–	–	2	2	4	7	–	–	–	–	1	–	–	–	3	1	2
28	Nephritis	M	9	–	–	–	–	–	1	–	–	5	2	1	5	–	–	–	–	–	–	–	–	1	3	1
		F	14	–	–	–	1	1	–	–	1	3	6	2	2	–	–	–	–	–	–	–	–	2	–	–
29	Puerperal sepsis	F	1	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–	1	1	–	–	–	–	–
30	Other puerperal	F	3	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
31	Congenital causes, etc.	M	13	12	–	–	–	1	–	–	–	–	–	–	10	10	–	–	–	–	–	–	–	–	–	–
		F	10	10	–	–	–	–	–	–	–	–	–	–	9	9	–	–	–	–	–	–	–	–	–	–
32	Senility	M	6	–	–	–	–	–	–	–	–	–	–	6	5	–	–	–	–	–	–	–	–	–	–	5
		F	17	–	–	–	–	–	–	–	–	–	1	16	9	–	–	–	–	–	–	–	–	–	1	8
33	Suicide	M	7	–	–	–	–	–	2	3	–	–	2	–	3	–	–	–	–	–	1	–	1	–	1	–
		F	4	–	–	–	–	–	2	–	2	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
34	Other violence	M	13	–	–	–	1	5	1	–	1	1	1	3	14	–	–	–	–	7	2	1	–	1	3	–
		F	5	–	1	–	1	1	–	–	–	–	–	2	4	–	–	–	–	–	1	–	1	1	–	1
35	Other defined causes	M	18	2	–	1	3	–	1	1	1	3	1	5	13	1	–	1	1	–	–	1	2	2	3	2
		F	26	1	1	–	2	–	1	2	5	3	6	5	8	–	–	–	–	1	1	–	1	4	1	–
36	Ill-defined causes	M	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–

	Causes of Death. *See* first page of Table.		Aggregate of Urban Districts. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	Aggregate of Rural Districts. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
	All Causes	M	4722	391	58	60	121	200	243	323	516	833	1037	940	1729	115	15	17	23	42	65	89	151	273	427	512
		F	4661	289	47	69	105	166	250	279	402	653	997	1404	1681	83	14	10	26	37	65	77	152	221	390	606
1	Typhoid	M	2	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	fever, etc.	F	3	–	–	–	–	–	1	1	–	1	–	–	3	–	–	–	–	–	2	–	1	–	–	–
2	Measles	M	3	–	–	1	2	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
		F	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
3	Scarlet	M	15	–	1	6	5	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	fever	F	8	–	1	4	2	1	–	–	–	–	–	–	2	–	–	1	1	–	–	–	–	–	–	–
4	Whooping	M	16	8	6	2	–	–	–	–	–	–	–	–	7	4	2	1	–	–	–	–	–	–	–	–
	cough	F	14	10	3	1	–	–	–	–	–	–	–	–	8	5	3	–	–	–	–	–	–	–	–	–
5	Diphtheria	M	21	–	2	8	10	1	–	–	–	–	–	–	2	–	–	1	1	–	–	–	–	–	–	–
		F	28	–	1	8	19	–	–	–	–	–	–	–	5	–	–	–	4	–	–	1	–	–	–	–
6	Influenza	M	159	1	2	3	2	5	9	27	29	25	24	32	64	1	–	–	–	–	4	8	14	8	14	15
		F	201	1	4	4	4	5	14	18	20	24	32	75	70	–	–	–	1	1	3	4	8	5	11	37
7	Encephalitis	M	3	–	–	–	–	1	–	–	–	2	–	–	3	–	–	–	–	1	–	–	–	2	–	–
	lethargica	F	13	–	–	1	1	1	3	1	2	1	3	–	2	–	–	–	–	–	–	–	1	–	1	–
8	Cerebro-spinal	M	9	2	–	1	1	4	1	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–
	fever	F	8	2	–	1	2	1	–	2	–	–	–	–	3	–	1	1	–	–	1	–	–	–	–	–
9	Respiratory	M	292	1	1	–	–	50	69	67	53	37	14	–	81	–	–	–	–	12	20	22	15	11	1	–
	tuberculosis	F	263	1	1	–	5	67	86	50	26	14	12	1	44	–	–	–	1	8	13	11	5	4	2	–
10	Other	M	39	5	1	5	7	7	2	3	3	2	4	–	23	3	4	6	4	4	1	–	–	–	–	1
	tuberculosis	F	52	7	8	8	7	9	7	1	2	–	2	1	21	1	–	3	1	3	2	2	1	5	3	–
11	Syphilis	M	10	2	–	–	–	–	–	2	1	5	–	–	4	1	–	–	1	1	–	–	–	1	–	–
		F	4	–	1	–	–	1	–	1	–	–	1	–	1	–	–	–	–	–	–	1	–	–	–	–
12	Gen. paralysis	M	20	–	–	–	–	–	–	7	4	7	1	1	8	–	–	–	–	1	1	3	2	1	–	–
	of insane, etc.	F	4	–	–	–	–	1	–	–	3	–	–		4	–	–	–	–	–	–	–	2	1	1	–
13	Cancer	M	605	–	–	1	2	5	11	37	92	157	206	94	243	–	–	–	–	–	1	7	27	61	90	57
		F	684	–	–	–	3	3	15	51	129	179	187	117	273	–	–	–	–	1	3	14	42	68	83	62
14	Diabetes	M	55	–	–	–	3	1	4	1	4	16	20	6	14	–	–	–	–	–	2	1	1	1	5	4
		F	59	–	–	–	1	3	1	3	9	11	19	12	22	–	–	–	–	1	–	1	2	3	10	5
15	Cerebral	M	246	–	–	–	1	–	1	2	24	58	85	75	88	–	–	–	–	–	1	1	5	16	31	34
	hæmorrhage	F	298	–	–	–	–	–	–	4	21	63	109	101	118	–	–	–	–	–	1	–	7	10	38	62
16	Heart	M	999	–	1	–	11	8	22	45	74	195	328	315	372	–	–	–	–	–	1	10	23	67	110	161
	disease	F	1067	–	–	–	8	19	20	34	50	152	305	479	377	–	–	–	1	3	4	7	23	45	119	175
17	Aneurysm	M	24	–	–	–	–	–	–	–	7	6	10	1	5	–	–	–	–	–	–	1		2	1	1
		F	14	–	–	–	–	–	–	3	1	2	4	4	1	–	–	–	–	–	–	–		–	1	–
18	Other	M	154	–	–	–	–	–	3	2	3	35	53	58	92	–	–	–	–	–	–	–	6	9	35	42
	circulatory	F	165	1	–	–	–	–	–	3	7	25	47	82	96	–	–	–	–	–	–	1	5	8	20	62
19	Bronchitis	M	179	6	2	1	1	2	3	10	20	27	44	63	68	7	–	–	–	1	–	–	4	4	17	35
		F	204	4	1	1	–	–	–	3	3	14	37	141	60	3	–	–	–	–	–	1	2	3	16	33
20	Pneumonia	M	294	45	25	8	7	5	11	31	50	39	43	30	65	8	4	2	1	2	2	9	10	8	9	10
		F	251	36	15	11	11	6	12	20	15	32	36	57	80	10	4	1	2	1	6	7	10	7	13	19
21	Other	M	60	3	–	–	2	5	3	8	15	9	10	5	21	1	–	–	1	1	1	2	2	6	6	1
	respiratory	F	40	2	–	–	–	1	3	2	2	4	9	17	15	1	–	1	–	–	–	1	–	2	2	8
22	Peptic	M	66	–	–	–	–	1	4	10	22	22	4	3	20	–	–	–	–	–	1	2	6	6	3	2
	ulcer	F	22	–	–	–	–	–	1	6	5	2	5	3	4	–	–	–	–	–	–	–	1	1	2	–
23	Diarrhœa	M	43	32	5	–	1	1	1	1	–	–	1	1	7	3	2	–	–	–	–	–	–	1	1	–
		F	60	32	3	4	–	–	2	1	6	2	6	4	8	1	1	–	–	–	–	2	1	1	–	2
24	Appendicitis	M	48	–	–	3	3	6	6	2	9	11	5	3	17	–	–	1	2	–	4	2	1	2	3	2
		F	40	–	–	4	4	3	5	3	7	6	5	3	11	–	–	–	–	1	1	–	3	4	2	–
25	Cirrhosis of	M	15	–	–	–	–	–	–	–	1	6	8	–	9	–	–	–	–	–	–	–	–	4	4	1
	liver	F	8	–	–	–	–	–	–	–	3	2	3	–	4	–	–	–	–	–	–	–	1	1	2	–
26	Other liver	M	15	1	–	–	–	–	3	–	1	5	2	3	3	–	–	–	–	–	–	–	–	1	1	1
	diseases	F	32	–	–	–	–	–	2	1	4	9	10	6	11	–	–	–	–	–	1	1	1	2	2	4
27	Other	M	93	3	2	3	7	5	9	5	16	16	15	12	46	4	–	1	1	3	5	–	2	6	15	9
	digestive	F	99	5	1	4	3	1	7	7	16	10	26	19	33	5	–	–	2	2	1	–	4	10	6	3
28	Nephritis	M	150	1	–	1	6	7	7	6	13	34	38	37	48	–	–	–	–	–	2	3	6	11	15	11
		F	105	–	–	–	1	5	4	7	13	24	28	23	40	–	–	–	1	–	–	3	5	8	16	7
29	Puerperal sepsis	F	28	–	–	–	–	4	20	4	–	–	–	–	10	–	–	–	–	1	7	2	–	–	–	–
30	Other puerperal	F	21	–	–	–	–	6	8	7	–	–	–	–	14		–	–	–	4	6	3	1	–	–	–
31	Congenital	M	251	246	–	3	–	2	–	–	–	–	–	–	66	66	–	–	–	–	–	–	–	–	–	–
	causes, etc.	F	170	168	1	–	1	–	–	–	–	–	–	–	52	51	–	–	–	–	–	–	–	1	–	–
32	Senility	M	106	–	–	–	–	–	–	–	–	–	13	93	92	–	–	–	–	–	–	–	–	–	9	83
		F	205	–	–	–	–	–	–	–	–	2	32	171	110	–	–	–	–	–	–	–	–	5	11	94
33	Suicide	M	85	–	–	–	–	3	15	15	16	24	10	2	23	–	–	–	–	–	3	5	5	5	4	1
		F	42	–	–	–	–	2	9	7	9	9	5	1	14	–	–	–	–	–	1	3	5	4	1	–
34	Other	M	242	11	4	8	19	59	26	19	24	24	15	33	85	2	1	2	6	12	10	8	8	18	12	6
	violence	F	97	3	–	3	9	14	2	1	7	13	17	28	40	3	3	–	2	7	2	3	2	4	6	8
35	Other defined	M	393	24	4	6	30	21	31	22	34	71	81	69	135	12	2	2	6	4	6	5	12	18	38	30
	causes	F	345	16	7	15	24	13	28	38	42	52	56	54	113	3	2	3	9	4	11	9	18	17	14	23
36	Ill-defined	M	10	–	2	–	1	–	–	–	1	–	2	4	14	–	–	–	–	–	–	–	2	4	3	5
	causes	F	6	–	–	–	–	–	–	–	–	–	1	5	11	–	–	–	–	–	–	–	1	2	8	–

Causes of Death. (see first page of Table.)		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
	All Causes M	759	40	4	8	7	18	33	44	72	132	180	221	1363	73	11	16	18	44	56	69	117	193	383	383
	F	923	34	3	8	11	26	36	38	60	126	216	365	1405	70	10	12	19	37	51	58	98	187	327	536
1	Typhoid fever, etc. M	1	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2	Measles M	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
3	Scarlet fever M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
4	Whooping cough M	2	2	–	–	–	–	–	–	–	–	–	–	4	2	1	1	–	–	–	–	–	–	–	–
	F	2	1	–	1	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
5	Diphtheria M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
	F	1	–	–	–	1	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
6	Influenza M	45	–	–	–	–	–	2	6	6	6	5	20	71	–	–	1	–	3	3	9	10	8	19	18
	F	58	–	–	1	1	–	3	4	5	6	17	21	85	2	–	1	1	3	4	3	7	12	14	38
7	Encephalitis lethargica M	1	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–	2	–	–	–	–	–	–
	F	1	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–	–	–	–	1	–	1	–
8	Cerebro-spinal fever M	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	1	–	–	–	–	–	–	1	–	–	–	–	4	1	–	–	–	1	1	1	–	–	–	–
9	Respiratory tuberculosis M	38	1	–	–	–	3	10	6	9	8	1	–	67	–	–	–	–	12	14	18	14	5	4	–
	F	31	–	–	–	1	12	7	5	1	5	–	–	44	–	1	–	1	7	19	4	6	3	3	–
10	Other tuberculosis M	4	–	1	–	–	–	1	1	–	1	–	–	21	–	1	4	3	2	4	1	2	3	1	–
	F	6	1	–	–	1	2	–	1	–	1	–	–	11	1	1	–	3	3	–	1	1	–	1	–
11	Syphilis M	2	–	–	–	–	–	–	–	1	1	–	–	2	1	–	–	–	–	–	–	1	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	1	–
12	Gen. paralysis of insane, etc. M	12	–	–	–	–	–	–	1	3	5	3	–	1	–	–	–	–	–	–	–	–	1	–	–
	F	3	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13	Cancer M	103	–	–	1	–	–	1	5	9	28	31	28	149	–	–	–	–	–	4	3	10	37	56	39
	F	118	–	–	–	–	–	1	5	17	31	30	34	180	–	–	–	–	–	2	10	15	50	59	44
14	Diabetes M	10	–	–	–	–	1	–	1	–	4	3	1	14	–	–	–	1	1	–	1	1	5	1	4
	F	18	–	–	–	–	–	–	–	3	4	5	6	28	–	–	–	–	1	2	–	3	6	8	8
15	Cerebral hæmorrhage M	35	–	–	–	–	–	–	2	3	5	11	14	64	–	–	–	–	–	1	–	5	8	22	28
	F	47	–	–	–	–	–	–	–	1	6	18	22	101	–	–	–	1	–	–	1	4	13	32	50
16	Heart disease M	191	–	–	–	1	2	2	5	11	35	64	71	320	–	–	–	–	–	3	5	18	48	127	119
	F	263	–	–	–	–	2	6	5	12	31	75	132	361	–	–	–	–	2	2	8	11	53	104	181
17	Aneurysm M	5	–	–	–	–	–	–	–	–	1	4	–	6	–	–	–	–	–	–	–	2	2	1	1
	F	1	–	–	–	–	–	–	–	–	–	1	–	3	–	–	–	–	–	–	–	–	–	2	1
18	Other circulatory M	40	–	–	–	1	–	–	–	1	4	13	21	92	–	–	–	–	–	1	–	2	6	39	44
	F	50	–	–	–	–	–	–	–	1	4	15	30	84	–	–	–	–	1	1	–	2	6	24	50
19	Bronchitis M	21	–	–	–	–	–	–	2	–	3	8	8	51	3	1	–	–	1	–	–	2	7	19	18
	F	33	2	–	–	–	–	–	–	1	1	5	24	53	1	–	–	–	1	1	1	3	4	8	34
20	Pneumonia M	30	5	2	2	–	–	–	1	7	4	5	4	66	10	3	4	1	1	4	5	9	9	9	11
	F	44	3	1	3	–	2	1	2	2	3	7	20	43	6	3	2	–	5	3	2	5	5	6	6
21	Other respiratory M	9	–	–	–	–	–	2	–	1	3	–	3	14	1	1	–	–	–	1	–	3	–	2	6
	F	6	–	–	–	–	1	–	–	1	1	1	2	11	–	1	1	–	2	–	2	–	2	–	3
22	Peptic ulcer M	11	–	–	–	–	–	1	1	4	2	1	2	12	–	–	–	–	–	–	4	3	1	2	2
	F	4	–	–	–	–	–	–	–	1	1	–	2	8	–	–	–	–	–	–	1	2	2	1	2
23	Diarrhœa M	2	1	–	1	–	–	–	–	–	–	–	–	7	3	1	–	–	–	–	–	1	–	–	2
	F	4	2	–	–	–	–	–	–	–	–	1	1	3	–	–	1	–	–	–	–	1	–	1	–
24	Appendicitis M	2	–	–	–	–	–	1	–	–	1	–	–	10	–	–	–	2	1	–	–	2	4	1	–
	F	8	–	–	2	1	–	–	–	1	1	2	1	6	–	–	–	2	1	–	2	–	–	1	–
25	Cirrhosis of liver M	–	–	–	–	–	–	–	–	–	–	–	–	5	–	–	–	–	–	–	–	–	3	–	2
	F	1	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	1	–	1
26	Other liver diseases M	1	–	–	–	–	–	–	–	–	1	–	–	6	–	–	–	–	1	1	–	–	2	1	1
	F	6	–	–	–	–	–	–	–	–	1	2	3	8	–	–	–	–	–	–	1	–	1	–	6
27	Other digestive M	18	1	–	–	1	–	4	1	4	3	1	3	29	1	–	–	1	1	2	4	2	4	10	4
	F	23	–	1	–	1	–	1	2	3	3	7	5	31	3	–	–	–	1	–	3	3	6	6	9
28	Nephritis M	25	–	–	–	–	1	–	2	1	5	8	8	49	–	–	–	–	1	1	1	11	10	14	11
	F	36	–	–	–	–	–	1	3	1	12	12	7	50	–	–	–	2	1	1	2	9	5	17	13
29	Puerperal sepsis F	5	–	–	–	–	1	3	1	–	–	–	–	5	–	–	–	–	–	3	2	–	–	–	–
30	Other puerperal F	5	–	–	–	–	1	3	1	–	–	–	–	6	–	–	–	–	1	2	2	1	–	–	–
31	Congenital causes, etc. M	22	22	–	–	–	–	–	–	–	–	–	–	44	41	1	1	1	–	–	–	–	–	–	–
	F	21	21	–	–	–	–	–	–	–	–	–	–	51	51	–	–	–	–	–	–	–	–	–	–
32	Senility M	10	–	–	–	–	–	–	–	–	–	–	10	40	–	–	–	–	–	–	–	–	–	4	36
	F	32	–	–	–	–	–	–	–	–	–	1	31	65	–	–	–	–	–	–	–	–	–	7	58
33	Suicide M	12	–	–	–	–	3	1	1	2	1	4	–	24	–	–	–	–	1	4	3	3	8	4	1
	F	4	–	–	–	–	1	–	–	1	1	–	1	4	–	–	–	–	–	1	–	1	1	1	–
34	Other violence M	24	1	1	–	2	3	4	2	3	1	4	3	67	4	2	2	6	15	7	3	5	9	9	5
	F	19	1	–	–	1	–	3	–	–	2	5	7	28	–	–	2	1	1	2	–	4	–	6	12
35	Other defined causes M	81	7	–	3	1	5	4	5	7	10	14	25	120	7	–	1	3	2	5	12	11	12	37	30
	F	71	3	1	1	4	4	7	6	7	11	11	16	120	3	3	4	8	6	6	12	19	17	23	19
36	Ill-defined causes M	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	1	1	1
	F	1	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–	1	1

Causes of Death. *See* first page of Table.		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
	All Causes	M	277	18	5	6	8	13	8	12	23	43	76	65	452	28	4	5	9	17	13	18	36	74	110	138
		F	308	18	4	3	4	4	16	9	22	28	65	135	438	21	2	1	4	16	26	17	38	60	96	157
1	Typhoid fever, etc.	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
2	Measles	M	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
3	Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
4	Whooping cough	M	2	1	–	1	–	–	–	–	–	–	–	–	4	3	–	–	1	–	–	–	–	–	–	–
		F	2	1	–	1	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
5	Diphtheria	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	3	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
6	Influenza	M	15	–	1	–	–	1	–	–	3	4	4	2	14	–	–	1	1	–	–	1	2	1	4	4
		F	12	1	–	–	–	–	1	–	2	–	4	4	23	1	–	–	–	1	1	–	3	6	1	10
7	Encephalitis lethargica	M	1	–	–	–	–	–	–	–	–	–	1	–	3	–	–	–	–	–	–	1	1	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	1	1	–	–	–	–	–
8	Cerebro-spinal fever	M	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9	Respiratory tuberculosis	M	14	–	–	–	–	4	3	3	2	2	–	–	20	–	–	–	–	4	4	4	4	2	1	1
		F	11	–	–	–	1	1	5	2	1	–	–	1	23	–	–	–	–	4	10	–	2	5	2	–
10	Other tuberculosis	M	5	–	1	–	2	1	–	–	–	–	1	–	7	–	–	1	3	1	2	–	–	–	–	–
		F	3	–	–	–	–	2	1	–	–	–	–	–	4	–	–	–	–	2	–	–	2	–	–	–
11	Syphilis	M	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
12	Gen. paralysis of insane, etc.	M	1	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13	Cancer	M	29	–	–	–	–	–	–	–	3	8	14	4	56	–	–	–	–	–	1	–	4	12	19	20
		F	50	–	–	–	–	–	1	5	8	12	14	10	68	–	–	–	–	–	2	2	6	18	25	15
14	Diabetes	M	1	–	–	–	–	–	–	–	–	–	–	1	3	–	–	–	–	–	–	1	1	1	–	–
		F	6	–	–	–	–	–	–	–	–	1	2	3	6	–	–	–	–	–	–	–	–	3	2	1
15	Cerebral hæmorrhage	M	27	–	–	–	–	–	1	1	1	6	8	10	22	–	–	–	–	–	–	–	–	4	8	10
		F	32	–	–	–	–	–	–	–	2	6	9	15	24	–	–	–	–	–	–	–	3	2	10	9
16	Heart disease	M	50	–	–	–	–	–	–	2	2	9	19	18	110	–	–	–	–	1	1	–	5	12	43	48
		F	62	–	–	–	–	–	2	1	2	3	11	43	101	–	–	–	–	–	1	–	3	4	9	28	56
17	Aneurysm	M	1	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	1	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
18	Other circulatory	M	17	–	–	–	–	1	–	–	–	–	6	10	23	–	–	–	–	–	–	–	–	–	6	8	9
		F	14	–	–	–	–	–	–	–	1	1	2	10	26	–	–	–	–	–	–	1	2	1	8	14
19	Bronchitis	M	4	–	–	–	–	–	–	–	–	–	2	2	13	–	–	1	–	–	–	–	–	3	3	6
		F	6	–	–	–	–	–	–	–	–	–	3	3	16	2	–	–	–	–	–	–	1	–	1	12
20	Pneumonia	M	19	1	2	1	–	–	2	2	2	4	2	3	17	2	–	–	–	–	1	1	2	4	3	1	3
		F	18	3	3	1	–	–	–	–	1	2	4	4	18	2	1	–	1	–	1	–	3	1	1	8
21	Other respiratory	M	3	–	–	–	–	–	–	–	1	–	1	1	5	–	–	1	–	–	–	–	1	–	1	3
		F	7	–	–	–	–	–	–	–	–	–	1	6	1	–	–	–	–	–	–	–	–	–	1	–
22	Peptic ulcer	M	4	–	–	–	–	–	–	–	1	1	2	–	3	–	–	–	–	–	–	1	1	–	–	–
		F	2	–	–	–	–	–	–	–	1	–	–	1	3	–	–	–	–	–	–	–	1	–	1	
23	Diarrhœa	M	2	–	1	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–
		F	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
24	Appendicitis	M	1	–	–	–	–	1	–	–	–	–	–	–	3	–	–	–	–	–	–	–	1	2	–	–
		F	1	–	–	–	1	–	–	–	–	–	–	–	6	–	–	–	1	2	–	1	2	–	–	–
25	Cirrhosis of liver	M	2	–	–	–	–	–	–	–	–	–	2	–	2	–	–	–	–	–	–	–	–	2	–	–
		F	2	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	1	–	–	–
26	Other liver diseases	M	2	–	–	–	–	–	–	–	–	–	1	1	3	–	–	–	–	–	–	–	1	1	1	–
		F	2	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	
27	Other digestive	M	8	1	–	1	–	–	–	1	–	1	1	3	6	–	–	–	–	–	–	–	1	–	4	
		F	4	–	–	–	–	–	–	–	–	–	2	2	8	–	–	–	–	–	–	–	1	–	3	
28	Nephritis	M	9	–	–	–	–	–	–	–	2	2	2	3	18	–	–	–	2	–	1	1	–	8	2	
		F	12	–	–	–	–	–	1	–	1	–	3	7	14	–	–	1	–	–	2	1	1	6	2	
29	Puerperal sepsis	F	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	1	2	–	–	–	–
30	Other puerperal	F	2	–	–	–	–	–	2	–	–	–	–	–	2	–	–	–	–	–	1	1	–	–	–	–
31	Congenital causes, etc.	M	13	12	–	–	–	1	–	–	–	–	–	–	16	15	1	–	–	–	–	–	–	–	–	–
		F	10	10	–	–	–	–	–	–	–	–	–	–	14	13	–	–	–	–	–	1	–	–	–	–
32	Senility	M	3	–	–	–	–	–	–	–	–	–	–	3	18	–	–	–	–	–	–	–	–	–	1	1
		F	20	–	–	–	–	–	–	–	–	–	3	17	22	–	–	–	–	–	–	–	–	–	4	1
33	Suicide	M	2	–	–	–	–	–	–	–	2	–	–	–	9	–	–	–	–	2	–	1	2	3	1	–
		F	2	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	1	–	–	–	–	–	–
34	Other violence	M	12	–	–	–	1	4	2	1	1	1	1	1	28	1	1	1	–	7	3	3	4	2	2	
		F	4	1	–	–	–	–	–	–	–	1	–	2	6	1	–	–	–	–	1	–	–	1	1	
35	Other defined causes	M	26	2	–	1	5	–	–	2	1	4	8	3	45	6	2	–	1	1	–	3	4	10	10	
		F	18	1	–	–	1	1	1	–	2	1	5	6	39	2	–	–	2	4	5	4	6	7	5	
36	Ill-defined causes	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	1	1	

Causes of Death. (see first page of Table.)		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
All Causes	M	1,602	95	15	21	49	50	70	94	185	269	345	409	714	38	7	11	16	19	33	34	60	133	154	209
	F	1,582	84	10	16	33	40	74	69	135	221	343	557	653	26	4	8	14	19	29	34	63	86	136	234
Typhoid fever, etc.	M	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Measles	M	1	–	–	–	1	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
	F	2	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet fever	M	2	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	5	–	–	1	3	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Whooping cough	M	7	3	1	3	–	–	–	–	–	–	–	–	5	–	3	1	1	–	–	–	–	–	–	–
	F	11	5	3	3	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Diphtheria	M	8	–	–	1	7	–	–	–	–	–	–	–	6	–	–	4	2	–	–	–	–	–	–	–
	F	2	–	–	–	1	1	–	–	–	–	–	–	6	–	1	–	5	–	–	–	–	–	–	–
Influenza	M	72	1	2	2	1	4	4	10	13	10	11	14	23	–	–	–	1	1	–	5	4	5	–	7
	F	82	1	–	–	2	2	1	8	5	13	14	36	33	–	–	–	–	2	2	3	4	4	9	9
Encephalitis lethargica	M	3	–	–	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	F	2	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cerebro-spinal fever	M	2	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	3	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Respiratory tuberculosis	M	93	–	–	–	2	9	22	19	16	22	3	–	31	–	–	–	–	6	11	3	5	4	2	–
	F	70	–	–	–	1	17	28	12	7	2	2	1	29	–	–	–	–	6	8	6	4	3	2	–
Other tuberculosis	M	15	–	1	4	3	2	2	–	–	3	–	–	7	–	–	1	2	–	–	1	1	1	1	–
	F	14	–	1	1	3	1	2	2	2	1	1	–	10	1	1	2	3	1	2	–	–	–	–	–
Syphilis	M	6	–	–	–	–	–	–	–	1	1	1	3	2	–	–	–	–	–	1	–	–	–	1	–
	F	3	–	1	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Gen. paralysis of insane, etc.	M	4	–	–	–	–	–	–	1	2	1	–	–	3	–	–	–	–	–	–	–	–	2	–	1
	F	5	–	–	–	–	1	–	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	M	188	–	–	1	–	1	–	6	31	51	58	40	80	–	1	–	–	1	2	4	7	19	34	12
	F	214	–	–	2	–	–	3	9	46	66	43	45	96	–	–	–	–	–	2	6	14	24	30	20
Diabetes	M	22	–	–	–	–	–	1	1	–	5	9	6	6	–	–	–	–	–	–	–	–	3	1	2
	F	16	–	–	–	–	–	–	1	1	2	8	4	12	–	–	–	–	1	–	–	2	4	3	2
Cerebral hæmorrhage	M	69	–	–	–	–	–	2	1	3	15	21	27	29	–	–	–	–	–	–	1	2	4	9	13
	F	91	–	–	–	1	–	–	1	3	21	29	36	40	–	–	–	–	–	–	–	7	6	9	18
Heart disease	M	364	–	–	–	1	2	7	9	29	63	110	143	172	–	–	–	1	–	1	2	10	34	42	82
	F	396	–	–	1	–	4	2	10	17	48	119	195	154	–	–	–	–	1	2	4	12	16	33	86
Aneurysm	M	8	–	–	–	–	–	–	–	2	2	2	2	2	–	–	–	–	–	–	–	–	2	–	–
	F	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other circulatory	M	60	–	–	–	–	–	–	1	2	7	22	28	51	–	–	–	–	–	–	–	–	9	16	26
	F	108	–	–	–	1	–	–	–	8	9	37	53	31	–	–	–	–	–	–	1	2	3	10	15
Bronchitis	M	56	–	–	–	–	1	2	3	5	6	13	26	28	2	1	1	–	–	1	1	2	2	5	13
	F	60	3	–	–	–	–	1	–	3	2	8	43	30	1	–	–	–	–	1	–	1	4	4	19
Pneumonia	M	90	6	6	2	4	3	8	4	20	13	12	12	29	5	1	–	–	1	1	3	4	6	4	4
	F	73	6	1	4	3	1	2	2	8	9	15	22	33	1	1	1	1	1	1	1	5	4	8	9
Other respiratory	M	18	–	–	–	3	2	1	2	2	1	3	4	10	–	–	–	1	–	–	1	2	3	1	2
	F	9	–	–	1	–	–	1	1	2	1	1	2	6	–	–	1	1	–	–	–	–	–	1	3
Peptic ulcer	M	29	–	–	–	–	1	–	4	10	9	5	–	13	–	–	–	–	–	–	2	3	6	1	1
	F	8	–	–	–	–	–	–	–	2	1	5	–	4	–	–	–	–	–	–	–	2	–	–	2
Diarrhœa	M	14	8	1	1	–	–	–	–	1	–	–	3	5	3	–	1	–	–	–	–	–	–	–	1
	F	13	5	1	1	1	–	1	2	–	–	2	–	5	2	–	–	–	1	–	–	–	–	1	1
Appendicitis	M	13	–	–	1	–	3	–	1	2	5	1	–	8	–	–	1	2	3	–	–	1	1	–	–
	F	9	–	–	–	1	1	2	–	1	1	2	1	8	–	–	1	–	–	1	–	5	1	–	–
Cirrhosis of liver	M	9	–	–	–	–	–	–	2	–	1	3	3	4	–	–	–	–	–	–	–	2	–	2	–
	F	4	–	–	–	–	–	–	–	1	2	–	1	1	–	–	–	–	–	–	–	–	1	–	–
Other liver diseases	M	6	–	–	–	1	–	–	1	–	1	2	1	6	–	–	–	–	–	–	1	1	2	1	1
	F	16	–	–	–	–	1	2	–	–	3	4	6	4	–	–	–	–	–	–	–	–	1	1	2
Other digestive	M	32	4	–	–	2	–	1	2	3	5	8	7	12	1	–	–	1	–	2	2	–	2	3	1
	F	31	1	2	1	2	1	4	3	2	5	4	6	8	–	–	–	–	–	–	–	2	2	4	–
Nephritis	M	43	–	–	–	2	1	1	1	9	12	8	9	23	–	–	–	–	1	1	–	2	4	6	9
	F	43	–	–	–	–	2	–	3	5	7	10	16	15	–	–	–	1	–	1	3	1	1	4	4
Puerperal sepsis	F	7	–	–	–	–	1	4	2	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
Other puerperal	F	5	–	–	–	–	–	3	2	–	–	–	–	7	–	–	–	–	–	4	3	–	–	–	–
Congenital causes, etc.	M	63	61	–	1	1	–	–	–	–	–	–	–	19	19	–	–	–	–	–	–	–	–	–	–
	F	56	56	–	–	–	–	–	–	–	–	–	–	18	17	1	–	–	–	–	–	–	–	–	–
Senility	M	34	–	–	–	–	–	–	–	–	1	2	31	13	–	–	–	–	–	–	–	–	1	2	10
	F	63	–	–	–	–	–	–	–	–	–	9	54	28	–	–	–	–	–	–	–	–	–	4	24
Suicide	M	25	–	–	–	–	–	2	4	6	8	2	3	9	–	–	–	–	–	2	–	1	3	2	1
	F	11	–	–	–	–	1	2	2	3	–	2	1	3	–	–	–	–	–	2	–	–	1	–	–
Other violence	M	83	3	2	4	9	13	9	8	7	7	11	10	38	4	1	1	2	2	6	3	5	6	5	3
	F	31	3	–	–	2	2	–	2	3	4	6	9	15	1	–	2	–	3	–	–	–	–	1	8
Other defined causes	M	154	9	1	1	9	7	7	13	18	20	36	33	74	4	–	–	3	4	5	5	8	12	14	19
	F	108	4	1	1	10	1	15	5	11	22	18	20	49	3	–	–	3	3	2	6	2	11	11	8
Ill-defined causes	M	8	–	–	–	–	–	–	–	3	–	2	3	5	–	–	–	–	–	–	–	–	2	2	1
	F	10	–	–	–	–	–	–	–	1	1	2	6	4	–	–	–	–	–	–	–	–	–	1	3

Causes of Death. *See* first page of Table.		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
All Causes	M	176	15	2	5	4	3	9	7	15	23	46	47	173	7	1	1	2	5	5	8	15	19	49	6
	F	158	14	1	–	2	7	5	2	17	24	39	47	203	9	3	1	3	3	12	9	10	24	45	8
1 Typhoid fever, etc.	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2 Measles	M	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
3 Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
4 Whooping cough	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
5 Diphtheria	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
6 Influenza	M	7	–	–	1	–	–	1	–	1	1	2	1	14	–	–	–	–	–	–	–	4	3	3	
	F	10	–	–	–	–	–	–	–	–	1	3	6	15	–	–	–	–	–	2	–	–	–	2	1
7 Encephalitis lethargica	M	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
8 Cerebro-spinal fever	M	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9 Respiratory tuberculosis	M	6	–	–	–	–	–	1	1	4	–	–	–	4	–	–	–	–	1	1	–	1	–	1	–
	F	4	–	–	–	–	–	2	–	1	1	–	–	6	–	–	–	–	1	2	1	–	2	–	–
10 Other tuberculosis	M	3	1	–	–	–	1	1	–	–	–	–	–	3	–	–	–	–	1	–	1	1	–	–	–
	F	1	–	–	–	–	1	–	–	–	–	–	–	3	–	1	–	–	–	–	1	1	–	–	–
11 Syphilis	M	3	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
12 Gen. paralysis of insane, etc.	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13 Cancer	M	28	–	–	–	–	–	–	1	3	5	10	9	26	–	–	–	–	–	1	1	3	5	8	
	F	29	–	–	–	–	–	–	1	5	8	10	5	34	–	–	–	–	–	–	1	2	8	12	1
14 Diabetes	M	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	
	F	1	–	–	–	–	–	–	–	–	–	1	–	3	–	–	–	–	–	–	–	–	–	2	
15 Cerebral hæmorrhage	M	9	–	–	–	–	–	–	–	–	2	2	5	10	–	–	–	–	–	–	1	–	2	5	
	F	3	–	–	–	–	–	–	–	–	–	1	2	14	–	–	–	–	–	–	–	–	3	6	
16 Heart disease	M	25	–	–	–	–	–	–	–	3	4	10	8	35	–	–	–	–	–	–	–	–	5	13	1
	F	30	–	–	–	–	1	–	–	1	8	9	11	23	–	–	–	–	–	1	–	–	2	9	1
17 Aneurysm	M	2	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
18 Other circulatory	M	15	–	–	–	–	–	–	–	–	1	4	10	9	–	–	–	–	–	–	–	–	–	2	
	F	10	–	–	–	–	–	–	–	1	–	4	5	15	–	–	–	–	–	–	–	–	2	4	
19 Bronchitis	M	5	–	1	–	–	–	–	–	–	–	2	2	7	–	–	–	–	–	–	–	–	–	–	
	F	8	1	–	–	–	–	–	–	1	1	–	5	17	1	–	–	–	–	–	–	1	–	4	1
20 Pneumonia	M	9	2	–	1	–	–	–	2	1	1	1	1	10	–	1	1	–	–	1	1	2	1	2	
	F	12	2	1	–	–	1	1	–	1	–	3	3	7	1	–	1	1	–	–	1	1	–	1	
21 Other respiratory	M	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	1	–	–	–	
22 Peptic ulcer	M	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	1	
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
23 Diarrhœa	M	3	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	
24 Appendicitis	M	2	–	–	1	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	
	F	2	–	–	–	–	1	–	–	1	–	–	–	7	–	–	–	1	1	2	2	1	–	–	
25 Cirrhosis of liver	M	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
	F	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	1	–	
26 Other liver diseases	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	
	F	1	–	–	–	–	1	–	–	–	–	–	–	2	–	–	–	–	–	1	–	–	1	–	
27 Other digestive	M	5	–	–	1	1	–	1	1	–	–	1	–	3	–	–	–	–	–	–	–	1	1	1	
	F	5	–	–	–	–	–	1	–	1	1	1	1	2	–	–	–	–	–	–	–	–	1	–	
28 Nephritis	M	2	–	–	–	–	–	–	–	–	1	1	–	2	–	–	–	–	–	–	–	–	–	–	
	F	2	–	–	–	–	–	–	–	–	1	1	–	5	–	–	–	–	–	–	–	1	–	1	
29 Puerperal sepsis	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	
30 Other puerperal	F	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	2	–	–	–	–	
31 Congenital causes, etc.	M	8	8	–	–	–	–	–	–	–	–	–	–	7	7	–	–	–	–	–	–	–	–	–	
	F	9	9	–	–	–	–	–	–	–	–	–	–	7	7	–	–	–	–	–	–	–	–	–	
32 Senility	M	5	–	–	–	–	–	–	–	–	–	–	5	8	–	–	–	–	–	–	–	–	–	3	
	F	8	–	–	–	–	–	–	–	–	–	2	6	15	–	–	–	–	–	–	–	–	–	2	
33 Suicide	M	5	–	–	–	–	1	1	–	1	2	–	–	4	–	–	–	–	–	1	1	–	–	1	
	F	2	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–	1	–	
34 Other violence	M	6	–	–	–	–	1	2	–	–	1	1	1	10	–	–	–	2	2	1	2	2	–	1	
	F	4	–	–	–	–	2	–	–	–	–	–	2	4	–	1	–	–	–	–	1	1	–	–	
35 Other defined causes	M	21	1	1	–	1	–	1	2	1	2	9	3	13	–	–	–	–	–	–	–	1	2	6	
	F	11	2	–	–	–	–	1	1	5	–	1	1	13	–	–	–	1	–	2	–	2	2	2	
36 Ill-defined causes	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
	F	2	–	–	–	–	–	–	–	–	–	2	–	2	–	–	–	–	–	–	–	–	1	–	

Causes of Death. (see first page of Table.)		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
All Causes	M	5213	358	57	59	118	173	215	287	568	832	1196	1350	2140	144	16	33	43	78	92	112	181	316	495	630
	F	5232	238	34	46	92	151	192	279	436	721	1153	1890	2015	104	19	23	29	49	79	105	177	300	432	698
1 Typhoid fever, etc.	M	1	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
	F	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2 Measles	M	2	1	–	1	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	1	–	–	–	–
	F	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
3 Scarlet fever	M	8	–	–	–	7	1	–	–	–	–	–	–	2	–	–	1	1	–	–	–	–	–	–	–
	F	8	–	1	1	3	–	2	–	–	1	–	–	1	–	–	–	–	1	–	–	–	–	–	–
4 Whooping cough	M	16	9	5	2	–	–	–	–	–	–	–	–	8	6	1	1	–	–	–	–	–	–	–	–
	F	16	7	5	3	1	–	–	–	–	–	–	–	17	9	2	4	2	–	–	–	–	–	–	–
5 Diphtheria	M	16	–	–	1	13	1	–	–	1	–	–	–	5	–	1	–	3	1	–	–	–	–	–	–
	F	21	–	–	7	11	–	1	2	–	–	–	–	3	–	–	1	1	–	–	–	1	–	–	–
6 Influenza	M	194	2	3	2	–	5	8	28	28	29	30	59	104	6	1	1	1	1	2	11	14	13	21	33
	F	191	6	3	–	4	7	14	12	24	19	35	67	104	3	2	1	1	1	4	7	8	12	24	41
7 Encephalitis lethargica	M	7	–	–	–	–	–	2	–	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	3	–	–	–	1	–	–	1	–	1	–	–	4	–	–	–	–	–	–	2	–	2	–	–
8 Cerebro-spinal fever	M	5	1	1	–	–	–	1	2	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
	F	5	2	–	1	2	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
9 Respiratory tuberculosis	M	359	–	1	1	4	44	82	76	77	54	17	3	113	–	1	–	2	13	31	29	16	16	3	2
	F	256	1	–	2	4	65	61	63	28	18	11	3	75	–	–	2	1	20	19	13	8	7	4	1
9 Other tuberculosis	M	62	3	8	13	15	8	8	2	4	–	1	–	30	3	3	5	2	6	3	–	1	6	1	–
	F	43	5	3	4	9	6	5	2	3	2	2	2	19	–	3	6	1	2	1	2	2	–	–	2
Syphilis	M	17	2	–	–	1	2	1	3	5	2	1	–	8	1	–	–	–	1	–	1	2	3	–	–
	F	15	2	–	–	–	3	1	2	5	2	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Gen. paralysis of insane, etc.	M	32	–	–	–	–	–	–	1	8	14	6	3	8	–	–	–	–	–	–	1	3	1	2	1
	F	4	–	–	–	–	–	–	–	–	3	1	–	1	–	–	–	–	–	–	–	1	–	–	–
Cancer	M	670	–	–	1	4	4	8	23	77	146	257	150	244	–	–	1	–	–	1	11	29	70	92	40
	F	800	1	–	–	2	3	10	42	122	184	229	207	335	–	–	1	1	1	5	16	47	90	92	82
Diabetes	M	46	–	–	–	1	2	1	1	1	13	19	8	18	–	–	–	–	2	–	–	–	4	6	6
	F	83	–	–	–	1	2	1	2	5	24	31	17	27	–	–	–	1	1	1	–	2	10	9	3
Cerebral hæmorrhage	M	210	–	–	–	1	1	1	2	9	40	73	83	73	–	–	–	–	–	–	2	5	4	30	32
	F	319	–	–	–	–	–	2	5	25	53	92	142	102	–	–	–	–	–	1	1	4	18	36	42
Heart disease	M	1235	–	–	–	4	9	17	28	107	180	395	495	512	–	–	–	2	2	6	8	25	73	158	238
	F	1341	–	–	–	4	7	18	34	57	173	388	660	502	–	–	–	–	4	8	10	28	64	146	242
Aneurysm	M	34	1	–	–	–	–	–	2	9	12	8	2	7	–	–	–	–	–	–	–	1	1	1	4
	F	9	–	–	–	–	–	–	–	2	3	4	–	4	–	–	–	–	–	–	–	1	1	1	1
Other circulatory	M	212	–	1	–	–	–	–	3	14	28	74	92	88	–	–	–	–	1	–	–	2	6	31	48
	F	241	–	–	–	–	–	–	5	9	37	72	118	77	–	–	–	–	–	–	–	3	9	19	46
Bronchitis	M	195	13	2	1	2	–	1	3	14	21	39	99	81	2	1	1	–	–	1	–	5	11	11	49
	F	199	5	–	1	–	–	–	2	4	8	33	146	75	4	2	–	–	1	1	–	3	–	9	55
Pneumonia	M	301	51	15	10	4	7	6	28	48	46	31	55	126	18	2	7	3	4	6	8	12	20	18	28
	F	229	26	15	7	10	8	14	21	16	22	30	60	101	15	7	3	2	–	4	9	9	15	14	23
Other respiratory	M	65	–	2	1	3	1	3	2	15	17	8	13	16	–	–	–	–	–	–	2	5	3	5	1
	F	58	2	–	2	2	2	4	3	3	7	14	19	13	1	–	–	–	3	–	1	–	–	1	7
Peptic ulcer	M	81	–	–	–	–	1	2	7	23	29	13	6	26	–	–	–	–	–	1	1	13	5	4	2
	F	18	–	–	–	–	–	–	1	1	5	9	2	9	–	–	–	–	–	1	2	3	1	2	–
Diarrhœa	M	45	28	7	1	3	–	–	–	2	2	1	1	14	7	2	–	–	–	1	–	–	1	3	–
	F	45	25	–	1	1	1	2	–	2	1	4	8	11	2	1	1	–	1	1	1	1	1	1	1
Appendicitis	M	48	–	–	3	5	10	1	3	5	8	9	4	13	–	–	–	3	–	1	1	2	4	2	1
	F	38	–	–	2	5	1	1	1	9	11	4	4	15	–	–	–	4	2	2	1	2	2	1	1
Cirrhosis of liver	M	16	–	–	–	–	–	–	–	1	7	5	3	10	–	–	–	–	–	–	–	2	3	4	1
	F	11	–	–	–	–	–	–	–	4	–	4	3	7	–	–	–	–	–	–	–	1	2	3	1
Other liver diseases	M	9	–	–	–	–	1	–	–	4	2	1	1	7	–	–	–	–	–	1	1	–	3	–	2
	F	39	–	–	–	–	1	3	1	3	7	11	13	12	–	1	–	–	–	–	–	4	4	1	2
Other digestive	M	90	5	1	3	5	5	2	3	8	20	24	14	34	2	–	3	1	1	2	3	2	9	7	4
	F	134	6	–	3	6	2	6	10	19	24	28	30	52	–	1	–	4	–	–	3	8	11	14	11
Nephritis	M	139	–	–	–	1	–	6	10	14	26	49	33	64	–	–	1	1	–	–	6	6	10	19	21
	F	140	–	–	1	–	1	1	3	22	22	32	58	60	–	–	–	–	–	5	6	4	12	18	15
Puerperal sepsis	F	27	–	–	–	–	5	15	7	–	–	–	–	8	–	–	–	–	–	5	2	1	–	–	–
Other puerperal	F	21	–	–	–	–	6	8	7	–	–	–	–	14	–	–	–	–	1	5	8	–	–	–	–
Congenital causes, etc.	M	203	199	1	–	–	1	1	–	–	–	1	–	81	79	1	1	–	–	–	–	–	–	–	–
	F	131	131	–	–	–	–	–	–	–	–	–	–	58	57	–	–	1	–	–	–	–	–	–	–
Senility	M	119	–	–	–	–	–	–	–	–	1	16	102	63	–	–	–	–	–	–	–	–	–	6	57
	F	229	–	–	–	–	–	–	–	–	–	14	215	92	–	–	–	–	–	–	–	–	–	5	87
Suicide	M	100	–	–	–	–	4	15	10	20	26	19	6	35	–	–	–	–	3	2	4	10	10	2	4
	F	29	–	–	–	–	5	2	4	5	6	6	1	10	–	–	–	–	–	3	1	3	1	1	1
Other violence	M	213	16	5	7	17	37	30	22	22	28	11	18	136	6	2	6	10	33	18	9	16	10	12	14
	F	116	5	1	4	8	4	5	2	10	15	17	45	56	4	–	1	3	4	4	4	7	13	6	10
Other defined causes	M	458	27	5	12	28	29	18	28	48	76	87	100	206	12	–	4	13	9	16	14	10	30	56	42
	F	402	14	5	6	18	22	16	47	57	72	81	64	145	9	–	3	6	6	9	16	26	24	25	21
Ill-defined causes	M	5	–	–	–	–	–	–	–	1	3	1	–	4	2	–	1	–	–	–	–	–	–	1	–
	F	9	–	1	–	–	–	–	–	–	1	1	6	3	–	–	–	–	–	–	–	–	1	–	2

Causes of Death. *See* first page of Table.		Aggregate of Urban Districts.												Aggregate of Rural Districts.										
		All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
	All Causes	M	10199	788	158	167	258	375	433	607	1223	1948	2492	1750	1501	129	18	18	35	61	60	86	141	222	399	332
		F	10455	623	142	165	239	339	479	631	1062	1733	2609	2433	1527	67	11	18	21	49	56	86	161	259	370	429
1	Typhoid fever, etc.	M	6	–	–	–	1	1	1	1	1	1	–	–	3	–	–	–	–	1	1	–	–	–	1	–
		F	1	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
2	Measles	M	31	7	11	10	2	–	1	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
		F	26	4	10	11	1	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
3	Scarlet fever	M	10	1	–	3	5	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	19	–	4	4	7	3	1	–	–	–	–	–	2	–	–	1	–	1	–	–	–	–	–
4	Whooping cough	M	33	14	7	12	–	–	–	–	–	–	–	–	8	6	–	1	1	–	–	–	–	–	–	–
		F	45	22	12	10	1	–	–	–	–	–	–	–	3	2	–	1	–	–	–	–	–	–	–	–
5	Diphtheria	M	38	–	1	10	25	–	1	1	–	–	–	–	10	–	–	4	6	–	–	–	–	–	–	–
		F	58	–	3	15	33	–	3	3	–	1	–	–	3	–	–	–	2	1	–	–	–	–	–	–
6	Influenza	M	524	15	8	5	11	29	45	75	103	91	92	50	75	1	1	–	1	1	6	10	11	10	19	15
		F	538	7	8	10	7	24	31	43	70	110	122	106	90	–	1	1	1	2	10	9	10	17	18	21
7	Encephalitis lethargica	M	25	–	–	–	–	4	5	3	5	6	2	–	5	–	–	1	–	1	1	–	–	1	1	–
		F	22	–	–	–	3	–	3	4	1	5	6	–	4	–	–	–	–	1	1	1	–	–	1	–
8	Cerebro-spinal fever	M	16	3	–	–	3	8	1	–	–	1	–	–	2	–	1	–	–	1	–	–	–	–	–	–
		F	9	3	1	2	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9	Respiratory tuberculosis	M	514	–	1	–	7	79	93	109	115	83	24	3	59	–	–	–	1	11	15	10	10	9	3	–
		F	395	–	–	–	15	117	117	62	38	27	18	1	42	–	–	–	1	9	8	7	11	2	1	3
10	Other tuberculosis	M	106	8	14	14	16	15	18	3	3	8	7	–	13	1	3	1	3	1	–	1	1	–	1	1
		F	97	3	7	11	16	18	15	9	9	4	4	1	16	–	2	3	3	2	2	2	1	1	–	–
11	Syphilis	M	19	2	3	1	–	1	–	5	2	5	–	–	2	1	–	–	–	–	–	–	1	–	–	–
		F	22	8	–	–	–	1	2	4	5	2	–	–	2	1	–	–	–	–	–	–	1	–	–	–
12	Gen. paralysis of insane, etc.	M	64	–	–	–	–	–	–	13	14	25	10	2	8	–	–	–	–	–	1	1	3	2	1	–
		F	18	–	–	–	–	–	2	6	7	2	1	–	1	–	–	–	–	–	–	–	1	–	–	–
13	Cancer	M	1095	–	–	1	–	2	10	33	156	351	406	136	156	–	–	–	2	–	2	7	26	32	59	28
		F	1249	1	–	3	–	7	19	101	223	348	379	168	189	–	–	1	–	–	1	8	31	57	60	31
14	Diabetes	M	92	–	–	–	3	6	5	5	6	23	30	14	19	–	–	–	1	2	–	–	2	5	8	1
		F	165	–	–	2	5	3	8	5	14	40	69	19	34	–	–	–	–	2	2	1	6	11	8	4
15	Cerebral hæmorrhage	M	526	–	–	1	–	1	2	12	51	138	199	122	80	–	–	–	1	–	–	1	5	12	36	25
		F	686	–	–	–	–	–	3	7	76	136	261	203	104	–	–	–	2	5	4	6	25	60	132	105
16	Heart disease	M	2114	–	–	2	13	25	42	77	226	447	755	527	339	–	–	–	2	5	4	6	25	60	132	105
		F	2379	–	–	1	21	41	46	93	209	446	774	748	400	1	–	–	1	4	8	10	31	79	121	143
17	Aneurysm	M	17	–	–	–	–	–	1	1	4	4	7	–	2	–	–	–	–	–	–	1	–	1	–	–
		F	6	–	–	–	–	–	–	1	1	2	1	1	1	–	–	–	–	–	–	–	–	–	1	–
18	Other circulatory	M	538	–	–	–	1	–	1	5	19	92	210	210	89	–	–	–	–	–	–	1	1	18	34	33
		F	528	–	–	1	–	1	2	4	25	75	188	232	73	–	–	–	–	–	1	–	5	7	21	39
19	Bronchitis	M	476	46	8	2	4	6	10	13	51	69	134	133	57	9	1	–	–	–	–	1	3	6	13	2
		F	556	36	5	5	–	3	9	10	32	68	184	204	70	3	–	–	1	2	–	–	2	2	20	4
20	Pneumonia	M	692	113	66	43	32	32	38	74	97	85	69	43	77	14	5	3	1	3	4	7	14	13	9	
		F	535	97	62	49	21	12	26	38	41	78	67	44	63	7	3	4	2	4	1	9	10	4	9	1
21	Other respiratory	M	101	4	1	2	4	3	3	10	25	19	18	12	15	–	–	–	–	–	1	1	4	2	5	
		F	97	4	1	5	9	2	8	8	7	14	21	18	16	–	–	1	–	–	–	5	–	2	4	
22	Peptic ulcer	M	123	1	–	–	–	2	7	22	39	42	9	1	19	–	–	–	–	3	1	5	3	6	1	–
		F	22	–	–	–	–	1	1	5	4	7	3	1	4	–	–	–	–	–	–	–	1	1	1	
23	Diarrhœa	M	84	48	6	5	3	3	2	2	2	5	5	3	13	7	1	–	–	–	2	–	1	–	2	–
		F	82	37	8	3	6	–	6	3	3	6	7	3	6	1	–	–	–	1	–	–	1	–	1	
24	Appendicitis	M	73	–	–	6	14	8	11	2	8	17	5	2	12	–	–	2	1	2	–	2	3	1	–	
		F	59	–	–	2	6	5	5	4	21	7	8	1	15	–	–	–	4	–	–	1	3	5	1	
25	Cirrhosis of liver	M	41	–	–	–	–	–	–	3	8	22	6	2	1	–	–	–	–	–	–	–	–	–	1	–
		F	20	–	–	–	1	–	1	–	7	7	3	1	2	–	–	–	–	–	–	–	1	–	1	–
26	Other liver diseases	M	33	–	–	–	–	–	2	–	2	15	10	4	6	–	–	–	–	–	–	–	–	1	2	
		F	106	–	–	1	–	2	1	4	19	21	36	22	9	–	–	–	–	–	–	–	–	4	2	
27	Other digestive	M	185	18	3	4	9	9	5	12	22	42	36	25	36	3	1	1	1	–	2	3	2	7	10	
		F	200	13	2	6	12	5	7	24	27	40	39	25	22	1	1	1	1	2	1	1	1	1	6	
28	Nephritis	M	349	–	1	–	4	13	8	21	63	90	104	45	35	1	–	–	–	2	1	3	5	8	9	
		F	349	–	1	–	5	12	15	29	51	79	104	53	42	–	–	–	–	3	–	3	5	10	15	
29	Puerperal sepsis	F	35	–	–	–	–	5	17	13	–	–	–	–	4	–	–	–	–	1	3	–	–	–	–	–
30	Other puerperal	F	76	–	–	–	–	8	44	24	–	–	–	–	11	–	–	–	–	–	7	4	–	–	–	–
31	Congenital causes, etc.	M	436	429	3	2	1	1	–	–	–	–	–	–	76	75	–	–	1	–	–	–	–	–	–	–
		F	349	343	–	1	–	1	2	2	–	–	–	–	45	42	1	1	–	1	–	–	–	–	–	–
32	Senility	M	379	–	–	–	–	–	–	–	–	10	100	269	62	–	–	–	–	–	–	–	–	1	10	5
		F	546	–	–	–	–	–	–	–	–	4	100	442	74	–	–	–	–	–	–	–	–	3	10	6
33	Suicide	M	153	–	–	–	–	11	28	15	30	44	19	6	21	–	–	–	–	1	3	6	4	4	1	
		F	71	–	–	–	–	7	13	14	10	20	6	1	7	–	–	–	–	–	1	–	4	1	1	
34	Other violence	M	441	8	9	21	40	70	55	37	61	64	39	37	84	4	2	4	9	21	11	10	5	5	9	
		F	245	8	9	9	16	18	22	12	20	28	48	55	34	4	–	–	3	5	2	2	4	3	3	
35	Other defined causes	M	818	71	16	23	60	44	36	53	102	141	177	95	110	6	3	1	4	6	5	10	10	18	28	
		F	817	36	9	14	51	42	49	99	141	151	149	76	134	5	3	3	2	8	7	21	21	26	27	
36	Ill-defined causes	M	47	–	–	–	–	1	2	–	8	8	19	9	6	–	–	–	–	–	–	–	–	1	–	4
		F	27	1	–	–	1	–	–	–	1	5	11	8	3	–	–	–	–	–	–	–	–	–	2	1

Causes of Death. (see first page of Table.)		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
All Causes	M	726	56	9	5	14	30	24	38	82	138	165	165	1,081	83	15	23	19	41	55	67	94	164	248	272
	F	709	51	5	11	13	25	40	38	60	96	167	203	988	51	18	18	24	42	37	69	84	129	203	313
1 Typhoid fever, etc.	M	2	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
2 Measles	M	2	–	–	–	1	–	–	–	1	–	–	–	4	2	1	1	–	–	–	–	–	–	–	–
	F	1	1	–	–	–	–	–	–	–	–	–	–	3	–	1	2	–	–	–	–	–	–	–	–
3 Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
	F	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
4 Whooping cough	M	1	–	–	1	–	–	–	–	–	–	–	–	4	2	–	1	1	–	–	–	–	–	–	–
	F	3	2	–	1	–	–	–	–	–	–	–	–	5	2	2	1	–	–	–	–	–	–	–	–
5 Diphtheria	M	1	1	–	–	–	–	–	–	–	–	–	–	5	–	–	2	3	–	–	–	–	–	–	–
	F	2	–	–	–	1	–	–	–	1	–	–	–	2	–	–	1	1	–	–	–	–	–	–	–
6 Influenza	M	29	2	1	–	–	–	3	3	6	5	6	3	60	8	2	1	–	4	5	5	5	11	8	11
	F	26	–	1	–	–	–	1	1	2	4	7	10	62	–	2	1	1	2	3	5	4	9	9	26
7 Encephalitis lethargica	M	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	2	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
8 Cerebro-spinal fever	M	3	1	–	–	1	1	–	–	–	–	–	–	2	–	–	–	–	–	–	2	–	–	–	–
	F	1	1	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	1	–	–	–	–	–
9 Respiratory tuberculosis	M	43	–	–	–	1	10	9	7	12	3	–	1	67	–	–	–	–	17	16	18	10	6	–	–
	F	43	–	–	–	–	13	15	8	2	3	2	–	61	–	–	–	3	26	12	10	6	2	1	1
10 Other tuberculosis	M	10	1	1	1	3	–	2	–	1	1	–	–	9	–	–	1	1	3	2	1	–	1	–	–
	F	5	1	–	–	1	2	–	–	–	1	–	–	17	–	3	2	3	1	3	3	–	–	1	1
11 Syphilis	M	5	1	–	–	–	–	–	2	1	1	–	–	3	–	–	–	–	–	1	–	1	1	–	–
	F	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	1	–	–	–	–	–	–
12 Gen. paralysis of insane, etc.	M	6	–	–	–	–	–	–	–	1	3	1	1	8	–	–	–	–	–	–	3	1	2	2	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13 Cancer	M	87	–	–	–	–	–	–	4	16	29	22	16	124	–	–	–	–	–	2	3	11	29	42	37
	F	101	–	–	–	–	1	3	7	15	21	34	20	137	–	–	–	–	–	2	10	24	28	48	25
14 Diabetes	M	7	–	–	–	–	1	–	2	1	3	–	–	19	–	–	–	–	1	–	–	1	3	7	7
	F	13	–	–	–	–	1	–	–	–	3	5	4	10	–	–	–	–	1	–	1	1	4	3	–
15 Cerebral hæmorrhage	M	43	–	–	–	–	–	–	1	1	7	21	13	68	–	–	–	1	–	–	2	4	7	28	26
	F	63	–	–	–	–	–	1	3	6	9	19	25	64	–	–	–	–	–	–	–	2	9	22	31
16 Heart disease	M	150	–	–	–	–	1	1	2	14	29	61	42	227	–	–	–	1	2	2	5	20	47	74	76
	F	138	–	–	–	1	2	3	3	11	25	50	43	218	–	–	–	–	3	2	10	12	29	72	90
17 Aneurysm	M	2	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–	1	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
18 Other circulatory	M	27	–	–	–	–	–	–	–	1	6	4	16	40	–	–	–	–	–	–	–	1	5	15	19
	F	41	–	–	–	–	–	–	1	3	4	11	22	39	1	–	–	–	–	–	1	–	4	8	25
19 Bronchitis	M	29	5	–	–	–	–	1	–	1	3	5	14	31	3	1	–	–	–	3	–	–	1	8	15
	F	30	3	–	–	–	–	–	1	2	2	8	14	38	3	–	1	–	–	–	–	2	4	5	23
20 Pneumonia	M	21	3	1	2	1	1	–	2	1	4	3	3	60	8	6	8	–	1	3	4	7	7	7	9
	F	27	4	1	7	4	1	2	–	1	–	4	3	41	5	4	2	1	–	4	5	7	4	3	6
21 Other respiratory	M	6	–	–	–	–	–	–	1	–	2	1	2	10	–	–	–	1	1	1	–	2	2	1	2
	F	5	–	–	–	–	–	1	–	–	1	–	3	11	1	–	–	–	–	2	2	–	2	1	3
22 Peptic ulcer	M	6	–	–	–	–	1	–	–	3	1	1	–	11	1	–	–	–	–	–	3	1	5	1	–
	F	5	–	–	–	–	–	–	–	2	2	1	–	7	–	–	–	–	–	–	1	2	3	–	1
23 Diarrhœa	M	9	5	2	–	1	–	–	–	–	–	1	–	8	4	–	–	1	–	–	–	–	1	1	1
	F	2	1	1	–	–	–	–	–	–	–	–	–	6	1	1	2	1	–	–	–	–	1	–	–
24 Appendicitis	M	3	–	–	–	–	–	–	–	1	2	–	–	5	–	–	–	1	–	1	–	1	1	1	–
	F	5	–	–	–	2	1	–	–	–	1	1	–	4	–	–	–	2	–	–	–	2	–	–	–
25 Cirrhosis of liver	M	4	–	–	–	–	–	–	–	2	1	1	–	6	–	–	–	–	–	–	1	2	2	1	–
	F	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1
26 Other liver diseases	M	1	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	1	1	–
	F	3	–	–	–	–	–	–	–	–	1	1	1	7	–	–	–	–	–	–	–	–	3	3	1
27 Other digestive	M	16	1	1	–	1	1	1	1	–	4	2	4	14	1	2	1	1	–	1	–	–	1	4	3
	F	10	–	2	2	2	–	–	1	1	1	1	–	19	2	2	1	–	–	1	1	4	3	2	3
28 Nephritis	M	19	–	–	–	–	1	1	–	5	4	6	2	27	–	–	–	–	1	1	1	4	9	6	5
	F	10	–	–	–	–	1	–	1	2	3	2	1	21	1	–	–	2	1	–	–	2	7	1	7
29 Puerperal sepsis	F	4	–	–	–	–	–	2	2	–	–	–	–	3	–	–	–	–	–	1	2	–	–	–	–
30 Other puerperal	F	6	–	–	–	–	–	3	3	–	–	–	–	9	–	–	–	–	1	3	5	–	–	–	–
31 Congenital causes, etc.	M	29	28	1	–	–	–	–	–	–	–	–	–	45	45	–	–	–	–	–	–	–	–	–	–
	F	34	33	–	–	–	–	1	–	–	–	–	–	33	30	–	1	1	1	–	–	–	–	–	–
32 Senility	M	37	–	–	–	–	–	–	–	–	–	3	34	43	–	–	–	–	–	–	–	–	–	6	37
	F	57	–	–	–	–	–	–	–	–	–	9	48	58	–	–	–	–	–	–	–	–	–	7	51
33 Suicide	M	21	–	–	–	–	–	–	3	7	7	2	2	23	–	–	–	–	–	2	5	6	4	4	2
	F	–	–	–	–	–	–	–	–	–	–	–	–	10	–	–	–	–	–	–	3	2	3	1	1
34 Other violence	M	38	1	–	–	–	8	3	7	1	10	4	4	44	–	–	6	3	6	8	4	4	4	4	5
	F	11	1	–	1	–	1	–	–	1	3	1	3	20	1	1	1	2	1	1	1	1	1	3	7
35 Other defined causes	M	65	7	2	1	4	5	3	2	6	9	18	8	104	8	3	1	5	5	5	9	13	12	26	17
	F	55	4	–	–	1	2	8	7	11	8	9	5	75	4	2	3	6	3	2	9	13	12	13	8
36 Ill-defined causes	M	4	–	–	–	–	–	–	–	–	2	2	–	4	1	–	–	–	–	–	1	–	1	1	–
	F	5	–	–	–	–	–	–	–	–	2	2	1	2	–	–	–	–	–	–	–	–	–	–	2

Causes of Death. *See* first page of Table.		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
	All Causes	M	209	18	4	3	5	9	6	11	15	35	49	54	298	29	4	8	8	16	17	7	22	33	60	94
		F	246	11	4	4	5	5	14	15	24	38	40	86	379	22	4	7	12	12	16	28	38	39	70	131
1	Typhoid fever, etc.	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2	Measles	M	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	4	1	–	2	1	–	–	–	–	–	–	–
3	Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
4	Whooping cough	M	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
5	Diphtheria	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	2	–	–	–	1	–	–	–
6	Influenza	M	11	–	–	–	–	1	1	1	2	1	3	2	16	1	1	1	–	–	1	1	3	3	2	3
		F	15	–	1	–	–	–	4	1	2	3	–	4	22	3	–	1	1	1	–	2	3	2	3	6
7	Encephalitis lethargica	M	1	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	1	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	5	–	–	–	1	–	–	1	2	–	1	–
8	Cerebro-spinal fever	M	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	1	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
9	Respiratory tuberculosis	M	8	–	–	–	–	–	2	2	3	1	–	–	20	–	–	–	2	4	2	2	5	4	1	–
		F	13	–	–	–	–	2	4	2	2	1	2	–	22	–	–	–	1	4	8	6	–	3	–	–
10	Other tuberculosis	M	2	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	4	–	–	2	–	–	1	–	1	–	–	–	7	–	2	–	1	1	2	1	–	–	–	–
11	Syphilis	M	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
12	Gen. paralysis of insane, etc.	M	2	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
		F	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13	Cancer	M	23	–	–	–	–	–	–	–	–	8	11	4	36	–	–	–	–	–	–	–	1	5	18	12
		F	29	–	–	–	–	–	–	1	4	10	5	9	54	–	–	1	–	–	–	3	13	9	15	13
14	Diabetes	M	2	–	–	–	–	–	–	–	–	–	2	–	2	–	–	–	1	–	–	–	–	–	1	–
		F	3	–	–	–	–	–	–	–	–	1	1	1	4	–	–	–	–	–	1	–	–	3	–	–
15	Cerebral hæmorrhage	M	12	–	–	–	–	–	–	–	1	2	5	4	20	–	–	–	–	–	–	–	–	2	7	11
		F	29	–	–	–	–	–	–	–	2	3	8	16	27	–	–	–	–	–	1	–	1	2	11	12
16	Heart disease	M	33	–	–	–	–	–	–	4	2	9	10	8	50	–	–	–	1	1	1	–	6	10	12	19
		F	42	–	–	–	1	–	–	2	2	11	12	14	67	–	–	–	1	1	–	1	6	9	16	33
17	Aneurysm	M	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
18	Other circulatory	M	9	–	–	–	–	–	–	–	1	1	1	6	9	–	–	–	–	–	–	–	–	–	1	8
		F	7	–	1	–	–	–	–	–	–	–	2	4	11	–	–	–	–	–	–	–	–	–	3	8
19	Bronchitis	M	9	1	–	–	–	–	–	1	–	2	1	4	11	–	2	–	–	–	–	–	–	–	1	8
		F	18	–	–	–	–	–	–	1	1	1	4	11	17	2	–	–	–	–	–	1	–	1	1	12
20	Pneumonia	M	9	2	3	1	–	1	–	–	–	–	1	1	12	3	–	2	1	–	–	–	–	2	2	2
		F	8	2	1	1	1	–	–	–	1	–	–	2	10	–	–	–	–	–	–	1	1	1	3	4
21	Other respiratory	M	2	–	–	–	–	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–	1	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–
22	Peptic ulcer	M	1	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
		F	3	–	–	–	–	–	–	2	1	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
23	Diarrhœa	M	2	2	–	–	–	–	–	–	–	–	–	–	5	2	1	–	–	–	–	1	1	–	–	–
		F	6	1	–	–	1	–	–	–	2	–	–	2	2	2	–	–	–	–	–	–	–	–	–	–
24	Appendicitis	M	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	1	–	–	–	–	1	–
25	Cirrhosis of liver	M	1	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	1	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
26	Other liver diseases	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	–	1
27	Other digestive	M	3	–	–	1	–	–	–	–	–	–	1	1	5	–	–	–	–	–	1	–	–	1	–	3
		F	7	1	–	–	–	–	–	–	1	–	4	1	12	–	–	–	2	–	2	4	1	1	1	1
28	Nephritis	M	8	–	–	–	–	–	1	1	1	1	3	1	7	–	–	–	–	–	–	–	–	2	3	2
		F	5	–	–	–	–	1	–	2	–	–	–	2	9	–	–	–	–	–	–	–	1	3	3	2
29	Puerperal sepsis	F	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	1	1	–	–	–	–
30	Other puerperal	F	2	–	–	–	–	1	1	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
31	Congenital causes, etc.	M	9	9	–	–	–	–	–	–	–	–	–	–	21	21	–	–	–	–	–	–	–	–	–	–
		F	5	5	–	–	–	–	–	–	–	–	–	–	12	11	–	1	–	–	–	–	–	–	–	–
32	Senility	M	16	–	–	–	–	–	–	–	–	–	1	15	19	–	–	–	–	–	–	–	–	–	1	18
		F	16	–	–	–	–	–	–	–	–	–	–	16	32	–	–	–	–	–	–	–	–	–	1	31
33	Suicide	M	4	–	–	–	–	–	–	1	–	2	1	–	3	–	–	–	–	–	–	–	1	–	1	1
		F	3	–	–	–	–	–	–	1	1	1	–	–	5	–	–	–	–	1	–	2	2	–	–	–
34	Other violence	M	13	1	–	–	2	4	1	1	–	2	2	–	28	1	–	1	2	8	9	1	1	2	2	1
		F	8	–	–	–	1	–	2	1	3	–	–	1	8	1	–	2	2	–	–	2	–	–	–	1
35	Other defined causes	M	24	2	–	1	3	–	1	–	3	3	4	7	17	–	–	2	–	1	2	–	2	2	5	3
		F	17	2	1	1	1	1	2	1	1	6	–	1	34	2	2	–	–	2	1	2	7	4	9	5
36	Ill-defined causes	M	1	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	2
		F	1	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	2

Causes of Death. (See first page of Table.)		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
All Causes	M	252	25	2	1	3	8	8	10	19	40	68	68	426	20	9	2	7	22	18	19	33	60	96	140
	F	288	8	1	4	4	6	7	9	29	46	50	124	418	25	4	4	14	16	18	27	29	40	72	169
1 Typhoid fever, etc.	M	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	1	–	–	1	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2 Measles	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	1	–	–	–	–	–	–	–
3 Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	2	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
4 Whooping cough	M	2	1	–	1	–	–	–	–	–	–	–	–	2	–	2	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
5 Diphtheria	M	1	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
	F	1	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
6 Influenza	M	4	–	–	–	–	–	–	1	–	–	2	1	24	–	–	–	–	–	1	6	3	4	4	6
	F	7	–	–	–	–	–	1	–	–	1	2	3	25	2	–	–	–	1	1	1	–	4	5	11
7 Encephalitis lethargica	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
8 Cerebro-spinal fever	M	1	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
9 Respiratory tuberculosis	M	12	–	–	–	–	3	2	2	3	2	–	–	21	–	–	–	–	7	6	3	3	2	–	–
	F	10	–	–	–	1	2	2	1	3	1	–	–	21	–	–	–	–	9	4	2	2	4	–	–
10 Other tuberculosis	M	3	–	1	–	–	–	1	–	–	–	1	–	6	2	2	–	–	–	–	–	1	–	1	–
	F	3	–	–	–	1	–	–	1	–	1	–	–	6	–	1	1	1	–	–	2	–	–	–	1
11 Syphilis	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
12 Gen. paralysis of insane, etc.	M	3	–	–	–	–	–	–	–	2	1	–	–	3	–	–	–	–	–	–	–	1	2	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
13 Cancer	M	36	–	–	–	–	–	–	–	5	13	11	7	53	–	–	–	–	–	1	1	5	9	25	12
	F	50	–	–	1	–	–	–	3	11	13	10	12	52	–	–	–	–	–	1	4	8	8	10	21
14 Diabetes	M	5	–	–	–	–	–	–	–	–	1	3	1	4	–	–	–	–	1	–	–	1	–	–	2
	F	1	–	–	–	–	–	–	–	–	–	1	–	3	–	–	–	1	–	–	–	1	–	1	–
15 Cerebral hæmorrhage	M	16	–	–	–	–	–	–	–	1	2	5	8	25	–	–	–	–	–	–	–	2	5	3	15
	F	24	–	–	–	–	–	–	–	2	7	5	10	35	–	–	–	–	–	–	–	2	5	7	21
16 Heart disease	M	49	–	–	–	–	–	–	1	2	12	18	16	86	–	–	–	–	–	–	1	2	16	30	37
	F	69	–	–	–	–	–	1	1	3	8	16	40	95	–	–	–	–	1	1	6	4	7	25	51
17 Aneurysm	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
18 Other circulatory	M	17	–	–	–	–	–	–	–	–	2	7	8	17	–	–	–	–	–	–	–	–	1	4	12
	F	13	–	–	–	–	–	–	–	1	–	1	11	17	–	–	–	–	–	–	1	1	1	5	9
19 Bronchitis	M	15	2	–	–	–	–	–	–	2	–	1	10	21	–	–	–	1	–	–	1	1	2	4	12
	F	20	–	–	–	–	–	–	–	–	–	2	18	19	1	–	1	–	–	–	–	1	–	3	13
20 Pneumonia	M	8	4	–	–	–	–	–	2	–	–	2	–	19	3	2	–	–	1	1	2	1	1	3	5
	F	–	–	–	–	–	–	–	–	–	–	–	–	18	2	–	2	1	–	1	–	1	1	1	9
21 Other respiratory	M	4	1	1	–	–	–	–	–	1	–	–	1	5	–	1	–	–	1	–	–	–	2	–	1
	F	2	–	–	–	–	–	–	–	1	–	1	–	4	1	–	–	1	–	–	1	–	1	–	–
22 Peptic ulcer	M	2	–	–	–	–	–	–	–	–	1	1	–	3	–	–	–	–	–	–	–	2	–	1	–
	F	1	–	–	–	–	–	–	–	–	–	–	1	3	–	–	–	–	–	–	1	1	–	–	1
23 Diarrhœa	M	1	1	–	–	–	–	–	–	–	–	–	–	4	3	1	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	6	2	1	–	1	1	1	–	–	–	–	–
24 Appendicitis	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
	F	3	–	–	–	–	–	–	1	–	1	1	–	3	–	–	–	1	–	1	–	–	–	–	1
25 Cirrhosis of liver	M	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	1	–
	F	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
26 Other liver diseases	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
	F	1	–	–	–	–	–	–	–	–	1	–	–	3	–	–	–	–	–	–	2	–	–	–	1
27 Other digestive	M	4	–	–	–	–	–	1	–	–	2	1	–	10	1	–	–	1	–	1	–	2	1	2	2
	F	5	–	–	1	–	–	–	–	1	–	1	2	9	1	1	–	–	–	–	2	1	–	1	3
28 Nephritis	M	8	–	–	–	–	1	–	–	–	2	4	1	12	–	–	–	–	–	2	–	–	2	4	4
	F	4	–	–	–	–	–	1	1	1	–	–	1	17	1	–	–	1	–	1	–	1	3	5	5
29 Puerperal sepsis	F	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	1	1	–	–	–	–
30 Other puerperal	F	2	–	–	–	–	1	1	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
31 Congenital causes, etc.	M	12	12	–	–	–	–	–	–	–	–	–	–	9	9	–	–	–	–	–	–	–	–	–	–
	F	7	7	–	–	–	–	–	–	–	–	–	–	10	10	–	–	–	–	–	–	–	–	–	–
32 Senility	M	9	–	–	–	–	–	–	–	–	–	1	8	12	–	–	–	–	–	–	–	–	–	2	10
	F	19	–	–	–	–	–	–	–	–	–	2	17	19	–	–	–	–	–	–	–	–	–	–	19
33 Suicide	M	2	–	–	–	–	–	–	–	1	–	1	–	9	–	–	–	–	1	1	1	2	4	–	–
	F	3	–	–	–	–	–	–	–	–	2	1	–	2	–	–	–	–	–	2	–	–	–	–	–
34 Other violence	M	13	–	–	–	1	4	1	3	1	–	2	1	23	1	–	2	1	6	1	2	1	4	2	3
	F	10	1	–	1	–	3	1	–	1	1	–	2	3	–	–	–	2	–	–	–	–	–	1	–
35 Other defined causes	M	23	3	–	–	1	–	3	1	1	1	8	5	47	–	1	–	2	5	3	1	4	3	10	18
	F	27	–	1	1	1	–	–	1	3	9	5	6	36	3	1	–	3	4	2	2	6	5	7	3
36 Ill-defined causes	M	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	2	–	–		–	–	–	–	–	–	1	1	2	–	–	–	–	–	–	–	–	1	1	–

Causes of Death. *See* first page of Table.		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75
	All Causes	M	791	62	12	18	24	41	24	40	85	128	176	181	842	83	10	10	17	28	24	34	56	114	191	27
		F	768	38	12	9	19	29	32	44	77	127	166	215	810	29	14	11	24	31	31	40	60	82	181	30
1	Typhoid fever, etc.	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
2	Measles	M	7	1	3	3	–	–	–	–	–	–	–	–	3	–	2	–	1	–	–	–	–	–	–	–
		F	2	1	1	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
3	Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
4	Whooping cough	M	6	2	2	2	–	–	–	–	–	–	–	–	4	1	3	–	–	–	–	–	–	–	–	–
		F	4	1	2	1	–	–	–	–	–	–	–	–	5	1	2	1	1	–	–	–	–	–	–	–
5	Diphtheria	M	2	–	–	–	2	–	–	–	–	–	–	–	3	–	–	–	2	–	–	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	2	–	–	–	–	–	–	1	–
6	Influenza	M	55	2	–	–	2	1	2	5	10	13	9	11	39	1	–	1	–	1	1	5	5	5	5	1
		F	46	1	2	1	–	1	4	5	6	6	8	12	50	–	–	1	2	–	3	1	3	5	8	2
7	Encephalitis lethargica	M	1	–	–	–	1	–	–	–	–	–	–	–	9	–	1	1	2	1	–	1	1	–	2	–
		F	2	–	–	–	–	1	–	–	1	–	–	–	3	–	–	–	–	–	1	–	–	2	–	–
8	Cerebro-spinal fever	M	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
		F	1	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
9	Respiratory tuberculosis	M	49	–	–	–	3	12	12	6	10	4	2	–	30	–	–	–	1	5	6	8	3	3	3	
		F	55	–	1	–	3	16	13	8	7	4	2	1	37	–	–	1	2	13	6	8	3	1	3	–
10	Other tuberculosis	M	13	1	–	2	5	2	2	1	–	–	–	–	7	2	–	–	2	1	–	–	1	1	–	–
		F	4	–	–	–	1	1	–	–	–	1	–	1	6	–	–	–	1	1	2	1	–	1	–	–
11	Syphilis	M	4	2	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	1	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	2	–	–	–	–
12	Gen. paralysis of insane, etc.	M	7	–	–	–	–	–	1	1	1	3	1	–	6	–	–	–	–	–	–	1	–	2	3	–
		F	1	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	1	–	–	1	–	–	–	–
13	Cancer	M	79	–	–	–	–	–	2	1	15	19	19	23	102	1	–	–	–	–	–	1	8	26	38	2
		F	107	–	–	–	–	–	1	9	15	26	29	27	114	–	–	–	–	1	2	4	22	22	33	3
14	Diabetes	M	15	–	–	–	1	–	–	–	1	2	6	5	11	–	–	–	–	1	2	–	2	2	–	
		F	15	–	–	–	–	1	–	1	2	7	1	3	13	–	–	–	1	1	1	–	1	4	3	
15	Cerebral hæmorrhage	M	41	–	–	–	–	–	–	1	1	6	16	17	34	–	–	–	–	–	–	–	2	6	9	1
		F	60	–	–	–	–	–	–	3	4	12	24	17	47	–	–	–	–	–	–	–	3	4	16	2
16	Heart disease	M	158	–	–	–	1	2	–	8	14	29	54	50	165	–	–	–	–	–	2	4	14	25	54	6
		F	143	–	–	–	–	–	4	3	12	28	42	54	174	–	–	–	1	1	5	4	10	16	55	8
17	Aneurysm	M	2	–	–	–	–	–	–	–	1	1	–	–	3	–	–	–	–	–	–	1	1	–	1	
		F	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	
18	Other circulatory	M	30	1	–	–	–	–	–	–	1	10	9	9	55	–	–	–	–	–	–	–	–	5	19	3
		F	37	–	–	–	–	–	1	–	2	8	12	14	35	–	–	–	–	–	–	–	1	2	13	1
19	Bronchitis	M	25	2	–	–	–	–	–	–	3	–	9	11	28	2	–	–	–	–	–	–	–	4	3	1
		F	33	1	1	–	–	–	–	–	1	4	6	20	36	1	1	–	1	–	–	–	1	1	8	2
20	Pneumonia	M	49	7	3	5	–	1	–	6	4	9	8	6	33	8	1	2	2	1	1	2	2	4	4	
		F	39	10	2	2	–	–	1	2	2	4	9	7	24	4	6	2	1	–	–	4	–	3	2	
21	Other respiratory	M	4	1	–	–	–	1	–	–	–	1	1	–	7	–	–	–	1	–	–	1	–	–	3	
		F	4	–	–	–	–	2	–	–	–	–	1	1	9	–	1	–	1	–	1	–	–	1	1	
22	Peptic ulcer	M	12	–	–	–	–	–	1	2	6	2	1	–	5	–	–	–	–	1	1	1	–	–	1	
		F	4	–	–	–	–	–	–	–	1	1	2	–	4	–	–	–	–	–	–	–	–	1	1	
23	Diarrhœa	M	4	2	1	1	–	–	–	–	–	–	–	–	12	6	–	2	–	1	–	–	–	–	2	
		F	4	1	2	–	–	–	–	1	–	–	–	–	7	1	–	–	1	–	–	–	–	–	3	
24	Appendicitis	M	5	–	–	–	1	1	–	–	1	2	–	–	7	–	–	–	–	–	2	1	2	2	–	
		F	4	–	–	–	1	–	–	–	2	1	–	–	2	–	–	–	–	1	–	–	–	–	1	–
25	Cirrhosis of liver	M	1	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	2	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	1	–	–
26	Other liver diseases	M	4	–	–	–	–	–	–	–	–	2	1	1	1	–	–	–	–	–	–	–	–	–	–	1
		F	2	–	–	–	–	–	–	1	–	–	1	–	11	–	–	–	–	–	–	1	2	2	3	3
27	Other digestive	M	14	–	–	–	1	1	–	–	–	1	5	6	18	1	–	–	1	–	1	–	1	2	4	8
		F	15	1	–	1	2	1	2	1	2	2	2	1	17	–	–	–	1	1	1	1	2	3	4	4
28	Nephritis	M	28	–	–	–	–	–	–	–	5	4	10	9	14	–	–	–	–	–	–	–	1	2	7	4
		F	25	–	–	–	–	–	1	2	3	4	8	7	30	–	–	–	3	2	1	1	1	5	8	9
29	Puerperal sepsis	F	3	–	–	–	–	1	2	–	–	–	–	–	2	–	–	–	–	2	–	–	–	–	–	–
30	Other puerperal	F	1	–	–	–	–	–	–	1	–	–	–	–	6	–	–	–	–	3	1	2	–	–	–	–
31	Congenital causes, etc.	M	38	37	–	–	–	1	–	–	–	–	–	–	53	53	–	–	–	–	–	–	–	–	–	–
		F	24	21	–	1	1	1	–	–	–	–	–	–	22	21	–	–	–	1	–	–	–	–	–	–
32	Senility	M	24	–	–	–	–	–	–	–	–	–	5	19	46	–	–	–	–	–	–	–	–	–	4	42
		F	35	–	–	–	–	–	–	–	–	–	–	35	56	–	–	–	–	–	–	–	–	–	2	54
33	Suicide	M	13	–	–	–	–	1	1	1	3	4	3	–	13	–	–	–	–	1	–	2	2	4	3	
		F	4	–	–	–	–	–	–	1	2	1	–	–	4	–	–	–	–	1	1	2	–	–	–	–
34	Other violence	M	36	–	1	2	3	15	2	4	6	2	1	–	44	1	–	2	3	11	3	5	5	4	1	
		F	13	–	–	–	1	–	–	–	–	1	5	6	16	–	–	1	1	–	2	–	1	1	4	
35	Other defined causes	M	63	4	2	2	4	3	1	4	3	11	16	13	85	7	3	1	2	4	5	1	4	15	25	1
		F	79	–	1	3	10	3	3	6	13	17	14	9	65	1	4	1	4	3	4	8	9	7	11	1
36	Ill-defined causes	M	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	
		F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	

Causes of Death. (See first page of Table.)		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
All Causes	M	8097	661	112	116	187	315	454	515	961	1427	1736	1613	235	26	2	9	9	9	17	16	21	40	42	44
	F	8481	467	71	101	170	301	442	547	801	1193	1782	2606	253	18	3	2	2	4	21	23	18	26	53	83
1 Typhoid fever, etc.	M	4	–	–	1	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2 Measles	M	4	–	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	2	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
3 Scarlet fever	M	18	2	1	4	10	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	14	1	–	6	5	–	1	1	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
4 Whooping cough	M	34	15	15	4	–	–	–	–	–	–	–	–	2	1	–	1	–	–	–	–	–	–	–	–
	F	51	17	15	13	3	1	–	–	–	1	–	1	1	–	1	–	–	–	–	–	–	–	–	–
5 Diphtheria	M	49	4	2	19	22	1	–	1	–	–	–	–	2	–	–	1	1	–	–	–	–	–	–	–
	F	43	–	1	15	24	1	–	1	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
6 Influenza	M	317	6	9	1	6	9	14	35	64	65	40	68	12	–	–	1	1	1	1	–	3	3	–	2
	F	382	6	1	6	6	13	20	36	42	50	75	127	5	–	1	–	–	–	–	–	–	1	1	2
7 Encephalitis lethargica	M	5	–	–	–	–	–	1	–	1	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–
	F	11	–	–	–	–	2	–	2	1	4	1	1	–	–	–	–	–	–	–	–	–	–	–	–
8 Cerebro-spinal fever	M	10	4	1	2	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	8	2	–	1	1	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9 Respiratory tuberculosis	M	573	–	2	3	3	85	140	107	136	67	26	4	9	–	–	–	–	1	3	1	1	2	–	1
	F	451	1	1	–	5	119	127	89	55	31	19	4	13	–	–	–	–	1	6	5	–	1	–	–
10 Other tuberculosis	M	91	4	15	10	16	15	8	4	10	5	3	1	6	–	–	2	2	2	–	–	–	–	–	–
	F	80	4	7	11	16	10	15	7	3	4	3	–	1	–	–	1	–	–	–	–	–	–	–	–
Syphilis	M	28	1	1	–	–	–	2	1	10	9	4	–	1	–	–	–	1	–	–	–	–	–	–	–
	F	6	2	–	–	–	–	1	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Gen. paralysis of insane, etc.	M	52	–	–	–	–	–	2	8	15	15	11	1	–	–	–	–	–	–	–	–	–	–	–	–
	F	9	–	–	–	–	–	1	2	2	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	M	1033	–	–	3	2	5	22	59	139	307	318	178	25	–	–	–	–	–	–	2	1	4	10	8
	F	1303	–	–	1	2	3	24	95	245	316	352	265	39	–	–	–	–	–	2	1	5	4	10	17
Diabetes	M	74	–	–	–	2	1	6	1	4	14	34	12	3	–	–	–	–	–	1	–	–	1	–	1
	F	121	–	–	–	1	3	4	9	7	29	45	23	5	–	–	–	–	–	–	1	1	1	1	1
Cerebral hæmorrhage	M	298	–	–	–	–	–	–	10	32	49	106	101	8	–	–	–	–	–	–	–	–	3	4	1
	F	429	–	–	–	1	–	–	7	37	89	125	170	18	–	–	–	–	–	–	–	2	5	5	6
Heart disease	M	1683	–	–	1	15	10	33	46	149	338	502	589	45	–	–	–	–	–	–	6	5	9	11	14
	F	2012	–	–	1	9	27	43	57	105	261	535	974	52	–	–	–	–	–	3	2	3	3	17	24
Aneurysm	M	42	–	–	–	–	–	3	4	7	14	10	4	1	–	–	–	–	–	–	–	–	1	–	–
	F	26	–	–	–	–	3	–	1	3	7	9	3	1	–	–	–	–	–	–	1	–	–	–	–
Other circulatory	M	341	1	–	–	–	–	2	7	27	65	114	125	12	–	–	–	–	–	–	–	–	4	3	5
	F	371	1	–	–	–	–	3	1	22	52	106	186	11	–	–	–	–	–	–	1	1	1	3	5
Bronchitis	M	272	13	2	2	2	1	4	12	28	40	64	104	4	1	–	–	–	–	–	–	–	–	–	3
	F	294	11	2	–	3	1	3	3	12	15	58	186	5	–	–	–	–	–	–	1	–	–	1	3
Pneumonia	M	568	87	20	23	9	17	22	51	85	91	96	67	12	1	–	–	1	1	–	2	–	2	1	2
	F	529	65	22	20	7	12	15	42	34	60	106	146	9	–	–	–	–	–	–	1	1	1	3	3
Other respiratory	M	96	–	1	3	1	6	8	10	22	17	17	11	2	–	–	1	1	–	–	–	–	–	–	–
	F	76	3	–	3	2	5	5	4	9	12	13	20	2	–	–	–	–	–	1	–	–	1	–	–
Peptic ulcer	M	113	–	–	–	–	2	4	16	26	34	23	8	5	–	–	–	–	–	–	1	4	–	–	–
	F	40	–	–	–	–	1	2	4	7	12	11	3	1	–	–	–	–	–	–	–	–	–	1	–
Diarrhœa	M	108	77	6	3	1	2	6	–	2	2	3	6	1	1	–	–	–	–	–	–	–	–	–	–
	F	83	46	1	2	–	5	5	4	5	1	6	8	3	3	–	–	–	–	–	–	–	–	–	–
Appendicitis	M	57	–	–	3	4	7	8	7	4	12	9	3	–	–	–	–	–	–	–	–	–	–	–	–
	F	53	–	1	–	5	7	7	7	8	8	7	3	3	–	–	1	1	–	–	–	1	–	–	–
Cirrhosis of liver	M	24	–	–	–	–	–	–	2	5	7	9	1	–	–	–	–	–	–	–	–	–	–	–	–
	F	20	–	–	–	1	–	–	–	4	7	6	2	–	–	–	–	–	–	–	–	–	–	–	–
Other liver diseases	M	20	–	–	–	1	–	–	1	2	7	4	5	–	–	–	–	–	–	–	–	–	–	–	–
	F	49	–	–	–	1	–	1	–	2	10	15	20	–	–	–	–	–	–	–	–	–	–	–	–
Other digestive	M	165	2	8	4	11	13	12	13	23	25	39	15	8	1	–	1	2	–	1	–	2	1	–	–
	F	175	5	2	2	13	6	5	10	27	28	35	42	8	–	–	–	–	1	1	1	1	–	1	3
Nephritis	M	237	3	–	1	2	7	7	10	41	57	62	47	5	–	–	–	–	–	–	–	–	1	1	3
	F	247	1	–	2	5	3	6	22	31	58	73	46	12	–	–	–	–	–	–	–	1	2	4	5
Puerperal sepsis	F	50	–	–	–	–	7	25	17	1	–	–	–	2	–	–	–	–	–	1	1	–	–	–	–
Other puerperal	F	62	–	–	–	–	5	41	15	1	–	–	–	3	–	–	–	–	–	2	1	–	–	–	–
Congenital causes, etc.	M	403	392	5	1	2	2	1	–	–	–	–	–	18	18	–	–	–	–	–	–	–	–	–	–
	F	267	258	4	2	2	1	–	–	–	–	–	–	11	11	–	–	–	–	–	–	–	–	–	–
Senility	M	99	–	–	–	–	–	–	–	–	–	10	89	1	–	–	–	–	–	–	–	–	–	–	1
	F	238	–	–	–	–	–	–	–	–	5	28	205	8	–	–	–	–	–	–	–	–	–	–	8
Suicide	M	148	–	–	–	–	9	25	21	27	36	22	8	6	–	–	–	–	–	2	1	1	1	1	–
	F	87	–	–	–	–	9	20	23	16	14	5	–	5	–	–	–	–	–	1	3	–	1	–	–
Other violence	M	418	13	9	11	33	75	73	34	40	51	49	30	15	1	–	–	–	3	5	2	2	1	–	1
	F	241	15	5	6	19	17	19	10	18	24	36	72	6	1	1	–	–	1	–	1	–	–	–	2
Other defined causes	M	708	36	14	16	41	47	48	54	62	99	158	133	32	2	2	1	–	2	2	3	–	8	10	2
	F	645	28	9	8	39	38	48	76	101	91	111	96	27	2	–	–	–	1	4	3	2	5	6	4
Ill-defined causes	M	5	1	–	–	–	–	–	–	–	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–
	F	5	1	–	–	–	–	–	–	2	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–

	Causes of Death. *See* first page of Table.		Aggregate of Urban Districts. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	Aggregate of Rural Districts. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75
	All Causes	M	377	25	4	7	7	8	18	20	32	54	86	116	1,715	117	19	22	30	35	54	65	120	208	395	65
		F	418	16	4	3	3	6	14	22	42	50	89	169	1,679	93	16	26	20	26	54	62	118	193	352	71
1	Typhoid fever, etc.	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2	Measles	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
3	Scarlet fever	M	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
4	Whooping cough	M	1	–	1	–	–	–	–	–	–	–	–	–	7	4	1	2	–	–	–	–	–	–	–	–
		F	2	1	–	1	–	–	–	–	–	–	–	–	9	2	–	7	–	–	–	–	–	–	–	–
	Diphtheria	M	4	–	–	1	3	–	–	–	–	–	–	–	8	1	–	3	4	–	–	–	–	–	–	–
		F	1	–	–	–	1	–	–	–	–	–	–	–	5	1	1	1	2	–	–	–	–	–	–	–
	Influenza	M	11	–	–	–	–	–	1	3	1	3	1	2	75	2	–	–	2	4	2	4	12	8	14	2
		F	17	–	–	–	–	2	1	–	2	1	4	7	104	–	–	–	1	–	3	9	9	13	17	5
7	Encephalitis lethargica	M	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	1	–	–
		F	1	–	–	–	–	–	–	–	1	–	–	–	3	–	–	–	–	–	–	1	–	–	2	–
8	Cerebro-spinal fever	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	1	–	–	–
9	Respiratory tuberculosis	M	18	–	–	1	–	4	3	5	2	3	–	–	48	–	–	–	1	8	10	11	7	6	4	–
		F	15	–	–	–	–	2	5	3	4	–	–	1	60	–	–	–	3	11	22	11	3	7	3	–
10	Other tuberculosis	M	5	–	–	1	1	1	–	1	1	–	–	–	18	–	1	4	2	2	4	2	3	–	–	–
		F	5	1	1	1	–	–	–	1	–	1	–	–	13	1	1	4	2	3	–	1	–	1	–	–
11	Syphilis	M	2	–	–	–	–	–	–	–	1	–	–	1	4	1	–	–	–	–	–	–	1	2	–	–
		F	1	–	–	–	–	–	–	–	–	–	1	–	4	–	–	–	–	–	–	1	1	1	1	–
12	Gen. paralysis of insane, etc.	M	4	–	–	–	–	–	–	1	1	–	1	1	3	–	–	–	–	–	–	–	–	1	2	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13	Cancer	M	60	–	–	1	–	–	–	2	3	14	22	18	230	–	–	–	–	–	1	7	20	50	77	7
		F	73	–	–	–	–	–	–	5	10	10	28	20	263	–	–	–	–	2	2	11	45	54	86	6
14	Diabetes	M	6	–	–	–	–	–	1	–	–	1	1	3	20	–	–	–	1	–	–	–	2	5	6	
		F	12	–	–	–	–	–	–	–	–	5	3	4	20	–	–	–	–	–	1	–	3	3	8	
15	Cerebral hæmorrhage	M	21	–	–	–	–	–	–	1	–	4	9	7	92	–	–	–	–	–	–	1	5	9	30	4
		F	22	–	–	–	–	–	–	–	2	4	3	13	103	–	–	–	–	–	–	1	7	10	24	6
16	Heart disease	M	81	–	–	–	–	–	2	1	5	11	23	39	346	–	–	–	1	1	1	4	18	44	107	17
		F	81	–	–	–	1	–	–	3	4	10	19	44	387	–	–	–	1	3	4	3	10	45	92	22
17	Aneurysm	M	2	–	–	–	–	–	–	–	2	–	–	–	3	–	–	–	–	–	–	–	1	1	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	1	1	–	
18	Other circulatory	M	19	–	–	–	–	–	–	–	1	3	5	10	128	–	–	–	–	–	–	1	–	1	7	38	8
		F	24	–	–	–	–	–	–	–	–	–	4	20	80	–	–	–	–	–	–	–	–	9	19	5
19	Bronchitis	M	16	1	–	–	–	–	–	–	1	2	2	10	71	7	–	1	1	–	–	–	–	1	8	5
		F	22	–	–	–	–	–	–	1	–	1	5	15	55	2	2	–	–	–	–	–	–	–	12	3
20	Pneumonia	M	12	4	–	1	–	1	1	2	2	1	–	–	79	13	11	3	–	1	3	5	9	11	7	1
		F	13	4	3	–	–	–	2	1	–	–	–	3	67	9	4	4	3	–	1	2	1	9	16	1
21	Other respiratory	M	4	–	1	–	–	–	–	–	1	–	–	2	25	3	–	–	–	1	2	2	5	3	7	
		F	9	–	–	–	–	–	1	–	–	2	2	4	16	–	–	–	–	1	–	2	1	2	4	
22	Peptic ulcer	M	2	–	–	–	–	–	1	1	–	–	–	–	19	–	–	–	–	–	3	3	3	3	5	
		F	–	–	–	–	–	–	–	–	–	–	–	–	9	–	–	–	–	1	–	–	1	2	2	
23	Diarrhœa	M	4	2	1	–	–	–	1	–	–	–	–	–	12	3	–	–	–	–	1	–	1	2	3	
		F	1	1	–	–	–	–	–	–	–	–	–	–	5	3	1	–	–	–	–	–	1	–	–	
24	Appendicitis	M	1	–	–	–	–	–	–	–	–	1	–	–	9	–	–	–	–	–	2	1	–	2	2	
		F	3	–	–	–	1	–	–	–	2	–	–	–	6	–	–	–	1	–	1	3	–	1	–	
25	Cirrhosis of liver	M	3	–	–	–	–	–	–	–	1	–	2	–	6	–	–	–	–	–	–	–	–	2	3	
		F	2	–	–	–	–	–	–	–	–	–	2	–	2	–	–	–	–	–	–	–	–	–	1	
26	Other liver diseases	M	–	–	–	–	–	–	–	–	–	–	–	–	9	–	–	–	–	–	–	1	1	–	1	
		F	2	–	–	–	–	–	–	–	1	–	–	1	9	–	–	–	–	–	–	–	2	2	3	
27	Other digestive	M	6	1	–	1	–	–	–	–	1	–	1	2	30	1	2	2	1	–	1	2	2	5	9	
		F	8	–	–	–	–	–	–	–	–	1	3	4	37	1	–	1	3	–	2	3	5	6	9	
28	Nephritis	M	7	–	–	–	–	–	–	–	–	1	2	4	39	–	–	–	–	1	1	1	2	5	12	
		F	17	–	–	–	–	–	1	2	3	3	4	4	27	–	–	–	–	1	–	–	4	1	4	
29	Puerperal sepsis	F	1	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–	–	2	–	–	–	–	
30	Other puerperal	F	1	–	–	–	–	–	1	–	–	–	–	–	9	–	–	–	–	1	6	1	1	–	–	
31	Congenital causes, etc.	M	18	17	–	1	–	–	–	–	–	–	–	–	70	70	–	–	–	–	–	–	–	–	–	
		F	8	8	–	–	–	–	–	–	–	–	–	–	71	69	1	–	–	1	–	–	–	–	–	
32	Senility	M	8	–	–	–	–	–	–	–	–	–	–	8	82	–	–	–	–	–	–	–	–	–	6	
		F	24	–	–	–	–	–	–	–	–	–	1	23	121	–	–	–	–	–	–	–	–	–	7	1
33	Suicide	M	7	–	–	–	–	–	2	1	2	1	–	1	31	–	–	–	–	2	11	2	6	4	3	
		F	4	–	–	–	–	–	1	1	2	–	–	–	6	–	–	–	–	1	1	–	–	2	2	
34	Other violence	M	15	–	1	–	1	2	1	1	4	3	1	1	77	3	1	2	6	11	6	11	12	11	5	
		F	10	–	–	–	–	1	1	2	1	1	–	4	38	–	–	3	2	1	2	3	3	2	3	
35	Other defined causes	M	34	–	–	–	2	–	5	1	2	5	12	7	152	8	2	4	9	4	5	8	7	23	37	
		F	37	1	–	1	–	1	1	2	10	11	8	2	133	5	4	6	2	–	7	9	19	21	34	
36	Ill-defined causes	M	5	–	–	–	–	–	–	–	–	1	4	–	17	1	1	–	–	–	–	–	1	2	8	
		F	2	–	–	–	–	–	–	–	–	–	2	–	10	–	1	–	–	–	–	1	–	1	3	

Causes of Death. (See first page of Table.)		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
All Causes	M	596	31	7	2	14	28	37	28	49	90	150	160	713	35	4	4	10	17	26	31	57	98	177	254
	F	566	15	6	6	7	23	28	36	59	95	134	157	667	31	4	4	8	22	25	22	55	84	155	257
Typhoid fever, etc.	M	10	–	–	–	–	1	3	1	2	2	1	–	6	–	–	–	–	–	–	1	3	–	2	–
	F	2	–	–	–	–	–	–	2	–	–	–	–	4	–	–	–	–	–	2	2	–	–	–	–
Measles	M	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	1	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Whooping cough	M	1	1	–	–	–	–	–	–	–	–	–	–	2	1	1	–	–	–	–	–	–	–	–	–
	F	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	M	1	–	1	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	1	–	–	1	–	–
	F	2	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	M	22	–	–	–	–	3	2	1	4	3	5	4	21	1	–	–	–	2	–	1	1	8	3	5
	F	16	–	–	–	1	1	–	3	1	1	4	5	19	–	–	–	1	–	2	3	1	2	3	7
Encephalitis lethargica	M	2	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	—	–	–	–	–
	F	3	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cerebro-spinal fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Respiratory tuberculosis	M	38	–	–	–	1	7	13	5	6	3	3	–	26	–	–	–	–	6	8	1	7	3	1	–
	F	33	–	–	–	–	10	6	8	5	3	1	–	19	–	–	–	–	6	7	3	2	–	1	–
Other tuberculosis	M	7	2	1	1	1	1	1	–	–	–	–	–	5	–	1	1	–	–	1	2	–	–	–	–
	F	3	–	–	–	–	–	1	1	–	1	–	–	5	–	–	1	–	4	–	–	–	–	–	–
Syphilis	M	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
Gen. paralysis of insane, etc.	M	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	–	–	1
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	M	82	–	–	–	1	2	–	1	10	22	27	19	87	–	–	–	–	–	1	3	11	17	25	30
	F	70	–	–	–	–	–	–	6	14	20	15	15	93	–	–	–	–	1	1	3	13	27	21	27
Diabetes	M	6	–	–	–	–	–	–	–	1	2	2	1	6	–	–	–	1	–	–	–	–	–	4	1
	F	11	–	–	–	–	–	1	–	–	3	6	1	9	–	–	–	–	–	–	–	2	1	6	–
Cerebral hæmorrhage	M	34	–	–	–	–	–	–	1	–	7	10	16	41	–	–	–	–	–	1	–	–	8	13	19
	F	53	–	–	–	–	–	1	–	2	11	17	22	43	–	–	–	–	–	–	–	4	4	20	15
Heart disease	M	145	–	–	–	3	2	2	2	12	15	48	61	149	–	–	–	3	3	1	5	6	19	49	63
	F	145	–	–	–	1	1	2	7	11	24	47	52	169	–	–	–	1	3	3	3	9	21	54	75
Aneurysm	M	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	3	–	–	–	–	–	–	–	1	1	–	1	1	–	–	–	–	–	–	–	–	–	–	1
Other circulatory	M	24	–	–	–	–	1	–	–	–	2	8	13	42	–	–	–	–	–	–	–	2	4	12	24
	F	16	–	–	–	–	–	–	–	2	2	5	7	40	–	–	–	–	–	–	–	2	4	9	25
Bronchitis	M	25	2	–	1	–	–	1	2	2	7	3	7	46	1	–	–	–	–	1	1	2	2	12	27
	F	18	–	1	1	–	–	2	–	1	2	4	7	23	1	1	–	–	–	–	–	1	1	3	16
Pneumonia	M	16	2	3	–	–	1	3	2	1	2	1	1	26	1	–	2	2	–	–	5	3	3	2	8
	F	14	1	–	1	1	–	1	1	–	1	3	5	20	2	–	1	1	1	–	–	1	1	5	8
Other respiratory	M	8	1	–	–	–	2	–	1	–	1	1	2	5	–	–	–	–	–	–	–	2	–	1	2
	F	3	–	–	–	–	1	–	–	–	1	1	–	8	–	–	–	–	–	–	–	1	2	2	3
Peptic ulcer	M	8	–	–	–	–	–	1	1	1	1	4	–	13	–	–	–	–	–	1	1	6	2	2	1
	F	2	–	–	–	–	–	–	1	1	–	–	–	2	–	–	–	–	–	–	–	1	–	1	–
Diarrhœa	M	6	1	–	–	1	–	–	–	–	1	1	2	2	–	–	–	–	–	–	–	–	1	–	1
	F	2	1	–	–	–	–	–	–	1	–	–	–	4	2	1	–	–	–	–	–	–	1	–	–
Appendicitis	M	4	–	–	–	–	–	–	1	1	1	1	–	6	–	–	1	–	–	–	–	–	2	1	2
	F	7	–	–	–	1	–	–	1	3	1	1	–	2	–	–	–	–	–	–	–	–	1	1	–
Cirrhosis of liver	M	2	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	1	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Other liver diseases	M	2	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	3	–	–	–	–	–	–	–	–	1	2	–	1	–	–	–	–	–	–	–	1	–	–	–
Other digestive	M	10	1	–	–	–	–	2	1	2	–	3	1	15	–	–	–	1	1	1	1	–	2	7	2
	F	10	–	–	–	–	1	–	–	1	1	5	2	14	1	1	–	–	–	–	–	–	3	3	6
Nephritis	M	19	–	–	–	–	1	–	1	2	1	7	7	25	–	1	–	–	–	–	1	–	4	8	11
	F	21	–	–	–	1	1	2	1	4	4	3	5	22	–	–	–	1	1	–	–	1	5	6	8
Puerperal sepsis	F	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	2	–	–	–	–	–
Other puerperal	F	4	–	–	–	–	1	3	–	–	–	–	–	3	–	–	–	–	–	1	2	–	–	–	–
Congenital causes, etc.	M	20	19	–	–	–	–	1	–	–	–	–	–	27	27	–	–	–	–	–	–	–	–	–	–
	F	13	12	1	–	–	–	–	–	–	–	–	–	24	23	–	1	–	–	–	–	–	–	–	–
Senility	M	11	–	–	–	–	–	–	–	–	–	–	11	39	–	–	–	–	–	–	–	–	–	5	34
	F	20	–	–	–	–	–	–	–	–	1	2	17	53	–	–	–	–	–	–	–	–	–	4	49
Suicide	M	14	–	–	–	–	1	3	–	2	3	5	–	14	–	–	–	–	–	2	3	2	3	2	2
	F	6	–	–	–	–	–	–	–	1	2	2	1	2	–	–	–	–	–	–	–	2	–	–	–
Other violence	M	19	–	–	–	3	2	1	2	–	6	3	2	32	–	–	–	1	4	4	3	4	8	5	3
	F	14	–	–	–	1	1	–	1	1	3	2	5	10	–	–	1	–	1	–	1	2	–	1	4
Other defined causes	M	52	1	2	–	4	3	3	5	3	7	13	11	58	4	1	–	2	1	4	3	5	9	15	14
	F	53	–	–	2	1	4	6	4	10	10	9	7	65	2	–	–	4	5	6	5	9	11	13	10
Ill-defined causes	M	4	–	–	–	–	–	–	–	–	1	2	1	15	–	–	–	–	–	–	–	1	2	8	4
	F	13	–	–	1	–	–	–	–	–	2	5	5	7	–	1	–	–	–	–	–	2	–	1	3

Causes of Death. *See* first page of Table.		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
All Causes	M	1,954	218	56	35	55	90	113	102	178	324	425	358	599	43	5	2	16	25	29	24	63	77	151	164
	F	1,726	156	40	32	48	73	103	115	170	262	355	372	614	35	4	8	10	19	18	27	56	92	163	182
1 Typhoid fever, etc.	M	2	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	2	–	–	–	–	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
2 Measles	M	8	1	5	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	14	3	8	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
3 Scarlet fever	M	7	–	2	1	3	–	1	–	–	–	–	–	3	–	–	–	1	2	–	–	–	–	–	–
	F	7	–	–	1	4	1	1	–	–	–	–	–	2	–	–	–	2	–	–	–	–	–	–	–
4 Whooping cough	M	7	3	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	5	2	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
5 Diphtheria	M	4	–	1	2	1	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
6 Influenza	M	63	5	2	2	–	3	3	5	10	14	11	8	32	3	1	–	2	1	–	3	3	4	6	9
	F	64	1	1	3	1	4	6	5	10	7	12	14	26	–	1	–	1	1	1	1	3	2	5	11
7 Encephalitis lethargica	M	3	–	–	–	–	–	1	–	–	1	–	1	1	–	–	–	–	–	1	–	–	–	–	–
	F	7	–	–	–	–	–	2	1	1	2	1	–	2	–	–	1	–	–	–	–	–	1	–	–
8 Cerebro-spinal fever	M	10	1	2	–	1	2	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
	F	8	1	1	2	3	–	1	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
9 Respiratory tuberculosis	M	112	1	2	–	5	27	29	25	12	11	–	–	25	–	–	–	–	2	6	5	7	3	1	1
	F	105	–	–	–	6	27	32	25	6	8	1	–	26	–	–	–	1	8	5	3	3	3	3	–
10 Other tuberculosis	M	31	6	–	4	3	9	4	2	1	1	1	–	11	–	–	1	3	1	1	2	2	1	–	–
	F	27	–	2	5	4	8	4	3	–	–	1	–	12	1	1	2	–	1	4	–	1	1	1	–
11 Syphilis	M	7	2	–	–	1	–	1	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
12 Gen. paralysis of insane, etc.	M	12	–	–	–	–	–	–	5	4	3	–	–	3	–	–	–	–	–	–	–	1	2	–	–
	F	6	–	–	–	–	–	–	1	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13 Cancer	M	185	–	–	–	–	1	1	8	26	60	62	27	60	–	–	–	–	1	1	–	14	12	24	8
	F	240	–	–	–	1	1	7	21	40	66	60	44	95	–	1	–	1	–	–	6	14	18	36	19
14 Diabetes	M	21	–	–	–	1	1	1	1	5	5	5	2	5	–	–	–	–	–	–	–	–	2	1	2
	F	34	1	–	–	–	1	2	2	2	5	17	4	8	–	–	–	–	–	–	–	–	3	5	–
15 Cerebral hæmorrhage	M	116	–	–	–	–	–	1	1	5	23	58	28	21	–	–	–	–	–	–	–	–	5	9	7
	F	110	–	–	–	–	–	1	2	10	14	51	32	49	–	–	–	–	–	–	–	7	4	16	22
16 Heart disease	M	368	–	1	–	5	4	12	15	35	81	115	100	108	–	–	–	–	–	–	1	4	16	13	31	43
	F	320	–	–	–	2	6	10	8	36	67	88	103	126	–	–	–	1	1	–	7	4	23	46	44
17 Aneurysm	M	3	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
18 Other circulatory	M	113	–	–	–	1	–	–	1	6	16	43	46	42	–	–	–	–	–	–	–	–	5	14	23
	F	81	–	1	–	–	–	2	2	7	11	21	37	31	–	–	–	–	–	–	–	1	5	7	18
19 Bronchitis	M	63	11	3	–	–	–	1	4	5	5	14	20	14	1	1	–	1	–	–	–	2	1	5	3
	F	49	11	2	–	–	–	–	3	4	2	5	22	13	–	–	1	1	–	–	–	–	2	4	5
20 Pneumonia	M	109	26	14	12	9	3	3	4	13	10	7	8	23	2	–	–	–	2	2	1	2	1	6	7
	F	99	33	14	10	3	2	3	7	7	3	14	3	14	2	–	2	–	–	–	1	–	2	1	6
21 Other respiratory	M	24	–	2	–	–	1	2	1	3	5	7	3	14	–	–	–	–	2	–	–	1	–	7	4
	F	17	2	–	–	–	–	–	1	2	1	7	4	3	–	–	–	–	–	–	–	–	–	–	3
22 Peptic ulcer	M	21	–	–	–	–	–	3	3	–	8	5	2	2	–	–	–	–	–	–	–	–	–	1	1
	F	7	–	–	–	–	1	1	–	1	4	–	–	2	–	–	–	–	–	–	1	–	1	–	–
23 Diarrhœa	M	50	30	6	–	3	–	1	2	1	2	2	3	5	3	–	–	–	–	–	–	–	–	1	1
	F	39	18	4	3	4	1	1	–	1	–	4	3	6	2	–	1	–	–	1	–	–	–	1	1
24 Appendicitis	M	9	–	–	–	4	2	3	–	–	–	–	–	7	–	–	–	2	–	2	–	3	–	–	–
	F	7	–	–	–	2	–	–	–	3	2	–	–	1	–	–	–	–	–	–	–	–	1	–	–
25 Cirrhosis of liver	M	4	–	–	–	–	–	–	–	–	2	2	–	2	–	–	–	–	–	–	–	1	1	–	–
	F	3	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
26 Other liver diseases	M	3	–	–	–	–	–	–	–	1	–	1	1	1	–	–	–	–	–	–	–	–	–	–	1
	F	14	–	–	–	–	–	–	2	4	3	3	2	4	–	–	–	–	–	–	–	1	1	1	1
27 Other digestive	M	29	2	2	1	2	3	–	–	6	7	6	–	10	–	–	–	–	1	–	–	2	1	3	3
	F	26	2	1	1	–	–	2	–	1	11	4	4	6	–	1	–	–	–	–	–	2	1	2	–
28 Nephritis	M	64	–	1	–	2	1	5	1	8	17	17	12	36	–	–	1	–	–	–	1	2	6	16	10
	F	65	–	–	1	2	1	1	5	10	16	21	8	33	–	–	–	–	–	–	1	4	7	12	8
29 Puerperal sepsis	F	15	–	–	–	–	5	6	4	–	–	–	–	5	–	–	–	–	–	4	1	–	–	–	–
30 Other puerperal	F	18	–	–	–	–	5	9	4	–	–	–	–	4	–	–	–	–	2	1	1	–	–	–	–
31 Congenital causes, etc.	M	107	107	–	–	–	–	–	–	–	–	–	–	28	27	–	–	–	1	–	–	–	–	–	–
	F	73	70	–	–	2	1	–	–	–	–	–	–	21	21	–	–	–	–	–	–	–	–	–	–
32 Senility	M	73	–	–	–	–	–	–	–	–	1	17	55	27	–	–	–	–	–	–	–	–	–	3	24
	F	77	–	–	–	–	–	–	–	–	1	11	65	35	–	–	–	–	–	–	–	–	–	4	31
33 Suicide	M	26	–	–	–	–	2	3	3	5	6	5	2	3	–	–	–	–	1	–	–	1	–	1	–
	F	7	–	–	–	–	–	–	2	3	2	–	–	4	–	–	–	–	–	–	–	4	–	–	–
34 Other violence	M	98	3	2	7	3	16	19	11	13	11	7	6	37	2	1	–	1	7	11	3	3	1	4	4
	F	36	3	3	1	7	1	2	5	3	1	4	6	11	2	–	–	3	1	–	1	–	3	–	1
35 Other defined causes	M	180	19	8	3	11	15	14	6	14	30	30	30	62	5	2	–	5	4	3	5	3	10	15	10
	F	127	9	1	3	5	7	10	11	13	25	25	18	60	6	–	1	–	3	2	4	10	13	12	8
36 Ill-defined causes	M	22	1	–	–	–	–	1	1	2	5	8	4	15	–	–	–	–	–	1	–	–	8	3	3
	F	15	–	–	–	–	–	–	–	1	6	5	3	11	–	–	–	–	1	–	–	1	1	7	1

Causes of Death. (see first page of Table.)		Aggregate of Urban Districts.												Aggregate of Rural Districts.										
		All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
All Causes	M	1,527	184	29	25	34	57	79	78	153	266	320	302	1,000	104	13	14	32	53	46	66	100	137	181	254
	F	1,467	115	31	16	38	65	68	100	144	220	296	374	915	70	16	19	30	33	56	52	81	128	176	254
1 Typhoid fever, etc.	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2 Measles	M	13	3	4	4	2	–	–	–	–	–	–	–	8	1	3	1	2	1	–	–	–	–	–	–
	F	4	–	3	–	1	–	–	–	–	–	–	–	2	–	–	1	1	–	–	–	–	–	–	–
3 Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	2	–	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
4 Whooping cough	M	7	4	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	9	2	4	2	–	–	1	–	–	–	–	–	7	1	4	2	–	–	–	–	–	–	–	–
5 Diphtheria	M	4	–	–	3	1	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
	F	3	–	–	–	3	–	–	–	–	–	–	–	2	–	–	–	2	–	–	–	–	–	–	–
6 Influenza	M	63	3	2	4	–	2	6	7	6	16	8	9	45	5	–	1	–	1	3	5	2	4	10	14
	F	89	4	1	1	3	3	4	5	14	11	17	26	56	1	6	3	–	2	4	5	1	12	10	12
7 Encephalitis lethargica	M	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	1	–
	F	5	–	–	–	–	2	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
8 Cerebro-spinal fever	M	7	1	1	2	–	1	2	–	–	–	–	–	2	1	–	–	–	–	1	–	–	–	–	–
	F	11	1	1	–	3	2	2	1	–	1	–	–	3	1	–	–	1	–	–	1	–	–	–	–
9 Respiratory tuberculosis	M	80	–	–	1	–	12	24	18	12	9	4	–	46	1	–	1	–	12	8	4	9	6	3	2
	F	73	–	–	–	3	24	21	15	5	4	1	–	40	–	–	–	4	8	15	6	2	3	2	–
10 Other tuberculosis	M	26	2	1	2	9	1	4	3	2	2	–	–	9	2	1	–	2	2	1	1	–	–	–	–
	F	19	3	2	5	2	3	2	–	1	–	–	1	17	–	2	3	3	2	2	1	2	–	1	1
Syphilis	M	6	3	–	–	–	–	1	–	2	–	–	–	2	1	–	–	–	–	–	1	–	–	–	–
	F	5	1	–	–	1	–	–	–	1	2	–	–	1	1	–	–	–	–	–	–	–	–	–	–
12 Gen. paralysis of insane, etc.	M	12	–	–	–	–	–	–	2	3	5	2	–	5	–	–	–	–	–	–	2	–	2	1	–
	F	2	–	–	–	–	–	–	–	2	–	–	–	2	–	–	–	–	–	–	2	–	–	–	–
13 Cancer	M	159	–	–	–	–	2	2	6	23	49	57	20	103	–	–	–	1	1	–	7	10	33	30	21
	F	189	–	–	–	–	–	3	18	31	61	47	29	101	–	–	–	–	2	2	7	19	24	29	18
14 Diabetes	M	20	–	–	–	1	–	2	1	2	4	7	3	8	–	–	–	1	–	–	–	1	4	1	1
	F	32	–	–	–	–	1	1	2	5	8	10	5	17	–	–	–	–	–	2	1	1	2	11	–
15 Cerebral hæmorrhage	M	94	–	–	–	–	–	2	–	3	20	30	39	64	–	–	–	–	1	–	4	2	7	22	28
	F	110	–	–	–	–	–	1	4	17	18	36	34	60	–	–	–	–	–	–	1	7	12	19	21
16 Heart disease	M	214	–	–	–	1	3	3	6	22	41	83	55	170	–	–	–	1	2	3	8	15	26	49	66
	F	263	–	–	–	3	1	7	19	20	48	85	80	183	–	–	–	3	3	5	6	12	32	46	76
17 Aneurysm	M	5	–	–	–	–	–	1	–	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	3	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
18 Other circulatory	M	58	–	–	–	–	2	–	–	–	11	18	27	35	–	–	–	–	–	–	3	1	3	11	17
	F	68	–	–	–	1	–	–	1	3	5	26	32	42	–	–	–	1	–	–	–	–	6	14	21
Bronchitis	M	79	9	–	–	–	1	–	2	6	16	20	25	48	2	–	2	–	–	3	2	3	4	8	24
	F	82	10	–	–	1	–	–	2	1	12	19	37	40	6	1	1	–	–	–	–	–	2	8	22
Pneumonia	M	123	36	13	3	2	6	6	7	15	19	11	5	58	8	5	2	2	2	5	6	8	7	6	7
	F	71	19	11	3	–	5	2	1	5	8	8	9	39	4	2	3	2	2	2	2	4	7	3	8
Other respiratory	M	6	–	–	1	–	1	–	1	–	–	1	2	7	–	–	–	1	1	1	1	–	1	2	–
	F	18	–	–	2	–	–	1	–	4	4	3	4	6	–	–	2	–	1	1	–	1	–	–	1
Peptic ulcer	M	19	–	–	–	–	1	4	–	7	4	3	–	21	–	–	–	–	2	1	5	5	4	3	1
	F	3	–	–	–	–	–	–	–	1	2	–	–	2	–	–	–	–	–	–	–	1	1	–	–
Diarrhœa	M	16	14	–	1	–	1	–	–	–	–	–	–	10	7	–	1	1	–	–	–	–	1	–	–
	F	17	7	3	1	1	1	–	–	1	1	1	1	4	2	–	–	–	–	–	1	–	–	1	–
Appendicitis	M	9	–	1	1	3	–	1	–	1	–	–	2	8	–	–	–	2	2	1	–	2	1	–	–
	F	8	–	–	–	–	1	–	1	2	1	–	3	1	–	–	–	–	–	1	–	–	–	–	–
Cirrhosis of liver	M	9	–	–	–	–	–	1	1	3	2	2	–	1	–	–	–	–	–	–	–	1	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	1	1	1	1
Other liver diseases	M	3	–	–	–	–	–	–	–	1	–	1	1	1	–	–	–	–	–	–	–	–	–	1	–
	F	11	–	–	–	–	–	1	–	4	2	1	3	6	–	–	–	–	–	–	1	–	1	1	3
Other digestive	M	38	4	–	2	1	1	4	1	7	10	7	1	18	–	–	1	–	1	1	1	5	2	3	4
	F	28	1	–	–	4	–	3	3	6	4	3	4	21	–	–	1	2	–	–	2	1	6	1	8
Nephritis	M	24	–	–	–	–	–	2	3	4	7	4	4	18	–	–	–	1	3	–	–	4	3	4	3
	F	33	–	–	–	1	3	4	6	3	8	4	4	26	–	–	–	1	2	1	–	4	6	7	5
Puerperal sepsis	F	6	–	–	–	–	2	3	1	–	–	–	–	13	–	–	–	–	1	10	2	–	–	–	–
Other puerperal	F	3	–	–	–	–	–	1	2	–	–	–	–	8	–	–	–	–	1	4	2	1	–	–	–
Congenital causes, etc.	M	85	84	1	–	–	–	–	–	–	–	–	–	66	65	–	–	–	–	–	1	–	–	–	–
	F	57	57	–	–	–	–	–	–	–	–	–	–	51	50	–	1	–	–	–	–	–	–	–	–
Senility	M	91	–	–	–	–	–	–	–	–	–	13	78	53	–	–	–	–	–	–	–	–	–	4	49
	F	87	–	–	–	–	–	–	–	–	–	9	78	56	–	–	–	–	–	–	–	–	–	10	46
Suicide	M	28	–	–	–	–	3	3	1	4	11	5	1	15	–	–	–	–	–	1	1	7	4	–	2
	F	5	–	–	–	–	–	–	2	2	1	–	–	9	–	–	–	–	–	1	2	5	1	–	–
Other violence	M	85	2	1	1	8	12	5	12	18	16	5	5	81	1	1	2	10	16	15	7	16	8	1	4
	F	31	–	1	1	3	4	2	2	2	4	8	4	25	–	–	1	5	4	1	2	4	2	3	3
Other defined causes	M	130	19	3	–	5	8	5	6	8	21	33	22	89	9	2	3	8	5	2	7	8	17	18	10
	F	105	9	4	–	8	12	8	14	11	11	13	15	69	4	1	1	5	5	5	7	15	9	9	8
Ill-defined causes	M	13	–	–	–	–	–	1	1	3	1	5	2	6	1	–	–	–	–	–	–	1	–	3	1
	F	15	1	–	–	–	–	1	–	1	2	5	5	1	–	–	–	–	–	–	–	–	1	–	–

Causes of Death. *See* first page of Table.		Aggregate of Urban Districts.												Aggregate of Rural Districts.										
		All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
All Causes	M	221	12	–	2	2	12	8	13	22	32	58	60	563	35	2	7	7	20	20	25	53	82	142	170
	F	261	10	2	4	2	5	13	6	17	46	63	93	603	19	3	3	4	10	14	38	67	72	131	242
1 Typhoid fever, etc.	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
2 Measles	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
3 Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
4 Whooping cough	M	1	–	–	1	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
	F	1	–	–	–	–	–	1	–	–	–	–	–	4	2	–	2	–	–	–	–	–	–	–	–
5 Diphtheria	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
6 Influenza	M	13	1	–	–	1	2	–	1	2	1	–	5	35	–	–	–	–	–	1	1	6	6	7	14
	F	13	–	–	–	–	–	–	–	4	1	2	6	47	–	–	–	–	1	1	3	9	7	7	19
7 Encephalitis lethargica	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–
8 Cerebro-spinal fever	M	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9 Respiratory tuberculosis	M	7	–	–	–	–	2	1	2	1	1	–	–	29	–	–	–	–	4	9	9	6	–	–	1
	F	12	–	–	–	–	3	5	–	1	3	–	–	15	–	–	–	–	2	2	6	3	–	2	–
10 Other tuberculosis	M	–	–	–	–	–	–	–	–	–	–	–	–	6	–	1	–	1	–	–	3	–	–	–	1
	F	1	–	1	–	–	–	–	–	–	–	–	–	7	–	1	–	1	1	–	1	1	1	–	1
11 Syphilis	M	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	1	1	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
12 Gen. paralysis of insane, etc.	M	1	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–	1	1	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13 Cancer	M	24	–	–	–	–	–	–	–	–	8	9	7	71	–	–	–	–	–	–	–	5	15	32	19
	F	48	–	–	–	–	–	–	1	3	6	20	18	103	–	–	–	–	–	1	3	19	23	29	28
14 Diabetes	M	7	–	–	–	–	–	–	–	–	1	4	2	6	–	–	–	1	–	–	–	1	2	–	2
	F	2	–	–	–	–	–	–	–	–	1	1	–	14	–	–	–	–	1	–	–	–	2	8	3
15 Cerebral hæmorrhage	M	17	–	–	–	–	–	–	1	–	3	7	6	41	–	–	–	–	–	–	–	1	3	5	12	20
	F	24	–	–	–	–	–	1	–	–	5	9	9	55	–	–	–	–	–	–	–	5	7	14	29
16 Heart disease	M	50	–	–	–	–	1	–	–	9	10	19	11	112	–	–	–	–	2	–	1	9	18	41	41
	F	58	–	–	–	–	–	–	–	3	12	14	29	129	–	–	–	–	–	1	6	7	14	31	70
17 Aneurysm	M	1	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	1	1	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
18 Other circulatory	M	11	–	–	–	–	–	–	1	1	1	4	4	28	–	–	–	–	–	–	–	2	5	9	12
	F	17	–	–	–	–	–	–	–	1	2	3	11	25	–	–	–	–	–	–	–	–	1	8	16
19 Bronchitis	M	13	1	–	–	–	–	1	–	–	–	2	9	21	–	–	–	–	–	–	–	2	1	6	12
	F	14	–	1	1	–	–	1	1	–	1	5	4	24	2	–	–	–	1	–	–	–	1	3	17
20 Pneumonia	M	6	–	–	–	1	1	–	–	–	–	2	2	26	4	1	2	1	1	2	1	3	2	5	4
	F	9	2	–	1	–	–	1	1	–	1	2	1	15	1	1	–	–	1	1	–	1	3	4	3
21 Other respiratory	M	1	–	–	–	–	–	1	–	–	–	–	–	11	–	–	–	–	1	–	2	3	1	2	2
	F	6	–	–	–	–	–	–	–	1	–	3	2	3	–	–	–	–	–	–	–	–	1	–	2
22 Peptic ulcer	M	2	–	–	–	–	–	–	1	–	–	1	–	8	–	–	–	–	–	–	1	–	2	2	3	–
	F	1	–	–	–	–	–	–	–	–	1	–	–	4	–	–	–	–	–	–	–	1	1	1	1
23 Diarrhœa	M	2	–	–	–	–	–	–	–	–	1	–	1	4	3	–	–	–	–	–	–	–	–	1	–
	F	3	–	–	1	–	–	–	–	1	1	–	–	4	1	–	–	–	–	–	–	–	–	2	1
24 Appendicitis	M	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	1	–	1	–	–	1	–	–	–
	F	1	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
25 Cirrhosis of liver	M	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
26 Other liver diseases	M	2	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	F	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	1	–
27 Other digestive	M	4	–	–	–	–	1	1	–	–	1	1	–	20	1	–	2	–	1	–	–	1	4	5	6
	F	3	–	–	–	–	–	–	–	–	1	–	2	14	2	–	–	–	–	–	3	2	1	2	4
28 Nephritis	M	3	–	–	–	–	–	–	1	2	–	–	–	18	–	–	1	–	–	1	–	1	4	6	5
	F	7	–	–	–	–	–	–	1	2	2	1	1	22	–	–	–	–	–	–	–	3	3	10	6
29 Puerperal sepsis	F	1	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–	–	1	1	–	–	–	–
30 Other puerperal	F	1	–	–	–	–	–	1	–	–	–	–	–	5	–	–	–	–	1	–	4	–	–	–	–
31 Congenital causes, etc.	M	10	10	–	–	–	–	–	–	–	–	–	–	25	23	–	–	1	1	–	–	–	–	–	–
	F	8	8	–	–	–	–	–	–	–	–	–	–	12	10	–	–	–	1	1	–	–	–	–	–
32 Senility	M	5	–	–	–	–	–	–	–	–	–	1	4	19	–	–	–	–	–	–	–	–	–	–	19
	F	8	–	–	–	–	–	–	–	–	–	–	8	30	–	–	–	–	–	–	–	–	–	2	28
33 Suicide	M	2	–	–	–	–	–	–	–	2	–	–	–	4	–	–	–	–	–	2	–	–	1	1	–
	F	2	–	–	–	–	1	–	–	–	1	–	–	6	–	–	–	–	–	1	1	4	–	–	–
34 Other violence	M	14	–	–	1	–	3	3	1	2	2	2	–	30	2	–	1	1	7	2	6	5	3	–	3
	F	4	–	–	–	1	–	–	–	1	1	–	1	12	–	–	–	2	1	–	2	1	–	–	6
35 Other defined causes	M	21	–	–	–	–	2	1	2	2	2	5	7	38	1	–	–	1	2	2	–	2	11	10	5
	F	15	–	–	1	–	1	3	1	–	6	3	–	44	1	1	1	1	–	5	6	9	6	7	3
36 Ill-defined causes	M	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–

Causes of Death. (See first page of Table.)		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
All Causes	M	269	15	3	2	7	10	12	16	25	41	63	75	65	6	–	2	3	6	1	–	7	10	14	16
	F	305	9	2	5	1	11	6	15	28	49	66	113	66	4	1	–	1	1	4	4	3	8	13	27
Typhoid fever, etc.	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	M	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	1	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Whooping cough	M	2	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	2	–	–	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Diphtheria	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	M	16	–	–	–	–	3	3	3	2	2	–	3	4	–	–	–	1	1	–	–	1	–	–	1
	F	15	–	–	–	1	–	1	1	–	–	3	9	1	–	–	–	–	–	–	–	–	–	–	1
Encephalitis lethargica	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	3	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cerebro-spinal fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Respiratory tuberculosis	M	7	–	–	–	–	2	1	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	7	–	–	–	–	2	–	2	2	1	–	–	3	–	–	–	–	–	–	1	–	2	–	–
Other tuberculosis	M	3	–	–	–	–	–	1	–	2	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
	F	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gen. paralysis of insane, etc.	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	M	39	–	–	–	–	–	1	3	4	8	9	14	12	–	–	–	–	–	–	–	3	2	7	–
	F	49	–	–	–	–	–	–	3	7	15	14	10	10	–	–	–	–	–	1	–	2	3	4	–
Diabetes	M	4	–	–	–	–	–	–	1	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–
	F	8	–	–	–	–	–	–	1	1	2	4	–	–	–	–	–	–	–	–	–	–	–	–	–
Cerebral hæmorrhage	M	12	–	–	–	–	–	–	–	–	3	4	5	2	–	–	–	–	–	–	–	–	–	–	2
	F	22	–	–	–	–	–	–	–	4	2	6	10	5	–	–	–	–	–	–	–	–	1	1	3
Heart disease	M	62	–	–	–	–	–	2	1	4	9	22	24	13	–	–	–	–	–	–	–	–	6	5	2
	F	73	–	–	–	–	2	–	2	4	15	14	36	11	–	–	–	–	–	1	1	1	1	3	4
Aneurysm	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other circulatory	M	9	–	–	–	–	–	–	–	–	–	3	6	5	–	–	–	–	–	–	–	–	1	–	4
	F	16	–	–	–	–	–	–	1	1	–	6	8	7	–	–	–	–	–	–	–	–	–	2	5
Bronchitis	M	15	–	1	1	–	–	–	–	1	3	3	6	5	1	–	–	–	–	–	–	–	–	–	4
	F	14	2	–	1	–	–	–	–	–	2	2	7	7	1	–	–	–	–	–	–	–	–	–	6
Pneumonia	M	12	1	1	–	1	–	1	2	1	3	2	–	2	–	–	–	–	–	–	–	–	1	–	1
	F	13	–	2	1	–	–	2	–	2	–	2	4	2	–	1	–	–	–	–	–	–	–	1	–
Other respiratory	M	4	–	–	1	–	–	–	–	1	–	1	1	1	–	–	–	–	–	–	–	1	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	1
Peptic ulcer	M	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	2	–	–	–	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Diarrhœa	M	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	3	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–
Appendicitis	M	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	3	–	–	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Cirrhosis of liver	M	3	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other liver diseases	M	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	3	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Other digestive	M	5	1	–	–	–	–	–	–	–	1	2	1	1	–	–	–	1	–	–	–	–	–	–	–
	F	3	–	–	–	–	1	1	–	1	–	–	–	3	–	–	–	–	–	–	–	–	–	–	3
Nephritis	M	7	–	–	–	–	–	–	2	1	1	1	2	1	–	–	–	–	1	–	–	–	–	–	–
	F	10	–	–	–	–	1	1	1	–	2	2	3	–	–	–	–	–	–	–	–	–	–	–	–
Puerperal sepsis	F	2	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other puerperal	F	2	–	–	–	–	–	1	1	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
Congenital causes, etc.	M	10	10	–	–	–	–	–	–	–	–	–	–	4	4	–	–	–	–	–	–	–	–	–	–
	F	6	6	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–
Senility	M	4	–	–	–	–	–	–	–	–	–	–	4	2	–	–	–	–	–	–	–	–	–	–	2
	F	24	–	–	–	–	–	–	–	–	–	4	20	3	–	–	–	–	–	–	–	–	–	–	3
Suicide	M	7	–	–	–	–	1	1	–	–	4	1	–	1	–	–	–	–	1	–	–			–	–
	F	3	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–		–	–
Other violence	M	9	–	–	–	1	2	2	1	2	1	–	–	2	–	–	–	–	1	1	–	–	–	–	–
	F	5	–	–	–	–	–	–	–	2	1	–	2	2	–	–	–	–	–	–	–	–	–	1	1
Other defined causes	M	27	2	–	–	3	2	–	–	2	6	8	4	7	1	–	1	1	2	–	–	1	–	1	–
	F	11	1	–	–	–	1	–	–	1	4	4	–	4	–	–	–	–	1	1	1	–	1	–	–
Ill-defined causes	M	7	–	–	–	–	–	–	–	1	–	2	4	2	–	–	–	–	–	–	–	1	–	1	–
	F	4	–	–	–	–	–	–	–	–	1	–	3	–	–	–	–	–	–	–	–	–	–	–	–

Causes of Death. *See* first page of Table.		Aggregate of Urban Districts.												Aggregate of Rural Districts.										
		All Ages.	0–	1–	2–	5–	15	25–	35–	45–	55–	65–	75–	All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	7
All Causes	M	29	3	1	–	–	1	1	1	2	4	6	10	108	8	–	2	3	6	2	5	6	15	31	
	F	22	–	–	–	1	–	1	1	–	3	6	10	105	1	2	1	1	3	2	6	8	13	23	
1 Typhoid fever, etc.	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
2 Measles	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
3 Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
4 Whooping cough	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
5 Diphtheria	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
6 Influenza	M	5	–	–	–	–	–	–	1	–	1	–	3	5	–	–	–	–	–	1	–	1	–	3	
	F	2	–	–	–	–	–	–	–	–	–	–	2	10	–	–	–	–	–	–	1	2	–	3	
7 Encephalitis lethargica	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
8 Cerebro-spinal fever	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
9 Respiratory tuberculosis	M	1	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	1	–	1	–	
	F	1	–	–	–	–	–	1	–	–	–	–	–	3	–	–	–	–	1	–	2	–	–	–	
10 Other tuberculosis	M	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	1	1	–	–	–	–	
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
11 Syphilis	M	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
12 Gen. paralysis of insane, etc.	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
13 Cancer	M	3	–	–	–	–	–	–	–	–	–	2	1	18	–	–	–	–	–	–	–	1	4	8	
	F	5	–	–	–	–	–	–	–	–	1	2	2	16	–	–	–	–	–	–	1	2	6	3	
14 Diabetes	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
15 Cerebral hæmorrhage	M	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	
	F	1	–	–	–	–	–	–	–	–	–	1	–	12	–	–	–	–	–	–	–	–	–	4	
16 Heart disease	M	3	–	–	–	–	–	–	–	1	1	–	1	23	–	–	–	1	1	–	–	1	2	7	1
	F	8	–	–	–	–	–	–	1	–	1	1	5	24	–	–	–	–	1	–	1	1	2	7	1
17 Aneurysm	M	1	1	–	–		–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	
	F	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
18 Other circulatory	M	1	–	–	–	–	–	–	–	–	–	–	1	3	–	–	–	–	–	–	–	–	1	–	
	F	1	–	–	–	–	–	–	–	–	–	1	–	7	–	–	–	–	–	–	–	–	–	–	
19 Bronchitis	M	2	–			–	–	–	–	–	–	–	2	4	–	–	–	–	–	–	–	–	–	1	
	F	–	–	–	–	–	–	–	–	–	–	–	–	6	–	–	–	–	–	–	–	–	–	–	
20 Pneumonia	M	1	–	1	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	1	
	F	1	–	–	–	–	–	–	–	–	–	–	1	6	–	1	–	–	–	–	–	1	–	3	
21 Other respiratory	M	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	–	
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
22 Peptic ulcer	M	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	1	1	
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
23 Diarrhœa	M	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
24 Appendicitis	M	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	1	–	–	
	F	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	
25 Cirrhosis of liver	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
26 Other liver diseases	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
27 Other digestive	M	1	–	–	–	–	–	–	–	–	–	–	1	4	–	–	–	–	–	–	–	–	2	2	
	F	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	1	–	1	–	
28 Nephritis	M	2	–	–	–	–	–	–	–	–	–	2	–	5	–	–	–	–	–	–	1	–	1	2	1
	F	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	1	1	1	1
29 Puerperal sepsis	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
30 Other puerperal	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
31 Congenital causes, etc.	M	1	1	–	–	–	–	–	–	–	–	–	–	5	5	–	–	–	–	–	–	–	–	–	
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	
32 Senility	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
33 Suicide	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	
34 Other violence	M	1	–	–	–	–	1	–	–	–	–	–	–	6	1	–	–	–	2	–	1	–	–	2	
	F	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	–	–	–	–	–	–	–	
35 Other defined causes	M	4	–	–	–	–	–	1	–	–	1	1	1	15	1	–	1	1	1	–	2	2	2	2	3
	F	2	–	–	–	–	–	–	–	–	1	1	–	9	–	–	–	1	–	2	–	1	3	1	1
36 Ill-defined causes	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

	Causes of Death. *See* first page of Table.		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
			All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
	All Causes	M	761	53	8	7	13	29	34	31	92	133	179	182	840	58	9	18	18	26	35	46	56	118	205	251
		F	791	43	5	8	15	14	33	31	64	110	183	285	808	43	7	5	17	23	22	45	60	124	193	269
1	Typhoid fever, etc.	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	1	–	–	–	–
2	Measles	M	4	1	2	1	–	–	–	–	–	–	–	–	3	–	1	1	–	–	–	1	–	–	–	–
		F	5	1	–	–	3	1	–	–	–	–	–	–	2	–	–	–	2	–	–	–	–	–	–	–
3	Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
4	Whooping cough	M	4	3	1	–	–	–	–	–	–	–	–	–	4	–	1	3	–	–	–	–	–	–	–	–
		F	3	3	–	–	–	–	–	–	–	–	–	–	6	3	1	2	–	–	–	–	–	–	–	–
5	Diphtheria	M	–	–	–	–	–	–	–	–	–	–	–	–	8	1	–	2	3	2	–	–	–	–	–	–
		F	1	–	–	–	1	–	–	–	–	–	–	–	4	–	–	–	3	1	–	–	–	–	–	–
6	Influenza	M	39	1	–	–	–	3	3	2	8	7	6	9	32	1	–	–	1	2	1	1	3	6	4	13
		F	42	–	–	–	–	–	1	7	6	5	11	12	45	–	1	–	–	1	1	3	4	8	11	16
7	Encephalitis lethargica	M	2	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
8	Cerebro-spinal fever	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
		F	3	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9	Respiratory tuberculosis	M	37	–	1	–	–	6	12	6	8	4	–	–	40	–	1	–	–	7	10	9	8	3	2	–
		F	25	–	–	–	–	5	7	2	5	4	2	–	23	–	–	–	–	9	4	5	3	2	–	–
10	Other tuberculosis	M	11	3	–	1	2	3	1	–	1	–	–	–	11	3	–	3	1	–	1	1	1	1	–	–
		F	4	2	1	–	–	–	–	–	–	–	1	–	7	–	1	–	–	–	2	3	1	–	–	–
11	Syphilis	M	3	–	–	–	–	–	1	–	2	–	–	–	2	–	–	–	–	–	–	1	1	–	–	–
		F	4	1	–	–	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
12	Gen. paralysis of insane, etc.	M	1	–	–	–	–	–	–	–	–	–	–	1	4	–	–	–	–	–	–	–	–	2	1	1
		F	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13	Cancer	M	81	–	–	–	–	–	1	4	4	28	28	16	89	–	–	–	2	–	1	4	7	18	31	26
		F	101	–	–	–	1	–	1	4	14	26	33	22	113	–	–	–	–	3	–	5	14	29	37	25
14	Diabetes	M	8	–	–	–	–	–	–	–	–	1	5	2	9	–	–	–	–	1	–	–	–	1	2	5
		F	8	–	–	–	–	–	–	–	–	3	3	2	19	–	–	–	–	–	1	–	1	4	5	8
15	Cerebral hæmorrhage	M	56	–	–	–	–	–	–	1	4	15	18	18	50	–	–	–	–	1	–	1	1	7	22	18
		F	75	–	–	–	–	–	–	2	7	14	24	28	67	–	–	–	–	1	–	1	5	10	16	34
16	Heart disease	M	145	–	–	–	1	1	–	1	15	27	47	53	184	–	–	–	–	2	4	4	5	21	66	82
		F	165	–	–	–	2	2	6	3	7	21	45	79	178	–	–	–	–	1	1	4	7	26	58	81
17	Aneurysm	M	3	–	–	–	–	–	–	–	1	1	1	–	2	–	–	–	–	–	–	1	1	–	–	–
		F	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
18	Other circulatory	M	36	–	–	–	–	–	–	–	4	7	15	10	42	–	–	–	–	–	–	–	1	1	17	23
		F	38	–	–	–	–	–	–	–	2	2	8	26	34	–	–	–	–	–	–	1	–	5	10	18
19	Bronchitis	M	43	2	–	–	–	–	–	–	1	4	14	22	23	–	–	–	–	–	–	–	2	2	8	11
		F	37	2	–	2	–	–	–	–	–	1	7	25	30	–	–	–	–	–	–	2	1	2	3	22
20	Pneumonia	M	40	3	3	1	–	3	1	4	11	4	7	3	45	4	1	2	1	1	4	5	3	4	15	5
		F	29	1	1	2	1	–	2	–	1	4	5	12	28	1	3	1	–	–	1	1	1	4	4	12
21	Other respiratory	M	14	–	–	–	1	–	–	1	5	3	2	2	6	–	–	–	–	–	–	1	2	1	2	–
		F	9	–	–	–	–	–	–	1	4	–	1	3	2	–	–	–	–	–	–	–	–	2	–	–
22	Peptic ulcer	M	15	–	–	–	–	1	3	3	3	4	1	–	11	–	–	–	–	–	1	–	1	5	3	1
		F	2	–	–	–	–	–	–	–	–	–	2	–	3	–	–	–	–	–	–	1	1	–	1	–
23	Diarrhœa	M	3	2	–	1	–	–	–	–	–	–	–	–	2	–	–	1	–	1	–	–	–	–	–	–
		F	4	2	1	–	–	–	–	–	–	–	–	1	5	2	–	–	–	1	1	–	1	–	–	–
24	Appendicitis	M	7	–	–	–	2	–	2	–	2	1	–	–	8	–	–	1	2	–	–	1	3	1	–	–
		F	8	–	–	1	–	2	–	1	2	2	–	–	4	–	–	–	2	–	–	–	–	2	–	–
25	Cirrhosis of liver	M	3	–	–	–	–	–	–	–	–	–	3	–	3	–	–	–	1	–	–	–	1	1	–	–
		F	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
26	Other liver diseases	M	2	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	1	–
		F	1	–	–	–	–	–	–	–	–	–	–	1	7	–	–	–	–	–	–	–	1	1	1	4
27	Other digestive	M	12	1	–	1	–	–	2	–	1	1	5	1	13	2	–	–	1	–	2	1	1	1	2	3
		F	14	–	–	–	2	–	1	1	1	1	2	6	18	1	–	1	1	–	–	1	2	4	3	5
28	Nephritis	M	22	–	–	–	1	–	–	–	6	5	6	4	17	–	–	–	–	1	–	–	2	9	3	2
		F	33	–	–	1	–	–	4	2	2	4	12	8	18	–	–	–	–	–	1	–	5	3	4	5
29	Puerperal sepsis	F	2	–	–	–	–	–	2	–	–	–	–	–	7	–	–	–	–	3	1	3	–	–	–	–
30	Other puerperal	F	6	–	–	–	–	1	3	1	1	–	–	–	6	–	–	–	–	1	3	2	–	–	–	–
31	Congenital causes, etc.	M	33	33	–	–	–	–	–	–	–	–	–	–	41	41	–	–	–	–	–	–	–	–	–	–
		F	26	26	–	–	–	–	–	–	–	–	–	–	32	31	–	–	–	–	–	–	1	–	–	–
32	Senility	M	24	–	–	–	–	–	–	–	–	–	1	23	33	–	–	–	–	–	–	–	–	1	3	29
		F	52	–	–	–	–	–	–	–	–	–	3	49	34	–	–	–	–	–	–	–	–	1	8	25
33	Suicide	M	12	–	–	–	–	1	3	1	5	1	–	1	16	–	–	–	–	–	3	6	2	3	1	1
		F	10	–	–	–	–	1	–	2	3	2	2	–	5	–	–	–	–	–	1	–	–	1	3	–
34	Other violence	M	33	–	–	–	5	6	3	6	3	5	3	2	42	–	3	4	5	5	5	3	2	8	2	5
		F	12	–	–	1	1	–	1	1	–	1	4	3	20	1	–	1	1	1	–	2	–	6	4	4
35	Other defined causes	M	65	4	1	2	1	5	2	2	7	14	13	14	85	6	2	1	1	1	3	5	7	20	17	22
		F	61	3	2	1	2	2	4	4	7	18	13	5	79	4	1	–	7	1	5	10	12	11	20	8
36	Ill-defined causes	M	3	–	–	–	–	–	–	–	–	–	3	–	11	–	–	–	–	–	–	1	1	2	3	4
		F	6	–	–	–	–	–	–	–	–	2	2	2	9	–	–	–	–	–	–	–	–	2	5	2

Causes of Death. *See* first page of Table.		Aggregate of Urban Districts.												Aggregate of Rural Districts.										
		All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
	All Causes	M	1,085	64	12	9	17	23	30	69	84	168	303	306	1,460	77	7	25	20	54	47	60	134	228	357	45
		F	1,251	41	4	12	12	33	38	55	94	140	321	501	1,386	63	13	13	22	23	48	76	98	207	284	53
1	Typhoid fever, etc.	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2	Measles	M	2	1	–	–	1	–	–	–	–	–	–	–	2	–	1	1	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
3	Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
4	Whooping cough	M	3	2	1	–	–	–	–	–	–	–	–	–	3	2	–	1	–	–	–	–	–	–	–	–
		F	1	1	–	–	–	–	–	–	–	–	–	–	4	2	1	–	1	–	–	–	–	–	–	–
5	Diphtheria	M	6	–	1	3	2	–	–	–	–	–	–	–	4	–	–	2	1	–	1	–	–	–	–	–
		F	3	–	–	1	2	–	–	–	–	–	–	–	2	–	–	1	1	–	–	–	–	–	–	–
6	Influenza	M	59	1	1	1	3	–	1	5	9	8	17	13	109	1	1	3	–	5	2	7	14	10	18	4
		F	82	2	–	1	–	3	1	6	8	6	19	36	95	1	2	1	–	2	5	7	9	17	17	3
7	Encephalitis lethargica	M	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	1	–	–	–	–	–
8	Cerebro-spinal fever	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
		F	1	–	–	1	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
9	Respiratory tuberculosis	M	53	–	–	–	–	8	9	22	7	4	2	1	52	–	–	–	2	10	10	12	11	3	4	–
		F	46	1	–	–	–	12	13	10	1	7	2	–	40	–	–	–	1	8	12	9	6	1	3	–
10	Other tuberculosis	M	8	–	–	–	3	1	–	2	1	–	1	–	18	2	1	5	–	4	1	1	1	2	1	–
		F	9	–	2	1	1	1	1	–	2	–	1	–	13	–	2	3	1	2	–	3	–	2	–	–
11	Syphilis	M	2	–	–	–	–	–	–	1	–	1	–	–	2	–	–	–	–	–	1	–	–	1	–	–
		F	2	–	–	–	1	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
12	Gen. paralysis of insane, etc.	M	1	–	–	–	–	–	–	–	–	1	–	–	6	–	–	–	–	–	–	–	4	2	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13	Cancer	M	114	–	–	–	–	–	2	6	9	27	47	23	174	–	–	1	–	–	2	4	23	53	53	33
		F	181	–	–	–	1	1	3	3	32	32	61	48	180	–	–	–	–	–	3	13	20	62	44	33
14	Diabetes	M	15	–	–	–	–	–	–	1	–	2	10	2	19	–	–	–	–	1	1	–	2	3	6	
		F	18	–	–	–	–	–	–	–	2	4	10	2	27	–	–	–	1	–	–	3	3	7	9	
15	Cerebral hæmorrhage	M	50	–	–	–	–	–	1	–	4	11	14	20	64	–	–	–	–	–	–	–	4	12	17	33
		F	79	–	–	–	–	–	1	1	4	4	23	46	98	–	1	–	–	–	–	1	2	16	25	35
16	Heart disease	M	224	–	–	–	1	1	1	3	13	39	84	82	298	–	–	–	2	2	2	6	13	50	106	11
		F	280	–	–	–	1	3	2	2	9	34	91	138	320	–	–	–	1	–	3	8	18	48	88	15
17	Aneurysm	M	5	–	–	–	–	1	–	–	–	2	1	1	1	–	–	–	–	–	–	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	5	–	–	–	–	–	–	–	2	2	–	
18	Other circulatory	M	70	–	–	–	–	–	–	–	3	9	29	29	70	–	–	–	–	–	–	1	2	12	22	33
		F	66	–	–	–	–	–	–	–	2	8	25	31	54	–	–	–	–	–	–	2	1	6	14	
19	Bronchitis	M	48	2	–	–	–	1	–	1	4	2	13	25	56	1	1	1	–	–	–	–	1	4	13	33
		F	57	3	–	–	–	–	–	–	–	3	14	37	59	2	–	–	1	–	–	–	2	2	13	
20	Pneumonia	M	54	2	6	1	1	2	2	7	5	7	13	8	54	8	1	2	1	3	2	5	6	11	9	
		F	43	4	2	4	–	3	3	5	5	4	5	8	61	7	2	2	1	–	4	2	8	4	11	2
21	Other respiratory	M	11	–	–	–	1	–	–	2	3	1	2	2	15	–	–	2	–	–	–	2	2	3	4	
		F	13	–	–	–	–	1	–	2	–	4	1	5	6	–	–	–	–	–	–	–	1	1	–	
22	Peptic ulcer	M	13	–	–	–	–	–	–	1	4	1	6	1	13	–	–	–	–	–	–	1	2	4	4	
		F	3	–	–	–	–	–	–	1	–	–	1	1	5	–	–	–	–	–	–	2	–	3	–	
23	Diarrhœa	M	9	4	1	–	–	–	–	–	2	–	1	1	7	4	–	–	–	–	–	1	–	–	1	
		F	7	1	–	1	–	1	–	2	–	1	–	1	7	3	–	–	–	–	1	–	1	1	–	
24	Appendicitis	M	5	–	–	1	–	–	1	–	1	–	–	2	11	–	–	2	2	2	1	–	1	–	3	
		F	5	–	–	–	–	1	–	1	1	2	–	–	8	–	–	1	3	–	1	–	3	–	–	
25	Cirrhosis of liver	M	6	–	–	–	–	–	–	–	1	4	1	–	5	–	–	–	–	–	–	–	–	1	4	
		F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
26	Other liver diseases	M	5	–	–	–	–	–	–	–	–	1	1	3	4	–	–	–	–	–	–	–	–	–	2	
		F	8	–	–	–	–	–	1	–	–	1	4	2	6	–	–	–	–	–	–	1	–	2	1	
27	Other digestive	M	24	–	–	–	–	1	–	3	1	7	4	8	36	1	–	1	1	–	2	–	5	6	11	
		F	21	–	–	–	1	–	1	2	2	3	8	4	21	–	1	–	2	–	–	1	3	3	5	
28	Nephritis	M	49	–	–	–	–	1	1	1	4	9	21	12	62	–	–	–	1	2	–	5	8	9	21	1
		F	55	–	–	–	–	–	1	2	6	8	17	21	65	–	–	–	1	1	4	3	4	10	21	2
29	Puerperal sepsis	F	2	–	–	–	–	1	1	–	–	–	–	–	3	–	–	–	–	–	2	1	–	–	–	
30	Other puerperal	F	5	–	–	–	–	–	3	2	–	–	–	–	13	–	–	–	–	–	5	8	–	–	–	
31	Congenital causes, etc.	M	45	42	1	1	1	–	–	–	–	–	–	–	42	41	–	–	–	1	–	–	–	–	–	
		F	25	25	–	–	–	–	–	–	–	–	–	–	38	37	–	1	–	–	–	–	–	–	–	
32	Senility	M	40	–	–	–	–	–	–	–	–	–	7	33	75	–	–	–	–	–	–	–	–	–	6	6
		F	102	–	–	–	–	–	–	–	–	–	15	87	108	–	–	–	–	–	–	–	–	1	15	8
33	Suicide	M	20	–	–	–	–	–	2	4	3	5	2	4	19	–	–	–	–	1	5	1	5	6	1	
		F	8	–	–	–	–	–	–	3	1	3	–	1	6	–	–	–	–	–	–	–	2	1	2	
34	Other violence	M	32	2	–	–	1	3	4	5	3	6	2	6	111	6	2	2	4	20	16	9	17	12	16	
		F	25	2	–	1	1	1	2	2	2	1	3	10	38	5	–	2	1	3	1	3	–	3	6	
35	Other defined causes	M	109	8	1	2	3	4	6	5	6	20	24	30	126	11	–	1	6	2	1	5	13	24	34	2
		F	101	2	–	2	4	4	5	9	17	15	21	22	95	5	4	2	5	6	6	9	12	15	10	2
36	Ill-defined causes	M	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
		F	1	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	

Causes of Death. (first page of Table.)		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
All Causes	M	1,535	125	21	24	27	61	64	77	146	257	350	383	1,217	92	10	8	18	55	64	67	94	167	290	352
	F	1,498	82	14	19	27	43	70	78	138	191	311	525	1,163	67	13	12	25	29	45	53	93	180	247	399
Typhoid fever, etc.	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	M	3	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	1	–	–	–	1	–	–	–	–	–	–	–	3	–	1	1	1	–	–	–	–	–	–	–
Scarlet fever	M	2	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	1	–	–	–	1	–	–	–	–	–	–	–	3	–	–	1	2	–	–	–	–	–	–	–
Whooping cough	M	8	3	3	2	–	–	–	–	–	–	–	–	2	1	1	–	–	–	–	–	–	–	–	–
	F	9	3	3	3	–	–	–	–	–	–	–	–	9	4	3	2	–	–	–	–	–	–	–	–
Diphtheria	M	4	–	–	1	3	–	–	–	–	–	–	–	2	–	1	–	1	–	–	–	–	–	–	–
	F	3	–	–	1	1	–	–	–	–	1	–	–	4	–	–	–	4	–	–	–	–	–	–	–
Influenza	M	65	4	–	1	1	2	3	4	16	14	6	14	49	1	–	2	1	2	3	4	9	7	7	13
	F	78	2	–	1	2	2	4	7	7	7	13	33	64	–	–	–	–	1	1	3	12	6	14	27
Encephalitis lethargica	M	1	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Cerebro-spinal fever	M	4	–	1	1	1	1	–	–	–	–	–	–	2	–	–	–	1	1	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Respiratory tuberculosis	M	87	1	–	–	1	8	21	19	16	18	3	–	58	–	–	–	2	13	14	16	8	2	3	–
	F	51	–	1	–	2	9	18	11	4	2	4	–	43	–	–	–	2	13	9	4	6	6	2	1
Other tuberculosis	M	28	2	3	10	–	2	2	1	4	3	1	–	15	2	–	2	1	4	2	2	–	1	1	–
	F	17	3	–	3	1	6	2	1	–	1	–	–	6	1	1	1	–	1	2	–	–	–	–	–
Syphilis	M	6	–	–	–	–	–	–	–	2	2	1	1	2	–	–	–	–	–	–	–	–	–	2	–
	F	2	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gen. paralysis of insane, etc.	M	7	–	–	–	–	–	–	1	3	2	1	–	8	–	–	–	–	–	1	2	–	2	3	–
	F	1	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	1	1	–	–	–
Cancer	M	196	–	–	–	–	2	2	7	21	52	67	45	133	–	–	–	–	–	2	6	8	32	56	29
	F	221	1	–	1	–	2	3	15	34	42	64	59	170	–	–	1	1	–	2	13	27	35	54	37
Diabetes	M	19	–	–	–	1	1	–	1	3	5	2	6	12	–	–	–	–	2	–	–	1	2	6	1
	F	20	–	–	–	1	1	2	–	2	–	6	8	16	–	–	–	–	–	1	3	3	2	5	2
Cerebral hæmorrhage	M	75	–	–	–	–	–	–	2	5	13	33	22	47	–	–	–	–	–	–	2	3	6	20	16
	F	102	1	–	–	–	–	–	4	11	14	24	48	54	–	–	–	–	–	1	1	5	13	13	21
Heart disease	M	325	–	–	–	1	5	1	10	16	69	98	125	279	–	–	–	–	1	3	4	19	39	88	125
	F	312	–	–	–	1	3	6	6	19	41	88	148	302	–	–	–	3	1	8	2	17	48	84	139
Aneurysm	M	8	–	–	–	–	–	–	–	–	2	6	–	2	–	–	–	–	–	–	–	–	2	–	–
	F	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Other circulatory	M	76	–	–	–	–	–	–	–	7	8	25	36	63	–	–	–	–	–	–	–	2	8	16	37
	F	69	–	–	–	1	–	–	–	4	7	23	34	62	–	–	–	–	–	–	1	2	11	12	36
Bronchitis	M	43	3	–	–	–	1	–	–	5	6	12	16	37	1	–	–	1	–	–	2	2	4	7	20
	F	50	2	1	1	–	1	1	–	1	7	9	27	37	2	1	–	–	–	–	–	3	7	24
Pneumonia	M	70	11	9	3	4	4	4	4	2	13	12	4	60	14	1	1	1	4	2	4	4	8	14	7
	F	70	10	3	5	3	1	3	7	6	10	12	10	44	5	2	2	2	–	3	4	1	7	9	9
Other respiratory	M	18	–	–	1	–	–	–	–	4	4	3	6	11	–	1	–	1	1	–	1	2	2	1	2
	F	17	–	1	–	–	1	–	3	2	1	2	7	8	–	–	–	–	–	–	2	2	–	1	3
Peptic ulcer	M	27	–	–	–	–	1	5	4	7	4	5	1	12	–	–	–	–	–	–	1	3	2	6	–
	F	6	–	–	–	–	–	–	–	–	4	–	2	4	–	–	–	–	–	–	–	1	2	–	1
Diarrhœa	M	13	5	–	–	–	–	–	2	2	2	2	–	9	5	2	–	–	–	1	–	–	–	–	1
	F	9	1	2	1	–	–	1	1	–	–	1	2	10	4	–	–	2	–	1	–	–	1	–	2
Appendicitis	M	8	–	–	–	–	2	1	3	1	–	1	–	8	–	–	–	1	–	2	1	1	2	1	–
	F	8	–	–	–	–	1	2	1	–	1	3	–	7	–	–	–	1	–	1	–	–	3	1	1
Cirrhosis of liver	M	6	–	–	–	–	–	–	–	3	3	–	–	4	–	–	–	–	–	–	1	–	–	1	2
	F	4	–	–	–	–	–	–	–	1	1	–	2	3	–	–	–	–	–	–	–	–	2	1	–
Other liver diseases	M	4	–	–	–	–	–	–	1	–	–	1	2	3	–	–	–	–	–	–	1	1	1	–	–
	F	12	–	–	–	–	–	–	–	–	2	6	4	6	–	–	–	–	–	–	–	–	3	–	3
Other digestive	M	27	–	–	–	2	2	2	2	4	1	3	11	23	2	–	1	–	1	1	1	5	2	7	3
	F	31	2	1	1	1	–	2	–	5	8	6	5	24	–	2	2	–	1	–	4	3	5	2	5
Nephritis	M	36	–	–	–	–	2	1	2	1	10	11	9	48	–	–	–	–	–	4	1	3	11	15	14
	F	50	–	–	–	–	5	3	3	10	9	9	11	38	–	–	–	1	–	–	1	2	7	13	14
Puerperal sepsis	F	6	–	–	–	–	–	6	–	–	–	–	–	5	–	–	–	–	1	3	1	–	–	–	–
Other puerperal	F	12	–	–	–	–	2	5	5	–	–	–	–	13	–	–	–	–	1	8	4	–	–	–	–
Congenital causes, etc.	M	79	79	–	–	–	–	–	–	–	–	–	–	64	61	1	–	2	–	–	–	–	–	–	–
	F	54	51	–	–	2	–	–	–	–	1	–	–	42	42	–	–	–	–	–	–	–	–	–	–
Senility	M	63	–	–	–	–	–	–	–	–	–	9	54	45	–	–	–	–	–	–	–	–	–	3	42
	F	110	–	–	–	–	–	–	–	–	–	13	97	54	–	–	–	–	–	–	–	–	–	3	51
Suicide	M	15	–	–	–	–	1	4	–	7	3	–	–	15	–	–	–	–	1	4	1	4	3	1	1
	F	8	–	–	–	–	–	2	2	3	1	–	–	5	–	–	–	–	–	1	–	–	3	1	–
Other violence	M	81	8	–	2	7	14	13	9	9	6	8	5	76	–	1	2	2	19	19	6	8	9	6	4
	F	33	3	–	–	5	–	–	2	4	5	5	9	28	1	2	2	1	1	–	2	2	5	2	10
Other defined causes	M	130	8	4	2	2	13	5	5	8	17	40	26	126	5	2	–	4	6	6	11	11	22	25	34
	F	128	2	2	2	5	9	10	10	24	25	20	19	92	8	1	–	5	8	4	6	8	18	22	12
Ill-defined causes	M	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
	F	2	–	–	–	–	–	–	–	–	–	2	–	3	–	–	–	–	–	–	–	1	–	1	1

Causes of Death. *See* first page of Table.		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	7
All Causes	M	2,984	334	72	67	92	127	176	184	323	469	641	499	1,229	100	19	23	36	55	62	68	107	192	275	2
	F	2,713	250	58	59	86	134	136	140	244	366	578	662	1,187	112	18	15	30	47	66	56	98	149	260	3
1 Typhoid fever, etc.	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	2	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
2 Measles	M	27	6	6	14	1	–	–	–	–	–	–	–	3	–	1	1	1	–	–	–	–	–	–	–
	F	23	5	5	10	3	–	–	–	–	–	–	–	5	–	1	2	2	–	–	–	–	–	–	–
3 Scarlet fever	M	3	–	–	–	3	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
	F	3	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
4 Whooping cough	M	7	4	1	2	–	–	–	–	–	–	–	–	6	2	2	2	–	–	–	–	–	–	–	–
	F	10	4	2	4	–	–	–	–	–	–	–	–	8	3	2	3	–	–	–	–	–	–	–	–
5 Diphtheria	M	6	2	–	3	1	–	–	–	–	–	–	–	5	–	–	3	1	1	–	–	–	–	–	–
	F	3	–	–	–	3	–	–	–	–	–	–	–	6	1	1	–	2	1	–	–	1	–	–	–
6 Influenza	M	165	6	6	2	1	5	11	24	29	29	31	21	64	1	2	1	–	2	5	7	9	11	9	
	F	131	5	4	2	2	5	9	19	18	21	28	18	64	1	1	–	–	–	5	4	9	11	14	
7 Encephalitis lethargica	M	5	–	–	–	–	1	1	–	3	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
	F	4	–	–	–	–	1	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
8 Cerebro-spinal fever	M	3	2	–	–	1	–	–	–	–	–	–	–	3	–	–	–	2	1	–	–	–	–	–	–
	F	2	1	1	–	–	–	–	–	–	–	–	–	3	1	1	–	–	1	–	–	–	–	–	–
9 Respiratory tuberculosis	M	191	–	2	1	2	44	40	34	41	20	6	1	58	–	–	1	1	10	13	14	10	7	2	
	F	167	–	–	2	6	62	45	29	16	2	5	–	53	1	–	–	1	13	16	7	8	6	1	
10 Other tuberculosis	M	39	5	9	5	6	5	3	4	–	–	2	–	11	–	2	–	3	2	–	2	–	–	1	
	F	30	1	4	3	6	5	6	–	2	1	2	–	7	–	–	–	5	2	–	–	–	–	–	
11 Syphilis	M	10	1	–	–	–	–	1	–	2	4	1	1	3	1	–	–	–	–	–	–	–	–	2	
	F	4	1	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	
12 Gen. paralysis of insane, etc.	M	12	–	–	–	–	–	1	1	3	5	1	1	4	–	–	–	–	–	–	–	1	1	1	
	F	2	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
13 Cancer	M	315	1	–	–	3	2	4	15	46	102	102	40	118	–	–	–	1	1	4	4	13	30	37	2
	F	325	–	–	1	3	1	10	22	61	90	95	42	138	–	–	–	3	–	2	8	17	42	49	1
14 Diabetes	M	27	–	–	–	–	–	1	1	1	4	16	4	9	–	–	–	–	–	–	1	2	–	4	
	F	33	–	–	–	–	–	2	–	3	9	17	2	22	–	–	–	–	1	–	–	–	4	12	
15 Cerebral hæmorrhage	M	149	–	–	–	–	–	2	2	11	25	67	42	54	–	–	–	–	–	–	4	5	8	21	1
	F	188	–	–	–	–	–	1	1	18	33	75	60	69	–	–	–	–	–	2	–	8	8	23	2
16 Heart disease	M	548	–	–	–	3	13	17	19	54	105	195	142	242	–	–	–	–	2	1	4	11	50	90	8
	F	557	–	–	1	8	11	12	15	39	94	178	199	232	–	–	–	1	2	9	4	21	29	68	9
17 Aneurysm	M	9	–	–	–	–	1	–	1	3	4	–	–	4	–	–	–	–	–	–	–	1	1	2	–
	F	2	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	1	–	–	–	–	
18 Other circulatory	M	103	–	1	–	–	–	–	–	3	16	37	46	71	–	–	–	–	–	–	–	1	13	29	2
	F	99	–	–	–	–	–	–	1	2	11	29	56	62	–	–	–	–	–	–	–	1	4	20	3
19 Bronchitis	M	131	13	3	3	1	–	–	2	11	25	30	43	60	5	1	–	–	2	1	1	5	6	12	2
	F	163	23	4	1	1	2	4	1	9	21	27	70	55	9	1	–	–	1	2	–	2	3	8	2
20 Pneumonia	M	298	65	33	16	15	16	22	26	38	34	22	11	67	9	4	3	–	1	5	6	10	16	10	
	F	177	41	22	20	15	3	5	7	14	14	20	16	65	11	8	5	1	2	1	8	2	5	7	1
21 Other respiratory	M	27	3	1	2	2	1	–	4	7	1	6	–	16	1	1	–	1	1	1	–	2	3	3	
	F	17	–	–	–	–	3	1	1	3	2	2	5	10	2	1	–	–	2	–	–	1	–	3	
22 Peptic ulcer	M	32		–	–	–	–	5	8	9	4	6	–	14	–	–	–	–	–	1	2	4	5	2	–
	F	12	–	–	–	–	–	1	1	6	–	1	3	3	–	–	–	–	–	–	–	1	–	1	
23 Diarrhœa	M	50	41	3	1	–	–	–	–	1	2	1	1	5	2	1	–	–	–	–	–	–	–	1	
	F	45	27	7	4	2	1	–	2	–	–	2	–	13	5	–	2	2	–	–	–	–	1	1	
24 Appendicitis	M	20	–	–	2	4	1	2	1	5	3	2	–	8	–	–	–	2	2	–	–	1	1	2	–
	F	10	–	–	2	2	2	–	1	2	1	–	–	11	–	–	–	2	2	1	–	2	2	2	–
25 Cirrhosis of liver	M	10	–	–	–	–	–	–	–	1	7	2	–	7	–	–	–	–	–	1	–	1	1	2	
	F	4	–	–	–	–	–	1	–	2	1	–	–	2	–	–	–	–	–	1	–	–	1	–	–
26 Other liver diseases	M	5	–	–	–	1	–	–	–	–	1	2	1	4	–	–	–	–	–	–	1	–	1	–	
	F	15	–	–	–	–	1	–	1	1	4	6	2	8	–	–	–	–	–	–	1	1	1	3	
27 Other digestive	M	55	7	–	3	1	2	6	2	6	8	12	8	24	1	1	1	3	1	–	–	4	5	5	
	F	49	3	–	–	5	2	3	5	4	10	7	10	19	3	1	1	–	–	2	1	3	2	3	
28 Nephritis	M	73	–	–	–	4	3	7	2	8	17	21	11	29	–	–	1	–	2	–	6	3	5	7	
	F	65	1	–	–	1	3	5	3	8	17	14	13	44	–	–	–	1	–	1	1	7	10	12	1
29 Puerperal sepsis	F	9	–	–	–	–	4	2	3	–	–	–	–	10	–	–	–	–	4	2	4	–	–	–	–
30 Other puerperal	F	11	–	–	–	–	2	6	2	1	–	–	–	7	–	–	–	–	1	2	4	–	–	–	–
31 Congenital causes, etc.	M	153	150	–	2	–	1	–	–	–	–	–	–	68	66	–	1	1	–	–	–	–	–	–	–
	F	122	121	1	–	–	–	–	–	–	–	–	–	70	66	1	–	2	1	–	–	–	–	–	–
32 Senility	M	106	–	–	–	–	–	–	–	–	–	20	86	39	–	–	–	–	–	–	–	–	–	1	38
	F	153	–	–	–	–	–	–	–	–	–	16	137	62	–	–	–	–	–	–	–	–	–	8	54
33 Suicide	M	41	–	–	–	–	1	7	10	8	11	2	2	16	–	–	–	–	–	3	2	2	4	5	–
	F	20	–	–	–	–	6	5	4	1	2	2	–	17	–	–	–	–	1	4	2	1	3	6	–
34 Other violence	M	139	5	1	7	19	20	31	14	12	13	6	11	94	3	3	8	13	14	16	9	15	4	2	7
	F	51	4	2	2	10	2	1	2	1	3	11	13	42	5	–	2	3	6	6	2	3	3	5	7
35 Other defined causes	M	221	23	6	4	24	11	15	14	20	28	51	25	116	9	1	1	6	12	11	5	7	19	22	23
	F	200	13	5	7	17	17	14	19	31	25	36	16	79	4	–	–	5	7	9	10	10	14	14	6
36 Ill-defined causes	M	4	–	–	–	–	–	–	–	1	1	–	2	5	–	–	–	–	–	–	–	–	1	3	1
	F	5	–	–	–	–	–	–	–	1	–	4	–	–	–	–	–	–	–	–	–	–	–	–	–

Causes of Death. (see first page of Table.)		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
All Causes	M	503	29	1	4	11	19	18	35	59	61	114	152	714	43	9	7	13	15	34	29	47	98	192	227
	F	554	26	2	3	7	9	18	27	50	68	115	229	709	26	5	7	12	20	22	32	63	88	157	277
Typhoid fever, etc.	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Measles	M	–	–	–	–	–	–	–	–	–	–	–	–	3	–	1	–	1	1	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	1	–	–	–	1	–	–	–	–	–	–	–	2	1	–	1	–	–	–	–	–	–	–	–
Whooping cough	M	3	3	–	–	–	–	–	–	–	–	–	–	5	3	2	–	–	–	–	–	–	–	–	–
	F	1	–	–	1	–	–	–	–	–	–	–	–	8	4	3	–	1	–	–	–	–	–	–	–
Diphtheria	M	5	–	–	1	4	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	1	–	–	–	–	–	–
Influenza	M	15	–	–	–	–	1	3	1	3	–	4	3	31	1	–	1	–	–	3	4	4	3	6	9
	F	13	–	–	–	–	–	–	3	1	–	–	9	28	1	–	–	1	1	–	3	2	6	6	8
Encephalitis lethargica	M	3	–	–	–	–	–	–	–	1	1	1	–	2	–	–	–	–	1	–	–	1	–	–	–
	F	3	–	–	–	–	–	1	2	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Cerebro-spinal fever	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Respiratory tuberculosis	M	26	–	–	–	–	6	6	6	3	4	1	–	32	–	–	–	–	2	14	2	5	2	4	3
	F	23	–	–	–	–	3	6	3	6	3	2	–	24	–	–	–	1	7	4	4	1	3	3	1
Other tuberculosis	M	5	1	1	–	1	–	1	–	–	–	1	–	8	1	–	–	1	1	2	1	1	–	1	–
	F	9	–	2	–	1	1	2	1	–	–	2	–	4	1	–	–	–	2	–	–	1	–	–	–
Syphilis	M	2	–	–	–	–	–	1	–	–	–	1	–	1	–	–	–	1	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gen. paralysis of insane, etc.	M	5	–	–	–	–	–	–	1	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
Cancer	M	63	–	–	–	–	–	–	3	11	13	23	13	90	–	–	–	–	–	1	3	5	14	42	25
	F	85	–	–	–	–	–	–	7	17	20	20	21	114	–	–	–	–	–	3	5	20	23	35	28
Diabetes	M	6	–	–	–	–	–	–	–	2	2	–	2	11	–	–	–	1	–	1	–	–	1	6	2
	F	14	–	–	–	–	–	–	1	–	3	4	6	11	–	–	–	1	–	–	–	–	1	6	3
Cerebral hæmorrhage	M	35	–	–	–	–	–	–	3	5	4	12	11	33	–	–	–	–	–	–	–	–	6	13	14
	F	42	–	–	–	–	–	1	–	2	3	16	20	56	–	–	–	–	–	–	2	3	7	16	28
Heart disease	M	109	–	–	–	–	1	1	2	12	15	33	45	145	–	–	–	–	–	1	4	7	19	46	68
	F	127	–	–	–	–	1	1	1	7	16	32	69	169	–	–	–	–	3	3	2	7	23	45	86
Aneurysm	M	2	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
	F	1	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	1	–	–	1	–
Other circulatory	M	27	–	–	–	–	–	–	1	2	4	4	16	43	1	–	–	–	–	–	–	1	3	8	30
	F	38	–	–	–	–	–	–	–	1	3	9	25	31	–	–	–	–	–	–	–	–	4	4	23
Bronchitis	M	20	2	–	–	–	–	–	–	–	2	2	14	27	–	–	–	–	1	–	–	1	2	8	15
	F	19	–	–	–	–	–	–	–	–	–	2	17	40	2	–	–	–	–	–	–	3	2	5	28
Pneumonia	M	12	–	–	–	–	1	–	2	1	–	5	3	37	4	3	–	1	1	–	3	3	10	8	4
	F	25	3	–	1	–	2	1	1	2	4	5	6	20	–	2	2	–	–	1	2	–	2	7	4
Other respiratory	M	7	–	–	–	–	–	2	–	2	–	1	2	11	–	–	–	1	–	–	1	–	1	5	3
	F	3	–	–	–	–	–	–	–	1	–	–	2	7	1	–	–	–	1	–	–	1	1	1	2
Peptic ulcer	M	7	–	–	–	–	–	–	4	–	2	–	1	7	–	–	–	–	–	–	–	2	3	1	1
	F	3	–	–	–	–	–	–	–	–	1	1	1	5	–	–	–	–	–	–	–	2	1	2	–
Diarrhœa	M	2	–	–	–	–	–	–	–	1	–	–	1	4	–	2	1	–	–	–	–	–	–	1	–
	F	3	2	–	–	–	–	–	–	–	–	–	1	5	1	–	–	2	–	–	–	–	2	–	–
Appendicitis	M	8	1	–	–	–	1	–	–	2	2	2	–	4	–	–	–	1	–	2	–	–	1	–	–
	F	3	–	–	–	–	1	1	–	–	–	–	1	2	–	–	–	–	1	–	–	–	–	1	–
Cirrhosis of liver	M	3	–	–	–	–	–	–	–	1	–	–	2	6	–	–	–	–	–	–	–	3	2	1	–
	F	1	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	1	–	–	1
Other liver diseases	M	2	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–
	F	5	–	–	–	–	–	–	1	1	2	–	1	7	–	–	–	–	–	–	1	–	1	2	3
Other digestive	M	9	–	–	–	1	–	1	–	–	2	2	3	18	2	–	–	2	–	1	1	1	5	3	3
	F	5	3	–	–	–	–	–	–	–	–	1	1	13	–	–	–	–	1	1	3	2	1	2	3
Nephritis	M	14	–	–	–	–	1	–	2	1	2	4	4	19	–	–	–	1	–	–	2	2	2	4	8
	F	16	–	–	–	–	–	–	1	3	5	4	3	15	–	–	–	1	–	2	–	2	3	5	2
Puerperal sepsis	F	1	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Other puerperal	F	2	–	–	–	–	1	1	–	–	–	–	–	3	–	–	–	–	1	–	2	–	–	–	–
Congenital causes, etc.	M	18	18	–	–	–	–	–	–	–	–	–	–	30	29	–	1	–	–	–	–	–	–	–	–
	F	14	14	–	–	–	–	–	–	–	–	–	–	13	13	–	–	–	–	–	–	–	–	–	–
Senility	M	19	–	–	–	–	–	–	–	–	–	1	18	24	–	–	–	–	–	–	–	–	–	–	24
	F	36	–	–	–	–	–	–	–	–	–	1	35	42	–	–	–	–	–	–	–	–	–	5	37
Suicide	M	9	–	–	–	–	1	–	2	4	–	1	1	19	–	–	–	–	–	3	–	4	7	3	2
	F	4	–	–	–	–	–	1	1	–	2	–	–	5	–	–	–	–	1	2	–	1	1	–	–
Other violence	M	16	–	–	2	2	3	1	2	1	3	1	1	26	1	1	2	–	3	3	1	–	5	7	3
	F	7	1	–	–	1	–	1	–	–	–	2	2	18	1	–	–	1	1	1	–	5	1	2	6
Other defined causes	M	51	4	–	1	3	4	2	5	4	3	14	11	71	1	–	2	3	4	3	6	5	12	23	12
	F	50	3	–	1	4	–	2	4	8	6	13	9	55	1	–	3	3	–	4	6	11	6	9	12
Ill-defined causes	M	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	1
	F	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	2

Causes of Death. *See* first page of Table.		Aggregate of Urban Districts.											
		All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
All Causes	M	257	19	1	3	7	2	11	7	15	51	70	71
	F	292	8	–	1	4	6	5	19	14	33	62	140
1 Typhoid fever, etc.	M	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–
2 Measles	M	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–
3 Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–
4 Whooping cough	M	1	–	–	1	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–
5 Diphtheria	M	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–
6 Influenza	M	14	–	–	–	1	–	1	–	–	1	5	6
	F	17	–	–	–	–	–	1	1	2	4	1	8
7 Encephalitis lethargica	M	–	–	–	–	–	–	–	–	–	–	–	–
	F	1	–	–	–	–	–	–	–	–	1	–	–
8 Cerebro-spinal fever	M	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–
9 Respiratory tuberculosis	M	7	–	–	–	–	–	5	–	2	–	–	–
	F	8	–	–	–	1	3	1	2	–	1	–	–
10 Other tuberculosis	M	4	1	–	1	1	–	–	–	1	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–
11 Syphilis	M	2	1	–	–	–	–	–	–	1	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–
12 Gen. paralysis of insane, etc.	M	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–
13 Cancer	M	38	–	–	–	–	–	–	–	1	12	15	10
	F	39	–	–	–	–	1	1	4	4	8	6	15
14 Diabetes	M	2	–	–	–	–	–	–	–	–	1	–	1
	F	8	–	–	–	–	–	–	–	–	–	6	2
15 Cerebral hæmorrhage	M	11	–	–	–	–	–	–	–	–	2	6	3
	F	20	–	–	–	–	–	–	–	1	2	7	10
16 Heart disease	M	51	–	–	–	–	–	1	1	1	17	18	13
	F	57	–	–	–	–	–	–	2	–	6	24	25
17 Aneurysm	M	–	–	–	–	–	–	–	–	–	–	–	–
	F	2	–	–	–	–	–	–	–	2	–	–	–
18 Other circulatory	M	22	–	–	–	–	–	–	–	–	2	5	15
	F	21	–	–	–	–	–	–	–	–	3	4	14
19 Bronchitis	M	10	–	1	–	–	–	–	1	–	–	2	6
	F	23	–	–	–	–	–	–	–	–	–	4	19
20 Pneumonia	M	8	1	–	–	1	–	–	1	2	3	–	–
	F	4	–	–	–	–	1	–	1	–	1	–	1
21 Other respiratory	M	2	–	–	–	–	–	–	–	–	1	–	1
	F	2	–	–	–	–	–	–	–	–	1	1	–
22 Peptic ulcer	M	3	–	–	–	–	–	–	–	1	1	1	–
	F	–	–	–	–	–	–	–	–	–	–	–	–
23 Diarrhœa	M	1	–	–	–	–	–	–	–	–	–	–	1
	F	2	1	–	–	–	–	–	1	–	–	–	–
24 Appendicitis	M	5	–	–	–	–	–	–	1	1	3	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–
25 Cirrhosis of liver	M	3	–	–	–	–	–	–	–	1	1	1	–
	F	1	–	–	–	–	–	–	–	–	1	–	–
26 Other liver diseases	M	–	–	–	–	–	–	–	–	–	–	–	–
	F	2	–	–	–	–	–	–	–	–	–	1	1
27 Other digestive	M	7	–	–	–	–	–	–	–	1	–	3	3
	F	5	–	–	–	–	–	–	2	–	–	–	3
28 Nephritis	M	13	–	–	–	–	–	2	1	–	5	3	2
	F	12	1	–	–	–	–	–	1	2	–	4	4
29 Puerperal sepsis	F	–	–	–	–	–	–	–	–	–	–	–	–
30 Other puerperal	F	–	–	–	–	–	–	–	–	–	–	–	–
31 Congenital causes, etc.	M	16	16	–	–	–	–	–	–	–	–	–	–
	F	7	6	–	–	1	–	–	–	–	–	–	–
32 Senility	M	3	–	–	–	–	–	–	–	–	–	–	3
	F	28	–	–	–	–	–	–	–	–	–	–	28
33 Suicide	M	3	–	–	–	–	–	–	–	1	–	2	–
	F	2	–	–	–	–	–	–	–	–	2	–	–
34 Other violence	M	10	–	–	–	1	1	2	1	1	–	2	2
	F	8	–	–	–	1	–	1	–	–	–	1	5
35 Other defined causes	M	21	–	–	1	3	1	–	1	1	2	7	5
	F	22	–	–	1	1	1	1	5	3	3	2	5
36 Ill-defined causes	M	–	–	–	–	–	–	–	–	–	–	–	–
	F	1	–	–	–	–	–	–	–	–	–	1	–

Causes of Death. *See* first page of Table.		Aggregate of Rural Districts.											
		All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75
All Causes	M	437	21	3	3	3	13	14	16	26	65	106	16
	F	442	16	3	2	7	7	12	19	24	57	102	19
1 Typhoid fever, etc.	M	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–
2 Measles	M	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–
3 Scarlet fever	M	1	–	–	1	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–
4 Whooping cough	M	1	1	–	–	–	–	–	–	–	–	–	–
	F	3	–	1	1	1	–	–	–	–	–	–	–
5 Diphtheria	M	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–
6 Influenza	M	20	–	–	–	1	–	–	1	–	3	3	1
	F	28	–	–	–	–	–	–	–	2	2	9	1
7 Encephalitis lethargica	M	1	–	–	–	–	–	1	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–
8 Cerebro-spinal fever	M	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–
9 Respiratory tuberculosis	M	19	–	–	–	–	4	7	4	–	4	–	–
	F	16	–	–	–	–	2	7	3	2	2	–	–
10 Other tuberculosis	M	2	–	1	1	–	–	–	–	–	–	–	–
	F	3	–	–	–	1	–	1	–	–	–	1	–
11 Syphilis	M	–	–	–	–	–	–	–	–	–	–	–	–
	F	1	–	–	–	–	–	–	–	–	–	1	–
12 Gen. paralysis of insane, etc.	M	1	–	–	–	–	–	–	–	–	–	1	–
	F	–	–	–	–	–	–	–	–	–	–	–	–
13 Cancer	M	54	–	–	1	–	–	–	–	5	17	20	1
	F	72	–	–	–	–	–	–	4	6	19	22	2
14 Diabetes	M	3	–	–	–	–	–	–	–	2	1	–	–
	F	7	–	–	–	–	–	–	–	–	1	2	
15 Cerebral hæmorrhage	M	24	–	–	–	–	–	–	–	2	1	9	1
	F	24	–	–	–	–	–	–	–	2	3	5	1
16 Heart disease	M	115	–	–	–	–	1	–	2	5	19	34	5
	F	123	–	–	–	–	–	–	2	2	10	32	7
17 Aneurysm	M	1	–	–	–	–	–	–	–	–	–	1	–
	F	–	–	–	–	–	–	–	–	–	–	–	–
18 Other circulatory	M	40	–	–	–	–	–	–	1	1	3	10	2
	F	23	–	–	–	–	–	–	–	–	2	7	1
19 Bronchitis	M	12	1	–	–	–	–	–	–	–	1	3	
	F	12	–	–	–	–	–	–	–	–	–	1	1
20 Pneumonia	M	15	–	–	–	–	1	1	–	4	1	2	
	F	9	3	1	–	–	1	–	–	–	3	1	–
21 Other respiratory	M	3	–	–	–	–	–	–	2	–	–	1	–
	F	5	–	–	–	–	–	–	1	–	1	2	
22 Peptic ulcer	M	2	–	–	–	–	–	–	–	–	–	1	
	F	1	–	–	–	–	–	–	–	–	1	–	–
23 Diarrhœa	M	–	–	–	–	–	–	–	–	–	–	–	–
	F	3	1	–	–	–	1	–	1	–	–	–	–
24 Appendicitis	M	2	–	–	–	–	–	1	–	–	1	–	–
	F	3	–	–	–	–	–	–	–	2	1	–	–
25 Cirrhosis of liver	M	2	–	–	–	–	–	–	–	–	1	1	–
	F	–	–	–	–	–	–	–	–	–	–	–	–
26 Other liver diseases	M	1	–	–	–	–	–	–	–	–	–	1	–
	F	3	–	–	–	–	–	–	–	–	2	1	–
27 Other digestive	M	12	–	–	–	–	–	–	1	1	3	2	
	F	8	–	–	–	–	–	–	–	–	1	3	
28 Nephritis	M	14	–	–	–	–	2	–	1	–	3	3	
	F	11	–	–	–	1	–	3	1	–	1	3	
29 Puerperal sepsis	F	1	–	–	–	–	1	–	–	–	–	–	–
30 Other puerperal	F	3	–	–	–	–	–	1	2	–	–	–	–
31 Congenital causes, etc.	M	18	17	–	–	1	–	–	–	–	–	–	–
	F	11	11	–	–	–	–	–	–	–	–	–	–
32 Senility	M	16	–	–	–	–	–	–	–	–	–	–	16
	F	24	–	–	–	–	–	–	–	–	–	2	22
33 Suicide	M	6	–	–	–	–	–	1	1	1	1	2	–
	F	3	–	–	–	–	–	–	–	2	1	–	–
34 Other violence	M	16	–	1	–	–	3	2	1	2	–	3	4
	F	6	–	–	–	–	1	–	1	1	–	1	2
35 Other defined causes	M	33	2	1	–	1	1	2	2	3	5	9	7
	F	38	1	1	1	3	2	–	4	5	7	8	6
36 Ill-defined causes	M	3	–	–	–	–	–	–	–	–	1	–	2
	F	1	–	–	–	–	–	–	–	–	–	1	–

Causes of Death. (see first page of Table.)		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
All Causes	M	4234	282	36	63	106	168	206	245	447	739	965	977	780	41	7	9	14	20	19	29	74	133	213	221
	F	4422	193	34	47	76	140	185	261	417	578	977	1514	766	31	8	10	13	15	29	38	55	113	180	274
1 Typhoid fever, etc.	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2 Measles	M	7	2	1	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	6	1	1	3	1	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
3 Scarlet fever	M	4	–	–	–	3	–	–	–	–	1	–	–	4	–	1	1	1	–	–	1	–	–	–	–
	F	2	–	–	1	1	–	–	–	–	–	–	–	2	–	–	–	1	1	–	–	–	–	–	–
4 Whooping cough	M	12	7	1	3	1	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
	F	17	6	2	6	3	–	–	–	–	–	–	–	3	2	1	–	–	–	–	–	–	–	–	–
5 Diphtheria	M	23	2	1	7	12	–	–	–	1	–	–	–	3	–	–	–	3	–	–	–	–	–	–	–
	F	16	2	2	2	9	–	–	–	–	–	1	–	2	–	–	1	1	–	–	–	–	–	–	–
6 Influenza	M	167	2	1	–	2	6	9	19	26	23	34	45	58	3	–	–	–	2	1	4	11	9	11	17
	F	214	1	2	1	3	8	11	17	21	21	42	87	51	–	–	1	1	–	2	8	5	3	10	21
7 Encephalitis lethargica	M	5	–	–	1	1	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	5	–	–	–	1	–	1	–	–	3	–	–	3	–	–	–	–	–	–	1	1	–	1	–
8 Cerebro-spinal fever	M	5	1	1	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	2	1	–	–	–	–	–	–	1	–	–	–	3	–	–	1	–	1	–	–	1	–	–	–
9 Respiratory tuberculosis	M	291	–	1	–	1	49	65	55	66	38	13	3	40	–	–	1	–	5	4	6	11	7	5	1
	F	193	–	–	–	4	50	60	37	23	9	9	1	36	–	–	1	–	7	10	8	6	3	1	–
0 Other tuberculosis	M	44	5	3	8	7	4	4	6	3	3	–	1	4	–	2	1	–	–	1	–	–	–	–	–
	F	35	4	4	5	4	3	5	3	4	1	2	–	5	–	–	3	–	–	2	–	–	–	–	–
1 Syphilis	M	17	1	–	–	–	–	–	2	4	4	4	2	2	–	–	–	–	–	–	–	–	1	1	–
	F	5	2	–	–	–	–	–	–	1	2	–	–	2	–	–	–	–	–	–	–	1	1	–	–
2 Gen. paralysis of insane, etc.	M	11	–	–	–	–	1	–	–	3	4	2	1	–	–	–	–	–	–	–	–	–	–	–	–
	F	3	–	–	–	–	–	–	1	–	1	–	1	2	–	–	–	–	–	–	–	–	–	2	–
3 Cancer	M	530	–	1	–	1	5	8	24	61	150	177	103	111	–	–	–	–	–	2	4	12	31	34	28
	F	693	–	–	–	2	6	11	55	112	159	184	164	102	–	–	–	–	–	1	5	17	26	28	25
4 Diabetes	M	43	–	–	1	–	1	–	2	3	13	14	9	4	1	–	–	–	–	–	–	–	–	3	–
	F	59	–	1	–	1	–	2	3	4	15	24	9	15	–	–	–	1	1	–	–	1	4	5	3
5 Cerebral hæmorrhage	M	154	–	–	–	–	–	–	4	12	33	57	48	39	–	–	–	–	–	–	–	2	3	16	18
	F	235	–	–	–	–	–	2	1	14	36	83	99	44	–	–	–	–	–	–	–	4	8	11	21
6 Heart disease	M	869	–	–	1	2	8	12	21	66	159	283	317	176	–	–	1	1	–	1	2	10	31	57	73
	F	977	–	–	–	2	9	12	32	62	109	276	475	185	–	–	–	1	1	1	1	5	27	66	83
7 Aneurysm	M	31	–	–	–	–	–	–	–	6	13	8	4	2	–	–	–	–	–	1	–	–	1	–	–
	F	8	–	–	–	1	–	–	–	–	3	3	1	1	–	–	–	–	–	–	–	–	–	1	–
8 Other circulatory	M	228	–	–	–	1	–	–	1	19	34	67	106	55	–	–	–	–	–	–	1	1	11	24	18
	F	248	–	–	–	–	–	1	4	14	30	64	135	42	–	–	–	–	–	–	–	–	5	13	24
9 Bronchitis	M	128	6	–	–	–	1	1	1	12	12	35	60	22	1	–	–	–	–	–	–	–	3	6	12
	F	177	2	1	–	–	–	2	3	6	18	33	112	32	2	–	–	–	–	–	–	1	–	3	26
0 Pneumonia	M	258	33	11	4	5	11	19	19	33	39	44	40	31	3	2	1	2	1	–	1	3	5	10	3
	F	219	17	8	12	6	6	6	10	22	22	42	68	33	2	2	1	2	1	1	2	1	6	7	8
Other respiratory	M	43	2	–	–	2	1	3	10	9	4	5	7	5	–	–	–	–	–	–	–	3	–	1	1
	F	43	2	–	–	2	–	2	2	8	4	2	21	7	–	–	–	–	–	–	1	–	3	1	2
2 Peptic ulcer	M	68	–	–	–	–	–	7	7	19	19	12	4	7	–	–	–	–	–	–	1	1	2	3	–
	F	16	–	–	–	–	–	–	1	7	2	3	3	3	–	–	–	–	–	1	1	1	–	–	–
3 Diarrhœa	M	30	23	2	–	1	1	–	–	–	–	1	2	2	1	–	–	–	–	–	–	–	–	–	1
	F	22	9	2	2	–	3	1	1	–	–	–	4	7	2	–	–	–	–	–	1	1	–	1	2
4 Appendicitis	M	34	–	–	2	1	4	5	4	6	5	6	1	14	–	–	–	–	2	1	2	2	4	2	1
	F	42	–	1	–	4	1	4	3	6	9	8	6	7	–	–	1	1	1	–	1	–	2	1	–
5 Cirrhosis of liver	M	20	–	–	–	–	–	1	1	3	8	6	1	1	–	–	–	–	–	–	–	–	1	–	–
	F	12	–	–	–	–	–	–	2	2	6	2	–	6	–	–	–	–	–	–	1	1	1	1	2
6 Other liver diseases	M	22	–	–	–	–	–	–	–	5	4	8	5	5	–	–	–	–	–	–	1	–	2	1	1
	F	45	–	–	–	–	–	–	2	7	8	11	17	4	–	–	–	–	–	–	–	1	–	–	3
7 Other digestive	M	102	8	2	3	6	3	3	11	13	22	21	10	16	–	–	–	–	1	1	1	4	3	2	4
	F	93	3	1	3	6	1	3	7	14	15	22	18	15	1	–	–	1	–	–	1	2	4	2	4
8 Nephritis	M	123	–	–	2	1	1	8	7	15	29	33	27	32	–	–	–	1	–	–	1	3	6	10	11
	F	136	–	–	1	–	7	4	11	10	23	41	39	21	–	–	–	–	–	–	1	1	3	7	9
9 Puerperal sepsis	F	13	–	–	–	–	2	9	2	–	–	–	–	3	–	–	–	–	1	1	1	–	–	–	–
0 Other puerperal	F	26	–	–	–	–	9	15	2	–	–	–	–	5	–	–	–	–	–	4	1	–	–	–	–
Congenital causes, etc.	M	163	158	1	–	1	1	–	2	–	–	–	–	24	23	–	–	–	–	1	–	–	–	–	–
	F	122	120	–	1	1	–	–	–	–	–	–	–	19	18	1	–	–	–	–	–	–	–	–	–
2 Senility	M	106	–	–	–	–	–	–	–	–	2	14	90	13	–	–	–	–	–	–	–	–	–	4	9
	F	202	–	–	–	–	–	–	–	–	1	33	168	34	–	–	–	–	–	–	–	–	1	2	31
3 Suicide	M	63	–	–	–	–	9	9	8	12	18	4	3	9	–	–	–	–	–	–	–	3	4	2	–
	F	39	–	–	–	–	2	4	9	9	8	7	–	5	–	–	–	–	1	2	–	1	–	1	–
4 Other violence	M	232	9	3	14	20	37	30	20	20	36	24	19	34	1	1	2	4	5	5	2	5	3	2	4
	F	130	10	1	4	8	10	9	11	11	13	17	36	18	2	–	1	1	–	1	–	1	4	2	6
5 Other defined causes	M	397	23	7	15	35	24	21	20	30	65	90	67	65	7	1	2	2	3	1	2	3	6	19	19
	F	362	12	8	6	17	23	21	42	59	59	67	48	47	2	4	–	2	–	3	4	3	11	14	4
6 Ill-defined causes	M	4	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–
	F	5	1	–	–	–	–	–	–	–	1	1	2	1	–	–	–	–	–	–	–	–	1	–	–

Causes of Death. *See* first page of Table.		Aggregate of Urban Districts.												Aggregate of Rural Districts.										
		All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75
	All Causes	M	917	51	7	10	13	22	32	48	70	146	229	289	847	30	5	11	19	26	31	31	83	128	201	28
		F	1,173	36	5	4	13	20	22	48	82	177	280	486	783	32	5	2	9	13	24	39	71	102	200	28
1	Typhoid fever, etc.	M	2	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2	Measles	M	5	1	2	1	1	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
		F	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
3	Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
4	Whooping cough	M	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	3	–	1	2	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–
5	Diphtheria	M	1	–	–	–	1	–	–	–	–	–	–	–	3	1	–	1	1	–	–	–	–	–	–	–
		F	1	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
6	Influenza	M	39	2	1	2	1	1	–	2	1	5	9	15	29	–	1	1	–	1	2	2	4	5	5	
		F	53	1	–	–	1	–	1	3	–	9	10	28	33	–	–	1	1	–	2	5	6	2	8	
7	Encephalitis lethargica	M	2	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
		F	2	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
8	Cerebro-spinal fever	M	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	2	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9	Respiratory tuberculosis	M	39	–	–	–	–	5	11	10	3	9	1	–	31	–	1	–	–	6	7	6	7	4	–	–
		F	31	–	–	–	–	5	6	9	6	4	–	1	25	–	–	–	1	3	4	10	4	2	1	–
10	Other tuberculosis	M	13	1	1	2	2	1	2	–	–	3	–	1	11	–	2	2	1	1	1	–	2	1	–	
		F	8	–	1	–	2	1	2	1	–	1	–	–	7	2	–	1	1	–	–	1	–	–	1	
11	Syphilis	M	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
12	Gen. paralysis of insane, etc.	M	2	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	1	–	–	–
		F	2	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–	1	–	–	–
13	Cancer	M	117	–	–	–	1	1	1	1	13	30	44	26	93	–	–	–	–	–	–	2	11	16	33	3
		F	205	–	–	–	–	1	–	13	24	40	65	62	126	–	–	–	–	–	1	7	14	34	43	2
14	Diabetes	M	13	–	–	–	–	–	2	–	–	1	6	4	7	–	–	–	–	–	–	–	–	–	5	
		F	35	–	–	–	–	2	–	1	2	10	9	11	9	–	–	–	–	–	–	1	2	–	2	
15	Cerebral hæmorrhage	M	45	–	–	–	–	–	–	1	1	6	11	26	48	–	–	–	–	–	1	1	1	8	13	2
		F	66	–	–	–	–	–	–	–	4	7	24	31	54	–	–	–	–	–	–	3	6	11	14	2
16	Heart disease	M	210	–	–	–	–	–	3	6	12	33	61	95	229	–	–	–	1	2	1	2	15	46	69	9
		F	312	–	–	–	–	2	2	7	16	46	71	168	188	–	–	–	–	1	1	2	10	24	53	9
17	Aneurysm	M	5	–	–	–	–	–	1	–	2	1	–	1	1	–	–	–	–	–	–	–	–	1	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
18	Other circulatory	M	65	–	–	–	–	–	–	–	3	5	22	35	59	–	–	–	–	–	–	–	1	10	19	2
		F	65	–	–	–	–	–	–	–	1	5	21	38	46	–	–	–	–	–	–	–	2	2	20	2
19	Bronchitis	M	36	1	–	–	–	1	1	–	3	5	7	18	31	–	–	–	–	–	–	–	4	2	5	2
		F	33	–	–	–	–	–	–	–	1	1	6	25	39	–	–	–	–	1	–	–	1	3	7	2
20	Pneumonia	M	52	7	1	3	–	–	1	5	4	9	10	12	41	7	1	2	3	–	1	4	6	1	10	
		F	49	2	1	–	1	2	2	2	2	10	16	11	34	2	3	–	–	1	1	2	2	4	9	1
21	Other respiratory	M	7	–	–	–	–	–	1	–	–	2	3	1	8	–	–	–	1	1	–	–	–	1	2	
		F	12	–	–	–	–	–	–	–	–	1	4	7	8	–	–	–	–	–	–	–	1	1	4	
22	Peptic ulcer	M	12	–	–	–	–	1	1	2	1	3	3	1	11	–	–	–	–	–	–	3	4	3	1	–
		F	5	–	–	–	–	–	–	–	1	2	–	2	2	–	–	–	–	–	–	2	–	–	–	
23	Diarrhœa	M	3	3	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	1	–	–	–	–	–	–
		F	2	1	–	–	–	–	–	–	–	–	1	–	7	2	1	–	–	1	1	–	1	1	–	–
24	Appendicitis	M	3	–	–	–	–	1	–	1	–	1	–	–	7	–	–	–	1	–	–	1	2	2	1	–
		F	4	–	–	–	–	–	–	–	1	–	–	3	4	–	–	–	–	–	1	1	–	–	–	
25	Cirrhosis of liver	M	4	–	–	–	–	–	–	1	1	1	1	–	2	–	–	–	–	–	–	–	1	1	–	–
		F	4	–	–	–	–	–	–	1	–	–	2	1	1	–	–	–	–	–	–	–	1	–	–	–
26	Other liver diseases	M	3	–	–	–	–	–	–	–	–	–	1	2	1	–	–	–	–	–	–	–	–	–	–	
		F	10	–	–	–	–	–	–	–	–	4	3	3	6	–	–	–	–	–	–	1	–	–	2	
27	Other digestive	M	14	–	1	1	1	–	1	–	2	3	2	3	11	–	–	–	1	–	–	–	2	3	4	
		F	18	–	–	–	1	–	–	1	3	2	6	5	16	–	–	–	–	–	1	1	5	1	7	
28	Nephritis	M	39	–	–	–	1	–	–	3	6	5	16	8	33	–	–	–	–	–	–	2	3	8	7	1
		F	33	–	–	–	–	1	–	1	2	8	10	11	23	–	–	–	–	1	1	1	2	4	6	
29	Puerperal sepsis	F	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	2	–	–	–	–	–
30	Other puerperal	F	6	–	–	–	–	1	2	3	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
31	Congenital causes, etc.	M	31	30	–	–	–	1	–	–	–	–	–	–	19	18	–	1	–	–	–	–	–	–	–	–
		F	29	28	1	–	–	–	–	–	–	–	–	–	19	17	1	–	–	1	–	–	–	–	–	–
32	Senility	M	17	–	–	–	–	–	–	–	–	–	3	14	20	–	–	–	–	–	–	–	–	–	2	1
		F	51	–	–	–	–	–	–	–	–	–	4	47	35	–	–	–	–	–	–	–	–	–	5	3
33	Suicide	M	20	–	–	–	–	–	2	7	–	9	2	–	16	–	–	–	–	–	3	1	5	3	2	
		F	6	–	–	–	–	–	2	1	2	1	–	–	3	–	–	–	–	1	–	–	2	–	–	–
34	Other violence	M	36	2	–	–	5	7	2	2	6	4	6	2	50	–	–	3	2	11	11	4	6	3	3	
		F	28	2	–	–	1	3	–	1	3	4	3	11	21	1	–	–	2	2	2	–	4	1	2	
35	Other defined causes	M	76	2	1	1	–	2	3	6	7	9	21	24	74	3	–	1	4	3	4	2	8	9	19	21
		F	96	1	1	1	5	2	5	3	13	21	24	20	69	6	–	–	3	1	6	2	7	12	15	17
36	Ill-defined causes	M	2	–	–	–	–	–	–	–	1	–	–	1	4	–	–	–	–	–	–	–	–	1	1	
		F	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–

Causes of Death. first page of Table.		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
All Causes	M	764	46	7	5	16	19	29	37	60	121	200	224	680	43	6	12	8	33	16	33	69	96	162	202
	F	916	28	1	5	11	13	32	40	55	139	226	366	603	24	8	8	8	15	21	26	57	81	133	222
Typhoid fever, etc.	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	M	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
	F	3	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet fever	M	2	–	–	–	1	–	–	1	–	–	–	–	3	–	–	2	–	1	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Whooping cough	M	–	–	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–
	F	1	–	–	1	–	–	–	–	–	–	–	–	5	1	2	2	–	–	–	–	–	–	–	–
Diphtheria	M	2	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	3	–	–	–	3	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Influenza	M	26	–	–	–	–	–	2	2	2	4	5	11	30	2	–	–	–	1	–	4	5	2	6	10
	F	50	2	–	–	–	2	1	5	5	10	4	21	25	–	–	–	–	1	–	2	3	5	6	8
Encephalitis lethargica	M	1	–	–	–	–	–	–	–	–	1	–	–	2	–	1	–	–	–	–	–	–	–	1	–
	F	2	–	–	–	–	–	–	–	–	2	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Cerebro-spinal fever	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Respiratory tuberculosis	M	45	–	–	–	–	6	11	9	8	7	3	1	26	–	–	–	–	6	1	9	6	2	1	1
	F	29	–	–	–	–	2	11	5	5	2	1	3	20	–	–	–	–	5	5	5	3	1	1	–
Other tuberculosis	M	6	–	1	2	1	–	1	–	–	1	–	–	9	–	–	1	–	1	1	1	2	2	1	–
	F	5	–	–	–	2	1	–	1	1	–	–	–	2	–	1	1	–	–	–	–	–	–	–	–
Syphilis	M	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gen. paralysis of insane, etc.	M	2	–	–	–	–	–	–	–	1	–	1	–	2	–	–	–	–	–	–	1	1	–	–	–
	F	3	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	M	114	–	–	–	1	–	1	3	14	27	40	28	77	–	–	–	–	–	–	–	11	18	29	19
	F	148	–	–	–	1	–	4	13	12	38	42	38	93	–	–	–	–	1	5	5	17	27	20	18
Diabetes	M	13	–	–	–	–	–	–	–	2	3	3	5	8	–	–	–	–	1	–	–	–	1	4	2
	F	15	–	–	–	–	–	–	–	1	1	7	6	9	–	–	–	–	–	1	–	–	2	3	3
Cerebral hæmorrhage	M	30	–	–	–	–	–	–	2	–	6	10	12	33	–	–	–	–	–	–	1	4	5	7	16
	F	58	–	–	–	–	–	1	1	2	10	17	27	40	–	–	–	–	–	–	1	5	6	10	18
Heart disease	M	175	–	–	–	1	2	–	6	9	22	66	69	172	–	–	–	–	2	1	3	13	33	52	68
	F	229	–	–	–	–	–	3	2	9	28	73	114	161	–	–	–	–	1	1	4	6	20	50	79
Aneurysm	M	3	–	–	–	–	–	–	–	–	3	–	–	2	–	–	–	–	–	–	–	–	1	–	1
	F	2	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Other circulatory	M	43	–	–	–	–	–	–	–	3	9	13	18	28	–	–	–	1	–	–	–	2	1	7	17
	F	55	–	–	–	–	–	–	1	1	4	9	40	26	–	–	–	–	–	–	–	1	2	3	20
Bronchitis	M	28	2	–	–	–	–	–	1	2	6	4	13	25	–	1	–	–	–	–	–	–	2	8	14
	F	40	–	–	1	–	–	–	–	1	–	7	31	23	1	–	–	–	1	–	–	–	1	5	15
Pneumonia	M	38	3	2	–	2	–	2	1	3	9	5	11	21	3	–	2	–	1	–	1	1	4	5	4
	F	42	7	–	1	1	1	–	–	2	9	5	16	27	4	2	–	1	–	2	2	3	4	4	5
Other respiratory	M	4	–	–	–	–	–	–	–	1	1	–	2	9	–	–	–	–	–	–	2	2	–	2	3
	F	10	–	–	–	–	–	1	–	1	2	3	3	3	–	–	–	–	–	–	–	–	–	–	3
Peptic ulcer	M	7	–	–	–	–	–	–	1	1	2	1	2	7	–	–	–	–	–	–	1	3	3	–	–
	F	7	–	–	–	–	–	–	2	–	3	2	–	4	–	–	–	–	–	–	–	–	2	1	1
Diarrhœa	M	6	5	–	–	–	–	–	–	–	1	–	–	3	1	–	–	–	–	–	1	–	–	1	–
	F	5	2	–	–	–	1	–	–	–	–	–	2	4	2	1	–	–	–	–	–	1	–	–	–
Appendicitis	M	8	–	–	–	–	1	1	3	1	–	2	–	10	–	–	1	1	2	2	–	2	1	1	–
	F	10	–	–	–	–	1	1	1	2	2	1	2	2	–	–	–	–	–	–	–	1	1	–	–
Cirrhosis of liver	M	4	–	–	–	–	–	–	–	1	1	1	1	1	–	–	–	–	–	–	–	1	–	–	–
	F	4	–	–	–	–	–	–	–	–	2	2	–	1	–	–	–	–	–	–	–	–	–	1	–
Other liver diseases	M	1	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	1	1	–
	F	5	–	–	–	–	–	–	–	–	3	2	–	6	–	–	–	–	–	–	–	1	–	2	3
Other digestive	M	19	2	–	1	–	3	2	2	1	2	5	1	16	–	–	–	–	1	1	1	–	3	5	5
	F	23	–	–	–	3	–	3	3	2	5	4	3	15	–	–	1	3	1	1	2	1	2	3	1
Nephritis	M	31	–	–	–	–	–	–	–	3	3	15	10	23	–	–	–	–	1	–	1	1	5	10	5
	F	26	–	–	–	–	–	–	–	2	5	12	7	14	–	–	–	–	–	1	–	3	–	6	4
Puerperal sepsis	F	5	–	–	–	–	–	2	3	–	–	–	–	2	–	–	–	–	–	1	1	–	–	–	–
Other puerperal	F	3	–	–	–	–	2	1	–	–	–	–	–	3	–	–	–	–	2	1	–	–	–	–	–
Congenital causes, etc.	M	32	31	1	–	–	–	–	–	–	–	–	–	29	29	–	–	–	–	–	–	–	–	–	–
	F	14	14	–	–	–	–	–	–	–	–	–	–	13	13	–	–	–	–	–	–	–	–	–	–
Senility	M	28	–	–	–	–	–	–	–	–	–	3	25	20	–	–	–	–	–	–	–	–	–	2	18
	F	35	–	–	–	–	–	–	–	–	–	2	33	31	–	–	–	–	–	–	–	–	–	–	31
Suicide	M	9	–	–	–	–	2	2	1	1	3	–	–	17	–	–	–	–	1	3	2	8	2	1	–
	F	2	–	–	–	–	1	–	–	–	1	–	–	3	–	–	–	–	–	–	–	3	–	–	–
Other violence	M	24	–	–	1	3	4	6	1	3	–	3	3	50	3	1	3	3	12	5	4	2	2	6	9
	F	16	1	–	–	1	1	1	–	–	–	4	8	17	1	1	1	1	2	2	–	3	1	1	4
Other defined causes	M	60	2	2	1	6	1	1	4	4	8	19	12	48	2	2	3	2	3	2	1	5	7	12	9
	F	63	2	1	–	–	–	3	3	8	9	27	10	51	2	1	1	2	1	1	4	6	7	17	9
Ill-defined causes	M	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	–	1
	F	2	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–

Causes of Death. *See* first page of Table.		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
All Causes	M	1,223	82	27	26	32	41	41	68	134	206	315	251	807	69	12	13	17	36	35	50	60	119	177	2
	F	1,308	70	11	11	30	44	56	81	107	183	297	418	800	50	15	18	24	26	29	53	75	117	142	2
1 Typhoid fever, etc.	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
2 Measles	M	5	1	1	2	1	–	–	–	–	–	–	–	2	–	1	1	–	–	–	–	–	–	–	
	F	2	–	2	–	–	–	–	–	–	–	–	–	3	1	1	1	–	–	–	–	–	–	–	
3 Scarlet fever	M	3	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	F	4	–	–	3	1	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	
4 Whooping cough	M	1	–	1	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	
	F	5	3	–	1	1	–	–	–	–	–	–	–	2	–	–	2	–	–	–	–	–	–	–	
5 Diphtheria	M	4	–	–	3	1	–	–	–	–	–	–	–	6	1	1	–	3	1	–	–	–	–	–	
	F	4	–	–	–	1	2	–	–	1	–	–	–	4	–	–	–	3	–	1	–	–	–	–	
6 Influenza	M	59	2	2	–	2	1	2	5	10	10	11	14	50	4	1	1	–	–	4	8	2	10	6	
	F	59	–	–	–	–	1	2	7	1	6	13	29	53	2	4	–	1	–	5	4	4	6	6	
7 Encephalitis lethargica	M	4	–	–	–	1	1	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	1	
	F	4	–	–	–	–	–	1	1	1	1	–	–	1	–	–	–	–	–	–	–	–	1	–	
8 Cerebro-spinal fever	M	3	–	–	1	–	1	–	–	1	–	–	–	2	–	1	–	–	1	–	–	–	–	–	
	F	4	1	–	–	2	1	–	–	–	–	–	–	5	1	–	2	–	1	–	1	–	–	–	
9 Respiratory tuberculosis	M	67	–	–	–	–	15	14	13	16	6	3	–	37	–	–	–	–	9	6	11	6	4	1	
	F	56	–	–	–	3	16	15	9	10	2	1	–	31	–	–	–	–	9	5	11	4	1	1	
10 Other tuberculosis	M	16	1	2	2	4	3	2	1	1	–	–	–	8	3	3	1	1	–	–	–	–	–	–	
	F	11	–	–	1	3	1	3	1	1	1	–	–	10	–	–	2	2	1	3	2	–	–	–	
11 Syphilis	M	4	1	–	–	–	–	1	–	1	1	–	–	3	1	–	–	–	–	–	–	1	1	–	
	F	2	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–	–	–	–	–	–	1	–	
12 Gen. paralysis of insane, etc.	M	8	–	–	–	–	–	1	1	2	3	1	–	–	–	–	–	–	–	–	–	–	–	–	
	F	5	–	–	–	–	–	–	–	2	3	–	–	1	–	–	–	–	–	–	–	–	–	1	
13 Cancer	M	159	–	–	–	–	1	1	8	18	45	52	34	103	–	–	–	1	–	2	4	12	22	34	
	F	181	–	–	–	–	1	4	13	23	47	53	40	114	–	1	–	1	–	2	8	15	36	26	
14 Diabetes	M	14	–	–	–	–	–	1	–	–	7	3	3	10	–	–	–	–	–	1	1	–	1	5	
	F	20	–	–	–	–	–	–	–	1	3	12	4	12	–	–	–	1	–	–	–	2	1	4	
15 Cerebral hæmorrhage	M	72	–	–	–	–	–	–	1	5	10	37	19	42	–	–	–	–	–	–	–	–	9	14	
	F	88	–	–	–	–	–	1	1	8	10	30	38	53	–	–	–	–	–	–	1	3	8	16	
16 Heart disease	M	233	–	–	–	2	–	1	5	23	39	95	68	156	–	–	–	1	3	4	3	11	22	56	
	F	298	–	–	–	2	7	4	10	16	39	90	130	168	–	–	–	1	3	5	7	15	22	47	
17 Aneurysm	M	4	–	–	–	1	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	
	F	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	
18 Other circulatory	M	60	–	–	–	–	–	–	1	5	7	20	27	32	–	–	–	–	–	–	–	–	5	8	
	F	63	1	–	–	–	–	–	1	1	8	18	34	35	–	–	–	–	–	–	–	3	6	8	
19 Bronchitis	M	57	4	1	–	2	–	1	3	5	7	12	22	36	–	–	–	–	1	–	–	2	5	6	
	F	56	3	–	–	–	–	–	1	1	5	12	34	21	3	–	–	–	–	–	–	–	2	2	
20 Pneumonia	M	78	11	13	6	1	3	4	3	9	14	9	5	52	13	3	1	3	3	2	3	4	6	8	
	F	63	7	2	2	2	1	4	5	8	10	13	9	32	1	6	2	3	2	1	–	2	4	2	
21 Other respiratory	M	13	–	–	–	–	–	–	2	2	5	3	1	16	–	–	1	–	1	–	2	2	2	2	
	F	14	–	1	–	–	–	–	2	3	–	5	3	12	1	1	1	–	–	–	3	1	1		
22 Peptic ulcer	M	22	–	–	–	–	–	2	3	12	3	2	–	9	–	–	–	–	–	–	3	4	2	–	
	F	5	–	–	–	–	–	–	1	2	1	1	–	4	–	–	–	–	–	–	–	2	–	–	
23 Diarrhœa	M	3	2	–	–	–	–	–	–	–	1	–	–	5	5	–	–	–	–	–	–	–	–	–	
	F	9	3	–	–	–	–	2	–	–	3	–	1	7	2	1	1	–	1	–	–	1	1	–	
24 Appendicitis	M	12	–	–	–	2	–	–	–	3	5	2	–	6	–	–	–	1	–	1	–	1	2	1	
	F	8	–	–	–	1	2	–	1	–	2	–	2	3	–	–	1	–	–	–	–	–	2	–	
25 Cirrhosis of liver	M	3	–	–	–	–	–	–	–	1	–	2	–	1	–	–	–	–	–	–	–	–	–	1	
	F	3	–	–	–	–	1	–	–	2	–	–	–	2	–	–	–	–	–	–	–	1	–	–	
26 Other liver diseases	M	2	–	–	–	–	–	–	–	–	–	2	–	5	–	–	–	–	–	–	–	–	1	2	
	F	8	–	–	–	–	–	1	–	1	2	3	1	6	–	–	–	–	–	–	–	1	2	1	
27 Other digestive	M	26	3	–	1	2	1	1	2	1	3	11	1	13	1	–	1	–	–	–	1	1	5	2	
	F	25	2	–	1	2	1	–	5	3	4	4	3	22	1	–	1	4	–	–	4	2	–	6	
28 Nephritis	M	27	–	–	1	–	2	1	3	2	7	4	7	16	–	–	–	–	–	1	3	1	4	4	
	F	41	–	–	–	3	–	4	1	6	6	10	11	24	–	–	1	1	1	2	2	4	5	2	
29 Puerperal sepsis	F	11	–	–	–	–	1	6	4	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	
30 Other puerperal	F	9	–	–	–	–	–	4	5	–	–	–	–	5	–	–	–	–	–	1	4	–	–	–	
31 Congenital causes, etc.	M	53	47	3	3	–	–	–	–	–	–	–	–	33	33	–	–	–	–	–	–	–	–	–	
	F	50	46	1	2	–	–	–	–	–	1	–	–	33	33	–	–	–	–	–	–	–	–	–	
32 Senility	M	30	–	–	–	–	–	–	–	–	–	6	24	25	–	–	–	–	–	–	–	–	–	1	2
	F	54	–	–	–	–	–	–	–	–	–	4	50	40	–	–	–	–	–	–	–	–	1	5	3
33 Suicide	M	20	–	–	–	–	3	1	3	3	5	3	2	11	–	–	–	–	–	1	–	3	4	2	
	F	8	–	–	–	–	1	–	2	2	2	1	–	5	–	–	–	–	–	1	1	1	–	1	
34 Other violence	M	46	2	–	4	6	6	4	5	6	6	6	1	51	–	–	4	2	15	9	5	4	4	4	
	F	37	2	2	–	4	3	2	2	5	5	4	8	17	–	–	1	2	1	2	–	2	2	1	
35 Other defined causes	M	115	8	3	1	7	4	4	9	8	19	30	22	74	7	2	3	5	2	4	6	4	9	19	1
	F	100	2	3	1	5	5	3	9	7	21	23	21	70	5	1	3	5	5	1	7	11	14	12	
36 Ill-defined causes	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	

Causes of Death. (See first page of Table.)		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
All Causes	M	218	24	3	–	4	12	9	13	19	31	38	65	245	19	3	1	2	8	8	11	17	38	69	69
	F	231	8	3	3	5	10	7	12	14	39	63	67	243	12	1	2	9	4	6	16	21	29	59	84
Typhoid fever, etc.	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Whooping cough	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	1	1	–	–	–	–	–	–	–	–	–	–	2	–	–	–	2	–	–	–	–	–	–	–
Diphtheria	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	5	–	2	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	M	13	–	–	–	–	1	–	2	1	4	1	4	10	–	–	–	–	–	–	1	–	3	3	3
	F	13	1	–	–	1	–	1	1	2	1	3	3	8	–	–	–	–	–	–	1	–	1	3	3
Encephalitis lethargica	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Cerebro-spinal fever	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
Respiratory tuberculosis	M	15	–	–	–	–	3	4	3	1	3	1	–	8	–	–	–	–	1	–	1	1	3	2	–
	F	9	–	–	–	1	4	1	2	1	–	–	–	11	–	–	–	–	1	–	3	5	–	2	–
Other tuberculosis	M	2	–	1	–	–	–	1	–	–	–	–	–	2	–	–	–	–	1	–	–	–	–	1	–
	F	2	–	–	–	1	–	–	–	–	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Syphilis	M	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gen. paralysis of insane, etc.	M	1	–	–	–	–	–	–	1	–	–	–	–	3	–	–	–	–	–	–	1	1	1	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	M	19	–	–	–	–	–	–	–	1	5	5	8	24	–	–	–	–	–	–	2	1	4	11	6
	F	34	–	–	–	–	–	2	3	6	7	10	6	33	–	–	–	–	–	–	2	4	9	9	9
Diabetes	M	3	–	–	–	–	–	–	–	1	–	1	1	6	–	–	–	–	–	–	–	1	2	2	1
	F	4	–	–	–	–	–	–	–	–	2	2	–	2	–	–	–	–	–	–	–	–	–	2	–
Cerebral hæmorrhage	M	16	–	–	–	–	–	–	–	2	3	4	7	16	–	–	–	–	–	–	–	–	1	7	8
	F	26	–	–	–	–	–	–	–	1	6	8	11	18	–	–	–	–	–	–	–	–	–	8	10
Heart disease	M	44	–	–	–	–	2	–	2	5	6	16	13	55	–	–	–	1	–	–	1	2	9	24	18
	F	42	–	–	–	–	1	–	–	1	8	15	17	59	–	–	–	1	–	–	3	1	7	15	32
Aneurysm	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other circulatory	M	7	–	–	–	–	–	–	–	–	2	2	3	10	–	–	–	–	–	–	–	1	1	–	8
	F	16	–	–	–	–	–	–	–	–	2	6	8	9	–	–	–	–	–	–	–	–	–	4	5
Bronchitis	M	3	–	1	–	–	–	–	–	–	–	1	1	9	1	–	–	–	–	–	–	2	1	2	3
	F	4	1	–	–	–	1	–	–	–	1	–	1	9	–	–	–	–	–	–	–	3	1	1	4
Pneumonia	M	6	2	–	–	–	–	1	–	–	–	1	2	15	1	2	1	–	–	–	–	3	1	5	2
	F	7	–	1	–	–	1	1	–	–	2	2	–	9	–	1	–	–	–	1	–	–	2	2	3
Other respiratory	M	2	–	–	–	–	–	–	–	1	–	–	1	4	–	–	–	–	–	1	1	–	–	2	–
	F	2	–	–	–	–	–	–	–	–	–	1	1	3	–	–	–	–	–	–	–	–	–	–	3
Peptic ulcer	M	2	–	–	–	–	–	–	–	–	–	1	1	3	–	–	–	–	–	1	1	1	–	–	–
	F	1	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Diarrhœa	M	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	4	1	–	1	–	–	–	–	–	–	1	1	4	2	–	–	–	–	–	–	–	–	1	1
Appendicitis	M	1	–	–	–	–	–	–	–	–	–	–	1	3	–	–	–	–	–	3	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	1	1	–	–	–	–	1	–	–
Cirrhosis of liver	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	F	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Other liver diseases	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
	F	3	–	–	–	–	–	–	–	–	–	3	–	2	–	–	–	–	–	–	–	–	–	1	1
Other digestive	M	2	–	–	–	1	1	–	–	–	–	–	–	3	–	–	–	–	1	–	–	–	2	–	–
	F	3	–	–	–	–	1	–	–	–	1	1	–	5	–	–	–	1	–	–	1	–	1	–	2
Nephritis	M	11	–	–	–	1	1	–	–	2	2	1	4	12	–	–	–	–	2	–	–	–	5	2	3
	F	10	–	–	–	–	–	–	–	–	1	6	3	5	–	–	–	–	–	–	–	1	1	3	–
Puerperal sepsis	F	2	–	–	–	–	–	1	1	–	–	–	–	4	–	–	–	–	2	1	1	–	–	–	–
Other puerperal	F	1	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
Congenital causes, etc.	M	18	17	1	–	–	–	–	–	–	–	–	–	15	15	–	–	–	–	–	–	–	–	–	–
	F	3	3	–	–	–	–	–	–	–	–	–	–	9	9	–	–	–	–	–	–	–	–	–	–
Senility	M	6	–	–	–	–	–	–	–	–	–	1	5	4	–	–	–	–	–	–	–	–	–	1	3
	F	10	–	–	–	–	–	–	–	–	–	1	9	8	–	–	–	–	–	–	–	–	–	1	7
Suicide	M	4	–	–	–	–	–	–	2	1	–	–	1	2	–	–	–	–	–	–	–	1	1	–	–
	F	2	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other violence	M	13	–	–	–	2	3	1	2	1	1	1	2	11	–	1	–	1	2	1	2	1	–	2	1
	F	8	–	–	–	–	–	–	2	–	2	2	2	9	–	–	1	1	1	–	1	1	1	–	3
Other defined causes	M	27	3	–	–	–	1	2	1	3	4	2	11	26	2	–	–	–	–	2	1	1	2	5	13
	F	16	1	–	–	–	–	1	2	2	4	2	4	24	1	–	–	2	–	2	2	5	5	6	1
Ill-defined causes	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
	F	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	1	–

Causes of Death. *See* first page of Table.		Aggregate of Urban Districts.												Aggregate of Rural Districts.										
		All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	7
	All Causes	M	439	16	3	3	8	11	16	18	35	61	108	160	142	4	–	–	–	5	6	5	10	20	39	
		F	504	12	1	4	7	4	18	27	42	70	123	196	133	2	–	–	–	3	1	7	11	18	25	
1	Typhoid fever, etc.	M	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
		F	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
2	Measles	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
3	Scarlet fever	M	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
4	Whooping cough	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		F	3	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
5	Diphtheria	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
6	Influenza	M	22	–	–	–	–	1	2	1	1	5	3	9	6	–	–	–	–	–	–	–	–	2	3	
		F	24	–	–	1	1	1	–	3	2	1	6	9	13	–	–	–	–	–	–	1	1	3	3	
7	Encephalitis lethargica	M	3	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
8	Cerebro-spinal fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		F	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
9	Respiratory tuberculosis	M	20	–	–	–	–	4	5	4	3	3	1	–	8	–	–	–	–	2	2	1	2	1	–	
		F	15	–	–	–	–	–	7	5	1	2	–	–	2	–	–	–	–	1	1	–	–	–	–	
10	Other tuberculosis	M	2	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		F	4	–	–	1	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
11	Syphilis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		F	2	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
12	Gen. paralysis of insane, etc.	M	2	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
		F	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
13	Cancer	M	70	–	–	–	–	–	2	2	7	14	23	22	17	–	–	–	–	–	–	–	4	6	3	
		F	82	–	–	–	–	–	1	4	16	18	22	21	22	–	–	–	–	–	–	1	3	3	9	
14	Diabetes	M	7	–	–	–	1	–	–	–	1	1	3	1	3	–	–	–	–	–	–	–	–	1	–	
		F	12	–	–	–	–	–	–	–	–	1	6	5	3	–	–	–	–	–	–	1	–	1	1	
15	Cerebral hæmorrhage	M	28	–	–	–	–	–	–	–	2	2	7	17	7	–	–	–	–	–	–	–	–	–	1	
		F	38	–	–	–	–	–	–	–	2	5	11	20	11	–	–	–	–	–	–	–	–	1	2	
16	Heart disease	M	87	–	–	–	–	1	–	–	3	11	30	42	41	–	–	–	–	–	–	–	1	3	15	
		F	126	–	–	–	–	–	2	2	1	18	42	61	34	–	–	–	–	1	–	1	1	6	4	
17	Aneurysm	M	3	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
18	Other circulatory	M	20	–	–	–	–	–	–	–	1	3	4	12	5	–	–	–	–	–	–	–	–	–	1	
		F	13	–	–	–	–	–	–	–	1	2	1	9	4	–	–	–	–	–	–	–	1	–	1	
19	Bronchitis	M	16	–	–	–	1	–	–	1	1	2	4	7	5	–	–	–	–	–	–	–	–	1	3	
		F	19	–	–	–	–	–	–	–	1	2	5	11	7	–	–	–	–	–	–	–	–	–	–	
20	Pneumonia	M	12	1	1	1	–	–	–	–	1	2	3	3	8	3	–	–	–	1	–	–	–	1	1	
		F	15	2	1	–	1	1	–	1	2	–	3	4	3	1	–	–	–	–	–	–	–	–	1	
21	Other respiratory	M	3	1	–	–	–	–	–	–	–	1	–	1	4	1	–	–	–	1	–	–	–	1	–	
		F	5	–	–	–	–	–	–	2	2	–	–	1	1	–	–	–	–	–	–	–	1	–	–	
22	Peptic ulcer	M	7	–	–	–	–	–	–	3	–	1	2	1	1	–	–	–	–	1	–	–	–	–	–	
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
23	Diarrhœa	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
		F	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
24	Appendicitis	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	
		F	2	–	–	–	–	–	–	–	–	2	–	–	2	–	–	–	–	–	–	–	1	–	1	
25	Cirrhosis of liver	M	3	–	–	–	–	–	–	1	–	–	1	1	2	–	–	–	–	–	–	–	–	1	1	
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
26	Other liver diseases	M	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	
		F	3	–	–	–	–	–	–	–	–	–	3	–	1	–	–	–	–	–	–	–	–	–	–	
27	Other digestive	M	6	–	–	–	–	1	1	–	2	–	1	1	3	–	–	–	–	–	–	–	–	–	2	
		F	11	–	–	–	1	1	1	–	–	4	1	3	–	–	–	–	–	–	–	–	–	–	–	
28	Nephritis	M	9	–	–	–	–	–	–	1	–	2	2	4	8	–	–	–	–	–	–	–	1	2	3	
		F	25	–	–	–	–	–	1	1	4	4	10	5	4	–	–	–	–	–	–	–	1	1	2	
29	Puerperal sepsis	F	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
30	Other puerperal	F	4	–	–	–	–	–	2	2	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	
31	Congenital causes, etc.	M	13	13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		F	6	6	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	
32	Senility	M	24	–	–	–	–	–	–	–	–	–	1	23	3	–	–	–	–	–	–	–	–	–	1	
		F	33	–	–	–	–	–	–	–	–	–	2	31	9	–	–	–	–	–	–	–	–	–	–	
33	Suicide	M	11	–	–	–	–	–	2	2	2	5	–	–	2	–	–	–	–	–	–	1	1	–	–	
		F	3	–	–	–	–	–	–	–	1	2	–	–	1	–	–	–	–	–	–	1	–	–	–	
34	Other violence	M	12	–	–	–	2	–	2	–	4	1	2	1	3	–	–	–	–	–	1	1	–	–	–	
		F	12	–	–	1	1	–	–	1	–	–	2	7	2	–	–	–	–	–	–	1	–	–	–	
35	Other defined causes	M	55	1	–	1	4	3	2	1	5	8	16	14	13	–	–	–	–	–	3	2	1	1	4	
		F	41	1	–	–	3	–	1	3	8	8	9	8	12	–	–	–	–	1	–	–	2	3	1	
36	Ill-defined causes	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
		F	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

Causes of Death. (first page of Table.)		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
All Causes	M	878	59	10	9	6	23	38	46	75	137	232	243	945	69	5	10	18	29	50	42	78	118	204	322
	F	890	34	10	16	24	17	31	37	70	131	195	325	930	65	5	6	18	21	32	41	67	119	212	344
Typhoid fever, etc.	M	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	M	2	–	2	–	–	–	–	–	–	–	–	–	4	1	–	–	3	–	–	–	–	–	–	–
	F	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Whooping cough	M	7	6	–	1	–	–	–	–	–	–	–	–	7	4	1	1	1	–	–	–	–	–	–	–
	F	4	2	1	1	–	–	–	–	–	–	–	–	8	4	2	1	1	–	–	–	–	–	–	–
Diphtheria	M	4	–	–	3	–	1	–	–	–	–	–	–	4	–	1	1	2	–	–	–	–	–	–	–
	F	11	–	–	5	5	1	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Influenza	M	34	2	1	–	–	1	2	2	3	7	8	8	33	1	–	2	–	–	2	5	1	4	6	12
	F	36	–	1	–	–	–	–	2	7	4	9	13	53	2	–	1	–	3	2	2	4	3	11	25
Encephalitis lethargica	M	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	1	–	1	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cerebro-spinal fever	M	2	1	–	–	–	–	1	–	–	–	–	–	2	–	–	–	–	1	1	–	–	–	–	–
	F	2	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Respiratory tuberculosis	M	38	–	–	–	–	7	9	7	8	4	3	–	33	1	–	1	–	2	8	7	6	4	2	2
	F	32	–	–	–	1	7	11	8	2	3	–	–	26	1	–	–	1	7	9	4	1	3	–	–
Other tuberculosis	M	12	–	1	2	3	–	4	–	–	1	–	1	2	–	–	–	–	–	–	2	–	–	–	–
	F	5	–	–	–	3	–	–	–	–	–	2	–	5	1	–	–	–	1	1	2	–	–	–	–
Syphilis	M	4	1	–	–	–	–	–	–	1	1	1	–	5	1	–	–	–	–	–	–	2	2	–	–
	F	3	–	1	–	1	1	–	–	–	–	–	–	3	–	–	–	–	–	–	1	–	–	1	1
Gen. paralysis of insane, etc.	M	3	–	–	–	–	–	–	1	–	1	1	–	1	–	–	–	–	–	–	–	1	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Cancer	M	105	–	–	–	–	–	–	2	16	22	37	28	113	–	–	–	–	–	4	3	10	28	35	33
	F	132	–	–	–	–	–	2	8	17	44	34	27	140	–	–	–	–	1	1	6	22	38	43	29
Diabetes	M	11	–	–	–	–	–	–	–	–	3	6	2	6	–	–	–	–	–	–	–	–	1	4	1
	F	13	–	–	–	–	–	1	–	2	3	6	1	14	–	–	–	1	–	–	–	1	3	7	2
Cerebral hæmorrhage	M	53	–	–	–	–	–	–	–	3	11	20	19	47	–	–	–	–	–	–	–	1	5	17	24
	F	80	–	–	–	–	–	–	1	5	15	21	38	61	–	–	–	–	–	–	–	5	3	18	35
Heart disease	M	186	–	–	–	–	3	2	10	9	26	60	76	223	–	–	–	1	–	7	5	13	29	69	99
	F	223	–	–	–	2	3	3	3	13	31	68	100	216	–	–	–	1	1	3	1	12	29	66	103
Aneurysm	M	3	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	1	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	1	–	1	–
Other circulatory	M	55	–	–	–	–	–	–	–	1	5	26	23	53	–	–	–	–	–	–	–	–	1	9	12	31
	F	33	–	–	–	–	–	–	–	1	4	5	23	49	–	–	–	–	–	–	–	1	–	5	14	29
Bronchitis	M	34	1	1	–	–	–	–	1	4	1	5	21	41	2	–	–	–	–	–	1	6	3	6	23
	F	29	–	–	–	1	1	–	1	2	1	4	19	40	1	1	–	–	1	–	2	–	1	6	28
Pneumonia	M	37	5	3	1	1	–	2	3	2	8	5	7	34	3	2	1	–	–	2	3	5	3	7	8
	F	42	4	4	3	–	1	2	2	5	3	9	9	28	8	1	1	–	1	1	3	4	1	3	5
Other respiratory	M	10	–	–	–	–	–	3	–	1	2	3	1	3	–	–	–	–	–	–	1	1	1	–	–
	F	7	1	–	–	–	–	–	–	–	–	4	2	8	1	–	–	1	1	1	–	–	2	1	1
Peptic ulcer	M	15	–	–	–	–	–	2	3	4	3	2	1	10	–	–	–	–	–	–	4	1	2	2	1
	F	6	–	–	–	–	–	–	1	1	2	–	2	1	–	–	–	–	–	–	–	–	1	–	–
Diarrhœa	M	3	2	–	–	–	–	–	–	–	–	–	1	4	3	–	–	–	–	–	–	–	–	1	–
	F	5	1	1	–	1	–	–	–	–	1	1	–	8	2	1	1	–	–	–	–	–	–	–	4
Appendicitis	M	6	–	–	–	–	2	–	–	2	1	1	–	8	–	–	–	–	2	1	1	2	2	–	–
	F	6	–	–	–	2	–	–	1	–	2	1	–	5	–	–	–	2	–	–	2	–	–	–	1
Cirrhosis of liver	M	2	–	–	–	–	–	–	–	–	–	2	–	4	–	–	–	–	–	–	–	1	1	1	1
	F	1	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	1	–	–	1	–	–
Other liver diseases	M	3	–	–	–	–	–	–	–	1	1	–	1	3	–	–	–	–	–	–	–	–	–	2	1
	F	8	–	–	–	–	–	1	–	1	2	–	4	6	–	–	–	–	–	–	–	–	2	1	3
Other digestive	M	13	1	–	–	–	3	3	–	2	2	1	1	20	–	–	–	–	–	1	–	5	2	4	8
	F	15	2	–	–	1	–	3	1	1	–	3	4	18	3	–	–	2	1	2	–	2	1	6	1
Nephritis	M	29	–	–	–	–	–	–	1	5	8	10	5	29	–	–	–	–	1	2	3	3	3	5	12
	F	25	–	–	–	–	–	–	–	1	6	7	11	31	–	–	–	–	–	2	2	4	2	15	6
Puerperal sepsis	F	3	–	–	–	–	–	2	1	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Other puerperal	F	4	–	–	–	–	1	1	2	–	–	–	–	2	–	–	–	–	–	1	1	–	–	–	–
Congenital causes, etc.	M	32	31	1	–	–	–	–	–	–	–	–	–	48	48	–	–	–	–	–	–	–	–	–	–
	F	24	22	–	2	–	–	–	–	–	–	–	–	39	37	–	–	1	1	–	–	–	–	–	–
Senility	M	36	–	–	–	–	–	–	–	–	1	1	34	47	–	–	–	–	–	–	–	–	–	6	41
	F	64	–	–	–	–	–	–	–	–	–	11	53	65	–	–	–	–	–	–	–	–	1	5	59
Suicide	M	23	–	–	–	–	2	1	3	3	7	4	3	9	–	–	–	–	1	2	–	3	2	1	–
	F	5	–	–	–	–	–	3	–	1	–	1	–	9	–	–	–	–	–	1	2	1	4	1	–
Other violence	M	33	1	–	2	1	1	7	7	4	3	5	2	60	–	1	1	4	17	14	4	5	5	6	3
	F	11	1	–	3	2	–	–	–	–	–	1	4	16	2	–	–	2	1	3	3	–	–	2	3
Other defined causes	M	81	8	1	–	1	3	2	6	5	19	27	9	88	4	–	3	7	5	5	3	9	12	18	22
	F	57	1	1	2	3	2	2	6	11	9	6	14	70	3	–	2	4	2	4	7	10	18	11	9
Ill-defined causes	M	1	–	–	–	–	–	–	–	–	–	1	–	2	1	–	–	–	–	–	–	1	–	–	–
	F	2	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	1	–	–	–

Causes of Death. *See* first page of Table.		Aggregate of Urban Districts.												Aggregate of Rural Districts.										
		All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	7
	All Causes	M	1,317	125	15	16	27	53	70	82	150	210	274	295	656	38	12	1	15	19	23	33	51	105	169	1
		F	1,266	94	21	23	38	53	53	47	95	165	299	378	560	30	7	4	10	18	21	28	44	68	128	2
1	Typhoid fever, etc.	M	2	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		F	2	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	
2	Measles	M	8	1	3	3	1	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	
		F	12	2	6	1	2	–	–	1	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	
3	Scarlet fever	M	4	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		F	8	–	–	4	–	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
4	Whooping cough	M	2	2	–	–	–	–	–	–	–	–	–	–	2	1	1	–	–	–	–	–	–	–	–	
		F	2	1	–	1	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	
5	Diphtheria	M	6	–	–	1	5	–	–	–	–	–	–	–	4	–	–	–	3	–	–	1	–	–	–	
		F	7	–	–	2	5	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	
6	Influenza	M	50	–	–	1	–	2	4	4	14	8	7	10	32	–	–	–	–	1	1	4	4	2	10	
		F	53	1	2	–	–	2	8	2	7	5	6	20	45	–	–	–	–	–	1	3	3	4	13	
7	Encephalitis lethargica	M	4	–	–	–	1	–	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
		F	3	–	–	–	–	1	–	2	–	–	–	–	3	–	–	–	–	–	–	1	1	–	1	
8	Cerebro-spinal fever	M	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		F	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
9	Respiratory tuberculosis	M	80	–	–	–	–	17	20	14	19	8	2	–	29	–	–	–	1	4	8	4	5	5	2	
		F	57	–	1	–	2	20	12	9	6	5	2	–	23	–	–	–	–	5	9	6	1	1	1	
10	Other tuberculosis	M	18	2	2	1	8	3	–	–	–	1	1	–	4	–	1	–	–	2	–	1	–	–	–	
		F	13	1	3	1	2	2	2	1	–	–	1	–	4	–	1	–	2	–	1	–	–	–	–	
11	Syphilis	M	5	1	–	–	–	–	1	–	2	1	–	–	1	–	–	–	–	–	–	–	–	1	–	
		F	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	
12	Gen. paralysis of insane, etc.	M	9	–	–	–	–	–	–	2	–	3	4	–	1	–	–	–	–	–	–	1	–	–	–	
		F	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
13	Cancer	M	153	–	–	–	–	1	2	8	29	40	41	32	79	–	–	–	–	–	1	2	9	19	36	
		F	171	–	–	–	–	1	6	8	28	43	55	30	76	–	–	–	–	–	1	8	11	20	18	
14	Diabetes	M	20	–	–	–	–	1	–	–	3	5	9	2	6	–	–	–	–	1	–	–	–	2	2	
		F	21	–	–	1	1	–	–	1	1	6	8	3	10	–	–	–	–	–	2	1	–	1	5	
15	Cerebral hæmorrhage	M	52	–	–	–	–	–	–	1	5	11	18	17	30	–	–	–	–	–	–	–	1	6	10	
		F	94	–	–	–	–	–	–	4	3	11	40	36	29	1	–	–	–	–	–	–	3	3	9	
16	Heart disease	M	269	–	–	–	2	2	8	10	16	52	88	91	157	–	–	–	1	1	1	3	9	23	58	
		F	266	–	–	–	3	7	4	2	7	29	95	119	131	–	–	–	1	–	1	2	5	16	39	
17	Aneurysm	M	4	–	–	–	–	–	–	–	–	3	1	–	3	–	–	–	–	–	–	–	–	2	1	
		F	4	–	–	–	–	–	–	–	1	–	1	2	2	–	–	–	–	–	–	–	–	1	1	
18	Other circulatory	M	68	–	–	–	–	–	–	–	2	8	21	37	30	–	–	–	–	–	–	–	1	3	8	
		F	44	–	–	–	–	–	1	–	2	8	9	24	26	–	–	–	–	–	–	–	–	3	10	
19	Bronchitis	M	58	4	–	–	1	–	–	2	6	9	13	23	25	1	–	–	–	1	–	1	–	1	7	
		F	56	1	1	2	1	–	–	–	1	8	18	24	25	1	1	–	–	1	–	–	–	1	3	
20	Pneumonia	M	105	22	5	1	4	5	7	15	14	9	13	10	38	5	5	1	1	–	1	1	8	7	6	
		F	59	17	4	5	4	–	2	1	6	6	7	7	25	3	2	2	–	–	–	–	5	2	6	
21	Other respiratory	M	17	–	–	–	–	–	2	2	–	7	3	3	8	–	–	–	1	–	–	1	–	1	1	
		F	9	–	–	–	1	–	–	–	3	3	–	2	4	–	–	–	–	–	–	–	–	1	2	
22	Peptic ulcer	M	15	–	–	–	–	–	1	4	4	4	1	1	3	–	–	–	–	–	–	–	1	2	–	
		F	8	–	–	–	–	–	–	1	2	2	3	–	2	–	–	–	–	–	1	–	1	–	–	
23	Diarrhœa	M	20	16	–	–	–	–	1	1	–	–	2	–	6	4	2	–	–	–	–	–	–	–	–	
		F	11	9	–	1	–	1	–	–	–	–	–	–	3	2	1	–	–	–	–	–	–	–	–	
24	Appendicitis	M	6	–	–	–	–	1	2	–	1	1	1	–	3	–	–	–	–	–	–	–	1	1	1	
		F	6	–	–	–	2	–	2	–	2	–	–	–	5	–	–	–	1	1	–	–	1	1	1	
25	Cirrhosis of liver	M	4	–	–	–	–	–	–	–	2	1	1	–	3	–	–	–	–	–	–	1	–	–	1	
		F	3	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
26	Other liver diseases	M	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	1	
		F	10	–	–	–	–	–	–	1	–	2	3	4	7	–	–	–	–	–	–	–	2	–	2	
27	Other digestive	M	23	1	1	–	1	1	1	4	3	2	3	6	11	–	1	–	–	–	1	–	1	2	3	
		F	22	2	2	–	–	–	–	2	2	3	3	8	5	–	–	–	–	1	–	1	–	–	2	
28	Nephritis	M	31	1	–	–	–	1	–	–	7	4	13	5	24	–	–	–	–	1	–	3	2	6	6	
		F	41	–	–	–	1	3	–	2	3	8	13	11	20	–	–	1	1	3	–	1	–	5	4	
29	Puerperal sepsis	F	9	–	–	–	–	1	6	2	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	
30	Other puerperal	F	6	–	–	–	–	1	2	3	–	–	–	–	4	–	–	–	–	2	–	2	–	–	–	
31	Congenital causes, etc.	M	62	61	1	–	–	–	–	–	–	–	–	–	21	21	–	–	–	–	–	–	–	–	–	
		F	50	49	–	1	–	–	–	–	–	–	–	–	18	18	–	–	–	–	–	–	–	–	–	
32	Senility	M	38	–	–	–	–	–	–	–	–	–	2	36	17	–	–	–	–	–	–	–	–	–	1	
		F	79	–	–	–	–	–	–	–	–	–	7	72	26	–	–	–	–	–	–	–	–	–	2	
33	Suicide	M	26	–	–	–	–	–	2	1	8	9	2	4	18	–	–	–	–	1	2	4	2	5	2	
		F	11	–	–	–	–	2	1	1	2	4	1	–	1	–	–	–	–	–	–	–	1	–	–	
34	Other violence	M	62	3	–	6	1	12	13	3	7	7	5	5	42	2	1	–	5	5	8	3	3	6	3	
		F	32	–	–	2	4	3	2	–	1	2	9	9	14	–	–	–	2	1	1	1	2	2	2	
35	Other defined causes	M	93	10	1	–	3	6	3	11	7	17	22	13	56	3	1	–	3	2	–	3	4	10	10	
		F	89	10	2	1	10	6	3	6	14	18	13	6	47	5	1	–	2	4	3	2	8	7	7	
36	Ill-defined causes	M	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		F	3	–	–	–	–	–	1	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	

Causes of Death. first page of Table.		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
All Causes	M	489	31	5	5	11	17	17	16	45	82	127	133	578	53	9	10	10	22	17	22	47	71	142	175
	F	522	21	4	8	11	11	19	28	33	71	127	189	547	37	13	8	12	11	16	26	46	84	112	182
Typhoid fever, etc.	M	1	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
	F	2	–	–	–	–	–	–	–	1	1	–	–	2	–	–	–	–	–	1	–	1	–	–	–
Measles	M	1	–	–	–	1	–	–	–	–	–	–	–	2	–	–	1	1	–	–	–	–	–	–	–
	F	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Whooping cough	M	1	–	–	1	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
	F	4	1	1	2	–	–	–	–	–	–	–	–	3	1	2	–	–	–	–	–	–	–	–	–
Diphtheria	M	1	–	–	–	1	–	–	–	–	–	–	–	3	–	–	1	2	–	–	–	–	–	–	–
	F	1	–	–	–	1	–	–	–	–	–	–	–	6	–	1	1	4	–	–	–	–	–	–	–
Influenza	M	18	–	1	–	1	–	–	–	4	2	6	4	43	1	1	–	–	1	3	–	8	3	8	18
	F	24	–	1	1	1	1	1	1	2	5	6	5	43	–	2	–	–	1	2	4	4	3	12	15
Encephalitis lethargica	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Cerebro-spinal fever	M	1	–	–	–	–	–	–	1	–	–	–	–	2	1	–	–	–	–	1	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Respiratory tuberculosis	M	27	–	–	1	1	6	7	1	9	2	–	–	22	–	1	–	–	5	3	1	5	4	1	2
	F	21	1	–	–	1	5	5	6	1	–	2	–	16	–	–	–	–	7	4	3	1	–	1	–
Other tuberculosis	M	4	2	1	–	–	–	–	1	–	–	–	–	5	–	–	–	2	1	2	–	–	–	–	–
	F	2	1	–	–	–	1	–	–	–	–	–	–	14	1	3	3	2	1	1	–	–	2	–	1
Syphilis	M	3	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gen. paralysis of insane, etc.	M	2	–	–	–	–	1	–	–	–	–	–	1	4	–	–	–	–	–	–	1	1	1	1	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	M	63	–	–	–	–	1	–	1	8	18	25	10	53	–	–	–	–	–	–	1	6	11	21	14
	F	84	–	–	–	–	–	–	10	8	22	27	17	82	–	–	–	–	–	–	1	11	29	25	16
Diabetes	M	5	–	–	–	1	–	–	–	–	–	1	3	7	–	–	–	–	1	–	–	1	1	2	2
	F	10	–	–	–	–	–	1	–	–	3	6	–	10	–	–	–	1	–	–	2	–	3	4	–
Cerebral hæmorrhage	M	21	–	–	–	–	–	–	–	2	7	7	5	34	–	–	–	–	–	–	2	2	3	16	11
	F	44	–	–	–	–	–	–	–	1	5	16	22	43	–	–	–	–	–	–	1	2	5	15	20
Heart disease	M	125	–	–	–	1	1	1	2	7	20	43	50	124	–	–	–	–	1	–	5	5	20	47	46
	F	119	–	–	–	–	1	1	3	8	12	26	68	106	–	–	–	1	–	1	3	9	16	27	49
Aneurysm	M	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other circulatory	M	29	–	–	–	–	–	–	–	–	5	8	16	39	–	–	–	–	–	–	–	–	–	10	29
	F	26	–	–	–	–	–	–	–	2	2	6	16	27	–	–	–	–	–	–	–	–	1	6	20
Bronchitis	M	21	1	–	–	–	–	–	1	1	3	4	11	23	1	–	1	–	–	–	–	2	–	7	12
	F	24	1	–	–	–	–	–	1	–	2	7	13	16	2	–	–	–	–	–	–	–	–	–	14
Pneumonia	M	17	2	1	–	1	–	2	1	1	1	5	3	28	5	2	1	–	1	1	–	2	6	6	4
	F	17	1	1	3	1	–	–	–	–	2	7	2	20	3	3	2	–	–	1	1	1	3	3	3
Other respiratory	M	8	–	–	3	–	–	–	1	1	2	1	–	7	–	–	–	–	–	–	–	1	3	1	2
	F	3	–	–	–	–	–	–	–	–	–	1	2	8	–	–	–	–	–	–	1	2	1	1	3
Peptic ulcer	M	6	–	–	–	–	–	1	1	–	1	3	–	10	–	–	–	–	–	–	3	5	1	1	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	M	3	2	1	–	–	–	–	–	–	–	–	–	9	6	2	1	–	–	–	–	–	–	–	–
	F	4	3	1	–	–	–	–	–	–	–	–	–	4	1	1	–	–	–	–	–	–	–	1	1
Appendicitis	M	2	–	–	–	–	–	–	–	–	2	–	–	3	–	–	–	1	1	–	–	–	–	1	–
	F	3	–	–	–	–	–	–	–	1	1	1	–	1	–	–	–	1	–	–	–	–	–	–	–
Cirrhosis of liver	M	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other liver diseases	M	1	–	–	–	–	–	–	–	–	–	–	1	3	–	–	–	–	–	1	–	1	–	1	–
	F	6	–	–	–	–	1	1	–	1	–	2	1	8	–	–	–	–	1	1	–	–	2	2	2
Other digestive	M	10	2	–	–	1	1	–	1	1	1	1	2	8	2	–	1	–	–	–	–	1	2	2
	F	3	–	–	–	–	1	–	–	–	–	1	1	14	–	–	–	–	–	2	2	4	4	–	2
Nephritis	M	8	–	–	–	–	1	–	–	–	3	4	–	10	–	–	–	1	1	1	–	2	–	3	2
	F	12	–	–	–	–	–	–	–	2	3	5	2	11	–	–	1	–	–	–	1	2	1	4	2
Puerperal sepsis	F	1	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Other puerperal	F	5	–	–	–	–	–	5	–	–	–	–	–	4	–	–	–	–	–	1	3	–	–	–	–
Congenital causes, etc.	M	16	16	–	–	–	–	–	–	–	–	–	–	29	29	–	–	–	–	–	–	–	–	–	–
	F	10	10	–	–	–	–	–	–	–	–	–	–	22	22	–	–	–	–	–	–	–	–	–	–
Senility	M	15	–	–	–	–	–	–	–	–	–	2	13	19	–	–	–	–	–	–	–	–	–	3	16
	F	36	–	–	–	–	–	–	–	–	–	4	32	26	–	–	–	–	–	–	–	–	–	1	25
Suicide	M	6	–	–	–	–	–	–	1	1	2	2	–	8	–	–	–	–	–	1	2	2	2	–	1
	F	3	–	–	–	–	–	1	2	–	–	–	–	5	–	–	–	–	–	–	–	–	2	2	1
Other violence	M	13	1	–	–	1	–	4	–	2	1	1	3	31	1	–	–	1	8	3	3	4	2	4	5
	F	12	–	–	1	1	1	1	–	1	2	–	5	9	–	–	–	–	1	–	1	2	–	3	2
Other defined causes	M	57	5	1	–	2	6	1	3	5	10	14	10	47	6	3	4	2	–	1	3	–	13	6	9
	F	42	3	–	1	4	–	3	4	5	11	9	2	42	7	–	1	2	–	2	2	6	12	5	5
Ill-defined causes	M	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	1	–
	F	2	–	–	–	–	–	–	–	–	–	1	1	2	–	–	–	–	–	–	–	1	–	–	1

Causes of Death. *See* first page of Table.		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75
	All Causes	M	1,204	97	30	28	26	51	48	82	116	202	259	265	906	65	9	18	16	43	40	39	61	104	239	272
		F	1,165	68	21	18	31	38	59	56	104	192	247	331	818	43	3	11	15	22	18	36	64	104	203	299
1	Typhoid fever, etc.	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
		F	1	–	–	–	–	1	–	–	–	–	–	–	2	–	–	–	1	–	1	–	–	–	–	–
2	Measles	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
		F	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
3	Scarlet fever	M	3	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
4	Whooping cough	M	1	1	–	–	–	–	–	–	–	–	–	–	3	1	1	1	–	–	–	–	–	–	–	–
		F	10	4	4	2	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–
5	Diphtheria	M	5	–	–	3	2	–	–	–	–	–	–	–	5	–	–	–	5	–	–	–	–	–	–	–
		F	10	–	–	1	8	–	–	–	–	1	–	–	4	–	–	2	2	–	–	–	–	–	–	–
6	Influenza	M	48	–	1	1	4	2	5	5	4	5	8	13	49	3	2	2	–	4	1	4	2	5	8	18
		F	62	–	–	1	1	3	2	8	5	12	8	22	47	1	–	–	–	1	–	3	5	3	13	21
7	Encephalitis lethargica	M	2	–	–	–	1	–	–	–	1	–	–	–	3	–	–	–	–	1	1	–	–	1	–	–
		F	3	–	–	–	–	–	–	1	1	1	–	–	3	–	–	1	–	–	–	–	–	1	1	–
8	Cerebro-spinal fever	M	2	–	–	1	–	1	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	1	–	–	–
9	Respiratory tuberculosis	M	61	–	–	1	–	9	11	14	16	8	1	1	29	–	–	–	1	9	3	4	7	2	3	–
		F	47	1	–	–	2	8	21	4	4	4	3	–	18	–	–	–	1	2	3	4	2	5	–	1
10	Other tuberculosis	M	17	3	1	–	3	1	4	2	–	1	2	–	12	1	1	–	1	2	2	2	1	1	1	–
		F	21	2	1	1	1	4	2	4	5	–	1	–	7	–	–	–	2	2	–	1	2	–	–	–
11	Syphilis	M	5	–	–	–	–	–	–	2	2	–	1	–	1	–	–	–	–	–	–	–	–	–	–	1
		F	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	1	–	–
12	Gen. paralysis of insane, etc.	M	5	–	–	–	–	–	–	3	1	–	1	–	2	–	–	–	–	–	–	2	–	–	–	–
		F	1	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
13	Cancer	M	139	–	–	–	–	–	3	4	18	44	45	25	89	–	–	–	–	–	–	2	10	19	38	20
		F	151	–	–	–	1	–	4	10	25	48	36	27	129	–	–	–	–	2	–	5	16	32	38	30
14	Diabetes	M	8	–	–	–	–	1	–	–	–	–	4	3	16	–	–	–	–	1	–	–	2	3	4	
		F	20	–	–	–	–	1	1	1	1	4	7	5	16	–	–	–	–	1	–	–	2	3	6	
15	Cerebral hæmorrhage	M	79	–	–	–	–	–	–	1	6	9	23	40	50	–	–	–	–	–	–	–	3	1	24	23
		F	83	–	–	–	–	–	–	3	10	16	22	32	61	–	–	–	–	–	–	–	6	10	18	27
16	Heart disease	M	233	–	–	–	2	5	2	9	19	46	74	76	192	–	–	–	1	–	2	3	7	34	69	76
		F	262	–	–	–	3	5	7	5	11	42	83	106	191	–	–	–	1	1	1	3	8	13	59	103
17	Aneurysm	M	1	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–	–	–	–	1	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
18	Other circulatory	M	67	–	–	–	–	–	–	–	1	11	22	33	80	–	–	–	–	1	–	–	2	6	27	4
		F	62	–	–	–	–	–	–	1	2	9	19	31	34	–	–	–	–	–	–	–	–	2	12	2
19	Bronchitis	M	53	6	1	–	–	1	–	2	4	8	11	20	25	3	–	–	–	–	–	–	1	1	6	1
		F	57	3	1	–	–	1	1	1	–	6	10	34	25	1	–	–	1	–	–	–	–	1	7	1
20	Pneumonia	M	96	14	18	10	3	4	4	15	9	6	8	5	31	7	2	–	–	–	4	3	3	2	6	
		F	63	8	9	7	5	2	2	3	5	7	7	8	35	7	2	2	–	1	4	–	3	3	6	
21	Other respiratory	M	14	1	–	1	–	–	–	–	1	6	3	2	6	–	–	–	–	1	1	–	–	–	2	
		F	9	–	1	–	–	1	–	1	2	1	–	3	11	–	–	–	–	–	1	2	1	1	3	
22	Peptic ulcer	M	13	–	–	–	–	–	–	1	4	5	3	–	9	–	–	–	–	–	1	2	2	2	2	–
		F	2	–	–	–	–	–	–	–	1	1	–	–	5	–	–	–	–	–	–	1	1	2	–	
23	Diarrhœa	M	16	10	3	1	–	–	–	–	–	–	2	–	10	2	–	1	1	1	1	–	–	–	–	
		F	7	3	–	1	1	–	–	–	–	1	–	1	3	1	–	–	–	–	1	1	–	–	–	–
24	Appendicitis	M	12	–	–	1	1	1	–	1	1	5	1	1	7	–	–	1	–	2	2	–	1	1	–	–
		F	5	–	–	1	1	1	–	–	2	–	–	–	1	–	–	–	–	–	–	1	–	–	–	
25	Cirrhosis of liver	M	6	–	–	–	–	–	–	1	–	1	4	–	4	–	–	–	–	–	–	2	1	–	1	–
		F	4	–	–	–	–	–	–	–	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
26	Other liver diseases	M	2	–	–	–	–	–	–	–	–	1	–	1	3	–	–	–	–	–	–	–	–	–	1	
		F	9	–	–	–	–	–	–	–	–	1	5	3	8	–	–	–	–	–	–	–	2	3	–	
27	Other digestive	M	22	–	–	–	2	3	1	–	5	4	3	4	19	1	–	–	1	–	4	1	–	2	4	
		F	28	1	1	–	4	–	–	–	7	3	8	4	20	–	–	1	–	1	1	4	2	3	6	
28	Nephritis	M	29	–	1	–	–	–	–	2	3	16	2	5	28	–	–	–	–	1	–	1	2	7	12	
		F	28	–	–	1	–	–	2	–	3	6	8	8	32	–	–	–	–	1	–	2	4	5	10	1
29	Puerperal sepsis	F	7	–	–	–	–	2	4	1	–	–	–	–	2	–	–	–	–	–	–	2	–	–	–	
30	Other puerperal	F	6	–	–	–	–	2	3	1	–	–	–	–	3	–	–	–	–	2	1	–	–	–	–	
31	Congenital causes, etc.	M	55	53	–	1	–	–	–	–	1	–	–	–	35	35	–	–	–	–	–	–	–	–	–	
		F	37	34	1	1	–	–	1	–	–	–	–	–	27	26	–	1	–	–	–	–	–	–	–	
32	Senility	M	23	–	–	–	–	–	–	–	–	–	4	19	25	–	–	–	–	–	–	–	–	–	5	2
		F	38	–	–	–	–	–	–	–	–	1	6	31	33	–	–	–	–	–	–	–	–	–	3	3
33	Suicide	M	14	–	–	–	–	2	1	2	3	2	3	1	19	–	–	–	–	2	4	3	5	2	–	
		F	12	–	–	–	–	–	1	5	2	2	2	–	2	–	–	–	–	–	–	–	–	–	2	
34	Other violence	M	57	3	4	3	2	10	7	9	7	5	5	2	57	3	2	8	2	12	10	4	5	7	1	
		F	17	2	–	–	–	1	1	3	1	–	4	5	15	–	1	2	2	1	–	1	1	1	1	
35	Other defined causes	M	112	6	1	4	4	10	9	8	10	18	28	14	85	9	–	4	3	6	4	6	6	5	21	
		F	98	10	1	2	3	6	7	4	14	24	16	11	75	3	–	2	5	7	5	6	8	15	16	
36	Ill-defined causes	M	4	–	–	–	–	1	1	–	–	1	1	–	7	–	–	–	–	–	–	–	–	2	4	
		F	2	–	1	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	

	Causes of Death. See first page of Table.		Aggregate of Urban Districts. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	Aggregate of Rural Districts. All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
	All Causes	M	6,905	610	127	150	190	237	300	401	702	1286	1656	1246	2,441	299	50	57	80	108	120	145	239	327	537	479
		F	7,033	473	104	136	168	239	316	426	642	1136	1700	1693	2,389	233	53	54	76	95	105	146	202	321	484	620
1	Typhoid fever, etc.	M	6	–	–	–	–	1	1	2	–	–	1	1	1	–	–	–	–	–	1	–	–	–	–	–
		F	4	–	–	–	1	–	2	–	1	–	–	–	2	–	–	–	–	1	–	–	–	1	–	–
2	Measles	M	21	1	12	8	–	–	–	–	–	–	–	–	3	–	–	2	1	–	–	–	–	–	–	–
		F	22	3	8	7	4	–	–	–	–	–	–	–	5	–	2	2	1	–	–	–	–	–	–	–
3	Scarlet fever	M	10	–	1	7	2	–	–	–	–	–	–	–	4	–	1	2	–	1	–	–	–	–	–	–
		F	9	–	–	3	6	–	–	–	–	–	–	–	2	–	–	1	1	–	–	–	–	–	–	–
4	Whooping cough	M	22	12	8	2	–	–	–	–	–	–	–	–	16	9	6	1	–	–	–	–	–	–	–	–
		F	38	16	12	10	–	–	–	–	–	–	–	–	31	5	15	9	2	–	–	–	–	–	–	–
5	Diphtheria	M	40	–	–	13	26	1	–	–	–	–	–	–	15	1	–	7	6	–	1	–	–	–	–	–
		F	48	1	1	13	30	–	–	2	–	1	–	–	19	–	–	3	16	–	–	–	–	–	–	–
6	Influenza	M	336	16	8	13	7	16	22	36	56	58	56	48	143	10	–	6	4	4	14	21	21	16	23	24
		F	348	14	4	9	8	16	20	42	40	61	63	71	160	4	7	6	3	10	7	14	12	24	29	44
7	Encephalitis lethargica	M	14	–	–	–	1	1	3	3	3	2	1	–	6	–	–	1	2	1	–	1	1	–	–	–
		F	8	–	–	–	–	1	2	2	3	–	–	–	3	–	–	–	–	–	1	–	–	1	1	–
8	Cerebro-spinal fever	M	35	2	6	7	9	2	5	3	1	–	–	–	8	2	1	1	2	1	–	1	–	–	–	–
		F	16	3	1	2	4	2	1	2	1	–	–	–	6	–	1	–	4	1	–	–	–	–	–	–
9	Respiratory tuberculosis	M	305	–	1	3	4	51	65	60	65	46	10	–	105	–	1	2	1	16	25	17	25	14	3	1
		F	240	–	–	2	9	72	64	40	22	20	10	1	95	–	–	3	3	27	23	19	12	7	1	–
10	Other tuberculosis	M	87	8	9	14	10	12	11	7	6	5	5	–	32	2	4	7	6	3	3	1	2	1	2	1
		F	70	2	8	8	14	12	12	4	4	1	5	–	29	1	1	4	6	4	8	1	–	2	2	–
11	Syphilis	M	21	4	–	–	–	–	2	1	4	3	7	–	7	2	–	–	–	–	1	2	–	2	–	–
		F	6	1	–	–	1	–	2	–	–	1	1	–	7	3	–	–	–	–	–	1	2	–	1	–
12	Gen. paralysis of insane, etc.	M	40	–	–	–	–	–	–	16	9	8	6	1	11	–	–	–	–	–	–	2	4	4	1	–
		F	11	–	–	–	–	1	–	4	–	4	2	–	1	–	–	–	–	–	–	–	1	–	–	–
13	Cancer	M	741	–	–	1	1	3	14	33	95	232	247	115	242	–	–	–	1	1	4	11	38	63	76	48
		F	911	–	3	–	–	3	10	64	150	263	272	146	284	–	1	–	1	1	7	20	48	70	83	53
14	Diabetes	M	85	–	–	1	1	3	6	1	7	21	34	11	25	–	–	1	–	4	2	–	2	5	9	2
		F	150	–	1	–	3	8	2	4	16	46	47	23	33	–	–	–	1	1	1	3	2	7	14	4
15	Cerebral hæmorrhage	M	388	–	–	–	–	1	1	4	24	86	145	127	97	–	–	–	–	–	1	1	5	16	40	34
		F	513	–	–	–	–	–	2	5	32	99	197	178	138	–	–	–	–	–	1	3	10	19	54	51
16	Heart disease	M	1,449	–	1	1	15	17	13	48	141	336	504	373	436	–	–	–	5	8	6	13	31	79	172	122
		F	1,583	–	–	–	10	29	44	69	116	271	516	528	489	1	–	–	6	12	9	24	46	78	121	192
17	Aneurysm	M	19	–	–	–	–	2	1	3	3	5	3	2	8	–	–	–	–	–	–	1	2	1	3	1
		F	10	–	–	–	–	–	1	1	1	2	1	4	2	–	–	–	1	–	–	–	1	–	–	–
18	Other circulatory	M	394	–	–	–	1	–	1	1	13	55	163	160	152	–	–	–	–	–	–	1	2	11	53	85
		F	330	1	–	–	–	–	1	2	14	38	115	159	120	–	1	–	–	–	–	–	6	14	38	61
19	Bronchitis	M	292	19	3	1	3	2	2	5	27	54	84	92	90	15	2	1	–	2	2	4	8	13	14	29
		F	295	23	6	4	–	–	4	8	21	35	63	131	105	14	3	1	–	2	–	1	2	4	24	54
20	Pneumonia	M	472	114	50	38	16	20	26	38	41	58	44	27	168	42	19	10	9	5	6	11	18	18	15	15
		F	381	85	41	40	16	11	15	25	27	36	45	40	119	38	11	12	10	3	3	2	7	13	10	10
21	Other respiratory	M	68	2	2	2	2	1	–	11	16	14	11	7	24	1	1	–	2	1	1	2	6	6	2	2
		F	55	–	1	3	1	2	3	4	4	11	11	15	21	–	–	–	2	–	1	3	2	3	4	6
22	Peptic ulcer	M	71	–	–	–	–	–	7	12	22	16	11	3	29	–	–	–	1	–	3	6	5	7	6	1
		F	20	–	–	–	–	–	1	4	3	8	3	1	7	–	–	–	1	–	1		–	3	2	–
23	Diarrhœa	M	62	43	2	3	5	2	–	–	6	1	–	–	51	36	5	2	1	–	1	1	1	1	1	2
		F	62	22	4	6	2	1	1	2	4	3	6	11	37	23	5	1	–	1	–	–	1	1	2	3
24	Appendicitis	M	52	–	–	2	9	5	8	4	8	11	3	2	11	–	–	–	4	5	–	1	1	–	–	–
		F	42	–	–	–	5	5	1	6	11	7	5	2	13	–	–	1	3	3	2	–	1	2	1	–
25	Cirrhosis of liver	M	16	–	–	–	–	–	–	1	1	11	1	2	6	–	–	–	–	–	–	–	–	3	3	–
		F	13	–	–	–	–	–	–	–	3	3	5	2	1	–	–	–	–	–	–	1	–	–	–	–
26	Other liver diseases	M	33	–	–	–	–	–	2	2	4	9	11	5	13	–	–	–	–	1	1	3	1	–	5	2
		F	74	–	–	–	–	–	3	3	8	15	31	14	25	–	–	–	–	–	1	2	3	8	8	3
27	Other digestive	M	111	10	6	4	6	4	8	2	13	23	23	12	54	8	1	–	6	3	5	2	7	5	6	11
		F	123	8	1	6	8	2	5	8	18	31	21	15	34	4	–	2	2	3	1	3	5	3	6	5
28	Nephritis	M	245	–	1	1	7	4	12	20	30	71	71	28	92	–	–	–	3	2	4	5	9	22	30	17
		F	270	1	–	1	9	6	9	23	35	56	82	48	83	–	–	2	1	2	5	7	12	19	26	9
29	Puerperal sepsis	F	33	–	–	–	–	5	23	5	–	–	–	–	15	–	–	–	–	–	9	6	–	–	–	–
30	Other puerperal	F	69	–	–	–	–	10	34	24	1	–	–	–	27	–	–	–	–	6	9	11	1	–	–	–
31	Congenital causes, etc.	M	332	325	4	1	2	–	–	–	–	–	–	–	150	146	1	2	1	–	–	–	–	–	–	–
		F	250	245	2	2	1	–	–	–	–	–	–	–	127	123	3	–	–	–	–	–	–	–	1	–
32	Senility	M	169	–	–	–	–	–	–	–	–	–	35	134	64	–	–	–	–	–	–	–	–	–	11	53
		F	263	–	–	–	–	–	–	–	–	–	49	214	97	–	–	–	–	–	–	–	–	–	6	91
33	Suicide	M	113	–	–	–	–	4	10	18	21	32	21	7	27	–	–	–	–	2	2	6	11	1	4	1
		F	52	–	–	–	–	5	7	13	11	10	6	–	8	–	–	–	–	–	1	3	3	–	1	–
34	Other violence	M	330	11	5	19	35	57	49	34	35	42	24	19	148	3	4	6	14	35	26	14	21	12	7	6
		F	134	9	1	11	10	12	15	7	10	14	20	25	52	2	1	6	9	5	3	–	–	8	11	7
35	Other defined causes†	M	521	43	7	9	28	28	31	36	51	85	134	69	200	21	4	6	10	13	11	18	18	27	51	21
		F	573	39	10	9	26	36	32	53	85	99	122	62	190	15	2	1	3	13	12	22	25	33	38	26
36	Ill-defined causes	M	5	–	1	–	–	–	–	–	–	2	1	1	3	1	–	–	1	–	–	–	–	–	–	1
		F	7	–	–	–	–	–	–	–	1	1	2	3	2	–	–	–	–	–	–	–	–	1	–	1

† Including 1 death from Smallpox in the Urban Districts (a Male aged 52 years).

	Causes of Death. *See* first page of Table.		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
			All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	7
	All Causes	M	143	16	1	–	3	3	3	9	8	28	39	33	230	16	4	2	4	7	4	7	10	34	66	
		F	134	14	–	2	1	4	7	5	14	15	31	41	246	12	–	5	2	12	6	18	17	43	46	
1	Typhoid fever, etc.	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
2	Measles	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
3	Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
4	Whooping cough	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		F	2	2	–	–	–	–	–	–	–	–	–	–	2	1	–	–	1	–	–	–	–	–	–	
5	Diphtheria	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		F	1	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	
6	Influenza	M	12	–	1	–	1	–	–	5	–	3	1	1	9	1	–	–	–	–	–	1	–	–	2	
		F	5	1	–	–	–	–	–	1	–	–	–	3	11	–	–	–	–	1	1	–	3	2	1	
7	Encephalitis lethargica	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
8	Cerebro-spinal fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
9	Respiratory tuberculosis	M	7	–	–	–	–	2	1	1	3	–	–	–	12	1	–	–	–	3	2	2	–	3	–	
		F	6	–	–	–	1	1	3	–	–	1	–	–	19	–	–	–	–	7	1	6	1	2	2	
10	Other tuberculosis	M	3	–	–	–	–	1	2	–	–	–	–	–	3	–	–	–	–	2	1	–	–	–	–	
		F	3	–	–	1	–	1	–	–	–	1	–	–	2	–	–	–	–	–	1	–	–	1	–	
11	Syphilis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
12	Gen. paralysis of insane, etc.	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
13	Cancer	M	24	–	–	–	–	–	–	–	1	9	9	5	41	–	–	–	–	–	–	1	4	9	22	
		F	16	–	–	–	–	–	–	1	5	1	8	1	35	–	–	–	–	–	–	1	2	13	7	
14	Diabetes	M	–	–	–	–	–	–	–	–	–	–	–	–	5	–	–	–	–	–	–	–	1	2	1	
		F	2	–	–	–	–	–	–	–	–	–	1	1	5	–	–	–	–	–	–	–	1	–	2	
15	Cerebral hæmorrhage	M	2	–	–	–	–	–	–	–	–	–	2	–	19	–	–	–	–	–	–	–	–	3	8	
		F	11	–	–	–	–	–	–	–	1	3	3	4	27	–	–	–	–	–	–	–	2	2	9	
16	Heart disease	M	31	1	–	–	–	–	–	1	–	7	11	11	48	–	–	–	–	–	–	–	1	10	15	
		F	33	–	–	–	–	–	1	–	3	5	11	13	50	–	–	–	–	–	–	2	1	10	13	
17	Aneurysm	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
18	Other circulatory	M	8	–	–	–	–	–	–	–	–	1	4	3	11	–	–	–	–	–	–	–	–	1	3	
		F	11	–	–	–	–	–	–	1	–	1	3	6	7	–	–	–	–	–	–	–	1	2	3	
19	Bronchitis	M	7	2	–	–	–	–	–	–	–	–	1	4	12	2	–	–	–	–	–	–	1	1	1	
		F	5	1	–	–	–	–	–	–	–	–	1	3	8	1	–	1	–	–	–	–	–	–	1	
20	Pneumonia	M	5	3	–	–	–	–	–	–	1	–	1	–	6	–	–	1	–	1	–	1	–	1	1	
		F	5	2	–	–	–	–	–	–	1	–	2	–	5	–	–	1	–	–	–	1	1	2	–	
21	Other respiratory	M	1	–	–	–	–	–	–	–	–	1	–	–	3	–	1	–	1	–	–	–	1	–	–	
		F	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	–	1	
22	Peptic ulcer	M	2	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
23	Diarrhœa	M	1	1	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	
		F	1	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	
24	Appendicitis	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	
		F	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	
25	Cirrhosis of liver	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	
		F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	
26	Other liver diseases	M	2	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	
		F	1	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	
27	Other digestive	M	1	1	–	–	–	–	–	–	–	–	–	–	6	–	–	–	–	–	1	–	–	1	2	
		F	2	–	–	–	–	1	1	–	–	–	–	–	4	–	–	–	–	–	–	1	–	1	2	
28	Nephritis	M	2	–	–	–	–	–	–	–	1	1	–	–	6	–	–	–	–	–	–	1	1	–	2	
		F	5	–	–	–	–	–	–	–	1	2	–	2	5	–	–	–	–	–	–	1	–	2	1	
29	Puerperal sepsis	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
30	Other puerperal	F	2	–	–	–	–	–	1	1	–	–	–	–	3	–	–	–	–	–	1	2	–	–	–	
31	Congenital causes, etc.	M	7	7	–	–	–	–	–	–	–	–	–	–	8	8	–	–	–	–	–	–	–	–	–	
		F	6	6	–	–	–	–	–	–	–	–	–	–	8	7	–	1	–	–	–	–	–	–	–	
32	Senility	M	6	–	–	–	–	–	–	–	–	–	2	4	9	–	–	–	–	–	–	–	–	–	–	
		F	7	–	–	–	–	–	–	–	–	–	1	6	13	–	–	–	–	–	–	–	–	–	–	
33	Suicide	M	2	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
		F	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	1	1	–	2	–	
34	Other violence	M	2	–	–	–	1	–	–	–	1	–	–	–	5	–	–	–	2	–	–	–	–	1	–	
		F	1	–	–	–	–	–	–	–	–	–	1	–	7	1	–	–	–	1	–	–	–	–	–	
35	Other defined causes	M	18	1	–	–	1	–	–	1	1	1	8	5	21	4	2	–	1	1	–	1	1	1	7	
		F	8	1	–	–	–	–	–	1	3	1	–	2	23	1	–	2	–	2	1	2	3	4	4	
36	Ill-defined causes	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	
		F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	

Causes of Death. (first page of Table.)		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
All Causes	M	96	8	2	–	1	1	5	8	10	22	26	13	270	24	1	4	10	16	16	14	25	46	57	57
	F	100	4	1	1	–	4	7	3	11	16	25	28	232	15	2	1	2	12	9	11	22	59	47	52
Typhoid fever, etc.	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Measles	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	
Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Whooping cough	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Influenza	M	8	1	–	–	–	1	1	–	1	2	2	–	11	–	–	–	–	1	1	–	2	1	1	5
	F	1	–	–	–	–	–	–	1	–	–	–	–	7	1	–	–	–	1	–	1	–	1	2	1
Encephalitis lethargica	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
Cerebro-spinal fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Respiratory tuberculosis	M	3	–	–	–	–	–	1	1	1	–	–	–	15	–	–	–	–	5	7	2	1	–	–	–
	F	3	–	–	–	–	1	1	–	1	–	–	–	15	–	–	–	1	6	3	4	1	–	–	–
Other tuberculosis	M	1	–	1	–	–	–	–	–	–	–	–	–	5	–	–	–	1	4	–	–	–	–	–	–
	F	2	–	–	–	–	–	2	–	–	–	–	–	2	1	–	–	–	–	–	–	–	1	–	–
Syphilis	M	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gen. paralysis of insane, etc.	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Cancer	M	9	–	–	–	–	–	–	–	–	5	2	2	23	–	–	1	–	–	–	–	2	8	8	4
	F	19	–	–	–	–	–	1	–	–	8	7	3	35	–	–	–	–	–	–	2	7	10	9	7
Diabetes	M	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	1
	F	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	1	–	–	1	–	–
Cerebral hæmorrhage	M	5	–	–	–	–	–	–	1	1	–	1	2	16	–	–	–	–	–	–	–	1	4	5	6
	F	6	–	–	–	–	–	–	–	–	1	1	4	21	–	–	–	–	–	–	–	1	3	11	6
Heart disease	M	21	–	–	–	–	–	–	2	2	5	9	3	67	–	–	–	3	–	–	2	7	17	25	13
	F	20	–	–	–	–	–	1	–	3	2	5	9	54	–	–	–	–	1	1	2	5	19	11	15
Aneurysm	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other circulatory	M	3	–	–	–	–	–	–	–	–	–	3	–	6	–	–	–	–	–	–	–	–	1	2	3
	F	6	–	–	–	–	–	–	–	–	–	2	4	4	–	–	–	–	–	–	–	–	1	1	2
Bronchitis	M	5	1	–	–	–	–	–	–	1	1	1	1	16	3	–	–	–	–	–	–	–	3	2	8
	F	7	1	–	–	–	–	–	–	–	2	3	1	13	2	–	–	–	–	–	–	–	2	5	4
Pneumonia	M	5	–	–	–	–	–	–	–	1	2	2	–	17	4	1	–	1	1	2	1	2	1	4	–
	F	5	–	–	–	–	1	–	–	1	1	2	–	14	1	1	1	–	1	1	1	–	4	2	2
Other respiratory	M	2	–	–	–	–	–	–	–	2	–	–	–	10	1	–	–	–	–	1	–	3	3	2	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Peptic ulcer	M	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	1	–	1	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	1	–	–	–	–	1
Diarrhœa	M	2	1	1	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–
	F	3	–	1	1	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Appendicitis	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cirrhosis of liver	M	1	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	1	1	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other liver diseases	M	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	3	–	–	–	–	–	1	–	1	–	1	–	5	–	–	–	–	–	–	–	1	3	1	–
Other digestive	M	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	1	–	–	–	–	–
Nephritis	M	4	–	–	–	–	–	–	–	–	2	1	1	10	–	–	–	–	–	1	2	–	1	2	4
	F	7	–	–	–	–	–	–	–	2	–	2	3	7	–	–	–	–	1	–	1	1	3	1	–
Puerperal sepsis	F	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other puerperal	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Congenital causes, etc.	M	4	4	–	–	–	–	–	–	–	–	–	–	10	10	–	–	–	–	–	–	–	–	–	–
	F	3	3	–	–	–	–	–	–	–	–	–	–	9	8	1	–	–	–	–	–	–	–	–	–
Senility	M	3	–	–	–	–	–	–	–	–	–	1	2	8	–	–	–	–	–	–	–	–	–	–	8
	F	4	–	–	–	–	–	–	–	–	–	–	4	11	–	–	–	–	–	–	–	–	–	3	8
Suicide	M	1	–	–	–	–	–	1	–	–	–	–	–	2	–	–	–	–	–	–	–	2	–	–	–
	F	1	–	–	–	–	–	–	–	1	–	–	–	3	–	–	–	–	–	–	–	2	1	–	–
Other violence	M	4	1	–	–	–	–	–	1	1	1	–	–	19	–	–	2	1	5	3	1	3	2	2	–
	F	1	–	–	–	–	–	–	–	–	1	–	–	4	–	–	–	–	–	–	–	–	1	1	2
Other defined causes	M	11	–	–	–	1	–	1	2	–	3	2	2	24	2	–	1	3	–	1	4	2	3	3	5
	F	8	–	–	–	–	1	–	2	2	1	2	–	16	–	–	–	–	1	–	–	4	8	–	3
Ill-defined causes	M	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Causes of Death. *See* first page of Table.		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	7
	All Causes	M	452	27	4	9	8	13	16	19	50	78	116	112	467	26	6	9	10	25	22	22	29	86	114	1
		F	414	21	3	1	9	12	20	18	42	64	89	135	462	25	3	5	8	9	24	22	42	64	113	1
1	Typhoid fever, etc.	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2	Measles	M	4	1	1	1	1	–	–	–	–	–	–	–	2	–	–	2	–	–	–	–	–	–	–
		F	2	1	–	–	1	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	1	–	–
3	Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
4	Whooping cough	M	2	1	–	1	–	–	–	–	–	–	–	–	4	1	2	1	–	–	–	–	–	–	–	–
		F	1	1	–	–	–	–	–	–	–	–	–	–	4	3	–	1		–	–	–	–	–	–	–
5	Diphtheria	M	1	–	–	–	1	–	–	–	–	–	–	–	2	–	–	–	1	1	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
6	Influenza	M	16	–	–	–	–	1	1	1	3	2	3	5	21	–	–	–	–	1	–	3	2	1	6	
		F	13	–	–	–	–	–	–	1	3	1	3	5	24	1	–	–	–	–	–	2	2	3	10	
7	Encephalitis lethargica	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	
		F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	
8	Cerebro-spinal fever	M	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
9	Respiratory tuberculosis	M	31	–	–	–	–	4	6	5	5	5	6	–	37	–	1	1	–	7	10	5	3	8	2	
		F	23	–	–	–	2	8	9	3	1	–	–	–	35	–	–	–	1	2	16	3	7	3	2	
10	Other tuberculosis	M	4	–	–	2	–	1	–	–	–	1	–	–	7	2	–	–	1	1	–	1	–	1	1	
		F	4	–	2	–	–	1	1	–	–	–	–	–	7	–	1	1	2	1	–	–	2	–	–	
11	Syphilis	M	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
		F	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
12	Gen. paralysis of insane, etc.	M	6	–	–	–	–	–	–	1	–	2	3	–	–	–	–	–	–	–	–	–	–	–	–	
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
13	Cancer	M	58	–	–	1	–	–	–	–	12	13	19	13	60	–	–	–	1	–	–	2	2	19	24	
		F	54	–	–	–	–	–	–	4	13	16	11	10	81	–	–	–	–	–	–	7	12	27	18	
14	Diabetes	M	5	–	–	–	–	1	–	1	–	–	1	2	4	–	–	–	–	1	–	–	–	1	2	
		F	7	–	–	–	–	–	1	–	–	2	4	–	1	–	–	–	–	–	–	–	–	–	1	
15	Cerebral hæmorrhage	M	34	–	–	–	–	–	–	–	5	8	8	13	22	–	–	–	–	–	–	–	2	5	7	
		F	30	–	–	–	–	–	–	–	2	4	7	17	28	–	–	–	–	–	–	–	3	1	14	
16	Heart disease	M	85	–	–	–	1	–	2	3	4	16	33	26	105	–	–	–	–	1	–	4	12	18	34	
		F	98	–	–	–	–	1	–	3	5	13	34	42	88	–	–	–	1	1	1	4	2	10	36	
17	Aneurysm	M	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	1	–	
		F	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	1	
18	Other circulatory	M	23	–	–	–	–	–	1	–	3	1	3	15	20	–	–	–	–	–	–	–	–	1	10	
		F	11	–	–	–	–	–	–	–	–	1	4	6	22	–	–	–	–	–	–	–	1	2	7	
19	Bronchitis	M	20	–	–	–	–	–	1	–	3	4	9	3	25	–	–	–	–	–	–	1	–	6	8	
		F	13	–	–	–	–	–	–	1	1	2	1	8	25	2	–	–	–	–	1	–	–	2	4	
20	Pneumonia	M	17	1	2	1	–	1	–	1	6	2	1	2	19	1	–	2	2	–	2	–	2	3	6	
		F	20	4	–	1	1	–	1	2	1	3	3	4	16	2	–	–	–	1	1	2	2	1	–	
21	Other respiratory	M	3	–	–	–	–	–	1	–	–	–	1	1	3	–	1	–	–	–	–	–	1	1	–	
		F	6	–	–	–	–	–	–	1	–	1	4	6	1	–	–	–	–	–	–	1	2	–	–	
22	Peptic ulcer	M	6	–	–	–	–	–	–	1	1	3	1	–	4	–	–	–	–	1	1	1	–	1	–	
		F	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
23	Diarrhœa	M	6	6	–	–	–	–	–	–	–	–	–	–	5	2	1	1	1	–	–	–	–	–	–	
		F	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	
24	Appendicitis	M	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	
		F	2	–	–	–	1	–	–	1	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	
25	Cirrhosis of liver	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	
		F	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
26	Other liver diseases	M	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		F	6	–	–	–	–	–	2	1	2	–	1	–	4	–	–	–	–	–	–	–	1	–	2	
27	Other digestive	M	7	–	–	–	–	1	–	–	–	1	3	2	6	–	–	–	–	–	1	1	–	1	2	
		F	12	–	–	–	2	–	–	–	2	3	4	1	6	1	–	1	–	–	–	–	–	1	2	
28	Nephritis	M	21	–	–	–	–	1	1	1	2	5	6	5	13	–	–	–	–	1	–	–	–	4	1	
		F	27	–	–	–	1	–	1	–	4	7	4	10	22	–	–	–	1	–	1	1	1	6	6	
29	Puerperal sepsis	F	2	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
30	Other puerperal	F	2	–	–	–	–	–	2	–	–	–	–	–	5	–	–	–	–	1	2	2	–	–	–	
31	Congenital causes, etc.	M	12	12	–	–	–	–	–	–	–	–	–	–	17	17	–	–	–	–	–	–	–	–	–	
		F	14	14	–	–	–	–	–	–	–	–	–	–	10	10	–	–	–	–	–	–	–	–	–	
32	Senility	M	19	–	–	–	–	–	–	–	–	–	1	18	20	–	–	–	–	–	–	–	–	1	3	
		F	23	–	–	–	–	–	–	–	–	–	2	21	22	–	–	–	–	–	–	–	–	–	–	
33	Suicide	M	9	–	–	–	–	–	1	1	2	3	2	–	2	–	–	–	–	–	–	1	–	–	1	–
		F	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34	Other violence	M	14	1	–	1	–	1	1	3	–	6	1	–	21	–	1	1	1	8	3	1	2	2	2	
		F	7	–	–	–	–	–	1	–	–	2	–	4	10	–	1	–	–	2	–	–	1	1	1	
35	Other defined causes	M	41	5	1	1	4	2	1	1	3	5	13	5	44	3	–	–	3	3	4	3	2	10	6	
		F	32	1	1	–	1	2	–	2	7	6	9	3	35	3	1	1	3	–	2	–	5	4	8	
36	Ill-defined causes	M	3	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	
		F	1	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	1	1	

	Causes of Death. (See first page of Table.)		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
			All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
	All Causes	M	127	8	2	1	1	4	4	4	15	22	31	35	259	22	2	1	3	8	10	6	15	45	70	77
		F	155	3	–	–	4	5	7	7	17	15	52	45	341	20	2	2	4	6	13	14	22	48	88	122
1	Typhoid fever, etc.	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2	Measles	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
3	Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
4	Whooping cough	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
5	Diphtheria	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
6	Influenza	M	6	–	1	–	–	–	–	1	1	–	1	2	7	–	–	–	–	1	–	1	–	2	1	2
		F	5	–	–	–	–	–	–	1	1	1	–	2	7	–	–	–	–	–	1	1	–	–	1	4
7	Encephalitis lethargica	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
8	Cerebro-spinal fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9	Respiratory tuberculosis	M	8	–	–	–	–	2	2	–	2	–	2	–	14	–	–	–	1	5	1	1	1	3	2	–
		F	12	–	–	–	1	5	4	–	1	1	–	–	13	–	–	–	1	1	6	–	1	3	1	–
10	Other tuberculosis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	3	–	–	–	1	–	–	1	1	–	–	–	4	–	1	–	–	2	–	–	–	–	1	–
11	Syphilis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
12	Gen. paralysis of insane, etc.	M	1	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13	Cancer	M	10	–	–	–	–	–	–	–	–	2	4	4	27	–	–	–	1	–	1	2	2	4	9	8
		F	22	–	–	–	–	–	1	1	4	1	11	4	48	–	–	–	–	–	1	3	4	13	16	11
14	Diabetes	M	2	–	–	–	–	–	–	–	–	–	1	1	2	–	–	–	–	–	–	–	–	1	–	1
		F	2	–	–	–	–	–	–	–	–	1	1	–	5	–	–	–	–	–	–	1	1	–	2	1
15	Cerebral hæmorrhage	M	10	–	–	–	–	–	–	–	–	1	5	4	15	–	–	–	–	–	–	–	1	1	7	6
		F	8	–	–	–	–	–	–	–	1	–	2	5	20	–	–	–	–	–	–	–	1	5	6	8
16	Heart disease	M	30	–	–	–	–	–	–	1	6	7	9	7	67	–	–	–	1	–	2	–	3	13	22	26
		F	43	–	–	–	1	–	–	1	3	2	21	15	99	–	–	–	–	–	–	3	4	12	34	46
17	Aneurysm	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
18	Other circulatory	M	9	–	–	–	–	–	–	–	1	2	2	4	11	–	–	–	–	–	–	–	–	1	1	9
		F	12	–	–	–	–	–	–	–	–	2	4	6	20	–	–	–	–	–	–	1	1	2	6	10
19	Bronchitis	M	3	–	–	–	–	–	–	–	–	–	1	2	8	–	–	–	–	–	–	–	–	1	2	5
		F	4	–	–	–	–	–	–	–	–	–	2	2	10	1	–	–	–	–	–	–	–	–	–	9
20	Pneumonia	M	5	1	1	–	–	–	–	1	–	1	–	1	9	3	–	–	–	–	1	1	–	–	3	1
		F	1	–	–	–	–	–	–	–	–	–	1	–	12	2	1	2	–	1	1	–	1	–	1	3
21	Other respiratory	M	4	–	–	–	–	–	–	–	–	1	2	1	4	–	–	1	–	–	–	–	–	2	1	–
		F	1	–	–	–	1	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–	2	2	–
22	Peptic ulcer	M	1	–	–	–	–	–	–	–	1	–	–	–	3	–	–	–	–	–	–	–	–	1	–	2
		F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
23	Diarrhœa	M	2	1	–	–	–	–	–	–	–	1	–	–	3	1	1	–	–	–	–	–	–	1	–	–
		F	1	1	–	–	–	–	–	–	–	–	–	–	2	1	–	–	1	–	–	–	–	–	–	–
24	Appendicitis	M	2	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
25	Cirrhosis of liver	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
		F	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
26	Other liver diseases	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–	2	–	5	–	–	–	–	–	–	–	1	–	3	1
27	Other digestive	M	2	–	–	–	–	–	–	–	–	1	1	–	8	–	–	–	–	1	–	–	2	3	–	2
		F	4	–	–	–	–	–	–	1	–	1	1	1	5	–	–	–	1	–	–	–	1	2	1	–
28	Nephritis	M	10	–	–	–	–	–	1	–	2	2	2	3	15	–	–	–	–	–	–	–	–	3	10	2
		F	13	–	–	–	–	–	–	–	1	3	6	3	18	–	–	–	–	1	–	–	3	4	4	6
29	Puerperal sepsis	F	1	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
30	Other puerperal	F	–	–	–	–	–	–	–	–	–	–	–	–	5	–	–	–	–	–	2	3	–	–	–	–
31	Congenital causes, etc.	M	7	6	–	–	1	–	–	–	–	–	–	–	15	15	–	–	–	–	–	–	–	–	–	–
		F	2	1	–	–	–	–	–	1	–	–	–	–	7	7	–	–	–	–	–	–	–	–	–	–
32	Senility	M	3	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–	3
		F	4	–	–	–	–	–	–	–	–	–	–	4	22	–	–	–	–	–	–	–	–	–	2	20
33	Suicide	M	1	–	–	–	–	1	–	–	–	–	–	–	3	–	–	–	–	–	–	–	1	1	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
34	Other violence	M	3	–	–	–	–	–	1	–	–	2	–	–	12	1	1	–	–	1	4	–	1	1	3	–
		F	3	–	–	–	–	–	–	1	–	–	–	2	4	–	–	–	–	–	–	–	1	–	2	1
35	Other defined causes	M	8	–	–	1	–	1	–	1	–	2	1	2	29	2	–	–	–	–	1	1	4	4	7	10
		F	10	–	–	–	–	–	1	–	4	3	1	1	27	8	–	–	1	1	2	1	3	3	6	2
36	Ill-defined causes	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
		F	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Causes of Death. *See* first page of Table.		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
	All Causes	M	468	42	7	10	11	20	18	25	60	82	102	91	713	79	7	9	26	30	34	26	73	109	158	162
		F	460	29	5	7	13	25	29	32	42	76	109	93	676	59	7	6	18	32	44	36	65	101	148	160
1	Typhoid fever, etc.	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2	Measles	M	4	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
3	Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	2	–	–	–	–	–	–	–
4	Whooping cough	M	4	2	2	–	–	–	–	–	–	–	–	–	6	4	2	–	–	–	–	–	–	–	–	–
		F	1	1	–	–	–	–	–	–	–	–	–	–	6	4	1	1	–	–	–	–	–	–	–	–
5	Diphtheria	M	1	–	–	1	–	–	–	–	–	–	–	–	6	2	1	1	2	–	–	–	–	–	–	–
		F	4	–	–	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
6	Influenza	M	17	–	–	2	–	–	1	2	5	2	1	4	27	3	1	–	–	1	2	3	4	4	4	5
		F	20	1	1	–	–	–	1	2	4	3	2	6	25	–	–	–	1	1	3	3	1	5	7	4
7	Encephalitis lethargica	M	1	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	1	–	–	1	–	–
		F	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
8	Cerebro-spinal fever	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
9	Respiratory tuberculosis	M	24	–	–	–	1	6	7	3	6	1	–	–	30	–	–	–	–	10	6	3	5	3	3	–
		F	30	–	–	–	–	11	10	3	4	1	1	–	45	–	–	–	1	12	18	4	8	1	1	–
10	Other tuberculosis	M	3	–	–	1	1	–	–	–	–	–	–	1	8	–	–	–	1	–	4	1	1	1	–	–
		F	6	1	–	–	2	1	2	–	–	–	–	–	11	1	1	–	3	2	1	–	1	1	1	–
11	Syphilis	M	2	–	–	–	–	–	–	–	2	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
12	Gen. paralysis of insane, etc.	M	1	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	1	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13	Cancer	M	53	–	–	–	–	–	–	1	8	14	22	8	68	–	–	–	1	1	–	3	11	18	23	11
		F	47	–	–	–	–	–	3	6	6	11	12	9	60	–	–	–	1	–	1	9	14	11	19	5
14	Diabetes	M	5	–	–	–	–	–	–	–	1	2	2	–	8	–	–	–	–	1	1	–	2	1	2	1
		F	5	–	–	–	–	–	1	–	–	1	2	1	10	–	–	–	1	1	1	–	1	3	2	1
15	Cerebral hæmorrhage	M	14	–	–	–	–	–	–	–	3	3	6	2	28	–	–	–	–	–	–	–	2	4	12	10
		F	24	–	–	–	–	–	–	–	4	7	9	4	44	–	–	–	–	–	–	1	5	9	18	11
16	Heart disease	M	98	–	–	–	–	3	3	4	9	24	29	26	136	–	–	–	1	1	–	–	16	31	47	40
		F	121	–	–	–	3	3	1	6	11	25	41	31	170	–	–	1	1	7	1	6	13	34	54	53
17	Aneurysm	M	2	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
18	Other circulatory	M	30	–	–	–	–	–	–	–	1	7	11	11	39	–	–	–	–	–	–	–	–	2	14	23
		F	24	–	–	–	–	–	–	–	3	7	7	7	38	–	–	–	–	–	–	–	–	4	8	26
19	Bronchitis	M	16	2	2	–	–	–	–	–	2	2	4	4	43	1	–	–	1	–	–	1	6	6	13	15
		F	7	–	–	–	–	–	–	–	1	–	4	2	22	1	–	–	–	–	1	–	–	2	9	9
20	Pneumonia	M	20	5	1	2	–	2	–	1	1	4	2	2	32	8	1	1	1	1	2	2	5	2	7	2
		F	11	1	1	1	–	–	1	3	–	2	1	1	26	6	3	1	–	2	1	1	–	3	3	6
21	Other respiratory	M	10	–	–	–	1	–	–	3	5	–	–	1	12	–	–	–	–	1	–	2	2	4	1	2
		F	2	–	–	–	–	–	–	–	–	–	1	1	5	–	–	–	–	–	–	–	–	2	–	3
22	Peptic ulcer	M	6	–	–	–	–	–	–	–	2	3	1	–	3	–	–	–	–	–	1	1	1	–	–	–
		F	2	–	–	–	–	–	–	–	–	1	1	–	2	–	–	–	–	–	–	–	–	1	1	–
23	Diarrhœa	M	6	4	–	–	–	–	1	–	–	–	1	–	8	6	–	–	–	1	1	–	–	–	–	–
		F	3	1	–	1	–	–	–	1	–	–	–	–	5	1	–	–	–	–	1	–	–	2	–	1
24	Appendicitis	M	3	–	–	–	2	–	–	–	–	1	–	–	9	–	–	–	2	2	1	1	2	1	–	–
		F	4	–	–	–	–	1	–	2	1	–	–	–	4	–	–	–	1	–	1	–	1	1	–	–
25	Cirrhosis of liver	M	3	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
26	Other liver diseases	M	3	–	–	–	–	–	–	–	1	1	1	–	2	–	–	–	–	–	–	1	–	–	–	1
		F	6	–	–	–	–	–	–	–	–	3	2	1	6	–	–	–	1	–	–	1	–	1	3	–
27	Other digestive	M	12	1	–	–	1	1	–	2	–	5	–	2	11	1	–	3	1	–	–	–	–	3	1	2
		F	12	–	–	–	1	–	2	–	3	1	3	2	10	1	–	–	–	–	–	–	2	1	5	1
28	Nephritis	M	13	–	–	–	–	2	–	2	–	2	4	3	32	–	–	–	1	–	–	2	5	6	7	11
		F	22	–	–	–	1	2	1	1	1	6	7	3	22	–	–	–	–	–	–	–	4	3	8	7
29	Puerperal sepsis	F	4	–	–	–	–	–	1	3	–	–	–	–	3	–	–	–	–	1	1	1	–	–	–	–
30	Other puerperal	F	5	–	–	–	–	3	1	1	–	–	–	–	6	–	–	–	–	1	3	2	–	–	–	–
31	Congenital causes, etc.	M	28	26	–	–	–	2	–	–	–	–	–	–	38	35	1	–	1	–	–	1	–	–	–	–
		F	17	16	–	–	1	–	–	–	–	–	–	–	32	32	–	–	–	–	–	–	–	–	–	–
32	Senility	M	14	–	–	–	–	–	–	–	–	–	1	13	17	–	–	–	–	–	–	–	–	–	4	13
		F	21	–	–	–	–	–	–	–	–	–	2	19	26	–	–	–	–	–	–	–	–	–	1	25
33	Suicide	M	11	–	–	–	–	–	1	2	4	2	2	–	12	–	–	–	–	–	2	–	2	4	2	2
		F	2	–	–	–	–	–	–	1	–	1	–	–	4	–	–	–	–	2	2	–	–	–	–	–
34	Other violence	M	19	–	–	1	3	2	3	1	5	2	1	1	42	–	1	3	5	6	8	4	3	5	2	5
		F	15	1	–	2	1	2	1	1	1	–	3	3	9	1	–	1	2	–	–	1	1	1	–	2
35	Other defined causes	M	44	1	–	2	2	2	2	3	4	4	11	13	84	18	–	1	7	5	5	1	3	12	15	17
		F	40	7	1	–	3	1	4	2	3	7	9	3	76	12	1	2	4	3	9	7	11	13	8	6
36	Ill-defined causes	M	1	–	–	–	–	–	–	–	–	–	1	–	5	–	–	–	–	–	–	–	2	–	1	2
		F	2	–	–	–	–	–	–	–	–	–	2	–	4	–	–	–	–	–	–	–	1	3	–	–

Causes of Death. (see first page of Table.)		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
All Causes	M	370	24	5	13	11	16	16	18	38	64	102	63	668	72	10	10	14	23	27	32	54	107	166	153
	F	421	19	–	5	7	13	22	20	29	73	100	133	616	46	10	19	13	28	25	45	65	93	130	142
1 Typhoid fever, etc.	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2 Measles	M	5	–	2	2	1	–	–	–	–	–	–	–	4	2	–	1	1	–	–	–	–	–	–	–
	F	1	1	–	–	–	–	–	–	–	–	–	–	7	1	1	4	–	1	–	–	–	–	–	–
3 Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
4 Whooping cough	M	1	1	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
	F	1	–	–	–	–	1	–	–	–	–	–	–	3	1	1	1	–	–	–	–	–	–	–	–
5 Diphtheria	M	3	–	–	2	1	–	–	–	–	–	–	–	8	–	–	2	4	1	1	–	–	–	–	–
	F	2	–	–	–	2	–	–	–	–	–	–	–	8	–	1	1	5	–	–	–	–	1	–	–
6 Influenza	M	9	–	1	–	–	–	–	1	2	–	4	1	27	2	1	1	–	1	2	3	3	3	7	4
	F	27	–	–	–	–	–	4	2	4	5	4	8	24	1	–	–	–	2	–	3	2	4	5	7
7 Encephalitis lethargica	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
8 Cerebro-spinal fever	M	3	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	1	–	–	–	–	–	–	1	–	–	–	–	2	1	–	–	1	–	–	–	–	–	–	–
9 Respiratory tuberculosis	M	26	–	–	–	–	4	5	6	6	4	1	–	27	–	–	–	1	5	6	4	4	6	1	–
	F	21	–	–	–	–	7	4	5	4	–	1	–	27	–	–	–	–	10	6	6	1	3	–	1
10 Other tuberculosis	M	9	1	–	5	1	–	–	2	–	–	–	–	9	–	2	1	1	2	–	1	–	2	–	–
	F	1	–	–	1	–	–	–	–	–	–	–	–	9	–	1	2	2	1	–	1	2	–	–	–
11 Syphilis	M	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
12 Gen. paralysis of insane, etc.	M	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
13 Cancer	M	55	–	–	–	–	1	–	–	6	17	18	13	85	–	–	–	–	–	–	2	10	16	36	21
	F	76	–	–	–	–	1	1	1	7	28	22	16	100	–	–	–	–	2	1	7	22	28	25	15
14 Diabetes	M	3	–	–	–	–	–	–	–	–	1	2	–	2	–	–	–	–	–	–	–	–	1	1	–
	F	7	–	–	–	–	–	–	–	–	1	3	3	7	–	–	–	–	–	–	1	3	2	1	–
15 Cerebral hæmorrhage	M	15	–	–	–	–	–	–	1	1	3	6	4	45	–	–	–	–	–	–	–	1	7	16	21
	F	26	–	–	–	–	–	1	–	–	5	10	10	54	–	–	–	–	–	–	1	3	9	22	19
16 Heart disease	M	74	–	–	–	1	–	2	1	5	16	31	18	133	–	–	–	–	1	4	6	7	22	45	48
	F	87	–	–	–	1	1	1	4	5	9	25	41	116	–	–	–	–	2	5	3	9	19	31	47
17 Aneurysm	M	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–
18 Other circulatory	M	20	–	–	–	–	–	–	–	1	1	9	9	23	–	–	–	–	–	–	–	1	4	6	12
	F	20	–	–	–	–	–	–	–	1	1	3	15	19	–	–	–	–	–	–	–	–	6	5	8
19 Bronchitis	M	11	2	–	–	–	–	–	–	3	1	4	1	34	6	–	–	–	–	–	1	2	4	8	13
	F	12	–	–	–	–	–	–	1	–	2	2	7	23	1	–	–	–	–	–	–	1	–	6	15
20 Pneumonia	M	27	2	2	1	2	1	3	2	4	2	5	3	45	16	4	–	1	2	1	2	2	10	7	–
	F	12	–	–	2	1	–	–	–	–	1	2	6	27	6	5	4	–	–	1	3	1	2	3	2
21 Other respiratory	M	6	1	–	–	–	–	–	–	3	1	–	1	9	–	–	–	–	–	–	1	1	1	1	5
	F	6	–	–	–	–	–	–	–	1	2	–	3	10	1	–	2	1	1	–	–	–	–	4	1
22 Peptic ulcer	M	1	–	–	–	–	–	1	–	–	–	–	–	7	–	–	–	–	–	–	1	3	1	2	–
	F	2	–	–	–	–	–	1	–	1	–	–	–	3	–	–	–	–	–	–	1	–	1	1	–
23 Diarrhœa	M	5	3	–	1	–	–	–	–	–	–	–	1	5	4	–	–	–	–	–	–	–	–	–	1
	F	4	1	–	1	–	–	1	–	1	–	–	–	4	1	1	1	–	–	–	–	–	–	1	–
24 Appendicitis	M	2	–	–	–	1	–	–	–	1	–	–	–	3	–	–	–	–	1	–	2	–	–	–	
	F	2	–	–	–	1	–	1	–	–	–	–	–	2	–	–	–	–	–	1	–	–	–	1	
25 Cirrhosis of liver	M	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	1	–	
	F	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	1	–	–	–
26 Other liver diseases	M	2	–	–	–	–	–	–	–	–	1	–	1	3	–	–	–	–	–	–	–	–	–	1	2
	F	4	–	–	–	–	–	–	–	–	1	2	1	3	–	–	–	–	–	–	2	1	–	–	–
27 Other digestive	M	8	–	–	–	1	–	1	–	3	–	2	1	13	–	1	–	1	1	2	1	3	3	1	–
	F	8	–	–	–	–	–	1	–	1	3	3	–	13	–	–	–	2	1	2	2	2	2	1	1
28 Nephritis	M	8	–	–	–	–	–	–	–	–	3	2	3	28	–	–	–	–	1	1	3	3	8	7	5
	F	5	–	–	–	–	–	1	–	–	3	–	1	31	–	–	1	–	3	–	2	8	7	5	5
Puerperal sepsis	F	–	–	–	–	–	–	–	–	–	–	–	–	8	–	–	–	–	1	3	4	–	–	–	–
Other puerperal	F	5	–	–	–	–	–	3	2	–	–	–	–	4	–	–	–	–	1	1	2	–	–	–	–
Congenital causes, etc.	M	10	10	–	–	–	–	–	–	–	–	–	–	39	38	–	–	–	1	–	–	–	–	–	–
	F	12	12	–	–	–	–	–	–	–	–	–	–	24	24	–	–	–	–	–	–	–	–	–	–
Senility	M	3	–	–	–	–	–	–	–	–	–	–	3	13	–	–	–	–	–	–	–	–	–	2	11
	F	14	–	–	–	–	–	–	–	–	–	1	13	13	–	–	–	–	–	–	–	–	–	1	12
Suicide	M	5	–	–	–	–	1	1	1	–	–	2	–	13	–	–	–	–	–	3	–	3	3	4	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	5	–	–	–	–	1	–	–	1	1	–	2
Other violence	M	15	2	–	–	2	3	1	1	1	–	5	–	31	–	–	3	1	6	3	3	1	2	10	2
	F	15	4	–	1	1	–	–	1	–	2	3	3	4	–	–	–	–	–	–	–	–	–	3	1
Other defined causes	M	35	2	–	–	1	4	1	2	2	10	9	4	52	4	1	1	3	1	3	2	9	11	9	8
	F	45	1	–	–	1	3	3	3	3	8	17	6	63	9	–	2	2	2	5	7	8	8	14	6
Ill-defined causes	M	5	–	–	–	–	–	1	–	–	2	2	–	5	–	–	–	1	–	–	–	1	1	2	–
	F	2	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–

Causes of Death. *See* first page of Table.		Aggregate of Urban Districts.												Aggregate of Rural Districts.										
		All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	7
All Causes	M	258	13	3	6	7	14	16	13	26	42	60	58	477	32	4	9	17	28	16	31	45	79	109	1
	F	278	10	1	2	5	5	18	14	31	35	66	91	411	21	12	4	10	4	13	21	32	71	100	1
1 Typhoid fever, etc.	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	F	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
2 Measles	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	F	–	–	–	–	–	–	–	–	–	–	–	–	4	–	3	–	1	–	–	–	–	–	–	
3 Scarlet fever	M	2	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
4 Whooping cough	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
5 Diphtheria	M	6	–	1	1	4	–	–	–	–	–	–	–	5	–	–	1	4	–	–	–	–	–	–	
	F	2	–	–	–	2	–	–	–	–	–	–	–	2	–	–	–	2	–	–	–	–	–	–	
6 Influenza	M	20	–	–	–	–	1	2	–	5	4	2	6	24	–	–	–	1	–	3	5	3	4	3	
	F	19	–	–	–	–	–	1	1	1	1	5	10	19	1	–	–	1	–	–	2	3	3	3	
7 Encephalitis lethargica	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
	F	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	1	2	–	–	1	
8 Cerebro-spinal fever	M	–	–	–	–	–	–	–	–	–	–	–	–	4	1	–	–	3	–	–	–	–	–	–	
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	
9 Respiratory tuberculosis	M	13	–	–	–	–	3	6	1	2	1	–	–	21	–	–	–	–	7	2	3	3	5	1	
	F	11	–	–	–	–	1	6	1	1	1	1	–	6	–	–	–	–	2	3	1	–	–	–	
10 Other tuberculosis	M	2	–	–	–	–	1	–	–	–	1	–	–	8	–	–	2	1	2	1	–	1	–	1	
	F	2	–	–	–	–	1	–	–	1	–	–	–	5	–	–	1	–	–	1	–	1	1	–	
11 Syphilis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	
12 Gen. paralysis of insane, etc.	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
13 Cancer	M	28	–	–	1	–	–	1	1	3	11	7	4	51	–	–	1	–	–	–	1	8	15	18	
	F	46	–	–	–	–	–	–	1	14	10	11	10	48	–	–	–	–	–	1	3	6	16	14	
14 Diabetes	M	5	–	–	–	–	–	–	–	1	1	2	1	5	–	–	–	–	–	–	–	2	1	1	
	F	3	–	–	–	–	–	–	–	–	–	2	1	7	–	–	–	–	–	1	1	–	2	2	
15 Cerebral hæmorrhage	M	13	–	–	–	–	–	–	–	1	4	6	2	35	–	–	–	–	1	–	–	3	3	11	
	F	16	–	–	–	–	–	–	–	2	1	11	2	43	–	–	–	–	–	–	–	4	6	14	
16 Heart disease	M	36	–	–	–	–	2	–	1	2	5	13	13	77	–	–	–	1	1	1	6	3	12	32	
	F	45	–	–	–	–	1	4	2	2	4	10	22	82	–	–	–	–	–	1	4	4	19	22	
17 Aneurysm	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
18 Other circulatory	M	15	–	–	–	–	–	–	–	–	2	9	4	19	–	–	–	–	–	–	–	–	4	6	
	F	10	–	–	–	–	–	–	–	–	1	2	7	18	–	–	–	–	–	–	–	1	3	8	
19 Bronchitis	M	10	–	1	–	–	–	–	1	–	2	4	2	16	–	–	–	–	–	–	–	1	4	3	
	F	15	–	–	–	–	–	–	–	1	4	3	7	25	–	1	–	1	–	–	1	–	4	5	
20 Pneumonia	M	20	4	1	–	–	–	2	2	1	1	5	4	28	6	4	2	–	1	1	4	1	1	4	
	F	12	3	–	2	1	–	–	–	2	–	1	3	15	3	4	1	–	1	–	–	1	–	3	
21 Other respiratory	M	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	
	F	3	–	–	–	–	–	–	–	1	–	2	–	4	–	–	1	–	–	1	–	–	2	–	
22 Peptic ulcer	M	1	–	–	–	–	–	–	–	–	1	–	–	5	–	–	–	–	2	1	–	2	–	–	
	F	1	–	–	–	–	–	–	–	–	1	–	–	3	–	–	–	–	–	–	–	–	–	2	
23 Diarrhœa	M	2	–	–	1	–	–	–	–	1	–	–	–	2	1	–	–	–	–	–	–	–	1	–	
	F	–	–	–	–	–	–	–	–	–	–	–	–	6	2	–	1	–	–	–	–	–	–	2	
24 Appendicitis	M	1	–	–	–	–	–	1	–	–	–	–	–	5	–	–	–	1	1	–	–	1	–	1	
	F	3	–	–	–	1	–	–	–	–	1	1	–	2	–	–	–	1	–	–	–	–	–	1	
25 Cirrhosis of liver	M	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	2	–	
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
26 Other liver diseases	M	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	1	1	1	–	
	F	5	–	–	–	–	–	–	3	–	1	1	–	4	–	–	–	–	–	–	–	–	1	2	
27 Other digestive	M	7	–	–	2	1	–	–	1	1	1	1	–	11	1	–	–	1	–	–	2	1	2	3	
	F	2	–	–	–	1	–	–	–	–	–	–	1	9	1	–	–	–	–	–	–	1	4	1	
28 Nephritis	M	7	–	–	–	–	–	–	–	1	–	4	2	14	–	–	–	–	–	–	1	4	5	3	
	F	13	–	1	–	–	–	1	1	2	2	–	6	10	–	–	–	–	–	1	–	2	1	3	
29 Puerperal sepsis	F	2	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
30 Other puerperal	F	3	–	–	–	–	–	2	1	–	–	–	–	2	–	–	–	–	–	–	1	1	–	–	
31 Congenital causes, etc.	M	8	7	–	1	–	–	–	–	–	–	–	–	18	17	–	–	–	1	–	–	–	–	–	
	F	4	4	–	–	–	–	–	–	–	–	–	–	13	12	1	–	–	–	–	–	–	–	–	
32 Senility	M	10	–	–	–	–	–	–	–	–	–	–	10	19	–	–	–	–	–	–	–	–	–	4	
	F	21	–	–	–	–	–	–	–	–	1	5	15	24	–	–	–	–	–	–	–	–	–	4	
33 Suicide	M	3	–	–	–	–	–	–	–	1	2	–	–	3	–	–	–	–	–	–	–	–	2	1	
	F	2	–	–	–	–	–	–	1	1	–	–	–	3	–	–	–	–	–	1	–	1	1	–	
34 Other violence	M	18	1	–	–	1	5	2	4	3	1	–	1	41	–	–	2	3	8	6	3	4	7	5	
	F	5	1	–	–	–	–	–	–	–	–	3	1	7	1	–	–	1	1	–	1	–	1	–	
35 Other defined causes	M	26	1	–	–	–	2	1	1	3	5	6	7	54	5	–	–	2	4	1	3	7	10	11	
	F	26	2	–	–	–	2	3	1	2	5	8	3	38	1	3	–	2	–	–	4	7	6	12	
36 Ill-defined causes	M	5	–	–	–	–	–	–	1	1	–	1	2	2	1	–	–	–	–	–	1	–	–	–	
	F	6	–	–	–	–	–	–	–	1	2	–	3	6	–	–	–	–	–	1	1	–	1	1	

Causes of Death. (See first page of Table.)		Aggregate of Urban Districts.												Aggregate of Rural Districts.										
		All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
All Causes	M	4,159	457	86	82	142	200	216	284	494	717	949	532	1,105	103	26	23	42	56	50	85	134	220	208	158
	F	3,350	303	84	74	134	200	216	265	338	495	671	570	988	95	14	20	35	58	70	73	79	160	179	205
Typhoid fever, etc.	M	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	M	42	7	16	13	5	1	–	–	–	–	–	–	4	2	–	2	–	–	–	–	–	–	–	–
	F	37	5	21	9	2	–	–	–	–	–	–	–	2	1	–	1	–	–	–	–	–	–	–	–
Scarlet fever	M	6	–	–	1	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	6	–	1	–	5	–	–	–	–	–	–	–	3	–	–	2	–	–	1	–	–	–	–	–
Whooping cough	M	19	9	4	5	1	–	–	–	–	–	–	–	9	4	2	2	1	–	–	–	–	–	–	–
	F	27	12	7	6	2	–	–	–	–	–	–	–	13	4	4	3	2	–	–	–	–	–	–	–
Diphtheria	M	24	1	2	7	14	–	–	–	–	–	–	–	7	–	1	3	3	–	–	–	–	–	–	–
	F	32	–	–	11	18	1	1	–	1	–	–	–	6	–	–	1	4	–	–	1	–	–	–	–
Influenza	M	227	6	6	2	1	11	21	32	54	45	32	17	50	2	1	1	3	1	4	8	5	12	8	5
	F	203	6	7	3	3	7	18	24	31	35	37	32	59	–	–	1	1	3	4	8	6	10	12	14
Encephalitis lethargica	M	3	–	–	–	–	–	–	–	2	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–
	F	9	–	–	–	1	1	–	2	3	2	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Cerebro-spinal fever	M	4	–	1	1	–	–	1	1	–	–	–	–	4	–	–	1	2	1	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Respiratory tuberculosis	M	251	–	1	2	3	51	54	46	52	36	6	–	62	–	–	–	–	16	12	15	9	7	3	–
	F	255	1	–	–	7	87	80	44	27	7	2	–	62	–	–	1	4	22	17	13	2	2	–	1
Other tuberculosis	M	57	–	2	6	19	15	7	1	2	3	2	–	11	–	1	2	3	2	1	–	1	1	–	–
	F	51	4	2	5	13	12	9	4	–	2	–	–	20	2	1	–	3	4	5	1	2	1	1	–
Syphilis	M	7	1	–	–	–	2	–	1	1	2	–	–	3	–	–	–	–	–	–	1	1	1	–	–
	F	5	2	–	–	–	–	–	–	2	1	–	–	2	1	–	–	–	–	1	–	–	–	–	–
Gen. paralysis of insane, etc.	M	23	–	–	–	–	–	–	5	5	7	5	1	7	–	–	–	–	–	–	–	4	3	–	–
	F	4	–	–	–	–	–	–	1	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	M	348	–	–	1	1	1	4	17	54	112	118	40	106	–	–	1	–	–	1	7	20	36	30	11
	F	343	–	–	–	4	3	5	34	68	87	109	33	112	–	–	–	–	1	3	9	15	30	31	23
Diabetes	M	27	–	–	–	–	1	2	2	4	7	11	–	15	–	–	–	–	–	1	1	–	6	6	1
	F	43	–	–	–	–	2	3	5	4	13	12	4	17	–	–	–	–	1	1	–	2	7	5	1
Cerebral hæmorrhage	M	219	–	–	–	–	–	1	5	25	46	95	47	48	–	–	–	–	–	–	1	8	6	21	12
	F	217	–	–	–	1	–	–	6	18	48	81	63	45	–	–	–	–	–	–	–	1	13	12	19
Heart disease	M	835	–	–	–	12	17	25	36	91	193	313	148	206	–	–	–	2	3	5	9	23	59	68	37
	F	668	–	–	2	10	17	24	52	66	135	198	164	182	–	–	–	4	5	4	5	21	37	56	50
Aneurysm	M	9	–	–	–	–	–	–	1	–	3	4	1	–	–	–	–	–	–	–	–	–	–	–	–
	F	3	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Other circulatory	M	134	–	–	–	–	–	–	1	4	21	72	36	40	–	–	–	–	–	1	–	2	11	14	12
	F	76	–	1	–	–	–	–	–	5	16	25	29	32	–	–	–	–	–	1	–	–	3	17	11
Bronchitis	M	241	37	1	5	1	2	1	6	31	43	61	53	60	9	1	1	–	–	–	4	7	8	13	17
	F	144	22	5	2	3	3	1	2	10	15	39	42	46	6	1	2	–	2	–	2	1	2	9	21
Pneumonia	M	262	73	36	14	8	11	15	20	30	20	22	13	77	17	14	5	4	3	3	6	8	11	1	5
	F	163	41	22	13	15	8	8	11	9	7	15	14	51	19	6	1	2	2	2	4	1	6	6	2
Other respiratory	M	60	1	–	–	1	1	4	9	10	17	11	6	20	–	–	–	1	1	–	3	6	8	–	1
	F	33	4	–	–	2	–	1	4	3	7	6	6	9	1	–	–	–	–	–	–	1	–	4	3
Peptic ulcer	M	45	–	–	–	–	1	4	9	19	8	2	2	3	–	–	–	–	–	–	–	2	1	–	–
	F	11	–	–	–	–	1	1	2	1	6	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Diarrhœa	M	47	31	7	1	1	1	–	1	1	–	1	3	10	5	2	–	–	–	–	1	–	–	1	1
	F	31	16	3	–	–	2	1	1	2	3	–	3	15	11	–	1	1	–	2	–	–	–	–	–
Appendicitis	M	26	–	–	1	8	5	3	3	3	1	2	–	5	1	–	–	2	1	–	1	–	–	–	–
	F	18	–	–	1	3	3	1	5	2	2	1	–	7	–	–	1	1	2	–	–	1	1	1	–
Cirrhosis of liver	M	4	–	–	–	–	–	1	–	–	1	2	–	4	–	–	–	–	–	–	–	–	2	1	1
	F	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	–	–	1
Other liver diseases	M	10	–	–	–	–	–	–	1	–	6	2	1	4	–	–	–	–	–	–	–	1	1	1	1
	F	23	–	–	–	–	–	1	1	3	9	5	4	6	–	–	–	–	–	–	1	1	3	1	–
Other digestive	M	77	10	1	–	5	3	3	10	10	10	17	8	23	2	1	–	1	1	–	4	2	3	3	6
	F	60	6	1	3	5	4	2	5	5	12	13	4	21	1	–	2	3	–	1	2	2	6	2	2
Nephritis	M	124	–	–	1	3	7	11	7	20	30	32	13	36	–	–	–	3	3	–	2	6	8	10	4
	F	118	–	–	1	4	3	3	6	18	32	36	15	37	–	–	–	1	–	3	3	9	13	5	3
Puerperal sepsis	F	24	–	–	–	–	9	14	1	–	–	–	–	6	–	–	–	–	2	2	2	–	–	–	–
Other puerperal	F	37	–	–	–	–	10	12	14	1	–	–	–	16	–	–	–	–	4	6	5	1	–	–	–
Congenital causes, etc.	M	240	234	1	1	2	1	1	–	–	–	–	–	56	55	–	–	1	–	–	–	–	–	–	–
	F	152	148	1	1	2	–	–	–	–	–	–	–	43	42	–	–	–	1	–	–	–	–	–	–
Senility	M	137	–	–	–	–	–	–	–	–	–	32	105	41	–	–	–	–	–	–	–	–	–	7	34
	F	156	–	–	–	–	–	–	–	–	2	27	127	48	–	–	–	–	–	–	–	–	–	4	44
Suicide	M	42	–	–	–	–	5	3	8	8	13	5	–	8	–	–	–	–	–	–	1	1	5	1	–
	F	21	–	–	–	–	1	1	6	5	7	1	–	4	–	–	–	–	1	1	2	–	–	–	–
Other violence	M	224	2	1	6	15	39	32	34	32	35	18	10	90	–	–	5	9	15	15	13	13	11	4	5
	F	71	4	4	10	11	6	2	2	6	1	11	14	25	–	1	3	1	1	6	2	4	3	1	3
Other defined causes	M	380	45	6	14	39	24	22	27	36	57	83	27	91	6	3	–	6	9	7	8	14	18	16	4
	F	305	32	8	7	23	19	28	33	47	45	49	14	94	7	1	1	7	7	10	13	7	23	12	6
Ill-defined causes	M	4	–	1	1	–	–	–	–	–	–	1	1	4	–	–	–	–	–	–	–	1	2	–	1
	F	4	–	1	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–

Causes of Death. *See* first page of Table.		Aggregate of Urban Districts.												Aggregate of Rural Districts.										
		All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	7
	All Causes	M	147	12	2	3	1	4	6	7	13	24	39	36	171	11	–	–	7	2	7	8	7	32	50	
		F	139	4	2	–	2	5	5	5	10	24	34	48	171	5	–	2	3	6	11	10	19	31	29	
1	Typhoid fever, etc.	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
2	Measles	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
3	Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	
		F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	
4	Whooping cough	M	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		F	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
5	Diphtheria	M	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	2	1	–	1	–	–	–	
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
6	Influenza	M	13	–	–	–	–	1	3	1	–	4	1	3	9	–	–	–	–	–	–	1	–	1	2	
		F	8	–	–	–	–	–	2	–	1	–	1	4	14	–	–	–	–	–	–	–	2	2	3	
7	Encephalitis lethargica	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
8	Cerebro-spinal fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
9	Respiratory tuberculosis	M	10	–	–	–	–	2	–	1	5	2	–	–	5	–	–	–	1	1	1	–	–	1	1	
		F	9	–	–	–	1	4	–	2	1	–	1	–	15	–	–	–	1	5	6	2	–	1	–	
10	Other tuberculosis	M	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	1	–	1	–	–	
		F	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	1	–	–	1	–	
11	Syphilis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
12	Gen. paralysis of insane, etc.	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
13	Cancer	M	12	–	–	–	–	–	–	1	1	4	4	2	22	–	–	–	–	–	–	1	1	8	8	
		F	18	–	–	–	–	1	–	1	–	3	11	2	31	–	–	–	–	–	–	3	9	13	3	
14	Diabetes	M	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	1	–	–	1	–	
		F	2	–	–	–	–	–	–	–	–	1	–	1	2	–	–	–	–	–	–	–	1	–	1	
15	Cerebral hæmorrhage	M	8	–	–	–	–	–	–	–	–	–	6	2	7	–	–	–	–	–	–	–	1	2	2	
		F	11	–	–	–	–	–	–	1	–	3	4	3	9	–	–	–	–	–	–	–	1	1	5	
16	Heart disease	M	26	–	–	–	–	–	1	1	1	3	13	7	41	–	–	–	–	–	–	–	1	7	24	
		F	34	–	–	–	–	–	2	–	5	8	10	9	40	–	–	–	–	–	–	1	–	8	8	
17	Aneurysm	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
18	Other circulatory	M	13	–	–	–	–	–	–	–	1	3	4	5	14	–	–	–	–	–	–	–	–	1	4	
		F	5	–	–	–	–	–	–	–	–	–	2	3	11	–	–	–	–	–	–	–	–	1	3	
19	Bronchitis	M	5	–	–	–	–	–	–	–	1	–	2	2	5	1	–	–	–	–	–	–	–	–	1	
		F	8	1	–	–	–	–	–	–	1	1	–	5	6	–	–	–	–	–	–	–	–	1	2	
20	Pneumonia	M	7	1	2	1	–	–	–	1	–	2	–	–	16	2	–	–	–	–	2	–	2	2	3	
		F	4	–	–	–	1	–	–	–	–	–	1	2	3	–	–	1	–	–	1	–	1	–	–	
21	Other respiratory	M	6	–	–	–	–	–	–	–	–	1	4	1	1	–	–	–	–	–	–	–	–	1	–	
		F	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	1	–	–	–	
22	Peptic ulcer	M	2	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
23	Diarrhœa	M	1	1	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	
		F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	
24	Appendicitis	M	2	–	–	–	–	1	1	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
25	Cirrhosis of liver	M	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	1	–	
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
26	Other liver diseases	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
27	Other digestive	M	2	1	–	–	–	–	–	–	1	–	–	–	2	1	–	–	–	–	–	–	–	–	–	
		F	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–	–	–	–	
28	Nephritis	M	10	–	–	–	–	–	–	1	1	3	1	4	10	–	–	–	–	–	–	1	–	3	2	
		F	5	–	–	–	–	–	–	–	1	1	2	1	6	–	–	–	–	–	–	1	1	1	2	
29	Puerperal sepsis	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	
30	Other puerperal	F	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	2	–	–	–	–	
31	Congenital causes, etc.	M	5	4	–	1	–	–	–	–	–	–	–	–	6	5	–	–	1	–	–	–	–	–	–	
		F	2	2	–	–	–	–	–	–	–	–	–	–	4	4	–	–	–	–	–	–	–	–	–	
32	Senility	M	8	–	–	–	–	–	–	–	–	–	–	8	1	–	–	–	–	–	–	–	–	–	–	
		F	14	–	–	–	–	–	–	–	–	–	–	14	7	–	–	–	–	–	–	–	–	–	–	
33	Suicide	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	
		F	1	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	
34	Other violence	M	4	–	–	–	1	–	1	–	1	–	1	–	5	–	–	–	2	–	–	–	1	1	–	
		F	4	–	1	–	–	–	1	–	–	1	1	–	1	–	–	–	–	–	–	–	1	–	–	
35	Other defined causes	M	10	3	–	1	–	–	–	1	–	2	1	2	10	–	–	–	–	–	1	2	–	2	2	
		F	11	–	–	–	–	–	–	–	1	6	1	3	9	1	–	1	–	–	1	2	1	2	1	
36	Ill-defined causes	M	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	1	1	–	1	–	
		F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	

Causes of Death. (see first page of Table.)		Aggregate of Urban Districts.												Aggregate of Rural Districts.										
		All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	All Ages	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
All Causes	M	1,847	207	39	45	71	104	87	86	204	323	431	250	305	23	5	4	10	9	14	19	31	54	65	71
	F	1,496	142	35	38	55	81	107	95	126	198	326	293	279	27	4	6	2	10	15	14	31	35	61	74
1 Typhoid fever, etc.	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2 Measles	M	11	3	4	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	9	4	2	3	–	–	–	–	–	–	–	–	2	–	1	1	–	–	–	–	–	–	–	–
3 Scarlet fever	M	3	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	7	–	–	2	4	–	–	1	–	–	–	–	2	–	–	–	1	1	–	–	–	–	–	–
4 Whooping cough	M	10	7	3	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
	F	12	7	4	1	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
5 Diphtheria	M	22	2	1	7	12	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
	F	17	–	–	5	10	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
6 Influenza	M	89	5	2	1	4	9	3	7	15	16	16	11	17	–	1	–	1	–	1	1	3	1	4	5
	F	68	2	–	2	–	4	2	8	8	15	13	14	9	1	–	–	–	–	–	–	–	3	–	5
7 Encephalitis lethargica	M	3	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	2	–	–	–	–	–	1	1	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
8 Cerebro-spinal fever	M	4	–	–	1	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	2	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9 Respiratory tuberculosis	M	101	–	–	–	2	24	30	13	17	12	3	–	16	–	–	–	–	4	5	2	3	1	1	–
	F	101	–	1	–	4	41	30	16	7	2	–	–	19	–	–	–	–	4	5	4	3	2	1	–
10 Other tuberculosis	M	26	3	1	1	5	7	4	–	3	1	1	–	6	–	1	1	1	1	–	1	–	1	–	–
	F	18	2	–	4	6	3	1	–	2	–	–	–	3	1	1	–	1	–	–	–	–	–	–	–
11 Syphilis	M	3	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
12 Gen. paralysis of insane, etc.	M	8	–	–	–	–	–	–	1	1	5	1	–	1	–	–	–	–	–	–	–	–	1	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
13 Cancer	M	152	–	–	1	1	–	1	7	15	43	65	19	33	–	–	–	–	–	1	2	3	12	9	6
	F	167	–	–	–	–	–	4	14	29	39	59	22	27	–	–	–	–	–	1	1	8	7	8	2
14 Diabetes	M	19	–	–	–	–	1	2	–	1	3	8	4	2	–	–	–	–	–	–	–	–	1	–	1
	F	20	–	–	–	–	1	1	1	1	8	6	2	6	–	–	–	–	–	–	–	–	3	2	1
15 Cerebral hæmorrhage	M	78	–	–	–	–	–	–	2	8	16	35	17	17	–	–	–	–	–	–	1	2	2	8	4
	F	91	–	–	–	1	–	–	1	12	23	39	15	17	–	–	–	–	–	–	1	1	3	8	4
16 Heart disease	M	345	–	–	–	7	12	5	13	44	78	123	63	69	–	–	–	1	1	1	2	5	14	20	25
	F	299	–	–	–	7	12	15	16	26	46	95	82	72	–	–	–	–	1	1	–	8	7	25	30
17 Aneurysm	M	2	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
18 Other circulatory	M	70	–	–	–	–	–	–	1	4	14	30	21	17	–	–	–	–	–	–	–	–	3	4	10
	F	45	–	1	–	–	–	–	–	2	7	19	16	7	–	–	–	–	–	–	–	–	–	1	6
19 Bronchitis	M	117	12	8	1	–	–	1	4	12	19	36	24	10	–	–	1	–	–	–	1	–	–	2	6
	F	75	11	7	1	–	–	1	–	4	6	20	25	11	2	1	–	–	–	1	–	–	–	1	6
20 Pneumonia	M	126	26	11	6	6	3	3	7	19	20	22	3	12	1	2	–	2	–	1	2	3	–	1	–
	F	79	19	12	5	4	5	4	3	6	7	8	6	14	3	1	–	–	1	1	1	2	1	1	3
21 Other respiratory	M	34	2	–	–	2	3	1	3	9	8	3	3	2	–	–	–	–	–	–	1	–	1	–	–
	F	21	1	1	2	–	1	1	1	1	3	4	6	3	–	–	–	–	–	–	–	–	–	2	1
22 Peptic ulcer	M	23	–	–	–	–	–	3	5	3	9	2	1	4	–	–	–	–	–	–	–	2	1	1	–
	F	6	–	–	–	–	1	1	1	–	2	1	–	3	–	–	–	–	–	–	1	1	1	–	–
23 Diarrhœa	M	25	14	1	3	1	–	1	–	1	3	–	1	1	1	–	–	–	–	–	–	–	–	–	–
	F	16	7	2	2	–	1	–	–	–	2	–	2	3	2	–	–	–	–	1	–	–	–	–	–
24 Appendicitis	M	20	–	–	3	3	5	2	1	3	1	2	–	2	–	–	–	–	–	1	–	1	–	–	–
	F	9	–	1	–	3	2	–	–	1	1	1	–	1	–	–	–	–	–	1	–	–	–	–	–
25 Cirrhosis of liver	M	5	–	–	–	–	–	–	1	–	2	2	–	2	–	–	–	–	–	–	–	1	1	–	–
	F	4	–	–	–	–	–	–	–	–	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–
26 Other liver diseases	M	9	–	–	–	–	–	–	–	–	3	6	–	2	–	–	–	–	–	–	–	–	1	1	–
	F	8	–	–	–	–	–	3	1	–	2	2	–	2	–	–	–	–	–	–	–	–	1	1	–
27 Other digestive	M	37	3	–	1	6	1	2	1	2	10	5	6	6	–	–	1	–	–	–	–	1	1	2	1
	F	27	2	1	–	4	–	1	2	1	3	8	5	5	–	–	3	–	–	–	–	–	1	–	1
28 Nephritis	M	52	–	–	1	2	3	2	4	4	14	14	8	10	–	–	–	–	–	–	1	–	3	3	3
	F	38	–	–	1	–	2	4	6	5	9	5	6	10	–	–	–	–	–	–	–	2	2	4	2
29 Puerperal sepsis	F	11	–	–	–	–	3	5	3	–	–	–	–	3	–	–	–	–	–	1	2	–	–	–	–
30 Other puerperal	F	23	–	–	–	–	–	18	5	–	–	–	–	3	–	–	–	–	–	2	1	–	–	–	–
31 Congenital causes, etc.	M	105	102	2	1	–	–	–	–	–	–	–	–	19	19	–	–	–	–	–	–	–	–	–	–
	F	69	67	1	–	1	–	–	–	–	–	–	–	14	13	–	1	–	–	–	–	–	–	–	–
32 Senility	M	65	–	–	–	–	–	–	–	–	–	12	53	7	–	–	–	–	–	–	–	–	–	2	5
	F	88	–	–	–	–	–	–	–	–	–	18	70	9	–	–	–	–	–	–	–	–	–	–	9
33 Suicide	M	23	–	–	–	–	1	3	1	11	4	3	–	3	–	–	–	–	–	–	–	1	1	–	1
	F	9	–	–	–	–	–	5	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
34 Other violence	M	101	4	1	4	8	22	12	9	16	13	6	6	18	–	–	1	2	2	4	3	2	3	1	–
	F	38	5	1	3	8	–	3	2	2	3	3	8	9	2	–	1	–	–	–	–	–	1	2	3
35 Other defined causes	M	157	23	5	8	10	11	10	3	14	29	34	10	27	2	–	–	2	1	–	2	4	6	6	4
	F	115	15	1	6	3	4	7	11	16	17	22	13	22	2	–	–	–	3	1	2	6	2	5	1
36 Ill-defined causes	M	2	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	2	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Causes of Death. *See* first page of Table.		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
All Causes	M	115	3	2	–	2	5	5	8	15	15	29	31	213	16	2	–	2	9	4	9	15	34	52	70
	F	143	9	2	–	2	5	4	6	10	13	34	58	207	12	–	1	4	5	9	10	20	27	49	70
1 Typhoid fever, etc.	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2 Measles	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
3 Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
4 Whooping cough	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
5 Diphtheria	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
6 Influenza	M	9	–	–	–	1	–	1	–	2	3	1	1	15	–	–	–	–	–	–	–	1	5	1	8
	F	7	–	–	–	–	–	–	1	1	1	2	2	13	–	–	–	–	–	–	1	3	2	1	6
7 Encephalitis lethargica	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
8 Cerebro-spinal fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9 Respiratory tuberculosis	M	6	–	–	–	–	1	–	1	4	–	–	–	13	–	–	–	–	2	2	5	–	3	1	–
	F	5	–	–	–	–	2	–	–	1	2	–	–	9	1	–	–	–	3	2	2	–	–	1	–
10 Other tuberculosis	M	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	2	–	–	–	–	–	–
	F	1	–	–	–	–	–	1	–	–	–	–	–	2	–	–	–	–	–	1	–	–	–	–	1
11 Syphilis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
12 Gen. paralysis of insane, etc.	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
13 Cancer	M	17	–	–	–	–	–	–	–	4	3	7	3	28	–	–	–	–	1	–	–	4	4	9	10
	F	16	–	–	–	–	–	–	1	3	–	6	6	30	–	–	–	–	–	–	5	2	8	7	8
14 Diabetes	M	2	–	–	–	–	–	–	1	–	–	1	–	3	–	–	–	–	–	–	–	–	–	1	2
	F	1	–	–	–	–	–	–	–	1	–	–	–	3	–	–	–	–	–	–	1	–	–	1	1
15 Cerebral hæmorrhage	M	7	–	–	–	–	–	–	1	1	–	3	2	12	–	–	–	–	–	–	–	–	4	4	4
	F	17	–	–	–	–	–	–	1	1	1	5	9	14	–	–	–	–	–	–	–	1	3	7	3
16 Heart disease	M	29	–	–	–	1	1	1	1	1	3	10	11	43	–	–	–	–	–	–	–	1	6	18	18
	F	37	–	–	–	–	2	–	2	1	2	11	19	52	–	–	–	–	–	2	–	6	6	16	22
17 Aneurysm	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
18 Other circulatory	M	1	–	–	–	–	–	–	–	–	–	–	1	15	–	–	–	–	–	–	–	–	2	3	10
	F	5	–	–	–	–	–	–	1	–	1	2	1	9	–	–	–	–	–	–	–	–	1	2	6
19 Bronchitis	M	7	–	–	–	–	–	–	–	–	–	1	6	6	–	–	–	–	–	–	–	–	1	1	4
	F	7	–	–	–	–	–	–	–	–	–	1	6	9	–	–	–	–	–	–	–	1	–	2	6
20 Pneumonia	M	5	–	2	–	–	1	–	–	–	–	1	1	8	–	1	–	1	–	–	2	3	–	–	1
	F	8	3	1	–	1	–	–	–	–	1	1	1	8	2	–	–	1	–	1	–	2	–	2	–
21 Other respiratory	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
	F	1	–	–	–	–	–	–	–	–	–	–	1	4	–	–	–	–	–	–	–	–	–	1	3
22 Peptic ulcer	M	1	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
	F	2	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–
23 Diarrhœa	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
24 Appendicitis	M	2	–	–	–	–	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
25 Cirrhosis of liver	M	1	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
26 Other liver diseases	M	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	1
27 Other digestive	M	2	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	1	–
	F	2	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
28 Nephritis	M	3	–	–	–	–	–	–	–	–	1	2	–	8	–	–	–	–	–	–	–	–	2	4	2
	F	6	–	–	–	–	–	–	–	–	2	1	3	8	–	–	–	–	–	–	–	–	1	3	4
29 Puerperal sepsis	F	2	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
30 Other puerperal	F	1	–	–	–	–	–	1	–	–	–	–	–	2	–	–	–	–	1	1	–	–	–	–	–
31 Congenital causes, etc.	M	3	3	–	–	–	–	–	–	–	–	–	–	16	16	–	–	–	–	–	–	–	–	–	–
	F	5	5	–	–	–	–	–	–	–	–	–	–	8	8	–	–	–	–	–	–	–	–	–	–
32 Senility	M	5	–	–	–	–	–	–	–	–	–	–	5	6	–	–	–	–	–	–	–	–	–	–	6
	F	8	–	–	–	–	–	–	–	–	1	–	7	7	–	–	–	–	–	–	–	–	–	–	7
33 Suicide	M	1	–	–	–	–	1	–	–	–	–	–	–	3	–	–	–	–	1	–	–	–	1	1	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	1	–	1	–	–	–
34 Other violence	M	5	–	–	–	–	–	2	–	–	1	1	1	8	–	–	–	1	3	1	1	1	–	1	–
	F	2	–	1	–	1	–	–	–	–	–	–	–	3	–	–	1	–	–	–	–	–	1	–	1
35 Other defined causes	M	7	–	–	–	–	–	1	1	2	3	–	–	21	–	1	–	–	–	1	1	5	4	4	5
	F	8	–	–	–	–	1	–	–	1	1	3	2	17	–	–	–	2	1	1	1	4	4	3	1
36 Ill-defined causes	M	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–

Causes of Death. (first page of Table.)		Aggregate of Urban Districts.												Aggregate of Rural Districts.											
		All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–
All Causes	M	289	24	–	5	7	9	12	17	36	43	65	71	328	27	1	4	8	21	10	17	29	54	77	80
	F	301	13	2	2	8	8	13	16	29	37	79	94	343	21	4	6	9	13	17	19	19	53	86	96
Typhoid fever, etc.	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet fever	M	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
	F	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Whooping cough	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	M	5	–	–	1	4	–	–	–	–	–	–	–	2	–	–	1	1	–	–	–	–	–	–	–
	F	4	–	–	1	3	–	–	–	–	–	–	–	3	–	–	–	3	–	–	–	–	–	–	–
Influenza	M	18	–	–	–	–	–	1	2	4	4	4	3	10	–	–	1	–	–	1	2	–	3	2	1
	F	12	–	–	–	–	–	–	1	1	2	3	5	14	1	–	–	–	–	–	–	1	3	4	5
Encephalitis lethargica	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Cerebro-spinal fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Respiratory tuberculosis	M	22	1	–	–	–	1	6	5	7	2	–	–	12	–	–	–	1	3	2	1	3	2	–	–
	F	15	–	–	–	–	6	5	2	1	1	–	–	28	–	–	–	2	6	7	6	2	4	1	–
Other tuberculosis	M	6	–	–	1	–	1	1	–	2	1	–	–	8	1	–	–	1	3	–	2	–	1	–	–
	F	4	–	–	1	–	–	1	1	1	–	–	–	4	1	1	1	1	–	–	–	–	–	–	–
Syphilis	M	3	1	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gen. paralysis of insane, etc.	M	3	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	M	28	–	–	–	–	–	1	–	3	5	14	5	33	–	–	–	–	–	–	1	5	7	12	8
	F	37	–	–	–	–	–	–	3	8	7	14	5	33	–	–	–	–	–	1	2	5	10	12	3
Diabetes	M	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	1	–	–	2	1
	F	8	–	–	–	–	–	–	–	1	2	1	4	5	–	–	–	–	–	–	1	1	–	2	1
Cerebral hæmorrhage	M	20	–	–	–	–	–	–	2	2	3	6	7	14	–	–	–	–	–	–	–	1	3	5	5
	F	21	–	–	–	–	–	–	–	1	3	9	8	20	–	–	–	–	–	–	–	–	4	7	9
Heart disease	M	59	–	–	–	–	2	–	3	11	10	16	17	66	–	–	–	1	2	2	1	6	13	25	16
	F	68	–	–	–	–	1	1	3	4	5	28	26	64	–	–	–	–	1	–	2	1	10	25	25
Aneurysm	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other circulatory	M	14	–	–	–	–	–	–	–	2	6	6		13	–	–	–	–	–	–	–	–	1	6	6
	F	15	–	–	–	–	–	–	1	1	2	5	6	16	–	–	–	–	–	–	–	–	3	8	5
Bronchitis	M	9	–	–	–	–	–	–	–	1	2	–	6	15	3	–	–	–	–	–	–	2	1	2	7
	F	8	1	–	–	–	–	–	–	–	–	1	6	11	–	1	–	–	–	–	–	–	2	3	5
Pneumonia	M	7	3	–	–	–	–	–	–	–	2	2	–	12	2	–	1	–	1	–	1	1	2	3	1
	F	9	–	2	–	–	–	2	1	1	1	1	1	18	–	–	2	–	–	2	2	2	2	5	3
Other respiratory	M	6	–	–	–	–	–	2	–	1	–	2	1	5	1	–	–	–	–	–	–	1	–	2	1
	F	3	–	–	–	–	–	–	–	–	1	–	2	3	–	–	–	–	–	–	–	–	1	2	–
Peptic ulcer	M	3	–	–	–	–	–	–	1	–	2	–	–	1	–	–	–	–	–	–	1	–	–	–	–
	F	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	1
Diarrhœa	M	3	2	–	1	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
	F	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Appendicitis	M	1	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	1	–	–	–	–	1	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	1	–	1	1	–	–	–
Cirrhosis of liver	M	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other liver diseases	M	3	–	–	–	–	–	–	–	2	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–
	F	–	–	–	–	–	–	–	–	–	–	–	–	5	–	–	–	–	–	1	–	2	1	1	–
Other digestive	M	4	1	–		1	–	–	1	–	–	1	–	9	–	–	–	–	1	2	1	–	4	–	1
	F	5	–	–		1	–	–	–	–	2	2	–	5	–	–	–	–	1	1	1	–	1	1	–
Nephritis	M	9	–	–	–	1	–	–	–	1	2	4	1	25	–	–	–	–	–	1	1	2	6	6	9
	F	13	–	–	–	–	–	–	–	2	2	6	3	13	–	1	–	–	–	1	1	1	–	4	5
Puerperal sepsis	F	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	2	–	1	–	–	–	–
Other puerperal	F	3	–	–	–	–	–	2	1	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
Congenital causes, etc.	M	11	11	–	–	–	–	–	–	–	–	–	–	13	13	–	–	–	–	–	–	–	–	–	–
	F	11	11	–	–	–	–	–	–	–	–	–	–	16	16	–	–	–	–	–	–	–	–	–	–
Senility	M	18	–	–	–	–	–	–	–	–	–	1	17	15	–	–	–	–	–	–	–	–	–	1	14
	F	22	–	–	–	–	–	–	–	–	–	3	19	25	–	–	–	–	–	–	–	–	1	2	22
Suicide	M	1	–	–	–	–	–	–	–	–	1	–	–	6	–	–	–	–	–	–	2	1	3	–	–
	F	2	–	–	–	–	–	–	1	1	–	–	–	3	–	–	–	–	–	1	–	–	2	–	–
Other violence	M	11	2	–	–	–	5	1	1	–	–	1	1	17	1	–	–	–	6	2	1	4	1	–	2
	F	5	–	–	–	–	–	–	–	–	–	–	5	9	–	1	2	–	–	–	–	–	1	1	4
Other defined causes	M	17	3	–	1	1	–	–	–	1	4	3	4	39	5	1	1	3	4	–	2	3	6	8	6
	F	22	1	–	–	3	1	2	1	5	5	1	3	35	3	–	1	2	1	2	2	3	7	8	6
Ill-defined causes	M	5	–	–	–	–	–	–	–	–	–	3	2	3	–	–	–	–	–	–	–	–	–	1	2
	F	10	–	–	–	–	–	–	1	1	3	4	1	3	–	–	–	–	–	–	–	–	1	–	2

Causes of Death. *See* first page of Table.		Aggregate of Urban Districts.												Aggregate of Rural Districts.										
		All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75–	All Ages.	0–	1–	2–	5–	15–	25–	35–	45–	55–	65–	75
	All Causes	M	42	3	–	–	3	1	–	2	2	7	6	18	82	5	1	–	–	5	6	–	4	15	29	1
		F	43	1	–	–	–	2	–	4	7	–	11	18	79	8	2	1	–	4	3	1	7	8	15	3
1	Typhoid fever, etc.	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
2	Measles	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
3	Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
4	Whooping cough	M	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		F	1	1	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	
5	Diphtheria	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	
6	Influenza	M	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	
		F	1	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	1	1	–	
7	Encephalitis lethargica	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
8	Cerebro-spinal fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
9	Respiratory tuberculosis	M	1	–	–	–	–	–	–	–	1	–	–	–	3	–	–	–	–	2	1	–	–	–	–	
		F	4	–	–	–	–	1	–	2	1	–	–	–	6	–	–	–	–	3	2	–	–	–	1	
10	Other tuberculosis	M	–	–	–	–	–	–	–	–	–	–	–	–	4	–	1	–	–	1	1	–	–	1	–	
		F	2	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
11	Syphilis	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
12	Gen. paralysis of insane, etc.	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		F	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
13	Cancer	M	6	–	–	–	1	–	–	1	1	–	1	2	10	–	–	–	–	–	1	–	–	4	3	
		F	5	–	–	–	–	–	–	–	1	–	1	3	6	–	–	–	–	–	–	–	2	–	2	
14	Diabetes	M	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	
		F	1	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	1	–	
15	Cerebral hæmorrhage	M	4	–	–	–	–	–	–	–	–	–	1	3	4	–	–	–	–	–	–	–	–	–	3	
		F	4	–	–	–	–	–	–	–	1	–	1	2	4	–	–	–	–	–	–	–	1	–	1	
16	Heart disease	M	7	–	–	–	–	–	–	–	–	3	2	2	21	–	–	–	–	–	1	–	1	4	11	
		F	10	–	–	–	–	–	–	–	–	–	4	6	28	–	–	–	–	–	–	–	1	4	8	1
17	Aneurysm	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
18	Other circulatory	M	2	–	–	–	–	–	–	–	–	1	1	–	4	–	–	–	–	–	–	–	–	–	4	
		F	2	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	
19	Bronchitis	M	2	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	1	
		F	1	–	–	–	–	–	–	–	–	–	–	1	4	1	–	–	–	–	1	–	–	–	–	
20	Pneumonia	M	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	1	–	
		F	2	–	–	–	–	–	–	–	–	–	2	–	4	1	1	–	–	–	–	–	–	–	–	
21	Other respiratory	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
22	Peptic ulcer	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
23	Diarrhœa	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		F	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	
24	Appendicitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
25	Cirrhosis of liver	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
26	Other liver diseases	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	
27	Other digestive	M	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	1	–	
		F	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	
28	Nephritis	M	1	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	1	
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
29	Puerperal sepsis	F	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	
30	Other puerperal	F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
31	Congenital causes, etc.	M	1	1	–	–	–	–	–	–	–	–	–	–	5	5	–	–	–	–	–	–	–	–	–	
		F	–	–	–	–	–	–	–	–	–	–	–	–	4	3	1	–	–	–	–	–	–	–	–	
32	Senility	M	4	–	–	–	–	–	–	–	–	–	–	4	4	–	–	–	–	–	–	–	–	–	2	
		F	1	–	–	–	–	–	–	–	–	–	–	1	3	–	–	–	–	–	–	–	–	–	–	
33	Suicide	M	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		F	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
34	Other violence	M	2	–	–	–	1	–	–	–	–	–	–	1	6	–	–	–	–	2	–	–	–	1	–	
		F	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
35	Other defined causes	M	7	–	–	–	1	1	–	1	–	1	1	2	10	–	–	–	–	–	1	–	1	3	3	
		F	6	–	–	–	–	–	–	–	3	–	1	2	8	–	–	1	–	–	–	–	2	1	3	
36	Ill-defined causes	M	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

Table 25.—Violent Deaths, 1933.—England and Wales.

The deaths in this table have been classified to the several forms of violence (e.g., suicide, accident, etc.), in accordance with the information furnished by H.M. Coroners.

International List No.	Cause or Character of Violence.		All Ages.	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
	Total	M.	**15295**	**393**	**662**	**591**	**443**	**963**	**1296**	**2013**	**1645**	**2127**	**2381**	**1643**	**1138**
		F.	**7385**	**291**	**391**	**348**	**132**	**227**	**289**	**571**	**606**	**798**	**941**	**1095**	**1696**
163–171	Suicide	M.	3893	—	—	—	3	76	165	512	535	882	1024	531	165
		F.	1761	—	—	—	1	32	97	272	350	416	369	182	42
172–175	Murder	M.	28	7	9	1	2	—	4	—	2	—	2	—	1
		F.	83	17	10	5	3	3	6	13	10	8	5	1	2
	Manslaughter	M.	53	1	1	2	2	3	8	9	9	8	4	4	2
		F.	36	—	2	2	1	6	5	4	6	3	3	2	2
	Infanticide	M.	5	5	—	—	—	—	—	—	—	—	—	—	—
		F.	4	4	—	—	—	—	—	—	—	—	—	—	—
	Justifiable homicide	M.	1	—	—	—	—	—	—	1	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
196	Wounds of war	M.	84	—	—	—	—	—	—	—	55	23	6	—	—
198	Execution	M.	9	—	—	—	—	—	1	5	1	2	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
176–194	Accident	M.	10465	355	642	578	429	852	1078	1398	947	1066	1171	1011	938
		F.	5202	234	374	338	126	179	162	230	195	328	523	882	1631
195 pt.	"Open Verdicts"	M.	708	20	10	8	6	28	36	81	85	140	168	94	32
		F.	271	28	4	3	1	6	18	44	43	38	40	27	19
195 pt.	Others*	M.	49	5	—	2	1	4	4	7	11	6	6	3	—
		F.	28	8	1	—	—	1	1	8	2	5	1	1	—
163–171	Suicide :—														
163	By solid or liquid poisons and corrosive substances ..	M.	468	—	—	—	—	9	23	71	78	114	115	46	12
		F.	348	—	—	—	—	6	24	66	85	85	58	19	5
	Hydrochloric acid	M.	61	—	—	—	—	—	2	9	8	9	16	15	2
		F.	47	—	—	—	—	1	3	6	14	16	7	—	—
	Sulphuric acid	M.	10	—	—	—	—	—	1	1	3	2	2	1	—
		F.	2	—	—	—	—	—	—	—	—	1	1	—	—
	Potassium cyanide	M.	62	—	—	—	—	1	5	10	8	18	14	5	1
		F.	6	—	—	—	—	—	2	1	2	—	1	—	—
	Prussic acid, hydrocyanic acid	M.	21	—	—	—	—	—	2	3	3	6	6	1	—
		F.	1	—	—	—	—	—	—	—	1	—	—	—	—
	Oxalic acid	M.	13	—	—	—	—	—	2	2	1	4	3	1	—
		F.	23	—	—	—	—	—	1	8	5	6	2	—	1
	Carbolic acid	M.	24	—	—	—	—	1	1	4	7	6	4	1	—
		F.	11	—	—	—	—	1	2	2	5	1	—	—	—
	Opium, laudanum, morphia	M.	10	—	—	—	—	—	—	3	2	2	1	1	1
		F.	1	—	—	—	—	—	—	—	1	—	—	—	—
	Ammonia	M.	9	—	—	—	—	—	—	—	—	2	5	1	1
		F.	17	—	—	—	—	—	1	3	5	2	3	2	1
	Lysol	M.	156	—	—	—	—	5	6	20	26	43	40	12	4
		F.	170	—	—	—	—	3	10	33	38	43	30	11	2
	Aspirin	M.	3	—	—	—	—	—	—	1	—	1	1	—	—
		F.	6	—	—	—	—	—	—	2	—	2	2	—	—
	Strychnine	M.	7	—	—	—	—	—	—	1	3	1	1	1	—
		F.	2	—	—	—	—	—	—	1	1	—	—	—	—

* Inquests adjourned and not resumed under Section 20 of the Coroners (Amendment) Act, 1926, concerning which the available information is insufficient to admit of more definite classification of the deaths in this summary. These deaths are included under the heading No. 195 of the International List.

TABLE 25—*continued.*

International List No.	Cause or Character of Violence.		All Ages	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
	Suicide—*cont.*														
163 —*cont.*	Other solid or liquid poisons (or kind not stated)* ..	M.	92	—	—	—	—	2	4	17	17	20	22	7	3
		F.	62	—	—	—	—	1	5	10	13	14	12	6	1
164	By poisonous gas	M.	1091	—	—	—	—	26	47	149	165	242	279	147	36
		F.	641	—	—	—	1	8	33	85	120	156	152	71	14
	Coal gas	M.	1082	—	—	—	—	26	45	146	164	240	278	147	36
		F.	640	—	—	—	1	8	33	84	120	156	153	71	14
	Others†	M.	9	—	—	—	—	—	2	3	1	2	1	—	—
		F.	1	—	—	—	—	—	—	1	—	—	—	—	—
165	Hanging or strangulation ..	M.	704	—	—	—	3	20	27	81	75	157	204	107	30
		F.	168	—	—	—	—	1	5	20	33	41	45	20	3
166	Drowning	M.	561	—	—	—	—	4	20	67	68	133	157	86	26
		F.	324	—	—	—	—	10	19	42	61	80	60	42	10
167	Firearms	M.	283	—	—	—	—	5	25	55	35	57	55	34	17
		F.	5	—	—	—	—	1	1	1	1	—	1	—	—
168	Cutting or piercing instruments	M.	455	—	—	—	—	—	4	33	62	107	151	74	24
		F.	97	—	—	—	—	1	1	11	14	23	24	18	5
169	Jumping from high places ..	M.	102	—	—	—	—	1	5	12	9	25	26	13	11
		F.	64	—	—	—	—	—	2	10	6	16	16	9	5
170	Crushing	M.	218	—	—	—	—	10	12	41	41	45	37	24	8
		F.	44	—	—	—	—	5	2	6	14	8	7	2	—
	On railway	M.	209	—	—	—	—	10	12	40	38	44	33	24	8
		F.	44	—	—	—	—	5	2	6	14	8	7	2	—
	Other motor vehicles ..	M.	9	—	—	—	—	—	—	1	3	1	4	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
171	Suicide by other means ..	M.	11	—	—	—	—	1	2	3	2	2	—	—	1
		F.	70	—	—	—	—	—	10	31	16	7	5	1	—
	Setting fire to clothing ..	M.	3	—	—	—	—	—	—	—	1	2	—	—	—
		F.	7	—	—	—	—	—	—	1	3	2	1	—	—
	Burns (not stated)	M.	3	—	—	—	—	—	1	1	—	—	—	—	1
		F.	6	—	—	—	—	—	—	—	—	3	2	1	—
	Abortion	F.	52	—	—	—	—	—	9	29	13	1	—	—	—
	Others (or not stated)‡ ..	M.	5	—	—	—	—	1	1	2	1	—	—	—	—
		F.	5	—	—	—	—	—	1	1	—	1	2	—	—
173	Homicide by firearms	M.	6	—	—	—	—	—	1	1	3	—	—	—	1
		F.	12	—	—	—	—	1	—	3	4	3	—	—	1
	Murder	M.	4	—	—	—	—	—	1	—	2	—	—	—	1
		F.	12	—	—	—	—	1	—	3	4	3	—	—	1
	Manslaughter	M.	1	—	—	—	—	—	—	—	1	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Justifiable homicide	M.	1	—	—	—	—	—	—	1	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—

* Butter of antimony, 1 M.; arsenic oxide, 1 M.; arsenic (sheep dip), 1 M.; arsenic (weed killer), 3 M.; arsenic (not stated), 1 M.; sulphate of copper, 1 M., 2 F.; biniodide of mercury, 1 M.; corrosive sublimate, 1 F.; zinc sulphate, 1 M.; ammoniated mercury, 2 F.; a salt of cobalt, 1 M.; ammonia and permanganate of potash, 1 F.; hartshorn, 1 F.; potassium bichromate, 2 M.; potassium binoxalate, 1 F.; potassium permanganate, 1 M., 2 F.; iodine, 1 M., 1 F.; phosphorus (rat poison), 3 M., 4 F.; rodine (rat poison), 1 M., 1 F.; phosphorus (not stated), 1 M.; strychnine ("Mold-rat"), 1 F.; strychnine ("Battle's" rat poison), 1 F.; strychnine (rat poison), 2 F; sulphuric acid and sulphate of zinc, 1 F.; acetic acid, 3 M., 2 F.; nitric acid, 3 M.; spirits of salt and nitric acid, 1 M.; chloroform, 1 M., 1 F.; methylated spirit, 1 M.; creosote preparation ("Coal Tar inhalant,") 1 F.; creosote, 2 M., 2 F.; cresol, 3 M.; cyanide, 4 M.; chloral hydrate, 1 F.; luminal, 4 M., 1 F.; medinal, 2 M., 6 F.; veronal, 4 M., 1 F.; dial, 2 M., 1 F.; barbitonum, 1 M.; paraldehyde, 1 F.; barbituric acid, 1 M.; phanodorm, 1 F.; veramon, 1 M.; semonal (narcotic), 1 F.; aconite, 1 M.; bella donna, 1 M.; digitalis, 1 M.; nicotine (sheep dip), 1 M.; nicotine (fumigant), 2 M.; X.L. all vaporising fumigant, 1 F.; nicotine (not stated), 3 M., 3 F.; poisonous berries (not stated), 1 M.; liniment (ammonia and turpentine), 1 M.; liniment (aconite), 1 M.; liniment (bella donna), 1 M.; liniment (bella donna and methylated), 1 F.; liniment (aconite, bella donna and chloroform), 3 M.; oil of winter green, 2 M.; liniment (not stated), 2 M.; Izal, 3 M., 5 F.; Jeyes' fluid, 2 F.; "Killgerm" containing carbolic acid, 1 M.; Boots sanitary fluid, 1 F.; disinfectant (cresol), 1 M.; disinfectant (carbolic), 1 M., 1 F.; disinfectant (not stated), 1 M.; weed killer (not stated), 1 M.; insecticide (not stated), 1 M.; Cooper's sheep dipping powder, 1 F.; Meta-fuel (meta-aldehyde), 1 F.; Aero-cotaral, 1 F.; narcotic (not stated), 2 M.; corrosive and irritant (not stated), 8 M., 5 F.

† Including carbon monoxide from motor car, 6 M., 1 F.; carbon dioxide from motor car, 1 M.; exhaust of motor, 1 M.; carbon monoxide (not stated), 1 M.

‡ Including wounds by glass, 1 M.; starvation, refusal of food, 1 F.; electrocution, 2 M.; asphyxia by bedclothes, 1 F.; swallowing foreign body, 1 F.; throwing himself against wall, 1 M.; injury to non-gravid uterus, 2 F.

TABLE 25—*continued.*

International List No.	Cause or Character of Violence.		All Ages.	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
174	Homicide by cutting or piercing instruments	M.	15	1	4	1	2	—	2	1	2	1	1	—	—
		F.	23	3	3	1	1	—	4	4	3	2	2	—	—
	Murder	M.	9	—	4	1	2	—	2	—	—	—	—	—	—
		F.	23	3	3	1	1	—	4	4	3	2	2	—	—
	Manslaughter	M.	6	1	—	—	—	—	—	1	2	1	1	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Justifiable homicide	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
175	Homicide by other means	M.	66	12	6	2	2	3	9	8	6	7	5	4	2
		F.	88	18	9	6	3	8	7	10	9	6	6	3	3
	Murder	M.	15	7	5	—	—	—	1	—	—	—	2	—	—
		F.	48	14	7	4	2	2	2	6	3	3	3	1	1
	By drowning	M.	1	—	1	—	—	—	—	—	—	—	—	—	—
		F.	4	1	2	—	1	—	—	—	—	—	—	—	—
	By strangulation	M.	4	4	—	—	—	—	—	—	—	—	—	—	—
		F.	16	9	—	1	—	2	—	1	1	1	—	1	—
	Abortion	F.	2	—	—	—	—	—	2	—	—	—	—	—	—
	Others (or not stated how)*	M.	10	3	4	—	—	—	1	—	—	—	2	—	—
		F.	26	4	5	3	1	—	—	5	2	2	3	—	1
	Manslaughter	M.	51	5	1	2	2	3	8	8	6	7	3	4	2
		F.	40	4	2	2	1	6	5	4	6	3	3	2	2
	By motor car	M.	17	—	—	2	1	2	3	2	2	2	1	1	1
		F.	16	—	1	1	—	3	3	—	2	2	2	1	1
	By blow	M.	14	—	—	—	—	1	5	—	3	4	1	—	—
		F.	6	—	1	—	—	—	—	—	2	1	1	1	—
	Abortion	F.	6	—	—	—	—	1	2	2	1	—	—	—	—
	Others (or not stated how)†	M.	20	5	1	—	1	—	—	6	1	1	1	3	1
		F.	12	4	—	1	1	2	—	2	1	—	—	—	1
	Justifiable homicide	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Accident :—														
176	Attack by venomous animals	M.	25	—	3	—	1	—	4	3	4	3	4	2	1
		F.	19	—	—	2	2	2	1	3	1	3	3	2	—
	"Insect"	M.	15	—	1	—	—	—	4	1	3	2	2	2	—
		F.	10	—	—	2	—	2	1	—	1	1	2	1	—
	Others‡	M.	10	—	2	—	1	—	—	2	1	1	2	—	1
		F.	9	—	—	—	2	—	—	3	—	2	1	1	—
177	Food poisoning	M.	12	—	—	—	—	1	—	1	1	2	3	3	1
		F.	6	—	—	—	1	—	—	—	1	2	—	1	1
	"Ptomaine poisoning"	M.	4	—	—	—	—	1	—	—	—	2	1	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	"Food poisoning"	M.	5	—	—	—	—	—	—	—	1	—	1	2	1
		F.	4	—	—	—	1	—	—	—	—	1	—	1	1
	Others§	M.	3	—	—	—	—	—	—	1	—	—	1	1	—
		F.	2	—	—	—	—	—	—	—	1	1	—	—	—
178	Accidental absorption of irrespirable or poisonous gas	M.	106	—	2	1	1	5	10	13	11	16	21	17	9
		F.	58	—	1	—	1	4	2	4	5	8	5	12	16
	Coal gas	M.	59	—	2	1	1	1	6	3	6	8	12	11	8
		F.	52	—	1	—	1	3	2	3	5	7	4	11	15

* Including coal gas, 4 M., 8 F.; suffocation, 1 M., 2 F.; blow, 4 M., 10 F.; potassium cyanide, 1 M.; hydrochloric acid, 1 F.; "Rodine" rat poison, 1 F.; thrown over cliff, 1 F.; set fire to clothing, 1 F.

† Including motor lorry, 6 M., 1 F.; motor cycle, 1 M., 3 F.; strangulation, 4 M., 1 F.; suffocation, 1 M., 1 F.; drowning, 1 F.; strychnine, 1 F.; pushed in street, 1 M.; fall after having bag snatched, 1 F.; knocked off bicycle, 1 M.; negligence, 1 M., 2 F.

‡ Gnat bite, 4 M., 2 F.; mosquito bite, 3 F.; wasp sting, 3 M., 3 F.; bee sting, 3 M., 1 F.

§ Jellied eels, 1 M.; fish, 1 F.; mussels, 1 M.; oysters, 1 F.; brisket, 1 M.

TABLE 25—*continued.*

International List No.	Cause or Character of Violence.		All Ages.	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
178	Accidental absorption, etc.—*contd.*														
	Carbon monoxide*	M.	21	—	—	—	—	1	1	4	3	2	6	4	—
		F.	4	—	—	—	—	1	—	1	—	1	1	—	—
	Carbon dioxide	M.	1	—	—	—	—	—	—	—	—	—	1	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Others (or not stated)†	M.	25	—	—	—	—	3	3	6	2	6	2	2	1
		F.	2	—	—	—	—	—	—	—	—	—	—	1	1
179	Other acute accidental poisoning (not by gas)	M.	57	—	7	—	—	—	3	4	10	7	9	11	6
		F.	49	—	5	—	—	1	3	7	7	11	9	2	4
	Carbolic acid	M.	5	—	1	—	—	—	—	—	3	1	—	—	—
		F.	1	—	—	—	—	—	—	—	—	—	1	—	—
	Lysol	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
		F.	4	—	—	—	—	—	—	1	1	2	—	—	—
	Hydrochloric acid	M.	1	—	—	—	—	—	—	—	—	1	—	—	—
		F.	4	—	—	—	—	1	1	1	—	—	1	—	—
	Opium, laudanum, morphia	M.	3	—	—	—	—	—	—	—	1	1	1	—	—
		F.	2	—	—	—	—	—	—	—	1	—	—	1	—
	Belladonna	M.	1	—	1	—	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Others (or kind not stated)‡	M.	47	—	5	—	—	—	3	4	6	4	8	11	6
		F.	38	—	5	—	—	—	2	5	5	9	7	1	4
180	Conflagration	M.	30	—	2	1	2	—	4	2	1	1	6	6	5
		F.	16	—	3	3	—	—	—	—	1	—	1	2	6
181	Accidental burns (conflagration excepted)	M.	534	50	252	16	7	18	20	31	17	24	20	34	45
		F.	783	21	171	64	33	47	39	39	26	41	54	106	142
	1. Burns	M.	205	12	32	9	4	12	13	15	12	14	14	28	40
		F.	615	5	65	60	32	44	39	36	26	31	50	96	131
	By flannelette clothes	M.	2	—	1	—	—	—	—	1	—	—	—	—	—
		F.	7	—	1	3	1	—	1	—	—	—	—	—	1
	„ clothes (others or not described)§	M.	56	3	10	4	3	3	2	3	2	5	6	6	9
		F.	325	2	31	40	20	31	23	17	15	13	23	48	62
	„ molten metal	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	„ playing with fire, etc.	M.	2	—	2	—	—	—	—	—	—	—	—	—	—
		F.	4	—	2	2	—	—	—	—	—	—	—	—	—
	„ falling into fire	M.	15	2	—	—	—	—	—	—	—	—	1	3	9
		F.	28	—	1	—	—	—	—	1	—	—	5	7	14
	„ bedding	M.	6	—	—	—	—	—	—	—	—	1	—	2	3
		F.	9	1	1	—	—	—	—	—	—	2	1	3	1
	„ lamp accident	M.	3	—	—	—	—	—	—	—	1	1	1	—	—
		F.	3	—	—	—	—	—	—	1	—	—	—	1	1
	Otherwise (or not stated how)‖	M.	121	7	19	5	1	9	11	11	9	7	6	17	19
		F.	239	2	29	15	11	13	15	17	11	16	21	37	52

* Including explosion in colliery, 3 M.; motor car, 2 M.; motor cycle, 1 M.; motor boat, 1 M.; geyser, 4 M., 3 F.; gas fire, 1 M., 1 F.; coke boiler, 2 M.; coal fire, 2 M.; furnace, 3 M.; ashes from locomotive, 1 M.; producer gas plant, 1 M.; for other deaths from carbon monoxide poisoning *see* No. 195.

† Including fumes from motor car, 1 M.; internal combustion engine, 1 M.; geyser, 1 M.; oil lamp, 1 M.; oil stove, 1 M.; coke fire, 1 M.; coal mine, 6 M.; gas works, 1 M.; sewer gas, 3 M.; hydrocyanic gas fumigant, 3 M.; carbonyl at nickel works, 1 M.; benzine dry cleaner, 1 M.; sulphuretted hydrogen, 1 M.; burning bedding, 1 M., 2 F.

‡ Arsenic, 1 M.; mercurial perchloride tablets, 1 M.; ammonia, 5 M., 3 F.; lime water, 1 F.; caustic soda, 3 M., 1 F.; phosphorus (Rodine), 1 M.; phosphorus pills, 1 F.; essence of vinegar, 1 M.; sulphuric acid, 1 M.; oxalic acid, 1 F.; alcohol, 1 M., 1 F.; methylated spirit, 1 M.; chloroform, 1 M., 1 F.; potassium cyanide, 1 M.; medinal, 3 M., 4 F.; luminal, 1 M., 3 F.; veronal, 2 M., 4 F.; dial, 1 M., 2 F.; barbitone, 3 M.; chloral hydrate, 1 F.; paraldehyde, 1 M.; phanodorm, 1 F.; bromidia, 1 M.; nembutal, 1 F.; aspirin, 5 M., 2 F.; atophan, 1 M., 2 F.; quinophan, 1 M., 1 F.; liniment (aconite, belladonna, chloroform), 3 M.; liniment (ammonia), 1 M.; oil of wintergreen, 1 M., 1 F.; liniment (not stated), 1 M.; acid metal cleaning fluid, 1 F.; disinfectant (carbolic), 1 M.; disinfectant (arsenic and creosol), 1 M.; berries of belladonna, 1 M., 1 F.; nicotine, 1 F.; camphorated oil, 2 F.; ergoapiol tablets, 1 F.; fungus, 1 F.; Easton's syrup, 1 M.; corrosive tablets (not known), 1 M.

§ Including candle, 2 M., 9 F.; unguarded grate, 7 F.; electric fire, 1 M., 2 F.; gas stove, ring, etc., 14 F.; oil stove, lamp, etc., 1 M., 4 F.; playing with matches, 3 F.; playing with lighted paper, 2 F.; petrol, 1 M., 1 F.

‖ Including motor car, 1 M., 1 F.; motor lorry, 3 M.; motor cycle, 4 M.; collison with motor bus and motor lorry, 2 M.; donkey boiler on ship, 1 M.; petrol pump, 1 M.; petrol vapour lamp, 1 M.; petrol (cleaning), 1 M., 2 F.; petrol, 3 M.; methylated spirits, 2 M.; hot water bottle, 2 M., 1 F.; unguarded fire, 2 F.; candle, 2 M., 5 F.; gas stove, ring, etc., 6 F.; paraffin, 3 F.; oil stove, spirit lamp, etc., 3 M., 3 F.; celluloid comb, 2 M.; bucket containing wax and sub. turps caught fire, 2 M.; discharge from retort, 2 M.; in boiler flues at paper mills, 1 M.; nitric acid, 1 M.; into tank containing nitric acid and sulphuric acid, 1 M.; at colliery, 1 M.

TABLE 25—*continued.*

International List No.	Cause or Character of Violence.		All Ages.	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
181 —*cont.*	Accidental burns, etc.—*cont.*														
	2. Scalds	M.	304	38	220	7	3	4	3	5	3	6	5	5	5
		F.	167	16	106	4	1	3	—	3	—	10	4	10	10
	By steam	M.	1	—	—	—	—	—	—	—	1	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	,, drinking hot liquids ..	M.	5	—	5	—	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Otherwise (or not stated how)	M.	298	38	215	7	3	4	3	5	2	6	5	5	5
		F.	167	16	106	4	1	3	—	3	—	10	4	10	10
	3. Explosions*..	M.	25	—	—	—	—	2	4	11	2	4	1	1	—
		F.	1	—	—	—	—	—	—	—	—	—	—	—	1
	Others (or not stated)† ..	M.	25	—	—	—	—	2	4	11	2	4	1	1	—
		F.	1	—	—	—	—	—	—	—	—	—	—	—	1
182	Accidental mechanical suffocation	M.	248	185	12	—	2	8	3	8	6	15	7	4	3
		F.	144	120	5	1	2	—	—	2	4	2	4	3	1
	In bed	M.	131	127	1	—	—	—	1	—	—	—	1	1	—
		F.	80	75	2	—	—	—	—	1	—	—	1	1	—
	In cot, cradle, etc.	M.	24	24	—	—	—	—	—	—	—	—	—	—	—
		F.	16	16	—	—	—	—	—	—	—	—	—	—	—
	Falling on face..	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
		F.	1	—	—	—	—	—	—	—	—	—	—	1	—
	Heavy substance on	M.	7	—	—	—	1	—	—	2	—	4	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Food, etc.	M.	70	27	10	—	1	3	1	4	4	9	5	3	3
		F.	40	23	2	1	2	—	—	1	4	2	3	1	1
	Others‡	M.	16	7	1	—	—	—	1	2	2	2	1	—	—
		F.	7	6	1	—	—	—	—	—	—	—	—	—	—
183	Accidental drowning	M.	810	2	69	106	97	158	130	97	54	36	38	15	8
		F.	115	2	25	12	15	9	8	14	5	9	5	8	3
	Bathing..	M.	296	—	—	14	50	92	70	43	16	8	2	1	—
		F.	21	—	—	—	7	4	4	5	1	—	—	—	—
	Pleasure craft	M.	26	—	—	—	—	4	9	4	3	6	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other ships and boats ..	M.	34	—	—	—	—	7	6	5	6	5	4	1	—
		F.	2	—	—	—	—	—	—	—	—	—	1	1	—
	Docks, etc.	M.	5	—	—	1	—	—	—	—	1	1	2	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Whilst attempting rescue ..	M.	20	—	—	1	5	3	4	3	3	1	—	—	—
		F.	2	—	—	—	—	—	—	1	1	—	—	—	—
	Otherwise (or not stated how)§	M.	429	2	69	90	42	52	41	42	25	15	30	13	8
		F.	90	2	25	12	8	5	4	8	3	9	4	7	3
184	Accidental injury by firearms..	M.	67	—	1	1	3	9	8	11	7	17	8	2	—
		F.	3	—	—	—	—	2	—	—	—	1	—	—	—
185	Accidental injury by cutting or piercing instruments ..	M.	10	1	—	—	—	1	1	2	1	2	—	1	1
		F.	4	—	—	—	—	2	—	—	—	1	—	—	1
186	Accidental injury by fall, crushing, etc.	M.	7980	16	266	434	286	618	854	1165	780	881	985	865	830
		F.	3784	8	145	244	65	106	103	148	140	234	422	729	1440
	1. Accidental injury by fall ..	M.	1787	12	45	32	39	56	58	100	120	167	280	348	530
		F.	2151	5	26	12	5	5	5	19	23	87	195	489	1280
	In ships, docks, etc. ..	M.	64	—	—	—	—	6	9	5	13	15	12	4	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Down hold	M.	23	—	—	—	—	3	4	1	6	3	5	1	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—

* For other deaths caused by explosions but not resulting from burns or scalds, *see* No. 194.

† In colliery, 21 M.; at ironworks, 1 M.; benzine (dry cleaning), 1 M.; fireworks, 1 M.; detonators, 1 M.; coal gas, 1 F.

‡ Including at breast, 2 M.; cat lying on face, 1 M.; in sewage manhole, 2 M.; into lime clamp, 1 M.

§ Including motor car, 1 F.; building operations, 1 M.; in colliery, 5 M.; ice giving way, 6 M.

TABLE 25—*continued.*

International List No.	Cause or Character of Violence.		All Ages.	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards
186 —*cont.*	Accidental injury by fall, crushing, etc.—*cont.*														
	In ships, docks, etc.—*cont.*														
	Into dock	M.	4	—	—	—	—	—	—	1	—	2	1	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Others (or not stated how)*	M.	37	—	—	—	—	3	5	3	7	10	6	3	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	In building operations ..	M.	190	—	—	—	1	12	16	26	30	36	43	24	2
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Downstairs	M.	264	—	8	—	2	1	1	4	5	19	53	66	105
		F.	449	—	1	1	1	1	1	6	7	31	56	128	216
	In house, room, etc. ..	M.	225	2	7	—	4	—	2	2	1	6	16	60	125
		F.	636	2	4	—	—	1	—	2	6	22	48	120	431
	Out of bed ..	M.	27	1	2	1	1	—	—	—	—	—	2	8	12
		F.	79	2	2	—	—	—	—	—	—	2	3	19	51
	From window	M.	54	—	5	3	2	2	—	4	3	6	5	11	13
		F.	47	1	11	1	—	—	—	4	1	6	7	5	11
	Window cleaning.. ..	M.	35	—	—	—	—	2	5	5	8	8	4	2	1
		F.	5	—	—	—	—	—	1	—	—	—	1	3	—
	From ladder	M.	47	—	1	2	—	—	1	6	3	9	13	4	8
		F.	8	—	—	1	—	—	—	—	—	1	2	3	1
	In street	M.	145	—	—	—	1	—	1	—	5	6	22	31	79
		F.	149	—	1	2	—	1	—	—	3	6	19	43	74
	Down area	M.	4	—	2	—	—	—	—	—	—	—	2	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Down lift well	M.	3	—	—	—	—	1	1	—	—	—	1	—	—
		F.	3	—	—	—	—	2	—	—	—	—	1	—	—
	Diving	M.	33	—	—	—	1	10	9	9	2	1	—	1	
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	From horse	M.	20	—	—	2	1	—	1	3	5	3	3	2	—
		F.	4	—	—	—	—	—	1	1	1	—	1	—	—
	From cliff	M.	14	—	—	—	1	2	—	4	2	1	1	1	2
		F.	4	—	—	—	—	—	1	1	—	—	1	—	1
	Otherwise (or not stated how)†	M.	662	9	20	24	25	20	12	32	43	57	103	134	183
		F.	767	—	7	7	4	—	1	5	5	19	56	168	495
	2. Mines and quarries ..	M.	635	—	—	—	2	62	43	150	141	135	91	10	1
	3. Machinery	M.	193	—	1	—	3	19	18	39	34	49	18	12	—
		F.	7	—	1	—	1	—	—	2	1	1	1	—	—
	4. Railway, road and air transport	M.	5187	4	215	396	238	470	722	844	458	500	561	481	298
		F.	1615	3	117	229	58	100	98	127	113	146	224	240	160
	5. Other crushing	M.	178	—	5	6	4	11	13	32	27	30	35	14	1
		F.	11	—	1	3	1	1	—	—	3	—	2	—	—
	Fall of heavy substance :—														
	In ships, docks, etc. ..	M.	14	—	—	—	—	—	1	3	3	3	4	—	—
		F.	1	—	—	—	—	—	—	—	1	—	—	—	—
	In building operations	M.	19	—	—	—	—	1	—	5	2	5	3	3	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	In excavations ..	M.	2	—	—	—	—	—	1	—	—	—	1	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Trees	M.	20	—	—	—	1	1	2	4	1	4	3	3	1
		F.	5	—	—	2	1	—	—	—	—	—	2	—	—
	Others (or not stated how)	M.	103	—	5	5	2	7	8	15	19	16	18	8	—
		F.	5	—	1	1	—	1	—	—	2	—	—	—	—

* Including from staging, 7 M.

† Including 41 M., 164 F., age 65 and upwards from fracture of leg; from tree, 20 M.; from bridge, 1 M., 1 F.; from hay cart, rick, etc., 22 M., 1 F.; in colliery, 21 M.; in quarry, 4 M.; on railways, 2 M., 1 F.

TABLE 25—*continued.*

International List No.	Cause or Character of Violence.		All Ages.	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
186 —*cont.*	Accidental injury by fall, crushing, etc.—*cont.*														
	5. Other crushing—*cont.*														
	Other crushing (or not stated how) :—														
	In ships, docks, etc. ..	M.	4	—	—	1	—	1	—	1	—	—	1	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Others	M.	16	—	—	—	1	1	1	4	2	2	5	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
187	Cataclysm	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
188	Injury by animals (poisoning by venomous animals excepted)	M.	37	—	3	—	1	2	3	1	4	4	11	5	3
		F.	4	—	1	—	—	—	—	—	—	1	—	—	2
	Horse	M.	24	—	3	—	1	2	3	1	3	3	5	2	1
		F.	1	—	—	—	—	—	—	—	—	1	—	—	—
	Bull or cow, etc.	M.	13	—	—	—	—	—	—	—	1	1	6	3	2
		F.	3	—	1	—	—	—	—	—	—	—	—	—	2
189	Hunger or thirst	M.	9	1	—	—	—	—	—	—	—	3	—	3	2
		F.	2	—	—	—	—	—	—	—	—	—	—	2	—
190	Excessive cold	M.	30	—	1	—	—	—	—	2	1	2	7	12	5
		F.	7	—	—	—	—	—	—	—	—	1	1	2	3
191	Excessive heat	M.	93	6	3	1	4	2	3	6	4	13	20	17	14
		F.	53	2	6	5	3	1	1	4	—	7	8	8	8
192	Lightning	M.	13	—	—	—	1	2	1	3	2	—	2	2	—
		F.	2	—	—	—	—	—	1	—	1	—	—	—	—
193	Electricity (lightning excepted)	M.	63	—	2	2	4	5	10	21	10	6	3	—	—
		F.	7	—	—	—	—	2	1	2	—	2	—	—	—
	Railways	M.	5	—	2	2	—	—	—	—	—	1	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Others	M.	58	—	—	—	4	5	10	21	10	5	3	—	—
		F.	7	—	—	—	—	2	1	2	—	2	—	—	—
194	Other and unstated forms of accidental violence	M.	341	94	19	16	20	28	24	28	34	34	27	12	5
		F.	146	81	12	7	4	3	3	7	4	5	11	5	4
	Inattention at birth	M.	87	87	—	—	—	—	—	—	—	—	—	—	—
		F.	78	78	—	—	—	—	—	—	—	—	—	—	—
	Swallowing foreign body ..	M.	31	—	7	4	2	2	—	2	4	2	2	5	1
		F.	25	1	5	1	—	1	—	3	2	3	7	1	1
	Blow :—														
	In ships, docks, etc. ..	M.	1	—	—	—	—	—	—	—	—	1	—	—	—
		F.	1	—	—	—	—	—	1	—	—	—	—	—	—
	Others	M.	89	1	5	5	5	7	5	14	15	12	15	1	4
		F.	17	—	3	5	—	1	—	1	—	—	4	2	1
	Football, cricket, etc. ..	M.	25	—	—	1	4	4	8	5	1	2	—	—	—
		F.	1	—	—	1	—	—	—	—	—	—	—	—	—
	Strangulation	M.	14	3	2	—	3	5	—	1	—	—	—	—	—
		F.	4	1	2	—	1	—	—	—	—	—	—	—	—
	Explosion* :—														
	In ships, docks, etc. ..	M.	1	—	—	—	—	—	—	—	1	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Others†	M.	37	—	—	—	1	3	6	4	10	8	3	2	—
		F.	3	—	1	—	—	1	—	—	—	—	—	—	1

* For other deaths from explosions but resulting from burns or scalds *see* No. 181.

† Including shot firing, 6 M.; dynamite in iron mine, 3 M.; blast furnace, 4 M.; sewerage works, 2 M.; coal gas in house fouling of service pipe in street, 5 M., 1 F.

TABLE 25—*continued.*

International List No.	Cause or Character of Violence.		All Ages.	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
194 —*cont.*	Other and unstated forms of accidental violence—*cont.*														
	Abortion :—														
	Verdict of misadventure or accident	F.	1	—	—	—	—	—	1	—	—	—	—	—	—
	Other accidents (otherwise or not stated how) :—														
	In ships, docks, etc. ..	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Others*	M.	56	3	5	6	5	7	5	2	3	9	7	4	—
		F.	16	1	1	—	3	—	1	3	2	2	—	2	1
195	Violent deaths of unstated nature (i.e., accidental, suicidal, etc.)	M.	757	25	10	10	7	32	40	88	96	146	174	97	32
		F.	299	36	5	3	1	7	19	52	45	43	41	28	19
	Found drowned	M.	473	6	7	8	2	17	21	53	53	96	128	63	19
		F.	130	6	2	2	1	4	5	17	24	24	24	12	9
	Irrespirable or poisonous gas :—														
	Coal gas	M.	26	—	—	—	—	2	3	3	3	3	5	4	3
		F.	25	—	1	—	—	—	—	3	4	2	5	5	5
	Carbon monoxide† ‡ ..	M.	3	—	—	—	—	—	—	—	—	2	1	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other acute poisonings§ ..	M.	37	—	—	—	—	1	—	2	6	11	6	8	3
		F.	24	1	—	—	—	1	3	6	4	4	1	4	—
	Crushing on railways and by road vehicles	M.	95	—	—	2	2	7	11	18	14	14	18	8	1
		F.	25	—	1	—	—	1	3	6	1	5	6	2	—
	Falls	M.	23	—	—	—	—	—	1	2	4	2	3	8	3
		F.	21	—	—	—	—	—	1	3	3	3	3	4	4
	Otherwise (or not stated how)‖	M.	100	19	3	—	3	5	4	10	16	18	13	6	3
		F.	74	29	1	1	—	1	7	17	9	5	2	1	1
196	Wounds of war	M.	84	—	—	—	—	—	—	—	55	23	6	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
197	Execution of civilians by belligerent armies		—	—	—	—	—	—	—	—	—	—	—	—	—
198	Execution	M.	9	—	—	—	—	—	1	5	1	2	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—

SUPPLEMENTARY TABULATION OF CERTAIN DEATHS FROM ACCIDENTS (including "OPEN VERDICTS.")

Note.—In this section the figures are in some cases duplicated—*e.g.* the number of deaths caused by machinery in mining, &c., appear both under "Machinery" and under "Mining and Quarrying."

I	Mining and quarrying	M.	781	—	—	—	3	76	57	189	166	166	110	12	2
	(*a*) Coal mines	M.	740	—	—	—	3	76	54	178	157	157	101	12	2
	Blow	M.	13	—	—	—	—	2	1	2	3	2	3	—	—
	Crushing	M.	3	—	—	—	—	—	1	1	—	—	1	—	—
	Electric shock	M.	12	—	—	—	—	—	1	7	1	1	2	—	—
	Explosion of gas ..	M.	18	—	—	—	—	2	3	6	2	4	1	—	—
	,, (other or not stated).	M.	6	—	—	—	—	—	1	2	1	1	1	—	—
	Fall of coal	M.	452	—	—	—	—	25	27	113	112	104	63	8	—
	Fall down shaft ..	M.	8	—	—	—	—	—	1	3	3	1	—	—	—
	Fall not otherwise described.	M.	14	—	—	—	—	1	1	3	1	4	2	1	1
	Inrush of water ..	M.	5	—	—	—	—	—	1	2	2	—	—	—	—
	Machinery	M.	33	—	—	—	1	5	—	6	4	15	1	1	—
	Shot firing	M.	7	—	—	—	—	2	—	—	3	1	1	—	—
	Trams, tubs	M.	154	—	—	—	2	35	16	29	25	21	23	2	1
	Otherwise (or not stated how).	M.	15	—	—	—	—	4	1	4	—	3	3	—	—

* Including fracture cause not specified, 9 M., 6 F.; fight, 3 M.; boxing and wrestling, 3 M.; amusement machines; 2 M., 1 F.; on iron railings, 2 M., 1 F.; tobogganing, 2 M.; other wounds, 13 M., 1 F.; using syringe, 1 F.

† Motor car in garage, 2 M.; burning hayrick, 1 M.

‡ For other deaths from carbon monoxide poisoning *see* No. 178.

§ Zinc chloride, 1 M.; rodine rat poison (phosphorus), 1 F.; ammonia, 1 M., 3 F.; potassium cyanide, 2 M.; hydrochloric acid, 2 M.; oxalic acid, 2 M., 2 F.; carbolic acid, 3 M.; lysol, 7 M., 1 F.; sodium barbitone, 1 M., 1 F.; veronal, 5 M.; allonal, 1 M., 1 F.; luminal, 1 M., 1 F.; allonal, veronal and omnopon, 1 M.; morphia, 1 M.; paraldehyde, 1 M.; sulphonal, 1 M.; dial, 1 M., 1 F.; aspirin, 1 M., 3 F.; medinal, 1 F.; quadronox, 1 F.; barbitone, 1 F.; liniment (camphor and turpentine), 1 M.; oil of wintergreen, 1 F.; liniment (belladonna), 1 F.; eucalyptus, menthol and camphor, 1 F.; methylated spirits, 1 M.; methylated spirits, castor oil and boric acid, 1 M.; "Meta Firal" tablets, 1 F.; Jeyes' fluid, 1 F.; corrosive N.S., 2 M., 1 F.; irritant N.S., 1 F.

‖ Including firearms, 14 M., 2 F.; cutting or piercing instruments, 4 M., 2 F.; suffocation, 14 M., 16 F.; hanging or strangulation, 3 M., 3 F.; blow, 13 M., 1 F.; burns and scalds, 8 M., 4 F.; abortion, 24 F.

TABLE 25—*continued.*

International List No.	Cause or Character of Violence.		All Ages.	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
I —*cont.*	Mining and Quarrying—*cont.*														
	(*b*) Other mines	M.	10	—	—	—	—	—	2	2	2	3	1	—	—
	Blasting operations ..	M.	1	—	—	—	—	—	1	—	—	—	—	—	—
	Explosions	M.	3	—	—	—	—	—	1	1	1	—	—	—	—
	Fall of stone, etc. ..	M.	5	—	—	—	—	—	—	1	1	2	1	—	—
	Fall (not otherwise described).	M.	1	—	—	—	—	—	—	—	—	1	—	—	—
	(*c*) Quarries	M.	31	—	—	—	—	—	1	9	7	6	8	—	—
	Blasting operations ..	M.	4	—	—	—	—	—	—	2	1	—	1	—	—
	Fall of stone, etc. ..	M.	17	—	—	—	—	—	—	6	3	5	3	—	—
	Fall (not otherwise described).	M.	4	—	—	—	—	—	—	1	1	—	2	—	—
	Machinery	M.	3	—	—	—	—	—	1	—	2	—	—	—	—
	Others	M.	3	—	—	—	—	—	—	—	—	1	2	—	—
II	Machinery	M.	195	—	1	—	3	19	18	39	35	49	19	12	—
		F.	7	—	1	—	1	—	—	2	1	1	1	—	—
	Agricultural machinery ..	M.	19	—	1	—	1	—	2	7	2	3	1	2	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Circular saw	M.	3	—	—	—	—	—	1	—	1	1	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Crane	M.	32	—	—	—	—	2	4	6	7	6	6	1	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	In building operations ..	M.	4	—	—	—	—	—	1	—	1	1	1	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	„ metal works	M.	7	—	—	—	—	—	—	2	2	—	2	1	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	„ mines and quarries ..	M.	1	—	—	—	—	—	—	1	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	„ railways	M.	2	—	—	—	—	—	—	—	1	—	1	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	„ ships and docks ..	M.	5	—	—	—	—	1	1	1	1	—	1	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Others	M.	13	—	—	—	—	1	2	2	2	5	1	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Lift	M.	18	—	—	—	—	5	2	4	1	3	—	3	—
		F.	3	—	1	—	—	—	—	—	1	1	—	—	—
	In building operations ..	M.	3	—	—	—	—	1	—	2	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	„ ships and docks ..	M.	1	—	—	—	—	—	—	—	—	1	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	„ metal works	M.	1	—	—	—	—	—	—	—	—	1	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	„ textile factories ..	M.	1	—	—	—	—	1	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	„ other factories	M.	2	—	—	—	—	1	—	—	—	—	—	1	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Others	M.	10	—	—	—	—	2	2	2	1	1	—	2	—
		F.	3	—	1	—	—	—	—	—	1	1	—	—	—
	Other machinery	M.	123	—	—	—	2	12	9	22	24	36	12	6	—
		F.	4	—	—	—	1	—	—	2	—	—	1	—	—
	Building operations ..	M.	1	—	—	—	—	—	—	—	—	1	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	In collieries and mines ..	M.	32	—	—	—	1	5	—	5	4	15	1	1	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	„ metal works	M.	16	—	—	—	1	3	2	2	4	3	1	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	„ quarries	M.	3	—	—	—	—	—	1	—	2	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	„ railways	M.	5	—	—	—	—	—	1	3	—	1	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	„ ships, docks, etc. ..	M.	6	—	—	—	—	—	—	1	3	1	—	1	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 25—*continued.*

International List No.	Cause or Character of Violence.		All Ages.	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards
II —*cont.*	Other machinery—*cont.*														
	In textile factories ..	M.	6	—	—	—	—	1	—	2	—	2	1	—	—
		F.	2	—	—	—	—	—	—	1	—	—	1	—	—
	„ other factories ..	M.	29	—	—	—	—	2	4	5	6	6	3	3	—
		F.	1	—	—	—	1	—	—	—	—	—	—	—	—
	Others	M.	25	—	—	—	—	1	1	4	5	7	6	1	—
		F.	1	—	—	—	—	—	—	1	—	—	—	—	—
III	Transport	M.	5442	4	218	401	240	499	762	886	500	541	598	494	299
		F.	1647	3	119	229	58	101	102	134	115	151	232	243	160
	1. On railways and tramways	M.	405	—	4	12	10	16	15	62	62	71	103	32	18
		F.	58	—	—	2	—	1	3	6	7	8	9	12	10
	(*a*) Railways	M.	362	—	4	10	9	15	14	56	61	67	94	23	9
		F.	35	—	—	1	—	1	3	4	5	8	6	6	1
	Blow	M.	4	—	—	—	—	—	—	2	2	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Collision	M.	7	—	—	1	—	—	—	—	—	2	4	—	—
		F.	2	—	—	—	—	—	—	—	—	2	—	—	—
	Crushing by carriage or engine.	M.	49	—	—	—	4	2	4	10	8	5	14	2	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Derailment of train ..	M.	2	—	—	—	—	—	—	1	—	—	1	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Electrocution	M.	5	—	2	2	—	—	—	—	—	1	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Fall from carriage or engine.	M.	36	—	1	1	2	1	—	8	7	7	8	1	—
		F.	4	—	—	—	—	—	—	1	1	1	1	—	—
	Falls (not otherwise described).	M.	1	—	—	—	—	—	—	—	—	—	1	—	—
		F.	1	—	—	—	—	—	—	—	—	—	1	—	—
	Machinery	M.	7	—	—	—	—	—	1	3	1	1	1	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Run over on line ..	M.	241	—	1	6	3	10	8	31	41	51	61	20	9
		F.	28	—	—	1	—	1	3	3	4	5	4	6	1
	Striking bridge ..	M.	4	—	—	—	—	1	1	—	2	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Otherwise (or not stated how).	M.	6	—	—	—	—	1	—	1	—	—	4	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	(*b*) Tramways	M.	43	—	—	2	1	1	1	6	1	4	9	9	9
		F.	23	—	—	1	—	—	—	2	2	—	3	6	9
	2. Other mechanical transport	M.	4404	4	204	370	196	398	670	739	378	404	425	388	228
		F.	1464	3	114	222	53	93	88	121	103	132	201	203	131
	Motor cab	M.	25	—	3	2	1	—	1	1	2	3	5	6	1
		F.	16	—	—	3	1	—	—	—	1	—	3	3	5
	Motor car	M.	1169	1	60	146	46	42	78	120	81	128	170	173	124
		F.	604	—	46	71	17	17	27	45	38	65	109	101	68
	Motor char-a-banc ..	M.	42	—	6	10	1	2	1	5	1	6	2	4	4
		F.	19	—	2	2	2	1	—	1	1	2	3	3	2
	Motor cycle	M.	783	1	9	16	5	59	215	217	71	54	50	56	30
		F.	182	1	10	5	1	17	22	21	20	14	25	27	19
	Motor omnibus	M.	273	—	26	44	18	21	17	25	25	24	23	34	16
		F.	148	—	13	35	7	10	5	9	8	11	22	20	8
	Motor tractor	M.	1	—	—	1	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Motor van, lorry ..	M.	840	1	98	141	56	69	69	81	56	64	89	75	41
		F.	340	2	39	102	15	15	9	14	10	30	31	45	28
	Motor vehicles (others or undefined).	M.	7	—	—	—	—	—	—	2	—	3	1	1	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 25—*continued.*

International List No.	Cause or Character of Violence.		All Ages.	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
III —*cont.*	2. Other mechanical transport—*cont.*														
	Steam roller	M.	3	—	—	—	—	—	—	—	1	—	—	1	1
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Collisions*	M.	1261	1	2	10	69	205	289	288	141	122	85	38	11
		F.	155	—	4	4	10	33	25	31	25	10	8	4	1

* The collisions in these cases are those in which the information recorded in the Death Register did not show which vehicle caused death. In the following analysis these deaths are assigned to each type of vehicle involved and accordingly amount to twice the number of actual deaths.

	Collisions involving—														
	Horse vehicles	M.	20	—	—	—	1	3	5	5	1	2	2	1	—
		F.	2	—	—	1	—	—	—	—	—	—	1	—	—
	Motor bus	M.	119	—	1	—	10	24	29	23	12	13	5	2	—
		F.	19	—	1	—	—	3	2	3	3	3	2	1	1
	Motor car	M.	659	1	—	6	32	83	145	154	81	69	57	23	8
		F.	95	—	2	2	5	13	16	22	16	8	6	4	1
	Motor coach	M.	29	—	—	—	1	5	7	7	4	2	3	—	—
		F.	9	—	—	—	—	3	—	1	3	—	—	2	—
	Motor cycle	M.	696	1	—	3	6	98	224	203	78	53	21	8	1
		F.	66	—	3	1	1	14	14	16	12	3	1	1	—
	Motor van	M.	427	—	2	4	25	82	88	97	45	42	26	13	3
		F.	49	—	2	2	5	12	8	8	7	3	2	—	—
	Pedal cycle	M.	544	—	1	7	63	112	73	81	60	59	54	26	8
		F.	64	—	—	2	9	18	10	10	9	3	3	—	—
	Taxicab	M.	9	—	—	—	—	—	2	3	—	—	2	—	2
		F.	2	—	—	—	—	2	—	—	—	—	—	—	—
	Train	M.	1	—	—	—	—	—	—	—	1	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Tramcar	M.	15	—	—	—	—	3	4	3	—	3	—	2	—
		F.	4	—	—	—	—	1	—	2	—	—	1	—	—
	Steam roller	M.	1	—	—	—	—	—	1	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Motor vehicle (undefined)	M.	2	—	—	—	—	—	—	—	—	1	—	1	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. Other or not stated land transport.	M.	463	—	10	17	33	66	35	46	34	44	56	69	53
		F.	119	—	5	5	5	7	10	5	4	11	21	27	19
	(*a*) Horse-drawn vehicles ..	M.	108	—	7	9	8	9	2	10	4	10	16	22	11
		F.	13	—	5	1	—	—	—	—	2	1	—	2	2
	Dogcart, trap	M.	2	—	—	—	—	—	—	—	—	—	—	1	1
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Dray	M.	5	—	—	—	2	1	—	—	—	—	—	1	1
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Van, waggon, cart ..	M.	91	—	7	8	6	8	2	7	4	9	14	19	7
		F.	13	—	5	1	—	—	—	—	2	1	—	2	2
	Others	M.	10	—	—	1	—	—	—	3	—	1	2	1	2
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	(*b*) Other or unspecified vehicles.	M.	355	—	3	8	25	57	33	36	30	34	40	47	42
		F.	106	—	—	4	5	7	10	5	2	10	21	25	17
	Pedal cycle	M.	345	—	—	8	25	56	33	33	29	32	40	47	42
		F.	105	—	—	4	4	7	10	5	2	10	21	25	17
	Truck	M.	3	—	1	—	—	—	—	—	1	1	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Van, waggon	M.	1	—	1	—	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Others	M.	6	—	1	—	—	1	—	3	—	1	—	—	—
		F.	1	—	—	—	1	—	—	—	—	—	—	—	—

TABLE 25—*continued.*

International List No.	Cause or Character of Violence.		All Ages.	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
III —*cont.*	4. Water transport	M.	123	—	—	1	—	18	24	16	23	22	14	5	—
		F.	4	—	—	—	—	—	1	—	1	—	1	1	—
	Collision	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
		F.	1	—	—	—	—	—	—	—	1	—	—	—	—
	Crushing	M.	4	—	—	1	—	1	—	1	—	1	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Drowning	M.	60	—	—	—	—	11	15	9	9	11	4	1	—
		F.	2	—	—	—	—	—	—	—	—	—	1	1	—
	Electrocution	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Fall down hold	M.	23	—	—	—	—	3	4	1	6	3	5	1	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Fall (not otherwise described).	M.	22	—	—	—	—	2	4	2	3	5	4	2	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Machinery	M.	5	—	—	—	—	1	—	—	2	1	—	1	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Shipwreck	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Others	M.	9	—	—	—	—	—	1	3	3	1	1	—	—
		F.	1	—	—	—	—	—	1	—	—	—	—	—	—
	5. Aerial transport	M.	47	—	—	1	1	1	18	23	3	—	—	—	—
		F.	2	—	—	—	—	—	—	2	—	—	—	—	—
IV	Building operations	M.	222	—	—	—	1	14	17	34	35	44	47	28	2
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Crane	M.	4	—	—	—	—	—	1	—	1	1	1	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Electrocution	M.	1	—	—	—	—	—	—	—	1	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Fall	M.	190	—	—	—	1	12	16	26	30	36	43	24	2
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Fall of heavy substance	M.	22	—	—	—	—	1	—	6	2	6	3	4	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other machinery	M.	4	—	—	—	—	1	—	2	—	1	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Others	M.	1	—	—	—	—	—	—	—	1	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
V	In docks, etc.	M.	43	—	—	1	—	1	3	6	9	12	10	1	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Drowning	M.	5	—	—	1	—	—	—	—	1	1	2	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Fall	M.	20	—	—	—	—	1	1	2	5	7	3	1	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Fall of heavy substance	M.	8	—	—	—	—	—	1	2	1	2	2	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Machinery	M.	7	—	—	—	—	—	1	2	2	1	1	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Others (or not stated how)	M.	3	—	—	—	—	—	—	—	—	1	2	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
VI	Criminal abortion*	F.	85	—	—	—	—	1	19	45	19	1	—	—	—
	Murder	F.	2	—	—	—	—	—	2	—	—	—	—	—	—
	Manslaughter	F.	6	—	—	—	—	1	2	2	1	—	—	—	—
	Suicide	F.	52	—	—	—	—	—	9	29	13	1	—	—	—
	Misadventure	F.	1	—	—	—	—	—	1	—	—	—	—	—	—
	Open verdict	F.	24	—	—	—	—	—	5	14	5	—	—	—	—

* Of these deaths 3 were stated to have resulted from the taking of drugs, 68 from operation, and in 14 the means was not stated.

TABLE 26.—NOTIFICATIONS OF CERTAIN INFECTIOUS DISEASES.—CASE-RATES PER 1,000 POPULATION, } England and Wales and Certain Aggregates.
1923–1933 (PRIOR TO 1932 THE RATES IN THIS TABLE RELATE TO CIVILIANS ONLY).

Disease.	Year.	England and Wales (including Ports).	England.	Wales (including Monmouth).	London. Administrative County.	Aggregate of Administrative Counties of—		Aggregate of County Boroughs of—		Aggregate of Non-County Boroughs and Urban Districts of—		Aggregate of Rural Districts of—	
						England (excluding London).	Wales (including Monmouth).	England.	Wales (including Monmouth).	England (excluding London).	Wales (including Monmouth).	England.	Wales (including Monmouth).
Smallpox	1923	0·06	0·07	0·01	0·00	0·08	0·01	0·07	0·01	0·08	0·01	0·08	0·00
	1924	0·10	0·10	—	0·00	0·15	—	0·06	—	0·18	—	0·11	—
	1925	0·14	0·15	0·00	0·00	0·17	—	0·18	0·00	0·21	—	0·09	—
	1926	0·26	0·28	0·00	0·00	0·42	0·00	0·16	—	0·45	0·00	0·37	0·00
	1927	0·38	0·34	0·88	0·00	0·46	1·11	0·27	0·03	0·47	1·80	0·45	0·01
	1928	0·32	0·28	0·83	0·07	0·28	0·99	0·35	0·24	0·34	1·62	0·18	0·02
	1929	0·28	0·27	0·40	0·43	0·21	0·36	0·30	0·55	0·24	0·58	0·16	0·03
	1930	0·29	0·29	0·31	1·15	0·14	0·32	0·23	0·27	0·18	0·52	0·09	0·01
	1931	0·14	0·15	0·10	0·33	0·07	0·13	0·19	0·00	0·07	0·21	0·08	0·01
	1932	0·05	0·05	0·00	0·25	0·02	0·01	0·04	0·00	0·03	0·01	0·01	—
	1933	0·02	0·02	—	0·12	0·00	—	0·00	—	0·01	—	0·00	—
Scarlet fever ..	1923	2·24	2·26	1·93	2·21	2·00	1·96	2·67	1·81	2·12	2·27	1·80	1·46
	1924	2·16	2·18	1·83	2·51	1·91	1·89	2·47	1·61	2·03	2·03	1·73	1·67
	1925	2·36	2·40	1·76	2·67	2·15	1·82	2·69	1·53	2·25	1·90	1·99	1·68
	1926	2·10	2·14	1·54	2·68	1·93	1·63	2·26	1·22	2·01	1·65	1·80	1·58
	1927	2·16	2·22	1·30	2·92	1·99	1·36	2·32	1·10	2·13	1·53	1·75	1·09
	1928	2·61	2·70	1·42	3·44	2·34	1·50	2·98	1·15	2·47	1·80	2·12	1·04
	1929	3·05	3·15	1·68	3·60	2·78	1·66	3·56	1·73	2·97	1·79	2·44	1·47
	1930	2·76	2·81	2·02	3·76	2·49	2·02	2·98	2·04	2·65	2·22	2·19	1·70
	1931	2·05	2·03	2·28	2·77	1·79	2·00	2·15	3·28	1·90	2·27	1·60	1·58
	1932	2·12	2·09	2·53	3·26	1·77	2·13	2·19	4·05	1·96	2·63	1·41	1·33
	1933	3·21	3·21	3·13	5·12	2·73	2·57	3·36	5·19	3·11	3·31	1·99	1·41
Diphtheria	1923	1·05	1·04	1·13	2·27	0·74	1·10	1·04	1·26	0·81	1·24	0·61	0·88
	1924	1·07	1·06	1·21	2·31	0·73	1·19	1·11	1·28	0·81	1·30	0·59	1·00
	1925	1·23	1·23	1·24	2·73	0·79	1·26	1·34	1·14	0·88	1·45	0·64	0·96
	1926	1·31	1·32	1·24	2·96	0·84	1·28	1·44	1·09	0·94	1·51	0·68	0·91
	1927	1·33	1·33	1·26	2·71	0·90	1·24	1·50	1·31	1·07	1·51	0·62	0·83
	1928	1·55	1·55	1·56	2·75	1·19	1·39	1·70	2·21	1·38	1·61	0·87	1·06
	1929	1·59	1·58	1·78	2·68	1·22	1·49	1·74	2·87	1·38	1·74	0·95	1·09
	1930	1·84	1·79	2·47	3·03	1·39	2·34	1·98	2·98	1·57	2·47	1·08	2·13
	1931	1·26	1·21	1·97	1·95	0·91	1·87	1·43	2·36	0·99	1·84	0·77	1·90
	1932	1·08	1·05	1·55	1·88	0·66	1·50	1·38	1·71	0·74	1·42	0·52	1·63
	1933	1·18	1·15	1·54	2·25	0·74	1·39	1·45	2·10	0·83	1·46	0·56	1·29

TABLE 26—*contd.*

Disease.	Year.	England and Wales (including Ports).	England.	Wales (including Monmouth).	London. Administrative County.	Aggregate of Administrative Counties of—		Aggregate of County Boroughs of—		Aggregate of Non-County Boroughs and Urban Districts of—		Aggregate of Rural Districts of—	
						England (excluding London).	Wales (including Monmouth).	England.	Wales (including Monmouth).	England (excluding London).	Wales (including Monmouth).	England.	Wales (including Monmouth).
Enteric fever ..	1923	0·08	0·08	0·07	0·07	0·10	0·08	0·07	0·02	0·09	0·08	0·10	0·08
	1924	0·11	0·10	0·09	0·09	0·12	0·10	0·09	0·04	0·13	0·10	0·10	0·11
	1925	0·07	0·07	0·08	0·09	0·07	0·08	0·06	0·08	0·07	0·08	0·07	0·08
	1926	0·07	0·07	0·05	0·07	0·08	0·05	0·06	0·04	0·08	0·06	0·07	0·03
	1927	0·09	0·09	0·04	0·07	0·12	0·05	0·06	0·02	0·12	0·05	0·11	0·04
	1928	0·09	0·09	0·05	0·13	0·10	0·05	0·06	0·03	0·10	0·05	0·10	0·05
	1929	0·07	0·07	0·04	0·08	0·08	0·04	0·06	0·05	0·08	0·03	0·08	0·05
	1930	0·07	0·07	0·05	0·07	0·08	0·05	0·07	0·05	0·08	0·05	0·08	0·04
	1931	0·06	0·06	0·04	0·04	0·07	0·04	0·04	0·02	0·08	0·04	0·06	0·05
	1932	0·06	0·06	0·02	0·05	0·08	0·02	0·05	0·03	0·09	0·02	0·07	0·02
	1933	0·04	0·04	0·02	0·04	0·05	0·03	0·03	0·01	0·05	0·03	0·06	0·03
Puerperal fever ..	1923	0·06	0·06	0·06	0·08	0·04	0·04	0·08	0·10	0·04	0·05	0·04	0·04
	1924	0·06	0·06	0·05	0·06	0·04	0·04	0·08	0·07	0·05	0·04	0·03	0·04
	1925	0·06	0·06	0·06	0·07	0·04	0·05	0·09	0·09	0·05	0·05	0·04	0·04
	1926	0·07	0·07	0·07	0·07	0·05	0·05	0·09	0·12	0·05	0·06	0·05	0·05
	1927	0·05	0·05	0·04	0·06	0·04	0·04	0·07	0·07	0·03	0·04	0·04	0·03
	1928	0·06	0·06	0·07	0·07	0·05	0·05	0·08	0·15	0·05	0·05	0·04	0·05
	1929	0·06	0·06	0·06	0·07	0·05	0·04	0·08	0·12	0·04	0·05	0·05	0·03
	1930	0·06	0·06	0·07	0·07	0·05	0·05	0·09	0·14	0·05	0·04	0·05	0·05
	1931	0·06	0·06	0·07	0·07	0·04	0·06	0·08	0·11	0·04	0·06	0·05	0·04
	1932	0·05	0·05	0·06	0·05	0·04	0·05	0·07	0·10	0·04	0·06	0·04	0·04
	1933	0·05	0·05	0·06	0·06	0·04	0·04	0·07	0·12	0·04	0·05	0·04	0·04
Erysipelas	1923	0·32	0·33	0·24	0·40	0·27	0·20	0·39	0·36	0·31	0·24	0·21	0·14
	1924	0·33	0·34	0·19	0·41	0·28	0·18	0·40	0·25	0·31	0·21	0·23	0·14
	1925	0·39	0·40	0·28	0·42	0·33	0·25	0·48	0·36	0·37	0·29	0·28	0·20
	1926	0·38	0·38	0·26	0·40	0·32	0·26	0·47	0·25	0·35	0·31	0·27	0·18
	1927	0·38	0·39	0·22	0·43	0·32	0·20	0·47	0·28	0·35	0·24	0·27	0·15
	1928	0·42	0·43	0·26	0·48	0·36	0·26	0·51	0·26	0·40	0·31	0·29	0·18
	1929	0·45	0·46	0·28	0·49	0·39	0·27	0·56	0·30	0·42	0·32	0·33	0·20
	1930	0·45	0·47	0·30	0·54	0·38	0·28	0·57	0·36	0·41	0·35	0·33	0·17
	1931	0·38	0·39	0·27	0·53	0·32	0·26	0·45	0·32	0·35	0·33	0·28	0·15
	1932	0·36	0·37	0·27	0·51	0·30	0·28	0·43	0·25	0·33	0·35	0·25	0·17
	1933	0·45	0·45	0·36	0·65	0·35	0·37	0·55	0·33	0·37	0·45	0·29	0·24

TABLE 26—*contd.*

Disease.	Year.	England and Wales (including Ports).	England.	Wales (including Monmouth).	London. Administrative County.	Aggregate of Administrative Counties of—		Aggregate of County Boroughs of—		Aggregate of Non-County Boroughs and Urban Districts of—		Aggregate of Rural Districts of—	
						England (excluding London).	Wales (including Monmouth).	England.	Wales (including Monmouth).	England (excluding London).	Wales (including Monmouth).	England.	Wales (including Monmouth).
Cerebro-spinal fever	1923	0·01	0·01	0·00	0·01	0·01	0·00	0·01	0·01	0·01	0·00	0·01	0·00
	1924	0·01	0·01	0·01	0·02	0·01	0·01	0·01	0·01	0·01	0·01	0·00	0·00
	1925	0·01	0·01	0·01	0·02	0·01	0·01	0·01	0·02	0·01	0·01	0·01	0·00
	1926	0·01	0·01	0·01	0·02	0·01	0·01	0·01	0·01	0·01	0·01	0·01	0·00
	1927	0·01	0·01	0·01	0·02	0·01	0·01	0·01	0·01	0·01	0·01	0·01	0·00
	1928	0·01	0·01	0·01	0·02	0·01	0·01	0·01	0·01	0·01	0·01	0·01	0·00
	1929	0·02	0·02	0·01	0·03	0·01	0·01	0·02	0·02	0·01	0·01	0·01	0·00
	1930	0·02	0·02	0·01	0·02	0·01	0·00	0·02	0·01	0·01	0·01	0·02	—
	1931	0·05	0·06	0·01	0·04	0·06	0·01	0·06	0·02	0·06	0·01	0·07	0·01
	1932	0·05	0·06	0·02	0·06	0·05	0·01	0·06	0·05	0·05	0·01	0·05	0·00
	1933	0·04	0·04	0·02	0·05	0·03	0·01	0·05	0·03	0·04	0·01	0·03	0·01
Poliomyelitis and polioencephalitis	1923	0·02	0·02	0·04	0·03	0·01	0·01	0·01	0·14	0·01	0·01	0·01	—
	1924	0·02	0·02	0·02	0·03	0·02	0·01	0·02	0·06	0·02	0·02	0·02	0·01
	1925	0·01	0·01	0·01	0·01	0·01	0·01	0·01	0·01	0·01	0·01	0·01	0·01
	1926	0·03	0·03	0·02	0·02	0·04	0·02	0·03	0·03	0·04	0·02	0·05	0·02
	1927	0·02	0·02	0·01	0·02	0·02	0·01	0·03	0·02	0·02	0·01	0·02	0·01
	1928	0·01	0·01	0·01	0·01	0·01	0·01	0·01	0·01	0·01	0·01	0·02	0·01
	1929	0·02	0·02	0·01	0·02	0·02	0·01	0·02	0·02	0·02	0·01	0·02	0·01
	1930	0·01	0·02	0·01	0·01	0·02	0·01	0·01	0·01	0·02	0·01	0·02	0·00
	1931	0·01	0·01	0·01	0·01	0·01	0·01	0·01	0·01	0·01	0·01	0·01	0·00
	1932	0·02	0·02	0·02	0·02	0·02	0·01	0·02	0·02	0·02	0·02	0·02	0·02
	1933	0·02	0·02	0·01	0·02	0·02	0·01	0·02	0·02	0·02	0·01	0·02	0·01

TABLE 27.—Seasonal Incidence of Certain Infectious Diseases, 1933 (including non-civilians). } England and Wales.

Note.—The actual average weekly number of cases is shown at the foot of each column. The proportion of the notifications to this average taken as 100 is shown for each week; where the seasonal excess is more than 30 per cent. over the weekly average the proportionate figure is shown in heavy type.

Week ended	Scarlet fever.	Diphtheria.	Enteric fever.	Cerebro-spinal fever.	Poliomyelitis.	Encephalitis lethargica.
Jan. 7	73	95	53	106	57	125
„ 14	70	86	56	**136**	64	88
„ 21	79	89	41	**182**	14	125
„ 28	71	85	29	**200**	86	88
Feb. 4	67	73	32	**273**	79	**163**
„ 11	68	91	35	**261**	71	**213**
„ 18	66	86	35	**185**	50	113
„ 25	63	83	44	**167**	43	**150**
March 4	71	85	56	**152**	86	88
„ 11	74	92	71	**224**	21	**138**
„ 18	77	88	65	**155**	14	**188**
„ 25	74	85	53	**164**	50	88
April 1	84	84	53	118	43	**138**
„ 8	84	84	85	**158**	36	100
„ 15	77	74	74	109	36	75
„ 22	70	70	71	118	21	100
„ 29	68	69	82	115	50	63
May 6	76	86	88	121	43	125
„ 13	81	87	71	91	21	38
„ 20	81	82	103	103	14	113
„ 27	85	86	71	118	43	88
June 3	82	86	82	94	50	**213**
„ 10	65	71	62	70	71	38
„ 17	71	75	88	73	79	125
„ 24	81	85	103	82	**214**	**138**
July 1	91	84	124	79	86	100
„ 8	89	81	**212**	70	79	50
„ 15	83	87	**156**	61	43	**150**
„ 22	96	89	**171**	64	107	88
„ 29	88	100	**153**	61	**150**	50
Aug. 5	81	83	**132**	70	**150**	75
„ 12	61	68	124	76	107	88
„ 19	67	77	**138**	55	**186**	75
„ 26	74	80	126	64	**200**	63
Sept. 2	80	89	**147**	45	**257**	88
„ 9	95	96	**171**	52	**264**	75
„ 16	98	111	**147**	48	**250**	38
„ 23	125	128	**297**	67	**221**	125
„ 30	**140**	126	**238**	45	**214**	**163**
Oct. 7	**142**	**130**	**141**	52	**229**	125
„ 14	**159**	**136**	**168**	55	129	125
„ 21	**161**	**137**	115	45	**179**	**138**
„ 28	**169**	**143**	118	48	**221**	63
Nov. 4	**161**	**139**	91	30	100	88
„ 11	**172**	**139**	97	33	107	50
„ 18	**176**	**144**	85	64	114	**138**
„ 25	**167**	**142**	100	85	79	50
Dec. 2	**162**	**159**	106	61	57	75
„ 9	**160**	**153**	82	48	93	113
„ 16	**158**	**144**	38	55	64	88
„ 23	**146**	**133**	41	61	36	63
„ 30	**141**	126	50	73	21	**150**
	100	100	100	100	100	100
Average weekly number of cases notified	2,491	912	34	33	14	8

TABLE 28.—Cases of Certain Infectious Diseases Notified, 1923–1933.
(*a*) Civilians (excluding cases in Port Sanitary Districts). } England and Wales.

Diseases.	1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.	1931.	1932.	1933.
Cerebro-spinal fever	300	397	402	384	469	412	650	661	2,152	2,087	1,668
Cholera	—	—	—	—	—	—	—	—	—	—	—
Continued fever	21	36	22	21	17	24	18	21	16	16	8
Diphtheria (including Membranous croup)	39,953	41,948	47,684	51,034	51,973	61,109	62,739	73,928	50,208	43,339	47,388
Dysentery	458	356	293	486	405	651	536	501	785	895	752
Encephalitis lethargica (acute)	1,023	5,036	2,634	2,267	1,612	1,307	1,034	735	651	557	430
Enteric fever	3,139	4,051	2,703	2,665	3,469	3,398	2,774	2,899	2,241	2,489	1,721
Erysipelas	12,321	12,868	14,989	14,581	14,695	16,349	17,701	18,296	15,229	14,515	17,975
Malaria (contracted in England and Wales)	3	4	3	—	2	4	—	1	1	—	1
Ophthalmia neonatorum	6,592	6,267	5,748	5,896	5,891	5,609	5,448	5,481	5,158	4,730	4,056
Plague	—	—	—	2	—	—	—	—	—	—	—
Pneumonia (acute primary and acute influenzal)	44,543	60,723	55,876	50,926	67,670	60,206	86,137	50,818	60,716	57,271	64,809
Polio-encephalitis (acute)	57	83	51	138	94	89	91	85	55	94	83
Poliomyelitis (acute)	587	777	371	1,158	801	452	531	506	339	656	711
Puerperal fever	2,190	2,183	2,396	2,611	1,989	2,380	2,359	2,582	2,341	2,121	2,094
*Puerperal pyrexia	—	—	—	1,823	5,507	5,498	5,610	5,647	5,744	5,446	5,805
Relapsing fever	2	—	1	—	—	—	—	—	1	1	2
Scarlet fever	85,582	84,621	91,311	81,641	84,406	102,572	120,193	111,026	81,548	84,960	129,397
Small-pox	2,477	3,757	5,359	10,141	14,764	12,418	10,957	11,837	5,664	2,036	627
†Trench fever	3	3	4	2	2	†	†	†	†	†	†
Tuberculosis of respiratory system	56,802	57,503	58,299	55,980	53,818	52,837	52,380	50,322	49,506	‡	‡
Tuberculosis (other forms)	18,474	18,698	19,204	18,587	17,684	17,955	16,502	16,781	16,068	‡	‡
Typhus fever	—	8	—	1	1	3	1	—	—	—	—

* Notifiable since 1st October, 1926.
† Not notifiable after 31st December, 1927.
‡ Not notified to the Registrar General after 31st December, 1931.

TABLE 28—*contd.*—Cases of Certain Infectious Diseases Notified, 1923–1933. } England and Wales.
(*b*) Civilians in Port Sanitary Districts. }

Diseases.	1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.	1931.	1932.	1933.
Cerebro-spinal fever	1	—	—	1	1	—	—	3	5	6	1
Cholera	—	—	—	—	—	—	—	—	—	—	—
Continued fever	4	1	1	4	1	1	—	2	—	—	—
Diphtheria (including Membranous croup)	56	32	36	35	38	25	35	25	28	23	15
Dysentery	26	32	52	44	35	32	37	37	24	12	13
Encephalitis lethargica (acute)	2	3	1	—	3	1	2	—	—	1	1
Enteric fever	72	70	76	74	64	97	61	53	35	46	29
Erysipelas	14	11	14	16	13	10	6	11	7	10	5
Ophthalmia neonatorum	—	—	—	—	—	—	—	—	—	—	—
Plague	—	—	—	—	—	—	—	1	—	—	—
Pneumonia (acute primary and acute influenzal)	81	71	84	84	87	92	101	71	74	50	40
Polio-encephalitis (acute)	—	—	—	—	1	—	—	—	—	—	—
Poliomyelitis (acute)	—	—	—	1	—	—	1	—	—	—	2
Puerperal fever	1	—	—	—	—	—	—	—	—	—	—
*Puerperal pyrexia	—	—	—	—	1	1	—	—	—	—	1
Relapsing fever	1	—	—	—	—	—	—	—	—	—	—
Scarlet fever	21	33	51	31	44	39	39	51	21	22	39
Small-pox	8	8	6	5	3	2	10	2	—	3	4
Tuberculosis of respiratory system	205	234	246	232	230	210	254	261	292	†	†
Tuberculosis (other forms)	20	13	24	21	13	22	42	37	16	†	†
Typhus fever	1	—	—	—	1	—	—	—	—	—	—

* Notifiable since 1st October, 1926.

† Not notified to the Registrar General after 31st December, 1931.

TABLE 28—*contd.*—CASES OF CERTAIN INFECTIOUS DISEASES NOTIFIED, 1926–1933. } England and Wales.

(*c*) Non-Civilians (including cases in Port Sanitary Districts). }

Figures prior to 1926 are not available.

Diseases.	1926.	1927.	1928.	1929.	1930.	1931.	1932.	1933.
Cerebro-spinal fever	9	2	1	17	10	59	43	26
Continued fever	—	—	—	—	—	—	—	—
Diphtheria (including Membranous croup)	52	183	88	66	90	54	37	32
Dysentery	35	25	45	11	27	27	17	18
Encephalitis lethargica (acute)	4	4	1	2	3	3	6	1
Enteric fever	18	13	46	35	12	14	9	8
Erysipelas	8	4	5	10	7	9	2	17
Malaria (contracted in England and Wales)	—	—	—	1	—	—	—	—
Pneumonia (acute primary and acute influenzal)	40	58	59	79	52	83	80	160
Poliomyelitis (acute)	1	2	4	—	4	2	—	1
Relapsing fever	—	1	—	—	—	—	—	—
Scarlet fever	38	102	33	90	68	94	72	92
Small-pox	—	—	—	1	—	—	—	—
Tuberculosis of respiratory system	154	120	163	136	154	142	*	*
Tuberculosis (other forms)								
Typhus fever	—	—	—	—	—	—	—	—

* Not notified to the Registrar General after 31st December, 1931.

TABLE 29. NUMBER OF CASES (INCLUDING NON-CIVILIANS) OF INFECTIOUS DISEASES NOTIFIED DURING THE 52 WEEKS ENDED 30TH DECEMBER, 1933, WITH CERTAIN ATTACK-RATES. } England and Wales; Geographical Regions; Counties; County Boroughs; Other Urban Districts; Rural Districts.

The populations of the several areas will be found in Table 17.

Area.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.			Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Poliomyelitis.	Encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever. Cases.	Pyrexia. Cases.	Rate per 1,000 Total (live and still) Registered Births	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*	*16*
ENGLAND AND WALES.*	129,528	3·21	47,435	1·18	2,094	5,806	13·0	631	1,758	17,997	65,009	1,695	714	432	4,05
Port Sanitary Districts	39	–	15	–	–	1	–	4	31	6	71	1	3	2	–
REGIONAL SUMMARY (*see* note at foot):															
South East ..	49,284	3·58	17,208	1·25	697	2,058	14·3	613	616	6,067	15,249	431	255	106	1,08
Greater London ..	36,851	4·41	13,913	1·66	457	1,428	16·2	604	376	4,562	10,795	305	152	56	76
Remainder of South East.	12,433	2·30	3,295	0·61	240	630	11·4	9	240	1,505	4,454	126	103	50	32
SUPPLEMENTARY SUB-DIVISIONS OF SOUTH EAST REGIONS (*see* note at foot):															
Midland Section ..	15,880	3·36	4,439	0·94	233	656	13·1	46	231	1,786	5,119	103	98	35	28
Southern Section	33,404	3·69	12,769	1·41	464	1,402	14·9	567	385	4,281	10,130	328	157	71	80
North	50,418	3·84	18,364	1·40	713	1,962	12·9	12	564	7,213	29,382	895	278	155	1,63
North I	13,064	5·81	1,610	0·72	105	302	10·1	–	200	1,471	5,062	223	13	20	24
North II	3,490	2·70	2,128	1·65	64	167	10·7	–	52	569	2,263	59	54	22	11
North III ..	13,271	3·85	5,631	1·63	202	516	13·8	3	98	1,853	7,439	367	65	17	24
North IV ..	20,593	3·35	8,995	1·47	342	977	14·2	9	214	3,320	14,618	246	146	96	1,02
Midland	14,905	2·13	5,107	0·73	343	980	12·3	–	311	2,779	12,681	258	99	73	82
Midland I ..	10,754	2·34	3,520	0·77	252	672	13·0	–	145	1,866	8,847	121	71	60	65
Midland II ..	4,151	1·73	1,587	0·66	91	308	10·9	–	166	913	3,834	137	28	13	17
East	3,414	1·86	1,263	0·69	93	245	12·3	2	96	548	1,948	32	23	35	13
South West ..	3,436	1·66	1,512	0·73	90	288	13·1	–	77	461	2,037	33	32	30	15
Wales	8,032	3·13	3,966	1·54	158	272	10·3	–	63	923	3,641	45	24	31	22
Wales I	7,162	3·81	2,913	1·55	131	210	10·9	–	32	748	2,909	38	18	20	17
Wales II	870	1·26	1,053	1·53	27	62	8·6	–	31	175	732	7	6	11	5
DENSITY SUMMARY OF ALL AREAS OUTSIDE GREATER LONDON:															
County Boroughs	43,278	3·40	18,829	1·48	894	2,199	15·5	1	382	6,928	28,120	708	215	162	1,92
Other Urban Districts	34,502	2·98	9,761	0·84	462	1,400	10·9	19	500	4,308	17,861	444	198	127	88
Rural Districts ..	14,858	1·93	4,917	0·64	281	778	9·0	3	469	2,193	8,162	237	146	85	48

* Including Port Sanitary Districts.

REGIONAL SUMMARY.—The country has been re-divided into regions, after consultation with other Government Departments with a view to securing greater homogeneity in the character of the sectional populations than was provided by the old grouping into North, Midlands, South (including London) and Wales. In order to maintain continuity the parts of the new "South East" region comprised in the former "Midlands" and "South" respectively, are shown separately. "North" and "Wales" are identical in both groupings, "Midlands" comprises "Midland" and "East" together with the Midland section of "South East," "South (including London)" comprises "South West" and the Southern section of "South East."

The counties in the various regions are as follows:—

South East.
Bedfordshire
Berkshire.
Buckinghamshire.
Essex.
Hertfordshire.
Kent.
London.
Middlesex.
Oxfordshire.
Southampton.
Surrey.
Sussex, East.
,, West.
Wight, Isle of.

North I.
Durham.
Northumberland.

North II.
Cumberland.
Westmorland.
Yorkshire, East Riding.
,, North Riding.

North III.
Yorkshire, West Riding.
York C.B.

North IV.
Cheshire.
Lancashire.

Midland I.
Gloucestershire.
Herefordshire.
Shropshire.
Staffordshire.
Warwickshire.
Worcestershire.

Midland II.
Derbyshire.
Leicestershire.
Northamptonshire.
Nottinghamshire.
Peterborough, Soke of.

East.
Cambridgeshire.
Ely, Isle of.
Huntingdonshire.
Lincolnshire—
Parts of Holland.
,, Kesteven.
,, Lindsey.
Norfolk.
Rutlandshire.
Suffolk, East.
,, West.

South West.
Cornwall.
Devonshire.
Dorsetshire.
Somersetshire.
Wiltshire.

Wales I.
Brecknockshire.
Carmarthenshire.
Glamorganshire.
Monmouthshire.

Wales II.
Anglesey.
Caernarvonshire.
Cardiganshire.
Denbighshire.
Flintshire.
Merionethshire.
Montgomeryshire.
Pembrokeshire.
Radnorshire.

TABLE 29—*continued.*

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Poliomyelitis.	Encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever. Cases.	Pyrexia Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*
ENGLAND (excluding Monmouth).														
BEDFORDSHIRE:														
ADMINISTRATIVE COUNTY.	535	2·37	157	0·70	11	18	–	10	83	306	2	3	3	14
URBAN DISTRICTS ..	339	2·30	126	0·86	9	11	–	5	50	185	2	1	1	8
Ampthill.. ..	11	4·82	9	3·95	–	–	–	–	–	3	–	–	–	–
Bedford M.B. ..	137	3·36	3	0·07	5	3	–	2	10	88	1	–	–	3
Biggleswade ..	9	1·51	2	0·34	–	–	–	–	2	29	–	–	–	1
Dunstable M.B. ..	9	0·89	3	0·30	1	–	–	–	1	14	–	–	–	–
Kempston ..	69	12·53	–	–	–	–	–	1	–	4	–	–	–	–
Leighton Buzzard	28	4·04	3	0·43	2	–	–	1	2	9	–	–	–	–
Luton M.B. ..	73	1·01	105	1·45	1	8	–	1	32	38	1	1	1	4
Sandy	3	0·93	1	0·31	–	–	–	–	3	–	–	–	–	–
RURAL DISTRICTS ..	196	2·49	31	0·39	2	7	–	5	33	121	–	2	2	6
Ampthill.. ..	29	1·59	15	0·82	–	–	–	1	4	13	–	–	–	–
Bedford	73	3·30	4	0·18	1	4	–	1	6	30	–	2	1	5
Biggleswade ..	50	2·34	–	–	1	2	–	1	11	55	–	–	–	1
Eaton Bray* ..	–	–	–	–	–	–	–	1	1	5	–	–	–	–
Eaton Socon ..	4	1·25	–	–	–	1	–	–	9	12	–	–	–	–
Luton	40	3·15	12	0·95	–	–	–	1	2	6	–	–	1	–
BERKSHIRE:	580	1·83	181	0·57	9	19	–	6	74	190	6	2	5	22
COUNTY BOROUGH														
Reading	74	0·75	69	0·70	1	2	–	1	26	44	1	1	2	9
ADMINISTRATIVE COUNTY.	506	2·31	112	0·51	8	17	–	5	48	146	5	1	3	13
URBAN DISTRICTS ..	189	2·63	45	0·63	3	3	–	1	18	42	2		2	3
Abingdon M.B. ..	9	1·24	–	–	–	–	–	–	4	3	–	–	–	1
Maidenhead M.B.	40	2·26	25	1·41	–	–	–	–	3	27	–	–	1	1
Newbury M.B. ..	36	2·70	7	0·53	1	–	–	–	4	5	–	–	–	1
New Windsor M.B.	29	1·50	5	0·26	–	2	–	1	5	3	2	–	–	–
Wallingford M.B.	3	1·08	–	–	–	1	–	–	1	3	–	–	1	–
Wantage	7	1·82	–	–	2	–	–	–	–	–	–	–	–	–
Wokingham M.B.	65	8·65	8	1·06	–	–	–	–	1	1	–	–	–	–
RURAL DISTRICTS ..	317	2·15	67	0·46	5	14	–	4	30	104	3	1	1	10
Abingdon ..	20	1·50	5	0·37	–	3	–	–	4	10	–	–	–	–
Bradfield.. ..	31	2·06	3	0·20	–	2	–	–	–	21	1	–	1	–
Cookham.. ..	39	2·51	8	0·52	–	–	–	2	3	2	–	–	–	1
Easthampstead ..	57	2·97	14	0·73	–	1	–	–	3	21	1	–	–	1
Faringdon (part of)†	10	1·04	–	–	1	3	–	–	1	5	–	–	–	–
Hungerford ..	10	1·14	4	0·45	–	1	–	–	2	3	–	–	–	–
Newbury.. ..	18	1·46	1	0·08	–	–	–	–	3	15	–	–	–	1
Wallingford ..	7	0·70	6	0·60	1	2	–	–	8	10	–	–	–	4
Wantage.. ..	29	2·41	3	0·25	2	1	–	–	–	3	–	1	–	2
Windsor	61	6·31	5	0·52	1	–	–	1	4	6	–	–	–	–
Wokingham ..	35	1·63	18	0·84	–	1	–	1	2	8	1	–	–	1

* Abolished 1st April, 1933.

† The remainder of Faringdon Rural District is in Gloucestershire and the figures for the entire District are—

	10	0·95	–	–	1	3	–	–	1	5	–	–	–	–

TABLE 29—*continued.*

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Poliomyelitis.	Encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia								
					Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*
BUCKINGHAMSHIRE :														
ADMINISTRATIVE COUNTY.	433	1·55	187	0·67	9	11	–	9	65	209	1	1	1	2
URBAN DISTRICTS ..	165	1·25	61	0·46	5	7	–	4	32	125	1	–	–	1
Aylesbury M.B.	14	1·05	3	0·23	2	1	–	–	4	3	–	–	–	–
Beaconsfield ..	–	–	7	1·36	–	–	–	–	2	1	–	–	–	–
Bletchley ..	7	1·08	–	–	–	–	–	–	–	19	–	–	–	–
Buckingham M.B.	3	0·94	–	–	1	1	–	–	2	–	–	–	–	–
Chepping Wycombe M.B. ..	36	1·22	17	0·58	–	1	–	–	4	29	–	–	–	1
Chesham ..	4	0·45	24	2·68	–	1	–	–	1	9	1	–	–	–
Eton	2	0·57	1	0·28	–	–	–	–	1	–	–	–	–	–
Linsdale	3	1·23	1	0·41	–	–	–	–	–	1	–	–	–	–
Marlow	4	0·78	–	–	–	1	–	–	–	8	–	–	–	–
Newport Pagnell	4	1·02	2	0·51	–	–	–	–	–	1	–	–	–	–
Slough	62	1·68	6	0·16	2	–	–	4	17	29	–	–	–	–
Wolverton ..	26	1·99	–	–	–	2	–	–	1	25	–	–	–	–
RURAL DISTRICTS ..	268	1·81	126	0·85	4	4	–	5	33	84	–	1	1	1
Amersham ..	84	2·79	37	1·23	1	1	–	–	8	16	–	–	–	–
Aylesbury ..	50	2·35	17	0·80	–	–	–	–	2	15	–	–	1	–
Buckingham ..	5	0·66	–	–	–	–	–	–	1	4	–	–	–	–
Eton	48	1·60	10	0·33	2	1	–	1	12	13	–	–	–	1
Hambleden ..	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Long Crendon ..	–	–	1	0·28	–	–	–	1	–	–	–	1	–	–
Newport Pagnell	19	1·38	–	–	–	–	–	1	3	12	–	–	–	–
Wing	13	2·38	19	3·48	–	–	–	2	2	7	–	–	–	–
Winslow	11	1·77	4	0·64	1	1	–	–	–	–	–	–	–	–
Wycombe ..	38	1·33	38	1·33	–	1	–	–	5	17	–	–	–	–
CAMBRIDGESHIRE :														
ADMINISTRATIVE COUNTY.	342	2·38	49	0·34	7	23	–	12	22	88	–	1	2	7
URBAN DISTRICT : Cambridge M.B.	197	2·86	11	0·16	6	12	–	7	13	34	–	–	1	3
RURAL DISTRICTS :	145	1·94	38	0·51	1	11	–	5	9	54	–	1	1	4
Caxton and Arrington.	20	2·70	–	–	–	3	–	–	–	11	–	–	–	–
Chesterton ..	85	2·99	13	0·46	–	2	–	4	6	21	–	1	1	2
Linton	14	1·41	–	–	–	3	–	–	–	–	–	–	–	–
Melbourn ..	10	1·28	–	–	–	2	–	–	1	2	–	–	–	–
Newmarket ..	15	0·79	25	1·32	1	1	–	1	2	20	–	–	–	1
Swavesey ..	1	0·42	–	–	–	–	–	–	–	–	–	–	–	1
CHESHIRE :	2326	2·12	1222	1·11	49	102	–	23	404	1828	29	11	18	69
COUNTY BOROUGHS	980	2·36	749	1·80	28	54	–	10	184	694	14	3	8	27
Birkenhead ..	298	1·99	362	2·41	6	29	–	7	99	394	4	1	5	6
Chester	195	4·75	18	0·44	1	5	–	–	6	55	4	1	–	4
Stockport ..	268	2·11	271	2·13	18	17	–	–	49	166	6	1	2	10
Wallasey ..	219	2·25	98	1·01	3	3	–	3	30	79	–	–	1	7

TABLE 29—*continued.*

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Poliomyelitis.	Encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever. Cases.	Pyrexia Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*
CHESHIRE—*cont.*														
ADMINISTRATIVE COUNTY.	1,346	1·97	473	0·69	21	48	–	13	220	1,134	15	8	10	42
URBAN DISTRICTS..	1,097	2·22	347	0·70	14	31	–	8	173	869	12	4	8	22
Alderley Edge ..	4	1·33	2	0·67	–	–	–	–	1	2	–	–	–	–
Alsager	3	1·03	2	0·69	–	–	–	–	1	2	–	–	–	–
Altrincham ..	13	0·61	14	0·66	–	4	–	–	9	55	1	–	–	2
Bebington ..	70	2·16	21	0·65	–	3	–	1	7	68	1	–	–	2
Bollington ..	8	1·60	7	1·40	–	–	–	–	1	6	–	–	–	–
Bowdon ..	6	1·84	–	–	–	–	–	–	2	–	–	–	–	1
Bredbury and Romiley ..	11	0·96	14	1·23	–	–	–	–	11	32	1	–	–	–
Buglawton ..	3	1·83	–	–	–	–	–	–	–	3	–	–	–	–
Cheadle and Gatley	79	3·93	10	0·50	–	2	–	–	5	27	1	–	–	–
Compstall ..	3	3·56	–	–	1	–	–	–	–	4	–	–	–	–
Congleton M.B. ..	21	1·62	1	0·08	1	3	–	–	15	44	–	–	–	1
Crewe M.B. ..	164	3·62	56	1·24	3	4	–	–	17	23	1	–	–	2
Dukinfield M.B...	35	1·82	1	0·05	–	–	–	4	9	43	–	–	–	–
Ellesmere Port ..	35	1·51	36	1·55	–	3	–	–	9	69	–	2	–	–
Hale	13	1·19	–	–	–	–	–	–	3	21	–	1	–	–
Handforth ..	1	0·80	–	–	–	–	–	–	–	1	–	–	–	–
Hazel Grove and Bramhall ..	19	1·34	5	0·35	1	–	–	–	2	5	1	–	–	–
Hollingworth ..	4	1·80	–	–	–	–	–	–	–	10	–	–	–	1
Hoole	40	6·65	–	–	–	3	–	–	1	5	1	–	–	2
Hoylake and West Kirby	34	1·78	16	0·84	–	1	–	–	3	33	1	–	1	–
Hyde M.B. ..	149	4·70	6	0·19	–	–	–	–	17	69	–	–	1	1
Knutsford ..	8	1·40	2	0·35	–	1	–	–	1	4	1	–	–	–
Lymm	7	1·22	3	0·52	–	1	–	–	1	4	1	–	–	–
Macclesfield M.B.	44	1·27	42	1·21	1	–	–	1	6	75	–	–	2	3
Marple	17	2·30	5	0·68	–	–	–	–	–	6	–	–	–	–
Middlewich ..	1	0·18	5	0·91	2	–	–	–	2	16	–	–	–	–
Mottram in Longdendale ..	1	0·39	–	–	–	–	–	–	2	3	–	–	–	–
Nantwich ..	9	1·26	–	–	–	2	–	–	1	2	–	–	–	–
Neston	9	1·18	21	2·75	1	1	–	–	1	20	–	–	–	–
Northwich ..	20	1·10	2	0·11	–	1	–	–	7	22	–	–	–	–
Runcorn ..	10	0·55	7	0·39	–	1	–	–	4	15	–	–	–	2
Sale	82	2·74	6	0·20	2	–	–	–	12	31	–	–	1	1
Sandbach ..	20	3·12	2	0·31	–	–	–	–	–	12	1	–	–	–
Stalybridge M.B.	111	4·53	5	0·20	–	–	–	1	17	42	1	–	2	4
Tarporley ..	2	0·81	–	–	–	–	–	–	–	1	–	–	–	–
Wilmslow ..	12	1·17	2	0·20	2	–	–	–	1	10	–	1	–	–
Winsford.. ..	9	0·83	3	0·28	–	–	–	–	2	75	–	–	1	–
Wirral*	20	2·68	47	6·31	–	1	–	–	3	8	–	–	–	–
Yeardsley - cum-Whaley ..	–	–	4	2·26	–	–	–	1	–	1	–	–	–	–

* Created 1st April, 1933.

TABLE 29—*continued.*

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Poliomyelitis.	Encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever. Cases.	Pyrexia Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*
CHESHIRE—*cont.*														
RURAL DISTRICTS	249	1·32	126	0·67	7	17	–	5	47	265	3	4	2	20
Bucklow	22	0·99	17	0·76	1	1	–	–	8	46	–	1	–	2
Chester	37	2·18	6	0·35	–	2	–	1	1	8	–	1	–	2
Congleton ..	14	1·03	15	1·11	–	3	–	–	6	16	–	1	–	7
Disley	1	0·30	2	0·61	–	–	–	–	–	2	–	–	–	–
Macclesfield ..	21	1·08	13	0·67	–	2	–	1	3	21	1	–	–	3
Malpas	1	0·23	1	0·23	1	–	–	–	1	8	–	–	–	–
Nantwich ..	46	1·74	12	0·45	2	2	–	–	5	8	1	–	–	2
Northwich ..	34	1·24	17	0·62	–	3	–	–	8	47	–	1	–	–
Runcorn	60	1·85	3	0·09	3	3	–	1	11	54	1	–	2	2
Tarvin	5	0·38	1	0·08	–	1	–	2	2	19	–	–	–	1
Tintwistle ..	–	–	1	0·50	–	–	–	–	1	5	–	–	–	1
Wirral*	8	1·03	38	4·89	–	–	–	–	1	31	–	–	–	–
CORNWALL :														
ADMINISTRATIVE COUNTY. ..	384	1·22	120	0·38	9	25	–	21	46	209	2	4	5	19
URBAN DISTRICTS ..	223	1·56	88	0·61	7	10	–	14	23	97	1	2	4	8
Bodmin M.B. ..	12	2·14	–	–	–	1	–	2	2	–	–	–	–	–
Callington ..	10	5·49	3	1·65	1	–	–	–	1	9	–	–	–	–
Camborne ..	40	2·86	15	1·07	1	1	–	–	2	2	–	–	–	1
Falmouth M.B. ..	7	0·53	9	0·68	–	–	–	1	1	9	–	2	1	–
Fowey M.B. ..	9	4·11	–	–	–	1	–	–	–	1	–	–	–	–
Hayle	–	–	–	–	–	–	–	–	–	1	–	–	–	1
Helston M.B. ..	6	2·38	–	–	–	–	–	–	–	–	–	–	–	–
Launceston M.B.	2	0·48	–	–	1	–	–	–	1	13	–	–	–	–
Liskeard M.B. ..	2	0·48	–	–	–	1	–	–	–	1	–	–	–	–
Looe	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Lostwithiel M.B.	8	5·93	5	3·71	–	–	–	–	–	–	–	–	–	–
Ludgvan	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Madron	4	1·26	–	–	1	–	–	–	–	–	–	–	–	–
Newquay ..	1	0·18	1	0·18	–	–	–	–	–	–	–	–	1	–
Padstow	3	1·78	–	–	–	–	–	–	–	–	–	–	–	–
Paul	3	0·55	–	–	1	–	–	1	–	–	–	–	–	–
Penryn M.B. ..	–	–	–	–	–	–	–	–	1	3	–	–	–	–
Penzance M.B. ..	16	1·42	3	0·27	–	1	–	8	3	–	1	–	1	–
Phillack	–	–	–	–	–	–	–	–	1	8	–	–	–	2
Redruth	13	1·34	12	1·23	–	1	–	–	3	14	–	–	–	3
St. Austell ..	1	0·12	5	0·60	–	1	–	–	–	4	–	–	1	–
St. Ives M.B. ..	19	2·90	–	–	–	1	–	1	2	8	–	–	–	–
St. Just	12	2·78	–	–	–	–	–	–	–	3	–	–	–	–
Saltash M.B. ..	20	5·44	2	0·54	–	–	–	–	–	7	–	–	–	–
Stratton and Bude	–	–	–	–	–	1	–	–	1	–	–	–	–	–
Torpoint	2	0·51	1	0·26	–	–	–	–	1	8	–	–	–	–
Truro M.B. ..	28	2·45	31	2·71	1	1	–	1	4	1	–	–	–	1
Wadebridge ..	5	2·04	1	0·41	–	–	–	–	–	4	–	–	–	–
RURAL DISTRICTS ..	161	0·94	32	0·19	2	15	–	7	23	112	1	2	1	11
Bodmin	6	0·58	–	–	–	3	–	–	–	4	–	–	–	–
Calstock	3	0·69	3	0·69	–	1	–	–	–	3	–	–	–	1
Camelford ..	–	–	2	0·27	–	3	–	–	1	4	1	–	–	1

* Abolished 1st April, 1933.

TABLE 29—*continued.*

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Poliomyelitis.	Encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever. Cases.	Pyrexia. Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*
CORNWALL—*cont.*														
RURAL DISTRICTS—*cont.*														
East Kerrier ..	4	0·43	1	0·11	–	–	–	–	3	7	–	–	–	2
Helston	3	0·19	3	0·19	–	–	–	2	2	3	–	–	–	–
Holsworthy (part of)*	–	–	1	3·30	–	–	–	–	–	–	–	–	–	–
Launceston ..	3	0·44	2	0·29	–	2	–	–	1	11	–	–	–	–
Liskeard	30	2·12	–	–	–	1	–	–	1	8	–	2	–	–
Redruth	25	1·56	17	1·06	–	2	–	–	3	17	–	–	–	1
St. Austell ..	12	0·45	–	–	–	–	–	1	5	13	–	–	–	1
St. Columb Major	7	0·57	–	–	–	1	–	1	1	4	–	–	–	1
St. Germans ..	23	2·01	–	–	–	–	–	1	–	24	–	–	1	–
Scilly, Isles of ..	–	–	–	–	–	–	–	–	–	3	–	–	–	–
Stratton	16	3·21	–	–	–	–	–	–	–	–	–	–	–	–
Truro	26	1·34	1	0·05	2	2	–	–	5	6	–	–	–	4
West Penwith ..	3	0·29	2	0·20	–	–	–	2	1	5	–		–	–
CUMBERLAND :	492	1·87	101	0·38	9	39	–	8	163	302	11	2	2	30
COUNTY BOROUGH.														
Carlisle	214	3·65	36	0·61	3	14	–	1	66	75	2	–	1	11
ADMINISTRATIVE COUNTY.	278	1·36	65	0·32	6	25	–	7	97	227	9	2	1	19
URBAN DISTRICTS..	127	1·11	34	0·30	4	12	–	5	58	136	3	2	1	17
Arlecdon and Frizington	1	0·23	3	0·70	–	–	–	–	2	–	–	–	–	–
Aspatria	7	2·22	–	–	–	–	–	–	3	5	–	–	–	–
Cleator Moor ..	–	–	1	0·15	–	–	–	–	2	11	–	–	–	–
Cockermouth ..	15	3·09	–	–	–	–	–	1	2	1	–	–	–	–
Egremont ..	10	1·72	3	0·52	–	–	–	–	7	15	–	–	–	–
Harrington ..	2	0·48	3	0·72	–	3	–	–	–	4	–	–	–	1
Holme Cultram ..	3	0·66	1	0·22	–	–	–	–	4	1	–	–	–	–
Keswick	1	0·22	7	1·57	–	–	–	–	3	8	–	–	–	–
Maryport ..	11	1·09	–	–	–	–	–	1	6	–	–	–	–	–
Millom	–	–	–	–	–	1	–	–	3	24	–	–	1	1
Penrith	12	1·30	–	–	–	–	–	–	4	18	–	–	–	3
Whitehaven M.B.	27	1·27	8	0·38	–	4	–	–	7	31	3	1	–	7
Wigton	18	4·98	2	0·55	1	1	–	–	2	2	–	–	–	1
Workington M.B.	20	0·81	6	0·24	3	3	–	3	13	16	–	1	–	4
RURAL DISTRICTS ..	151	1·68	31	0·34	2	13	–	2	39	91	6	–	–	2
Alston with Garrigill	1	0·39	1	0·39	–	–	–	–	–	–	–	–	–	–
Bootle	3	0·59	3	0·59	–	–	–	–	10	3	–	–	–	–
Brampton ..	14	1·77	2	0·25	–	1	–	–	1	3	–	–	–	–
Carlisle	26	2·11	8	0·65	2	1	–	–	4	27	–	–	–	–
Cockermouth ..	43	2·02	3	0·14	–	2	–	2	6	9	3	–	–	–
Longtown ..	14	2·40	3	0·51	–	–	–	–	1	7	–	–	–	–
Penrith	20	1·68	–	–	–	3	–	–	3	9	2	–	–	–
Whitehaven ..	12	0·93	11	0·85	–	2	–	–	4	19	1	–	–	1
Wigton	18	1·76	–	–	–	4	–	–	10	14	–	–	–	1

*The remainder of Holsworthy Rural District is in Devonshire.

TABLE 29—*continued.*

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary) or influenzal).	Cerebro-spinal fever.	Poliomyelitis.	Encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever. Cases.	Pyrexia. Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*
DERBYSHIRE :	1,267	1·66	639	0·84	29	98	–	42	262	1,342	61	12	7	80
COUNTY BOROUGH														
Derby	212	1·49	198	1·39	4	23	–	1	64	297	3	1	1	29
ADMINISTRATIVE COUNTY	1,055	1·70	441	0·71	25	75	–	41	198	1,045	58	11	6	51
URBAN DISTRICTS ..	556	1·75	178	0·56	14	44	–	14	95	487	36	4	2	18
Alfreton	31	1·45	19	0·89	–	3	–	–	4	32	2	–	–	2
Alvaston and Boulton	4	0·91	2	0·46	–	–	–	–	–	3	–	–	–	–
Ashbourne ..	9	1·99	1	0·22	–	2	–	2	4	8	–	–	–	1
Bakewell ..	3	0·97	2	0·65	–	–	–	–	2	11	–	–	–	1
Baslow and Bubnell	2	2·29	–	–	–	–	–	–	–	–	–	–	–	–
Belper	12	0·91	3	0·23	1	3	–	–	7	2	–	–	–	–
Bolsover	24	2·02	4	0·34	–	3	–	4	5	32	5	–	1	1
Bonsall	–	–	2	1·74	–	–	–	–	–	–	–	–	–	–
Brampton and Walton ..	9	3·74	2	0·83	–	1	–	–	1	5	–	–	–	–
Buxton M.B. ..	11	0·73	9	0·60	2	2	–	1	3	13	–	–	–	–
Chesterfield M.B.	163	2·52	23	0·36	6	12	–	4	22	106	12	–	1	3
Clay Cross ..	16	1·91	52	6·20	2	–	–	–	3	16	8	1	–	–
Dronfield ..	2	0·45	1	0·23	1	2	–	–	3	2	–	–	–	–
Glossop M.B. ..	86	4·53	2	0·11	–	2	–	–	4	30	–	2	–	1
Heage	3	0·76	2	0·51	–	–	–	–	1	3	–	–	–	1
Heanor	16	0·71	13	0·58	2	1	–	–	8	45	5	–	–	1
Ilkeston M.B. ..	12	0·37	10	0·31	–	4	–	1	4	10	–	1	–	–
Long Eaton ..	57	2·50	2	0·09	–	1	–	–	4	20	–	–	–	–
New Mills ..	5	0·60	10	1·19	–	–	–	–	4	13	1	–	–	2
North Darley ..	15	3·48	1	0·23	–	–	–	–	2	19	–	–	–	–
Ripley	27	2·01	10	0·74	–	–	–	1	10	40	2	–	–	2
South Darley ..	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Swadlincote District	39	1·93	4	0·20	–	6	–	–	4	62	1	–	–	–
The Matlocks ..	9	0·89	3	0·30	–	1	–	1	–	3	–	–	–	–
Wirksworth ..	1	0·26	1	0·26	–	1	–	–	–	11	–	–	–	3
RURAL DISTRICTS :	499	1·64	263	0·86	11	31	–	27	103	558	22	7	4	33
Ashbourne ..	10	0·98	1	0·10	–	–	–	–	2	15	–	–	–	–
Bakewell ..	11	0·60	27	1·48	–	3	–	–	9	24	1	1	–	2
Belper	28	1·08	10	0·38	–	4	–	2	7	33	1	–	–	1
Blackwell ..	116	2·72	28	0·66	4	2	–	15	15	51	3	2	–	3
Chapel-en-le-Frith	24	1·35	9	0·51	2	2	–	2	3	5	–	3	–	1
Chesterfield ..	118	1·43	144	1·75	3	10	–	3	33	286	12	1	2	15
Clowne	50	2·81	8	0·45	–	3	–	–	8	14	2	–	–	1
Glossop Dale ..	18	4·62	3	0·77	–	1	–	4	1	3	–	–	–	1
Hartshorn and Seals	11	1·27	–	–	–	1	–	–	3	25	1	–	–	–
Hayfield	11	2·57	–	–	1	–	–	1	4	10	1	–	–	1
Norton	27	3·01	1	0·11	–	–	–	–	3	16	–	–	–	1
Repton	25	1·34	7	0·37	–	3	–	–	5	11	–	–	1	1
Shardlow ..	47	1·14	20	0·49	1	2	–	–	9	64	1	–	1	6
Sudbury	2	0·79	–	–	–	–	–	–	–	–	–	–	–	–

TABLE 29—*continued.*

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Poliomyelitis.	Encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever. Cases.	Pyrexia Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*
DERBYSHIRE—*cont.*														
RURAL DISTRICTS—*cont.*														
Civil Parishes of Codnor Park & Shipley. Administered by R.D. Council of Basford (Notts).	1	0·54	5	2·70	–	–	–	–	1	1	–	–	–	–
DEVONSHIRE :	1,802	2·47	549	0·75	53	90	–	30	168	686	9	14	11	65
COUNTY BOROUGHS	1,154	4·22	362	1·32	35	40	–	10	74	269	6	5	3	42
Exeter	52	0·77	21	0·31	9	15	–	7	9	59	3	–	1	7
Plymouth ..	1,102	5·34	341	1·65	26	25	–	3	65	210	3	5	2	35
ADMINISTRATIVE COUNTY	648	1·42	187	0·41	18	50	–	20	94	417	3	9	8	23
URBAN DISTRICTS..	353	1·54	63	0·28	13	29	–	10	54	249	1	5	3	15
Ashburton ..	3	1·19	3	1·19	2	1	–	–	1	2	–	–	–	–
Axminster ..	–	–	–	–	–	–	–	–	1	4	–	–	–	–
Bampton ..	1	0·70	–	–	–	1	–	–	–	1	–	–	–	–
Barnstaple M.B...	7	0·48	7	0·48	3	4	–	2	8	53	–	1	–	1
Bideford M.B. ..	3	0·33	1	0·11	–	2	–	–	3	21	–	–	–	2
Brixham ..	14	1·69	–	–	3	–	–	–	3	15	–	–	1	–
Buckfastleigh ..	–	–	2	0·80	–	–	–	–	2	–	–	–	–	–
Budleigh Salterton	–	–	–	–	–	–	–	–	–	3	–	–	–	–
Crediton	–	–	–	–	–	1	–	–	–	–	–	–	–	2
Dartmouth M.B.	54	8·53	1	0·16	–	–	–	1	–	7	–	–	–	–
Dawlish	1	0·23	2	0·46	–	–	–	–	–	–	–	–	–	–
Exmouth ..	10	0·67	6	0·40	1	–	–	–	10	16	–	1	1	–
Great Torrington M.B.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Holsworthy ..	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Honiton M.B. ..	–	–	–	–	–	–	–	–	1	8	–	–	–	–
Ilfracombe ..	2	0·23	1	0·12	–	1	–	1	1	8	–	–	–	–
Ivybridge ..	22	13·74	1	0·62	–	–	–	–	1	1	–	–	–	–
Kingsbridge ..	8	2·58	–	–	–	–	–	–	2	–	–	–	–	–
Lynton	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Newton Abbot ..	6	0·40	–	–	1	4	–	1	2	3	1	–	–	3
Northam ..	–	–	–	–	–	1	–	–	–	11	–	–	–	–
Okehampton M.B.	–	–	–	–	–	1	–	–	1	4	–	–	–	–
Ottery St. Mary..	1	0·27	–	–	–	3	–	–	2	–	–	–	–	–
Paignton ..	23	1·19	2	0·10	–	2	–	2	2	29	–	1	–	1
Salcombe ..	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Seaton	–	–	1	0·42	1	–	–	–	–	4	–	–	–	–
Sidmouth ..	–	–	–	–	–	–	–	–	1	3	–	2	–	–
South Molton M.B.	–	–	–	–	–	–	–	–	–	2	–	–	–	–

TABLE 29—*continued.*

Area.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary) or influenzal).	Cerebro-spinal fever.	Poliomyelitis.	Encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever. Cases.	Pyrexia. Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*
DEVONSHIRE—*cont.*														
URBAN DISTRICTS—*cont.*														
Tavistock ..	59	12·55	2	0·43	–	–	–	–	–	5	–	–	–	–
Teignmouth ..	8	0·81	1	0·10	–	1	–	–	7	16	–	–	1	–
Tiverton M.B. ..	3	0·31	5	0·51	–	3	–	–	2	9	–	–	–	–
Torquay M.B. ..	125	2·84	28	0·64	2	4	–	3	4	23	–	–	–	5
Totnes M.B. ..	3	0·68	–	–	–	–	–	–	–	–	–	–	–	–
RURAL DISTRICTS ..	295	1·30	124	0·55	5	21	–	10	40	168	2	4	5	8
Axminster ..	19	1·86	–	–	–	–	–	1	1	9	–	–	2	1
Barnstaple ..	9	0·48	10	0·54	–	2	–	–	4	44	–	–	–	3
Bideford	–	–	1	0·19	–	–	–	1	–	6	–	–	–	–
Broadwood Widger	4	1·97	–	–	–	1	–	–	–	5	–	–	–	–
Crediton	18	1·82	1	0·10	–	1	–	1	2	18	–	–	–	1
Culmstock ..	10	3·16	1	0·32	–	–	–	–	–	8	–	1	–	–
Holsworthy (part of)*	1	0·16	–	–	–	1	–	–	1	3	–	–	–	–
Honiton	1	0·10	–	–	–	–	–	1	–	8	–	–	–	–
Kingsbridge ..	22	2·01	4	0·37	–	1	–	–	1	3	–	–	–	–
Newton Abbot ..	52	2·37	–	–	–	1	–	1	9	12	–	–	1	1
Okehampton ..	9	0·71	2	0·16	–	2	–	1	1	2	–	–	–	–
Plympton St.Mary	91	3·27	80	2·87	1	3	–	2	5	21	1	3	1	1
St. Thomas ..	6	0·21	5	0·18	1	4	–	–	9	15	–	–	–	–
South Molton ..	1	0·11	5	0·53	–	–	–	–	2	1	–	–	–	–
Tavistock ..	29	1·95	2	0·13	–	–	–	–	1	2	1	–	–	–
Tiverton	10	0·68	12	0·81	–	3	–	–	2	6	–	–	–	–
Torrington ..	7	0·90	–	–	1	2	–	1	–	–	–	–	1	–
Totnes	6	0·48	1	0·08	2	–	–	1	2	5	–	–	–	1
DORSETSHIRE :														
ADMINISTRATIVE COUNTY.	212	0·88	154	0·64	9	22	–	9	53	182	5	6	5	11
URBAN DISTRICTS ..	152	1·04	135	0·93	5	15	–	2	29	116	3	1	4	9
Blandford Forum M.B.	13	3·70	–	–	2	2	–	–	2	6	–	–	–	1
Bridport M.B. ..	3	0·51	31	5·25	–	–	–	–	2	9	–	–	–	–
Dorchester M.B.	13	1·28	2	0·20	1	–	–	–	5	13	–	–	–	4
Lyme Regis M.B.	–	–	1	0·39	–	1	–	–	–	2	–	–	–	–
Poole M.B. ..	52	0·83	12	0·19	2	6	–	1	7	42	–	1	4	2
Portland ..	11	0·99	17	1·53	–	2	–	–	3	2	2	–	–	–
Shaftesbury M.B.	2	0·68	1	0·34	–	–	–	–	–	–	–	–	–	1
Sherborne ..	34	5·21	–	–	–	1	–	–	4	3	–	–	–	–
Swanage ..	2	0·33	–	–	–	1	–	–	1	6	–	–	–	–
Wareham M.B. ..	1	0·41	–	–	–	1	–	–	–	–	–	–	–	–
Weymouth and Melcombe Regis M.B.	19	0·68	69	2·47	–	1	–	1	5	33	1	–	–	1
Wimborne Minster	2	0·49	2	0·49	–	–	–	–	–	–	–	–	–	–
RURAL DISTRICTS ..	60	0·62	19	0·20	4	7	–	7	24	66	2	5	1	2
Beaminster ..	5	0·64	1	0·13	1	–	–	–	5	17	–	–	–	–
Blandford ..	4	0·54	3	0·41	1	–	–	–	4	2	–	–	–	–
	1	0·15	1	0·15	–	1	–	–	1	3	–	–	–	–

* The remainder of Holsworthy Rural District is in Cornwall. The figures for the entire District are :—

TABLE 29—*continued.*

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Poliomyelitis.	Encephalitis lethargica.	Ophthalmia neonatorum.
	Case.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia								
					Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*
DORSETSHIRE—*cont.*														
RURAL DISTRICTS—*cont.*														
Bridport	2	0·29	5	0·73	–	–	–	–	2	–	–	–	–	–
Cerne *	–	–	–	–	–	–	–	–	1	–	–	–	–	1
Dorchester ..	17	1·19	3	0·21	2	2	–	4	3	2	–	–	–	–
Poole *	1	0·69	–	–	–	–	–	–	–	1	–	–	–	–
Shaftesbury ..	8	0·93	2	0·23	–	2	–	–	3	6	–	–	–	–
Sherborne ..	9	1·73	–	–	–	–	–	1	2	3	–	–	–	–
Sturminster ..	2	0·24	–	–	–	1	–	–	–	4	–	2	–	1
Wareham and Purbeck ..	3	0·19	2	0·13	–	1	–	1	3	10	1	2	–	–
Weymouth * ..	2	0·70	3	1·05	–	–	–	–	–	3	1	–	1	–
Wimborne and Cranborne ..	7	0·41	–	–	–	1	–	1	1	18	–	1	–	–
DURHAM	8,351	5·61	1,351	0·91	50	209	–	89	929	3,277	135	7	16	154
COUNTY BOROUGHS.	2,923	5·13	251	0·44	29	80	–	42	391	1,720	62	4	10	42
Darlington ..	217	2·96	36	0·49	10	13	–	5	42	105	3	–	1	2
Gateshead ..	880	7·12	44	0·36	3	13	–	1	95	207	6	–	–	2
South Shields	119	1·04	25	0·22	2	11	–	–	58	449	6	–	3	10
Sunderland ..	1,518	8·10	73	0·39	11	34	–	7	168	822	38	2	5	21
West Hartlepool	189	2·67	73	1·03	3	9	–	29	28	137	9	2	1	7
ADMINISTRATIVE COUNTY.	5,428	5·91	1,100	1 20	21	129	–	47	538	1,557	73	3	6	112
URBAN DISTRICTS..	3,373	6·52	747	1·44	12	61	–	24	314	1,008	29	2	3	71
Annfield Plain ..	191	11·88	124	7·71	2	1	–	1	6	35	4	–	–	1
Barnard Castle ..	6	1·49	–	–	–	–	–	–	–	2	–	–	–	–
Benfieldside ..	171	18·77	52	5·71	1	–	–	3	10	13	–	–	–	–
Billingham ..	98	5·29	24	1·30	–	1	–	–	6	42	1	–	–	1
Bishop Auckland	13	1·09	2	0·17	–	2	–	–	3	–	–	–	–	–
Blaydon	86	2·67	13	0·40	–	4	–	2	27	73	4	–	–	11
Brandon and Byshottles ..	63	3·78	6	0·36	1	–	–	1	6	6	–	–	–	1
Chester-le-Street	244	14·68	65	3·91	–	2	–	1	10	30	–	–	–	–
Consett	231	18·78	35	2·85	–	2	–	1	6	11	1	–	–	1
Crook	4	0·36	7	0·62	–	1	–	–	3	5	1	–	–	1
Durham M.B. ..	92	5·53	3	0·18	1	1	–	–	2	3	2	–	–	2
Felling	184	6·86	1	0·04	1	1	–	1	19	29	1	–	–	3
Hartlepool M.B.	15	0·76	8	0·40	–	–	–	1	2	1	–	–	–	3
Hebburn.. ..	131	5·51	7	0·29	2	2	–	–	25	115	–	–	1	1
Hetton	90	4·98	5	0·28	–	3	–	1	10	52	–	–	–	7
Houghton-le-Spring	47	4·27	64	5·81	–	2	–	–	7	27	–	–	–	3
Jarrow M.B. ..	68	2·15	4	0·13	–	6	–	–	44	204	5	1	1	3
Leadgate.. ..	150	23·84	42	6·67	–	1	–	4	5	18	1	–	–	–
Ryton	177	12·48	–	–	–	1	–	1	9	21	1	–	–	3
Seaham Harbour	34	1·69	6	0·30	–	2	–	1	7	27	1	–	–	2
Shildon	21	1·69	8	0·65	1	3	–	–	4	6	–	–	–	–
Spennymoor ..	25	1·56	1	0·06	1	3	–	–	15	22	–	–	–	8
Stanhope ..	–	–	1	0·60	–	–	–	–	–	2	–	–	–	–
Stanley	371	15·29	156	6·43	–	2	–	–	16	38	1	–	–	8
Stockton-on-Tees M.B.	500	7·46	24	0·36	1	13	–	2	37	117	–	1	1	8

* Abolished 1st April, 1933.

TABLE 29—*continued.*

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Poliomyelitis.	Encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever. Cases.	Pyrexia Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*
DURHAM—*cont.*														
URBAN DISTRICTS—*cont.*														
Tanfield	111	12·01	46	4·98	–	3	–	–	11	18	3	–	–	2
Tow Law ..	7	1·99	–	–	–	–	–	–	2	7	–	–	–	–
Washington ..	105	6·07	34	1·97	1	2	–	3	9	14	2	–	–	–
Whickham ..	112	5·59	3	0·15	–	2	–	–	8	34	1	–	–	1
Willington ..	26	2·95	6	0·68	–	1	–	1	5	36	–	–	–	1
RURAL DISTRICTS ..	2,055	5·12	353	0·88	9	68	–	23	224	549	44	1	3	41
Auckland ..	90	1·73	38	0·73	3	4	–	2	17	16	1	–	–	14
Barnard Castle ..	31	3·03	2	0·20	2	–	–	–	4	2	1	–	1	–
Chester-le-Street	372	7·27	61	1·19	1	7	–	8	34	67	10	–	–	4
Darlington ..	18	2·03	3	0·34	–	2	–	2	7	8	3	–	1	–
Durham	166	5·31	6	0·19	–	6	–	3	13	16	1	–	–	–
Easington ..	247	2·75	111	1·24	1	17	–	1	53	173	20	–	–	10
Hartlepool ..	1	0·38	1	0·38	–	–	–	–	–	–	–	–	–	–
Houghton-le-Spring	163	5·93	19	0·69	–	6	–	–	11	43	2	–	–	6
Lanchester ..	436	13·12	98	2·95	2	3	–	1	13	57	3	–	–	1
Sedgefield ..	73	1·99	6	0·16	–	5	–	1	20	20	2	–	–	1
South Shields ..	91	4·33	3	0·14	–	7	–	–	26	46	–	–	–	–
Stockton	13	1·94	–	–	–	1	–	–	3	9	1	–	–	1
Sunderland ..	337	15·38	5	0·23	–	9	–	5	18	82	–	–	1	4
Weardale ..	17	2·04	–	–	–	1	–	–	5	10	–	1	–	–
ELY, ISLE OF :														
ADMINISTRATIVE COUNTY.	130	1·65	127	1·61	1	4	1	6	30	111	–	1	1	5
URBAN DISTRICTS ..	85	1·85	113	2·46	1	3	1	4	18	72	–	1	1	3
Chatteris	11	2·12	2	0·39	–	–	–	2	–	3	–	–	–	–
Ely	32	3·71	–	–	–	1	–	1	1	22	–	–	–	–
March	28	2·35	106	8·89	–	1	1	–	7	–	–	1	–	1
Whittlesey ..	3	0·36	2	0·24	–	1	–	–	1	16	–	–	–	1
Wisbech M.B. ..	11	0·93	3	0·25	1	–	–	1	9	31	–	–	1	1
RURAL DISTRICTS ..	45	1·36	14	0·42	–	1	–	2	12	39	–	–	–	2
Ely	29	2·18	4	0·30	–	–	–	2	7	14	–	–	–	–
North Witchford	10	1·92	7	1·34	–	1	–	–	1	13	–	–	–	1
Thorney	2	0·86	–	–	–	–	–	–	–	1	–	–	–	–
Wisbech	4	0·33	3	0·25	–	–	–	–	4	11	–	–	–	1
ESSEX:	7,355	4·03	2,114	1·16	78	202	34	114	747	2,143	51	29	14	113
COUNTY BOROUGHS	2,519	4·60	773	1·41	27	52	21	10	305	830	16	3	3	38
East Ham ..	701	5·03	180	1·29	7	10	1	5	69	148	1	1	1	5
Southend-on-Sea	462	3·70	78	0·62	5	16	–	5	38	161	2	1	–	15
West Ham ..	1,356	4·79	515	1·82	15	26	20	–	198	521	13	1	2	18
ADMINISTRATIVE COUNTY.	4,836	3·79	1,341	1·05	51	150	13	104	442	1,313	35	26	11	75
URBAN DISTRICTS ..	4,092	4·15	1,155	1·17	35	117	13	84	383	1,097	27	16	8	62
Barking M.B. ..	296	4·30	132	1·92	3	18	2	3	36	93	–	3	1	14
Benfleet	20	1·54	71	5·48	–	1	–	–	5	7	–	–	–	–
Braintree ..	2	0·22	3	0·33	–	–	3	–	1	12	–	–	–	–

TABLE 29—*continued.*

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Poliomyelitis.	Encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever. Cases.	Pyrexia. Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*
ESSEX—*cont.*														
URBAN DISTRICTS—*cont.*														
Brentwood ..	41	5·61	10	1·37	–	1	–	–	1	10	–	–	–	–
Brightlingsea ..	4	0·96	1	0·24	–	–	–	–	2	4	–	–	–	–
Burnham on Crouch ..	3	0·89	–	–	–	–	–	2	–	–	–	–	–	–
Canvey Island ..	22	4·82	1	0·22	–	–	–	–	3	22	–	–	–	–
Chelmsford M.B.	72	2·67	5	0·19	1	11	–	–	3	15	–	–	–	–
Chigwell* ..	13	0·89	4	0·27	–	–	–	–	5	6	–	–	–	–
Chingford ..	107	4·02	14	0·53	2	8	–	–	7	6	–	–	1	–
Clacton	47	2·87	4	0·24	–	–	–	–	4	8	–	–	–	–
Colchester M.B.	128	2·56	14	0·28	–	2	–	7	15	126	6	2	–	2
Dagenham ..	574	6·01	108	1·13	3	10	6	2	36	139	2	1	–	11
Epping	32	6·24	1	0·20	–	1	–	19	4	13	–	–	–	–
Frinton on Sea ..	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Grays Thurrock	68	3·62	17	0·91	–	4	–	–	4	13	2	–	–	–
Halstead ..	47	8·10	1	0·17	–	3	–	12	2	2	–	–	–	–
Harwich M.B ..	72	5·65	9	0·71	–	1	–	1	2	11	–	–	–	–
Hornchurch ..	209	5·41	35	0·91	5	2	–	2	7	18	1	–	–	–
Ilford M.B. ..	406	2·86	149	1·05	6	11	–	19	51	151	1	4	3	14
Leyton M.B. ..	743	5·91	96	0·76	3	8	2	4	71	106	2	2	1	7
Maldon M.B. ..	23	3·46	2	0·30	1	–	–	–	5	3	–	1	–	–
Purfleet	31	3·52	4	0·45	–	3	–	–	1	7	–	–	–	1
Rayleigh ..	12	1·76	3	0·44	–	–	–	–	1	–	–	–	–	–
Romford ..	171	4·02	35	0·82	2	2	–	1	13	19	1	–	1	1
Saffron Walden M.B.	9	1·44	–	–	–	1	–	–	3	–	–	–	–	–
Shoeburyness† ..	29	5·47	4	0·75	–	–	–	–	–	1	1	–	–	3
Tilbury	81	4·85	40	2·40	1	1	–	2	1	52	3	–	1	1
Waltham Holy Cross	21	3·00	–	–	–	2	–	–	9	29	–	–	–	–
Walthamstow M.B.	680	5·01	333	2·46	8	22	–	5	73	172	7	3	–	7
Walton on the Naze	4	1·36	–	–	–	–	–	–	1	1	–	–	–	–
Wanstead ..	45	2·28	16	0·81	–	1	–	3	7	18	–	–	–	1
West Mersea ..	5	2·27	–	–	–	1	–	–	–	–	–	–	–	–
Witham	8	1·56	–	–	–	–	–	–	3	11	–	–	–	–
Wivenhoe ..	–	–	–	–	–	1	–	–	1	–	–	–	–	–
Woodford ..	67	2·50	43	1·60	–	2	–	2	6	22	–	–	–	–
RURAL DISTRICTS ..	744	2·55	186	0·64	16	33	–	20	59	216	8	10	3	13
Belchamp ..	1	0·25	1	0·25	–	–	–	1	1	–	–	–	–	–
Billericay ..	149	3·38	78	1·77	3	6	–	2	7	38	2	1	1	2
Braintree ..	34	1·60	2	0·09	1	1	–	3	4	21	–	2	1	–
Bumpstead ..	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Chelmsford ..	54	1·85	11	0·38	3	4	–	–	3	15	–	–	–	1
Dunmow	45	2·79	1	0·06	–	3	–	–	5	13	1	2	–	2
Epping	29	1·70	1	0·06	–	–	–	4	3	6	–	–	–	2
Halstead	24	2·49	–	–	–	2	–	7	1	3	–	–	–	–
Lexden and Winstree	31	1·60	2	0·10	1	–	–	–	3	10	–	1	1	–
Maldon	26	1·57	6	0·36	–	3	–	2	10	18	1	–	–	1
Ongar	20	1·64	4	0·33	–	1	–	–	1	10	–	–	–	–
Orsett	68	3·03	27	1·20	1	6	–	1	6	31	1	1	–	–
Rochford	106	6·15	29	1·68	3	2	–	–	6	29	–	2	–	3
Romford	93	5·28	11	0·62	1	1	–	–	3	1	1	–	–	2
Saffron Walden ..	3	0·31	2	0·21	1	1	–	–	–	1	–	–	–	–
Stansted	9	1·26	3	0·42	–	–	–	–	1	3	–	–	–	–
Tendring	52	2·03	8	0·31	2	3	–	–	4	17	2	1	–	–

* Created 1st October, 1933.
† Abolished 1st October, 1933.

TABLE 29—*continued.*

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Poliomyelitis.	Encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia.								
	Cases.		Cases.		Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*
GLOUCESTERSHIRE :	1533	1·92	818	1·02	13	104	–	21	288	946	19	3	14	51
COUNTY BOROUGHS	886	1·92	660	1·43	8	61	–	11	185	634	11	3	9	38
Bristol	771	1·88	641	1·57	5	45	–	11	167	514	10	3	9	35
Gloucester ..	115	2·17	19	0·36	3	16	–	–	18	120	1	–	–	3
ADMINISTRATIVE COUNTY.	647	1·92	158	0·47	5	43	–	10	103	312	8	–	5	13
URBAN DISTRICTS..	269	2·37	52	0·46	–	17	–	6	31	106	4	–	3	3
Awre	–	–	1	0·99	–	–	–	–	–	2	–	–	–	–
Charlton Kings ..	6	1·29	2	0·43	–	1	–	–	–	11	–	–	–	–
Cheltenham M.B.	189	3·73	27	0·53	–	12	–	5	19	44	1	–	2	–
Cirencester ..	15	2·11	1	0·14	–	1	–	–	2	26	1	–	–	–
Coleford	9	3·15	2	0·70	–	1	–	–	1	8	–	–	–	–
Kingswood ..	16	1·21	6	0·46	–	–	–	–	2	–	1	–	1	–
Mangotsfield ..	17	1·45	1	0·09	–	–	–	–	5	4	–	–	–	–
Nailsworth ..	1	0·31	–	–	–	–	–	–	–	–	–	–	–	–
Newnham ..	–	–	–	–	–	–	–	–	–	2	–	–	–	–
Stow - on - the-Wold	4	3·07	–	–	–	–	–	–	2	–	–	–	–	–
Stroud	5	0·59	11	1·31	–	1	–	1	–	4	1	–	–	1
Tetbury	1	0·46	1	0·46	–	1	–	–	–	1	–	–	–	–
Tewkesbury M.B.	4	0·92	–	–	–	–	–	–	–	–	–	–	–	–
Westbury on Severn.. ..	2	1·18	–	–	–	–	–	–	–	4	–	–	–	2
RURAL DISTRICTS..	378	1·69	106	0·47	5	26	–	4	72	206	4	–	2	10
Campden.. ..	3	0·36	21	2·54	–	2	–	–	2	9	–	–	–	–
Cheltenham ..	14	2·40	1	0·17	–	–	–	–	–	–	–	–	–	–
Chipping Sodbury	14	0·56	20	0·80	–	1	–	–	12	12	–	–	–	1
Cirencester ..	14	1·17	3	0·25	–	3	–	–	5	9	–	–	–	–
Dursley	45	3·37	2	0·15	–	1	–	–	2	10	–	–	–	–
East Dean and United Parishes	11	0·56	12	0·61	–	2	–	–	8	21	–	–	–	2
Faringdon(part of)*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gloucester ..	22	1·40	3	0·19	1	3	–	–	3	24	–	–	1	4
Lydney	34	3·21	4	0·38	–	3	–	–	5	18	–	–	–	–
Newent	10	1·36	1	0·14	–	–	–	–	1	6	–	–	–	–
Northleach ..	9	1·27	–	–	–	1	–	–	6	9	–	–	–	–
Stow - on - the-Wold	20	3·26	–	–	–	–	–	–	2	7	–	–	–	–
Stroud	41	1·51	13	0·48	–	3	–	4	6	13	1	–	1	–
Tetbury	9	2·38	–	–	–	–	–	–	2	–	–	–	–	3
Tewkesbury (part of)†	13	3·06	1	0·24	–	–	–	–	–	2	–	–	–	–
Thornbury ..	51	2·60	16	0·82	–	3	–	–	4	21	–	–	–	–
Warmley.. ..	11	1·23	–	–	1	–	–	–	2	7	2	–	–	–
West Dean ..	32	2·28	6	0·43	3	–	–	–	9	38	1	–	–	–
Wheatenhurst ..	13	2·16	2	0·33	–	2	–	–	3	–	–	–	–	–
Winchcomb ..	12	1·46	1	0·12	–	2	–	–	–	–	–	–	–	–

* The remainder of Faringdon Rural District is in Berkshire.

† The remainder of Tewkesbury Rural District is in Worcestershire. The figure for the entire area is :—

Tewkesbury R.D...	15	3·14	1	0·21	–	–	–	–	–	2	–	–	–	–

TABLE 29—*continued.*

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Poliomyelitis.	Encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia								
	Cases.		Cases.		Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*
HEREFORDSHIRE :														
ADMINISTRATIVE COUNTY.	83	0·75	100	0·90	4	23	–	6	22	124	1	10	5	16
URBAN DISTRICTS..	48	1·15	64	1·53	3	8	–	2	5	58	1	4	–	5
Bromyard ..	11	6·88	2	1·25	–	–	–	–	–	5	–	–	–	–
Hereford M.B. ..	33	1·34	30	1·22	–	3	–	2	2	39	1	4	–	3
Kington	–	–	2	1·11	–	–	–	–	–	–	–	–	–	1
Ledbury	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Leominster M.B.	4	0·70	21	3·68	2	5	–	–	1	8	–	–	–	1
Ross-on-Wye ..	–	–	9	1·91	–	–	–	–	2	6	–	–	–	–
RURAL DISTRICTS..	35	0·50	36	0·52	1	15	–	4	17	66	–	6	5	11
Bredwardine ..	1	0·53	–	–	–	–	–	–	1	2	–	–	–	–
Bromyard ..	7	0·96	–	–	–	2	–	–	1	8	–	1	–	2
Dore	4	0·67	10	1·68	–	–	–	–	6	3	–	–	1	–
Hereford.. ..	12	0·91	8	0·61	1	2	–	4	2	16	–	1	1	2
Kington	2	0·43	1	0·22	–	–	–	–	1	2	–	–	1	2
Ledbury	1	0·12	4	0·46	–	1	–	–	1	9	–	1	1	1
Leominster and Wigmore ..	4	0·39	4	0·39	–	7	–	–	1	18	–	3	–	–
Ross and Whitchurch.. ..	3	0·26	7	0·60	–	–	–	–	2	5	–	–	1	–
Weobley	1	0·17	2	0·34	–	3	–	–	2	3	–	–	–	4
HERTFORDSHIRE :														
ADMINISTRATIVE COUNTY.	887	2·11	261	0·62	12	44	–	20	114	294	9	11	4	13
URBAN DISTRICTS..	653	2·22	142	0·48	10	38	–	8	78	244	9	9	4	8
Baldock	3	0·89	–	–	–	–	–	–	–	2	–	–	–	–
Barnet	32	2·90	27	1·69	2	13	–	1	19	74	–	–	1	1
Bishop's Stortford	64	6·30	1	0·10	–	–	–	–	1	5	–	1	–	–
Bushey	45	3·85	6	0·51	–	1	–	1	2	2	1	–	–	–
Cheshunt.. ..	41	2·70	5	0·33	–	3	–	1	5	21	–	–	–	1
Chorleywood ..	2	0·59	1	0·29	–	–	–	–	–	–	–	–	–	–
East Barnet Valley	41	2·01	3	0·15	–	1	–	–	3	10	–	–	1	–
Great Berkhampstead	36	4·26	–	–	–	–	–	–	1	3	1	1	–	–
Harpenden ..	4	0·44	12	1·32	–	–	–	1	2	1	–	–	–	–
Hemel Hempstead M.B.	79	5·09	10	0·64	2	3	–	1	8	–	–	–	–	–
Hertford M.B. ..	22	1·79	2	0·16	3	–	–	–	1	1	–	–	–	–
Hitchin	14	0·93	6	0·40	2	–	–	–	10	3	1	–	–	3
Hoddesdon ..	9	1·17	7	0·91	–	–	–	–	2	11	–	1	–	1
Letchworth ..	36	2·49	4	0·28	–	2	–	–	3	10	2	–	1	–
Rickmansworth..	16	1·44	1	0·09	1	–	–	1	–	2	1	–	–	–
Royston	3	0·79	–	–	–	–	–	–	1	3	–	–	–	–
St. Albans M.B...	70	2·32	31	1·03	–	7	–	1	11	30	–	3	–	2
Sawbridgeworth..	13	4·64	–	–	–	–	–	–	–	–	–	–	–	–
Stevenage ..	12	2·16	–	–	–	–	–	–	1	1	–	–	–	–
Tring	9	2·02	–	–	–	–	–	–	2	8	–	–	–	–
Ware	8	1·23	2	0·31	–	–	–	–	–	2	–	–	–	–
Watford M.B. ..	89	1·55	20	0·35	–	8	–	1	6	50	3	3	1	–
Welwyn Garden City	5	0·54	4	0·43	–	–	–	–	–	5	–	–	–	–

TABLE 29—*continued.*

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Poliomyelitis.	Encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia.								
					Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*
HERTFORDSHIRE —*cont.*														
RURAL DISTRICTS ..	234	1·84	119	0·93	2	6	–	12	36	50	–	2	–	5
Ashwell	2	0·57	–	–	–	–	–	–	–	3	–	–	–	–
Barnet	54	7·93	8	1·18	–	–	–	–	6	4	–	–	–	1
Berkhampstead ..	29	5·54	1	0·19	–	–	–	–	1	2	–	–	–	–
Buntingford ..	7	1·49	–	–	–	–	–	–	1	2	–	–	–	–
Hadham	8	1·46	–	–	–	–	–	–	–	–	–	–	–	1
Hatfield	6	0·48	1	0·08	–	–	–	–	4	3	–	–	–	–
Hemel Hempstead	8	0·93	6	0·69	–	1	–	–	2	2	–	–	–	–
Hertford	4	0·52	2	0·26	–	1	–	–	1	1	–	1	–	–
Hitchin	12	0·82	11	0·75	2	2	–	6	4	4	–	–	–	1
St. Albans ..	33	1·56	75	3·56	–	–	–	–	5	13	–	1	–	1
Ware	13	0·98	12	0·90	–	–	–	–	4	7	–	–	–	1
Watford	46	2·32	3	0·15	–	2	–	6	8	8	–	–	–	–
Welwyn	12	3·03	–	–	–	–	–	–	–	1	–	–	–	–
HUNTINGDONSHIRE :														
ADMINISTRATIVE COUNTY.	361	6·42	35	0·62	4	6	–	3	20	137	–	1	3	4
URBAN DISTRICTS ..	198	7·63	29	1·12	1	4	–	2	13	84	–	1	3	2
Godmanchester M.B.	65	31·55	–	–	–	–	–	–	4	7	–	–	1	2
Huntingdon M.B.	92	22·63	2	0·49	–	1	–	1	3	10	–	–	–	–
Old Fletton ..	9	1·20	4	0·53	–	–	–	–	2	30	–	–	–	–
Ramsey	18	3·45	23	4·41	–	–	–	1	2	5	–	–	2	–
St. Ives M.B. ..	4	1·46	–	–	–	1	–	–	–	5	–	–	–	–
St. Neots ..	10	2·30	–	–	1	2	–	–	2	27	–	1	–	–
RURAL DISTRICTS ..	163	5·38	6	0·20	3	2	–	1	7	53	–	–	–	2
Huntingdon ..	61	9·70	1	0·16	–	2	–	–	5	25	–	–	–	–
Norman Cross ..	34	5·91	1	0·17	1	–	–	–	1	21	–	–	–	1
Oundle (part of)*	4	4·30	–	–	–	–	–	–	–	–	–	–	–	–
St. Ives	54	5·74	3	0·32	1	–	–	1	–	1	–	–	–	–
St. Neots.. ..	10	1·48	1	0·15	1	–	–	–	1	6	–	–	–	1
Thrapston(part of)*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Civil Parishes of Sibson cum Stibbington administered by R.D.C. of Barnack (Soke of Peterborough).	–	–	–	–	–	–	–	–	–	–	–	–	–	–
KENT :	3,270	2·57	970	0·76	52	96	3	53	410	1,238	19	28	9	45
COUNTY BOROUGH Canterbury ..	19	0·79	6	0·25	2	2	–	–	18	33	–	1	1	1
ADMINISTRATIVE COUNTY.	3,251	2·60	964	0·77	50	94	3	53	392	1,205	19	27	8	44

* The remainders of Oundle and Thrapston Rural Districts are in Northamptonshire.

TABLE 29—*continued.*

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Poliomyelitis.	Encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever. Cases.	Pyrexia. Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*
KENT—*cont.*														
URBAN DISTRICTS..	2,567	2·87	723	0·81	38	78	2	32	255	901	15	17	5	31
Ashford	30	1·96	36	2·35	–	1	–	–	1	53	1	–	–	–
Beckenham ..	91	1·82	14	0·28	2	9	–	1	10	49	–	–	–	2
Bexley	253	5·64	58	1·29	–	2	–	1	5	17	2	1	–	–
Broadstairs and St. Peter's ..	71	5·43	11	0·84	–	1	–	–	11	26	–	–	1	–
Bromley M.B. ..	157	3·25	29	0·60	–	8	–	5	11	27	–	2	–	–
Chatham M.B. ..	147	3·28	26	0·58	1	1	–	2	10	28	2	–	–	2
Cheriton	5	0·57	4	0·46	–	–	–	1	–	8	–	–	–	–
Chislehurst ..	51	4·77	4	0·37	1	1	–	–	4	3	–	1	–	–
Crayford	46	2·48	9	0·49	1	1	–	–	2	12	1	1	–	–
Dartford M.B. ..	66	2·18	26	0·86	1	–	–	–	8	24	1	1	–	–
Deal M.B. ..	24	1·56	4	0·26	–	1	–	–	1	–	2	–	–	–
Dover M.B. ..	75	1·82	7	0·17	1	8	1	3	15	57	–	–	–	4
Erith	77	2·20	44	1·26	1	3	–	–	25	95	–	–	–	1
Faversham M.B.	13	1·27	5	0·49	2	–	–	–	4	28	1	–	–	–
Folkestone M.B...	103	2·94	65	1·86	2	3	–	6	13	62	–	–	–	2
Gillingham M.B.	194	3·19	17	0·28	3	8	–	–	15	69	3	–	–	4
Gravesend M.B...	88	2·50	84	2·39	3	5	1	–	8	13	–	1	–	3
Herne Bay ..	31	2·82	11	1·00	–	1	–	–	1	32	–	1	–	1
Hythe M.B. ..	7	0·83	–	–	–	1	–	1	–	–	–	–	–	–
Lydd M.B. ..	1	0·35	1	0·35	–	–	–	–	–	–	–	–	–	–
Maidstone M.B...	133	3·11	13	0·30	2	2	–	2	12	22	–	3	–	2
Margate M.B. ..	232	7·69	24	0·80	1	2	–	3	6	33	–	–	1	–
New Romney M.B.	1	0·59	–	–	–	–	–	–	2	8	–	–	–	–
Northfleet ..	31	1·80	11	0·64	1	1	–	–	2	12	–	–	–	–
Penge	100	3·68	18	0·66	3	1	–	1	9	18	–	1	–	2
Queenborough M.B.	5	1·63	3	0·98	–	1	–	–	–	–	–	–	–	–
Ramsgate M.B. ..	118	3·51	9	0·27	3	3	–	–	8	48	–	2	–	1
Rochester M.B. ..	126	4·10	50	1·63	1	–	–	–	7	22	1	–	–	3
Royal Tunbridge Wells M.B. ..	40	1·16	36	1·04	5	7	–	–	18	28	–	2	2	1
Sandgate.. ..	9	3·18	2	0·71	–	–	–	–	–	3	1	–	–	–
Sandwich M.B. ..	1	0·30	–	–	–	–	–	–	1	3	–	–	–	–
Sevenoaks ..	21	1·91	9	0·82	–	–	–	1	–	2	–	–	–	1
Sheerness ..	14	0·87	4	0·25	–	–	–	–	2	12	–	1	–	–
Sidcup	59	2·65	41	1·84	2	6	–	2	7	16	–	–	–	–
Sittingbourne and Milton	44	2·16	8	0·39	1	–	–	1	9	9	–	–	1	–
Southborough ..	2	0·27	12	1·61	–	–	–	–	2	2	–	–	–	–
Swanscombe ..	23	2·71	16	1·88	–	–	–	–	13	–	–	–	–	1
Tenterden M.B...	7	2·09	1	0·30	–	–	–	1	1	–	–	–	–	–
Tonbridge ..	19	1·12	5	0·30	–	1	–	1	8	30	–	–	–	1
Walmer	1	0·19	–	–	–	–	–	–	–	–	–	–	–	–
Whitstable ..	35	3·03	4	0·35	1	–	–	–	3	19	–	–	–	–
Wrotham ..	16	3·47	2	0·43	–	–	–	–	1	11	–	–	–	–
RURAL DISTRICTS ..	684	1·92	241	0·68	12	16	1	21	137	304	4	10	3	13
Blean	17	1·44	5	0·42	1	2	–	–	5	16	–	–	–	1
Bridge	3	0·25	1	0·08	–	–	–	1	–	12	–	–	–	–
Bromley	94	1·94	19	0·39	1	4	–	2	46	37	–	1	–	3
Cranbrook ..	18	1·31	6	0·44	–	–	–	6	2	14	–	–	–	–
Dartford	82	2·65	47	1·52	1	–	–	1	23	14	–	1	–	–

TABLE 29—*continued.*

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Poliomyelitis.	Encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia								
					Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*
KENT—*cont.*														
RURAL DISTRICTS—*cont.*														
Dover	7	0·77	1	0·11	–	1	–	–	–	3	–	–	–	–
East Ashford	8	0·50	17	1·07	–	–	–	–	3	5	2	–	1	–
Eastry	7	0·38	2	0·11	–	–	–	1	4	24	1	–	–	–
Elham	19	2·13	1	0·11	–	–	–	1	3	9	–	1	–	1
Faversham	10	0·73	7	0·51	1	–	1	–	5	22	1	–	–	–
Hollingbourne	26	1·79	7	0·48	–	3	–	1	6	12	–	1	–	–
Hoo	11	2·39	8	1·74	–	–	–	1	–	1	–	–	–	–
Isle of Thanet	70	5·01	7	0·50	–	1	–	1	7	30	–	–	–	2
Maidstone	41	2·31	7	0·39	3	2	–	–	3	4	–	–	–	–
Malling	56	2·18	38	1·48	1	1	–	1	6	32	–	–	–	1
Milton	20	2·78	10	1·39	–	1	–	–	1	1	–	1	–	–
Romney Marsh	4	1·29	3	0·97	–	–	–	1	1	7	–	–	–	–
Sevenoaks	33	1·21	1	0·04	1	–	–	3	7	15	–	1	2	–
Sheppey	13	2·15	–	–	–	–	–	–	–	1	–	–	–	2
Strood	51	2·82	19	1·05	–	–	–	–	2	9	–	–	–	1
Tenterden	3	0·47	–	–	1	–	–	–	1	2	–	–	–	1
Tonbridge	77	3·99	23	1·19	2	1	–	1	11	20	–	–	–	1
West Ashford	14	1·67	12	1·43	–	–	–	–	1	14	–	4	–	–
LANCASHIRE :	18,267	3·62	7,773	1·54	293	875	9	191	2,916	12,790	217	135	78	959
COUNTY BOROUGHS	13,148	4·07	6,153	1·90	245	642	1	132	2,127	9,349	179	60	59	826
Barrow-in-Furness	63	0·97	51	0·78	–	3	–	5	35	115	3	–	3	1
Blackburn	547	4·51	109	0·90	6	10	–	1	57	253	2	4	5	12
Blackpool	244	2·34	25	0·24	8	17	–	3	27	51	3	4	1	6
Bolton	1,416	8·00	107	0·60	2	7	1	3	50	188	1	2	3	18
Bootle	624	8·08	156	2·02	3	45	–	8	65	278	11	3	2	9
Burnley	760	7·92	159	1·66	4	34	–	2	60	256	2	1	3	10
Bury	61	1·03	94	1·59	7	4	–	1	25	99	–	–	–	12
Liverpool	5,278	6·14	2,917	3·40	44	306	–	70	920	3,106	64	7	30	594
Manchester	1,804	2·38	1,019	1·34	125	98	–	15	403	2,598	53	9	6	105
Oldham	407	2·98	135	0·99	3	28	–	–	76	283	2	1	1	15
Preston	323	2·74	24	0·20	11	16	–	5	31	129	1	1	–	7
Rochdale	181	1·98	204	2·23	3	5	–	–	40	129	4	1	1	4
St. Helens	281	2·61	203	1·89	2	12	–	11	80	469	10	12	1	6
Salford	581	2·68	759	3·50	21	38	–	7	125	545	13	1	2	18
Southport	131	1·66	42	0·53	2	4	–	1	34	173	1	1	–	3
Warrington	208	2·57	124	1·53	2	8	–	–	47	374	1	2	–	4
Wigan	239	2·81	25	0·29	2	7	–	–	52	303	8	11	1	2
ADMINISTRATIVE COUNTY.	5,119	2·83	1,620	0·90	48	233	8	59	789	3,441	38	75	19	133
URBAN DISTRICTS	4,545	2·92	1,465	0·94	43	217	6	47	690	3,124	37	60	16	122
Abram	12	1·77	2	0·29	–	–	–	–	4	23	–	–	–	–
Accrington M.B.	394	9·40	38	0·91	2	2	–	–	9	54	–	–	–	–
Adlington	5	1·18	1	0·24	–	–	–	–	4	6	–	1	–	3
Ashton-in-Makerfield	13	0·64	–	–	2	2	–	2	14	68	4	1	–	–
Ashton-under-Lyne M.B.	73	1·44	16	0·32	2	5	–	–	22	136	–	–	1	3
Aspull	21	3·03	1	0·14	1	1	–	–	7	49	–	–	–	–
Atherton	71	3·48	18	0·88	–	9	–	–	11	37	–	1	–	3

TABLE 29—*continued.*

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Poliomyelitis.	Encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever. Cases.	Pyrexia Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*
ANCASHIRE—*cont.*														
RBAN DISTRICTS—*cont.*														
Audenshaw ..	16	1·75	8	0·88	–	–	–	–	1	20	1	–	–	1
Bacup M.B. ..	34	1·67	8	0·39	–	1	–	–	10	33	1	4	–	4
Barrowford ..	3	0·58	4	0·77	1	–	–	–	2	11	–	–	–	–
Billinge and Winstanley ..	2	0·39	3	0·59	–	–	–	–	1	8	–	–	–	–
Blackrod	19	5·33	2	0·56	–	–	–	–	2	10	–	–	–	–
Brierfield	73	9·54	12	1·57	2	2	–	–	5	33	–	–	–	–
Carnforth ..	1	0·31	5	1·55	–	–	–	–	–	1	–	–	–	–
Chadderton ..	57	2·06	6	0·22	2	1	–	–	8	50	–	–	–	4
Chorley M.B. ..	84	2·75	22	0·72	1	3	–	–	5	53	–	3	–	1
Church	28	4·64	2	0·33	–	–	–	–	–	7	–	–	–	–
Clayton-le-Moors	16	2·09	3	0·39	–	–	–	–	–	4	–	1	–	–
Clitheroe M.B. ..	29	2·44	8	0·67	1	6	–	–	2	25	–	–	–	1
Colne M.B. ..	220	9·41	19	0·81	–	3	–	–	24	47	–	–	–	1
Crompton ..	50	3·43	5	0·34	1	–	–	1	7	22	–	–	–	–
Croston	14	7·45	–	–	–	–	–	–	–	–	–	–	–	–
Dalton-in-Furness	15	1·46	7	0·68	–	–	–	–	–	–	–	–	–	1
Darwen M.B. ..	230	6·60	29	0·83	3	4	–	–	8	33	–	–	1	3
Denton	35	1·96	15	0·84	2	–	–	–	14	30	–	–	–	1
Droylsden ..	53	3·51	4	0·26	–	1	–	–	5	32	1	–	1	1
Eccles M.B. ..	164	3·74	25	0·57	1	2	–	1	23	61	–	4	1	1
Failsworth ..	44	2·78	3	0·19	1	1	–	–	8	52	–	–	–	–
Farnworth ..	148	5·23	19	0·67	3	45	–	–	29	189	2	–	–	13
Fleetwood M.B. ..	15	0·64	12	0·51	–	7	–	–	4	24	–	–	–	4
Formby	19	2·25	3	0·36	–	1	–	–	2	4	–	–	–	–
Fulwood	15	1·99	2	0·26	–	7	–	1	2	5	–	–	–	–
Golborne	5	0·54	7	0·76	–	1	–	–	3	16	–	–	–	3
Grange	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Great Crosby ..	140	6·31	22	0·99	–	3	–	4	7	25	1	–	–	–
Great Harwood ..	54	4·39	5	0·41	–	1	–	–	2	5	–	–	–	–
Haslingden M.B.	27	1·66	13	0·80	–	1	–	1	16	45	1	–	1	1
Haydock	26	2·53	8	0·78	–	4	–	–	13	44	1	1	–	2
Heywood M.B. ..	40	1·55	10	0·39	–	1	–	1	10	54	1	–	–	3
Hindley	25	1·18	5	0·24	–	–	–	1	11	78	–	–	–	1
Horwich	152	9·92	5	0·33	–	1	–	–	2	25	–	–	–	1
Huyton with Roby	3	0·53	17	3·02	–	–	–	1	–	3	–	–	–	–
Ince in Makerfield	129	5·80	4	0·18	1	3	–	1	12	100	2	6	–	4
Irlam	39	2·99	1	0·08	1	2	–	2	7	38	1	9	1	–
Kearsley	69	6·42	12	1·12	–	1	–	–	1	24	2	–	1	–
Kirkham	4	0·98	2	0·49	–	–	–	–	–	2	–	–	–	–
Lancaster M.B. ..	65	1·46	164	3·69	2	7	–	3	17	67	1	1	–	4
Lees	17	3·69	7	1·52	–	–	–	–	2	7	–	–	–	–
Leigh M.B. ..	54	1·19	15	0·33	1	4	5	1	19	107	3	1	–	5
Leyland	30	2·74	1	0·09	1	1	–	–	–	15	–	1	–	–
Litherland ..	143	8·60	23	1·38	–	10	–	2	14	55	1	–	–	4
Littleborough ..	23	1·94	14	1·18	–	–	–	–	2	2	–	1	–	1
Little Lever ..	10	2·04	–	–	–	3	–	–	4	8	–	–	–	1

TABLE 29—*continued.*

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Poliomyelitis.	Encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever. Cases.	Pyrexia. Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*
LANCASHIRE—*cont.*														
URBAN DISTRICTS—*cont.*														
Longridge ..	27	6·56	9	2·19	–	–	–	–	–	–	–	–	–	1
Lytham St. Annes M.B.	52	2·09	25	1·00	1	2	–	2	3	12	–	–	–	2
Middleton M.B. ..	59	2·03	19	0·65	–	2	–	–	8	64	–	1	–	1
Milnrow	23	2·72	3	0·35	1	1	–	–	5	18	–	–	–	1
Morecambe and Heysham M.B.	42	1·61	39	1·50	–	3	–	–	14	32	–	–	1	1
Mossley M.B. ..	14	1·19	–	–	–	–	–	–	1	18	–	–	–	–
Nelson M.B. ..	58	1·54	4	0·11	–	3	–	–	16	77	–	–	–	1
Newton in Makerfield	77	3·79	8	0·39	3	4	–	–	16	130	–	1	1	1
Norden *.. ..	2	0·60	1	0·30	–	1	–	–	1	6	–	–	–	–
Ormskirk ..	39	2·24	5	0·29	1	4	–	–	8	55	–	1	–	–
Orrell	9	1·26	1	0·14	–	–	–	–	2	11	–	–	–	–
Oswaldtwistle ..	20	1·45	4	0·29	–	–	–	1	1	23	–	–	–	–
Padiham.. ..	44	3·83	14	1·22	–	1	–	2	6	17	–	1	1	1
Poulton le Fylde	5	1·54	–	–	–	–	–	–	–	1	–	1	–	–
Preesall	2	0·95	9	4·28	1	1	–	–	–	4	–	–	–	–
Prescot	9	0·78	6	0·52	–	–	–	–	3	–	–	–	–	1
Prestwich ..	37	1·42	22	0·84	–	–	–	1	16	23	2	–	–	–
Radcliffe.. ..	59	2·34	59	2·34	–	1	–	–	9	71	–	1	1	1
Rainford.. ..	1	0·28	3	0·84	–	–	–	–	–	12	–	–	–	–
Ramsbottom ..	39	2·61	13	0·87	–	4	–	–	6	7	–	4	–	3
Rawtenstall M.B.	41	1·46	19	0·68	–	–	–	–	21	57	–	5	–	3
Rishton	11	1·72	48	7·50	1	–	–	–	1	10	–	–	–	–
Royton	39	2·34	9	0·54	–	1	–	–	15	31	–	–	–	
Skelmersdale ..	8	1·31	3	0·49	–	2	–	–	6	14	2	1	–	2
														1
Standish with Langtree ..	9	1·21	1	0·13	1	1	–	–	11	25	–	–	–	2
Stretford M.B. ..	137	2·39	59	1·03	1	5	–	2	22	71	–	–	–	1
Swinton and Pendlebury ..	103	2·74	154	4·10	–	5	–	4	26	92	5	4	–	7
Thornton Cleveleys	10	0·96	1	0·10	–	–	–	2	–	3	–	–	–	–
Tottington ..	13	2·07	11	1·75	1	–	–	–	3	21	–	–	–	–
Trawden	18	7·18	–	–	–	1	–	–	–	2	–	–	–	–
Turton	47	4·06	5	0·43	–	–	–	–	4	18	–	1	–	–
Tyldesley ..	9	0·57	5	0·32	–	2	1	–	8	22	3	–	2	2
Ulverston ..	11	1·18	7	0·75	–	–	–	3	1	1	–	–	–	–
Upholland ..	10	1·75	–	–	–	–	–	–	2	3	–	–	–	1
Urmston	47	2·19	22	1·03	1	7	–	1	7	9	2	–	–	1
Walton le Dale ..	39	3·01	–	–	–	–	–	–	1	10	–	–	–	–
Wardle	8	1·80	8	1·80	–	6	–	–	5	15	–	–	1	4
Waterloo with Seaforth	132	4·32	54	1·77	–	3	–	2	13	52	–	–	1	1
Westhoughton ..	35	2·21	14	0·88	–	1	–	1	11	21	–	–	–	5
Whitefield ..	34	3·32	15	1·47	–	1	–	1	1	19	–	–	–	1
Whitworth ..	14	1·71	21	2·56	–	1	–	–	1	12	–	–	–	–
Widnes M.B. ..	91	2·20	116	2·80	–	6	–	3	34	177	–	4	1	2
Withnell	1	0·34	–	–	–	–	–	–	1	3	–	–	–	–
Worsley	32	1·42	12	0·53	–	2	–	–	5	9	–	–	–	–

* Abolished 1st October, 1933.

TABLE 29—*continued.*

Area.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Poliomyelitis.	Encephalitis lethargica.	Ophthalmia neonatorum.
	Case.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia								
					Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*
LANCASHIRE—*cont.*														
RURAL DISTRICTS ..	574	2·29	155	0·62	5	16	2	12	99	317	1	15	3	11
Barton upon Irwell*	26	5·54	2	0·43	–	–	–	–	1	12	–	–	–	–
Blackburn ..	36	3·13	5	0·43	–	–	–	1	5	12	–	–	–	–
Burnley	72	4·08	19	1·08	–	2	–	1	1	22	–	–	–	1
Bury†	15	3·32	1	0·22	–	1	–	–	3	13	–	–	–	–
Chorley	34	1·53	7	0·31	–	4	–	1	8	26	–	5	–	2
Clitheroe ..	25	2·84	2	0·23	–	–	–	–	9	32	–	–	–	–
Fylde	53	2·92	9	0·50	–	1	–	2	1	6	–	–	–	–
Garstang.. ..	13	1·12	2	0·17	1	–	–	–	3	2	–	3	–	1
Lancaster ..	5	0·52	16	1·67	1	–	–	–	–	3	–	1	–	–
Leigh†	12	1·42	4	0·47	–	–	2	1	8	12	1	1	–	1
Limehurst ..	14	1·64	2	0·23	–	–	–	–	3	13	–	–	1	–
Lunesdale ..	5	0·76	7	1·06	–	–	–	1	–	2	–	–	–	–
Preston	107	3·37	10	0·32	1	1	–	1	11	41	–	1	1	1
Ulverston ..	46	2·80	17	1·03	–	1	–	3	2	6	–	–	1	–
Warrington ..	37	2·36	15	0·96	–	3	–	–	12	53	–	3	–	1
West Lancashire	35	1·34	25	0·95	–	1	–	1	13	39	–	1	–	3
Whiston	23	1·07	12	0·56	–	2	–	–	9	9	–	–	–	–
Wigan	16	2·47	–	–	2	–	–	–	10	14	–	–	–	1
LEICESTERSHIRE :	915	1·66	464	0·84	19	72	–	9	249	697	23	7	2	32
COUNTY BOROUGH														
Leicester	434	1·80	339	1·40	9	52	–	1	150	347	6	4	–	18
ADMINISTRATIVE COUNTY.	481	1·56	125	0·40	10	20	–	8	99	350	17	3	2	14
URBAN DISTRICTS ..	206	1·68	24	0·20	5	7	–	1	43	148	7	1	1	7
Ashby de la Zouch	6	1·17	–	–	–	–	–	1	–	2	–	–	–	–
Ashby Woulds ..	9	2·75	1	0·31	–	–	–	–	2	14	–	–	–	–
Coalville	34	1·55	3	0·14	1	1	–	–	14	57	4	–	–	3
Hinckley.. ..	48	2·89	1	0·06	–	–	–	–	9	15	1	–	–	–
LoughboroughM.B.	9	0·33	1	0·04	1	1	–	–	9	9	1	–	–	–
Market Harborough	14	1·49	–	–	–	–	–	–	1	2	–	–	–	–
Melton Mowbray	59	5·66	7	0·67	–	1	–	–	2	26	1	1	–	1
Oadby	–	–	–	–	–	–	–	–	1	1	–	–	–	–
Quorndon ..	2	0·78	–	–	–	–	–	–	–	5	–	–	–	–
Shepshed ..	–	–	–	–	2	2	–	–	2	8	–	–	–	–
Thurmaston ..	12	3·13	3	0·78	1	–	–	–	2	6	–	–	–	3
Wigston Magna..	13	1·15	8	0·71	–	2	–	–	1	3	–	–	1	–
RURAL DISTRICTS..	275	1·47	101	0·54	5	13	–	7	56	202	10	2	1	7
Ashby de la Zouch	25	1·41	11	0·62	1	1	–	2	7	51	4	–	–	–
Barrow upon Soar	29	0·92	37	1·18	3	–	–	1	13	46	1	–	1	1
Belvoir	45	15·37	–	–	–	–	–	–	1	–	–	–	–	–
Billesdon.. ..	14	1·21	10	0·87	–	2	–	2	5	1	–	–	–	–
Blaby	61	1·74	11	0·31	–	6	–	–	8	14	1	–	–	2
Castle Donington	17	2·59	9	1·37	–	–	–	–	4	16	–	1	–	–
Hallaton	–	–	–	–	1	–	–	–	–	3	–	1	–	–
Hinckley.. ..	20	1·11	6	0·33	–	1	–	–	7	16	2	–	–	–

* Abolished 1st April, 1933.
† Abolished 1st October, 1933.

TABLE 29—*continued.*

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Poliomyelitis.	Encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever. Cases.	Pyrexia Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*
LEICESTERSHIRE —*cont.*														
RURAL DISTRICTS— *cont.*														
Loughborough ..	2	0·41	–	–	–	1	–	–	4	5	–	–	–	–
Lutterworth ..	6	0·55	1	0·09	–	1	–	–	–	13	1	–	–	1
Market Bosworth	29	1·21	11	0·46	–	1	–	1	6	25	1	–	–	2
Market Harborough	17	2·32	–	–	–	–	–	–	–	5	–	–	–	–
Melton Mowbray	10	0·68	5	0·34	–	–	–	1	1	7	–	–	–	1
LINCOLNSHIRE— PARTS OF HOLLAND :														
ADMINISTRATIVE COUNTY.	113	1·21	49	0·52	1	13	1	6	34	51	5	2	3	7
URBAN DISTRICTS..	47	1·33	12	0·34	–	6	1	2	21	15	–	–	2	5
Boston M.B. ..	21	0·93	5	0·22	–	4	1	2	18	8	–	–	2	–
Spalding	26	2·04	7	0·55	–	2	–	–	3	7	–	–	–	5
RURAL DISTRICTS..	66	1·13	37	0·63	1	7	–	4	13	36	5	2	1	2
Boston	19	1·03	12	0·65	–	4	–	2	4	19	–	–	1	1
East Elloe ..	21	0·94	4	0·18	–	2	–	2	5	8	2	1	–	1
Spalding	26	1·47	21	1·19	1	1	–	–	4	9	3	1	–	–
LINCOLNSHIRE— PARTS OF KESTEVEN :														
ADMINISTRATIVE COUNTY.	283	2·58	61	0·56	4	5	–	16	35	103	5	–	–	6
URBAN DISTRICTS..	113	2·73	34	0·82	2	5	–	1	19	38	4	–	–	1
Bourne	41	8·66	19	4·01	–	–	–	–	3	–	–	–	–	–
Grantham M.B...	61	3·12	15	0·77	2	4	–	1	8	31	3	–	–	1
Sleaford	–	–	–	–	–	–	–	–	3	2	–	–	–	–
Stamford M.B. ..	11	1·10	–	–	–	1	–	–	5	5	1	–	–	–
RURAL DISTRICTS..	170	2·48	27	0·39	2	–	–	15	16	65	1	–	–	5
East Kesteven ..	16	0·85	9	0·48	–	–	–	1	5	27	–	–	–	1
North Kesteven..	34	1·74	9	0·46	–	–	–	11	5	19	–	–	–	1
South Kesteven..	78	5·51	3	0·21	1	–	–	1	1	10	–	–	–	–
West Kesteven ..	42	2·63	6	0·38	1	–	–	2	5	9	1	–	–	3
LINCOLNSHIRE— PARTS OF LINDSEY :	683	1·61	309	0·73	23	67	–	12	140	600	11	9	17	44
COUNTY BOROUGHS	359	2·27	191	1·21	5	29	–	2	47	199	2	5	4	19
Grimsby	55	0·59	84	0·90	3	20	–	2	34	74	2	4	3	16
Lincoln	304	4·65	107	1·64	2	9	–	–	13	125	–	1	1	3
ADMINISTRATIVE COUNTY.	324	1·22	118	0·44	18	38	–	10	93	401	9	4	13	25

TABLE 29—*continued.*

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Poliomyelitis.	Encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever. Cases.	Pyrexia Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*
LINCOLNSHIRE—														
PARTS OF LINDSEY—*cont.*														
URBAN DISTRICTS	186	1·43	61	0·47	12	20	–	3	53	294	6	–	3	13
Alford	2	0·88	–	–	–	–	–	–	–	1	–	–	–	–
Barton upon Humber ..	1	0·16	2	0·32	–	–	–	–	1	4	–	–	–	–
Brigg	–	–	12	3·02	–	–	–	–	3	4	1	–	–	–
Cleethorpes ..	16	0·54	9	0·31	1	6	–	–	8	42	2	–	–	5
Crowle	–	–	3	1·01	–	1	–	–	–	3	–	–	–	–
Gainsborough ..	85	4·66	9	0·49	1	1	–	–	11	112	–	–	–	4
Horncastle ..	1	0·29	2	0·57	–	3	–	–	1	20	–	–	1	–
Louth M.B. ..	7	0·72	3	0·31	2	4	–	2	2	29	–	–	1	–
Mablethorpe and Sutton.. ..	9	2·22	1	0·25	–	–	–	–	–	6	–	–	1	–
Market Rasen ..	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Roxby cum Risby	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scunthorpe and Frodingham ..	55	1·59	14	0·40	8	5	–	–	26	66	3	–	–	3
Skegness ..	3	0·33	5	0·56	–	–	–	–	–	1	–	–	–	1
Winterton ..	7	3·26	1	0·47	–	–	–	1	1	6	–	–	–	–
Woodhall Spa ..	–	–	–	–	–	–	–	–	–	–	–	–	–	–
RURAL DISTRICTS ..	138	1·02	57	0·42	6	18	–	7	40	107	3	4	10	12
Caistor	3	0·24	2	0·16	2	–	–	1	–	4	–	1	3	–
Gainsborough ..	34	2·44	5	0·36	1	2	–	–	5	10	1	–	1	4
Glanford Brigg ..	31	1·09	18	0·63	–	2	–	3	15	32	–	1	–	1
Grimsby	9	0·81	2	0·18	1	1	–	–	–	3	1	2	1	–
Horncastle ..	19	1·64	–	–	–	1	–	–	5	21	–	–	1	–
Isle of Axholme..	4	0·61	12	1·84	–	1	–	–	3	2	–	–	1	–
Louth	12	0·72	4	0·24	–	2	–	3	4	13	1	–	2	–
Sibsey	1	0·33	–	–	–	1	–	–	–	–	–	–	–	–
Spilsby	14	0·70	6	0·30	2	5	–	–	7	22	–	–	–	7
Welton	11	0·96	8	0·70	–	3	–	–	1	–	–	–	1	–
LONDON :	21,997	5·12	9,662	2·25	256	842	530	171	2,799	6,334	227	67	23	530
CITY OF LONDON ..	38	3·87	15	1·53	–	–	–	1	8	–	1	–	–	1
Inner and Middle Temples ..	–	–	–	–	–	–	–	–	–	–	–	–	–	–
METROPOLITAN BOROUGHS :														
Battersea ..	886	5·75	449	2·92	3	14	4	4	115	365	4	1	2	16
Bermondsey ..	640	5·96	386	3·60	6	24	21	2	68	137	4	1	–	7
Bethnal Green ..	782	7·50	488	4·68	2	18	11	4	99	224	20	–	–	9
Camberwell ..	1,522	6·25	486	1·99	12	47	55	11	174	349	10	2	4	14
Chelsea	229	3·89	91	1·55	3	9	–	1	31	117	1	2	–	4

TABLE 29—*continued.*

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Poliomyelitis.	Encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever. Cases.	Pyrexia Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*
LONDON—*cont.*														
METROPOLITAN BORO's.—*cont.*														
Deptford ..	706	6·87	219	2·13	4	15	–	2	92	158	7	1	–	10
Finsbury ..	448	6·72	255	3·83	4	17	5	1	74	110	3	1	1	23
Fulham	719	4·85	184	1·24	11	31	–	5	103	206	5	1	–	15
Greenwich ..	671	6·86	396	4·05	1	10	–	2	83	164	8	1	–	18
Hackney ..	1,157	5·40	474	2·21	13	83	13	5	130	208	8	2	1	15
Hammersmith ..	892	6·79	240	1·83	10	32	–	8	98	179	6	4	1	10
Hampstead ..	467	5·17	120	1·33	2	15	1	4	45	118	3	–	–	6
Holborn	116	3·22	114	3·16	3	4	1	1	23	37	3	4	1	6
Islington ..	1,221	3·89	553	1·76	37	73	11	15	184	304	7	8	–	87
Kensington ..	636	3·51	328	1·81	12	46	–	12	98	208	5	1	–	6
Lambeth ..	1,332	4·61	557	1·93	22	48	127	9	169	455	11	5	2	30
Lewisham ..	1,115	5·04	352	1·59	7	32	21	11	109	312	13	6	–	13
Paddington ..	402	2·83	281	1·98	12	53	1	7	70	262	7	5	–	21
Poplar	904	6·05	569	3·81	8	27	140	5	91	438	7	1	2	23
St. Marylebone ..	198	2·10	78	0·83	8	16	–	9	76	77	1	–	1	6
St. Pancras ..	657	3·44	362	1·90	20	43	–	5	128	322	8	7	–	42
Shoreditch ..	605	6·47	354	3·78	4	31	29	2	60	63	13	2	–	25
Southwark ..	1,258	7·64	486	2·95	12	26	63	6	138	218	21	3	1	19
Stepney	1,469	6·70	798	3·64	12	38	23	9	227	387	24	–	4	32
Stoke Newington	261	5·11	65	1·27	2	14	–	–	31	27	–	–	–	8
Wandsworth ..	1,298	3·71	438	1·25	17	30	1	16	149	580	8	5	2	47
Westminster ..	358	2·83	150	1·19	4	11	1	9	54	65	10	2	1	8
Woolwich ..	1,010	6·91	374	2·56	5	35	2	5	72	244	9	2	–	9
MIDDLESEX :														
ADMINISTRATIVE COUNTY.	6,314	3·59	1,666	0·95	110	314	12	75	703	2,010	31	45	11	116
URBAN DISTRICTS ..	6,156	3·64	1,632	0·97	105	310	12	73	682	1,967	31	42	11	113
Acton M.B. ..	441	6·27	160	2·28	–	3	–	1	25	54	1	–	1	2
Brentford and Chiswick M.B.	376	5·97	93	1·48	5	9	–	1	17	79	2	–	–	1
Ealing M.B. ..	474	3·68	67	0·52	3	28	–	4	36	89	–	3	–	8
Edmonton ..	369	4·26	72	0·83	13	18	–	3	50	101	1	–	–	6
Enfield	248	3·45	45	0·63	3	5	2	3	19	80	1	1	–	3
Feltham	32	1·79	6	0·34	–	2	–	1	3	15	–	–	–	1
Finchley M.B. ..	158	2·58	21	0·34	4	11	–	4	23	41	1	–	1	3
Friern Barnet ..	56	2·33	6	0·25	–	1	–	1	10	54	–	–	–	1
Hampton ..	30	2·25	7	0·53	1	1	–	–	1	9	–	1	–	2
Hampton Wick ..	7	2·40	2	0·68	–	–	–	–	1	7	–	–	–	–
Harrow on the Hill	191	6·03	38	1·20	–	2	–	8	7	23	1	–	1	–
Hayes and Harlington ..	181	6·30	20	0·70	–	3	–	1	8	41	1	–	–	3
Hendon M.B. ..	440	3·45	157	1·23	18	45	1	7	58	133	2	4	1	4
Heston and Isleworth M.B. ..	392	4·64	50	0·59	12	49	–	5	54	234	6	5	2	11
Hornsey M.B. ..	242	2·52	44	0·46	3	10	–	3	46	57	–	2	2	7
Kingsbury ..	63	2·54	11	0·44	1	13	–	1	2	24	–	–	–	12
Ruislip Northwood	22	1·17	11	0·59	–	–	–	1	5	7	–	–	–	–
Southall Norwood	226	5·05	23	0·51	–	10	–	2	25	65	2	–	–	2
Southgate M.B.	91	1·55	23	0·39	1	5	4	1	19	56	1	1	–	–
Staines	110	4·68	41	1·74	1	3	–	1	5	23	–	1	–	1

TABLE 29—*continued.*

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Poliomyelitis.	Encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever. Cases.	Pyrexia Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*
DDLESEX—*cont.*														
BAN DISTRICTS—*cont.*														
Sunbury-on-Thames	16	1·14	14	0·99	1	5	–	–	–	31	–	–	–	–
Teddington ..	70	3·02	14	0·60	1	–	–	1	4	27	1	–	–	1
Tottenham ..	550	3·56	194	1·25	14	21	3	5	77	202	5	1	–	13
Twickenham M.B.	92	2·21	29	0·70	1	2	–	–	8	23	–	1	–	–
Uxbridge ..	105	3·08	21	0·62	–	6	–	1	22	33	–	3	1	2
Wealdstone ..	92	3·10	6	0·20	1	2	–	2	9	25	–	1	1	4
Wembley ..	152	2·58	34	0·58	4	6	–	3	22	57	–	3	–	1
Willesden M.B. ..	694	3·71	392	2·10	13	36	2	13	100	335	6	14	1	20
Wood Green M.B.	192	3·54	23	0·42	4	12	–	–	20	39	–	1	–	4
Yiewsley and West Drayton ..	44	3·01	8	0·55	1	2	–	–	6	3	–	–	–	1
RAL DISTRICTS ..	158	2·39	34	0·51	5	4	–	2	21	43	–	3	–	3
Hendon	118	2·02	31	0·53	1	4	–	2	19	39	–	3	–	2
South Mimms ..	40	5·36	3	0·40	4	–	–	–	2	4	–	–	–	1
RFOLK :	814	1·61	413	0·82	18	89	–	19	155	521	8	6	4	41
UNTY BOROUGHS	367	2·01	258	1·41	7	47	–	6	92	260	3	1	2	15
Great Yarmouth	43	0·76	91	1·61	4	–	–	3	17	42	1	1	–	4
Norwich	324	2·57	167	1·32	3	47	–	3	75	218	2	–	2	11
MINISTRATIVE COUNTY.	447	1·39	155	0·48	11	42	–	13	63	261	5	5	2	26
BAN DISTRICTS..	69	1·14	15	0·25	4	6	–	2	9	41	1	–	1	4
Cromer	5	1·24	–	–	–	1	–	–	1	2	–	–	–	–
Diss	–	–	1	0·29	–	–	–	–	–	–	–	–	–	1
Downham Market	2	0·82	–	–	–	–	–	–	–	2	–	–	–	–
East Dereham ..	5	0·88	11	1·93	–	1	–	–	–	9	–	–	–	1
King's Lynn M.B.	26	1·27	3	0·15	–	4	–	2	6	18	–	–	1	2
New Hunstanton	10	3·51	–	–	–	–	–	–	–	–	–	–	–	–
North Walsham..	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Sheringham ..	11	2·73	–	–	1	–	–	–	–	4	–	–	–	–
Swaffham ..	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Thetford M.B. ..	2	0·49	–	–	1	–	–	–	–	1	–	–	–	–
Walsoken ..	4	0·96	–	–	–	–	–	–	1	5	1	–	–	–
Wells	4	1·61	–	–	2	–	–	–	–	–	–	–	–	–
URAL DISTRICTS ..	378	1·45	140	0·54	7	36	–	11	54	220	4	5	1	22
Aylsham ..	21	1·31	12	0·75	–	5	–	–	1	4	1	1	–	4
Blofield	71	4·73	3	0·20	1	3	–	–	3	20	–	–	1	–
Depwade.. ..	13	0·74	4	0·23	–	–	–	–	6	22	–	1	–	1
Docking	26	1·59	1	0·06	1	3	–	–	5	6	–	–	–	–
Downham ..	7	0·45	3	0·19	–	1	–	–	5	17	–	1	–	3
East and West Flegg	12	1·16	10	0·97	–	–	–	–	2	–	–	–	–	–
Erpingham ..	12	0·72	–	–	–	1	–	–	3	3	–	2	–	–
Forehoe	8	0·61	7	0·53	–	2	–	–	6	19	2	–	–	–
Freebridge Lynn	8	0·64	2	0·16	–	2	–	4	3	7	–	–	–	2
Henstead ..	44	4·00	11	1·00	–	3	–	–	5	7	–	–	–	2

TABLE 29—*continued.*

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Poliomyelitis.	Encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever. Cases.	Pyrexia. Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*
NORFOLK—*cont.*														
RURAL DISTRICTS—*cont.*														
King's Lynn ..	1	1·01	1	1·01	–	–	–	–	1	3	–	–	–	–
Loddon and Clavering	5	0·43	–	–	–	–	–	–	1	11	–	–	–	1
Marshland ..	18	1·28	33	2·34	1	1	–	–	4	16	–	–	–	2
Mitford and Launditch	38	2·26	1	0·06	–	4	–	5	3	19	–	–	–	1
St. Faith's ..	27	1·77	3	0·20	–	1	–	–	3	13	–	–	–	1
Smallburgh ..	15	1·07	10	0·71	–	–	–	2	1	8	–	–	–	–
Swaffham ..	7	1·05	5	0·75	–	–	–	–	–	9	–	–	–	1
Thetford ..	6	0·66	13	1·42	–	3	–	–	–	6	1	–	–	–
Walsingham ..	15	0·96	6	0·38	1	4	–	–	–	4	–	–	–	1
Wayland ..	24	1·84	15	1·15	3	3	–	–	2	26	–	–	–	–
NORTHAMPTONSHIRE:	464	1·49	52	0·17	10	28	–	99	113	423	4	3	3	1
COUNTY BOROUGH														
Northampton ..	163	1·69	13	0·13	4	11	–	2	30	248	2	–	–	–
ADMINISTRATIVE COUNTY.	301	1·40	39	0·18	6	17	–	97	83	175	2	3	3	1
URBAN DISTRICTS ..	124	1·19	27	0·26	3	7	–	11	44	78	–	1	2	–
Brackley M.B. ..	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Burton Latimer..	1	0·29	2	0·58	1	–	–	5	1	4	–	–	–	–
Daventry M.B. ..	3	0·83	1	0·28	–	–	–	–	–	–	–	–	–	–
Desborough ..	3	0·68	–	–	–	–	–	–	2	1	–	–	–	–
Finedon	3	0·72	–	–	1	1	–	–	1	8	–	–	–	–
Higham Ferrers M.B.	2	0·68	3	1·02	–	–	–	–	–	–	–	–	–	–
Irthlingborough	2	0·43	–	–	–	–	–	–	3	2	–	–	–	–
Kettering ..	64	2·04	8	0·25	1	3	–	4	21	14	–	1	1	–
Oundle	2	0·71	1	0·36	–	–	–	–	–	2	–	–	–	–
Raunds	–	–	–	–	–	–	–	–	2	5	–	–	1	–
Rothwell ..	12	2·65	–	–	–	–	–	1	–	–	–	–	–	–
Rushden ..	7	0·49	1	0·07	–	1	–	–	6	21	–	–	–	–
Wellingborough	25	1·15	11	0·51	–	2	–	1	7	21	–	–	–	–
RURAL DISTRICTS ..	177	1·61	12	0·11	3	10	–	86	39	97	2	2	1	–
Brackley.. ..	3	0·49	–	–	–	1	–	–	3	3	–	–	–	–
Brixworth ..	10	0·83	2	0·17	–	–	–	–	4	22	1	–	–	–
Crick	2	0·84	1	0·42	–	1	–	–	–	–	–	–	–	–
Daventry ..	25	1·86	1	0·07	–	3	–	2	1	9	–	–	–	–
Easton-on-the-Hill	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gretton	–	–	–	–	–	–	–	–	2	1	–	–	–	–
Hardingstone ..	6	0·82	–	–	1	–	–	–	2	7	–	–	–	–
Kettering ..	43	4·42	1	0·10	–	2	–	1	5	8	–	–	–	–
Middleton Cheney	1	0·43	–	–	–	–	–	–	–	1	–	–	–	–
Northampton ..	39	5·22	2	0·27	–	–	–	82	11	5	–	–	–	–
Oundle (part of)*	19	3·15	1	0·17	1	–	–	–	1	4	–	–	1	–
Oxendon.. ..	4	0·96	–	–	–	–	–	1	–	2	–	–	–	–
Potterspury ..	–	–	1	0·22	1	–	–	–	–	3	–	–	–	–
Thrapston (part of)*	3	0·31	–	–	–	–	–	–	1	14	–	1	–	–
Towcester ..	12	1·29	2	0·22	–	–	–	–	4	17	1	1	–	–
Wellingborough..	10	0·80	1	0·08	–	3	–	–	5	1	–	–	–	–

* The remainders of Oundle and Thrapston Rural Districts are in Huntingdonshire. The figures for the enti

Districts are:—														
Oundle Rural District	23	3·30	1	0·14	1	–	–	–	1	4	–	–	1	–
Thrapston Rural District	3	0·28	–	–	–	–	–	–	1	14	–	1	–	–

TABLE 29—*continued.*

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary) or influenzal).	Cerebro-spinal fever.	Poliomyelitis.	Encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever. Cases.	Pyrexia. Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*
NORTHUMBERLAND:	4,713	6·18	259	0·34	55	93	–	111	542	1,785	88	6	4	91
COUNTY BOROUGHS	2,289	6·50	111	0·32	41	60	–	8	314	924	58	5	3	73
Newcastle upon Tyne	2,041	7·12	94	0·33	39	50	–	7	293	813	52	5	2	55
Tynemouth ..	248	3·77	17	0·26	2	10	–	1	21	111	6	–	1	18
ADMINISTRATIVE COUNTY. ..	2,424	5·91	148	0·36	14	33	–	103	228	861	30	1	1	18
URBAN DISTRICTS ..	2,092	6·79	102	0·33	10	29	–	79	176	733	28	1	–	16
Alnwick	58	8·32	–	–	1	–	–	–	1	–	–	–	–	–
Amble	43	10·15	–	–	–	–	–	–	4	–	–	–	–	–
Ashington ..	273	9·17	14	0·47	4	8	–	53	16	34	5	–	–	4
Bedlingtonshire ..	293	10·65	17	0·62	1	2	–	4	15	109	7	–	–	–
Berwick upon Tweed M.B. ..	53	4·33	1	0·08	1	–	–	–	5	5	–	–	–	–
Blyth M.B. ..	312	9·43	8	0·24	–	4	–	8	21	155	4	–	–	2
Cramlington ..	88	10·83	1	0·12	–	1	–	–	3	7	–	–	–	–
Earsdon	51	3·91	11	0·84	–	–	–	1	1	6	–	–	–	–
Gosforth	42	2·30	6	0·33	1	–	–	2	8	17	1	–	–	–
Hexham	10	1·13	2	0·23	–	–	–	1	4	38	–	–	–	–
Longbenton ..	58	3·95	7	0·48	–	4	–	2	5	43	–	–	–	3
Morpeth M.B. ..	7	0·93	–	–	–	–	–	–	5	18	–	–	–	–
Newbiggin by the Sea	13	1·87	4	0·58	–	–	–	–	7	26	1	–	–	1
Newburn	45	2·29	1	0·05	–	2	–	3	11	28	2	–	–	1
Prudhoe	81	8·89	4	0·44	–	1	–	4	11	20	1	–	–	3
Rothbury ..	1	0·79	–	–	–	–	–	–	3	1	–	–	–	–
Seaton Delaval ..	30	4·09	3	0·41	–	–	–	–	5	36	–	–	–	–
Seghill	9	3·35	1	0·37	–	–	–	–	3	16	–	–	–	–
Wallsend M.B. ..	466	10·50	11	0·25	1	4	–	–	31	137	5	–	–	1
Weetslade ..	46	5·97	–	–	–	2	–	–	3	8	1	1	–	1
Whitley and Monkseaton	113	4·53	11	0·44	1	1	–	1	14	29	1	–	–	–
RURAL DISTRICTS ..	332	3·25	46	0·45	4	4	–	24	52	128	2	–	1	2
Alnwick	27	2·18	4	0·32	–	–	–	1	1	7	–	–	–	–
Belford	3	0·68	–	–	–	–	–	–	4	4	–	–	–	–
Bellingham ..	19	3·63	–	–	–	–	–	–	3	8	–	–	–	1
Castle Ward ..	32	2·16	34	2·30	–	–	–	–	7	14	1	–	–	1
Glendale	46	5·93	–	–	1	–	–	1	6	11	–	–	1	–
Haltwhistle ..	10	1·18	1	0·12	–	–	–	1	1	6	–	–	–	–
Hexham	26	1·24	1	0·05	–	4	–	4	4	42	–	–	–	–
Morpeth	149	7·82	6	0·31	3	–	–	16	14	30	1	–	–	–
Newcastle upon Tyne (Moot Hall and Precints ..	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Norham and Islandshires	11	2·23	–	–	–	–	–	1	4	2	–	–	–	–
Rothbury ..	9	2·07	–	–	–	–	–	–	8	4	–	–	–	–
NOTTINGHAMSHIRE:	1,390	1·91	423	0·58	32	104	–	14	276	1,232	49	6	1	46
COUNTY BOROUGH														
Nottingham ..	600	2·14	158	0·56	12	52	–	2	130	539	14	2	–	12
ADMINISTRATIVE COUNTY.	790	1·76	265	0·59	20	52	–	12	146	693	35	4	1	34

TABLE 29—*continued.*

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Poliomyelitis.	Encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever. Cases.	Pyrexia Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*
NOTTINGHAMSHIRE—*cont.*														
URBAN DISTRICTS ..	476	1·73	188	0·68	10	25	–	6	98	432	24	2	1	22
Arnold	10	0·66	–	–	–	2	–	1	5	25	1	–	–	2
Beeston	64	3·97	5	0·31	–	–	–	–	3	11	2	–	–	–
Carlton	61	2·69	22	0·97	–	2	–	–	16	40	–	–	–	1
East Retford M.B.	5	0·34	5	0·34	–	–	–	–	5	58	2	–	–	1
Eastwood ..	5	0·90	1	0·18	1	2	–	–	2	4	–	–	–	–
Hucknall	29	1·66	2	0·11	–	3	–	2	5	40	–	–	–	1
Huthwaite ..	1	0·20	–	–	–	–	–	–	2	13	2	–	–	–
Kirkby in Ashfield	18	0·98	4	0·22	–	2	–	–	10	31	3	–	1	–
Mansfield M.B. ..	144	3·12	128	2·78	2	2	–	–	24	84	5	1	–	6
Mansfield Woodhouse	41	2·90	–	–	1	1	–	–	4	27	1	–	–	3
Newark M.B. ..	13	0·71	2	0·11	2	1	–	–	4	10	–	–	–	1
Sutton in Ashfield	12	0·47	8	0·31	2	2	–	1	3	31	4	1	–	3
Warsop	7	0·65	4	0·37	–	2	–	2	6	13	1	–	–	2
West Bridgford ..	30	1·65	1	0·06	1	–	–	–	5	9	–	–	–	–
Worksop M.B. ..	36	1·34	6	0·22	1	6	–	–	4	36	3	–	–	2
RURAL DISTRICTS ..	314	1·82	77	0·45	10	27	–	6	48	261	11	2	–	12
Basford	78	1·59	19	0·39	2	5	–	2	22	69	3	1	–	3
Bingham ..	33	2·12	3	0·19	–	–	–	2	3	18	1	–	–	1
East Retford ..	28	1·81	2	0·13	1	5	–	1	4	34	–	–	–	–
Leake	–	–	1	0·22	–	–	–	–	2	4	–	–	–	–
Misterton ..	4	0·99	–	–	–	–	–	–	–	4	–	–	–	–
Newark	13	1·37	1	0·11	–	–	–	–	1	1	–	–	–	–
Nottingham (Shire Hall)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skegby	49	3·51	29	2·08	1	2	–	–	–	28	2	1	–	2
Southwell ..	49	1·80	16	0·49	3	8	–	–	8	44	3	–	–	5
Stapleford ..	22	1·64	1	0·07	–	1	–	1	6	12	1	–	–	1
Worksop ..	38	2·58	5	0·34	3	6	–	–	2	47	1	–	–	–
OXFORDSHIRE :	356	1·66	54	0·25	13	67	–	3	74	157	9	9	2	27
COUNTY BOROUGH														
Oxford	143	1·71	17	0·20	6	51	–	–	29	90	8	3	–	20
ADMINISTRATIVE COUNTY.	213	1·63	37	0·28	7	16	–	3	45	67	1	6	2	7
URBAN DISTRICTS ..	102	2·68	7	0·18	3	5	–	–	19	21	–	1	1	–
Banbury M.B. ..	11	0·76	3	0·21	–	1	–	–	10	13	–	–	–	–
Bicester	2	0·63	–	–	1	–	–	–	2	–	–	–	–	–
Chipping Norton M.B.	65	18·59	–	–	1	3	–	–	2	6	–	–	–	–

TABLE 29—*continued.*

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Poliomyelitis.	Encephalitis lethargica.	Ophthalmia neonatorum.
	Case.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever. Cases.	Pyrexia Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.
	2	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*
FORDSHIRE *—cont.*														
BAN DISTRICTS— *cont.*														
Henley-on-Thames M.B.	19	2·64	3	0·42	–	–	–	–	4	–	–	–	–	–
Thame	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Witney	5	0·98	–	–	–	–	–	–	–	1	–	1	1	–
Woodstock M.B.	–	–	1	0·65	1	–	–	–	1	1	–	–	–	–
RAL DISTRICTS ..	111	1·20	30	0·32	4	11	–	3	26	46	1	5	1	7
Banbury ..	12	0·93	4	0·31	–	1	–	–	3	3	–	–	1	–
Bullingdon ..	20	0·91	2	0·09	–	1	–	3	3	11	1	1	–	–
Chipping Norton	19	1·32	2	0·14	–	2	–	–	5	12	–	1	–	1
Henley	40	2·80	–	–	1	1	–	–	1	7	–	1	–	4
Ploughley ..	9	0·68	5	0·38	1	2	–	–	7	8	–	1	–	–
Witney	11	0·69	17	1·07	2	4	–	–	7	5	–	1	–	2
TERBOROUGH, SOKE OF:														
MINISTRATIVE OUNTY.	115	2·20	9	0·17	1	6		2	13	140	–	–	–	1
BAN DISTRICT:														
Peterborough M.B.	84	1·91	8	0·18	1	4	–	2	12	135	–	–	–	1
RAL DISTRICTS ..	31	3·72	1	0·12	–	2	–	–	1	5	–	–	–	–
Barnack	1	0·42	–	–	–	–	–	–	1	1	–	–	–	–
Peterborough ..	30	5·03	1	0·17	–	2	–	–	–	4	–	–	–	–
TLANDSHIRE:														
MINISTRATIVE OUNTY.	10	0·56	10	0·56	–	2	–	3	7	15	–	–	–	–
BAN DISTRICT:														
Oakham	–	–	5	1·52	–	2	–	–	–	3	–	–	–	–
RAL DISTRICTS ..	10	0·68	5	0·34	–	–	–	3	7	12	–	–	–	–
Ketton	8	2·94	1	0·37	–	–	–	2	–	–	–	–	–	–
Oakham	–	–	4	0·66	–	–	–	–	6	2	–	–	–	–
Uppingham ..	2	0·34	–	–	–	–	–	1	1	10	–	–	–	–
ROPSHIRE:														
MINISTRATIVE OUNTY.	424	1·74	124	0·51	21	51	–	7	68	292	2	8	–	38
BAN DISTRICTS ..	189	1·62	38	0·32	7	18	–	1	28	135	2	4	–	19
Bishop's Castle M.B.	8	5·78	–	–	–	1	–	–	1	–	–	–	–	–
Bridgnorth M.B.	1	0·19	2	0·38	1	1	–	1	3	4	–	–	–	–
Church Stretton..	7	4·12	–	–	–	–	–	–	1	7	–	–	–	–
Dawley	14	1·91	11	1·50	–	–	–	–	1	15	–	–	–	2
Ellesmere ..	28	14·21	1	0·51	–	1	–	–	–	1	–	–	–	–

TABLE 29—*continued.*

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Poliomyelitis.	Encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever. Cases.	Pyrexia Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*
SHROPSHIRE : *—cont.*														
URBAN DISTRICTS— *cont.*														
Ludlow M.B. ..	23	4·10	–	–	–	–	–	–	1	14	–	–	–	–
Market Drayton	2	0·41	5	1·03	–	–	–	–	1	–	–	–	–	–
Newport	1	0·30	–	–	–	3	–	–	1	5	–	–	–	–
Oakengates ..	7	0·63	5	0·45	–	–	–	–	1	10	–	–	–	–
Oswestry M.B. ..	13	1·31	10	1·01	2	–	–	–	3	14	–	–	–	–
Shrewsbury M.B.	73	2·20	–	–	2	8	–	–	8	20	1	4	–	–
Wellington ..	3	0·33	2	0·22	2	1	–	–	3	22	–	–	–	–
Wem	1	0·45	1	0·45	–	–	–	–	1	10	–	–	–	–
Wenlock M.B. ..	7	0·51	–	–	–	1	–	–	3	5	1	–	–	–
Whitchurch ..	1	0·16	1	0·16	–	2	–	–	–	8	–	–	–	–
RURAL DISTRICTS ..	235	1·85	86	0·68	14	33	–	6	40	157	–	4	–	–
Atcham	20	0·91	2	0·09	1	9	–	2	12	39	–	1	–	–
Bridgnorth ..	11	1·36	–	–	–	1	–	1	–	14	–	–	–	–
Burford	1	0·93	–	–	2	–	–	1	–	–	–	–	–	–
Chirbury ..	1	0·34	1	0·34	–	1	–	1	2	1	–	–	–	–
Church Stretton..	5	1·13	–	–	–	1	–	–	–	8	–	–	–	–
Cleobury Mortimer	5	0·73	–	–	–	4	–	–	1	9	–	–	–	–
Clun	3	0·51	1	0·17	–	3	–	–	3	2	–	1	–	–
Drayton	10	1·39	–	–	1	2	–	–	3	4	–	–	–	–
Ellesmore ..	10	1·34	10	1·34	1	–	–	–	–	1	–	–	–	–
Ludlow	13	1·52	6	0·70	–	–	–	1	6	9	–	1	–	–
Newport ..	3	0·55	–	–	1	2	–	–	–	3	–	–	–	–
Oswestry.. ..	95	5·88	52	3·22	2	4	–	–	4	14	–	–	–	–
Shifnal	25	3·24	–	–	4	1	–	–	–	9	–	–	–	–
Teme	4	2·54	–	–	–	–	–	–	–	1	–	–	–	–
Wellington ..	15	1·34	14	1·25	–	–	–	–	5	19	–	–	–	–
Wem	13	1·54	–	–	2	5	–	–	4	22	–	1	–	–
Whitchurch ..	1	0·49	–	–	–	–	–	–	–	2	–	–	–	–
SOMERSETSHIRE :	626	1·32	285	0·60	12	53	–	14	120	635	8	5	8	–
COUNTY BOROUGH														
Bath	207	3·00	71	1·03	3	11	–	–	10	56	7	–	–	–
ADMINISTRATIVE COUNTY.	419	1·04	214	0·53	9	42	–	14	110	579	1	5	8	–
URBAN DISTRICTS..	209	1·16	126	0·70	1	24	–	3	42	270	1	2	5	–
Bridgwater M.B.	15	0·84	2	0·11	–	1	–	–	5	31	–	–	–	–
Burnham on Sea	46	5·84	5	0·63	–	–	–	1	2	22	–	–	–	–
Chard M.B. ..	6	1·39	1	0·23	–	–	–	–	–	2	–	–	–	–
Clevedon.. ..	4	0·54	–	–	–	–	–	–	–	8	–	–	–	–
Crewkerne ..	1	0·28	5	1·42	–	1	–	–	–	3	–	–	–	–
Frome	1	0·10	5	0·48	–	–	–	–	2	3	1	–	–	–
Glastonbury M.B.	–	–	9	1·97	–	–	–	–	2	2	–	–	–	–
Ilminster.. ..	–	–	–	–	–	–	–	–	–	6	–	–	–	–
Midsomer Norton*	–	–	–	–	–	1	–	–	–	11	–	–	–	–
Minehead ..	3	0·48	1	0·16	–	–	–	–	3	–	–	–	–	–
Norton-Radstock†	17	1·85	1	0·11	–	1	–	–	7	11	–	1	–	–
Portishead ..	–	–	1	0·25	–	–	–	–	–	2	–	–	–	–

* Abolished 1st. April, 1933.

† Created 1st April, 1933.

TABLE 29—*continued.*

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Poliomyelitis.	Encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Resident Population.	ases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*
OMERSETSHIRE —*cont.*														
RBAN DISTRICTS— *cont.*														
Shepton Mallet ..	1	0·24	2	0·47	–	4	–	–	1	14	–	–	–	–
Street	2	0·45	6	1·35	–	–	–	1	1	9	–	–	1	–
Taunton M.B. ..	58	2·21	47	1·79	–	1	–	–	5	79	–	1	2	–
Watchet	1	0·48	–	–	–	3	–	–	–	1	–	–	–	–
Wellington ..	7	1·01	14	2·01	–	1	–	1	–	8	–	–	–	–
Wells M.B. ..	–	–	–	–	–	2	–	–	–	10	–	–	–	–
Weston super Mare	43	1·38	25	0·80	–	4	–	–	11	32	–	–	–	7
Wivelscombe* ..	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Yeovil M.B. ..	4	0·21	2	0·10	1	5	–	–	3	16	–	–	2	4
URAL DISTRICTS ..	210	0·93	88	0·39	8	18	–	11	68	309	–	3	3	6
Axbridge.. ..	23	1·00	10	0·44	1	3	–	–	21	62	–	1	–	–
Bath*	3	0·82	1	0·27	–	–	–	–	2	4	–	–	–	2
Bathavon† ..	34	2·01	6	0·35	1	1	–	–	4	7	–	–	–	–
Bridgwater ..	17	1·01	4	0·24	–	1	–	1	2	10	–	–	–	–
Chard	1	0·09	–	–	–	1	–	–	4	17	–	1	–	–
Clutton	2	0·13	1	0·06	3	1	–	–	3	22	–	–	–	–
Dulverton ..	2	0·43	–	–	–	–	–	–	–	8	–	–	1	–
Frome	8	0·81	6	0·61	1	1	–	–	2	13	–	–	1	–
Keynsham* ..	2	0·62	–	–	–	–	–	–	1	25	–	–	–	–
Langport.. ..	5	0·40	2	0·16	–	1	–	2	3	6	–	–	–	1
Long Ashton ..	28	1·44	1	0·05	–	1	–	1	8	24	–	–	–	–
Shepton Mallet ..	6	0·61	15	1·52	–	2	–	–	4	15	–	–	–	–
Taunton	16	0·94	22	1·30	–	–	–	–	4	33	–	–	–	–
Wellington ..	7	1·00	2	0·28	–	1	–	–	1	2	–	1	–	–
Wells	6	0·63	2	0·21	–	–	–	6	3	15	–	–	1	1
Williton	22	1·82	1	0·08	1	2	–	–	–	5	–	–	–	–
Wincanton ..	5	0·31	7	0·44	1	–	–	–	2	20	–	–	–	1
Yeovil	23	1·40	8	0·49	–	3	–	1	4	21	–	–	–	1
OUTHAMPTON :	2,381	2·32	720	0·70	54	109	–	31	281	679	35	16	11	114
OUNTY BOROUGHS	1,434	2·64	527	0·97	32	43	–	16	165	227	17	9	7	54
Bournemouth ..	101	0·88	47	0·41	5	12	–	3	20	56	–	1	3	3
Portsmouth ..	864	3·44	194	0·77	13	14	–	7	74	52	9	3	2	14
Southampton ..	469	2·64	286	1·61	14	17	–	6	71	119	8	5	2	37
DMINISTRATIVE COUNTY.	947	1·96	193	0·40	22	66	–	15	116	452	18	7	4	60
RBAN DISTRICTS ..	565	2·11	103	0·38	12	43	–	9	62	310	10	2	2	27
Aldershot M.B. ..	55	1·60	3	0·09	–	4	–	3	9	43	6	–	–	1
Alton	20	2·77	7	0·97	–	1	–	–	2	5	–	–	–	2
Andover M.B. ..	72	6·75	13	1·22	1	4	–	–	3	16	1	–	–	1
Basingstoke M.B.	62	4·34	17	1·19	–	4	–	–	9	12	1	–	–	1
Christchurch M.B.	19	1·57	1	0·08	–	1	–	–	1	9	–	–	–	–
Eastleigh ..	38	1·57	–	–	1	5	–	1	9	18	–	–	–	2
Fareham ..	55	2·40	5	0·22	2	1	–	–	6	32	–	–	–	–
Farnborough ..	43	2·11	9	0·44	–	1	–	–	4	4	2	–	–	3

* Abolished 1st April, 1933.

† Created 1st, April, 1933.

TABLE 29—*continued.*

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Poliomyelitis.	Encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*
SOUTHAMPTON —*cont.*														
URBAN DISTRICTS —*cont.*														
Fleet	5	0·65	1	0·13	–	–	–	–	–	10	–	–	–	1
Gosport M.B. ..	72	1·82	7	0·18	1	2	–	–	6	116	–	2	2	8
Havant and Waterloo ..	16	0·71	20	0·89	2	5	–	1	6	1	–	–	–	2
Lymington M.B.	14	0·87	12	0·75	–	5	–	1	1	3	–	–	–	–
Petersfield ..	32	5·59	1	0·17	–	–	–	1	2	4	–	–	–	–
Romsey M.B. ..	7	1·21	–	–	–	1	–	–	1	4	–	–	–	1
Winchester M.B.	55	2·21	7	0·28	5	9	–	2	3	33	–	–	–	5
RURAL DISTRICTS ..	382	1·78	90	0·42	10	23	–	6	54	142	8	5	2	33
Alton	32	1·54	9	0·43	2	1	–	–	5	7	1	1	1	–
Andover	19	1·34	11	0·77	–	1	–	–	2	8	–	–	–	4
Basingstoke ..	74	5·16	2	0·14	–	2	–	–	3	21	1	–	–	3
Droxford.. ..	25	1·39	21	1·17	–	–	–	3	10	18	1	–	–	–
Hartley Wintney	8	0·49	8	0·49	–	2	–	–	3	7	2	2	1	5
Kingsclere and Whitchurch ..	51	3·39	2	0·13	–	1	–	–	5	22	–	–	–	1
New Forest ..	28	0·87	2	0·06	4	6	–	–	5	17	–	–	–	4
Petersfield ..	29	1·91	5	0·33	3	1	–	1	6	7	–	–	–	4
Ringwood and Fordingbridge	25	1·36	20	1·09	–	2	–	–	7	9	1	2	–	4
Romsey and Stockbridge ..	32	1·77	3	0·17	1	3	–	1	5	7	2	–	–	3
Winchester ..	59	1·87	7	0·22	–	4	–	1	3	19	–	–	–	5
STAFFORDSHIRE :	2,922	2·02	926	0·64	84	179	–	16	649	3,242	23	33	7	280
COUNTY BOROUGHS	1,673	2·28	543	0·74	54	101	–	4	391	1,841	12	21	4	172
Burton-on-Trent	65	1·32	57	1·16	2	6	–	–	19	54	5	2	–	9
Smethwick ..	180	2·13	70	0·83	2	5	–	–	45	186	–	1	1	10
Stoke-on-Trent ..	530	1·93	235	0·85	27	30	–	2	160	1,064	5	7	1	91
Walsall	159	1·51	39	0·37	2	7	–	–	49	222	–	5	2	19
West Bromwich..	310	3·79	36	0·44	8	31	–	–	53	194	–	1	–	5
Wolverhampton	429	3·10	106	0·77	13	22	–	2	65	121	2	5	–	38
ADMINISTRATIVE COUNTY.	1,249	1·75	383	0·54	30	78	–	12	258	1,401	11	12	3	108

TABLE 29—*continued.*

Area.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary) or influenzal).	Cerebro-spinal fever.	Poliomyelitis.	Encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*
STAFFORDSHIRE —*cont.*														
URBAN DISTRICTS ..	940	1·90	267	0·54	19	56	–	6	189	1,099	8	6	2	82
Amblecote ..	5	1·66	–	–	1	–	–	–	–	1	–	–	–	–
Biddulph ..	13	1·55	9	1·08	–	–	–	1	4	27	–	–	–	7
Bilston M.B. ..	58	1·86	6	0·19	2	3	–	–	19	142	–	2	–	4
Brierley Hill ..	18	1·27	9	0·64	1	2	–	–	5	11	–	–	–	–
Brownhills ..	9	0·48	3	0·16	1	3	–	–	10	76	–	–	–	2
Cannock	40	1·15	19	0·55	1	5	–	–	11	5	–	–	–	4
Coseley	33	1·28	8	0·31	–	2	–	–	7	51	1	–	1	2
Darlaston ..	33	1·67	4	0·20	1	1	–	–	3	81	–	–	–	4
Kidsgrove ..	21	1·42	12	0·81	1	6	–	–	12	38	–	1	–	1
Leek	57	3·05	52	2·79	–	1	–	–	3	16	1	1	–	8
Lichfield M.B. ..	2	0·23	4	0·47	–	–	–	–	–	2	–	–	–	1
Newcastle under Lyme, M.B. ..	121	2·10	36	0·62	–	1	–	–	19	87	1	1	–	6
Quarry Bank ..	20	2·37	8	0·95	1	2	–	–	5	24	–	–	–	–
Rowley Regis M.B.	76	1·83	25	0·60	1	6	–	–	16	63	–	–	–	8
Rugeley	4	0·73	4	0·73	–	–	–	–	–	3	–	–	–	–
Sedgley	40	2·06	9	0·46	–	–	–	–	17	87	–	–	–	3
Short Heath ..	9	1·69	1	0·19	–	1	–	–	2	7	1	–	–	2
Stafford M.B. ..	40	1·36	7	0·24	1	7	–	–	5	59	1	–	–	2
Stone	12	1·91	9	1·43	1	–	–	–	5	20	–	–	–	1
Tamworth M.B...	10	0·83	–	–	2	–	–	–	5	18	1	–	–	6
Tettenhall ..	12	2·04	4	0·68	1	–	–	–	1	16	–	1	–	3
Tipton	66	1·80	11	0·30	3	9	–	1	17	118	–	–	–	6
Uttoxeter ..	2	0·33	1	0·17	–	–	–	–	1	1	–	–	–	–
Wednesbury M.B.	63	1·96	9	0·28	1	2	–	4	14	81	–	–	–	5
Wednesfield ..	81	8·36	4	0·41	–	1	–	–	2	13	–	–	1	5
Willenhall ..	95	4·31	13	0·59	–	4	–	–	6	52	2	–	–	2
RURAL DISTRICTS ..	309	1·41	116	0·53	11	22	–	6	69	302	3	6	1	26
Cannock	22	1·07	13	0·63	2	2	–	–	10	19	–	1	–	4
Cheadle	95	3·30	16	0·55	4	3	–	5	23	85	1	2	–	7
Gnosall	12	2·54	1	0·21	–	–	–	–	–	8	–	–	–	1
Kingswinford ..	24	1·06	5	0·22	–	6	–	–	5	32	1	–	–	2
Leek	17	1·06	9	0·56	–	1	–	–	1	11	–	–	–	–
Lichfield	42	1·40	18	0·60	–	1	–	–	14	58	–	–	–	3
Mayfield	2	0·56	1	0·28	–	–	–	–	–	1	–	–	–	–
Newcastle under Lyme	11	0·66	4	0·24	1	1	–	–	4	21	–	1	–	1
Seisdon	17	1·11	2	0·13	–	–	–	1	3	5	–	–	1	3
Stafford	13	1·32	3	0·30	–	1	–	–	–	6	–	–	–	–
Stone	22	1·84	12	1·01	2	1	–	–	1	15	–	1	–	2
Tamworth (pt. of)*	6	1·00	2	0·33	–	2	–	–	–	10	–	–	–	3

* The remainder of Tamworth Rural District is in Warwickshire.

TABLE 29—*continued.*

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Poliomyelitis.	Encephalitis lethargica.	Ophthalmia neonatorum.
	Case.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia								
					Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*
STAFFORDSHIRE —*cont.*														
RURAL DISTRICTS —*cont.*														
Tutbury	7	0·75	9	0·96	–	3	–	–	1	2	1	–	–	–
Uttoxeter ..	4	0·50	2	0·25	–	–	–	–	–	3	–	1	–	–
Walsall	15	0·97	19	1·22	2	1	–	–	7	25	–	–	–	–
Civil Parishes of Blymhill and Weston under Lizard administered by R.D.C. of Shifnal (Shropshire).	–	–	–	–	–	–	–	–	–	1	–	–	–	–
SUFFOLK EAST :	522	1·75	190	0·64	28	29	–	16	88	282	2	2	5	19
COUNTY BOROUGH														
Ipswich	194	2·18	135	1·52	20	9	–	–	55	107	1	–	1	9
ADMINISTRATIVE COUNTY.	328	1·57	55	0·26	8	20	–	16	33	175	1	2	4	10
URBAN DISTRICTS ..	111	1·26	27	0·31	2	11	–	7	15	63	–	2	1	6
Aldeburgh M.B...	–	–	–	–	–	–	–	–	–	3	–	–	–	–
Beccles M.B. ..	–	–	8	1·19	–	–	–	–	–	–	–	–	–	–
Bungay	–	–	–	–	–	–	–	–	–	11	–	1	–	–
Eye M.B. ..	2	1·16	–	–	1	–	–	–	1	9	–	–	–	–
Felixstowe ..	15	1·22	1	0·08	–	–	–	–	1	–	–	1	–	–
Halesworth ..	3	1·42	–	–	–	–	–	1	–	1	–	–	–	–
Leiston cum Sizewell	–	–	–	–	–	–	–	–	1	3	–	–	–	–
Lowestoft M.B...	82	1·93	16	0·38	–	11	–	6	9	25	–	–	1	6
Saxmundham ..	1	0·71	–	–	–	–	–	–	–	–	–	–	–	–
Southwold M.B.	6	2·13	1	0·36	1	–	–	–	–	2	–	–	–	–
Stowmarket ..	2	0·47	1	0·24	–	–	–	–	1	6	–	–	–	–
Woodbridge ..	–	–	–	–	–	–	–	–	2	3	–	–	–	–
RURAL DISTRICTS ..	217	1·79	28	0·23	6	9	–	9	18	112	1	–	3	4
Blything ..	11	0·67	1	0·06	1	2	–	8	1	4	–	–	–	–
Bosmere and Claydon	30	2·13	10	0·71	–	2	–	–	2	20	–	–	–	1
East Stow ..	8	1·10	1	0·14	1	1	–	–	1	12	–	–	1	1
Hartismere ..	35	3·37	1	0·10	1	–	–	–	–	13	–	–	1	–
Hoxne	11	1·24	–	–	–	–	–	–	3	4	–	–	–	–
Mutford and Lothingland ..	13	1·03	4	0·32	–	1	–	–	–	5	–	–	–	1
Plomesgate ..	34	2·49	1	0·07	1	1	–	–	2	7	–	–	–	–
Samford	55	3·80	7	0·48	1	–	–	1	6	29	–	–	–	1
Wangford ..	1	0·23	1	0·23	1	1	–	–	–	4	–	–	–	–
Woodbridge ..	19	1·01	2	0·11	–	1	–	–	3	14	1	–	1	–
SUFFOLK WEST :														
ADMINISTRATIVE COUNTY.	156	1·49	20	0·19	7	7	–	3	17	40	1	1	–	–

TABLE 29—*continued.*

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Poliomyelitis.	Encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia								
					Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*
SUFFOLK WEST —*cont.*														
URBAN DISTRICTS ..	94	2·28	15	0·36	5	4	–	1	10	19	–	–	–	–
Bury St. Edmunds M.B.	37	2·20	1	0·06	4	2	–	1	3	9	–	–	–	–
Glemsford ..	–	–	–	–	–	–	–	–	–	2	–	–	–	–
Hadleigh ..	4	1·36	–	–	–	–	–	–	1	2	–	–	–	–
Haverhill ..	29	7·65	–	–	–	–	–	–	1	2	–	–	–	–
Newmarket ..	5	0·52	14	1·46	1	2	–	–	1	3	–	–	–	–
Sudbury M.B. ..	19	2·78	–	–	–	–	–	–	4	1	–	–	–	–
RURAL DISTRICTS ..	62	0·97	5	0·08	2	3	–	2	7	21	1	1	–	–
Brandon	2	0·36	–	–	–	–	–	–	–	1	1	–	–	–
Clare	13	1·87	–	–	–	1	–	–	1	1	–	–	–	–
Cosford	19	2·02	–	–	1	1	–	–	–	2	–	–	–	–
Melford	8	0·71	1	0·09	–	–	–	–	2	2	–	1	–	–
Mildenhall ..	2	0·26	2	0·26	–	1	–	–	2	7	–	–	–	–
Moulton ..	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Thedwastre ..	2	0·25	2	0·25	–	–	–	–	1	7	–	–	–	–
Thingoe	16	1·25	–	–	1	–	–	2	1	–	–	–	–	–
SURREY														
COUNTY BOROUGH	3,386	2·70	909	0·72	45	150	34	74	491	1·70	24	24	14	41
Croydon	626	2·61	218	0·91	13	40	3	25	101	73	3	4	3	11
ADMINISTRATIVE COUNTY.	2,760	2·72	691	0·68	32	110	31	49	390	997	21	20	11	30
URBAN DISTRICTS ..	2,371	2·69	643	0·73	27	93	31	41	355	878	18	19	10	27
Banstead † ..	26	1·63	16	1·00	–	1	–	10	9	3	–	1	–	–
Barnes M.B. ..	147	3·45	72	1·69	1	2	–	–	16	35	2	1	–	–
Beddington and Wallington ..	59	2·12	16	0·57	–	1	–	–	6	41	–	–	–	–
Carshalton ..	151	4·28	41	1·16	2	1	3	1	19	89	–	–	1	–
Caterham and Warlingham ..	27	1·19	33	1·46	–	3	–	–	8	10	–	–	–	–
Chertsey	30	1·65	11	0·61	–	3	1	–	5	13	–	–	–	3
Coulsdon and Purley ..	69	1·58	17	0·39	–	1	–	5	22	28	–	–	–	–
Dorking	49	3·41	8	0·56	2	1	–	–	1	7	–	–	–	–
Egham	64	3·83	21	1·26	–	2	–	–	6	35	–	–	–	–
Epsom	47	1·27	23	0·62	2	2	–	10	29	56	–	1	–	2
Esher	74	2·23	9	0·27	–	4	–	–	10	41	1	3	1	–
Farnham.. ..	71	3·66	33	1·70	–	4	–	2	14	42	1	–	1	2
Frimley and Camberley ..	60	3·53	1	0·06	–	–	–	–	2	10	–	–	–	–
Godalming M.B.	22	1·82	–	–	–	–	–	–	2	4	–	–	–	–
Guildford M.B. ..	78	2·22	16	0·46	4	3	–	–	7	53	1	–	–	4
Ham *	2	3·21	–	–	–	–	–	–	–	–	–	–	–	–
Haslemere ..	18	2·24	2	0·25	–	–	–	1	1	–	–	1	–	–
Kingston-upon-Thames M.B. ..	126	3·28	30	0·78	2	8	–	2	17	31	–	3	2	2
Leatherhead ..	37	2·32	5	0·31	1	1	–	–	6	7	–	–	–	–
Merton and Morden	219	4·20	35	0·67	4	11	22	1	20	43	–	1	2	3

* Abolished 1st April, 1933.
† Created 1st April, 1933.

TABLE 29—*continued.*

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary) or influenzal).	Cerebro-spinal fever.	Poliomyelitis.	Encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever. Cases.	Pyrexia. Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*
SURREY—*cont.*														
URBAN DISTRICTS —*cont.*														
Mitcham ..	240	4·00	40	0·67	1	9	–	3	31	37	4	–	1	2
Reigate M.B. ..	64	1·87	6	0·17	1	6	–	–	29	54	–	3	1	–
Richmond M.B.	137	3·57	65	1·69	–	5	–	–	18	30	3	–	–	1
Surbiton	85	2·44	7	0·20	2	2	–	1	12	54	–	–	–	2
Sutton and Cheam	142	2·48	78	1·36	1	6	–	4	20	19	1	–	–	–
The Maldens and Coombe ..	111	3·99	11	0·39	1	2	–	–	4	29	–	3	1	2
Walton and Weybridge ..	56	2·18	7	0·27	–	3	2	–	8	31	1	–	–	–
Wimbledon M.B.	126	2·14	21	0·36	2	5	3	1	28	42	2	1	–	3
Windlesham* ..	1	0·76	–	–	–	–	–	–	1	7	–	–	–	–
Woking	33	0·92	19	0·53	1	7	–	–	4	27	2	1	–	1
RURAL DISTRICTS ..	389	2·88	48	0·36	5	17	–	8	35	119	3	1	1	3
Bagshot†	150	18·03	–	–	–	1	–	1	3	5	–	–	–	1
Chertsey* ..	17	5·07	7	2·09	–	–	–	–	1	12	–	–	–	–
Dorking and Horley ..	36	2·08	2	0·12	1	4	–	2	6	13	–	–	–	–
Epsom*	7	0·57	12	0·98	–	1	–	3	8	19	1	1	–	–
Farnham* ..	4	0·95	–	–	–	–	–	–	1	1	1	–	–	–
Godstone ..	21	0·81	7	0·27	–	3	–	1	5	16	–	–	–	1
Guildford ..	83	2·69	2	0·06	–	7	–	–	9	8	–	–	1	–
Hambledon ..	52	2·08	11	0·44	3	–	–	1	2	11	–	–	–	1
Reigate*	19	2·47	7	0·91	1	1	–	–	–	34	1	–	–	–
SUSSEX EAST :	1,007	1·83	198	0·36	21	87	–	32	167	387	15	13	4	32
COUNTY BOROUGHS	583	2·19	123	0·46	11	62	–	16	98	221	9	4	–	19
Brighton ..	371	2·53	43	0·29	5	37	–	9	52	104	5	3	–	14
Eastbourne ..	80	1·41	23	0·41	3	11	–	3	21	37	3	1	–	3
Hastings ..	132	2·08	57	0·90	3	14	–	4	25	80	1	–	–	2
ADMINISTRATIVE COUNTY	424	1·49	75	0·26	10	25	–	16	69	166	6	9	4	13
URBAN DISTRICTS ..	310	2·10	37	0·25	2	15	–	11	43	87	–	2	3	6
Battle	8	2·20	–	–	–	1	–	2	–	1	–	–	–	1
Bexhill M.B. ..	37	1·75	6	0·28	1	3	–	1	1	1	–	–	–	–
Burgess Hill ..	13	2·08	2	0·32	–	1	–	–	3	9	–	–	–	–
Cuckfield	–	–	–	–	–	2	–	–	1	–	–	–	–	–
East Grinstead ..	34	4·10	17	2·05	–	3	–	–	–	4	–	2	1	–
Haywards Heath	19	3·22	–	–	–	–	–	1	1	–	–	–	–	–
Hove M.B. ..	69	1·21	4	0·07	–	1	–	4	26	35	–	–	2	2
Lewes M.B. ..	31	2·71	3	0·26	1	1	–	1	5	3	–	–	–	1
Newhaven ..	11	1·70	1	0·15	–	2	–	–	–	15	–	–	–	2
Portslade by Sea	63	6·37	–	–	–	1	–	2	4	18	–	–	–	–
Rye M.B. ..	8	2·00	2	0·50	–	–	–	–	–	–	–	–	–	–
Seaford	16	2·05	2	0·26	–	–	–	–	2	1	–	–	–	–
Uckfield	1	0·27	–	–	–	–	–	–	–	–	–	–	–	–
RURAL DISTRICTS ..	114	0·84	38	0·28	8	10	–	5	26	79	6	7	1	7
Battle	6	0·86	4	0·57	–	1	–	–	–	7	–	–	–	–
Chailey	8	0·57	5	0·36	1	2	–	–	3	7	–	–	–	–
Cuckfield	18	0·98	3	0·16	–	1	–	–	–	21	–	–	1	–

* Abolished 1st April, 1933.

† Created 1st April, 1933.

TABLE 29—*continued.*

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Poliomyelitis.	Encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever. Cases.	Pyrexia. Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*
SUSSEX (EAST) —*cont.*														
RURAL DISTRICTS —*cont.*														
Eastbourne ..	3	0·43	2	0·28	–	–	–	–	–	4	–	2	–	–
East Grinstead ..	33	2·09	9	0·57	1	1	–	4	3	6	–	2	–	–
Hailsham ..	12	0·60	8	0·40	3	1	–	1	9	15	–	2	–	–
Hastings ..	4	1·47	2	0·74	–	–	–	–	–	–	–	–	–	–
Newhaven ..	6	1·03	2	0·34	–	1	–	–	–	3	–	–	–	3
Rye	3	0·40	–	–	1	1	–	–	–	1	5	–	–	–
Ticehurst ..	11	0·84	2	0·15	1	–	–	–	3	8	–	–	–	3
Uckfield	10	0·40	1	0·04	1	2	–	–	8	7	1	1	–	1
SUSSEX WEST :														
ADMINISTRATIVE COUNTY.	712	3·08	111	0·48	23	89	–	13	42	195	2	3	3	19
URBAN DISTRICTS	452	3·68	76	0·62	18	66	–	10	29	128	2	1	2	15
Arundel M.B. ..	4	1·58	–	–	–	–	–	1	1	3	–	–	–	–
Bognor Regis ..	24	1·46	21	1·28	2	2	–	–	2	5	–	–	–	1
Chichester M.B.	88	5·77	5	0·33	2	1	–	1	6	42	–	–	–	1
Horsham ..	15	1·07	3	0·21	–	3	–	–	–	5	–	–	–	–
Littlehampton ..	25	2·41	13	1·25	–	–	–	–	1	11	–	–	1	1
Shoreham-by-Sea	60	6·58	2	0·22	8	45	–	5	7	21	2	–	1	9
Southwick ..	6	0·87	–	–	3	3	–	1	2	6	–	–	–	–
Worthing M.B.	230	4·76	32	0·66	3	12	–	2	10	35	–	1	–	3
RURAL DISTRICTS ..	260	2·40	35	0·32	5	23	–	3	13	67	–	2	1	4
Chanctonbury† ..	21	1·75	4	0·33	–	1	–	–	–	6	–	–	–	–
Chichester† ..	90	3·64	13	0·53	2	4	–	2	5	18	–	–	–	3
Horsham ..	16	0·74	1	0·05	–	4	–	–	1	18	–	2	–	–
Midhurst ..	22	1·52	5	0·35	1	5	–	1	3	3	–	–	1	–
Petworth ..	6	0·72	–	–	1	–	–	–	1	–	–	–	–	–
Steyning West* ..	15	3·91	–	–	–	4	–	–	–	–	–	–	–	–
Thakeham* ..	30	12·13	–	–	–	–	–	–	–	–	–	–	–	–
Westhampnett* ..	1	0·16	–	–	–	–	–	–	1	17	–	–	–	–
Worthing ..	59	4·08	12	0·83	1	5	–	–	2	5	–	–	–	1
WARWICKSHIRE :	4,595	2·95	1,200	0·77	112	234	–	70	731	3,655	73	13	29	216
COUNTY BOROUGHS	3,396	2·84	983	0·82	84	188	–	53	610	2,877	41	10	26	183
Birmingham ..	2,718	2·69	835	0·83	73	167	–	31	557	2,646	27	10	22	176
Coventry ..	678	3·71	148	0·81	11	21	–	22	53	231	14	–	4	7
ADMINISTRATIVE COUNTY.	1,199	3·31	217	0·60	28	46	–	17	121	778	32	3	3	33
URBAN DISTRICTS ..	889	3·97	110	0·49	21	35	–	11	73	446	19	2	2	21
Bedworth ..	19	1·08	26	1·48	1	3	–	–	7	42	5	–	1	–
Kenilworth ..	24	3·07	4	0·51	–	–	–	–	1	15	1	–	–	1
Nuneaton M.B. ..	310	6·57	27	0·57	7	7	–	1	26	95	12	1	–	8
Royal Leamington Spa M.B. ..	69	2·29	3	0·10	1	1	–	3	1	42	–	–	1	3
Rugby M.B. ..	243	6·93	11	0·31	2	11	–	–	9	79	–	1	–	4
Solihull ..	37	1·26	6	0·20	4	5	–	5	2	56	–	–	–	2
Stratford-on-Avon M.B.	14	1·20	–	–	2	1	–	–	2	23	–	–	–	–

* Abolished 1st April, 1933.

† Created 1st April, 1933.

TABLE 29—*continued.*

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Poliomyelitis.	Encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia								
					Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*
WARWICKSHIRE —*cont.*														
URBAN DISTRICTS —*cont.*														
Sutton Coldfield M.B.	80	2·56	4	0·13	4	5	–	–	9	49	–	–	–	2
Warwick M.B. ..	93	6·77	29	2·11	–	2	–	2	16	45	1	–	–	1
RURAL DISTRICTS ..	310	2·24	107	0·77	7	11	–	6	48	332	13	1	1	12
Alcester	52	4·47	27	2·32	–	2	–	–	1	60	–	–	–	–
Atherstone ..	28	1·27	19	0·86	1	–	–	1	13	87	7	–	1	2
Meriden	35	1·37	18	0·70	2	2	–	–	9	63	4	–	–	1
Rugby	55	3·01	37	2·02	–	1	–	–	9	27	–	–	–	3
Shipston-on-Stour	10	1·31	1	0·13	–	1	–	–	–	13	–	–	–	–
Southam ..	70	6·19	1	0·09	1	–	–	1	3	21	–	–	–	–
Stratford-on-Avon	24	1·67	2	0·14	–	2	–	–	6	29	–	–	–	–
Tamworth (pt.of)*	8	0·57	–	–	2	2	–	–	4	23	2	1	–	5
Warwick ..	28	2·06	2	0·15	1	1	–	4	3	9	–	–	–	1
WESTMORLAND :														
ADMINISTRATIVE COUNTY ..	134	2·08	41	0·64	5	10	–	2	22	73	2	2	2	5
URBAN DISTRICTS ..	70	2·42	35	1·21	3	6	–	1	6	20	1	1	1	–
Ambleside ..	7	3·01	–	–	–	–	–	–	–	1	–	–	–	–
Appleby M.B. ..	10	6·18	–	–	–	1	–	–	1	4	–	–	–	–
Grasmere.. ..	–	–	–	–	–	1	–	–	–	1	–	–	–	–
Kendal M.B. ..	40	2·49	35	2·18	3	4	–	1	4	8	1	1	–	–
Kirkby Lonsdale	–	–	–	–	–	–	–	–	1	1	–	–	–	–
Shap	2	1·73	–	–	–	–	–	–	–	–	–	–	–	–
Windermere ..	11	1·97	–	–	–	–	–	–	–	5	–	–	1	–
RURAL DISTRICTS ..	64	1·81	6	0·17	2	4	–	1	16	53	1	1	1	5
East Westmorland	31	2·96	–	–	–	1	–	–	8	24	–	1	1	3
South Westmorland	22	1·18	5	0·27	1	3	–	1	5	18	–	–	–	–
West Ward ..	11	1·74	1	0·16	1	–	–	–	3	11	1	–	–	2
WIGHT, ISLE OF														
ADMINISTRATIVE COUNTY ..	71	0·83	18	0·21	4	10	–	5	17	37	–	4	2	1
URBAN DISTRICTS ..	37	0·55	18	0·27	4	9	–	5	12	23	–	4	2	–
Cowes	11	0·73	3	0·20	–	–	–	2	–	3	–	–	–	–
Newport M.B. ..	2	0·11	2	0·11	1	5	–	3	3	16	–	4	1	–

* The remainder of Tamworth Rural District is in Staffordshire. The figures for the entire district are :—

	14	0·70	2	0·10	2	4	–	–	4	33	2	1	–	8

TABLE 29—*continued.*

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Poliomyelitis.	Encephalitis lethargica.	Ophthalmia neonatorum.
	Case.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia								
					Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*
WIGHT, ISLE OF —*cont.*														
URBAN DISTRICTS—*cont.*														
Ryde M.B. ..	10	0·62	6	0·37	2	2	–	–	3	–	–	–	–	–
St. Helens* ..	2	1·47	4	2·94	–	1	–	–	1	–	–	–	–	–
Sandown—Shanklin	7	0·64	1	0·09	1	1	–	–	3	2	–	–	–	–
Ventnor	5	0·85	2	0·34	–	–	–	–	2	2	–	–	1	–
RURAL DISTRICT ..														
Isle of Wight ..	34	1·77	–	–	–	1	–	–	5	14	–	–	–	1
WILTSHIRE :														
ADMINISTRATIVE COUNTY.	412	1·35	404	1·32	7	98	–	3	74	325	9	3	1	18
URBAN DISTRICTS ..	168	1·15	303	2·07	3	80	–	2	31	191	7	1	1	5
Bradford on Avon	2	0·42	–	–	–	–	–	–	2	2	–	–	–	–
Calne M.B. ..	–	–	–	–	–	–	–	–	–	7	1	–	–	–
Chippenham M.B.	15	1·69	1	0·11	–	1	–	–	5	7	–	–	1	2
Devizes M.B. ..	–	–	7	1·17	–	–	–	–	1	7	1	–	–	–
Malmesbury M.B.	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Marlborough M.B.	21	4·67	8	1·78	–	–	–	–	–	3	–	–	–	–
Melksham ..	1	0·25	1	0·25	–	–	–	–	1	5	–	–	–	–
Salisbury M.B. ..	49	1·77	126	4·56	1	28	–	1	3	8	–	–	–	–
Swindon M.B. ..	59	0·96	149	2·43	–	51	–	1	14	147	5	1	–	3
Trowbridge ..	18	1·50	5	0·42	2	–	–	–	2	–	–	–	–	–
Warminster ..	1	0·19	–	–	–	–	–	–	2	2	–	–	–	–
Westbury ..	2	0·48	6	1·44	–	–	–	–	1	–	–	–	–	–
Wilton M.B. ..	–	–	–	–	–	–	–	–	–	2	–	–	–	–
RURAL DISTRICTS ..	244	1·53	101	0·63	4	18	–	1	43	134	2	2	–	13
Amesbury ..	9	0·51	25	1·42	–	–	–	–	2	32	–	–	–	–
Bradford on Avon	7	1·31	4	0·75	–	1	–	–	1	3	–	–	–	–
Calne	22	4·41	–	–	–	–	–	–	1	4	–	–	–	–
Chippenham ..	25	1·75	–	–	–	1	–	–	6	12	–	–	–	1
Cricklade and Wootton Bassett	16	1·41	19	1·68	1	1	–	1	5	7	–	–	–	1
Devizes	15	1·18	4	0·31	–	2	–	–	–	2	–	–	–	1
Highworth ..	17	1·05	17	1·05	1	3	–	–	14	20	1	–	–	3
Malmesbury ..	8	0·95	4	0·47	1	2	–	–	–	11	–	–	–	–
Marlborough ..	14	3·34	1	0·24	–	1	–	–	–	2	–	–	–	–
Melksham ..	3	0·59	–	–	–	1	–	–	5	2	–	–	–	–
Mere	5	1·14	–	–	–	–	–	–	–	2	–	–	–	–
Pewsey	38	2·61	6	0·41	–	3	–	–	2	5	1	–	–	7
Ramsbury ..	15	2·45	–	–	–	–	–	–	–	5	–	–	–	–
Salisbury.. ..	9	0·89	8	0·79	–	2	–	–	–	8	–	–	–	–

* Abolished 1st April, 1933.

TABLE 29—*continued.*

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Poliomyelitis.	Encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever. Cases.	Pyrexia Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*
WILTSHIRE—*cont.*														
RURAL DISTRICTS—*cont.*														
Tisbury	5	0·76	1	0·15	–	–	–	–	1	14	–	–	–	–
Warminster ..	11	2·10	11	2·10	–	1	–	–	–	3	–	–	–	–
Westbury and Whorwellsdown	5	0·76	–	–	1	–	–	–	4	–	–	2	–	–
Wilton	20	3·47	1	0·17	–	–	–	–	2	2	–	–	–	–
WORCESTERSHIRE:	1,197	2·80	352	0·82	18	81	–	25	108	588	3	4	5	51
COUNTY BOROUGHS	223	1·98	32	0·28	8	9	–	3	18	144	–	–	–	14
Dudley	123	2·05	19	0·32	7	3	–	1	7	68	–	–	–	7
Worcester ..	100	1·91	13	0·25	1	6	–	2	11	76	–	–	–	7
ADMINISTRATIVE COUNTY.	974	3·09	320	1·01	10	72	–	22	90	444	3	4	5	37
URBAN DISTRICTS ..	856	3·87	286	1·29	9	55	–	15	71	345	3	3	4	32
Bewdley M.B. ..	11	2·78	1	0·25	2	1	–	–	2	7	–	–	–	1
Bromsgrove ..	86	4·63	19	1·02	2	1	–	–	2	3	–	–	–	3
Droitwich M.B. ..	1	0·23	–	–	–	–	–	–	–	–	–	–	–	–
Evesham M.B. ..	22	2·07	93	8·77	1	3	–	2	–	–	–	–	–	–
Halesowen ..	64	2·01	18	0·56	–	4	–	1	13	63	–	–	3	2
KidderminsterM.B.	142	4·73	1	0·03	–	5	–	10	10	36	–	3	1	4
Malvern	43	2·46	9	0·52	1	1	–	1	9	52	1	–	–	1
North Bromgrove†	5	1·83	10	3·67	1	2	–	–	2	18	–	–	–	–
Oldbury	217	5·51	19	0·48	–	8	–	–	15	86	2	–	–	11
Redditch	163	7·64	105	4·92	2	6	–	–	9	22	–	–	–	1
Stourbridge M.B.	92	2·70	10	0·29	–	6	–	–	9	54	–	–	–	8
Stourport ..	10	1·45	1	0·14	–	18	–	1	–	4	–	–	–	1
RURAL DISTRICTS ..	118	1·25	34	0·36	1	17	–	7	19	99	–	1	1	5
Bromsgrove ..	45	2·53	8	0·45	–	2	–	2	–	13	–	–	–	–
Droitwich ..	21	1·97	2	0·19	–	–	–	1	1	5	–	–	–	1
Evesham	5	0·36	21	1·50	–	2	–	–	–	5	–	–	–	1
Feckenham† ..	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Kidderminster ..	4	0·51	–	–	–	2	–	–	–	5	–	1	–	1
Martley	16	1·45	–	–	–	4	–	2	4	22	–	–	1	–
Pershore	10	0·75	1	0·08	–	4	–	–	7	15	–	–	–	1
Rock†	2	3·68	–	–	–	–	–	–	–	–	–	–	–	–
Tenbury	3	0·58	1	0·19	1	–	–	–	1	2	–	–	–	1
Tewkesbury (part of)*†	2	3·76	–	–	–	–	–	–	–	–	–	–	–	–
Upton on Severn	10	0·79	1	0·08	–	3	–	2	6	31	–	–	–	–

* The remainder of Tewkesbury Rural District is in Gloucestershire.
† Part in Worcestershire abolished 1st April, 1933.

TABLE 29—*continued.*

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Poliomyelitis.	Encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever. Cases.	Pyrexia. Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*
YORKSHIRE, EAST RIDING :	991	2·02	1,665	3·39	16	62	–	13	189	732	24	46	4	43
COUNTY BOROUGH														
Kingston upon Hull	423	1·32	1,514	4·73	8	59	–	9	147	540	21	36	2	40
ADMINISTRATIVE COUNTY.	568	3·31	151	0·88	8	3	–	4	42	192	3	10	2	3
URBAN DISTRICTS..	354	4·78	79	1·07	2	2	–	1	18	102	1	4	–	2
Beverley M.B. ..	180	12·78	18	1·28	1	–	–	–	2	51	–	2	–	–
Bridlington M.B.	67	3·37	8	0·40	1	2	–	1	9	29	–	–	–	–
Cottingham ..	25	3·35	12	1·61	–	–	–	–	–	2	–	1	–	–
Filey	–	–	2	0·55	–	–	–	–	3	2	–	–	–	–
Great Driffield ..	41	7·03	5	0·86	–	–	–	–	1	9	–	1	–	2
Hedon M.B. ..	1	0·67	5	3·33	–	–	–	–	1	1	–	–	–	–
Hessle	14	2·18	16	2·49	–	–	–	–	–	4	–	–	–	–
Hornsea	–	–	–	–	–	–	–	–	1	1	–	–	–	–
Norton	5	1·24	6	1·49	–	–	–	–	–	–	1	–	–	–
Pocklington ..	10	3·73	–	–	–	–	–	–	–	3	–	–	–	–
Withernsea ..	11	2·74	7	1·74	–	–	–	–	1	–	–	–	–	–
RURAL DISTRICTS..	214	2·19	72	0·74	6	1	–	3	24	90	2	6	2	1
Beverley ..	58	4·81	–	–	–	–	–	–	8	13	–	4	–	–
Bridlington ..	6	0·76	8	1·01	1	–	–	–	–	11	–	–	1	–
Driffield	20	1·82	7	0·64	–	–	–	–	3	14	–	–	–	1
Escrick	4	0·68	1	0·17	–	–	–	–	–	–	–	1	–	–
Howden	16	1·30	7	0·57	2	1	–	–	4	10	1	1	1	–
Norton	11	2·15	–	–	–	–	–	1	–	–	–	–	–	–
Patrington ..	33	4·50	8	1·09	–	–	–	–	1	12	–	–	–	–
Pocklington ..	19	1·76	2	0·18	1	–	–	1	4	16	–	–	–	–
Riccall	7	1·36	1	0·19	–	–	–	–	–	8	1	–	–	–
Sculcoates ..	23	2·22	15	1·45	–	–	–	1	1	4	–	–	–	–
Sherburn.. ..	14	6·46	2	0·92	2	–	–	–	2	–	–	–	–	–
Skirlaugh ..	3	0·40	21	2·80	–	–	–	–	1	2	–	–	–	–
YORKSHIRE, NORTH RIDING :	1,873	3·95	321	0·68	34	56	–	29	195	1,156	22	4	14	33
COUNTY BOROUGH														
Middlesbrough ..	799	5·73	91	0·65	20	26	–	1	106	573	11	1	7	13
ADMINISTRATIVE COUNTY.	1,074	3·21	230	0·69	14	30	–	28	89	583	11	3	7	20
URBAN DISTRICTS..	845	4·54	165	0·89	7	19	–	10	70	411	6	2	3	17
Eston	142	4·57	4	0·13	–	1	–	1	6	99	2	–	–	3
Guisborough ..	23	2·86	25	3·10	–	–	–	–	2	22	–	–	–	1
Kirklington cum Upsland ..	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Loftus	3	0·37	1	0·12	–	1	–	–	3	23	–	–	–	4
Malton	1	0·23	11	2·54	–	–	–	1	–	–	2	–	1	1
Masham	–	–	–	–	–	–	–	–	–	8	–	–	–	–
Northallerton ..	7	1·48	1	0·21	–	–	–	–	–	13	–	–	–	–
Pickering ..	9	2·39	–	–	1	–	–	–	–	2	–	–	–	–
Redcar M.B. ..	103	4·81	2	0·09	2	8	–	–	8	42	–	–	–	1

TABLE 29—*continued.*

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Poliomyelitis.	Encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever. Cases.	Pyrexia. Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*
YORKSHIRE, NORTH RIDING —*cont.*														
URBAN DISTRICTS— *cont.*														
Richmond M.B...	10	1·90	1	0·19	–	1	–	–	2	17	–	–	–	1
Saltburn and Marske by the Sea ..	94	13·63	2	0·29	–	–	–	–	6	10	–	–	–	–
Scalby	5	1·57	2	0·63	–	–	–	–	1	1	–	–	–	–
Scarborough M.B.	72	1·75	95	2·31	3	3	–	4	14	30	1	1	–	3
Skelton and Brotton	18	1·35	2	0·15	–	1	–	1	8	26	–	–	1	3
Thornaby on Tees M.B.	330	15·48	3	0·14	1	1	–	1	9	93	–	1	1	–
Whitby	28	2·42	16	1·38	–	3	–	2	11	25	1	–	–	–
RURAL DISTRICTS ..	229	1·54	65	0·44	7	11	–	18	19	172	5	1	4	3
Aysgarth.. ..	10	2·49	–	–	–	–	–	–	–	–	–	–	–	–
Bedale	4	0·63	–	–	–	–	–	–	2	1	–	–	–	1
Croft	2	0·94	–	–	–	–	–	–	–	2	–	–	–	–
Easingwold ..	11	1·15	2	0·21	–	1	–	–	6	22	1	–	1	1
Flaxton	44	2·66	31	1·87	1	1	–	4	2	3	1	–	–	–
Helmsley ..	15	2·92	1	0·19	1	–	–	–	–	3	–	–	–	–
Kirkby Moorside	7	1·44	11	2·27	–	–	–	–	–	2	–	–	–	–
Leyburn	13	1·82	4	0·56	1	1	–	1	2	5	–	–	–	–
Malton	8	1·38	3	0·52	–	–	–	–	1	–	–	–	–	–
Northallerton ..	11	1·45	1	0·13	–	–	–	4	–	20	–	–	2	–
Pickering ..	4	0·70	–	–	–	–	–	–	–	1	–	–	–	–
Reeth	–	–	–	–	–	4	–	–	2	5	–	–	–	1
Richmond ..	13	0·66	1	0·05	3	1	–	4	3	45	1	–	–	–
Scarborough ..	5	0·76	6	0·91	–	–	–	–	–	6	–	–	–	–
Startforth ..	7	1·65	–	–	–	–	–	–	–	3	–	–	–	–
Stokesley ..	21	1·41	3	0·20	1	1	–	2	1	10	2	–	1	–
Thirsk	11	0·90	1	0·08	–	2	–	–	–	20	–	–	–	–
Wath	–	–	–	–	–	–	–	–	–	5	–	–	–	–
Whitby	43	3·63	1	0·08	–	–	–	3	–	19	–	1	–	–
YORKSHIRE, WEST RIDING :	13,016	3·87	5,340	1·59	195	512	3	96	1,827	7,354	363	64	17	245
COUNTY BOROUGHS	6,832	3·75	3,722	2·04	135	360	–	38	1,159	4,898	193	23	8	157
Barnsley ..	195	2·72	145	2·03	11	8	–	2	46	220	24	1	2	12
Bradford ..	1,002	3·40	380	1·29	17	43	–	16	170	634	9	2	2	18
Dewsbury ..	379	7·07	181	3·38	–	8	–	1	16	14	1	–	–	12
Doncaster ..	220	3·31	34	0·51	–	5	–	–	26	102	6	–	–	9
Halifax	256	2·64	173	1·78	5	25	–	–	63	105	3	4	1	5
Huddersfield ..	835	7·32	547	4·80	4	31	–	3	76	170	1	1	–	16
Leeds	1,906	3·93	1,050	2·16	39	115	–	12	353	1,012	38	3	2	44
Rotherham ..	268	3·86	57	0·82	4	16	–	1	44	155	3	–	–	3
Sheffield	1,453	2·84	965	1·89	51	98	–	2	336	2,378	106	12	–	36
Wakefield ..	318	5·29	190	3·16	4	11	–	1	29	108	2	–	1	2
ADMINISTRATIVE COUNTY.	6,184	4·03	1,618	1·05	60	152	3	58	668	2,456	170	41	9	88

TABLE 29—*continued.*

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and Pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Poliomyelitis.	Encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever. Cases.	Pyrexia. Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*
YORKSHIRE, WEST RIDING—*cont.*														
URBAN DISTRICTS ..	4,917	4·52	1,200	1·10	41	97	3	37	509	1,799	126	33	8	63
Adwick-le-Street	73	3·62	44	2·18	1	8	–	–	13	38	3	1	–	8
Altofts	15	3·08	4	0·82	–	–	–	–	6	13	–	–	–	2
Ardsley East and West	25	2·73	16	1·75	–	–	–	–	3	16	–	–	–	–
Baildon	43	4·82	2	0·22	–	–	–	–	–	–	–	–	–	–
Barkisland ..	–	–	–	–	–	1	–	1	–	3	–	–	–	–
Barnoldswick ..	7	0·60	3	0·26	–	–	–	–	9	9	1	–	–	1
Batley M.B. ..	310	9·11	46	1·35	–	–	2	–	13	40	2	–	–	–
Bentley with Arksey ..	66	4·01	31	1·89	–	4	–	–	5	35	5	–	–	2
Bingley	330	15·56	18	0·85	–	4	–	–	14	30	–	–	–	–
Birkenshaw ..	1	0·33	5	1·67	–	1	–	–	–	3	–	–	–	–
Birstal	8	1·14	3	0·43	–	–	–	–	9	14	–	–	–	–
Bolton upon Dearne ..	59	4·19	3	0·21	–	–	–	–	4	17	1	–	3	–
Brighouse M.B. ..	38	1·93	10	0·51	–	1	–	2	11	15	–	–	–	–
Burley in Wharfedale	32	7·94	–	–	–	–	–	–	2	4	–	–	–	–
Calverley ..	21	5·88	5	1·40	–	–	–	–	1	5	–	–	1	–
Castleford ..	102	4·78	67	3·14	2	3	1	–	6	27	12	–	–	–
Clayton West ..	8	4·43	1	0·55	–	–	–	–	–	–	–	–	1	–
Conisbrough ..	172	9·48	26	1·43	–	–	–	–	10	30	13	1	–	2
Cudworth ..	76	7·94	22	2·30	3	–	–	–	8	18	2	–	–	–
Darfield	18	3·43	13	2·48	–	–	–	–	5	10	–	–	–	–
Darton	76	5·96	60	4·71	–	3	–	1	12	37	2	–	2	1
Denby and Cumberworth ..	13	3·95	4	1·22	–	–	–	1	–	1	–	–	–	–
Denholme ..	–	–	2	0·77	–	1	–	–	1	–	–	–	–	–
Dodworth ..	13	3·08	1	0·24	–	2	–	–	3	8	1	–	–	–
Drighlington ..	5	1·20	–	–	–	–	–	–	–	9	–	–	–	–
Earby	2	0·37	–	–	–	1	–	–	4	8	–	–	–	–
Elland	22	2·10	–	–	–	1	–	–	7	12	–	–	–	–
Emley	5	3·11	–	–	–	–	–	–	2	2	–	–	–	–
Farsley	15	2·33	–	–	–	–	–	–	1	–	–	–	–	1
Featherstone ..	63	4·28	34	2·31	–	2	–	–	4	14	8	–	–	2
Flockton ..	3	1·97	–	–	–	–	–	–	–	3	–	–	–	–
Garforth	9	2·50	11	3·05	–	–	–	–	2	–	1	–	–	–
Gildersome ..	–	–	3	0·99	–	–	–	–	–	3	–	–	–	–
Golcar	106	11·00	20	2·08	–	–	–	–	3	6	–	–	–	–
Goole M.B. ..	79	3·90	3	0·15	2	1	–	1	9	60	2	–	–	3
Greasborough ..	21	5·82	2	0·55	–	1	–	2	3	7	1	–	–	–
Greetland ..	10	2·31	2	0·46	–	1	–	–	2	5	–	–	–	1
Guiseley	34	5·89	1	0·17	–	–	–	–	4	4	–	–	–	–
Gunthwaite and Ingbirchworth	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Harrogate M.B.	59	1·52	35	0·90	1	2	–	2	9	84	4	–	–	6
Haworth ..	14	2·44	2	0·35	–	–	–	–	1	–	–	–	–	–
Hebden Bridge ..	5	0·80	–	–	–	–	–	–	2	–	–	–	–	–

TABLE 29—*continued.*

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Poliomyelitis.	Encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever. Cases.	Pyrexia. Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*
YORKSHIRE, WEST RIDING—*cont.*														
URBAN DISTRICTS—*cont.*														
Heckmondwike ..	62	6·91	44	4·90	–	1	–	–	5	1	–	–	–	1
Hemsworth ..	36	2·73	27	2·05	–	2	–	1	14	42	2	–	–	1
Hipperholme ..	34	6·36	–	–	–	1	–	–	1	13	–	–	–	–
Holme	1	2·85	–	–	–	–	–	–	–	1	–	–	–	–
Holmfirth ..	42	4·12	22	2·16	–	–	–	–	4	21	–	1	–	–
Honley	7	1·56	31	6·89	–	–	–	–	2	6	–	–	–	–
Horbury	45	5·76	24	3·07	–	–	–	–	10	21	–	–	–	–
Horsforth ..	42	3·50	5	0·42	–	–	–	–	3	23	–	–	–	1
Hoyland Nether	75	4·97	7	0·46	2	4	–	–	19	68	7	–	–	2
Hoyland Swaine	–	–	1	1·27	–	–	–	–	–	–	–	–	–	–
Hunsworth ..	5	3·79	7	5·30	–	–	–	–	–	1	–	–	–	–
Ilkley	18	1·92	7	0·75	–	–	–	–	4	8	–	–	–	–
Keighley M.B. ..	214	5·30	19	0·47	1	4	–	–	4	28	–	–	–	3
Kirkburton ..	10	3·18	2	0·64	–	1	–	–	3	8	–	–	–	–
Kirkheaton ..	5	1·92	4	1·54	–	1	–	–	1	4	–	–	–	–
Knaresborough ..	6	1·00	10	1·67	–	–	–	–	–	1	–	–	–	–
Knottingley ..	2	0·28	–	–	–	1	–	–	1	9	–	–	–	–
Lepton	14	4·37	4	1·25	–	–	–	–	–	11	–	–	–	–
Linthwaite ..	43	4·57	7	0·74	1	1	–	–	2	6	–	–	–	–
Luddenden Foot	4	1·40	–	–	–	–	–	–	–	–	–	–	–	–
Maltby	33	3·11	6	0·57	1	1	–	–	8	10	–	–	–	1
Marsden	13	2·32	–	–	–	1	–	–	2	10	–	–	1	1
Meltham ..	16	3·29	–	–	–	–	–	–	–	2	–	1	–	–
Methley	17	3·73	4	0·88	–	1	–	1	2	8	–	–	–	–
Mexborough ..	133	8·33	10	0·63	1	2	–	1	6	26	–	1	–	2
Midgley	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Mirfield	44	3·69	61	5·12	–	–	–	–	2	7	2	–	–	1
Morley M.B. ..	108	4·70	18	0·78	–	2	–	–	14	32	–	–	–	2
Mytholmroyd ..	4	0·91	–	–	–	–	–	–	2	3	–	–	–	–
New Mill ..	15	3·45	8	1·84	–	–	–	–	2	3	–	–	–	–
Normanton ..	54	3·50	13	0·84	–	2	–	2	11	56	11	–	–	2
Oakworth ..	7	1·80	2	0·51	–	–	–	–	–	–	–	–	–	1
Ossett M.B. ..	62	4·33	10	0·70	–	1	–	1	4	21	–	–	–	–
Otley	144	13·22	9	0·83	–	2	–	1	3	45	1	–	–	1
Oxenhope ..	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Penistone ..	3	0·93	12	3·70	–	–	–	–	1	–	–	–	–	–
Pontefract M.B.	32	1·67	4	0·21	1	–	–	–	15	35	8	–	–	2
Pudsey M.B. ..	37	2·48	5	0·34	–	1	–	–	9	50	–	–	–	–
Queensbury ..	39	6·89	3	0·53	1	2	–	–	3	2	–	5	–	–
Rawdon ..	26	5·50	1	0·21	–	1	–	–	1	1	–	–	–	–
Rawmarsh ..	86	4·68	19	1·03	4	7	–	3	13	71	1	–	–	1
Ripon M.B. ..	19	2·25	3	0·35	–	–	–	–	5	14	–	–	–	–
Rishworth ..	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Rothwell ..	53	3·44	18	1·17	5	1	–	–	10	54	–	11	–	–
Royston	19	2·44	–	–	–	–	–	–	–	–	2	1	–	1
Saddleworth ..	15	1·21	1	0·08	–	–	–	1	5	4	–	–	–	–
Scammonden ..	–	–	1	2·74	–	–	–	–	–	1	–	–	–	–
Selby	41	4·05	–	–	–	1	–	–	3	19	–	–	–	–

TABLE 29—*continued.*

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Poliomyelitis.	Encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever. Cases.	Pyrexia Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*
YORKSHIRE, WEST RIDING—*cont.*														
URBAN DISTRICTS—*cont.*														
Shelf	6	2·25	–	–	–	–	–	–	–	5	–	–	–	–
Shelley	–	–	–	–	–	–	–	–	–	3	–	–	–	–
Shepley	1	0·60	1	0·60	–	–	–	–	–	1	–	–	–	–
Shipley	263	8·63	11	0·36	4	5	–	–	11	13	2	–	–	2
Silsden	63	12·99	–	–	–	–	–	–	1	5	–	–	–	–
Skelmanthorpe ..	6	1·65	4	1·10	–	–	–	–	2	2	–	–	–	–
Skipton	149	11·63	3	0·23	1	3	–	–	3	4	1	–	–	–
Slaithwaite ..	33	6·63	–	–	–	–	–	–	5	4	–	–	–	–
South Crosland ..	8	2·68	9	3·02	–	–	–	–	2	3	–	–	–	–
Southowram ..	4	1·54	1	0·38	–	–	–	–	1	5	1	–	–	–
Sowerby	27	1·84	5	0·34	1	–	–	3	10	10	–	3	–	–
Soyland	–	–	–	–	1	–	–	–	1	7	–	6	–	–
Spenborough ..	108	3·54	58	1·90	1	–	–	1	6	60	–	–	–	2
Springhead ..	29	5·99	10	2·06	–	1	–	–	2	8	–	–	–	–
Stainland ..	13	3·13	9	2·17	–	–	–	2	5	8	–	–	–	–
Stanley	68	4·73	40	2·78	–	2	–	1	8	39	1	–	–	–
Stocksbridge ..	22	2·33	–	–	1	1	–	–	12	51	5	–	–	1
Swinton	140	10·20	8	0·58	–	1	–	4	2	18	–	–	–	–
Thurlstone ..	–	–	1	0·39	–	–	–	–	–	–	–	–	–	–
Thurnscoe ..	27	2·48	15	1·38	–	–	–	–	3	20	7	–	–	–
Thurstonland and Farnley Tyas	10	2·58	2	0·52	–	–	–	4	12	2	–	–	–	–
Tickhill	3	1·30	1	0·43	–	–	–	–	1	15	3	–	–	1
Todmorden M.B.	39	1·79	13	0·60	–	2	–	–	5	49	–	–	–	3
Wath upon Dearne	56	4·11	5	0·37	–	–	–	–	3	19	–	–	–	–
Whitley Upper ..	3	3·45	–	–	–	–	–	–	–	5	–	–	–	–
Whitwood ..	38	5·36	20	2·82	1	–	–	–	–	3	7	–	–	–
Wombwell ..	78	4·28	25	1·37	4	4	–	–	15	80	4	1	–	1
Worsborough ..	60	4·65	30	2·32	–	–	–	–	13	19	3	1	–	1
Yeadon	20	2·57	1	0·13	–	–	–	–	4	4	–	–	–	–
RURAL DISTRICTS ..	1,267	2·83	418	0·93	19	55	–	21	159	657	44	8	1	25
Barnsley ..	10	2·17	3	0·65	–	1	–	–	–	2	–	–	–	–
Bishopthorpe ..	28	8·90	16	5·08	–	–	–	–	1	3	–	–	–	–
Bowland ..	20	3·82	–	–	–	–	–	–	–	6	–	–	–	1
Doncaster ..	193	3·84	52	1·03	2	3	–	2	15	100	6	2	–	4
Goole	12	1·35	4	0·45	2	2	–	1	3	10	–	1	–	–
Great Ouseburn	33	2·39	16	1·16	3	18	–	4	1	14	–	–	–	–
Halifax	18	3·09	1	0·17	1	–	–	1	–	4	–	–	–	–
Hemsworth ..	116	2·37	42	0·86	4	9	–	3	17	57	3	–	1	1
Hunslet	6	1·38	8	1·84	–	2	–	–	6	12	–	–	–	–
Keighley ..	24	2·73	1	0·11	1	1	–	–	1	2	–	–	–	–
Kiveton Park ..	78	4·65	14	0·84	–	–	–	–	10	32	1	–	–	–
Knaresborough ..	36	3·63	4	0·40	–	–	–	–	2	12	–	–	–	1
Pateley Bridge ..	16	2·45	–	–	–	–	–	–	–	1	–	–	–	1
Penistone ..	7	1·31	1	0·19	1	–	–	–	1	–	–	–	–	–
Pontefract ..	114	4·63	11	0·45	–	2	–	–	17	56	7	–	–	4
Ripon	2	0·39	–	–	–	–	–	–	1	2	–	1	–	–
Rotherham ..	86	2·09	24	0·58	2	5	–	1	18	72	6	1	–	1
Sedbergh	–	–	–	–	1	–	–	–	–	–	–	–	–	–

TABLE 29—*continued.*

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Poliomyelitis.	Encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever. Cases.	Pyrexia Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*
YORKSHIRE, WEST RIDING—*cont.*														
RURAL DISTRICTS—*cont.*														
Selby	38	6·52	2	0·34	–	–	–	–	–	14	–	–	–	–
Settle	34	2·35	3	0·21	–	–	–	1	8	19	–	1	–	–
Skipton	53	2·87	7	0·38	–	2	–	–	3	7	–	–	–	–
Tadcaster ..	99	3·26	40	1·32	–	–	–	2	9	31	1	1	–	–
Thorne	65	2·01	63	1·94	–	5	–	3	14	48	13	1	–	5
Todmorden ..	3	0·65	–	–	–	–	–	–	3	3	–	–	–	–
Wakefield ..	64	3·49	11	0·60	1	1	–	1	14	48	6	–	–	2
Wetherby ..	23	1·38	8	0·48	–	1	–	–	4	25	–	–	–	4
Wharfedale ..	61	5·89	3	0·29	–	–	–	–	3	45	1	–	–	–
Wortley	28	0·95	84	2·85	1	3	–	2	8	32	–	–	–	1
COUNTY BOROUGH														
York	255	3·01	291	3·43	7	4	–	2	26	85	4	1	–	2
WALES AND MONMOUTH.														
ANGLESEY :														
ADMINISTRATIVE COUNTY.	30	0·62	50	1·04	1	1	–	–	5	29	–	–	–	2
URBAN DISTRICTS..	6	0·33	15	0·83	–	–	–	–	3	15	–	–	–	1
Almwch	2	0·76	–	–	–	–	–	–	1	10	–	–	–	1
Beaumaris M.B.	2	1·21	2	1·21	–	–	–	–	–	2	–	–	–	–
Holyhead ..	–	–	13	1·25	–	–	–	–	–	1	–	–	–	–
Llangefni ..	–	–	–	–	–	–	–	–	2	1	–	–	–	–
Menai Bridge ..	2	1·17	–	–	–	–	–	–	–	1	–	–	–	–
RURAL DISTRICTS..	24	0·80	35	1·16	1	1	–	–	2	14	–	–	–	1
Aethwy	4	0·38	10	0·95	1	1	–	–	–	1	–	–	–	–
Twrcelyn ..	12	1·39	8	0·93	–	–	–	–	1	12	–	–	–	–
Valley	8	0·74	17	1·56	–	–	–	–	1	1	–	–	–	1
BRECKNOCKSHIRE:														
ADMINISTRATIVE COUNTY.	82	1·45	27	0·48	3	2	–	2	21	81	–	1	–	–
URBAN DISTRICTS..	6	0·37	–	–	1	–	–	2	7	21	–	–	–	–
Brecknock M.B.	5	0·92	–	–	1	–	–	–	1	–	–	–	–	–
Brynmawr ..	–	–	–	–	–	–	–	1	6	16	–	–	–	–
Builth Wells ..	1	0·62	–	–	–	–	–	–	–	1	–	–	–	–
Hay	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Llanwrtyd ..	–	–	–	–	–	–	–	1	–	3	–	–	–	–
RURAL DISTRICTS..	76	1·89	27	0·67	2	2	–	–	14	60	–	1	–	–
Brecknock Defynnock and Llangorse Div.) ..	2	0·33	5	0·83	–	–	–	–	–	–	–	–	–	–
Brecknock(Merthyr Cynog Div.) ..	1	0·50	–	–	–	–	–	–	–	–	–	–	–	–
Builth	5	1·34	3	0·81	1	–	–	–	–	7	–	–	–	–
Crickhowell ..	42	5·95	–	–	–	1	–	–	3	3	–	–	–	–
Hay	1	0·27	5	1·36	1	–	–	–	2	6	–	1	–	–
Vaynor and Penderyn	11	2·20	6	1·20	–	–	–	–	3	1	–	–	–	–

TABLE 29—*continued.*

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Poliomyelitis.	Encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever. Cases.	Pyrexia Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*
BRECKNOCKSHIRE —*cont.*														
RURAL DISTRICTS— *cont.*														
Ystradgynlais ..	13	1·09	7	0·59	–	1	–	–	6	42	–	–	–	–
Civil Parishes of Llanwrthwl administered by R.D.C. of Rhayader (Radnorshire).	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Civil Parish of Ystradfellte administered by R.D.C. of Neath (Glamorganshire)	1	1·63	1	1·63	–	–	–	–	–	1	–	–	–	–
CAERNARVONSHIRE :														
ADMINISTRATIVE COUNTY	64	0·54	108	0·90	4	2	–	1	23	29	–	2	–	4
URBAN DISTRICTS ..	46	0·73	69	1·10	2	1	–	1	15	19	–	1	–	3
Bangor M.B. ..	18	1·57	28	2·45	–	1	–	1	4	5	–	–	–	–
Bethesda.. ..	1	0·22	1	0·22	–	–	–	–	4	–	–	–	–	1
Bettws y Coed ..	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Caernarvon M.B.	9	1·07	–	–	–	–	–	–	1	1	–	–	–	1
Conway M.B. ..	8	0·95	8	0·95	–	–	–	–	1	5	–	–	–	–
Criccieth ..	–	–	2	1·43	–	–	–	–	–	–	–	–	–	–
Llandudno ..	5	0·39	3	0·23	1	–	–	–	3	5	–	1	–	–
Llanfairfechan ..	–	–	–	–	–	–	–	–	1	–	–	–	–	1
Penmaenmawr ..	1	0·25	2	0·50	–	–	–	–	–	3	–	–	–	–
Portmadoc ..	1	0·24	4	0·98	–	–	–	–	–	–	–	–	–	–
Pwllheli M.B. ..	3	0·84	21	5·89	1	–	–	–	1	–	–	–	–	–
RURAL DISTRICTS ..	18	0·32	39	0·69	2	1	–	–	8	10	–	1	–	1
Conway	3	0·66	6	1·32	–	–	–	–	1	3	–	–	–	–
Geirionydd ..	–	–	3	0·75	–	–	–	–	–	–	–	–	–	–
Glaslyn	–	–	1	0·39	–	–	–	–	–	1	–	–	–	–
Gwyrfai	1	0·04	9	0·38	–	1	–	–	5	3	–	1	–	–
Lleyn	9	0·56	14	0·87	2	–	–	–	1	3	–	–	–	1
Ogwen	5	0·88	6	1·05	–	–	–	–	1	–	–	–	–	–
CARDIGANSHIRE :														
ADMINISTRATIVE COUNTY.	32	0·59	9	0·17	3	5	–	3	11	46	–	1	–	–
URBAN DISTRICTS ..	5	0·30	2	0·12	2	4	–	3	6	20	–	–	–	–
Aberayron ..	1	0·84	–	–	–	–	–	–	–	–	–	–	–	–
Aberystwyth M.B.	2	0·22	–	–	2	3	–	2	6	15	–	–	–	–
Cardigan M.B. ..	2	0·60	–	–	–	1	–	1	–	4	–	–	–	–
Lampeter M.B. ..	–	–	2	0·94	–	–	–	–	–	1	–	–	–	–
New Quay ..	–	–	–	–	–	–	–	–	–	–	–	–	–	–
RURAL DISTRICTS ..	27	0·73	7	0·19	1	1	–	–	5	26	–	1	–	–
Aberayron ..	8	1·22	1	0·15	–	–	–	–	1	–	–	–	–	–
Aberystwyth (North)	1	0·16	2	0·31	1	–	–	–	2	6	–	–	–	–
Aberystwyth (South)	1	0·22	4	0·88	–	–	–	–	2	4	–	–	–	–
Cardigan ..	–	–	–	–	–	–	–	–	–	6	–	–	–	–
Lampeter ..	5	1·62	–	–	–	–	–	–	–	–	–	–	–	–

TABLE 29—*continued.*

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Poliomyelitis.	Encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever. Cases.	Pyrexia Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*
CARDIGANSHIRE —*cont.*														
RURAL DISTRICTS—*cont.*														
Llandyssil ..	8	1·08	–	–	–	1	–	–	–	4	–	–	–	–
Tregaron ..	4	0·69	–	–	–	–	–	–	–	6	–	1	–	–
Civil Parishes of Ysgubor y coed administered by R.D.C. of Machynlleth (Montgomeryshire) ..	–	–	–	–	–	–	–	–	–	–	–	–	–	–
CARMARTHENSHIRE :														
ADMINISTRATIVE COUNTY	226	1·27	206	1·16	9	7	–	7	41	197	2	–	1	9
URBAN DISTRICTS ..	81	1·09	130	1·74	7	3	–	–	29	124	2	–	–	5
Ammanford ..	11	1·52	11	1·52	1	–	–	–	1	10	–	–	–	–
Burry Port ..	4	0·71	10	1·77	1	–	–	–	–	2	–	–	–	–
Carmarthen M.B.	2	0·19	4	0·38	1	–	–	–	2	4	1	–	–	–
Cwmamman ..	6	1·15	9	1·73	–	–	–	–	4	28	–	–	–	1
Kidwelly M.B. ..	2	0·65	2	0·65	–	–	–	–	5	3	–	–	–	–
Llandilo	1	0·52	–	–	–	–	–	–	4	4	–	–	–	–
Llandovery M.B.	–	–	–	–	–	2	–	–	–	13	–	–	–	–
Llanelly M.B. ..	55	1·44	94	2·47	4	1	–	–	13	60	1	–	–	4
Newcastle Emlyn	–	–	–	–	–	–	–	–	–	–	–	–	–	–
RURAL DISTRICTS..	145	1·40	76	0·74	2	4	–	7	12	73	–	–	1	4
Carmarthen ..	47	1·98	10	0·42	–	–	–	1	1	4	–	–	–	1
Llandilo Fawr ..	27	1·22	24	1·09	1	3	–	3	4	22	–	–	–	–
Llandovery ..	1	0·16	1	0·16	–	–	–	1	–	7	–	–	–	–
Llanelly	33	0·88	38	1·01	1	–	–	2	5	32	–	–	–	3
Llanybyther ..	–	–	1	0·31	–	–	–	–	1	4	–	–	1	–
Newcastle in Emlyn	24	4·29	–	–	–	–	–	–	–	2	–	–	–	–
Whitland ..	13	2·61	2	0·40	–	1	–	–	1	2	–	–	–	
DENBIGHSHIRE :														
ADMINISTRATIVE COUNTY	254	1·62	645	4·12	10	23	–	12	64	231	4	1	4	14
URBAN DISTRICTS..	52	0·90	145	2·51	3	6	–	9	19	102	3	–	3	7
Abergele and Pensarn ..	–	–	10	3·78	–	–	–	–	–	2	–	–	–	–
Colwyn Bay ..	8	0·40	14	0·70	1	1	–	–	5	32	–	–	–	3
Denbigh M.B. ..	–	–	2	0·27	2	–	–	6	2	13	1	–	–	–
Llangollen ..	2	0·68	–	–	–	–	–	–	–	–	–	–	–	2
Llanwrst ..	1	0·43	2	0·86	–	–	–	–	1	–	–	–	–	–
Ruthin M.B. ..	2	0·66	3	0·99	–	2	–	2	1	9	–	–	–	–
Wrexham M.B. ..	39	2·02	114	5·90	–	3	–	1	10	46	2	–	3	2
RURAL DISTRICTS..	202	2·04	500	5·06	7	17	–	3	45	129	1	1	1	7
Chirk	57	12·11	13	2·76	–	–	–	–	1	–	–	–	–	–
Llangollen ..	3	0·88	3	0·88	–	–	–	–	1	1	–	–	–	1
Llanwrst ..	2	0·50	8	2·01	–	–	–	–	–	–	–	–	–	–
Llansilin	5	1·91	5	1·91	–	2	–	–	1	1	–	–	–	2

TABLE 29—*continued.*

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Poliomyelitis.	Encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever. Cases.	Pyrexia. Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*
DENBIGHSHIRE —*cont.*														
RURAL DISTRICTS— *cont.*														
Ruthin	25	2·84	7	0·79	–	1	–	–	3	12	–	1	–	–
St. Asaph (Denbigh)	13	1·74	14	1·87	1	2	–	–	1	6	–	–	–	–
Uwchaled ..	3	1·57	9	4·71	–	1	–	–	–	5	–	–	–	–
Wrexham ..	94	1·47	439	6·85	6	11	–	3	37	103	1	–	1	4
Civil parishes of Llanelian yn Rhos Llansantffraid Glan Conway administeredbyR.D.C. ofConway(Caernarvonshire) ..	–	–	2	1·13	–	–	–	–	1	1	–	–	–	–
FLINTSHIRE :														
ADMINISTRATIVE COUNTY.	193	1·70	148	1·30	2	14	–	8	28	134	2	1	2	18
URBAN DISTRICTS..	114	2·38	63	1·32	1	4	–	4	6	54	–	–	–	8
Buckley	10	1·45	–	–	–	–	–	–	–	2	–	–	–	2
Connah's Quay ..	9	1·51	–	–	–	–	–	1	–	11	–	–	–	–
Flint M.B. ..	2	0·26	2	0·26	–	–	–	1	3	7	–	–	–	–
Holywell ..	9	2·64	19	5·58	–	2	–	–	1	10	–	–	–	5
Mold	2	0·39	2	0·39	–	1	–	–	2	1	–	–	–	–
Prestatyn ..	4	0·86	–	–	–	–	–	2	–	1	–	–	–	–
Rhyl	78	5·60	40	2·87	1	1	–	–	–	22	–	–	–	1
RURAL DISTRICTS..	79	1·20	85	1·29	1	10	–	4	22	80	2	1	2	10
Hawarden ..	26	0·98	17	0·64	1	3	–	–	4	30	–	–	1	1
Holywell ..	28	1·05	62	2·32	–	6	–	3	15	45	–	1	–	6
Overton	1	0·22	1	0·22	–	–	–	–	–	–	–	–	–	–
St. Asaph (Flint)	24	2·96	5	0·62	–	1	–	1	3	5	2	–	1	3
GLAMORGANSHIRE :	4,901	4·03	2,068	1·70	104	183	–	20	509	2,094	31	13	13	129
COUNTY BOROUGHS	2,443	5·34	1,000	2·19	54	85	–	5	135	491	17	8	3	46
Cardiff	1,308	5·89	477	2·15	39	54	–	4	64	294	10	2	3	35
Merthyr Tydfil ..	676	9·70	238	3·42	3	3	–	1	23	83	3	–	–	2
Swansea	459	2·77	285	1·72	12	28	–	–	48	114	4	6	–	9
ADMINISTRATIVE COUNTY.	2,458	3·24	1,068	1·41	50	98	–	15	374	1,603	14	5	10	83
URBAN DISTRICTS ..	2,118	3·67	909	1·57	42	92	–	13	325	1,388	7	5	9	71
Aberdare.. ..	247	5·16	51	1·06	–	3	–	1	13	84	–	–	4	3
Barry	88	2·30	33	0·86	1	2	–	–	20	32	–	1	–	3
Bridgend.. ..	9	0·90	3	0·30	–	–	–	–	7	–	–	–	–	1
Caerphilly ..	255	7·29	159	4·54	4	2	–	–	28	41	–	–	–	4
Cowbridge M.B...	–	–	–	–	1	–	–	–	–	4	–	–	–	–
Gelligaer ..	438	10·83	193	4·77	3	3	–	–	25	66	1	–	–	4
Glyncorwg ..	27	2·65	22	2·16	–	–	–	–	9	54	–	–	–	–
Llwchwr	102	3·84	28	1·05	–	4	–	–	6	24	1	–	–	–
Maesteg	81	3·33	37	1·52	1	5	–	–	4	36	1	1	–	6

TABLE 29—*continued.*

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary) or influenzal).	Cerebro-spinal fever.	Poliomyelitis.	Encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever. Cases.	Pyrexia. Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*
GLAMORGANSHIRE —*cont.*														
URBAN DISTRICTS —*cont.*														
Mountain Ash ..	124	3·26	25	0·66	2	14	–	–	21	142	–	–	–	1
Neath M.B. ..	78	2·39	46	1·41	4	1	–	–	15	75	2	–	2	2
Ogmore and Garw	50	1·86	12	0·45	4	5	–	3	18	147	–	–	1	6
Penarth	26	1·49	16	0·92	1	1	–	–	7	42	1	–	–	1
Pontypridd ..	101	2·37	8	0·19	1	10	–	1	24	77	–	–	–	6
Porthcawl ..	7	1·15	19	3·11	1	–	–	–	–	27	–	–	–	–
Port Talbot M.B.	148	3·66	25	0·62	2	1	–	1	17	50	–	1	–	6
Rhondda.. ..	337	2·42	232	1·66	17	41	–	7	111	487	1	2	2	28
RURAL DISTRICTS ..	340	1·88	159	0·88	8	6	–	2	49	215	7	–	1	12
Cardiff	84	2·87	19	0·65	–	–	–	1	17	28	–	–	–	–
Cowbridge ..	16	1·54	33	3·17	–	–	–	–	4	8	–	–	–	1
Gower	9	0·94	–	–	1	–	–	–	1	2	1	–	–	–
Llantrisant and Llantwitfardre	117	4·47	24	0·92	1	–	–	–	4	14	–	–	–	–
Neath	60	1·48	32	0·79	2	1	–	–	7	130	5	–	–	–
Penybont ..	14	0·48	30	1·03	2	1	–	–	8	4	–	–	1	2
Pontardawe ..	40	1·13	21	0·59	2	4	–	1	8	29	1	–	–	9
MERIONETHSHIRE:														
ADMINISTRATIVE COUNTY.	27	0·65	18	0·43	1	1	–	–	5	42	–	–	–	–
URBAN DISTRICTS ..	1	0·05	5	0·26	–	–	–	–	1	27	–	–	–	–
Bala	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Barmouth ..	1	0·47	–	–	–	–	–	–	–	1	–	–	–	–
Dolgelley ..	–	–	–	–	–	–	–	–	1	2	–	–	–	–
Ffestiniog ..	–	–	5	0·56	–	–	–	–	–	12	–	–	–	–
Mallwyd	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Towyn	–	–	–	–	–	–	–	–	–	12	–	–	–	–
RURAL DISTRICTS ..	26	1·15	13	0·57	1	1	–	–	4	15	–	–	–	–
Deudraeth ..	2	0·28	3	0·42	–	–	–	–	–	6	–	–	–	–
Dolgelley ..	6	0·86	3	0·43	1	1	–	–	2	9	–	–	–	–
Edeirnion ..	11	2·37	5	1·08	–	–	–	–	1	–	–	–	–	–
Penllyn	7	1·98	2	0·57	–	–	–	–	–	–	–	–	–	–
Civil Parish of Pennal administered by R.D.C. of Machynlleth (Montgomeryshire).	–	–	–	–	–	–	–	–	1	–	–	–	–	
MONMOUTHSHIRE:	1,953	4·54	612	1·42	15	18	–	3	177	537	5	4	6	33
COUNTY BOROUGH														
Newport	389	4·39	148	1·67	14	6	–	1	43	177	2	3	1	4
ADMINISTRATIVE COUNTY.	1,564	4·58	464	1·36	1	12	–	2	134	360	3	1	5	29

TABLE 29—*continued.*

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Poliomyelitis.	Encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia								
	Cases.		Cases.		Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*
MONMOUTHSHIRE —*cont.*														
URBAN DISTRICTS ..	1,465	5·12	428	1·49	1	10	–	1	127	347	3	1	5	28
Abercarn	27	1·35	9	0·45	–	–	–	–	4	1	–	–	–	4
Abergavenny M.B.	5	0·60	15	1·79	–	–	–	–	2	–	–	–	1	1
Abersychan ..	53	2·10	13	0·51	–	–	–	–	7	10	–	–	–	2
Abertillery ..	25	0·80	18	0·58	–	–	–	–	3	7	1	–	1	2
Bedwas and Machen ..	28	3·15	41	4·62	–	–	–	–	5	30	–	–	–	–
Bedwellty ..	416	13·99	109	3·67	–	2	–	1	20	43	1	–	1	4
Blaenavon ..	1	0·09	23	2·10	–	–	–	–	2	19	–	–	1	–
Caerleon	6	2·43	–	–	–	–	–	–	–	1	–	–	–	–
Chepstow ..	4	0·97	2	0·49	–	–	–	–	–	6	–	–	–	–
Ebbw Vale ..	272	8·74	91	2·92	–	2	–	–	15	116	1	1	1	6
Llanfrechfa Upper	23	5·16	–	–	–	–	–	–	1	1	–	–	–	–
Llantarnam ..	19	2·64	23	3·20	–	–	–	–	2	2	–	–	–	–
Monmouth M.B.	1	0·21	8	1·67	–	–	–	–	2	–	–	–	–	–
Mynyddislwyn ..	57	3·58	11	0·69	–	3	–	–	2	7	–	–	–	–
Nantyglo and Blaina ..	6	0·46	6	0·46	–	–	–	–	5	21	–	–	–	5
Panteg	61	5·40	6	0·53	–	1	–	–	1	3	–	–	–	–
Pontypool ..	22	3·24	2	0·29	–	1	–	–	2	2	–	–	–	1
Rymney	26	2·50	22	2·11	–	–	–	–	9	–	–	–	–	–
Risca	167	10·18	5	0·30	–	–	–	–	9	22	–	–	–	2
Tredegar ..	240	10·59	24	1·06	1	1	–	–	36	52	–	–	–	1
Usk	6	4·57	–	–	–	–	–	–	–	4	–	–	–	–
RURAL DISTRICTS ..	99	1·79	36	0·65	–	2	–	1	7	13	–	–	–	1
Abergavenny ..	6	0·69	2	0·23	–	1	–	–	1	1	–	–	–	–
Chepstow ..	20	2·29	15	1·72	–	–	–	–	–	1	–	–	–	–
Magor	13	1·93	2	0·30	–	1	–	1	1	2	–	–	–	–
Monmouth ..	–	–	3	0·47	–	–	–	–	–	–	–	–	–	–
Pontypool ..	10	1·98	3	0·59	–	–	–	–	–	1	–	–	–	–
St. Mellons ..	50	2·54	11	0·56	–	–	–	–	5	8	–	–	–	1
MONTGOMERY-SHIRE :														
ADMINISTRATIVE COUNTY.	9	0·19	6	0·13	4	9	–	2	21	136	–	1	1	6
URBAN DISTRICTS ..	6	0·35	1	0·06	1	3	–	–	10	50	–	–	–	3
Llanfyllin M.B. ..	1	0·72	–	–	–	–	–	–	–	15	–	–	–	1
Llanidloes M.B.	1	0·44	–	–	–	–	–	–	1	5	–	–	–	–
Machynlleth ..	2	1·07	–	–	1	1	–	–	–	1	–	–	–	–
Montgomery M.B.	–	–	–	–	–	–	–	–	3	1	–	–	–	–
Newtown and Llanllwchaiarn	–	–	1	0·20	–	–	–	–	3	10	–	–	–	1
Welshpool M.B.	2	0·37	–	–	–	2	–	–	3	18	–	–	–	1
RURAL DISTRICTS ..	3	0·10	5	0·16	3	6	–	2	11	86	–	1	1	3
Forden	1	0·20	3	0·59	1	–	–	–	1	14	–	–	–	1
Llanfyllin ..	2	0·17	–	–	1	4	–	2	9	47	–	1	1	–
Machynlleth ..	–	–	2	0·57	–	–	–	–	–	3	–	–	–	–
Newtown and Llanidloes ..	–	–	–	–	1	2	–	–	1	22	–	–	–	2

TABLE 29—*continued.*

AREA.	Scarlet fever.		Diphtheria.		Puerperal fever and pyrexia.		Smallpox.	Enteric (Typhoid and paratyphoid) fever.	Erysipelas.	Acute pneumonia (primary or influenzal).	Cerebro-spinal fever.	Poliomyelitis.	Encephalitis lethargica.	Ophthalmia neonatorum.
	Cases.	Rate per 1,000 Resident Population.	Cases.	Rate per 1,000 Resident Population.	Fever.	Pyrexia	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*	*11*	*12*	*13*	*14*	*15*
PEMBROKESHIRE :														
ADMINISTRATIVE COUNTY.	254	2·95	68	0·79	1	5	–	4	13	71	1	–	4	8
URBAN DISTRICTS ..	198	4·86	46	1·13	1	2	–	3	9	46	1	–	–	7
Fishguard ..	34	11·63	18	6·16	–	–	–	–	1	–	–	–	–	1
Goodwick ..	5	2·16	–	–	–	–	–	–	–	1	–	–	–	–
Haverfordwest M.B.	12	1·93	4	0·64	–	–	–	2	2	12	–	–	–	1
Milford Haven ..	14	1·46	2	0·21	–	–	–	1	5	8	–	–	–	1
Narberth.. ..	4	3·86	–	–	–	–	–	–	–	3	–	–	–	–
Neyland	4	1·80	2	0·90	–	1	–	–	–	4	–	–	–	1
Pembroke M.B.	119	9·68	19	1·55	1	1	–	–	1	18	1	–	–	2
Tenby M.B. ..	6	1·46	1	0·24	–	–	–	–	–	–	–	–	–	1
RURAL DISTRICTS ..	56	1·24	22	0·49	–	3	–	1	4	25	–	–	4	1
Haverfordwest ..	24	1·31	3	0·16	–	–	–	1	3	7	–	–	–	1
Llanfyrnach ..	–	–	–	–	–	–	–	–	–	3	–	–	–	–
Narberth.. ..	25	2·44	18	1·76	–	3	–	–	1	7	–	–	3	–
Pembroke ..	2	0·27	–	–	–	–	–	–	–	5	–	–	–	–
St. Dogmells ..	5	0·69	1	0·14	–	–	–	–	–	3	–	–	1	–
RADNORSHIRE :														
ADMINISTRATIVE COUNTY	7	0·34	1	0·05	1	2	–	1	5	14	–	–	–	2
URBAN DISTRICTS ..	3	0·52	–	–	–	–	–	–	3	10	–	–	–	1
Knighton ..	1	0·54	–	–	–	–	–	–	1	10	–	–	–	1
Llandrindod Wells	2	0·73	–	–	–	–	–	–	–	–	–	–	–	–
Presteigne ..	–	–	–	–	–	–	–	–	–	–	–	–	–	–
RURAL DISTRICTS ..	4	0·26	1	0·07	1	2	–	1	2	4	–	–	–	1
Colwyn	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Knighton ..	1	0·26	–	–	1	–	–	–	1	3	–	–	–	1
New Radnor ..	1	0·39	–	–	–	2	–	–	–	–	–	–	–	–
Painscastle ..	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rhayader ..	2	0·42	1	0·21	–	–	–	1	1	–	–	–	–	–

TABLE 30.—AIR TEMPERATURE, RAINFALL AND SUNSHINE, ENGLAND AND WALES, DURING THE YEAR 1933*

District.	Air Temperature.			Rainfall.		Sunshine.	Normal Values, 1881–1915.			
	Highest.	Lowest.	Deviation from Normal Daily Mean.	Percentage of Normal.	Number of Days Deviation from Normal.	Percentage of Normal.	Daily Mean Temperature.	Total Rainfall.	Number of Days.	Daily Sunshine.
	Year 1933.						Year 1881–1915.			
	° F.	° F.	° F.	%		%	° F.	mm.		hr.
England N.E. ..	90	12	+2·0	89	−18	104	47·3	645	188	3·93
England E. ..	94	11	+1·6	75	−33	110	48·4	610	181	4·32
Midland Counties	92	14	+1·4	84	−32	113	47·9	686	181	3·82
England S.E. ..	94	12	+1·1	80	−33	115	49·5	709	175	4·49
England N.W.† ·	87	16	+1·3	69	−31	106	48·2	901	201	3·89
England S.W.† ..	89	14	+1·1	80	−26	107	49·5	1001	199	4·28
Mean	—	—	+1·4	79	−29	109	48·5	759	187	4·12

* For similar values for each month and quarter, *see* the Registrar-General's Quarterly Returns.
† The district known as England N.W. includes the Northern half of Wales, whilst England S.W. includes the Southern half.

TABLE 31.—METEOROLOGICAL

Year.	Mean Weekly Movement of the Air in Miles.	Departure from Average of 50 Years (1861-1910).	Fall of Rain in Inches and in Millimetres.		Departure from Average of 50 Years (1861-1910)	Mean Degree of Humidity of the Air (Saturation =100).	Departure from Average of 50 Years (1861-1910).	Mean Temperature of the Air.	Departure from Average of 50 Years (1861-1910)
	Miles.	Miles.	in.	mm.	mm.	%	%	° F.	° F.
1884 ..	2034	+ 83	18·1	458	−152	80	− 1	50·7	+ 1·2
1885 ..	2008	+ 57	24·0	610	0	81	0	48·6	− 0·9
1886 ..	1962	+ 11	24·2	615	+ 5	81	0	48·7	− 0·8
1887 ..	1927	− 24	19·9	504	−106	79	− 2	47·8	− 1·7
1888 ..	2049	+ 98	27·5	699	+ 89	82	+ 1	47·7	− 1·8
1889 ..	1934	− 17	23·3	591	− 19	83	+ 2	48·8	− 0·7
1890 ..	1946	− 5	21·9	555	− 55	81	0	48·6	− 0·9
1891 ..	1945	− 6	25·0	636	+ 26	82	+ 1	48·4	− 1·1
1892 ..	1863	− 88	22·3	567	− 43	80	− 1	48·1	− 1·4
1893 ..	1909	− 42	20·1	511	− 99	76	− 5	51·1	+ 1·6
1894 ..	2019	+ 68	26·9	683	+ 73	81	0	49·9	+ 0·4
1895 ..	1951	0	19·7	501	−109	78	− 3	49·3	− 0·2
1896 ..	1932	− 19	22·4	569	− 41	79	− 2	50·2	+ 0·7
1897 ..	2033	+ 82	22·1	562	− 48	79	− 2	50·3	+ 0·8
1898 ..	1956	+ 5	18·9	479	−131	78	− 3	51·3	+ 1·8
1899 ..	1911	− 40	22·3	567	− 43	77	− 4	50·6	+ 1·1
1900 ..	2050	+ 99	22·3	567	− 43	79	− 2	50·4	+ 0·9
1901 ..	1970	+ 19	20·3	515	− 95	78	− 3	49·2	− 0·3
1902 ..	1933	− 18	19·3	491	−119	80	− 1	49·2	− 0·3
1903 ..	2226	+275	35·5	903	+293	80	− 1	50·1	+ 0·6
1904 ..	1913	− 38	20·7	525	− 85	82	+ 1	49·3	+ 0·3
1905 ..	2063	+112	23·0	585	− 25	81	0	49·9	+ 0·4
1906 ..	2093	+142	24·7	628	+ 18	79	− 2	50·7	+ 1·2
1907 ..	1977	+ 26	22·3	565	− 45	81	0	49·7	+ 0·2
1908 ..	1932	− 19	23·8	604	− 6	83	+ 2	50·1	+ 0·6
1909 ..	2041	+ 90	25·7	653	+ 43	83	+ 2	48·9	− 0·6
1910 ..	2155	+204	28·1	713	+103	84	+ 3	50·2	+ 0·7
1911 ..	2140	+189	23·7	601	− 9	79	− 2	51·8	+ 2·3
1912 ..	2085	+134	24·9	632	+ 22	83	+ 2	51·0	+ 1·5
1913 ..	2030	+ 79	22·4	570	− 40	83	+ 2	51·3	+ 1·8
1914 ..	2087	+136	23·9	606	− 4	81	0	51·5	+ 2·0
1915 ..	1932	− 19	30·6	776	+166	82	+ 1	49·9	+ 0·4
1916 ..	2040	+ 89	29·8	757	+147	84	+ 3	49·9	+ 0·4
1917 ..	2059	+108	26·0	660	+ 50	82	+ 1	48·9	− 0·6
1918 ..	1993	+ 42	28·4	722	+112	82	+ 1	50·6	+ 1·1
1919 ..	1940	− 11	23·0	586	− 24	81	0	48·8	− 0·7
1920 ..	1918	− 33	21·5	546	− 64	82	+ 1	51·1	+ 1·6
1921 ..	1855	− 96	12·8	318	−292	77	− 4	52·7	+ 3·2
1922 ..	2043	+ 92	23·2	589	− 21	80	− 1	49·4	− 0·1
1923 ..	2055	+104	24·0	610	0	81	0	50·3	+ 0·8
1924 ..	1947	− 4	30·6	779	+169	83	+ 2	50·6	+ 1·1
1925 ..	1957	+ 6	23·4	594	− 16	81	0	50·5	+ 1·0
1926 ..	1948	− 3	28·1	714	+104	82	+ 1	51·1	+ 1·6
1927 ..	†2003	+ 52	29·4	746	+136	83	+ 2	50·2	+ 0·7
1928 ..	2086	+135	25·3	643	+ 33	80	− 1	51·1	+ 1·6
1929 ..	1846	−105	21·7	551	− 59	78	− 3	50·1	+ 0·6
1930 ..	1979	+ 28	27·4	696	+ 86	79	− 2	51·2	+ 1·7
1931 ..	1968	+ 17	24·9	634	+ 24	82	+ 1	49·9	+ 0·4
1932 ..	1970	+ 19	24·7	628	+ 18	82	+ 1	50·7	+ 1·2
1933 ..	1871	− 80	17·0	430	−180	79	− 2	50·5	+ 1·0
Average 50 years (1861-1910)	1951	—	24·0	610	—	81	—	49·5	—

† Mean of 52 weeks only (50th week—defective record).

Corresponding values from the year 1849 are

ELEMENTS, GREENWICH, 1884–1933.

Mean Temperature of the Air in the Quarters ended the last day of								
March.	Departure from Average of 50 Years (1861-1910).	June.	Departure from Average of 50 Years (1861-1910).	September.	Departure from Average of 50 Years (1861-1910).	December.	Departure from Average of 50 Years (1861-1910)	Year.
° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	
43·4	+ 3·4	52·5	− 0·5	62·7	+ 2·2	44·1	− 0·2	1884
40·3	+ 0·3	52·4	− 0·6	59·1	− 1·4	42·8	− 1·5	1885
36·5	− 3·5	52·5	− 0·5	61·2	+ 0·7	44·6	+ 0·3	1886
37·3	− 2·7	51·6	− 1·4	61·0	+ 0·5	41·3	− 3·0	1887
36·9	− 3·1	51·6	− 1·4	57·6	− 2·9	44·6	+ 0·3	1888
38·2	− 1·8	54·5	+ 1·5	58·9	− 1·6	43·5	− 0·8	1889
41·4	+ 1·4	52·8	− 0·2	58·4	− 2·1	40·8	− 3·5	1890
37·6	− 2·4	51·6	− 1·4	59·3	− 1·2	45·0	+ 0·7	1891
37·5	− 2·5	53·4	+ 0·4	59·2	− 1·3	42·3	− 2·0	1892
40·9	+ 0·9	57·0	+ 4·0	61·9	+ 1·4	44·6	+ 0·3	1893
41·4	+ 1·4	53·3	+ 0·3	58·6	− 1·9	46·4	+ 2·1	1894
35·2	− 4·8	55·1	+ 2·1	62·3	+ 1·8	44·7	+ 0·4	1895
42·2	+ 2·2	55·6	+ 2·6	60·4	− 0·1	42·4	− 1·9	1896
41·1	+ 1·1	53·1	+ 0·1	60·9	+ 0·4	46·0	+ 1·7	1897
41·5	+ 1·5	52·4	− 0·6	62·7	+ 2·2	48·5	+ 4·2	1898
41·8	+ 1·8	52·8	− 0·2	63·0	+ 2·5	44·7	+ 0·4	1899
39·2	− 0·8	52·8	− 0·2	61·8	+ 1·3	47·6	+ 3·3	1900
37·8	− 2·2	53·4	+ 0·4	61·7	+ 1·2	43·9	− 0·4	1901
40·5	+ 0·5	51·0	− 2·0	59·6	− 0·9	45·2	+ 0·9	1902
43·9	+ 3·9	51·2	− 1·8	60·0	− 0·5	45·2	+ 0·9	1903
39·5	− 0·5	53·8	+ 0·8	61·5	+ 1·0	44·3	0·0	1904
41·9	+ 1·9	53·8	+ 0·8	61·7	+ 1·2	42·2	− 2·1	1905
41·1	+ 1·1	52·8	− 0·2	63·2	+ 2·7	45·8	+ 1·5	1906
40·0	0·0	52·9	− 0·1	60·1	− 0·4	45·8	+ 1·5	1907
39·5	− 0·5	53·8	+ 0·8	60·3	− 0·2	46·6	+ 2·3	1908
38·4	− 1·6	52·5	− 0·5	59·7	− 0·8	44·8	+ 0·5	1909
41·5	+ 1·5	54·2	+ 1·2	59·3	− 1·2	45·6	+ 1·3	1910
40·3	+ 0·3	54·9	+ 1·9	65·7	+ 5·2	46·2	+ 1·9	1911
43·6	+ 3·6	55·3	+ 2·3	58·9	− 1·6	45·9	+ 1·6	1912
42·4	+ 2·4	54·5	+ 1·5	60·2	− 0·3	47·8	+ 3·5	1913
42·5	+ 2·5	54·9	+ 1·9	62·2	+ 1·7	46·5	+ 2·2	1914
40·8	+ 0·8	53·4	+ 0·4	60·9	+ 0·4	44·3	0·0	1915
41·5	+ 1·5	53·0	0·0	60·4	− 0·1	44·7	+ 0·4	1916
36·4	− 3·6	54·5	+ 1·5	61·7	+ 1·2	43·1	− 1·2	1917
42·3	+ 2·3	53·2	+ 0·2	60·7	+ 0·2	46·1	+ 1·8	1918
38·1	− 1·9	54·3	+ 1·3	60·2	− 0·3	42·5	− 1·8	1919
44·3	+ 4·3	55·3	+ 2·3	59·1	− 1·4	45·4	+ 1·1	1920
44·5	+ 4·5	54·9	+ 1·9	64·2	+ 3·7	47·2	+ 2·9	1921
41·2	+ 1·2	54·2	+ 1·2	58·1	− 2·4	44·2	− 0·1	1922
44·8	+ 4·8	51·4	− 1·6	61·8	+ 1·3	43·0	− 1·3	1923
39·8	− 0·2	54·6	+ 1·6	60·8	+ 0·3	47·1	+ 2·8	1924
42·2	+ 2·2	55·0	+ 2·0	60·9	+ 0·4	44·0	− 0·3	1925
43·8	+ 3·8	53·9	+ 0·9	63·0	+ 2·5	43·9	− 0·4	1926
42·8	+ 2·8	53·8	+ 0·8	60·6	+ 0·1	43·6	− 0·7	1927
43·4	+ 3·4	53·1	+ 0·1	62·2	+ 1·7	45·9	+ 1·6	1928
37·0	− 3·0	53·0	0·0	64·0	+ 3·5	46·4	+ 2·1	1929
42·0	+ 2·0	55·0	+ 2·0	61·8	+ 1·3	45·9	+ 1·6	1930
39·7	− 0·3	54·6	+ 1·6	59·2	− 1·3	46·0	+ 1·7	1931
40·9	+ 0·9	53·1	+ 0·1	63·1	+ 2·6	45·4	+ 1·1	1932
41·2	+ 1·2	55·9	+ 2·9	65·5	+ 5·0	43·0	− 1·3	1933
40·0	—	53·0	—	60·5	—	44·3	—	Average 50 years (1861-1910)

published in previous Annual Reports.

TABLE 32.—QUARTERLY METEOROLOGICAL ELEMENTS. GREENWICH, 1933.

1st Quarter: Jan., Feb., Mar. 2nd " April, May, June. 3rd " July, Aug., Sept. 4th " Oct., Nov., Dec.	Temperature of Air. Mean of Maximum and Minimum.	Temperature of Air. Difference from Normal of 130 years.	Temperature of Air. Difference from Normal of 60 years.	Temperature of Evaporation. Mean of "Wet Bulb" Readings at 9h. and 21h.	Temperature of Evaporation. Difference from Normal of 60 years.	Temperature of Dew Point. Mean.	Temperature of Dew Point. Difference from Normal of 60 years.	Temperature of Air Daily Range. Mean.	Temperature of Air Daily Range. Difference from Normal of 60 years.	Vapour Pressure in Millibars. Mean.	Vapour Pressure in Millibars. Difference from Normal of 60 years.	Mass of Vapour in a Cubic Metre of Air. Mean.	Mass of Vapour in a Cubic Metre of Air. Difference from Normal of 60 years.	Degree of Humidity. Mean of 9h. and 21h.	Degree of Humidity. Difference from Normal of 60 years.	Mean Air Pressure at Station Level* in Millibars. Mean.	Mean Air Pressure at Station Level* in Millibars. Difference from Normal of 60 years.	Mass of a Cubic Metre of Air. Mean.	Mass of a Cubic Metre of Air. Difference from Normal of 60 years.	Rain. Amount in Millimetres.	Rain. Difference from Normal of 86 years.	Readings of Thermometer on Grass. Number of Nights it was: At or below 30° F.	Between 30° and 40° F.	Above 40° F.	Lowest Reading at Night.	Highest Reading at Night.
1933.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	mb.	mb.	gms.	gms.	%	%	mb.	mb.	gms.	gms.	mm.	mm.				° F.	° F.
Year ..	51·5	+2·8	+2·1	47·3	+0·8	43·4	−0·1	16·3	+0·5	10·5	+0·6	8·0	+0·2	79	−3	1013·0	+4·1	1239	−2	430	−200	115	104	146	13·1	62·2
1st Quarter	41·2	+2·3	+1·4	38·6	+0·8	35·8	+0·6	13·3	+1·5	7·3	+0·3	5·7	+0·2	83	−1	1012·3	+3·5	1265	+1	130	+ 5	56	22	12	13·1	46·1
2nd "	55·9	+3·5	+3·0	50·7	+1·6	48·2	+3·0	20·7	+0·8	10·9	+0·5	8·3	+0·5	73	−4	1012·4	+3·2	1232	0	115	−28	15	40	36	19·7	55·2
3rd "	65·5	+5·7	+5·1	59·2	+2·7	55·4	+2·4	21·2	+1·5	15·2	+1·6	11·3	+0·8	75	−2	1015·6	+6·0	1208	−6	116	−66	0	9	83	32·1	62·2
4th "	43·0	−0·7	−1·4	41·0	−1·6	37·9	−2·7	10·0	−1·7	8·3	−0·4	6·5	−0·6	85	−4	1012·0	+3·9	1257	+4	69	−111	44	33	15	13·1	56·3

* Height of barometer cistern above mean sea level = 152 feet (average correction to sea level + 5·6 mb.).

In this table + and — respectively signify that the numbers in the preceding column are above or below the average to the amount of the quantities to which the signs are affixed.

Pressure is expressed in millibars (1,000 mb. = 29·531 mercury inches).

Density is expressed in grams per cubic metre (2·294 grams per cubic metre = 1 grain per cubic foot).

APPENDIX A. Estimated Resident Mid-Year Population, 1933, of Areas as constituted after change of Boundary during the Year. (Supplementary to Table 17.)

Areas in which a change of Boundary occurred during 1933.	Estimated Resident Mid-Year Population.
Regional Summary :—	
Midland	6,997,270
Midland I	4,591,070
South-West	2,062,530
Density Summary (Greater London excluded) :—	
County Boroughs	12,741,450
Urban Districts	11,613,920
Rural Districts	7,634,130
Counties, County Boroughs, Urban and Rural Districts :—	
Bedfordshire—	
Urban Districts	147,939
Biggleswade	5,958
Dunstable M.B.	10,293
Leighton Buzzard	6,950
Luton M.B.	72,980
Sandy	3,223
Rural Districts	77,791
Ampthill	17,610
Biggleswade	21,390
Eaton Bray	Nil
Luton	13,460
Buckinghamshire—	
Administrative County	279,940
Rural Districts	148,340
Aylesbury	21,330
Long Crendon	3,546
Wycombe	28,490*
Cheshire	1,098,480
County Boroughs	416,730
Birkenhead	151,060
Wallasey	97,600
Administrative County	681,750
Urban Districts	500,690
Bebington	33,710
Ellesmere Port	24,390
Hoylake	19,890
Lymm	5,724*
Neston	8,250
Wirral	9,940
Rural Districts	181,060
Bucklow	22,310*
Chester	16,980
Runcorn	32,280
Wirral	Nil
Dorsetshire—	
Urban Districts	148,780
Dorchester M.B.	10,170*
Poole M.B.	63,510
Shaftesbury M.B.	3,083
Swanage	6,021*
Weymouth and Melcombe Regis M.B.	29,850
Wimborne Minster	4,102
Rural Districts	93,120
Bridport	6,841
Cerne	Nil
Dorchester	16,077
Poole	Nil
Shaftesbury	8,452
Sherborne	5,276
Sturminster	8,301
Wareham and Purbeck	15,970
Weymouth	Nil
Wimborne and Cranborne	17,010

Areas in which a change of Boundary occurred during 1933.	Estimated Resident Mid-Year Population.
Durham—	
County Boroughs	569,950
Gateshead	124,320
Administrative County	917,680
Urban Districts	517,170
Whickham	19,920
Rural Districts	400,510
Chester-le-Street	50,660
Ely, Isle of—	
Urban Districts	45,820
Ely	8,607
March	11,920*
Whittlesey	8,292
Wisbech M.B.	11,810
Rural Districts	33,130
Ely	13,320
Thorney	2,408
Wisbech	12,190
Essex—	
County Boroughs	554,774
Southend-on-Sea	132,374
Administrative County	1,269,526
Urban Districts	984,986
Buckhurst Hill	Nil
Chigwell	17,422
Loughton	Nil
Shoeburyness	Nil
Witham	6,937
Rural Districts	284,540
Braintree	19,490
Epping	14,190
Rochford	14,980
Gloucestershire	801,570
County Boroughs	463,870
Bristol	410,870
Lancashire	5,040,820
County Boroughs	3,238,090
Bury	59,800
Manchester	758,140
Rochdale	95,370
Warrington	81,710
Administrative County	1,802,730
Urban Districts	1,570,232
Ashton-in-Makerfield	20,230*
Chadderton	27,670
Denton	17,870*
Droylsden	15,110
Eccles M.B.	43,970
Failsworth	15,800
Golborne	14,095
Haydock	10,290*
Heywood M.B.	26,389
Irlam	13,030*
Kearsley	11,095
Little Hulton	Nil
Middleton M.B.	29,010
Norden	Nil
Prestwich	26,100*
Radcliffe	27,070
Ramsbottom	15,362
Royton	16,670*
Stretford M.B.	57,230
Swinton and Pendlebury	38,300
Tottington	6,275*
Tyldesley	19,150
Urmston	25,283
Whitefield	10,321
Worsley	22,427
Rural Districts	232,498
Barton-upon-Irwell	Nil
Bury	Nil
Leigh	Nil
Warrington	15,530

* The population involved in this change was too small to necessitate adjustment for the calculation of rates. The figure here is, therefore, the same as in Table 17.

APPENDIX A—*contd.*

Areas in which a change of Boundary occurred during 1933.	Estimated Resident Mid-Year Population.
Nottinghamshire—	
County Borough—	
Nottingham	283,030
Administrative County	444,970
Urban Districts	274,660
Arnold	15,120
Beeston	15,810
Rural Districts	170,310
Basford	46,410
Oxfordshire	214,360
Administrative County	130,950
Rural Districts	92,840
Bullingdon	22,120
Somersetshire	472,230
Administrative County	403,330
Urban Districts	180,529
Bridgwater M.B.	18,000
Burnham-on-Sea	7,881
Chard M.B.	4,405
Clevedon	7,525
Highbridge	Nil
Midsomer Norton	Nil
Norton-Radstock	11,047
Radstock	Nil
Shepton Mallet	4,249
Street	4,436*
Wellington	6,829
Wells M.B.	5,364
Weston-super-Mare	32,010
Wiveliscombe	Nil
Rural Districts	222,801
Axbridge	22,100
Bath	Nil
Bathavon	22,560
Bridgwater	16,670
Chard	11,410
Clutton	15,700
Frome	9,680
Keynsham	Nil
Long Ashton	19,050
Shepton Mallet	10,054
Wellington	7,469
Wells	9,435
Staffordshire—	
County Boroughs	736,140
Wolverhampton	140,060
Administrative County	713,540
Urban Districts	495,450
Wednesfield	9,624
Rural Districts	218,090
Cannock	20,400
Seisdon	14,000
Surrey—	
County Borough—	
Croydon	239,960
Administrative County	1,015,540
Urban Districts	901,016
Banstead	21,250
Beddington and Wallington	27,890
Carshalton	35,260
Caterham and Warlingham	23,300
Chertsey	18,120
Coulsdon and Purley	44,390
Dorking	15,680
East and West Molesey	Nil
Egham	17,020
Epsom	39,740
Esher	34,790
Farnham	19,620
Godalming M.B.	12,330
Guildford M.B.	36,130
Ham	Nil
Haslemere	9,299
Kingston-on-Thames M.B.	38,690
Leatherhead	18,711
Merton and Morden	52,130*
Mitcham	60,060
Reigate M.B.	35,250
Richmond M.B.	38,776
Surbiton	35,140
Sutton and Cheam	58,090
The Maldens and Coombe	27,830
Walton and Weybridge	25,790
Walton-upon-Thames	Nil
Weybridge	Nil
Wimbledon M.B.	58,770
Windlesham	Nil
Woking	37,350
Rural Districts	114,524
Bagshot	11,094
Chertsey	Nil
Dorking and Horley	19,240
Epsom	Nil
Farnham	Nil
Godstone	26,620
Guildford	32,490
Hambledon	25,080
Reigate	Nil
Sussex, West—	
Urban Districts	124,550
Bognor Regis	17,530
Chichester M.B.	15,530
Littlehampton	10,420
Shoreham-by-Sea	9,130
Worthing M.B.	48,530
Rural Districts	106,550
Chanctonbury	15,973
Chichester	29,676
East Preston	Nil
Horsham	21,800
Midhurst	14,480*
Petworth	8,315*
Steyning West	Nil
Thakeham	Nil
Westbourne	Nil
Westhampnett	Nil
Worthing	16,306
Wight, Isle of—	
Urban Districts	70,150
Cowes	15,367
East Cowes	Nil
Newport M.B.	19,530
Ryde M.B.	17,980
St. Helens	Nil
Sandown	Nil
Sandown-Shanklin	10,953
Shanklin	Nil
Ventnor	6,320
Rural District—	
Isle of Wight	15,890
Worcestershire—	
Urban Districts	224,364
Bewdley M.B.	4,345
Bromsgrove	21,582
Droitwich M.B.	4,452
Evesham M.B.	11,091
Halesowen	31,710
Kidderminster M.B.	30,210
Lye and Wollescote	Nil
Malvern	17,690
North Bromsgrove	Nil
Oldbury	39,560
Redditch	22,024
Stourbridge M.B.	34,420
Stourport	7,280
Rural Districts	91,236
Bromsgrove	17,010
Droitwich	10,330
Evesham	14,102
Feckenham	Nil
Kidderminster	7,733
Martley	10,610
Pershore	13,520
Rock	Nil
Tenbury	5,462
Tewkesbury (part)	Nil
Upton-on-Severn	12,469
Winchcomb (part)	Nil
Anglesey—	
Aethwy R.D.	10,573
Dwyran R.D.	Nil

* The population involved in this change was too small to necessitate adjustment for the calculation of rates. The figure here is, therefore, the same as in Table 17.

Printed under the authority of His Majesty's Stationery Office
By Eyre and Spottiswoode Limited, East Harding Street, E.C. 4
Printers to the King's most Excellent Majesty.

x (375)9450 Wt 3329—1035 750 12/34 **(Item 19)**